






Zaden en planten ontvangen voor den Hortus, 1797-1815


<https://hdl.handle.net/1874/461671>














Zaaden, van Worhelm & Schneewydt
1797, 23 Maart. ^(of G. Schneewydt)

Alstromeria peruviana
Anthemis pyreticum
Asclepias fruticosa.
Astragalus alopecuroides.

Bocconia frutescens.

Carduus casabona.

Gentiana viscosa.

Loranthus arboreus.

Trifolium rubens, witte
en roode.

het vorig Zomer 1796 van hem
ontf. Planten

Phyllanthus speciosus.

Sedum palustre

Kalmia angustifolia

Azalea viscosa.. (voor 2 *Protea's*)

Vrij. Landen van J. C. van Schinnes
Rottad.

28 Maart.

Datura Tatala.

Mimosa sensitiva

Physalis anticipata

———— *pubescens.*

Vng 7. Van Dr. V. Marum. Haerl.

Maart. 24.

*Alyssum halimifol.**Androsace maxima**Antirrhinum majus fl. coecim. elegan.**Astragalus alopecuroid.**Biperula pelecinus.**Briza major.**Bupleurum perfoliat.**Centaurea melitens.**Cheiranthus maritimus.**Cynofurus aureus.**Cynoglossum linifol.**Geranium griseum.**Hippocrepis unifiliqua.**Lagurus ovatus.**Lotus conjugatus**Lupinus hirsutus fl. ros.*

*_____ angustifol.**Reseda undata.**Scorpiurus muricata.**Scrophularia mariland.**Silene cretica.**_____ quinquevulnes.**Tordylium syriac.**Triticum poloni.**Vicia dumetor.*

1797. Laaden von Erlangen
 Prof. Schreber. Apr. 14.

| | | |
|---|---------------------|--|
| 1 | <i>Asphyranthes</i> | <i>Lappacea</i> |
| 1 | _____ | <i>aspera sicula</i> |
| 1 | <i>Achillea</i> | <i>impatiens</i> |
| 1 | _____ | <i>magna</i> |
| | <i>Aegilops</i> | <i>caudata</i> |
| | _____ | <i>trianialis</i> |
| | <i>Agrostis</i> | <i>mexicana</i> |
| | <i>hirsoon</i> | <i>canariense</i> |
| 1 | <i>Alopecurus</i> | <i>monspeliensis</i> |
| 1 | <i>Anagallis</i> | <i>monelli</i> |
| | <i>Anemone</i> | <i>virginica</i> |
| | <i>Anthyllis</i> | <i>tetraphylla</i> |
| | <i>Antirrhinum</i> | <i>chalepense</i> |
| 1 | <i>Andropogon</i> | <i>hirsum</i> |
| | <i>Arenaria</i> | <i>tetraquetra</i> |
| | <i>Artemisia</i> | <i>hispanica</i> |
| 1 | <i>Asperula</i> | <i>arvensis</i> |
| | _____ | <i>lavigata</i> |
| 1 | <i>Athanasia</i> | <i>annua</i> |
| 1 | <i>Atroplex</i> | <i>tatarica</i> |
| 1 | <i>Avena</i> | <i>perilis</i> |
| | <i>Biferrula</i> | <i>pelecinus</i> |
| | <i>Bidens</i> | <i>frondosa</i> |
| | <i>Biscutella</i> | <i>apula</i> |
| 1 | _____ | <i>coronopifolia</i> |
| 1 | <i>Bromus</i> | <i>purgans</i> |
| 1 | B — | <i>rubens</i> |
| 1 | _____ | <i>stipoides</i> |
| 1 | <i>Convolvulus</i> | <i>siculus</i> |
| 1 | _____ | <i>canariensis</i> |
| | _____ | <i>sibiricus</i> |
| 1 | _____ | <i>indicus</i> |
| | _____ | <i>egyptiacus</i> |
| | _____ | <i>cairicus</i> |
| 1 | _____ | <i>prostratus</i> |
| | _____ | <i>perthicus</i> |
| | _____ | <i>crenatus</i> |
| | <i>Cotula</i> | <i>poterrius</i> <i>canariensis</i> |
| | <i>coarctata</i> | <i>orientalis</i> |
| | <i>Coreopsis</i> | <i>leucantha</i> |
| 1 | <i>Cotula</i> | <i>coronopifolia</i> |
| 1 | <i>Cnicusella</i> | <i>latifolia</i> |
| 1 | _____ | <i>patula</i> |
| 1 | _____ | <i>imbricata</i> |
| 1 | <i>Cynaglossum</i> | <i>prophetarum</i> |
| | <i>Cynaglossum</i> | <i>cretheum</i> |
| 1 | _____ | <i>trifolium</i> |
| | <i>Cynosurus</i> | <i>cotacarus</i> |
| | _____ | <i>siculus</i> |
| | _____ | <i>aureus</i> |
| | _____ | <i>domingensis</i> |
| | <i>Cyperus</i> | <i>asper</i> |
| | <i>Cytilus</i> | <i>cajan</i> |

Schreber.

| | |
|------------------------|--------------------|
| Calendula | arvensis |
| Campanula | americana |
| 1 Cannabes | altissima |
| 1 Carduus | stellatus |
| Carop | arenaria |
| 1 Cnicus | leptophylla |
| 1 Cnicus | capitata |
| 1 Centaurea | calitrapa |
| Chenopodium | atriplex |
| Chloris | radiata |
| _____ | petrella |
| 1 Digitales | Wissleri Roth? |
| Cistus | villosus |
| _____ | egyptiacus |
| 1 Digitalis | Wissleri Roth |
| Elymus | canadensis |
| _____ | hystris |
| _____ | virginicus |
| _____ | hordeaceus |
| 1 Erythronium | parviflorum |
| Euphorbia | segetalis |
| Galega | roba |
| 1 Haloragis | alata |
| Hedysarum | muricatum |
| _____ | gangeticum |
| 1 Hesperis | hispida |
| Oberis | Gibraltarica |
| _____ | pinната |
| Illecebrum | aragonicum |
| 1 Ipomoea | villosa |
| 1 Jatropha | lobatifolia |
| _____ | tinctoria |
| Lactuca | Canadensis |
| Lapsana | Lacintha |
| Lathyrus | Aphaca |
| Lepidium | Spinosum |
| Lobelia | Lobelia |
| 1 Lagotis | Cuminoides |
| Lobelia | hispida |
| 1 Lupinus | angustifolius |
| Melica | ciliata |
| Mimosa | virgata |
| 1 Malva | Limensis |
| _____ | abutiloides |
| 1 Matricaria | Austracum |
| Nardus | aristata |
| Nepeta | butyracoides |
| Ocimum | Scutellaroides |
| 1 Oenothera | rosea |
| _____ | mollissima |
| _____ | limbata |

- / *Ortega* *hispanica*
 / *Panicum* *ciliare*
 / ——— *asiaticum*
 x ——— *filiforme*
 x ——— *glanum*
 ——— *lineare*
 / *Panicum* *creticum*
 / *Paspalum* *coloniferum*
Pavonia *memorata*
 ——— *spinifera*
 / *Pectis* *frigida*
Perilla *orymbos*
 x *Phleum* *sibiricum* *prol.*
 / *Phlomis* *ceylonica*
 / *Physalis* *angulata*
~~*Bifera*~~ ~~*pubescens*~~ (Loven)
Plantago *crassifolia*
 / *P* ——— *Lagopus*
 / ——— *virginica*
 ———
 / *Poa* *eragrostis*
 / ——— *pilosa*
Pteris *bituminosa*
Rumex *pulcher*
 ——— *sanguineus*
Rubus *pennsylvanicus*
Rottbolla *incurvata*
Scabiosa *grandiflora*
Selago *corymbosa*
Sida *brasiliensis*
 / *Silene* *cerastoides*
 / ——— *bellidifolia*
 / ——— *viscosa*
Sisyrinchium *bermudiana*
 / *Sisymbrium* *Pannonicum*

Schreber

Solanum auriculatum

———— *aculeatifolium*.

Stachys germanica

———— *lanata*

Statice cephalotes (Aiton)
(*pseudarmeria*.)

Urena seruuata =

/ *Valeriana dentata* +

/ ————— *radiata*

/ ————— *vesicaria*.

Verbena prismatica.

/ *Xanthium echinatum*.

Zaaden

uit Parijs, des Lijzen Throuin

16 Apr. 1797.

- Achillea* *ageratum* L
— — *Alpina* L
— — *Aegyptiaca* L
— — *Pubescens* L
— — *Clavenae* L
— — *Pauciflora* Lamarck
— — *Patarmica* L
— — *Santolina* L
- Achyranthes* *Lappacea* L
— — *prostrata* L
- Alcea* *aethiopica* (Sibthorp.)
Alopecurus *mondepiensis* L
— — *pratensis* L
- Allium* *angulosum* L
— — *Descendens*
— — *fatirum* L
— — *Lusitanicum* Juss
— — *obliquum* L 21
— — *parviflorum* L 24 08
— — *Sphaerocephalum* L
— — *Subhirsutum* L
— — *ursinense*
- Althaea* ~~Althaea~~ *Narbonensis* Juss
- aconitum* *cammarum* L
— — *pyrenaicum* L
- Alyssum* *alpestre* L
— — *campestre* L ?
— — *calycinum* L
— — *Cypeatum* L
— — *Utriculatum* L

Parys.

- Amaranthus albus* L
— — — paniculatus
— — — polygamus L
— — — sanguineus
— — — retroflexus L
— — — viridis L
Anemone sylvestris
— — — virginica L
Andropogon barbatus L
Andropogon selysianus ?
Anethum segetum L
Anthriscum alpinum
/ — — — cirrhosum L
— — — monosperilimum L
— — — lupinum L
— — — ~~albidum~~ *linaria* L
Anthriscum aloides
— — — comosum L
— — — frutescens L
/ *Anthemis arvensis* L
/ — — — cota L
/ — — — tinctoria L
/ — — — valentina L
Aquilegia alpina L
— — — canadensis L.
— — — viridis L
— — — viscosa L
Arenaria Balearica L
— — — ciliata h
— — — fasciculata L
— — — laricifolia L
— — — media L
— — — saxatilis L
— — — striata L
— — — tetragyntra L
— — — trinervia L
— — — tenuifolia L

Parys.

- Asterium* *personata* L
Arthemisia *absinthium* L 2
— — — *arborescens* L
— — — *argentea* L
— — — *austriaca* Jacq
— — — *coeruleascens* L
— — — *capitata* L
— — — *corymbosa* Juss
— — — *campestris* L
— — — *dracunculifolia* L
— — — *maritima* L
— — — *palmata* L
— — — *pontica* L
— — — *suaviolens* Juss
— — — *glacialis* L
— — — *valantina* L
— — — *vulgaris* L
Asclepias *Syrriaca* L
— — — *frutescens* L Gussone
— — — *nigra* L
— — — *vincetoxicum* L
Asperula *laevigata* L 2
— — — *truncata* L 2
Asphodelus *ramosus* *caetifolius* Juss
— — — *fistulosus* L
Aster *acris* L
— — — *amellus* L
— — — *nova angliae* L
— — — *annuus* L
— — — *novae belgii* L
— — — *coelestis* L
— — — *divaricatus* L 0
— — — *dracunculoides* Juss.
— — — *ericoides* L
— — — *falcatifolius* Juss.
— — — *grandiflorus* 2
— — — *linifolius* L

Parys.

Aster longifolius
— macrophyllus
— minor
— patulus (Juss.)
— punicus
— rubicaulis (Juss.)
— Sibiricus L.
— tardiflorus L.
— tenellus L. C.
— tradescanti L.
— trinervis (Juss.)

Aragalus alopecuroides L.
— austracis
— Aegyptius Juss.
— campestris L.
— Cus L.
— falcatus Lamarch. Det.
— fulcatus L.
— onobrychus L.
— pentaglottis L.
— Gallegiformis L.
— Serapiens L.

Adiantum condensatum L.
— libanotis L.
— — minor (Juss.)
— moum L.
— Sibirica L.

Atriplex laciniata L.
— patula L.
— Sibirica L.

Atropa frutescens
Avena elatior L.
— dystichophylla (Vahl.)
— fatua
— flavescens L.
— heteromalla Scopoll.
— Coeplungiana L.

Parys

- Avena pratensis* L
/ *perilis* L
— *strata* Lachnarek
Baccharis aegyptiaca Juss
— *italini folia* L
Balsamita maxima Desfont
/ *Beta cicla* L
Betonica officinalis
Bidens bytiniata L ☉
— *cernua* L.
/ — *frondosa* L
— *nivea* L ☉
— *odorata* Cav
Bifentella laevigata L.
Bubon galbanum L
/ *Prunias Balcanica* L
/ — *matrinicensis* L
/ — *orientalis* L
Bupleurium adaphyllum 5 or
— *odontites* L
— *frutescens* L
— *rigidum* L
— *Spinopum* Desf.
Campanula rapunculoides L
/ — *hybrida* L
— *Lariciformis* L
— *pyramidalis* L.
— *periclymenifolia* L
— *Rhomboidalis* L
— *Syberica* L
— *Thysifolides* L
— *verticillata* L
Carthamus multiformis L
/ — *creticus* L

Parys.

- 1 *Calendula hispanica* L
- Celsia crocea* Desfontaines
haemitorus L Herodotus
et gre chaude.
- 1 *Cenchrus acchinatus* L
- 1 — — *racemosus* L
- 1 *Chenopodium anthelminticum*
- 1 — — — *ferotinum* L
- — — *Milkydum* L
- Chaerophyllum aromaticum* L
- — — *aureum* L
- — — *fulbosum* L
- 1 *Cheiranthus chinis* L
- — — *sinuatus* L
- Chrysanthemum alpinum*
- — — *Balsamita* L
- 1 *Leucanthemum* L
- Manspelicense* L
- maritimum* L
- 1 *miconis* L
- 1 *segetium* L
- Cineraria geophila* L 2 or
- maritima* L 2
- tomentosa* L 2 or
- Comiza caciulea* L

20 Apr. uit de
Groninger Hortus

Zaaden.

Achyranthes lanata

_____ Cappacea.

Aconitum canarium

/ Amaranthus flavus

/ _____ mangostanus

_____ indandolicus.

/ _____ polygamus.

/ _____ polygonoides.

/ _____ retroflexus.

/ _____ sanguineus.

/ Achyranthes ficula.

/ Basella alba

Betonica officinalis

_____ orientalis

Baerhavia scandens

Campanula barbata

_____ medium.

Cappicum baccatum.

/ Cauliculis mauritanica.

/ _____ patanicarpus.

Centauria glastifolia.

_____ orientalis

_____ Phrygia.

_____ jonchi folia.

_____ strebe.

Convolvulus hederaceus.

_____ pentaplyllus.

_____ persicus.

/ _____ sermonea

_____ terestris.

/ Corchorus aestuans.

/ _____ capsularis.

Datu

Zaaden

Datura ferox.

Eryngium alpinum

————— *amethyst.*

Geranium quinum.

————— *macrorhizum*

Hibiscus aethiopicus.

————— *esculentus.*

Lathyrus aphaca

/ ————— *pisiformis.*

/ ————— *sylvestris.*

Leonurus tataricus.

/ *Lupinus angustifol.*

————— *hirsutus.*

Malva coromandina.

/ ————— *Limensis.*

/ ————— *scabrosa.*

/ *Ocimum aegyptiacum.*

/ ————— *albin.*

/ ————— *scutellarioides.*

————— *tenuiflorum.*

Pentapetes acrifolia.

/ *Perilla ocymoides.*

/ *Physalis angulata.*

————— *prostrata.*

Prunella laciniata.

/ *Rumex crispus.*

/ ————— *sanguineus.*

/ ————— *vesicaria.*

/ *Solanum pseudo-lycopers.*

————— *quercifolium.*

————— *tomentosum*

Sida

Zaden

Lida crispa

— *cristata*.

— *occidentalis*.

— *spinosa*.

— *umbellata*.

Thalictrum didicum.

— *foetidum*

20 Apr. van Dr. Van Marum
ontf.

Planten 20.

Arnica montana

Asclepias incarnata.

Achillea foetida

Brythalamum helianthoid.

Convallaria polygonatum.

Campanula pyramidalis.

Eryngium alpinum.

Filago leontopodium.

Iris sambucina

— *verna*

— *versicolor.*

Inula hirta.

Lobelia cardinalis.

Mimula ringens.

Ornithogalum luteum.

Ranunculus lanuginosus

Rudbeckia purpurea.

Sylphium trifoliat.

Valeriana pyrenaica

Verbascum blattaria.

beloof nog

Arundo arvensis

Achillea clavenna

Eryngium marit.

Euphorbia parlati.

Iris sibirica

Rudbeckia oppositifolia.

Van L. van Dukeren
28 April. ontfangen

Zaaden

Datura fastuosa, fl. pleno.

Hesperis tristis.

Xeranthemum annuum fl. albo

————— fl. rubr.

Planten

Achillea ageratum

————— ~~claytonia~~ (waser niet)

————— *tomentosa*.

Althaea officinal. fol. varieg.

Alstroemeria Lighta.

Convallaria polygonatum fl. pleno

Convolvulus foldanella.

Doronicum plantagineum ?

Chrysanthemum indicum (nov. Curtis)

Helianthus giganteus.

Osmunda lunaria.

Pimpinella saxifraga.

beloofd in den herfst

Iris Liphium
Supiana.

20 Apr. Van Har derwijk, dor W. Koest.

Planten door my uitgebragt

Arenaria rubra

Eryngium maritimum.

Lolium perenne

———— *temulum.*

Pedicularis palustris

Scandix anthriscus

Spergula nodosa.

en van Vancouver

Cynara scolymus.

Zaaden
van Coppenlage
van
Hollböl
Apr. 97.

- Aconitum pyrenaicum*
camarum
rotundifolium
Acalypha virginica
Achyroanthus lappacea
aspera
Adonis ~~miniata~~
fl. luteo.
Aeschynomene *Sesban*
Amarantus melancholicus
retroflexus
Antirrhinum repens
Anacyclus valentinus
Anoda hastata
Aster *linifolius*
Asperellus
longifolius
Astragalus cicer
falcatus
trimestris
Attractylis cancellata
Azoreis amaranthoides
Basella alba
Bidens frondosa
Biscutella apula
levigata
Briza virens
Bromis asper
pinnatus
purgans
giganteus
Bunias orientalis
Burthalmum helianthoides
Carpesium cernuum
Cacalia hastata
Carthamus creticus
Caucalis latifolia
nodosa
grandiflora
Celina cretica
Centaurea aspera
calitrops
pullata
sempervirens

Copenhagen

- Cerastium* *perfoliatum*
/ *vulgatum*
/ *dichotoma*
aquaticum
Cherophyllum *bulbosum*
aromaticum
/ *Cheiranthus* *fruticulosus*
/ *helveticus*
/ *maritimus* fl. alb.
chius
lobelianus
/ *maritimus*
Chelone — *pentstemon*
Chloris *radicata*
/ *Chrysanthemum* *segetum*
/ *inodorum*
myconis
Cicer *arietinum*
Cimicifuga *foetida*
Cineraria *palustris*
glauca
Cytisus *mutabilis*
Surreyanus
egyptiacus
ternatea
Cistis *glabra*
capitata
multicaulis
biflorus
Clypeola *fontinalis*
Conandrium *testiculatum*
Crambe *maritima*
Crepis *foetida*
/ *pulchra*
/ *alpina*
/ *aspera*
/ *tectorum*
/ *Crucianella* *mucronata*
angustifolia
/ *Cuscuta* *viscosissima*
Cynosurus *crestatum*
/ *echinatum*
Cynilla *pulchella*
Dactylis *glomerata*
/ *Datura* *levis*
Daucus *mauritanicus*
/ *Delphinium* *ajacis*
Dracocephalus *mutans*
/ *peltatum*
austriacum
Sibiricum

Copenhagen

- Elymus* - - *Sibiricus*
Canadensis
Caninus
- + *Elsholtzia* *cristata* novae. novae
Eriophorum *alpinum* an. *Hyssopus hircicus*?
nov. spec.
vaginatulum
- Erythronium* *repandum*
- Festuca* *duriscula*
decumbens
ovina
- Gentiana* *campetris*
asclepiadea
- Geranium* *reflexum*
Columbinum
Silvaticum
palustre
- Gorypium* *herbaceum*
- Hedysarum* *maculatum*
- Heraclium* *panace*
angustifolium
Sibiricum
- Hesperis* *africana*
- Hibiscus* *spunifex*
prohorlus
- Hieracium* *Sprengelianum*
umbrosum
pumilifolium
- Holosteum* *umbellatum*
- Lactucitium* *Siber*
- Lathyrus* *hirsutus*
- Lawsonia* *inermis*
- Ledum* *palustre*
- Linum* *radiola*
flavum
temifolium
austriacum
catharticum
- Loefflingia* *hispanica*
- Lolium* *perenne*
- Lotus* *temulentum*
ornithopodioides
edulis
- Lycopsis* *lutea* (La Mark)
- Marubium* *acetabulosum*
creticum
- Melochia* *pyramidata*
- Myagrum* *rugosum*
perfoliatum
- Reseda* *phytanias*
undata

| | |
|------------------|----------------------|
| <i>Piscaria</i> | <i>egyptiaca</i> |
| <i>Rumex</i> | <i>pulegius</i> |
| | <i>maritimus</i> |
| | <i>scutellatus</i> |
| | <i>vesicarius</i> |
| | <i>perficaroides</i> |
| | <i>divaricatus</i> |
| <i>Salvia</i> | <i>spicata</i> |
| | <i>spicata</i> |
| | <i>hispanica</i> |
| | <i>variegata</i> |
| <i>Saponaria</i> | <i>portigens</i> |
| <i>Scabiosa</i> | <i>columbaria</i> |
| <i>Scolymus</i> | <i>hispanica</i> |
| | <i>maculatus</i> |
| <i>Selen</i> | <i>conoides</i> |
| | <i>coctica</i> |
| | <i>lulitanea</i> |
| | <i>conica</i> |
| | <i>inaperta</i> |
| | <i>trichos</i> |
| <i>Sylphium</i> | <i>conatum</i> |
| | <i>trifoliatum</i> |
| <i>Sium</i> | <i>falcaria</i> |
| | <i>angustifolium</i> |
| <i>Thymra</i> | <i>verticillata</i> |
| <i>Tulipa</i> | <i>gesneriana</i> |
| <i>Tinnia</i> | <i>verticillata</i> |



Laaden

^{van}
Upsal van Thunberg
d. 13 mai 97 ontff.

Agrostemma Coeli rosa
Atropa - belladonna
Basella - lucida
Bryonia laciniata
Choranthus tenuatus
Cineraria maritima
Croton lobatum
Eupalyria biflora
Delphinium grandiflorum
Dianthus superbus
Dichondra sericea
Tumaria mobilis
Heliotropium parviflorum
Hypericum androthumum
Mesembrianthemum pinnatum
Mespilus pyracantha
Momordica operculata
Primula Cortusoides
Robinia pseudoacacia
Rudbeckia laciniata
Sida palmata
Sisymbrium parviflorum
Spartium junceum
Linna verticillata

7

Planten.

Van de heer. Zwellingrabel

Doorn

mai.

Aruno arenaria

Ornithogalum nutans.
epigeos.
orchid morio.

Osmunda lunaria.

Triticum junceum.

De Hr. Martens

1 Junij

Briza media ; ontfaan van Haerlem
uit de Duiten.

15 Junij

Van L. van Oudekerke

Planten

1 Amomum gran. paradisi
(zie Rheede II, tab. 8.)

2 Anagyris foetida, pas verplant.
(was bij ons)

3 Boerhavia scandens. (Pluken. T. 113. f.)

4 Cactus cochiniifer? (of onze Ficus ind

5 — tuna? } Hebbes.

6 Canna angustifol. ? (anne indica ind.)

7 Cistus creticus. anne crispus?

8 Gnaphalium patulum of variet^e
uit Kaupste zaad. (Rami non patuli.)

9 Hypoxis decumbens?

10 Kempferia galanga? Rotundifolia?
non videtur. (vid. Rheed. XI. t. 9.)

11 Monarda punctata - reede!

12 Perilla oxyroides. (ook bij ons
uit zaad.)

13 Passiflora minima. (ook bij ons)

7 Sept. Bollen

Allium ursinum. 2 pules.

Leucojum vernum. 6 pules

Lilium chalcedonicum. 2

Planten

Van J. E. C. van Schincken

26 July, 1797.

zur viel geconditioneerd.

Allium victorialis

Aristolochia sempervirens.

Baltimora recta.

Crambe maritima

Cytisus hirsutus.

Tris Sufiana

— *Spuria*

— *Xiphium.*

Mirabilis dichotoma.

Polymnea uvedalia.

Quercus fuber.

Ruscus androgynus.

Salvia pomifera.

Verbascum sinuatum.

Momordica Balsamina.

Van Yena, 1798.
door Prof. Chr. G. Gruner.

15 Maart 1798

Laaden.

Achillea ageratum

_____ macrophylla

Aconitum cammarum

Alicea trifolia

Alyssum montanum

_____ vesicaria

Anacio luteus

Anacyclus valentinus

~~Asphodelus~~ tetraphylla

Asphodelus luteus

Astragalus sagittalis

_____ galegitiformis

Atter tradiscanti

Atropa belladonna

~~Balsaminus~~

Buphtalmum grandiflo

_____ marit.

Calcalia hastata

Campanula medium

_____ prolifera

Calceola ~~prolifera~~

Catananche lutea

Centauria solstitialis

Chrysocoma linifol.

Cicer arisetinum

Cleome

Corchorus trilocularis

Cucubalus catholicus

_____ gauricus

Cynoglossum cheirifolium

_____ japonicum

_____ officin. alb.

Datura stramonium

laver

Dianthus chrysanthifolius

Eclipta erecta

Elymus virginicus

Geranium gracile

Geranium canadense

Hedysarum auriculatum

Helianthus annuus

Hieracium scabrum

Hypocistis alba

aurata

~~Synanthus~~
Iberis amara

Lactuca scariola

Lagotis serotina

Leonurus crispus

Linum catenaria

catenaria

Lycopus vesicarius

Mentha perillifolia

Mesembryanthemum frutescens

Momordica charitaria

Microrhiza scabra

scabra

scabra

Phytolacca opulifolia

opulifolia

opulifolia

Rubia tinctorum

Rudbeckia hirsuta

Rumex crispus

crispus

van jena

- Salvia aegyptiaca
——— cicutophylla
——— eriophora
Scabiosa nigida
Scandix nodosa
Senecio triflorum
Therapias brassica
Feseli glaucum
Sicyos angulata
Silene atrata.
——— conoidea
——— cretica
——— lusitana
——— quinque nervi
——— vulnes
Siphium perfoliatum
Solanum aculeatissimum
——— guinease
——— todomenum
Thalictrum ningo
Tradescantia commutata
Trifolium cerulea
——— purpurea
Urtica canabina
Valeriana phae
Veratrum nigrum
Viola grandiflora
Xeranthemum varieg.
Zinnia elegans
——— hybrida

Vrijd. Mart.

Van den Hr. Van de Pol
van Amsterdam.

Zaaden

- Aconitum canarium
Allium arborescens
Alyssum halimifolium
Anthyllis tetraphylla
Arnica montana
Astragalus maritimus
Bupleurum rotundifol.
Balsosa lanata Benn.
Carduus acaulis
Centaurea moschata fl. lutea
——— ——— — viol.
Cerinthe major
Cicer acutulum
Corypha chinensis
Cucubalus mollissimus
——— Italicus ♂
Leonurus tartaricus
Mesembryanthemum pinnatifidum
Mollisella laevis
Ononisatrix
Physalis altavergii
Reseda alba
Ricota aegyptica
Sclerophularia marylandica
Senecio nemorosus
tagetes othonna
Trifolium churleri luteo
Viola arborescens
——— palustris

1798. Mart.
Van Groningen
van
J. G. Roman

Zaaden.

Anchusa angustifolia

Astragalus galegiformis

Briaria medica

Campanula medium

Capficum faccatum

Capficum grossum

Centaurea phrygia

————— sempervirens

Citrus casan

Cochlearia anglica

Commelina erecta

Cotula coronopifolia

Datura ferox

Draccephalum sibiricum

Echinops stricosus

Inula cernuus

Matris tinctoria

Hedyotis auricularia

Hedysarum saxatile

Hyoscyamus aureus

Lactuca scariola

Leucosium verum

Ocimum album

Potentilla hirta

————— pimpinellai

————— verna

Reseda lutea

Santolina rosmarinifol.

Scabiosa maritima

Serratula centauroides

Sonchus sibiricus

Tormentilla reptans

1793. 30 Mart. van Copenhagen
door den Hortus Holboel.

Zaaden

Achillea cristata, Retz.

_____ *serrata* _____

_____ *nobilis*.

Aconitum neomontanum Kölle

_____ *panicum* La Mart.

_____ *volubile*, Pallas.

Actaea *spicata* var. *hacc. rubr.*

Aconis *minuata*, fl. *luteo.*

_____ *_____* Jaeg.

Aeschynomene americana

_____ Sesban

Agrostemma niceensis, Allion

Agrostis - - *mexicana*

_____ *miliacea*

_____ *rubra*

Aira - - *canescens*

_____ *caryophyllea*

Arisaema *hispanicum*

Ajuga - - *genevensis*

Alcea - - *fraxifolia*

Allium - - *angulosum*

_____ *arenarium*

_____ *carinatum*

_____ *nigrum*

_____ *nutans*

_____ *victoralis*

Alyssum - *clypeatum*

_____ *halimifolium*

_____ *minimum*

_____ *reticulatum*

Amaranthus chlorostachys, Willden.

_____ *latus* Willden.

_____ *scandens* Suppl.

_____ *strictus* Willden.

Ammania *ramosior*

Anni - - *maius*

Anacyclus *valentinus*

Copenhagen

- Anchusa* - - *angustifolia*
——— *italica* Retz.
- Anemone* ~~*pratensis*~~
——— *silvestris*
——— *virginiana*
- Androsace* - *elongata*
- Anoda* - - *hastata*
- Anthemis* - *altissima*
——— *catula*
——— *tomentosa*
- Anthericum* - *albucoides*. H. Kew.
- Anthyllus* - *cornicina*
——— *tetraphylla*
- Antirrhinum* *repens*
——— *arvense*
——— *versicolor*
- Asperula* - - *autumnalis*. Hoffmann
——— *hastata* Hof.
——— *hispida*
- Artemisia* - *maritima*
- Aster* - - - *amellus*
——— *diffusus*. H. Kew.
——— *divergens* ——
——— *lavis*
——— *linifolius*
——— *longifolius*, La Marche
——— *paniculatus*. H. Kew.
——— *tripolium*
- Astragalus* - *lucida*
——— *depressus*
- Atriplex* - *hastata*
——— *littoralis*
- Azygia* - *pusilla*

Basella - lucida

Bidens - - - - - cernua

Boerhaavia - diffusa

_____ erecta

_____ hirsuta

Brassica - erucastrum

Briza - - - - - virens

Brizopyrum - - - - - alba

_____ laciniata

Brytholimum helianthoides

Bupleurum longifolium

Cacalia - hastata

Calendula - arvensis

_____ hybrida

_____ officinalis. var. prolifera

_____ pluvialis

_____ stellata Cavan

Campanula - bononiensis

_____ medium

_____ rotundifolia

Capitulum - conoidium. Mill.

_____ frutescens

_____ pyramidale. Mill.

Carduus - aculeus

_____ arabicus Jacq

_____ acanthoides

_____ nutans

Carpesium cernuum

Cassia occidentalis

Caucalis - latifolia

_____ antipyricus. Roth.

_____ nodosa Roth.

_____ Scandinava _____

Centaurea Salmantica, fl. alb.

_____ majuscula

_____ crocodylium

_____ diluta H. Kew.

_____ eriophora

Copenhagen

- Centaurea* - *galactylis*
_____ *ismardi*
_____ *lippii*
_____ *muricata*
_____ *phrygia*
_____ *salmantica*
_____ *imperivirens*
_____ *splendens*
_____ *veratrum*
Cheiranthus - *alpinus*
_____ *cheiri* var. fl. purp.
_____ *frutescens*
_____ *fenestralis*
Chelone - ~~*obliqua*~~
_____ *pentstemon*
Chenopodium *scoparia*
_____ *ambrosioides*
_____ *viride*
Chloris - *radiata* Schwartz
Chondrilla - *hieracioides* Roth.
Chrysanthemum *carinatum* Schousbol
habitat ad Mogadore in
Moroceo. (Sub dio)
Cichorium - *divaricatum* hab. ad
J. idem Schousbol in
Moroceo (Sub dio)
Cimicifuga - *foetida*
Cineraria - *palustris*
Cistus - *creticus*
_____ *mutabilis* var. fl. roseo.
_____ *guttatus*
_____ *fumana*
Cleome - *arabica*
_____ *dodecandra*
_____ *viscosa*
Commelina - *africana*

Copenhagen

- Compositae* - *saxatilis*
Coreopsis - *aureolata*
_____ *delphinifolia* La Marche
_____ *leucantha*
Coriandrum *testiculatum*
Coronilla *cretica*
Convallaria - *verticillata*
Convolvulus - *crenatus* Jaeg.
_____ *nil*
Crambe - *maritima*
Orepis - *foetida*
_____ *biennis*
Crucianella - *angustifolia*
Cucubalus - *italicus*
_____ *mollispermus*
_____ *tataricus*
_____ *viscosus*
Cucumis - *acutangulus*
_____ *Dudaim*
Cunila - *pulegioides*
Cynara - *cardunculus*
Cypripus - *scopulifolius*
_____ *beflorus* l'Herit
_____ *capitatus* Jaeg.
Cyrtella - *pulchella* l'Herit
Dactylus - *cynosuroides*
_____ *glomeratus*
Daucus - *muricatus*
Dolichos - *Lablab*
_____ *frankebaricus* Jaeg.
_____ *unguiculatus*
Dracopis - *carthusianorum*
_____ *plumaria*
_____ *superbus*

Copenhagen

Disandra — prostrata

Draba — incana

———— nemoralis Ehrh.

Draacocephalum mutans

———— sibiricum

Dryas — — geoides

Echium — altissimum Jacq

———— creticum

Elytharia — panicea Smth.

Ellisia — nystelca

Elymus — giganteus Vahl.

Epilobium tetragonum

Erum — erilia

———— lens. var.

———— monanthos

Eryngium — Bourgat. golan.

———— maritimum

Erysonum hieracifolium

———— repandum

Eupatorium maculatum

Euphorbia — litterata Jacq.

———— dulcis

———— heterophylla

———— maculata

———— platiphylla

———— segetalis

Euphrasia officinalis

Filiago — arvensis

Geranium — germanica
monstana

———— althaeoides

———— bohemicum

———— cherochyllum

———— divaricatum Ehrh.

———— grimum

———— palustre

———— tubulare

Copenhagen

Gentiana asclepiadica

———— *Campestris*

Caspium religiosum Si. veg.

Asplenium - egyptiaca

Hedysarum maculatum

Aeraculum - panaces

———— *Sibiricum*

———— *elegans* Jacq.

Aerniaria - hirsuta

Hesperis - cristis

Achillea - canabina

———— *premosus* Jussel.

———— *esulentus*

Hordeum - secalinum Schreb.

Hieracium undulatum H. Kew.

Aceracium pomifolium

Hordeum - maritimum

Hyoscyamus albus

———— *aureus*

Hypericum montanum

———— *pulchrum*

Iberis - amara

Indigofera anil

Statis - lusitanica

Knaütia - plumosa

Kyllinga umbellata Jussel.

Lactuca - Sciariola La Mart.

Lappana - Phagadiolus

———— *Lacintha*

Lappago - racemosa Willd.

Laserpitium Sclaiifolium

———— *Sibiricum*

———— *trilobum*

Copenhagen

- Lathyrus - cicer
—— angulatus
Lavatera - thuringiaca
Lawsonia - incarnis
Ledum - palustre
Leonurus - marrubastrum
—— libiricus
—— tabaricus
Lepidium - didymum
—— graminifolium
—— iberis
Linum - austriacum
—— catharticum
—— maritimum
Loeflingia - hispanica
Loperia - mexicana Jacq.
Lotus - siliquosus
—— cythoides
Lycopsis - lutea LaMarck
Lycopus - exaltatus Suppl.
—— europaeus
Malva - alcea
—— coromandelina
—— moschata
Marrubium - acrobilobum
—— hirsutum Vahl.
—— croticum
Matricaria - maritima
—— flavescens
Melica - altissima
—— curulea
Microtus - lupinus
Milium - effusum
—— parudicum
Mollugo - verticillata
Myagrum - orientale

Copenhagen

Plantago - lusitanica

————— medea

Plumbago - Zeylanica

Polygonum - chinense

Potentilla - herba

Prenanthes muralis

————— purpurea

————— viminea

Promula - costusoides

Quercia - Canadensis

Ranunculus - auricomus

————— ellipticus

Raphanus - raphanistrum

Rhus - radicans

Rivina - - brasiliensis Scop.

Rubus - - chamamorus

Rumex - - Dentatus

————— divaricatus

————— maritimus

————— pulcher

Ruta - - chalybeatis

Salvia - - argentea

————— pomifera

————— spinosa

————— tingitana Etling

————— virgata Jacq.

Salsola - - verba

Saponaria - orientalis

————— porrigens

Scabiosa - integrifolia

————— ochroleuca

Copenhagen

Scabiosa - - Transilvanica

Scandix - - - infesta. S. veg.

Schoenus - - - albus

_____ onaripius

Scopolimus hispanicus

_____ maculatus

Scorpiurus muricata

Sedum - - - airion

_____ hybridum

_____ populifolium

Selinum austriacum Jaeg.

_____ carvifolium

Senola - - - ethnensis

Serratula arvensis

_____ coronata

Seseli - - hypomaruthrum

Sherardia arvensis

Sida - - - angustifolia

_____ palmata Jaeg.

Foderitis elegans

_____ montana

Sippabianum strictifolium

Secyos - - - angula

Silene - - - Behen

_____ Dichotoma Ehrh.

_____ hirsuta Poir.

_____ juncea Roth.

_____ muscipula

_____ nutans

_____ nactiflora

_____ viridiflora

Sinapis pyrenaea

Silybrium hispidum

_____ Iris

_____ strictifolium

Solanum melongena

_____ quercifolia

Copenhagen

Sparganium - - paniculata

Stachys - - arenaria Vahl.

Palustris - - latifolia

————— sinuata

Stipa - - juncea

Tactona - - grandis Suppl.

Tetragoa - - ~~arvensis~~

geranioides

Tordylium maximum

Triantalis ~~europaea~~
~~europaea~~

Trifolium angustifolium

————— filiforme

————— fragiferum

————— glomeratum

————— hybridum

————— *M. mauritanica*
Schousbae herb. ad Moq.
in Marocco sub dio.

————— montanum

————— stellatum

————— tomentosum

Trigonella corniculatum

————— monspeliaca

Triticum hibernum

————— junceum

————— Zea

Tulipa gesneriana

Vaccinium oxycoccus

Valeriana corniculata

————— discoides Willd.

————— olitoria ———

Copenhagen

Verbascum Boerhavi

—— thapsi

Verbena nodiflora

Veronica austriaca

—— romana

—— sibirica

Vicia benghalensis

—— gerhardi Jacq.

—— lutea

—— monantha Retz

—— misoliana

—— onobrychioides

—— peregrina

—— silvatica

Viola circa

—— palustris

Heranthemum fulgidum

Zephora tenuior

Upsal.

Lavatera - tritoba

Leonurus - tartaricus

Lobelia - cliffortiana

Malva - alcea

Prunella - coarctata

Rudbeckia - amplexicaulis

Sparganium - paniculata

Scabiosa - stellata

———— atropurpurea

Valeriana cornu-caprae

8 April. 93. Van Leipzig

Prof. Hedwig.

Zaaden

Aconitum uncinatum

Agrostemma siccaensis

Alcea chinensis

Amaranthus carari

Ammannia ramosior

Anacyclus valentinus

Andropogon fasciculatus,
chloris radiata Sw.

Androsace maxima

Angelica verticillata

Anoda cristata

— *Villmaniana*

Anthemis maritima

Anthyllis tetraphylla

Arctatis triflis

Bidens chinensis

Bromus gynandrus

Bupthalmum spinosum

Calandula stellata

Cardamine graeca

Carpesium cernuum

Carthamus syriacus

Leipzig

Caucalis - helvetica

Centaurea galactites

_____ nova species

_____ sicula

_____ soldatialis

Ceranthus - aspera

Cicer - aristatus

Commelina vulgaris

Convolvulus crenatus Jacq.

_____ violaceus

Coryza - anthelmintica

Crepis - vesicaria

Cucubalus - chloranthus

Cucurbita lagenaria maior

_____ _____ fr. minor

Cucurbita ovifera fr. maior

_____ _____ minor

Cynoglossum orientale

_____ cheirifolium

Datura - serena

Dolichos - abyssinicus

_____ odoratus

_____ purpureus

Leijseg.

Ichium orientale

———— *plantaginicum*

Ellisia myctalea, vel post
annum geminata

Frankenia pulverulenta

Fumaria caprolata

Geum intermedium W.
e femina ab ipso b. 2. h. 17.

Gnaphalium divaricatum

Hasselquistia aegyptiaca

Aeraleum paniceum

Hibiscus cannabinus

———— *prostratus*

Aeracium paniculatum

Hordeum maritimum

———— *nudum*

Sponsea bona nox

———— *coccinea*

Lapsana thagadioloides

Laserpatrium pratensis

Lathyrus chinensis

———— *hirsutus*

———— *inconspicuus*

———— *italicus*

Leonurus marubiastrum

Lepidium glastifolium

———— *lyratum*

Leipzig.

Linum - asiaticum

_____ multicaule

_____ carbonense

Lupinus - liniifolius

Medicago p. arabica

_____ echinata

_____ p. Lappacea

_____ p. marginata

_____ p. muricata, centes.

_____ p. tribuloides.

_____ truncatula, Willd.

Nepeta - ucronica

Oenothera purpurea L'Herit.

Panicum - brevifolium

Paspalum racemosum

Pectis _____ trifida (Schubria abortiva
Rothii)

Phalaris - cruceformis

Phaseolus - americanus

_____ churda

_____ caeruleus, Schimper

_____ hirtus

_____ maculatus Schreb.

_____ nanus niger

_____ ornithos

Phleum - crinatum

Pepum - arvense

_____ maritimum

Poa - amabilis

_____ cragrostis

Polygonum emarginatum

Leipzig

- Polygonum crassifolium*
Portulaca patens
Prenanthes japonica
Ranunculus echinatus
Rivina brasiliensis
Salsola rosacea
Scabiosa amplexicaulis
Scandix nodosa
Secale villosum
Silene muscipula
Selinum monnieri
Sida cordata
— *spinosa*
Solanum racemosum
Thlaspi hirsutum
Tenorium canaliculata
Trifolium stellatum
Valeriana ligulata
Verbascum Boerhaviae
Verbesina nodiflora
Vicia helvetica
— *nodosa*
— *onobrychoides*
— *sibirica*
Xanthium echinatum
Zinnia elegans

Apr. 98. Schreber
van
Erlangen
Zaaden.

Scalyptha - virginiana

_____ *alopecuroides*

Acenanthera parvina

Adonis - flammea

Aegilops - triuncialis

Aegilops - triuncialis

_____ *caudata*

_____ *ovata*

Aesthynomene - serbon

Albucca - maior

Amethysea - coerulea

Amaranthus - spurius

Anacyclus - valentinus

Anemone - virginica

Arctost - paleacea

Arenaria - tetraquetra

Androsace - maxima

Asclepias - incarnata

Baltimora - recta

Bauhinia - speciosa

Bignonia - indica

Biscutella - apula

Bixa - ocellana

Erlangen.

Brassica - crucastrius

Bromus - distachyos

—— *incomis*

—— *rubens*

Ruppleurum 7 gallop

Carduus - cyanoideus

Caspa - - alata

Lanalis - lanceoides

Celostia - trigyna

—— *virgata*

Cheranthus helveticus

Chenopodium atriplicis

Chondrilla hircioides Roth.

Corchorus - olitorius

—— *inlocularis*

Crambe - - filiformis

—— *hispanica*

Crotalaria (nova species Ind. Or.)

Cruceanella - angustifolia

—— *monspeliensis*

Cynosurus domingensis

—— *liculus*

Cytisus - cajan (Ind. orient.)

Dolichos tetragonobolus

Euphorbia - cyathophora

Erlangen.

Euphrasia - Delphinifolia

Tristuca ————— pannonica
————— myuros
————— rigida
————— serotina
Geranium ————— bohemicum

————— carolinianum

Geropogon glaber

Gypsophila - viscidiflora

Hesperis — verna

Hedysarum flexuosum

————— muricatum

————— vesperalis

Abies - abelmoschus

————— Leylanicus

————— a (Ind. orient)

————— b (—————)

Aceracium - saxatile

Albus - cernuus

————— niger

————— pyramidalis

Hordeum - hystri

————— jubatum

Hyoscyamus[?] albus (saiva nigro)

Hyoscyamus ——— (saiva viridi)

Hyoseris cactorioides?

Jatropha glauca Vahl.

Poppyrum - fumaroides

Lactuca floridana

————— Canadensis

Lagerstroemia (Ind. orient)

Erlangen.

- Lathyrus - bataricus
Linum - virginianum
Lotus - ornithopodioides
Lycoclea - cuminoides
Lupinus - lupulus
—— (Spec. nov. Ind. oris)
Malva - abutiloides
—— obtusa
Mentha - Seylanica
Mimosa - (nova ind. Orient)
Nepeta - multifida
Nicotiana pusilla
Ocimum - thyrseiflorum? (Ind
Orient)
Oenothera - parviflora
Ononis - calumnea
Ornithogalum indicum
Oryza - vulgaris microspora
—— ——— mutica
—— ——— nigra
—— ——— oblonga
Palavia malvaefolia
Panicum aliara
Pectis - frifida. Scovia Roth
Pimpinella dichotoma
Plantago asiatica
Poa - abyssinica

Erlangen.

Poa — *pilosa*

— *rigida*

Polygonum marginatum

Rudbeckia — *amplexicaulis*

Scutellaria. (*sp. nov. Ind. orient.*)

Secale — *villosum*

Senecio — *cernuus*

Sida — *palinata*

— *periplacifolia*
(*Ind. orient.*)

— *triquetra*

Sisymbrium tenuifolium

Statice — *cephalotes*

Tradescantia bifida

Trigonella (*sp. nov. Ind. orient.*)

Trypaeum hermaphroditum

Triticum unilaterale

Urtica — *parietaria*

Vicia — *casubua* L.

Zinnia — *elegans*

— *verticillata*

1798. Vriendr. Van Marum
L. Mast. Planten.

- Aconitum cammarum*
Asplenium scolopendr. 3 vari
Aster acedellus
—— *lenifolius.*
Asclepias amoera
—— *incarnata.*
Antennium ossifragum.
Anemone apennina
—— *ranunculoides.*
Campanula thombridgea
Chrysosplenium alternifol.
Draacocephalum austriacum
Delphinium exaltatum
—— *grandiflorum*
—— *intermedium.*
Erodium quinum (Gerani)
—— *moschatum* (D₂)
Eryngium alpinum
Euphorbia chanafyce.
Eupatorium purpureum.
Galium - rubroides
Hypericum Kalmianum
—— *pulerum*
—— *tormentosum*
Iris verna
Letorella lacustris
Lysimachia ciliata
Matella - diphyllo
Phlox - carolina
—— *suaveolens*
Plantago cynops

Apr. 9d.

vd. H. ~~vd. P. Verheer~~
Haar.

Planten.

- Achillea bipinnata*
- Scorbutum pyrenaeicum*
- *camarum*
- Anthericum ramosum*
- Ascyrum cannabinum*
- Aster grandiflorus*
- *lavis*
- Cherophyllum aromaticum*
- Cimicifuga foetida*
- Clematis viorna*
- Coreopsis ludens*
- *coronata*
- Cucubalus catholicus*
- *tartaricus*
- Elymus arenarius*
- Ephedra monostachya*
- Eupatorium aromaticum*
- Tragacantha speciosa*
- Inula salicina*
- Phlox carolina*
- Rhodiola rosea*
- Satureja thymbra*
- Tabernaemontana amplexicaulis*
- Hypericum tomentosum*
- *bacciferum fr.*

Van Verhelst & Schrevering
in Maart

Een partij bollen van Hyacynth
— — — Tulpen Duc v. Tol.

in April.
planten

- Lobelia cardinalis*
- Rosa semploflora nova, fl. dupl. purp.*
- Eenige andere planten.

~~See also the other~~

Apr. 90. Vdenth. v. d. Poll.
van Haarleu

Planten

Achillea - bipinnata, fl. sulph.
- - - - - maj.

Anemone camaraus

Anemone sibirica

Anthericum liliastrum

- - - - - racemosum

Asclepias tuberosa

Campanula rotundifolia

Cheranthus incanus major

- - - - - chinus. fl. atro-purp.

- - - - - fenestralis

Chironia - frutescens

- - - - - linoidea

Cucubalus - catholicus

Eryngium alpinum

Geranium zonale fl. alb.

Graphium ageratum

Hypericum pulchrum

Iris - - - - - pumila

- - - - - a.

- - - - - b.

Lobelia - cardinalis

Mimulus aurantiacus

Phlox - - - - - nov. species

Ranunculus ellypticus

Rosa - indica fl. levis
- - - - - rubescens.

Vaccinium oxycoccos

Viola - - - - - palustris

Van d'erselfden
in Sept. 90.

Chrysanthemum coronar. fl. albo

- - - - - luteo.

Cineraria cruenta (nov.)

Cyclamen europaeum hiemale

- - - - - fl. purpur.

- - - - - autumnal. fl. albo

- - - - - roseo.

Geranium nova species.

Mimulus aurantiacus. (nov.)

Onosma echinoides.

Polygala myrtifolia. (nov.)

Geranium ?

The first part of the document discusses the importance of maintaining accurate records of all transactions. It emphasizes that every entry should be clearly documented and verified. The text continues to describe various methods for ensuring the integrity of the data, including regular audits and the use of standardized procedures.

In the second section, the author details the specific steps involved in the data collection process. This includes identifying the sources of information, establishing a consistent methodology, and ensuring that the data is collected in a timely and accurate manner. The text also addresses potential challenges and offers solutions to common problems.

The third part of the document focuses on the analysis and interpretation of the collected data. It provides a framework for identifying trends, patterns, and anomalies. The author stresses the need for a thorough understanding of the data and the importance of using appropriate statistical techniques to draw meaningful conclusions.

Finally, the document concludes with a summary of the key findings and a discussion of the implications for future research. It highlights the value of the data and the insights gained from the analysis, and offers recommendations for further study and improvement.

van Parijs 10 Jul. 1798
van M. Thouin, door P. v. W. v. T.

Achras Sapota 5 Zaden

Anacardium occidentale ? zie gertn.
(non est I. T. 40.

Acajuba occidentalis. 5 Zaden.

(*Anacardium Linn.*)
Anomum cardamomum Gertn. T. 40.

Areca ? (gertn. T. 7.

of *Caruyta* id. ib.

of *Bactris* — T. 9.

Aristolochia triloba. G. T. 14.
zur uelen

Eschynomene grandiflor.

Bactris minor ? palm. G. T. 9.

Banisteria (caurifolia) H. Jamaica.

Gertn. 116.

Bignonia spars.

Bixa orellana. H.

Cappicum (pimentyve.

Celastrus domingensis. H.

Cerbera Thoretii. 6 Zaden

Citoria ? — videtur Gertn. T. 149.

Conocarpus (erecta). G. VII.

Convolvulus Jalappa.

Crescentia cujete.

Crotalaria juncea O (non retusa)

Dioscorea sativa G. tab. 117.

Dolichos ensiformis O. 7 Zaden

—— *maritimus*. O. 8 Zaden

—— *urens* H.

Duranta Plumieri H. (non videtur
cf. Gertn. T. 37.

Diospyrus Ebenaster (non videtur

vid. Gertn. T. 179.

Guilandina nux Beben (valde differt

— Gertn. T. 147.

Helicteres ixora ! G. T. 61.

Hernandia coenosa ? non G. T. 40.

Hibiscus tiliaceus.

Hura crepitans, 10 Zaden.

Hymenocla courbaril, 10 Zaden.

Jatropha curcas, 8 Zude

Momordica luffa O.

Melicocca bijuga T. (of *Calophyllum*
curacao J. Tab 42) T. A. 3.

W *Pasiflora exanthesis* (Jubur)

_____ *mali fructu*
(*mali form*)

_____ *quadrangularis*.

W *Plumieria* _____ *alba*, *corp. laeviss.*

Piper ?

Piper.

Pterocarpus ^{*ccastaphyllum*} ~~*truncatipes*~~ J.

_____ *aptera* . . .

Turiana maritima

Spondias icagui

Strychnos (*nux vomica* ? J. 5. 17)

Tamarindus indica .

Theobroma cacao .

van Paris

Zonder naamen en
onze here

Aschynomene ?

Bixa orellana ?

Canna indica ?

Convolvulus ?

Crotalaria ?

Hedyfarum ?

Mimosa?

Physalis, of Solanum.

Triplicacum hemaphr.?

Myrtus pimenta? Zicher nicht!

noch 12 Sorten, ganzlich unbekand.

Van L. van Outkerken

31. Maart 1799

| | |
|--------------------|-------------|
| Bupleurum | longifol. |
| Cunila | thymoides |
| Dolichos | lignotus |
| Sporonea | hederifolia |
| Malva | mauritana |
| Senecio | octovalvis |
| Sida | perfoliata |
| Wachendorfia | tyrsiflora |
| Zinnia | hybrida |
| — | pauciflora |

Zaaden, Vrgg.

van L. van Buren, 31 Maas

Bupleurum longifol.
Cunila thymoides
Dolichos lignosus
Ipomoea hederifolia
Malva mauritiana
Oenothera octivalvis
Sida periplocifolia
Wachendorfia thyrsoiflora
Zinnia hybrida
—— *pauciflora.*

van Dr. van Marum

Zaaden . 11 Mai

Crepis Sibirica
Cunila thymoides
Lycopsis virginica
Malva mauritiana
Scrophularia betonicifolia.

Van Prof. Thunberg.

Stockholm . 10 Mai

Convolvulus tomentosus.
Dianthus arenarius.
Dolichos purpureus.
—— *Soja.*
Gossypium religiosum.
Hypoxis erecta.
Iberis pinnata
Ipomoea quamoclit
Linum perenne

Malva

Malva mauritiana

Mirabilis dichotoma

Momordica balsamina.

Reseda fruticulosa.

Tida palmata

Tagetes minuta

Veratrum luteum

Prof. Le Traille, Lauden

3 Apr.

Chrysanthemum pectinatum.

Sonchus Sibiricus.

Linnaea pauciflora.

Van Parijs 4 Apr. 1799.

Van Citⁿ Thouin
Zaaden

22 Especies de graines vivantes
de l'Asie temperée
à semer sur un couche chaude et
cultiver comme plantes d'Orangerie

Bupleurum ? de Perse

Carthamus . meche des Arabes.

Eryngium . Kreüse hama, des Arabes

Cistus Laurifolius ! des montagnes de
Natalie.

Crucifere usuelle en Perse.

Proton tinctorium, en arabe galberé O.

———— fol. tomentoso, tassi-
ture violette. à Aleppo.

Coriandrum ? en arabe keur-bara
O. des environs d' Alep.

Cucumis, ^{melon} O. chair blanche sucré, Perse.
Tcheran

———— Melon, chair rouge, ecorce verte
O gris. Tcheran

———— O Melon, qui se conserve jusqu' en
hiver. de Kermacho.

Hyacinthus ? flor. albo

Leontice, maade des Arabes.

Leguminosa ? Sika en Arabe.

Ruta ? d' alep.

Scabiosa Kab & gazalle.

Scrophularia, Salina arabum.

Silene ? . ark et asique.

Sisymbrium, Kallihin, de Bagdad.

Thapsia garganica, d' Athenes.

Miscellan. orge a tognok &c.

Terre chaude
Saailingen

Aeschynomene de javanna.

Ageratum conyzoides

Cassia occidentalis

*Cucurbita melon d'eau a
menes Rouge*

Crotalaria jucana

— *incana* ♂
hibiscus exarientus
gombo

4.

Asclepias curassavica

Canna indica

Dolichos

Indigofera tinctoria

Mimosa pudica

5

Aeschynomene grandiflora

Abrus precatorius

Aristolochia triloba

Berthramia lappula

Bignonia leucoglossa

Bixa orellana
Rouge

Cassia alata

— *foetida*

Cassine sphaerosperma

Ceanothus reclinatus

Lecropia peltata

(Bois d'etam bou)

Coccoloba macrophylla

Convolvulus umbellatus

| | |
|--------------|--|
| Prescentia | cuyete (Cabbassier) latifolia (Lamarck. Diet) |
| Cytisus | cayan |
| Dalbergia | latiscliqua |
| Dolichos | ensiformis |
| Guilandina | bonducella mouinga |
| Helicteres | althaeifolia |
| | B |
| Heliotropium | gnaphaloides |
| Hubiscus | cristatus |
| | frutneus |
| | popalneus |
| Surra | crepitans L. (Jabbeu) var. ch. |
| Hymenaea | combaril |
| Tatropa | gossipifolia |
| Mimosa | alba (Pulch sp.) horrida leucocephala |
| Myrica ? | - - - |
| Parkinsonia | aculeata |
| Plumeria | alba |
| Poinciana | coriaria ? pulcherrima |
| Pterocarpus | lunatus |
| Vitellaria | prunifolia (Richard) |
| Spondias | myrobalanos |

on bet. end of bet O.S. 4
of. 5 2/3

- Arca* *olivacea*
Celosia no. 243.
Convolvulus a grande (le
rouge)
—— *maritimus*
—— ——— all
—— no. 3.
—— — 301.
Cynosurus A.
Cyperus a
—— no. 15.
—— — 24.
—— — 27.
—— — 29.
—— — 163.
Dolichos maritimus
Eupatorium no. 119.
Gaurea trichilioides
g. grootta a.
Jussiaea no. 74.
Labiatae 120 214.
Malachra capitata?
Malvacea no. 226.
Melissa globularia
Orixa cristata 30.
Panax undulata
Paspalum a
Phaseolus no. 102.
Piper A.
Sideloxylon cinereum
Palmier grigas, an elac

Von Erlangen

Prof. Schreber

22 Apr. 1799.

Zaaden.

- Achillea atrata
Acalypha virginica
Adenanthera pavonica
Adonis flammula
Aeschynomene grandiflora var. rubra
Albica abyssinica
Alcine perfoliata
Amaranthus melancholicus
(Sem. ex India)
Anagallis latifolia
Anemone narcissiflora
—— Halleri
Allion. Hall. hist. 1148.
Anoda hastata
—— dilleniana
Anthemis tomentosa
Astragalus beticus
—— campestris
—— leontinus. var. f.
—— monspeliensis.
Artemisia arborata
Axyris hybrida
Brassica vesicularia
Bursa eragrostis
—— vivens
Bupleurum angulosum
—— gevardi Jacq.
—— longifolium
Cassia alata
——
Centaurea sphaerocarpa
Chenopodium cerbicum - 1

| | |
|-----------------------|-------------------------|
| Thoris | pet. sca |
| — | radiata |
| Cleome | spirosa |
| Clitoria | ternatea |
| — | — cor. v. |
| Clypeola | maritima |
| Crotalaria | laburnifolia |
| — | calycophylla |
| Convolvulus | pentaplyllus |
| — | Tripetanthum |
| — | Sibiricus |
| — | — |
| Coriandrum | testiculatum |
| Prepit | Sibirica |
| Crotalaria | calycophylla |
| Cynosurus | Domingensis |
| — | indicus |
| Dolichos | soja |
| Elymus | tener |
| Pestuca | tenella |
| — | paunonica |
| — | hauroides |
| Galega? | Ind. orient |
| Gentiana | vucemosa |
| Gossypium | herbaceum |
| — | (ex Ind. orient) |
| — | — |
| — | hirsutum |
| Grewia | salvifolia |
| — | (Alangium dec- |
| — | tatum) vahlb. |
| — | orientalis |
| Gypsophylla | viscosa |
| Hedysarum | gyrans |
| — | obscurum |
| — | (vulgo alpinum) |
| Hibiscus | abilmoschus |
| — | Syriacus |

- Hypochaeris hispida
- Indigofera argentea
- Sponsea hederifolia
- Lactuca floridana
- Lascepium simplex
- Lappana canariensis
- Lathyrus amphicarpos
- Lavandula carnosae
- Lavatera olbia
- Leonurus tuturicus
- Lepidium pinosum
- virginicum
- Linum virginicum
- Lycopsis virginica
- Melissa grandiflora
- Mirabilis viscosa
- Momordica balsamifera
- Nigella cretica
- Oenothera humilis
- rosea
- Ornithopus scorpioides
- compressus
- Orobus luteus
- Panicum filiforme
- Phaca alpina L.
- Reseda fruticulosa
- Rotbolla incurvata
- Salvia rosea (indica)
- Sida crispa
- lanceolata
- palmata (ex Ind. or.)
- periplocifolia
- Sophora tomentosa
- Teucrium asiaticum
- campanulata
- massilicosa
- Triumfetta bartramia
- Triticum unilobale
- Vicia pisiiformis
- Zinnia hybrida

Prof. Mertens.

te Bremen, send van

Hamburg, door Apoth. Reint
Louden antf. 25 Apr.

- Achillea paradoxa*
— *cristata* 4
Aconitum volubile —
Adonis vernalis 0
Aeschynomene hispidula —
— *aspera*
Apocynon canariense —
Amaranthus bicolor —
— *scandens* 4
Arachis angustifolia
— *italica*
Andrachne thalictroides
Anthemis tomentosa
Athamanta libanotis 4
Atropa mandragora —
Begonia humilis 0
Bocconia frutescens 4
Cassia senna —
Cheiranthus lobelium 0
Chrysocoma cernua 4
Coriandrum testiculatum
Colutea orientalis 4
Cucumis scylanius 0
Cucurbita amara 0 (Reich)
— *clavata* 0
— *verucosa* —
Cynoglossum cheirantifolium
Cynilla pulchella 4
Cytisus capitatus 4
Digitalis lanata ♂ chick
Eryngium purgati 4
Fagonia cretica 0

| | | |
|-------------|----------------------|-------|
| Geranium | abrotanifolium | 5 |
| — | anemonifol. | 5 |
| — | canadense | — |
| — | myrtilifoli | — |
| Glycine | triloba | o |
| Graphalium | odoratissimum | — |
| — | tomentosum | o |
| Hippocrepis | multisiliquosa | o |
| — | umbiliquosa | o |
| Indigofera | anil | 5 |
| — | tinctoria | — |
| Knautia | plumosa | o |
| — | propontica | o |
| Lantana | aculeata | 5 |
| — | involucrata | 5 |
| — | trifoliata | — |
| Lavatera | deflexa | o |
| — | lusitanica | 4 |
| — | triloba | o |
| Lobelia | coronifolia | 4 |
| — | pubescens | — |
| Lotus | arabica | o |
| — | cytisoides | 4 |
| — | edulis | o |
| Medicago | catalonica | o |
| — | coniza | — |
| — | elegans | Jag o |
| Mimosa | glauca | 5 |
| — | pernambucana | 5 |
| — | tortuosa | — |
| Molucella | laevis | o |
| Nepeta | tuberosa | 4 |
| Nigella | cretica | o |
| — | hispanica flor. albo | o |
| Ocimum | gratissimum | o |
| Oenothera | humilis | o |
| Ononis | matron | 5 |
| Oxalis | petaspor | 4 |
| Panicum | crus corvi | o |
| Phytolacca | galli | — |
| — | alta | 4 |
| Xeranthemum | inaperta | o |

van Goyenkaze
Prof. Ericus V. Borg
ontf. 1 Maj. Lauden

- *Acalypha* *alopecuroides*
- *Allium* *scorodrophras*
- *Anemone* *virginiana*
- *Anthriscum* *ramosum*
- *Atriplex* *incarnata*
- *Bupleurum* *longifol.*
- *Cacalia* *hastata*
- *Cassia* *alata* (ex ind.)
- *Carlina* *complanata*
- *Chelone* *pentstemon*
la. subitanea
- *Chenopodium* *obliqua*
anthelmintic.
- *Chlova* *perfoliata*
la. subitanea
- *Cimicifuga* *foetida*
- *Clematis* *virginica*
- *Clypeola* *maritima*
- *Cochlearia* *coronopus*
- *Convolvulus* *sibiricus*
- ——— *terrestris* ex
hermanniae
- *Coriandrum* *tenticulatum* ex Herod.
- *Compositum* *scaberrima*
- *Crepis* *alpina* (3 spec.)
- ——— *foetida*
- *Cuticulus* *otitis*
- ——— *viscosus*
- *Cucurbita* *citrullus*
- *Cucumis* *chate*
- ——— *flexuosus*
- *Cynara* *humilis*, (ex herod.)
- *Cyperus* *longus*
- *Daphne* *alpina*
- *Dianthus* *peruvidianus*
- *Dolichos* *soja*

Van A. C. & H. van Eeden
 te Haarlem
Gewassen en Heesters
25 Apr

| | |
|--------------------------------|------|
| <i>Andromeda axillaris</i> | 3:— |
| — <i>mariana</i> | 2:— |
| <i>Arbutus uva ursi</i> | 1:8 |
| <i>Clethra arborea</i> | 2:— |
| <i>Daphne alpina</i> | 3:— |
| <i>Kalmia angustif.</i> | 2:15 |
| — <i>latifol.</i> | 6:— |
| <i>Illicium floridan.</i> | 6:— |
| <i>Magnolia acuminata</i> | 6:— |
| — <i>tripetala</i> Sw. | 7:— |
| <i>Rhododendron ferrugine.</i> | 5:— |
| — <i>hirsutum</i> | 5:— |
| <i>Rhodora canadensis</i> | 2:5 |
| <i>Styrax laevigata</i> | 4:— |
| <i>Thea bohea</i> | 6:— |
| — <i>viridis</i> | 5:— |
| <i>Laurus fasystr.</i> | 5:10 |
| <i>Sedum palustr. latif.</i> | 3:— |
| <i>Liquidambar styracif.</i> | 2:10 |

Van L. Van Oubertken
5 Juny planten

- Anthericum ramosum*
- Gypsophyllum repens*
- Wachenborfia thyrsiflora*
- *paniculata*
- Sonchus sibiricus?*
- Cyni Cifuga foetida*

Allium scorodops herb

Chelone pentstemon

Phlox suaveolens

— sibirica?
an subulata

Adiantum pedatum

Aralia nudicaulis

Aclepias incarnata

Morrea juncea?
individes?

1800.

Van J. G. Roman, van Groningen
A. Webr.

- Acalypha virginica*
Allium scorodoptra
Clinopodium pycnanum
Cucumis flexuosus
cucubalus mollissimus
Cyperus longus
Dolichos lignosus
—— *soja*
Galium glaucum
—— *rubrum*
Gossypium herbaceum 1799
Gypsophilla repens
Herniaria glabra
Ipomoeahederifol.
Linum alpinum
—— *virginicum*
Malva Sherardina
Pimpinella anisum
Potentilla pimpinelloides
—— *verna*
Santolina rosmarin
Schrophularia betonicifol.
Scabiosa maritima
Serratula centauroides
—— *corviata*

8 April ontvangen
van Thunberg, uit Utsjal
als versche Zaaden uit Sibirie

Allium altaicum 7

Aquilegia grandiflora

Aster alpinus

Attagalus alopecuroides

— *alpina*

— *nivalensis*

Betula nana

Lineraia glauca

— *sibirica*

Dracophtum altaicense

— *nishiana* var. 1. 8

Gentiana campestris

— *ciliata*

— *macrophylla*

Hedysarum argentatum

Spec. plant. nova Lapp.

Hypochaeris maculata

Nepeta multifida

papaver nudicaulis

Pedicularia comosa

— *resupinata*

Primula nivalis

Robinia albaica

Spirea tricolor

Suaeda dichotoma

Tritillaria milioqvist

Valeriana sibirica

14 Apr. Zaaden
van den Hr. Thouin, uit
parijs

1321. *Abronia umbellata*, Juss. 971.
1562. *Achillea rosea* ♀ 34.
— — — — — *aurea* ♀ 768.
Aschynomene de St. Croix ♀ 287.
Agrostis arenata Boec. ♀ 57.
— — — — — *tenacissima* Sp. n. 1516.
Agrimonia odorata ♀ 291.
Alcira papulosa O. 1521.
Alyssum albreum H. 158.
— — — — — *fasciatum* ♀ —.
Ambrosia inaequalis O. —.
315. *Anchusa Mulleri* O. —.
Andryala cheirifolia Lam. —.
1143. *Anemone virginiana* ♂ ♀ 59.
Angelica verticillaris ♂ 140.
Anagallis latifolia O. 159.
Abrus precatorius ♀ 154.
936 *Arenaria balearica* ♀ 149.
936 — — — — — *lianthoides* Sp. n. ♀ —.
— — — — — *fasciculata* O. 500.
Aristolochia rotunda ♀ 112.
1526. *Artemisia ericoides* 30. ♀ 129.
— — — — — *Zelandica* ♂ 157.
Aster amoenus Lam. —.
Astragalus asper ♀ 19.
— — — — — *falcatus* ♀ Lam. 14.
Attractylis flava Desf. ♂ 10.
739. *Atrophaxis speciosa* H. 10.
1889. *Artriplex bengalensis* O. —.
168. *Avena freitas Ortega* 25.
O.

Paris

- 174 Balsamita maxima & Dupont
 500. Bidens odorata? Cav. O.
 174. Bixa orellana L. ♀
 Duser. ch. jaune.
 171. Bocconia frutescens ♀
 34. Baerhavia erecta O
 160. Bryonia africana ♀
 207. Burrias cahiril L. O
 167. Bupleurum semicumpos. O.
 1510. Cecalia glabra, Michaux
 — fontifolia ♂
 1791. Camphorosma plectranthus
 1521. Calea martinicensis O
 1585. Centaurea balsamita Lam.
 — — — — —
 — heterophyll. ♀
 — ferox, bous-rouge
 — glauca M.P.
 — spinosa ♀
 1599. Therophyll. nova sp.
 1540. Chenopodium antelmint. O.
 1555. Chrysanthemum carinat. pulcr.
 1591. Cineraria cymbalarifol. ♀.
 1495. Cnicus acarn. O
 — cernuus. ♀.
 500. Claitonia portulacaria O.
 1176. Chenopodium incanum ♀
 1296. Cochlearia lupina O.
 1570. Coreopsis perfoliata Michx. ♂
 — spec. novae ♀
 362. Convolvulus hirsutus ♀
 — sibiricus O.
 1532 Conyza saxatilis ♂.
 143. Cornucopia perennans ♀
 1479. Crepis coronopifolia Desf.
 — Walth.
 1402. Crotolaria juncea O.
 214 Crucianella diffusa, atra O
 — succu-

1767. *Lucernis acutangulus*. O.
 ————— *guaiianens.* O.
 135. *Cyperus* sp. nova. ♀
 1423. *Cytisus hirsutus* L. O.
 1702. *Dalea alba*, Michxaud. ♀
 ————— *Dianthera cornuta* O.
 ————— *malabarica* ♀
 1412 *Dolichos trilobus* O.
 329. *Echium madagasc.* ♀
 ————— *Ellisia nitida* L.
 175. *Elymus hordeiform.* ♀
 ————— *racemosus* Lam.
 1580. *Enfelia halimifol.* ♀
 ————— *lameusis* H.
 504. *Terula nudiflora.* ♀
 830. *Torskala angustifol.* O.
 213. *Galeum splendens* Ad. ♀
 ————— *Galerifoga acmella* O.
 ————— *trilobata.*
 764. *Gaura mutabilis* H.
 1337. *Geranium canariens.* ♀
 ————— *incanum.* ♀
 ————— *palmatum* ♀
 ————— *viriosum* H.
 1010. *Glinus lotoides* L. O.
 517. *Gomphrena purpurea* L.
 1361. *Gossypium arbor.* H.
 ————— *Graminia nova de Seru* O.
 ————— *granqa fencipis.* O.
 1614. *Gundelia Tournefort.* ♀
 920 *Gypsophylla albi spina* —
 1438. *Hedysarum frutescens*
 ————— *de la baye d'Inde* O.
 ————— *spinosissimum*
 ————— *juncum*

- Helianthus hirsutus* 24
 ——— *prostratus* 24
 ——— *nov.*
 46. *Helenium alatum* 24
 12 *Heliotropium curassavicum* 4
 ——— *parviflorum* 0
Heterosperma pinnata
 363. *Hibiscus populucis* 7
 ——— *rugosus*
 470. *Hieracium glandulosum*
 373. *Holcus nova* (d'Espagne) 0
 ——— *du lac champéc* 0
 443. *Hymenea courbaril* 7
 410. *Hyoscyamus senecioides* 0
 1464. *Hypericum nummularium* 4
 401. *Hyoseris scabra* 0
 406. *Hypochoeris arachnoides* 0
 601. *Hypoxis pilosa* 24
 1297. *Iberis rustifolia* 4
 505. *Illecebrum echinatum* 0
 ——— *tomentosum* 0
 365. *Ipomoea bona nox* 0
 1289. *Isatis alpina* 0
 63. *Jussiaea purpuraria* 0
 46. *Lavandula elegant* 7
 356 *Lavatera cretica* 0
 ——— *gallicum* 7
 ——— *lusitanica* 7
 ——— *olbia d'os* 7

106. *Loeflingia hispanica* 0
 402. *Lonicera parviflora* 4
 Madiavis cavasillei 14
 1354. *Alachra capitata* 0
 1358. *Malva abutiloides* 4
 — *angustifolia* 0
 — *viti-folia* 4
 1603 *Micropus lupinus* 0
 1762. *Michauxia campanulata*
 1909. *Mimosa lebbec* 4
 1175. *Molucella pinosa* 0
 1765 *Nomordia balsamina* 109
 1765 — *luffa* 0
 1160. *Nepeta reticulata* 4
 764 *Oenothera lyrata* 4
 — *obovatifolia* 13
 1183 *Ocimum lactuca* 0
 1496. *Onopordon diacantha* 0
 1177. *Origanum humile* 4
 1599. *Othorva minima* 0
 151. *Panicum altissimum* 10
 — *altissimum* ^{De quin} 0
 — *capillare* 0
 — *spec. nova* 4
 245. *Parkinsonia aculeata* 4
 150. *Paspalum membranaceum* 2
 603. *Pastinaca lucida* 0

- 300 Peltaria alliacea 4
 580. percodanum tenuifolium 4
 ————— abratimum 4
 1411. Phaseolus Sphaerospermus ①
 —————
 1174 Phlomis indica ①
 421. Physalis chenopodioides ①
 ————— passiflora ①
 246. Plantago sphaerocephalus 4
 160. poa digitata ①
 ————— divaricata ①
 ————— cyrosaroides ①
 ————— d'Egypte ①
 1092 Potentilla bifurcata 4
 ————— multissima 4
 240. Poinciana pulcherrima 4
 1191. Prunella nova 4
 1448 Poranthe corylifolia ①
 1315 Raphanus tortuosus ①
 ————— Ragonia cretica ①
 1148 Ranunculus chrysophyllus 4
 ————— creticus —
 ————— Rannunculus fatiatus ①
 1003. Reseda nova prostrata 4
 896 Rhenum palmatum 4
 740 Rhumer undulatus 4
 1427 Robinia ferox 4
 1885 Rottollia incurvata ①
 245 Rubiacu nouvelle 4
 1575 Rudbeckia amplexifolia ①
 ————— odorata sp. nova
 1266. Ruellia lactea ①

| | | | |
|------|--------------|--------------------|-----|
| 740 | Rumex | luxurians | 92 |
| | — | egyptiaca | |
| 79 | Salvia | dominica ♂ | |
| | — | pendula ♀ | |
| | — | pracox ○ | |
| | — | pomumifera ♀ | 14 |
| | — | laciniata ○ | |
| | — | nova americana | 150 |
| 1937 | Salvinia ? | thymbra ♀ | 10 |
| 1522 | Santolina | canescens ♀ | 112 |
| 1570 | Sauvitalia | procumbens ○ | 47 |
| 197 | Scabiosa | cretica ♀ | |
| | — | tyriaca ○ | 15 |
| 1581 | Sclerocarpus | africanus ○ | 15 |
| 1492 | Scolymus | giganteus ♂ | |
| 1470 | Scordonia | græca ♂ | |
| 1227 | Scrophularia | scordonia ♀ | 104 |
| 956 | Sedum | airoon ♀ | 114 |
| 1505 | Serratula | chamaepence ♀ | |
| | — | heterophylla ♀ | 114 |
| | — | pratensis ♀ | 117 |
| 1263 | Sesamum | orientale ○ | 5 |
| 1162 | Sideritis | glauca ♀ | 80 |
| 984 | Silene | bifida ○ | 14 |
| 1314 | Sinapis | græca ○ | |
| | — | juncea ○ | 14 |
| | — | polymorpha ○ | 17 |
| | — | polychia ? ○ | |
| 1351 | Sida | triloba ♂ specimen | 9 |
| | — | peruviana ♀ | 13 |
| 1318 | Sisyrinchium | reticum ♀ | 4 |
| 1306 | Sisymbrium | apetala ♀ | 7 |
| 422 | Solanum | argiroantha ○ | |
| | — | corymbosum ? | |
| | — | flexicaulis ♀ | |

22. Solanum inqrum 0
 ——— Lycioides 4
 ——— Inemptica
 ——— monnotum ♂
 ——— patilionaceum 4
 ——— reclinatorum ♂
 1473 Sonchus cordifolius 4
 ——— floridanus ♂
 1507. Spilanthus oleaceus 0
 1040. Spirea lavigata 4
 1170 Hackis lanata 4
 ——— palestina 4
 474 Havia serrata 4
 167. Hypa tortilis 0
 1509 Syplium salicifolium 4
 1599 Tagete. Juniperi 0
 ——— lucidalum ♂
 ——— montana
 1045. Tetragonia cornutali 0
 1156. Teucrium asiaticum. 4
 1146. Thalictrum lecidum 4
 1120. Thymus digitis
 571. Tordylium syriacum 0
 887. Tribulus cistoides 0
 1449. Trifolium de naxos 0
 ——— ochroleum 4
 1452 Trigonella aegyptiaca 0
 177. Triticum cristatum 4
 988. Triumphetta lappula 4
 1360. Urena lobata
 416. Verbascum aureoclotum ♂
 ——— limiatum 4
 72. Verbena bonariensis ♂
 ——— mixiana 4
 ——— odorata 4
 ——— paniculis 0
 ——— rapens 1 pec nova 0

59. *Veronica chamapites*
 ————— *primatifida*
 1419. *Vicia* *bennisi* ♂
 1697. *Xanthium orientale* 0
 ————— *Ximenesia eniloides* 151
 1552 *Zinnia revoluta*
 1584. *Zoegia leptocera* 0
 30. *Lopesia racemosa* 114
 33
 5

Planten

van L. van Burken

~~Artemisia~~ 25 Apr.

- Achillea alpina*
 ————— *clavata*
Atter pendula
 ————— *umbellata*
~~Artemisia~~ *Achillea ageratum*
Allium victorialis
Andromeda polifolia
Bupthalmum grandiflorum
Helianthus multiflorus
Hypericum sacciferum
Leontodon aureum
 ————— *autumnale*
Mimulus ringens
Lobelia sphyllitica
Rubus chamaemorus
 ————— *arcticus*

Lunden vort. 30 Apr.
ut Copenhagen
Prof. Viborg.

1862. *Achillea atrata*
1515. *Ageratum punctatum* Ortega.
—— viscosum
—— pedatum Ortega
672 *Allium flavum*
1140. *Anoda triloba* Pers
330. *Androsace bocconi* Cyrill
missit Jacquin
579. *Athamanta sibirica*
Onopordon acanthium,
glabrum & album.
533. *Aclepias nivea*
1496. *Attagalus asper* Jacq.
1171. *Ballota lanata*
1571. *Buphtalmum salicifolium*
1510. *Cacalia lonchifolia*
368. *Campanula barbata* u
1505. *Centaurea paniculata,* ciliis
squamis calicis nigris
flor. obovate.
1555. *Chrysanthemum pinnatifidum.*
1541. *Cimicifuga campestris*
1576. *Cosmos bipinnatus* Cur.
1745. *Croton ciliato glandulifer.*
417. *Datura ceratocaula* Ortega
1123 *Delphinium unicoloratum* Jacq. u
558. *Dichondra teretica Swartz* u
1611. *Echinops strigosus* u
1580. *Encelia canescens* Rab. u
1249 *Erinus alpinus* u
563. *Eryngium pusillum* u
1004. *Euphorbia quinulata* u Ortega
—— *portlandica* u

- * Galinsoga triloba Rav.
 765. Gaura mutabilis Cav.
 1438 Hedysarum alpinum
 46. Jasminum humile
 365 Poponia angulata
 — — Listerophylla
 63. Justicia coccinea Cav.
 — — parviflora
 — — hexangularis.
 133. Kyllingia tricep
 Larrea glauca Orteg.
 1418. Lathyrus angularis Lamarck.
 * Leptosperinum scoparium Smith.
 (1014 (Melaleuca scoparia Suppl.)
 639. Linum alpinum
 1407. Lupinus trifoliatu.
 1558. Madia mollis
 1357. Malva fragrans.
 — — Scoparia
 1172. Nassubium incanum. Lamarck.
 764. Oenothera odorata Jacqu.
 1496 Onopordum acanthium glabr.
 246. Plantago crassa Willden. flor. albo.
 — — Cornuti
 — — recurvata.
 107. Polygonum arvense
 — — dumetorum.
 919. Polygonum incanum Schmidt.
 1003. Reseda fruticulosa.
 1085. Rottbolla filiformis
 1351. Sida pilosa
 79. Salvia argentea
 — — Candavina
 — — napifolia
 — — nemorosa
 — — scabra.
 — — viridis.

1197. *Scabiosa indurata*
 ————— *palastina*
 ————— *ficula*
 1041. *Schirrus dependens* Ortega
 (*amyris polyama* Cav.)
 956. *Sedum cepoa*
 1137. *Senecio linifol.*
 1263. *Sesamum orientale*
 1351. *Sida cuspa*
 ————— *mollis*
 ————— *triloba.*
 1162. *Sideritis cretica*
 1569. *Sigerbeckia triangul.*
 590. *Sison canariense*
 934. *Silene alpestris*, Jacq.
 422. *Solanum mammosif.*
 1156. *Teucrium prolium.*
 1295. *Thlaspi montanum*
 * *Thrinicia hirta* Roth.
 * *Vallesia cymbifolia* Ortega
 511. *Plauwolfia glabra* Cav.
 72. *Verbena Onariensis*
 ————— *spuria*
 ————— *hastata.*
 * *Viborgia acinella* Roth.
 1419 *Vicia biennis*
 ————— *caespitica* Wg.
 ————— *cracca.*
 ————— *dumetorum.*
 ————— *tenuifolia* Roth.
 * *Villanovae pennatifida* Ortega
 (1699. *Parthenium* Freec.)
 1624. *Viola verticillata*
 786. *Ximenesia enceloides*
 1552. *Zinnia tenuiflora.*

Van L. Ouberten

Planten

63. 68. Justicia cocinea
110. Moraea nothiana ? cap. Linn.
nova.
230. 1. Calycarpa americana
376. 1. Rödelotia americana
516. 3. Gardenia florida
669. 10. Amaryllis regina
1009. Euphorbia scularis cap. Linn.
an officin? est aloides
folia.
1637. Epidendrum flos aëris, non est.
est aloides
1697. 7. Arum proboscideum. non videtur
(nec triphyllum)
1604. 3. Elephantopus scaber. non est
sed videtur tomentos.
En hem onbekende; is
1933. 21. Ficus retusa

Van L. Ouberten

Planten o' aug.

- 1562 Achillea macrophylla
533. Aclepias arboresc. (Stek.)
643. Trastula punctata
324 Lehium orient. volgans Lichtens
Dah truffelagtig
1046. Medembryanthumum tenuifl.
1272. Volkaneria serrata ? flor. glauc.

Van den Her A Dailly
uit Amsterdam

Planten

1143. *Anemone pulsatilla*
1053. *Gerum rivale*
117. *Iris biflora*
1163. *Mentha gentilis*
1629. *Ophrys loeselii*

Van den Hr. V. D. Poll
in Sept. Planten

- Ajuqa pyramidal.*
Anthyllis cythoides, stek.
Arctotis abrotanifolia, stek.
Aristolochia rotunda.
Circa luteiflora
Listus vaginatus.
Dianthus glaucus fl. albo.
Digitalis canariensis.
Geranium grandiflora stek.
Makornia incisa stek.
Melaleuca myrtifolia
Mesembryanthemum micans stek.
Monarda punctata stek.
Ononis pinguis stek.
— *crispa* stek.
Ophrys loeselii
— *monorchis*
Orchis conopsea
Oxalis acetosella
Osteospermum spinosum stek.
Phormia tenax
Pulmonaria angustifol.
Reseda glauca stek.
Viola palustris

Van Schuurman, te Lijst
in Aug.

Planten

Alstromeria ligta

Artemisia coerulescens.

Cacalia anticyathorbium.

Cactus phyllanthus.

Canna benghalensis.

Cheiranthus fenestralis. Herb.

Cynanchum viminale.

Erodium trilobum.

Geranium abrotanifol.

———— *villosum.*

Gnaphalium aggregatum Herb.

Iris chinensis.

Hieracium frutescens.

Linum flavum

Lycnis divica.

Orabus varius.

Oenothera tetraptera.

Salix reticulata.

Salvia forskohli.

Stapelia maxima.

Samolus valerandi.

Pipete. blandum.

Rosa sinensis.

Tradescantia alba

Ustera scandens

Vitis indica.

Zygophyllum insuave.

———— *morgana.*

1801

Lauden

van L. v. Oulsterken
Maart.

Lucernis Guaianensis,

Maart.

van Prof. Reinwardt

Asclepias curassavica

Bryonia laciniata

Dianthus carthusianus.

Linum radiola.

Molucella laevis

Othonna tagetes.

Parthenium hysterophorus

Tradescantia erecta

Xeranthemum fulgidum.

Clypeola tomentosa O.

3 April, van Oudekerk

Zaaden

Xeranthemum annuum fl. albo

————— ————— — rubr.

————— *fulgidum*.

Planten

Angelica archangelica een gering stuk.

Achillea ageratum.

Coriaria myrtifolia.

Convolvulus batatas. 24.

Dioscorea fativa.

Dentaria enneaphylla

Eryngium maritimum.

Glycyrrhiza glabra?

Leontodon aureum.

Lobelia longiflora.

Pyrola rotunda.

Rosa pendula.

Linnaea borealis 200
Mooren te Lamer Kunn
Zaaden

Vanden Burger Goldbach
 Agent v. Economie
 3 Apr.
Ameicaanſche Zaaften
van Boomen & Heesters

53. 1. *Chionanthus virgin.*
 195. 1 *Cephalanthus occid.* — opgek.
 227. 1 *Mitchella repens* +
 230. 1. *Callicarpa ameri.* — opgek
 258. 5. *Cornus alba.* +
 — 11. — *circinnata* + opgek.
 291. 1. *Hamamelis virgin.* +
 303. 2. *Glex opaca.* +
 455. 1. *Ceanothus ameri.* + opgek.
 477. 1. *Itea cyrilla* +
 468. 1. *Quonymus american.*
 495. 5. *Vitis labrusca.* +
 613. 6. *Rhus vernix.* + opgek.
 614. * *Viburnum arborez* +
 — ** — *spinof.* +
 636. * *Aralia hispida* +
 721. 1 *Pinos verticillatus* +
 — 2 — *glaber.* +
 759. 4. *Aesculus parva.*
 — * — *alba.* +
 — ** — *pumila.* +
 — **b — *variet.* +
 — 2 — *flava. tall virgin.* +
 799. 17. *Vaccinium resinof.* +
 906. 9. *Rhododendron maxim.* +
 907. 5. *Andromeda maniana.* +
 — 18. — *arborea* +
 909. 2. *Quastheria procumbens* +
 911. 2. *Cetbra alniifolia.*
 912 a. *Pyrola umbellata* +
 — 5. — *maculata* +
 913. 1. *Styrax officinal* +
 — 2. — *grandifol.* +
 921. * *Hydrangea glauca* +
 983. *Kalefia (variet.)* +
 931. 16 *Laurus benedoin.*
 — 40. — *Sassafras*
 105a. 12. *Rubus hispidus* + opgek.
 1140. 6. *Annona triloba* +

1157. *Magnol.*

Ste.

1137. 4. *Magnolia glauca* +
 — 4.6 ———— *variet.* +
 — 5 ———— *acuminata* +
 — 6 ———— *tripetala*.
1367. 2. *Stewartia malacodendr.* +
 1369. 3. *Gordonia alutamaha* (Franklinia) +
 1400. * *Amorpha coerulea* + *opgek.*
 1413. 24. *Glycyne frutescens* *peul zondor* *zad.*
 1427. 27 *Robinia glutinosa* *Dito.*
1688. 7. *Betula alnus maritima.* +
 — 10. ———— *nigra.* . . +
1728. 28. *Quercus alba.* +
 — * ———— *heterophylla* +
 — ** ———— *pinnatifida* +
 — ** ———— *tenctoria* +
 *
 1730. 2. *Carpinus ostya* +
 1733. 1. *Liquidambar styracifl.* - *opgek.*
1741. 3. *Cypripedium thymoides* +
 — 5. ———— *disticha* +
1914. * *Nyssa sylvatica* +

van Planten

267. *Ludwigia alternifol.* +
 346. 2. *Spizelia mariland.* +
 846. 39. *Cassia leptostriana* + *opgek.*
 — 57. ———— *chamodrista* + *opgek.*
1004. 26. *Euphorbia pita* +
 1820. 16. *Smilax caduca* +
 — 20. ———— *habacea* +
 — * ———— *annua* +

ongenoemden

- N. 2.
 A. *nux*
 B. *Crataegus?*
 C. *Fraxinus*
 D. *Rhus.*
 E. *Pinus*
 G. ————
 H. *Rhus*
 I. *Crataegus?*
 L. *Rhus*
 N. *zad.* . . *opgek.*

Laaden uit Parijs
van Gt. Thauin
ontf. 10 April.

De doorgehaalden waren niet opgebomen in Jhd

58. 10. *Veronica pinnata*
 63. * *Justicia dianthifolia peruviana.*
 79. 15. *Salvia Syriaca*
 — 49. — *ceratophylloides*
 107. 10. ~~*Polygonum aversae*~~ *51 nutans*
 139. 2. *Wardus stricta*
 158. 1. *Melica ciliata*
 165. 10. *Pectica rayuro*
 168. 14. *Avena pubescens*
 175. 13. *Hymus subulatus*
 185. 1. *Polycarpon typophyllum*
 209 x *Hydrophyllum virginic.*
 213. 36. *Galium glaucum*
 312. 16. *Heliotropium curassavie.*
 314 x *Lithospermum egyptiacum*
 341. 1. *Ellisia nyctelea*
 371. 8. *Phytosmia spicatum*
 416. 3. *Verbascum taptoides*
 417. 1. *Datura ferox*
 420. 6. *Atropa frutescens*
 421. 1. *Physalis somnifera*
 423. x. *Lapsium ceratiiforme*
 563. 10. *Eringium bougati*
 — x — *dicotanonum*
 567. 7. *Bupleurum tenuissimum*
 — 16 — *semicomposit.*
 571. 5. *Fordylianum maximum*
 — 7 — *antriscus*
 578. 3. *Selinum austriacum*
 585. 2. *Laserpitium trilobum*
 — 4 — *gallicum*

Paris

| | | | | |
|-------|----|---|--|-----|
| 590. | 4. | 0 | <i>Tison ammi</i> | 114 |
| 605. | x | 0 | <i>Anetum hortense</i> | 115 |
| 638. | 17 | 2 | <i>Hatica tatarica</i> | 115 |
| 639. | 2 | 4 | <i>Linum perenne</i> | 116 |
| 672. | 29 | 2 | <i>Allium olraceum</i> | 117 |
| 697. | 6 | 4 | <i>Hyacinthus serotinus</i> | 118 |
| 730 | 10 | 0 | <i>Frankenia laevis</i> | 118 |
| 740 | 3 | 0 | <i>Rumex aegyptiacus</i> | 119 |
| — | 10 | 4 | — <i>obtusifol.</i> | 119 |
| — | 3 | 6 | — <i>luxurians</i> | 116 |
| 743. | 1 | 2 | <i>Triglochin palustre</i> | 117 |
| 766. | 10 | 0 | <i>Epilobium tetragonum</i> | 117 |
| 885. | 3 | 4 | <i>Zygophyllum fabago</i> | 117 |
| 887. | 3 | 0 | <i>Tribulus terrestris</i> | 12 |
| 926. | 19 | 2 | <i>Saxifraga hirsuta</i> | 12 |
| 930 | 4 | 4 | <i>Gypsophylla repens</i> | 12 |
| — | 6 | 4 | — <i>altissima</i> | — |
| 932. | 15 | 4 | <i>Dianthus deltoides</i> | 12 |
| 933. | 4 | 4 | <i>Lucubalus italicus</i> | — |
| 934. | 6 | 4 | <i>Silene nocturna</i> | 13 |
| — | 17 | 4 | — <i>amena</i> | 13 |
| 936 | 31 | 0 | <i>Arenaria loricifolia</i> | — |
| 964. | 1 | 0 | <i>Cerastium viscosum</i> | 13 |
| 1002. | x | 4 | <i>Agrimonia odorata</i> | 13 |
| 1004. | 94 | 0 | <i>Purshorbia verrucosa</i> | — |
| 1104. | 15 | 5 | <i>Listus villosus undulatus</i> | 13 |
| 1047. | 1 | 0 | <i>Aisoon canariense</i> | 13 |
| 1053. | 1 | 4 | <i>Geum virginianum</i> | — |
| 1143. | 8 | 4 | <i>Anemone pulsatilla</i> | — |
| 1145. | 22 | 2 | <i>Clematis erecta, hispida</i> | 13 |
| 1146. | 9 | 4 | <i>Thalictrum flavum</i> | — |
| — | 20 | 4 | — <i>angustifol.</i> | 13 |
| — | x | — | — <i>nutans</i> | 13 |
| 1147. | 4 | 0 | <i>Adonis aestivalis</i> | 13 |

Paris.

1148. 51. 0 ~~Ranunculus arvensis~~
1156. 654 Teucrium asiaticum
1157. 1. 5 Satureja thymbra
1160. 6. 4 Hepeta tuberosa
1175. 1. 0 Molucella laevis
1178. 17 0 Thymus alpinus
1181. 9. 4 Dracopis sibiric.
1189. 6. 4 Scutellaria alpina
1196 x 0 ~~Selago arvensis~~
1183. 16 4 ~~Neutra piperita~~
1166. 4. 4 Lamium garganicum
1170. 5 - Stachys palestina
1172. 11. - Marrubium hispanicum
1173. 4 0 Leonurus tataricus
1174. 5. - Phlomis seylanicat
1215. 49 4 ~~Anthriscum~~ ^{irrhinum} monspetal.
1227. 3 - Scrophularia scorodonia
1294 x 0 Lepidium virginianum
— 6 5 ——— suffruticosus,
— 22 4 ——— iberis
1297. 4 5 Iberis saxatilis
— 12. 0 ——— nudicaulis
1301. x 0 ~~Biscutella didyma~~
1305. 12 0 Taraxacum impatiens
— — — — — ^{max.}
1306. 250 ~~Silybium altissimum~~
1300. x - Cheiranthus lobelianus
— — — — — graecus
1312. 1. ♂ Turritis glabra
1314. 1 0 Sinapis alba
— 5 0 ——— allioni
— x - ——— polymorpha
— 19 - ——— juncea
1315. 2 0 Raphanus raphanistrum
— 3 - ——— sativus
1316 15. - Cleome viscosa
1326 7. 5 Hermannia micans
1356 5 + Lavatera olbia
— 3 5 ——— lusitanica
— 10 0 ——— cretica

Paris

1357. 20. 0 Malva parviflora
1411. 23 - ~~Phacelus sparsus~~
1412. 46 - ~~Dolichos biflorus~~
1410. 10 - Lathyrus articulatus
- 19. 24 0 Vicia narbonensis
1430. 1 4 Glycyrrhiza echinata
1431. 3 5 Coronilla glauca
1436. 6 0 Aechinomena sesban
- 40. 15 5 Boralea glandulosa
- 51. 2 4 Lotus siligiosa
- 19 0ⁿ - - - - - rectus
- 64. 24. 5 Hypericum hircinum
- 73. 6 * Sonchus tataricus
- 70 9 4 Hieracium praenotum
- 80 * - ~~Andryala sinuata~~
* * 0 Hypocrepis unisiliqua
- 87 * 0 Lapsana stellata
1490. 6 * Carlina composita
1502. 5 5 ~~Tarhanus salicifol.~~
- 7 4 - - - - - mitissimus
1508. 10 0 Bidens bullata
- 13 - - - - - pilosa
1510. 14 4 ~~Chrysocome graminifolia~~
- 25. * - ~~Tenacetum balsamita~~
- 28 * 0 ~~Gnaphalium visotum~~
- 37. 50 4 ~~Senecio paludosus~~
- 38. * 4 Aster pyrenaicum
- 42. 19 - Inula salicina
- 20 4 - - - - - hirta
1560. 2 0 Anaclyclis cretica
- 61. * 4 Anthemis buphtaloides
- 62. 27 - Achillea pubescens
- 26 - - - - - tanacetifolia
- 72. 12 - Helianthus laevis
1570. 14 - ~~Loreopsis alba nifolia~~
- 85 62 0 ~~Centauria amurensis~~

Paris

1589. 1. 4 *Typhium laciniatum*
— x — — ~~*laciniatum*~~
1596 x 0 *Calendula sicula*
1611. 3 - *Echinops ritro*
- 91. 404 *Urtica canabina*
- 99. 2 - *Parthenium integrifol.*
1766. 7 0 ~~*Cucurbita citrullus*~~
- 67 8 - ~~*Lycium chate*~~
— 11 - — ~~*flexuosus*~~
1847. 4. 4 ~~*Menispermum nudum*~~
- 73. 15 - *Holcus kalpensis*
- 87 x 0 *Valantia granulata*
1909. 39 5 ~~*Munroa pennsylvanica*~~
x x ~~*Dianthera Penns.*~~

Zaaden van den Botanicus Schkur
van Wittenberg, 24 Mai

- Aeschynomene americana* 0
Delphinium variegatum 4
Geum aleppicum Jacq.
an *G. medium*? Ehrh.
Rafanum glauca 4
Ricinus tyrolus 0
Tordylium syciacum 0
Triticum bybernum 5
Trifolium marfanense 0
Linnaea elegans 0

Van den Steer Juliaans

20 Apr.

Agrostema

Adonis

Alcea.

Amaranthus tricolor.

Amaranthus ruber.

Antirrhinum maritimum

Brosselia elata.

Calendula.

Calceolaria pennata.

Campanula

Capraria? white sweet

Capficum

Celosia cristata

Cheranthus ruber

Chrysanthemum

Convolvulus minor

Centaurea cyanus.

Cynoglossum

_____ linifolium.

Delphinium of Sisymb.

Dianthus

Lavatera

Helianthus dubbel.

Hesperis.

Hieracium

Hybiscus

Impatiens balsamina

Ipomoea } *Indian Pink*
Lonicera }

Lavatera

Lathyrus *viridis*

———— *purpureus*

Lupinus *gel. in blauen*

Medicago

Nicotiana

———— *anglica*

Nigella

Persicaria

Polygonum

————

Silene

Sison

Solanum

Tagetes

Valeriana

Xeranthemum annuum

———— ——— *alba*

Zinnia

Van Bloemist Brakel

Heesters apr.

402. *Lonicera caprifoliarum.*
455. *Geanosthus bungei*
616. *Sambucus canadensis.*
610. *Staphylea pinnata*
721. *Prinos verticillata.*
907. *Andromeda calyculata.*
909. 2. *Gaustthoria procumbens.*
1020. *Prunus pumila.*
1039. *Crataegus azarolus*
— *— crusgulli.*
1145. *Clematis virginica.*
1016. *Philadelphus inodorus.*
1040. *Sorbus domestica.*
1048. *Spiraea salicifolia. flor. albo.*
1232. *Bignonia catalpa.*
1427. *Robenia hispida.*
1019. *Mirica corifera.*
— *— gale.*

Van den Heer Van de Poll
van Haarlem

- Abronia californica*
Gnaphalium cyleniticum.
Mahernia odorata.
Melaleuca myrtifolia.
Onosma echinoides.
Reseda glauca.

in Oct. vanden Helven

125. 2. *Wachendorfia paniculata*
196. 1. *Dipsacus fullonum. (genuin.)*
644. 3. *Mahernia incisa (Spec. 11. p. 1566.)*
1464. 52. *Hypericum pulerum?* non videtur
folia non sunt perfoliata nec connata
— 30. *— orientale?* non videtur folia
crinata sagittata non sunt!
1623. 61. *Lobelia purpurea.?*

Van den Hr. L. Schkuhr
te Wittenberg, in Oct.
Door Zoon Jaak medegebragt.

Planten

- Asclepias pubera.*
Conwallaria japonica.
Datisca cannabina fem.
Delphinium variegatum.
Dichondra fericea.
Geum aleppicum Jacq.
s. *G. strictum Willdenowii*
Gloxinia maculata
Iris florentina
Malva fragrans.
Melissa grandiflora.
Origanum creticum.
Pelargonium betonicum Jacq.
(s. *P. myrtilifol. Willdenowii*
prideum Germanicum betonic.)
Piper verticillatum.
Trapa natans, fructus.

Mit Dresden, door bezorging
en op kosten van den Hr. Amerongen
van Schalkwijk, ons per postwagen
toegekomen, in November

Planten

1457. 1. *Abroma augusta*
Aletris hyacynthoid.
~~*Seyfarica*~~
Amomum zingiber
~~*Gerumbet*~~
Aristolochia triloba.
Begonia dichotoma
Besleria bivalvis.
1774. 20 *Acalypha scabrosa*
~~*diversifolia.*~~

1213. 1. Ceryllia pulchella.
427. 4. Cestrum auriculatum.
- 6. diurnum
1233. 1. Catharexylum cinereum
- 5. quadrangulum
1273. 3. Clerodendron fortunatum.
135. 38. Cyperus alternifolius. 135.
122. 2. Lycas revoluta.
698. 8. Dracaena ensifolia.
1268. 2. Durantiu Ellipii
- 1. Plumerii
1637. 92. Epidendrum ensifol.
1733. Picus scabra
- religiosa.
63. Justitia superba.
- 32. nasuta
- formosa.
900. 56. Melastoma cymosa
620. 39. Passiflora incarnata.
356. 4. Plumbago rosea
- 3. Zeylanica.
1984. 24. Polypodium phymatodes
- 28. aureum
271. Pothos crassinervea.
1948. 19. Pteris feroulata.
1272. 6. Volcaneria Japonica
- 2. incarnis

NB.
 De met + getekend en anderszins
 zijn vord gekomen
 de andere dergoeda, niet.
 Dus VI vord gekomen
 en 20 niet

1802

Zaaden van Prof. Thun-
berg, uit Uppsala
January

Acalypha caroliniana

Altris aurea

Aselia passioides

Aquilegia grandiflora

— *vividiflora*

Arum trifoliatum

Berberis sibirica

Cassia chamaecrista

— *myrtitans*

Cineraria glauca

— *sibirica*

Commelina polygama

Convolvulus verticillatus

Lythra veniflora

Diospyros perimone

Ephedra monostachya

Gentiana ciliosa

Gomphrena procumbens

Hedera arborea

Helleborus hyemalis

Helianthus divaricatus

Hibiscus aculeatus

Hycyanus pusillus

Helicium floridanum

Hex myrtifolia

Indigofera caroliniana

Iris halophylla

Justicia cartagenensis

| | |
|---------------------|------------------------|
| <i>Linum</i> | <i>alpinum</i> |
| — | <i>virginianum</i> |
| <i>Medica</i> | <i>viscostalva</i> |
| <i>Mispilus</i> | <i>laciniata</i> |
| <i>Mixosa</i> | <i>peregrina</i> |
| <i>Nepeta</i> | <i>multifida</i> |
| <i>Nitvaria</i> | <i>kobovi</i> |
| <i>Nolana</i> | <i>prostrata</i> |
| <i>Papaver</i> | <i>nudicaulis</i> |
| <i>Pastiflora</i> | <i>incarnata</i> |
| <i>Pedicularis</i> | <i>pumosa</i> |
| <i>Physalis</i> | <i>prostratus</i> |
| <i>Polemonia</i> | <i>sibirica</i> |
| <i>Prinos</i> | <i>denticulatus</i> |
| — | <i>lucidus</i> |
| <i>Rosa</i> | <i>pimpinellifolia</i> |
| <i>Salvia</i> | <i>coccinea</i> |
| <i>Sisyrinchium</i> | <i>striatum</i> |
| <i>Smilax</i> | <i>laurifolia</i> |
| <i>Solanum</i> | <i>carolinianum</i> |
| <i>Sophora</i> | <i>alopeuroides</i> |
| <i>Spiraea</i> | <i>altacea</i> |
| <i>Teucrium</i> | <i>virginianum</i> |
| <i>Umbelula</i> | <i>spicata</i> |
| <i>Urtica</i> | <i>cylindrica</i> |
| <i>Valeriana</i> | <i>sibirica</i> |

1802.

mit Haderwyk von Prof. Rein-
wardt

16 Apr.

Planten

- Amaryllis undulata*
Artemisia maritima (ex Frisia)
Convolvulus hermannia (hieme
to post.)
Campanula carpatica
Crasula orbicularis
Encornis punctata
Euphorbia crotiniifolia (Caldar.)
Hemimeris urticifolia
——— *coccinea* (Selsia linearis
aliorum)
Hypericum pulerum L. (vix videtur
nihil esse)
——— *dubium* (Leers)
——— *elatum* (Aiton)
Onopordon acaule
Saxifraga granulata
Selinum palustre
Solanum campochiense (Caldar.)
Vaccinium uliginosum
Viola montana.

Zaaden

7-

(a)

(b)

(c)

(d)

(e)

(f)

1802.
Laaben im Wittenberg

27 Apr. Sckkbr.

- Allium fibricum
Antirrhinum medium
Centaurea eriophora
———— muricata.
Cistus marifolium
———— vaginatus.
Digitalis epiglottis
Echinops tenuifolius
Elytra prostrata
Euphorbia geristoides
———— legutalis.
Fumaria fungosa.
Galega officinalis
Geranium elongatum
Hypoxis asymetrolus
Lavatera thuringiaca
Lepidium spinosum.
Malachra capitata
Malva grossularifolia.
Medicago nigra
———— prostrata.
Monsonia emarginata
Ononis natrix.
Penthoran sedoides
Potentilla astracamica.
Salvia spenosa
Scrophularia lucida.
Silene behen
Sison ammi. Sonchus laevis
Stachys rugosa.
Triticum monococci.
———— gardinicum.
Verbena carolinica.

Laaden uit Parijs
van den Hr. Thouriz, 20 April

Serre chaude s. sous chassis

- Antisteria ciliata* ♂
Azonia portulacaria
Bixa orellana
Cassia fistula
— *obtusifolia*
— *occidentalis*
Larica papposa
Celosia trigyna
— *lanata*
Lonyda glutinosa
Dianthera comata
— *lithospermifolia*
— *malabarica*
Dolichos articulatus
Elephantopus scaber
Enselia halimifolia
Tagonia cretica
Gossypium de cayenne
Trehine celosoides
Mimosa angustifolia
— *lebec*
— *pernambucana*
Oedera tener viaspingel
Phaseolus farinosus
Sida carpinifolia
— *triloba*
— *vesicaria*
Tradescantia bicolor
Verbesina alata

Tous chassis

- Ageratum de Temviffe*
Cleome dodecandra
Corchorus aestuans
Eclipta prostrata

Euphorbia geniculata
—— hypericifolia
Gossypium (de Kama)
Melochia pyramidata
Mesembryanthemum pinet.
Momordia balsamina
—— luffa
Ocimum caropylum
Sclerocarpus africanus
Tida asiatica
—— planiflora
—— umbellata
Spermacoce tenuior
Tur Chassis

Atropa frutescens
Bidens nivea

Nov. Gen. Euphobi. famil.

Nada viscosa
Siegesbeckia flosculosa
Solanum lycioides
Tetragonia echinata

Tur couche

Achillea bonarota
—— decumbens
—— tantolina
Achras sapota
Achyranthes prostrata
—— argenticum
Agrostis tenuissima
Andryala cheiranthifolia
Anthemis triloba

Antirrhinum triphyllum
 Ansellus pedunculata ^{ortiga}
 Aster annuus
 ————— tenellus
 Atragalus pentaglottis
 ————— depressus
 Athanasia maritima
 Balsamita florulosa
 Bidentis radiata
 ————— sambucifolia
 Bromus decapetis figuris
 ————— quadratus ^{vitium}
 Bupleurum gibraltarium
 ————— semicompositum
 Cacalia mareolens
 ————— lavendulaefolia
 ————— bronchifol.
 Campanula lamuginosa
 Carduus castibone
 Carthamus Sp. Nov. ex Egypt.
 Carlina de frigie
 Centaurea heterophylla
 ————— spinosa
 Cercodea erecta
 Chrysanthem frutescens ^{grande florum}
 ————— ————— affinis
 Cistus helianth. angustifol.
 Compa chinensis
 ————— saxatilis
 Colutea orientalis
 Convolvulus spitanus
 ————— tenuifolius
 Crepis leontodioides
 Cucurbita zeylanica

Cynosuavis aureus
 ——— *scoparius*
Dalea annua
Dolichos trilobus
Echinum frutescens
Echinops sp. Nov.
Elymus ex Mesopotamia
Eryngium dicotylum
Erigeron tuberosus
Euphorbia verrucosa
Evolvulus undulatus
Festuca salicina
F. vankemii
Galinsoga triloba
Geranium glaucophyllum
 ——— *tabulare*
 ——— *theribentianum*
Gypsophilla altissima
Hedysarum mesopotamica
Helianthus hirsutus
Hermannia hyssopifolia
Hesperis lutea
Hyocyanus senecioides
 sp. Nov.
Plumbago d'Aboufai
 ——— *capitata*
Leontodon parthenifol.
 (Cassanova)
Lepidium subulatum
 ——— *suffruticosum*
Loefflingia hispanica
Lotus edulis
 ——— *hirsutus*
Lysimachia atropurpurea
Lycopus primatifol.

Malacothra fol. palmatis
Nalvicaria nov. sp.
Marahubium alystium
Melissa cretica
Mimosa herbacea
Nepela reticulata
Nicotiana cerinthoides
Oenothera subicana
Ononis columne, allien
Panicum atrocaminum
Paspalum stoloniferum
Parthenium hysterophorus
Poa distans
— divaricata
— verticillata
Polycarpha teneriffae (Lam.)
Pteralea conglifolia
Reseda sp. nov. ex Egypt.
Rotbolla sp. nov.
Rumex cantale, ex Egypt.
Ruta legitimal
Salsola muricata
Saponaria ocyroides
Satureya teneriffae
— thymbra
Saliva laciniata
Salvia orientalis
— pendula
Scabiosa dichroma
Scipus romanus
Scordonea graeca sp. nov.
Sideritis canariensis
Pilene bifida
— reticulata

Serratula *chamaepeuce*
Senecio *longifolius*
Solanum *corymbosum*
Sonchus *orbiculus* *Domby*
Spartium *purpureum*
Stachys *cretica*
Statice *cordata*
 ————— *speciosa*
Tagetes *montana* *peruv.*
 ————— *tagetoides*
Tetragonia *cornuta*
Thapsia *d'afrique*
 ————— *maxima*
Thymus *alpinus*
Trifolium *aureum*
 ————— *hybridum*
 ————— *praemortuum*
Verbascum *auriculatum*
 ————— *limbatum*
Verberna *bracteata*
Zinnia *revoluta*

En pot au devant

Acer *tataricum*
Aesculus *pavia* *lutea*
Asaga *genevensis*
Carex *multiformis*
Clematis *orientalis*
Elymus *avenarius*
 ————— *racemosa*
Euonymus *atropurpureus*
Festuca *aquatica* *bose*
Pinus *canadensis*
 ————— *cedrus*
 (en terre de terre)
Ranunculus *canadensis*
 ————— *chacrophyllos*
Rhamnus *disiplus*

Rhus glaber
Silene laxifraga
Spirea laevigata
Trifolium elegans sp. nov.
Dactyloctenium aegyptium herculis
En pot au Nord.

Betula alnus laciniata
Juncus vallisneria Lb.
Phytolacca orbicularis
Ranunculus pallidus villar
Tamarix germanica
Viburnum prunifolium
En pot

Bromus purgans
Cloris pendula
En place

Avena preloata ortega
——— spicata
Bromus sprinzel
Tamarix parviflora
Natis alpina villar
——— halapica
Lathyrus amphycarpus
Onopordon d'Alie la Bil
Polygonum turgidum
Rumex d'Alexandrie
Salsola gcha
Seseli villosum
Sinapis de Cypre
——— quisea
Lisymbrium hybridum
Tragopogon undula
Triticum prostratum
Trifolium melilotus alistik
Vicia musquinez adross.
——— pla tricarpos.

D'Egypte

Agrostis

Amaranthus

Ammanium Scrophulariaceae

Anthemis maritima

Arundo des bords du Nil

Asparagus des ruines d'Alexandre

Atriplex

_____ glauca, de hen.
virois de la colonne
de pompeii

_____ du bord de la mer

Buglossum

Centaurea

Chrysanthemum

Concombre train

Coryza

Composée du desert

Cressa cretica

Croton minie, et siant
des Egyptiens

Cucumis langouste

_____ katta

Cyperus pulcherimus

Echinops

_____ major

Glutinus lotioides

Graminée des deserts

Heliotropium des champs

Hibiscus bannier des Egyptiens

Ignota du desert

Lactuca oleifera

Lepidium recchade

Medicago

Melochia

Melon délicieux d'Egypte

Mimosa nilotica

Neurada prostrata

Orosanche

Reglet

Reseda

Salsola, en arbutti d'Egypte
Rose d'Egypte

Salsola

_____ muricata

Scabiosa

Sesamum orientale

Trefle fraise

Trifolium, Egyptiacum
fourrage excellent

Xanthium

D'Alexandrie

Anthemis

Trigonella (des ruines)

De Rosette

~~Lithrum~~

Lithrum

Umbellifera

Plantago d'Abouk

du tas de figuiers en Egypte

Arenaria

Aestuca

Hypococum

Juncus

Lycopsis

Ononis. sp. nov.

Panicum

Senecio

Carthamus agoule des Arabes

Cucurbita cara hambaly —

Hedysarum agoule —

Trifolium blelia —

De l'île de France

Lucumis

Tractidia

Imbricaria

Evolutulus de l'île des Princes

Elypta du Farjoum

Triticum de Perse

Quilbanne de la Thebaïde

Dr. Sibiricus

Bigronia Saas

(Semen alatum, Ulmi foli infus.)

Van Breukelen, H. v. Goelike
Leome arborea, in plant.

Van Scheurmans
te Leiden

Planten

Arbutus uva ursi

Athamanta Cretonsis.

Budaya salicifol.

Astrantia fol. varieg.

Cactus mammill. prolifor ^{arabico}
_{idea.}

Centaurea ragusina

Cyclamen persicum.

Eucornis regina.

Hibiscus Syriac. fl. pleno alb.

————— coccul.

Jasminum grandiflor.

Justicia lysipifol.

Lantana odorata.

Metrosideros nodosa.


Petargonium tricolor.

Teucrium palium.

Yucca filamentosa.

Zygophyllum morgesana

————— serpilifolium



1803

uit Hardewijk 2 April
van Prof. Reinward

Zaadlen.

- Atropa umbellata* O. warm
Arachis hypogaea. O warm
Anthemis mixta.
———— *maritima*
Fistula distachyos h. Oranger.
Lucubalus mollis h. Oranger.
———— *viscosus*
Lucubita lagenaria. warm.
Convolvulus Hermannia. koud f
———— *pentapetaloid*. O koud
Cynoglossum pictum. O. koud.
Cassia nictitans. O. warm.
———— *procumbens*. O. warm
Crepis pygmaea.
Dolichos lignosus. h. Oranger.
Petium lusitanic. O. warm
Erodium hymenades f warm
Euphorbia elliptica. O. warm.
Gostypium.
Hesperis lacera. O warm
Hibiscus cannabinus. warm.
Illecebrum diandr. (nov.) O
Ipomoea triloba O. warm
———— *quamoclit*. O warm.
Melissa calamintia f
———— *grandiflora* f koud
Phaseolus zebra O
Pelargonium adulterin. h. koud
Pedicularis palustris
Prenanthes purpurea. f
Rheum compactum f. koud.
Scabiosa indurata? h. koud

Sespa-

Van Prof. Schreber, Erlangen
1803. Apr. 23

Zuaden.

Aegilops caudata

Agrostema cedi rosa

Amaranthus flavus

_____ melanchol.

_____ scandens.

Anoda dilleniana

_____ hastata

Anthemis ctia.

_____ tomentosa, bis.

_____ valentina, bis.

Antirrhinum asarina

Astragalus uliginos.

Ballota lanata

Baltimora recta

Brisa Evagrotis, bis

_____ virens.

Bromus puryans

_____ ruber.

Buphrthalmum aquat.

Carduus peltatus

Cappicum murinum frutesc.

Castanhus mitispermus.

Centaurea diluta, Hit.

_____ Lippii

_____ ragusina, bis.

_____ Salmantica.

_____ Sicula.

Cheiranthus tricuspidatus.

Chenopodium ambrosioides

_____ anthelmintic.

Lier

Schreber 1803.

Cicer arietinum

_____ fl. albo.

• *Listus cancer*

• *Cypripedium montanum*

Commelina polygama Roth.

Convolvulus carneus

_____ *farinosus*

_____ *hederaceus*, bis

Cronopus didymus

Coreopsis leucantha.

Crepis aspera

Crinum fruticosum.

• *Crucianella latifolia*

Cucumis angurinus?

_____ *Chate*, bis.

• *Cynoglossum creticum*.

• *Cyperus dubius?*

_____ *elegans*

Datura nov. spec.

• *Daucus mucronatus*

• *Digitalis winterei* (Lam.)

• *Dolichos catjang*

_____ *chrenensis*

_____ *foja*.

Erythronium lens majus.

• *Eryngium bourgati*. 10

Euphorbia litterata Jacq.

Glycine rubicunda.

• *Haloragis serotina*

Hedysarum mucronat.

Hermannia denudata.

Hesperis verina.

Schreber, 1803.

Hibiscus phoeniceus

Holcus niger, L.

_____ *pyramidalis*

_____ *saccharatus*

Ipomoea luteola

_____ *solanifolia*.

_____ *triloba*.

Lappago racemosa.

Lathyrus inconspicuus

_____ *lusitanicus*.

Lavatera alba.

Lepidium spinosum.

Linum austriacum.

_____ *multiflorum*.

Lotus oligoceros. Scop. Infubr.

Lycopsis virginica.

Malva alnifolia.

_____ *hirsuta*.

_____ *nicaeensis*.

Medicago articulata.

_____ *obscura*.

_____ *tornata*.

Milium centigerum.

Milleria quinqueflora.

Molluella spinosa.

Ocymum atropurp.

Oenothera aspera.

Panicum maritimum.

_____ *oryzoides*. Aduin

Paspiflora hirsuta

Pavonia praenosa.

Physalis barbadeensis.

Schreber, 1803.

Salvia spinosa.

—— *tiliaefolia.*

Scabiosa runcinata.

Schkurnia abrotanoid.

Scutellaria albida.

Senecio Arabicus

Sida alnifolia.

—— *triquetra.*

Silene inconspicua.

Solanum patulum.

—— *radicans.*

Spilanthes acnetha

—— *brasiliensis.*

Tagetes maculata

—— *misseri.*

Teucrium polium alb.

Thelypodium cyrocrante

Trifolium incarnat.

—— *pictum.*

Verbena prismatica.

Vicia fibrica.

Van Parijs, ontf. 5 Maj.
van L^o Trouin.

- Acanthus du desert de Suex
Achillea altissima
_____ decumbens
_____ macrophylla
_____ pubescens
Achras Sapota
Adonis aestivalis
Aeschynomene grandiflora
_____ d'Egypte
Agrimonia odorata
Agrostemina caclerosa
Agrostis d'Egypte
Alicia chalepensis
_____ trifolia
Alisum sinuatum
Ambrosia absinthifolia
Anagallis foetida
Anchusa Italica
Aniistrum Sanguisobe
Andryala sinuata
Anemone silvestris
Anoda crenatifolia
_____ triloba
Anonymos arbor
Anthemis buphtalmoides
_____ genevensis
_____ tinctoria
_____ triloba
Anthyllis hermanniae
Antirrhinum triphyllum

Arachis Hipogaea

Aralia racemosa

Arctotis angustifolia

Antocarpus jasquia

Arctium Lappa tomentosa

Arenaria rubra

Artemisia absinthium

_____ *palmata*

_____ *zeylandica*

Arundo maxima

Asclepias amaena

Asparagus stipularis

_____ *stipuliformis*

Aster amoenus

_____ *grandifolius*

_____ *erivoides*

_____ *tripolium*

Astragalus epiglottis

_____ *onobrychis*

Athamanta Sibirica

Atropa frutescens

Beberis canadensis

_____ *sinensis*

_____ *fructu violaceo*

Bestraemia lappula

Bryonia Africana

Bubon bigidius

Bupthalmum frutescens

Caspa absul

_____ *acutifolia*

_____ *fistula*

_____ *marylandica*

_____ *occidentalis*

_____ *tomentosa*

Casina de l'île de France

Carex papaya

Chelidonium scandens

Chelis americana

Chenopodium alexandrinum

_____ *glauca*

_____ *spinosa*

Cheranthus fasciata

Chrysanthemum corymbiferum

_____ *frutescens affinis*

Cistus angustifolia

_____ *sumatra*

_____ *lactifolius*

_____ *villosus*

Clatonia populacina

Colutea alexandrina

_____ *aff.*

_____ *frutescens*

Convolvulus jalappa

Conyza anthelmintica

_____ *glutinosa*

Cochonos hirtus

_____ *meloukhié*

Coreopsis tripteris

Coronilla glauca

Corypha de 50 a 60. Pieds haut

_____ *en Caroline*

Craspula perforata

Crataegus dentata

Croton mollecanum

Cucubalus sibiricus

Cucumis abdellaoui

_____ *Donneris*

_____ *colocynthis*

_____ *quarandis*

_____ *mahannaoui*

Quercus coccifera
Quercus laurifolia
Quercus lusitana
Quercus agrifolia
Quercus *pirulifolia*

Datura cannabina
Datura stramonium
Datura innoxia *Muhl.*
Datura metel

Datura *resudor*
Datura capensis
Datura trilobus

Datura *violacea* *Gratt.*
Diospyros ebenus

Elyptia erecta
Elyptium tetragonum
Erythraea segyptiaca

Erythraea *lathyroides*
Erythraea coralloides
Eupatorium caelestinum

Eupatorium *Sp. nov.*
Euphorbia geniculata
Euphorbia *nummularifolia*
Euphorbia *paralias*

Forskalea angustifolia

Frankenia pulverulenta
Fragaria aspera *Aubl.*

Gallega purpurea
Geranium eripulatum

Geranium *gibbosum*
Geranium *grimum*
Geranium *pratense*
Geranium *pubellum*

Gilago alpina
Gleditsia triacanthos

Paris 1803

- Glinus lotoides*
Glycyrrhiza echinata
Gossypium de la base Egypte
Guilandina bonduci
Heracleum alpinum
Heterophylla pinnata Cav.
Helianthus altissimus
_____ *latis*
Hibiscus praemorsus
_____ *trionum Africanum*
Hioscoris virginica Lam.
Hypocrepis unisulcata
Ilex Carolina
Indigofera glauca
Inula verticillata
Kalmia latifolia
Lathyrus tuberosus
Lobelia linearis
Lepidium recharde
Liatris pulcherrima
Linum maritimum
Lolium capre
Lotus rectus hi. *strictus*
Lotus hi. *strictus* aff.
Lycium tomentosum
_____ *triflorum*
Mabea taguana Aublet
Madia viscosa Cav.
Malachra capitata
_____ *palmata*
Malva americana
_____ *minuta* Breg.
_____ *lobata* Pascal

Paris 1803

Malva virgata

— *altifolia*

Medicago coronata

— *marina*

Melilotus albospinus

— *caerulea*

— *mesfanensis*

Mespilus coccinea

— *coloneaster*

— *pinifolia*

— *pyrifolia*

Mimosa orgottii et *trouinii*
d'Egypte

— *farnesiana*

— *lebbekii*

— *rubrica*

— *pernambucana*

— *polynesiensis*

Momordica luffa

Napaea laevis

Nolthora lyrata

Oenothera tetragona

Ononis albospinosa Lam.

Parkinsonia aculeata

Pasteque rouge

— *rose*

Peganum harmala

Peucedanum album

Phalaris d'Egypte

Phaseolus boroni

— *de Madagascar*

Pinus canadensis rubra

— *perlyata*

Pisum sativum

Paris 1803

- Pisum umbellatum*
Piper nigrum
Plantago & quatuor
Platanus orientalis
Pomum pulcherrima
Potentilla multiflora
Quercus ilex
Rhus cotinus
— *glabrum*
Rumex kharone
— *rotundifolius*
Robinia caragana
— *pygmaea*
— *spinosa*
Rosa cynamomea
— *glauca*
— *villosa*
Saponaria orientalis
Saxifraga hirsuta
— *oblongifera*
Scabiosa centauroides
Scrophularia de Damiette
Scorzonera aisoorum
Senecio aegyptius L.
— *donat' orientalis*
Sida zatrochoides Mill
— *mollisfima Cav*
Silene bysantinoides
— *Saxifraga*
Sisymbrium gerges
Stachys serrata Cav
Smilax fr. rubra de
Caroline

Pays 5006

Solanum badianota
d'Egypte

Solidago sempervirens

Sonchus floridanus

Sotus domestica pyriformis

Spatium spinosum

Suraca hypericifolia

— *opulifolia*

— *lobifolia*

Naphylea pinnata

Tagetes chusfonensis Michx.

Tamandua indica

Trianthema nov. spec.

Tribulus terrestris

Trifolium incarnatum

— *resupinatum*

Sarronia Martinicensis

Verbena serrata Cav.

Vicia musquinez

Zizyphus sativus

Amerikaanſche Zaden
van 1802 Kerſt, vanden Hr. Touſon

Liriodendron Tulipifera.

Quercus alba

_____ *paludosa.*

_____ *remotissima*

_____ *prinus*

_____ *nigra (tunctoria)*

_____ *nigra*

_____ *pumila*

_____ *lobata*

Pinus Strobus

_____ *rigida*

_____ *echinata*

_____ *toeda*

_____ *canadensis*

_____ *nigra*

_____ *rubra*

_____ *larix americana*

_____ _____ *varietas*

Cupressus disticha

_____ *thyoides*

Thuja occidentalis

Juniperus virginiana

Hydrangea frutescens

_____ *glauca*

Halimolobos tetraaptera

_____ _____ *varietas*

Ptelea trifoliata

Magnolia glauca

_____ _____ *varietas*

_____ _____ *acuminata*

_____ _____ *tripetala*

Spiraea opulifolia

_____ *incarnata (mountain)*

_____ *Spiraea*

Nov. species

Spiraea incarnata
—— *tomentosa*
Rhus americana
—— *castanella*
Staphylea trifolia
Franklinia albatamaha
Myrica cerifera
Olea virginica
Amorpha caerulea
—— *fruticosa*
Platanus cyrilla
Clethra arborea
—— *alnifolia*
Betula populifolia
—— *papyracea*
—— *nigra*
Betula
Alnus maritima
Betula alnus rubra
—— — *glauca*
—— — *canadensis*
Vaccinium Staninicum
—— *resinosum*
—— *frondosum*
—— *corymbosum*
—— *viride*
Mespilus prunifolia
—— *arbutifolia*
—— *pumila*
—— *Dwarf black mespil*
—— *canadensis*
Sorbus occidentalis

Crataegus crus galli
 _____ *flava*
 _____ *tomentosa*
 _____ *coccinea*
 (appli Haecothorn)
Laurus benzoïn
 _____ *sassafras*
Cornus florida
 _____ *sericea*
 _____ *alba*
Plex opaca
Prinos glaber
 _____ *verticillatus*
 _____ *lavigatus*
Celtis occidentalis
Nyssa sylvatica
Tilia americana
Circis canadensis (judas tree)
Thionanthus virginica
 _____ _____ *varietas*
Vitis labrusca
 _____ *vulpina* (pubra)
 _____ _____ *alba*
 _____ *vinifera* (Blauwe
 muskadel)
 _____ *alexandria*
Pyrola umbellata
 _____ *maculata*
Viburnum pubescens
 _____ *arbreum*
 _____ *acerifolium*
 _____ *dentatum*
 _____ *canadense*
 _____ *nudum*
 _____ *spinosum*

- Berberis occidentalis*
Ceanothus americanus
Prunus virginiana
 ——— *padus montana*
 ——— — *pensylvanica*
Euonymus americanus
 ——— *atrappurpureus*
 ——— ——— — *varietal*
Celastrus scandens
Prunus angustifolia
 (chicasa plum)
Kalmia latifolia
 ——— *angustifolia*
Ledum thymifolium
Rhododendron maximum
Morus rubra
Sirca palustris
Rubus prostratus
 ——— *fruticosus*
 ——— *occidentalis*
 ——— *coccinea*
Ilex decidua
Robinia pseudacacia
 ——— *viscosa*
Cupressus thyoides
Hypericum Kalmianum
 ——— ——— — *narrow*
Hamamelis virginica
Lonicera lymphocarpus
Salicarpa americana
Lanthorhiza asifolia
Gauetheria procumbens
Styrax levigatum

Stewartia malachodendron
Styrax varietas
 ——— *grandifolium*
Michella repens
Philadelphus inodorus
Aralia spinosa
 ——— *hispida*
P. racinus albus
Aristolochia liphio
Guilandina diaica
Smilax caduca
 ——— ——— *rotundifolia*
Sideroxylon sericeum
 ——— ———
Acer pennsylvanicum
 ——— *canadense*
 ——— *nigrum*
 ——— *glabrum*
 ——— *rubrum*
 ——— *sacharinum*
Andromeda arborea
 ——— *paniculata*
 ——— *racemosa*
Bignonia radicans
Lonicera inodora *flava*
 ——— ——— *rubra*
Hedera quinquefolia
 ——— *cordifolia*
Rhus vernix
 ——— *glabrum*
 ——— *copalinum*
Carpinus astrya
 ——— *virginiana*

Diospyros virginiana

Lambucus occidentalis

Rosa palustris

————— *pensylvanica*

Jasglans nigra

————— *rigida*

————— *squamosa*

————— *alba*

Gleditsia triacanthus

Bignonia catalpa

Lephalanthus occidentalis

Pyrus coronaria

The first part of the book is devoted to a general
 description of the country and its inhabitants.
 The author then proceeds to a detailed account
 of the various tribes and their customs.
 He describes the manner of their hunting and
 fishing, and the different kinds of food they
 eat. He also mentions the different kinds of
 clothing they wear, and the different kinds of
 houses they live in. The author then proceeds
 to a description of the different kinds of
 animals and plants which are found in the
 country. He mentions the different kinds of
 birds, and the different kinds of beasts.
 He also mentions the different kinds of
 plants, and the different kinds of trees.
 The author then proceeds to a description of
 the different kinds of minerals which are
 found in the country. He mentions the
 different kinds of stones, and the different
 kinds of metals. He also mentions the
 different kinds of minerals which are used
 for the purpose of medicine. The author
 then proceeds to a description of the
 different kinds of diseases which are
 found in the country. He mentions the
 different kinds of fevers, and the
 different kinds of coughs. He also
 mentions the different kinds of
 consumptions, and the different kinds of
 dropsies. The author then proceeds to a
 description of the different kinds of
 medicines which are used in the country.
 He mentions the different kinds of roots,
 and the different kinds of herbs. He
 also mentions the different kinds of
 minerals which are used for the purpose
 of medicine. The author then proceeds to
 a description of the different kinds of
 surgical operations which are performed
 in the country. He mentions the different
 kinds of amputations, and the different
 kinds of trepannings. He also mentions
 the different kinds of operations which are
 performed for the purpose of curing
 the different kinds of diseases. The
 author then proceeds to a description of
 the different kinds of instruments which
 are used in the practice of surgery. He
 mentions the different kinds of knives,
 and the different kinds of forceps. He
 also mentions the different kinds of
 probes, and the different kinds of
 catheters. The author then proceeds to a
 description of the different kinds of
 wounds which are received in the
 country. He mentions the different kinds
 of cuts, and the different kinds of
 bruises. He also mentions the different
 kinds of wounds which are received from
 the different kinds of animals. The
 author then proceeds to a description of
 the different kinds of injuries which are
 received in the country. He mentions the
 different kinds of fractures, and the
 different kinds of dislocations. He also
 mentions the different kinds of injuries
 which are received from the different
 kinds of weapons. The author then
 proceeds to a description of the
 different kinds of accidents which are
 received in the country. He mentions the
 different kinds of falls, and the
 different kinds of burns. He also
 mentions the different kinds of accidents
 which are received from the different
 kinds of animals. The author then
 proceeds to a description of the
 different kinds of diseases which are
 received in the country. He mentions the
 different kinds of fevers, and the
 different kinds of coughs. He also
 mentions the different kinds of
 consumptions, and the different kinds of
 dropsies. The author then proceeds to a
 description of the different kinds of
 medicines which are used in the
 country. He mentions the different kinds
 of roots, and the different kinds of
 herbs. He also mentions the different
 kinds of minerals which are used for
 the purpose of medicine. The author
 then proceeds to a description of the
 different kinds of surgical operations
 which are performed in the country. He
 mentions the different kinds of
 amputations, and the different kinds of
 trepannings. He also mentions the
 different kinds of operations which are
 performed for the purpose of curing
 the different kinds of diseases. The
 author then proceeds to a description of
 the different kinds of instruments which
 are used in the practice of surgery. He
 mentions the different kinds of knives,
 and the different kinds of forceps. He
 also mentions the different kinds of
 probes, and the different kinds of
 catheters. The author then proceeds to a
 description of the different kinds of
 wounds which are received in the
 country. He mentions the different kinds
 of cuts, and the different kinds of
 bruises. He also mentions the different
 kinds of wounds which are received from
 the different kinds of animals. The
 author then proceeds to a description of
 the different kinds of injuries which are
 received in the country. He mentions the
 different kinds of fractures, and the
 different kinds of dislocations. He also
 mentions the different kinds of injuries
 which are received from the different
 kinds of weapons. The author then
 proceeds to a description of the
 different kinds of accidents which are
 received in the country. He mentions the
 different kinds of falls, and the
 different kinds of burns. He also
 mentions the different kinds of accidents
 which are received from the different
 kinds of animals.

1804, 8 April.

van den
Ridder Thunberg, van
Uppsala

Phrysanthemum carinatum
Elisia nyctella
Tuckera coccinea
Gnaphalium crassifolium
Gomphrena procumbens
Lopesia mexicana
Scymnus tenuiflorum
Pelargonium cordifolium
Solanum sinuatum

van Amsterdam Prof. Vahl
10 Apr.

Ajencia pusilla
Alyssum criticum
Ammanium angustifol.
Angelica Archangel.
Arctis hypogoa.
Bixa orellana.
Carpia Thora
Centaureum Salmantij
Cheiranthus littoreus
Cleome gynandra
Croton argenteum.
Galega subra.
Gerista canariensis
Hedysarum maculat.
——— virginat.
——— virginic.

Melochia depressa.
Mulleria biflora
Nigella romana.
Ocyinum lactucifol.
Onosma echinoides.
Petapetos puberifol.
Smyrniun perfoliat.
Theligonum cynocraut.
Vella annua.

van Harderwijk, Prof. Weinwand
26 April

Achyranthes fruticosa H. warm.
Althoa hirsuta
Astragalus pentaglottis.
Astragalus trichodes
Avena fragillis
Avena hirsuta
Avena pratensis
Avena sativa var. nigra
Bromus lanceolatus
Bromus squarrosus
Campanula peregrina warm
Cordus argentatus
Centaurée diluta
Centaurée muricata warm
Convolvulus ciliaris
Convolvulus hermanniae warm
Convolvulus lineatus
Convolvulus siculus
Chrysocoma antihelminthica
Clisolea tomentosa
Dipacus tuberosum

Euphorbia elyptica manifesta ① warm
Festuca alopecurus ①
Fumaria lutea
Genista anglica 5
Genista pilosa
Glinus lotoides ② warm
Halaragis Cercodia 5 frig
Hernandia Senadato 5 frig
Hibiscus Africanus ①
Ipomaea Luciantha ① warm
Ipomaea pestigridis ① warm
Iusticia perocrana 5 warm
Lachenalia viridiflora 4 frig
Laguncula lobata ① warm
Linum matricale ①
Lysimachia Linum Helcatum ①
Panicum colonum ①
Panicum germanicum
Panicum helulatum warm
Pecuedamun tenuisfolium 4
Phalaris aquatica ①
Phalaris vaginata ① warm
Phellandrium mutellinam 4
Plantago pumila ①
Plantago villosa ①
Pporalia Cornyfolia ① warm
Salvia coccinea 5 warm
Sclera virgata 4
Scabiosa papposa ① warm
Scabiosa transilvanica ① warm
Sida dilemiana ① warm
Sida tomentosa ① warm
Silene carnosu ①
Silene noctiflora ①
Sinapis hispida
Sisymbrium exarthebergense
Stachys glutinosa ?
Tragopogon villosum ①

Trifolium lapaceum
Triticum cristatum ○
Triticum unioides ○
Veronica triphyllus ○
Vicia moradelpus ○

Van Erlangen
Prof: V. Schreber
29 Apr. 1804.

Achillea nobilis
Adonis flammula
Anni copticum
Aegilops triuncialis
Andropogon ischaemum L.
Arctostaphylos
Arnica crenatiflora
Anthemis mixta
Anthemis praecox
Anthemis tormentosa
Asteris nivea
Astragalus batium
Astragalus compestris
Astragalus uliginosus
Cakile maritima
Celosia japonica
Centaurea veritatis
Centaurea salmantica
Cinna arundinacea
Cleome arabica
Convolvulus pentapetaloides
Cnicus leucantha
Cypripis schoenoides
Cucumis acutangulus
Cucumis anguinus ?

Cuscuta chate

Cynoglosson creticum

Cynoglosson cheirifolium?

Datura capensis

Dianthus diminutus

Dalea lagopus

Elymus (?) (aegyptiacus H. Par

Epilobium roseum

Festuca vivaricata, Desfont

Glycine clandestina

Gomphrena brasiliensis

Holcus spicatus

Medicago cristagalli

Hypsis persica

Ipomea luteola

Ipomea triloba

Lathyrus axillares

Lotus oligocephalus

Lotus pilosus

Medicago tortuosa

Medicago truncata

Medicago tuberculata

Melica glabra Michaux (malum nomen)

Melica pricea (alibiata distinguenda)

Melica pyramidalis (Lamarck)

Papaver dubium

Paspiflora hirsuta

Pelargonium austriaci

Lacium

Rhysalis barbadosis

viscosa

Psoralea hirta

Ricotia aegyptiaca

Rudbeckia amplicaulis

Salicornia castanea

Sabia interrupta

serotina

tiliaefolia

- Sida* *Carpiniifolia*
 — *cordifolia*
 — *triquetra*
Sideritis *foetida*
Silene *acutifolia*
 — *inconspua*
 — *multiflora*
Statice *reticulata*
 — *sinuata*
Teucrium *laevipannulatum*
Triticum *sibiricum*
Urena *sinuata*
^{Vicia}
~~Vicia~~ *livida* (and distincta species)
Xanthium *canadense*
Zinnia *elegans*
 — *tenuiflora*
 — *violata* (var.)

Laden uit Parijs
9 Mai ontff.

- A
Aegilops triumphalis
Agrostis arenata
 ——— *capillaria*
 ——— *stolonifera*
 ——— *alba*
 ——— *longicauda*
 ——— *versifillata*
Apera aquatica
 ——— *caespitosa*
Apuga orientalis
Allium flavum
 ——— *terrecephalum*
Amaranthus orientalis
 ——— *melancholicus*
 ——— *rotundatus*
Andropogon annulatus
 ——— *barbatus*
Anona
Arachis hypogaea
Aristolochia psuchotrochis
Asclepias maximo fructu (Humboldt)
 ——— *missa*
 + *Aster ericoides*
Asparagus stipularis (Dorsk. Alyx
 pedicell.)
Asphodelus listeri
 ——— *ramosus*
 + *Astragalus de jamaica*
 ——— *fulcatus*
 ——— *trimestris*
Atriplex laciniata
Avena flavescens
 ——— *orientalis* Tourrette

- B.
Basilica pinnatata
Baptisa regia
Berberis fructu vidaco
Brionia Africana
Brioa Media
Bromum cynandrus

Bryonia dioica
Batium umbellatum

- C. Campanula Bononiensis
—— latifolia
capifera frutescens
Carduus marianus
Caryophyllus
—— maxima scopuli
—— pseudo-cyperus
—— vulpinus
Cassia tinctoria
Caryum Carui
Cassia alata
—— fistulata
—— optatifolia
Celtis americana
Chaerophyllum aromaticum
Chenopodium minus
Chloris andropogon-poli-dactylon
Chrysanthemum speciosum (Pissifon)
Clematis (Hornbald)
Convolvulus tarinifolius
Convolvulus Bauhin Lobelia scandens
Coronilla glauca pulchr. pl.
Corymbis acuta
Cicimoides phage
—— acutangulus
—— calycintus
—— Darnieri d'Egypt.
—— de Rosette Bengier
Cynopeltis cristatus, Adonis
—— Domingensis
Cyperus triflorus, (deed
Cyperus glomeratus.
—— a Rasoir
—— longus
—— micromatus
Cucurbita citrullus
—— Le turban
Dactylus glomerata
Dalea annua (Mich.
Datura fastuosa.
Dianthus malabarica
—— pumilio

Digitalis lutea.
Dolichos trilobus.

Echium strictum
—— *violaceum.*

Elymus hordeiformis
—— *jubatus.* Viborgne
—— *mesopotam.* (Bruigniet
—— *racemosus* La Mart

Eriharta panicca. (Sprengel

Ellisia stegalea.

Erinus alpinus.

Eruum lens aegyptiac.
delille

Euphorbia hypericifol. Corres
—— *pithyusa.*

Festuca aquatica.
—— *nigra* L.
—— *rubra.*

Fragaria cretica.

Forsskalea angustifol. (Retz.)

Fragaria Bois-anouette
Aube epine.

Gladiolus communis.

Glycyrrhiza edunata.

Gnaphalium bracteatum

Gomphrena decumbens. (Cavanille

Gypsophila repens.

Gypsophylla ——

Hedysarum abyssinicum

Hedysarum albidiflorum

Hedysarum albidiflorum

Hieracium romanum

Helleborus buffelgrass

—— *aleppensis.*

—— *Burmanniae* sive *paniculata*

—— *lanata*

—— *mollis*

—— *faccharatus*

Hyacinthus non-scriptus

Hyacinthus dactylis *Sord. Kof*

Hyovernis taraxacoides

Japione perennis

Panicum attenuat.

———— *Barbatum*

———— *invis - Galli*

———— *coloratum*

———— *divaricatum*

———— *halicum*

———— *pusillum*

———— *languinale bis*

———— *vesticillatum*

———— *virgatum*

———— *viride*

Paspalum membranaceum

Phalaris canariensis bis

———— *Bulbosa*

———— *Leuciformis*

———— *plendens*

———— *tuberosa*

Pilea tuberculosa (Lumholtz)

Phaseolus fauriei

Phaseolus Harcot

———— *Picta*

———— *japensis Alba*

Phleum Metopotamica

———— *Patonei* Varietas

Pieris Guianensis

Pinus cedrus

Pinus laevis =

———— *umbellatum*

Plantago Egypti

———— *fructuosa* Varietas

———— *Nonspeliensis*

Plantago palagonia

———— *tuta*

———— *Europaea*

Poa divaricata Desfontaines

———— *Rugosa*

———— *Lucida Jac.*

———— *nova* Desfont.

Polygonum articulatum

Polygonum Mispaliense

Polygonum Tortuosum

Polygonum transversum

Polygonum Angustifolia

Quercus Mex.

Ranunculus Catharticus

Ranunculus Acute-folius

———— *Chlorophyllus*

———— *Foliosus*

Rhus Colubis

Rhus Albus Jusq.

———— *Com. L'habita Magas*

Robinia Sacajana

Rottbolla Indurata

———— *Nova Brizilia*

Rubra Fimbricaria
Rumex acetosa
Ruellia lactuca Cav.
Rumex Acetuosus
 — *Mirandus*
 — *Stilicis Jusf.*
 — *Sanguinalis Obtusifolia*
 — *Syntherisma*
 — *Syntherisma*
Salicaria Rosacea
Salvia Virgata Jusf.
Sanicula Europaea
Salicaria Fimbria
Sanicula Vera
Scirpus Vera Richard
 — *Romanus*
 — *Sylvestris*
Scrophularia Alliarica (bis)
Scutellaria Alpina
 — *Ritigifolia*
Secur. Felsen. Maximum
Scirpus caerulea
Sibbaldia Squarrosa
Silla palmata Cav.
Sideritis foetida
Sedum Rupestris Bermudense.
Silene Alpina
Solanum Polygonum
 — *Reclinatum*
Spinaria Depressa Buzigera
 — *Euphratica*
Stachys columnata
Stachys Echinos
 — *Senecium*
 — *Tugonoides*
Stylos Pennata
Stylos Tenaxifera
Taraxacum Officinale
 — *Boleus*
 — *Masculense*
 — *Spinosum*
Thymus pycnanthos
 — *Leptanthus Jusf.*
Trochilanthus Virginica
Trochilanthus Virginica
 — *Prostratus*
 — *Rubens*
 — *Silvestris*
Trifolium Dactyloides
Trifolium Dactyloides (bis)

Yucca *Nigra*
Yucca *Paniculata*
 — *Supina*
Yucca *frutescens*
 — *trichocarpa*
 — *Pinnata*
Yucca *Bengalensis*
 — *Paniculata*
Yucca *agilis* *caerulea*
 — *Vegeto*
Yucca *Revoluta* *Cav.*
Yucca *Guadalupe* *Bruand*
Yucca *Aquatica*.

Sept. 1804. *Planten*
 van *Stelhoven*

- 2 *Adiantum capill. vener.*
- 3 *Calycarpus arenaria*
- 4 *Geranium alchemilloides*
(varietas)
- 5 *Polygonum tricolor*
- 6 *Dichondria sericea*
- 7 *Zygophyllum sessilifolium*
- 8 *Digitalis septrum*
- 9 — *rubra peregrina*
- 10 *Convolvulus cantabrica*
- 11 — *ramosa taxifolia*
- 12 *Crassula lactea*
- 13 *Gorteria tenuifolia*
- 14 *Crassula perfoliata* *varicta*
- 15 *Conyza candida*
- 16 *Geranium superbum*
- 17 *Cissus orientalis*
- 18 *Cyclamen persicum*
- 19 *Clinopodium incanum*
- 20 *Antirrhinum thornii* *top horum*

- 21 *Coronilla juncea*
 22 *bonte viola*
 23 ——— *tussilago*
 24 *arnica montana*
 25 *tussilago odorata*
 26 *Lantana involucrata*
 27 *asalea viscosa*
 28 *osmunda lunaria*
 29 *Cypripedium calceolus luteo*
 30 *Phyllanthus*

Atetris sarmentosa
Physalis flexuosa
Lachenaria vividis
Crassula cultrata
Anthericum aloides

15 Oct verk. V. J. Pol.

Thea bobea

1804

22 Oct. van Schumanns
Hekhooven

^{Planten}
Achillea impatiens
Allium nova
Amarum virginicum
Athamanta cretensis
Cupressus thuyoides
Epidendrum alpinum
Helianthus levis
Lonicera dioica
Salix lapponica
Serratula spicata
Veronica incana

1805. Maart 20.
van Amsterdam, P. Volck
Zaden

Abrus precatorius
Angelica archangelica
Antirrhinum bellidifolium
—— triarmiflorum
Astrantia minor
Bryonia cretensis
Campanula pentagonica
Convolvulus tomentosus
Croton argenteum
Dalea alba
Evolvulus alsinoides
Hedysarum vaginatum
Hibiscus sabdariffa
Lantana aculeata
Lotus maritimus
Onosma echinoides
Othonna tagetes
Rudbeckia amplexifolia
Scabiosa prolifera

21. Ora pro nobis
22. Pucum
23. Rosetas do Campo
24. Tintarana
25. Tiviriqui
26. N. C.
27. N. E.
28. N. F.
29. N. X

Datura metel fl. albo

Phaseolus angustatus

Mimosa

Xantium Class. 16 No 40

Class. V. N. 12

— - - 16

— VI - 24

— X - 62

— XIV - 33

— XVI - 33

— - - 37

— - - 38

— XIX - 48

— XXIII - 50.

Zaaden

van Prof. Reinwart van
Harderwyk. 8 April 1805.

Adonis aestivalis

Antirrhinum tricolor Remm.

Arabis bellidiflora

Carduus argentatus

Cassia nictitans

Centauria longata

Pentstemon orientalis

———— *sonchifolia*

———— *Hoelii*

Cochlearia coronopifolia

Convolvulus farinosus

———— *liculatus*

Coronilla aculea Willd.

Aschynomene Lesben L.

Cnicus tuberosus

Croton argentum

Genista candicans

Geum striatum

Hibiscus frutescens

Hieracium grandiflorum

Laguncula Labata

Martynia proboscidea

vulgo *M. annua*

Nigella arvensis

Pentstemon campanulata

Penicillium tenuifolium

Reseda mediterranea

Saxifraga petraea

Scabiosa transylvanica

Veltheimia viridiflora

Veronica saxatilis

4
———— *scutellata*

Zygophyllum fabago

Van Dr. Van Marum

Zaden, 12 Apr.

Adonis aestivalis.

Euphorbia letterata.

Fumaria fungosa.

Lupinus hirsutus.

Nigella arvensis

———— *hispanica.*

Rudbeckia complexifolia.

Scabiosa

Scabiosa prolifera
Statice graciosa

Planten

Agrostemma flos jovis.

Aconitum Anthora.

Arum dracontium.

Athamanta condensata.

Cucubalus bacciferus.

Cynoglossum pictum

———— virginianum.

Campanula barbata

Centaurium annua

Dryas octopetala.

Delphinium grandiflor.

Echium creticum.

Eupatorium purpureum.

Hedysarum obscurum.

Iris sambucina.

———— foetidissima.

Inula falicina

Lonicera symphoricarpos.

Mimulus ringens.

Polypodium cristatum

———— dentatum

———— fontanum

———— regium.

Phlox paniculata

Rudbeckia odorata.

Saxifraga granulata

———— ^{flos. dupl.}

Silphium laciniatum.

Sophora australis.

Scabiosa uralensis

Thalictrum latum

———— medium.

Tanacetum sibiricum.

Valeriana sibirica.

Veronica multifida

———— tenerum.

———— spuria.

Zaaden uit Parus
4 Mai 1805. ontfangen

- Achillea alpina* Ψ
——— *compacta*
——— *flosculosa*
——— *odorata*
——— *phyllipendulosa*
——— *santolina*
——— *virgata*
Alcea *canabina*
——— *chalepense* δ just
——— *narbonensis*
——— *sinensis*
Adonis estivalis
Agrimonia eupatoria minima
Agrostemma flos-jovis μ just.
Alistum (*bourgeois*. δ or).
——— *saxatile*
——— *sinuatum*
Ambrosia absinthifolia
Amaranthus (*bledé blanche*)
 (*ende tonnerat*)
——— (*bledé rouge*)
 (*ende tonnerat*)
Amellus pedunculatus
Anthemis altissima
——— *triloba cava* δ or
Anthyllis vulneraria
Aquilegia semina nigra
Arachis hypogea
 (*plétache de tene*)
Arthemisia absinthoides
——— *argentea* δ or
——— *lucoides*
——— *suaveolens*. (just.)
Aclepias amoena
——— *gigantea*
Asperula pontana
Aster *nova altissima*
——— *amoenus* (*la mark.*)
——— *ericoides*
——— *patulus*

- Aster* *salicifolius* (Just.)
 ——— *tenellus*
 ——— *tradescantii*
 ——— *trinervis* (Cores.)
Atragalus *asper* (La Mark.)
 ——— *clandestina*
 ——— *onobriches* (Springer)
 ——— *pentaglossis*
 ——— *ponetatus* D'Egypte
 ——— *stellatus* (nova species)
 ——— *tribuloides* nobis
 ——— *novus* sp. (Brouquis)
 ——— *austriacus*
Atragene? *correspondens*
Atropa *fontestensis* D'or
Balsamita *argentifolia* (D'or)
 ——— *multifida* Just.
Bellis *perennis*
Berberis *canadensis*
 ——— *violacea*
Bertramia *lappula*
Botryella *de woulon* J. Desfont.
Brassea *olera* *viridis*
Brionia *africana* D'or
Buphtalmum *grandiflorum*
 ——— *salicifolium*
Bupleurum *d'egypte*, *nectore*
 ——— *compositum* *gonium*
Buxus *sempervirens* *angustifolia*
Campauula *bononiense*
 ——— *sibirica*
Capsicum *Cerasiflorum* Just.
 ——— (variete) *ducrassiflorum*
Carduus *castabona* D'or
 ——— *diacantha*
 ——— *la Bellardii* D'or
 ——— *eriophorus*
 ——— *helenoides*
 ——— *pygnocephalus*
Carthamus *coereus*

- Carpinus* *cuneata*
Cassia *alata*
 ————— *fistulosa* (Egypte)
 ————— *sené* (Batard de grande
 Loupe)
 ————— *obtusifolia*
 ————— *occidentalis*
Ceanothus *americana*
 ————— *microphyllus*
Centaurea *afinis aspera*, Olivier
 ————— *africana* Just.
 ————— *collina*
 ————— *montana*
 ————— *semper vivens*
Cercodia *erecta* d'or
Cestrum *bedionda* Just.
Chiranthus *tricypedatus*
Chelidonium *corniculatum*
 ————— *glancium*
Cherophyllum *aureum*
Chondrilla *juncea*
Chrysocoma *serena* d'or
Chrysanthemum *carinatum*
 ————— *monspeliensis*
 ————— *pinnatifidum* d'or
 ————— *procedatum*
Cistus *symphyliifolius* L. Mart.
 d'or
Clematis *flammula*
Colutea *afi. frutescens*
nova sp. d'or
 ————— *halensis* Just.
 ————— *orientalis*
Couida *halimifolia*
 ————— *ivocifolia*
Convolvulus *albus*, Dombay
 ————— *batalus* (bois patale)
 ————— *squamonia*
 ————— *viculus*
Coreopsis *perfoliata*
Cornus *cinamomea*
 ————— *florida*
 ————— *taurineca*
Coronilla *glauca* d'or
Cotula *anthelmoides*
 ————— *coronopifolia*
Crabula *perfoliata*
Crepis *barba pallida*
 ————— *parviflora*

Crepis rubra
 ——— *torpis cava* D'or
Crithmum rigidulum!
Protallaria incana
Cucubalus roseus
 ——— *parviflorus*
Cucumis acutangulus ^{Spingel}
 ——— *angurica*
 ——— *melo viridis*
Cucurbita lagenaria
 ——— *asiatica*
Cucumis fracto minore
 ——— *de rosette* ^{nectou} *Broussonet*
 ——— *tativus guineensis*
Cyperus fastigiata *de*
montpelier, *differe*
rent de celui connu
Cynancum erectum
Cytisus pseudo-cajum, *jaquin*
Cynoglossum cherifolium
 ——— *montanum*
Dalea annua *nich*
Datura fastuosa
Delphinium aduncum
 ——— *elat. hirsutum*
 ——— *lycotomum*
 ——— *staphysa gria*
Dolichos unifornis minor
 ——— *minimus* *biff.*
 ——— *soja* *monzel*
 ——— *violaceus gonal*
Dolichos? *inde* *Sonneret* ^{toric}
Echinops holidus
Echites antidysenterica
Eriogonum *inde* *Sonneret*
ticulum
 ——— *viscosum*
 ——— *correspondance*
 ——— *foetidum*
 ——— *annuum*
Eriogonum suaveolens
troum *lens* *egypti* *de* *bille* ^{Broussonet} *D'or*
Eucatoxylum campechianum
Euphorbia falcata *urnant* *de*
 ——— *sevrata* ^{Venise}

Leptocarpum urticifolium
 pl. de milan
 ————— *purpureum*
Euonymus europaeus
Evolvulus Me des Princes
Ferula nodiflora
Filago germanica
Forskalia latifolia (reikius)
Galega purpurea
Galinsoga acmella, *peru*
 ————— *triloba*, *cava*
Gaura ^{cap. esp.} *cyrtandra* *tripitula*
Genista ^{coronilla d'or} *candicans* d'or
Geranium boenicum
 ————— *ingui roseum* d'or
 ————— *sanguineum*
 ————— *rodolam*
 ————— *prostratum* *cava*
 ————— *radule* *major* d'or
milan ge de geranium
Glycyrrhiza foetida
Gnaphalium cyrosu
 ————— *margaritatum*
Gorteria ripens
Gostepium flavum de liane
Gyangeta sinensis
Gundelia tourneforti
Gypsophylla cores
 ————— *perfoliata*
Hedysarum mesopotamica Brui
 ————— *flexuosum* quer
 ————— *maculatum*
 ————— *du mont* *Hyndle*
 ————— *lans mane* Bruiquer
 ————— *alpinum*
Helianthus divaricatus
Helianthemum pilosum
 ————— *roseum* Just
 ————— *rubrum* nobis
 ————— *vel. majus*. Just.
Heliotropium curassavicum
 ————— *peruvianum*
Hernandia hystrofolia d'or
 ————— *micans*
Heracleum alpinum
Heterosperma pinnata, *cava*
Hibiscus esculentus (varietas)
 ————— *vantekia* (inde *Sonnevett*)
Hieracium novum
Hesperis nova

Hybiscus esculentus
Hydrophyllum virginicum
Hypericum hirsutum
Hyoseris hedyss cretica
Hyoseris pinnata
 ————— *saxatile*
Hlex ballaria
Indigofera anille Inde *Sonnerb*
Indigo de l'ile de France
 ————— *Botrouille*
Inselia canescens d'or
Trula graphaloides
 ————— *glutinosa*
 ————— *helenium*
Sponsoea pur Alba
 ————— *laennosa*
 ————— *oimoides*
 ————— *purpurea*
Thuniperus phoenicia fructu
 ————— *thunifera* *magno corp*
Katille maritima
Riggellania africana
Ritabellicia vitifolia will
 (de Hongrie)
Lathyrus coccineus
Lavatera arborea
 ————— *alba minor* d'or
 ————— *maritima* —
 ————— *unguiculata* —
Lepidium virginianum
Ligustrum pyrecaicum
Loeflingia hispanica
Lotus d'egypte rectus
 ————— *hibertus*
 ————— *jacobus*
 ————— *rectus*
Lupinus (humbolt)
Malope trifida cava d'Afrique
Malva americana
 ————— *angustifolia* cava
 ————— *egyptiaca* d'or
Malva capitata
Malva scherardina
 ————— *spicata*
 ————— *microparpa*

- Medicago arborea* d'or
Melilotus dentatus
indica

Mespilus crus galli
latifolia

oxycantha flava
pyreantha
Mesembryanthemum tuberosum
Mimosa blanche, nouvelle
Hollande Bandin
Nonnordica charantia
Mimosa glauca
latifolia
libbeo
pernambucana
Nonnordica luffa
fava Inde sonnerat
Nolana prostrata
Narada procumbens
Oeschinomele sebbae
Oenone cores
parviflora
viscosum
Ornithopus scorpioides

Papaver dubium
Phaseolus foveole
de la belgique il
monte de 10 a 1000
ou le mange vert et on
le fait aller
capensis alba
conton caromome
(Inde sonnerat)
durus cores
bicolor sinensis
pictus
sphaerospermus
Pinus cembro
maritima
Pisum umbellatum
Polichia coce
Poralea frutescens just.
bitu palestina just.
quercus flex d'or
rotundifolia just.
Ranunculus acontifolius
parviflorus
Rhamnus alaternus
insectorius

Rhus canadensis
Robinia pseudoacacia
 ——— *pygmaea*
Rosa canina
 ——— *cyrampinea*
 ——— *glauca*
 ——— *pimpinelliifolia*
 ——— *rubiginosa*
 ——— *spinossissima*
Rubus idaeus
Saponaria orientalis
Scabiosa papposa
Scoranthus annuus
Sedum daniphyllum (Cajup.)
 ——— *saxatile*
Temperivium cediiforme
Tenebrosa pennatifida
Sida hastata ^{af. decandole}
 ——— *umbellata* ^{l'heritier}
 ——— *pellota*
Silene c. coarctata
 ——— *glauca*
 ——— *novissima* (yemen)
 ——— *mutans*
Sisymbrium thuribidum
Solanum lobata
Sonchium pulcherrimum
Sorbus domestica
Spartium junceum
 ——— *opinosum*
Spiraea hypericifolia
Tamarix germanica
Tetragonia cornuta (Solanum)
 ——— *cristallina* (Solanum)
 ——— *hispida* (Solanum)
Thalictrum cornuti
 ——— *hibernicum*
Titan cottaige qui servent a
 delairer l'eau, Inde son
Tormentilla victa ^{marat}
Trigonella cancellata
Trifolium angustifolia
 ——— *elegans*
 ——— *frangiferum*

Trifolium hybridum
_____ rubens
_____ scabrum


Vicia faba violacea Villma
_____ ru
_____ pisiformis
Vicia pseudo-cytisus 'or
_____ aurumana
Viola montana

Sept 1805 Van Het. hoven
en Schuurman


Amaryllis reticulata
Anthurium ornitophorum
Asplenium scolopend. multifid.
Begonia dichotoma
Bonté merium
Euphorbia caput medusae
Geranium ^{perfoliatum} zonale tricolor
Gnida simplex
Groene aardbeje
Helleborus lividus
Hieracium frutescens
Hypericum hirsutum
Lupinus arboreus
Piper obtusifolium
_____ *magnoliafolium*
Pulmonaria angustifol.
Polygonum filiformis
Sibthorbia europaea
Verbascum nicony
Viola palmata


Van der Her Kopt in den Haag
sept 1805

Andromeda paniculata
Laurus cassiafras
Magnolia glauca









Cm