



Fragmenta de viribus medicamentorum positivis sive in sano corpo humano observatis

<https://hdl.handle.net/1874/14725>

F R A G M E N T A
DE
V I R I B V S
M E D I C A M E N T O R V M
P O S I T I V I S
S I V E I N S A N O C O R P O R E H U M A N O

O B S E R V A T I S

A

S A M V E L E H A H N E M A N N
M. D.



P A R S S E C V N D A
I N D E X.

L I P S I A E
S V M T V I O A N . A M B R O S . B A R T H
1 8 0 5.

RIJKSUNIVERSITEIT UTRECHT



0345 9512

Voces quaedam distinguendae.

Ardor, intensor caloris gradus, cum sensu ingrato, quem
ignis appropinquans excitare solet.

egelidus: minus quam tepidus.

lacrymatio: effusio lacrymarum vel sine moestitia,

ploratus: lacrymatio miserabilis.

ejulatus: clamor lacrymatorius intensor.

vagitus: fletus lamentabilis, mollis parvulorum.

lacerans dolor: quasi pars sensibilis in partes contrarias vi
traheretur. Non genere sed gradu differt a

strictrorio dolore, minus gravi.

tensivus dolor: quasi ab expansione partis nimia.

lancinans dolor: quasi ab acumine majori illatus, et altius
penetrante.

punctarius dolor: minutus quasi per acum.

secans dolor, affinis lancinanti, gradu differt a
disscedente, utpote graviori.

ictus: repentina percussio, plerumque gravis.

fodiens,

terebrans, et

dirueus dolor fere non nisi gradu differunt; postremus gravissimus.

rheumaticus dolor: strictorio et laceranti affinis, si non idem.

arthriticus dolor: saepe pro synonymo rheumatici, vel majori ejus gradu habetur, quamquam arthriticus versus ex multis et diversissimis dolorum generibus sit compositus, ex tensivo, pressorio, vulsorio, terebrante, lacerante, ardente, lacinante.

crepitans sensus: fragor minotus, quasi a lamina stannea hinc illinc flexa, vel igne sarmenta comburente, vel ligni aridi frustum minutum frangendo.

formicatio: sensus minutum reptabundus.

tinniens: sensus minutum vibrans.

depessio: sensus quasi aliquid manu capessatur, comprimitur et iterum relaxetur.

blateratio: soliloquium incongruorum, clara voce.

mussitatio: murmuratio surda, in semet versa, verborum non intelligibilium.

*inappetentia, taedium, fastidium, fuga, intolerantia, abhor-
rescentia gradu tantum differunt.*

trepidatio: angor cum tremore.

agitatio: motitatio corporis cum, vel sine angore.

*inquietudo, dysphoria, jactatio, aestuatio: gradu differunt —
affinia angori, angustiae, anxietati.*

titubatio: sensus quasi ab agitatione hinc illinc.

vacillatio: firmitatis et consistentiae defectus.

conquassatio: sensus quasi ab aqua in vase clauso ad utrumque latus appulsa.

glocitatio: sensus quasi a bullis aëreis per aquam adscendentibus, vel quasi ab aqua per siphonem cadente.

diapedesis: exsudatio lenta (sanguinis).

epistaxis: (sanguinis) stillicidium e naribus.

diaphoresis } aequalis, sed lenissimus sudor.
mador

coryza } muci narium effluxus.
destillatio

gravedo: obturatio narium interna, quasi ab instante graviori coryza.

nausea: lenior gradus vomiturbationis.

vomiturbationis: nisus in vomitum.

horror } tremulus in cute et concussorius per super-
horripilatio } ficiem corporis sensus, plerumque cum frigoris sensu.

horrescentia: propensio in horrorem et hyperaesthesia aëris vel minus frigidi, temperati.

frigus: sensus quasi ex frigiditate corporis, non raro horrori junctus.

frigiditas: caloris defectus vernis, tactui externo patens.

frigidus, et

gelidus: gradu differunt tantum.

stupor: affinis insensibilitati, et immobilitati.

dormiturbationis: nisus in verum somnum.

sopor } facile, sed imperfecte excitabilis somni levissimi
coma } species; vel et agrypnia sub specie stuporis
coma vigil} dormituriens.

coma somnolentum: stupor dormituriens, aegerrime excitatilis.

micturitio: nisus in mictum creber,

enuresis: mictus auctus.

dysuria: inter lotii copiam mictus impeditus.

stranguria: mictus dolore vesicae colli impeditus.

erythema: rubor vel macula rubra.

stigmata: maculae minutae.

intertrigo: minor gradus

excoriationis.

hallucinationi res videntur aliae, quam quae re vera sunt.

Abdito in loco ejulatus lacrimatorius, *Camph.* 48, 11.
abdomen, vide et *hypogastrum*, *tormina*, *hypochondria*,
praecordia, *umbilicus*, *venter*, *ventriculus*, *scroticum*,
supra abdomen et brachia frigus, cum pupillis dilatatis,
Mez. 181, 14.
abdomen circa costas tensum (*Bell.* 37, 18.)
ad abdomen a dorso reptans horror cum frigiditate totius
corporis, *Cham.* 73, 2.
abdomen durum, *Val.* 251, 14.
abdomen durum et tumidum, *Cham.* 86, 1.
quasi abdomen exenteratum esset sensus, seu quasi a vacuo,
Puls. 218, 12.
abdomen incurvare cogens dolor, *Bell.* 27, 13.
abdomen a pastu intumescens, *Cham.* 84, 15.
abdomen tactu dolorosum, *Nux v.* 193, 2.
in abdomen tendens dolor lacerans dorsi, cum plenitudi-
ne et angore post pastum, *Cham.* 84, 20.
abdomen circa costas tensum, (*Bell.* 37, 18.)
abdomen tumidum, (*Bell.* 44, 3.) (*Op.* 205, 7.)
abdomen tumidum, nec tamen durum aut dolorosum,
(*Bell.* 35, 11.) *Sram.* 247, 6.
ad abdomen usque, inde a latere glocitatio, *Cham.* 85, 4.
in abdominali anaulum impetus, ut a hernia nascitura,
cum pupillis contractis, *Cham.* 86, 6.
in abdominalibus musculis palpitatio et vulvio, *Nux v.*
193, 1.
abdominalium muscularum dolor, quasi a verberatione,
Cham. 89, 2.
abdominalium muscularum dolor quasi a contusione,
tactu tantum et motu percipiendus, *Nux v.* 193, 1.
abdominalium muscularum spasmi quasi a vivo animali
intus tumultuante, *Hyst.* 132, 16.
abdominalium tantum muscularum nisi alvis extor-
quenda, ob intestini recti inertiam, *Cham.* 85, 13.
in abdomine auxili dolores, (*Arn.* 23, 3.)
in abdomine apostemata, (*Cinch.* 103, 2.)
in abdomine ardor, (*Bell.* 44, 6.)
in abdomine quasi a calore magno et inde nata constipa-
tione sensus, *Caps.* 71, 1.

- in abdomine quasi a constipatione molestia, *Cham.* 85, 11.
 in abdomine constrictorius dolor, *Nux v.* 191, 16.
 in abdomine decubitus pronus intersomnum, (*Cocc.* 109, 2.)
 in abdomine ad disruptionem usque expansionis suumæ
 sensus, *Val.* 251, 13.
 in abdomine dissindens hinc inde dolor, quasi cultris,
Verat. 253, 17.
 in abdomine (infimo) dissindens dolor, *Ilyos.* 132, 15.
 in abdomine flatum ascensio et restagatio ad hypo-
 chondria, *Nux v.* 191, 19.
 in abdomine forcans dolor, *Fid.* 251, 12.
 in abdomine forcanti lacerans dolor, in pectus tendens,
Nux v. 192, 5.
 in abdomine frigus, *Melamp.* 275, 3.
 in abdomine et artibus horror cum calore capitis et sensu
 in eo quasi a sudore erupturo, *Camph.* 49, 5.
 in abdomine indurations, (*Cinch.* 103, 3.)
 in abdomine inflammations, (*Cinch.* 103, 1.)
 in abdomine inquietudo quasi ab alvo constipata, et tensio,
Verat. 261, 15.
 in abdomine inquietudo, *Ip.* 162, 8.
 ex abdomine inquietudo, *Nux v.* 190, 1.
 in abdomine lacerans dolor, *Cham.* 85, 9. (*Ign.* 155, 8.)
 in abdomine lacerans dolor, quasi umbilicum evulsurus sit,
 dein in pectus tendens, *Siram.* 240, 8.
 in abdomine lacerans dolor supra umbilicam, *Ip.* 164, 10.
 in abdomine lancinans dolor, (*Puls.* 253, 14.)
 ex abdomine lancinans dolor per funiculum spermaticum
 penetrans inter tussim, *Verat.* 259, 10.
 in abdomine lancinantes volatichi dolores, *Cinch.* 97, 11.
 in abdomine molestia, quasi a constipatione, *Cham.* 85, 11.
 abdomine molli constipatio, (*Met.* 194, 9.)
 ex abdomine in pectus tendens tensivus dolor, *Caps.* 66, 6.
 (*Cham.* 85, 9.)
 in abdomine ponderis sensus, *Nux v.* 192, 1.
 in abdomine ponderis sensus cum anxietate, *Met.* 179, 13.
Op. 203, 2.
 in abdomine ponderis sensus circa umbilicum cum angore,
 caloris volatichi interni sensu et infatuatione capitis,
Op. 203, 2.
 in abdomine pressio, *Puls.* 228, 12.
 in abdomine (et scrobiculo) pressio post pastum cum me-
 teorismo, *Nux v.* 192, 2.
 in abdomine pressorius dolor, *Val.* 251, 11. *Puls.* 228, 12.

- in abdomine pressorius dolor hinc inde, *Caps.* 63, 14.
 in abdomine (superiore) pressorius dolor, *Cocc.* 110, 19.
 in abdomine pressorius dolor cum anxietate et aestuatione,
Mez. 181, 6.
 in abdomine pulsatio, *Ign.* 155, 13. *Op.* 203, 3.
 in abdomine pulsatorius dolor, *Caps.* 66, 2.
 in abdomine punctorius dolor, *Nux v.* 192, 14.
 in abdomine punctorius dolor infra umbilicum, *Ign.* 153, 11.
 in abdomine et scrobiculo pressio post pastum cum meteo-
 rismo, *Nux v.* 192, 2.
 in abdomine sensibilitas dolorosa tactu excitanda, *Puls.*
 232, 12.
 in abdomine spasmi (*Nux v.* 193, 10.)
 in abdomine strictorius dolor, *Cham.* 85, 7.
 in abdomine strictorio tensivi dolores, ritu dolorum spu-
 riorum ad partum, *Puls.* 223, 14.
 ex abdomine strictorii et strictorio tensivi dolores pene-
 trantes per vasa spermatica in testiculos alte pen-
 dentes, *Puls.* 223, 15.
 ex abdomine in pectus tendens tensivus dolor, *Caps.* 66, 6.
 in abdomine tensio pertinax, angorum procreans, (*Cinch.*
 102, 21.)
 ex abdomine in pectus tendens tensivus dolor, sensus qua-
 si ab intumescentia abdominalis, *Caps.* 66, 6.
 in abdomine tensio et inquietudo quasi ab alvo constipata,
Verat. 261, 15.
 in abdomine torminosus dolor, qualem in alvi constipatio-
 ne alvi exoneratio causat, *Cham.* 85, 10.
 in abdomine infuso tractorio lacerans dolor, maxime supra
 os pubis, *Verat.* 259, 1.
 in abdomine supra umbilicum dolor lacerans, *Ip.* 164, 10.
 in abdomine a vacuo sensus, et quasi exenteratum esset,
Puls. 248, 12.
 abdominis et artuum horror cum sensu quasi a sudore
 (calido) erupturo in capite, *Camph.* 49, 5.
 abdominis a contusione quasi dolor, *Cocc.* 110, 20.
 abdominis (et una dorsi) a contusione quasi dolor, motu
 excitandus, *Stram.* 241, 12.
 abdominis et laterum constrictio, scapulis sursum deor-
 sum tractis, (*Cinch.* 105, 4.)
 abdominis convulsiones, *Camph.* 48, 8.
 abdominis crampoidae, subiti, immanes dolores, par-
 tem incurvare cogentes, *Bell.* 27, 14.

- abdominis distentio post pastum cum amarore et siccitate
oris et genae alterius rubore, sine siti vesperi, *Ign.*
154, 15.
- abdominis distentio non dura, *Stram.* 239, 16.
- abdominis distentionis sensus a cibo capto, *Ign.* 154, 14.
- abdominis distentionis summae sensus, *Caps.* 66, 7.
Ip. 164, 6. *Stram.* 239, 15. *Val.* 251, 13.
- abdominis distentionis sensus, maxime ventriculi, *Op.*
202, 20.
- abdominis distentionis summae sensus suffocatorius,
Caps. 66, 7.
- abdominis doloris, duritiae et tumoris accessus parvi,
(*Cinch.* 104, 15.)
- abdominis expansio, quasi a plenitudine, post cibum
captum, *Cinch.* 94, 16.
- abdominis expansio cum doloribus quasi ad partum,
scrobiculi tumore et pressione anxia, hydrope cuta-
neo et menstruorum suppressione, *Cham.* 86, 8.
- abdominis expansionis summae sensus, *Ip.* 164, 6.
Stram. 239, 15. *Val.* 251, 13.
- abdominis inflatio, (*Verat.* 265, 18.) (*Rb.* 238, 8.)
- abdominis intumescentiae sensus, dolor tensivus ex ab-
domine in pectus tendens, *Caps.* 66, 6.
- abdominis intumescentia non dura, *Stram.* 239, 16.
- abdominis flatuosa intumescentia, (*Cinch.* 162, 20.)
- cum abdominis intumescentiae sensu, tormina constrictoria,
Bell. 27, 13.
- abdominis lacerantes dolores cum dysphoria immani,
Cham. 76, 1.
- in abdominis latere lacerans, et in globum concentratus,
dein in pectus tendens, dolor, *Cham.* 85, 9.
- in abdominis latere alterutro tormina forsicantia post pun-
ctoria tormina infra umbilicum, *Igu.* 153, 12.
- in abdominis latere lancinans dolor vel extra respirationem,
Op. 203, 10.
- abdominis meteorismus surde torminosus, *Verat.* 261, 15.
- abdominis muscularum et artuum vulsio et palpitatio,
Nux v. 192, 16.
- abdominis pressorius dolor in superiori parte, *Cocc.*
110, 19.
- abdominis pressorio-tensivus dolor, *Acon.* 4, 13.
- abdominis rugitus, *Melamp.* 176, 10.
- abdominis sensibilitas dolorifica, tactu excitanda, *Puls.*
232, 12.

- abdominis spasmi, (*Nux v.* 198, 10.)
 abdominis strictorii dolores cum haemorrhagia uteri,
Stram. 242, 3.
 post abdominis tactum micturitio, *Acon.* 6, 14.
 abdominis tensio et inquietudo quasi ab alvo constipata,
Verat. 261, 15.
 abdominis tensionis sensus post cibum captum, *Ign.*
 154, 14.
 abdominis tensionis et expansionis summae sensus, *Ip.*
 164, 6.
 abdominis tumor, (*Cinch.* 102, 14.)
 abdominis (ventris) tumor, quasi hydropicum esset,
(Acon. 10, 11.)
 abhorrescentia; vide et *fuga, fastidium, intolerantia, im-*
patientia, taedium, horror, metus, intolerabilitas.
 abhorrescentia laboris, *Bell.* 26, 3. *Ign.* 150, 9. *Cham.*
 87, 8.
 abhorrescentia laboris, nec tamen *fuga motus, Nux v.*
 186, 8.
 abhorrescentia loquela, *Ign.* 150, 10.
 abhorrescentia motus, *Bell.* 26, 3. *Ign.* 150, 9. *Caps.*
 65, 10.
 abhorrescentia ciborum cum fame canina, (*Op.* 213, 17.)
 abhorrescentia a cibo, potu, coffeea, tabaci fumo, *Nux*
v. 190, 15.
 abhorrescentia potus et cibi cum stupore mentis et su-
 dolore frontis et manuum gelido, *Cocc.* 107, 14.
 abjectio animi, *Stram.* 239, 4. *Op.* 201, 14. (*Op.* 211, 8.)
 abjectio spei, *Arn.* 17, 19. *Cinch.* 94, 10. *Cocc.* 106, 4.
Ign. *Melamp.* 175, 7. *Op.* 201, 14.
 abolita diu memoria, (*Op.* 216, 16.)
 aboliti sensus, *Camph.* 47, 8.
 abolitio sensuum, deglutitione illaes, (*Stram.* 246, 7.)
 abolitio sensuum cum vertiginosa gyratione cerebri,
Nux v. 185, 4.
 abolitio sensuum, visus, auditus, (*Stram.* 243, 13.)
 abolitio sensuum et motuum voluntariorum (catalepsis),
 deglutitione tamen illaes, (*Stram.* 246, 7.)
 abolitus visus, (*Verat.* 266, 3.)
 abscessus v. et *Apostema.*
 abscessus ploidis, (*Arn.* 22, 4.)
 abscessus supra cubiti flexuram, (*Mez.* 184, 4.)
 absentia mentis, (*Bell.* 40, 18. (*Stram.* 244, 8.)

- absentium voces exaudire opinantis hallucinatio, *Cham.*
 75, 9.
 absonam, raucam, et nimis altam vocem reddens pituita
 laryngis, *Cinch.* 92, 9.
 absurdae gesticulationes morionis instar saltantis, (*Hyos.*
 137, 6.)
 absurdorum blateratio, (*Hyos.* 138, 13.)
 accessus; v. et *Paroxysmi, insultus.*
 cum accessibus suffocationis et sibilo per nares, somnus,
 Caps. 65, 19.
 accessibus reiterans delirium, (*Bell.* 43, 6. 44, 7. 9.)
 accessus alternantes saltus, furoris incoercibilis, floccis
 legii cum müssitatione, et apoplexiae stertorosae,
 (*Hyos.* 141, 4. 7.)
 accessus animi deliquiorum plus minus repetiti, *Cham.*
 74, 4.
 accessus caloris subitanei per totum corpus, *Ign.* 157, 8.
 accessus horroris volatice cum ardore in genis vesperi,
 Cham. 81, 14.
 accessus epileptici parvi, intermissioni insultibus apople-
 xiae, (*Hyos.* 140, 16.)
 accessus lacerantium dolorum vespertini, *Cham.* 78, 12.
 accessus morositatis opprobriantis, vituperantis, reite-
 rantes, *Ign.* 156, 6.
 accessus paralytiae astheniae, cum dorsi dolore, *Cocc.*
 107, 8.
 accessus strangulatorii narium, *Caps.* 65, 19.
 accessus syncopes (debilitate morbosa subsequas) cum
 ciborum nansea et ictero, *Nux v.* 190, 10.
 accessus vertiginis cum stupore mentis, *Bell.* 25, 5.
 acervatim conglomeratae pustulae, dolorificae, *Verat.*
 261, 10.
 aceti appetentia, *Arn.* 18, 5.
 achaeria, *Ip.* 163, 11. *Cocc.* 106, 15.
 achaeria, seu stupor mentis laetitiae expertis, dormitu-
 riens, a somno tamen alienus, *Cham.* 74, 16.
 acidi ructus, *Ign.* 154, 16. 155, 1. (*Nux v.* 190, 21.)
 acidi ructus post pastum, *Caps.* 68, 9.
 acidi saporis regurgitatio, *Nux v.* 190, 21.
 acidi (et amari) liquoris regurgitatio, *Dros.* 120, 13.
 acidi citri appetentia, *Verat.* 257, 6.
 cum acidi citri appetentia sapor amarus, *Puls.* 221, 11.
 ut ab acidis dolor adstrictorius in maxillis, cum horripilatio-
 ne et sudore frigido faciei, *Puls.* 225, 17.

- acidorum anorexia, *Ign.* 155, 3.
 acidus halitus pulmonum, *Nux v.* 196, 11.
 acidus panis sapor, *Cham.* 84, 5. *Bell.* 27, 10. (*Cinch.*
 95, 2.)
 acidus sapor. *Ign.* 154, 16. 155, 2. *Cham.* 84, 4. *Bell.*
 27, 10. *Op.* 201, 11.
 acidus sapor (post amarum) *Ign.* 154, 16.
 acidus sapor in ore, *Cham.* 84, 4.
 acidus sapor panis, *Cham.* 84, 5.
 acidus sapor salivae, *Ign.* 155, 2.
 acies ingenii insomniis quasi hebetata, (*Verat.* 255, 3.)
 Cham. 75, 4.
 acies ingenij, (*Verat.* 266, 16.)
 acies iugenii insomniis quasi vel surditate quadam he-
 betata, *Cham.* 75, 4.
 acredo excrementorum, *Verat.* 259, 7.
 acredo urinae, *Verat.* 259, 13.
 acres sedes, *Puls.* 223, 5.
 acri humore repletea pustulae rubicundae, (*Acon.* 14, 4.
 acupunctio in pectore, *Cham.* 88, 3.
 acutiores sensus omnes, *Caps.* 70, 2.
 acutus dolor juncturarum, *Dig.* 123, 9.
 acutissimus maxillarum dolor, quasi excidere vellent,
 (*Acon.* 12, 2.)
 acutus dolor in pedis junctura, inter movendum, quasi
 a contorsione, *Cocc.* 115, 7.
 acutus visus, *Acon.* 8, 15.
 adiaphora, indolens taciturnitas, *Op.* 202, 3. *Rh.* 235, 4.
 adiaphoria, *Caps.* 65, 11. *Arn.* 17, 16. *Camph.* 47, 7.
 adiaphoria erga negotia, *Arn.* 17, 16.
 adipita, (*Bell.* 26, 13.) *Puls.* 218, 7. *Ip.* 162, 11.
 adscendunt escae ad scrobiculum colli vesperi, ibique
 subsistunt, *Cham.* 84, 11.
 adscensio flatuum, *Nux v.* 191, 19.
 inter adscensionem, crurum lassitudo, *Nux v.* 188, 4.
 inter adscensionem scalarum dolor in femorum medio tensi-
 vus transversus, *Hyos.* 152, 20.
 adspectus torvus, (*Hyos.* 155, 7.
 adstantes mordendi nisus, (*Bell.* 59, 6.)
 adstantium inagnitio, (*Hyos.* 154, 12.)
 adstantes stupet, (*Op.* 210, 15.)
 adstrictorius sensus in ventriculo quasi ab austoris
 Acon. 2, 1.

- adstrictorius sensus in faucibus, quasi ab austerioris,
Acon. 1, 9.
- adstrictorius ut ab acidis dolor in maxillis cum horripilatione et sudore frigido faciei, *Puls.* 225, 17.
- adstringit alvum post purgationem, (*Rh.* 258, 2.)
- adustionem olenis sudor nocturnus, *Bell.* 30, 9.
- aegerrime ferens minima inter jocos ipsos, *Caps.* 65, 15.
- aegre ferens dicta aliorum tanquam imperata animus,
Camph. 48, 11.
- aegre ferens minima hypochondriaca morositas, *Puls.*
 219, 16.
- aegre ferens minima animus cum lancinatibus singulis
 in aure, maxime inter pronationem, *Cham.* 78, 17.
- aegre ferens parva animus, *Caps.* 65, 16.
- aegritudo animi, *Nux v.* 190, 2. *Puls.* 220, 2.
- aegritudo animi cum gelu crescens, *Caps.* 64, 12.
- aegritudine animi ob negotia nimis lente succendentia,
Ip. 163, 17.
- aegrotatio, omnino non bene valet, *Cinch.* 93, 9.
- aegroti lateris sudor putidus, (*Nux v.* 194, 16.)
- aequo animo et composito cogitationes scriae, altae,
Cham. 89, 15.
- aer, vide et *aura*.
- ab aere externo molestia quasi a morbo gravi convalescentibus, *Verat.* 254, 15.
- ab aeris quasi calore ambientis, anxietas, *Puls.* 218, 18.
- in aere frigido oculi aqua superfusi, *Puls.* 224, 18.
- ab aere frigido lacerans (dentium) in gingivis dolor, *Hyos.*
 132, 9.
- ab aere frigido maxime dolor lacerans in occipite, *Hyos.*
 131, 5.
- ab aere frigido lacerans in dorso dolor, *Hyos.* 132, 22.
- ab aere quasi nimis calido afflatus, cephalalgiam gignens,
Puls. 219, 3.
- aere frigido exacerbati dolores lancinanti fodientes,
Melamp. 176, 20.
- aere frigido sunne augentur statim symptomata, maxime capitidis dolor, *Cocc.* 108, 10.
- in aere quasi suspensus esset, hallucinatio, (*Op.* 214, 9.)
- aeris frigidus et calidi intolerantia, *Cocc.* 108, 9.
- aeris frigidus afflatus lenitus dentium dolor, *Puls.* 226, 1.
- aeris frigidus horrescentia, *Cham.* 74, 1.
- aeris frigidus hyperesthesia, *Camph.* 47, 4.
- in aere libero frigido oculi aqua sultusi, *Puls.* 224, 18.

(aëre libero) vento aucti dolores, *Puls.* 225, 11.

aëre libero auctus, sed pronatione in mensam allevatus
capitis dolor in fronte pressorius, cum crurum las-
itudine inter adscensionem, *Nux v.* 188, 4.

aëris hyperaesthesia quasi refrigerium nasciturum sit
cum obnubilatione capitis et narcosi manuum, *Cham.*
77, 7.

sine aëris liberi fuga, frigiditas maxima cum siti magna
et sine appetentia caloris, *Mez.* 179, 8.

aëris liberi appetentia, *Arn.* 19, 6. (*Stram.* 244, 11.)

per aërem liberum vel minimum refrigeratio et odontalgia
(punctoria? punetorio ardens?) *Nux v.* 186, 6.

aëris liberi intolerantia et sensus inde quasi a refrigerio,
Opr. 205, 13.

aestu et situ excruciatu, potum modo desiderat, modo
repellit exhibitum, (*Bell.* 52, 1.)

aestuans nocturna jactatio in lecto cum phantasii,
Cham. 83, 5.

aestuantia suspiria, *Verat.* 256, 6.

aestuatio, anhela respiratio, indeterminatio, negotio-
rum aversatio, *Puls.* 219, 15.

aestuatio, concussions, ejulatus, blateratio, inter som-
num, *Cham.* 83, 4.

aestuatio desperabunda et jactatio atrox, *Cinch.* 94, 10.
aestuatio morientis, *Acon.* 5, 8.

cum aestuatione, ejulatu, et sudore immani, cordis oppres-
sio, *Cham.* 70, 4.

cum aestuatione pressio anxia in abdome, *Mez.* 181, 6.

cum aestuatione ejulatoria, calor corporis totius, exceptis
manibus et dolore supra orbitas pressorio, *Puls.*
219, 11.

aestus internus, (*Bell.* 52, 19.)

aestus internus cum potus denegatione, *Verat.* 265, 3.
afflatus quasi ab aëre nimis calido, cephalalgiam gignens,
Puls. 219, 3.

affluxus salivae copiosus, *Nux v.* 190, 22. vide *ptyalis-*
mus, saliva.

aggravatio ventriculi a potulentis inter sitim, *Nux v.*
191, a 23.

agilitas et pathorum et dolorum imminutio, *Verat.* 262, 3.

agitatio, vide et jactatio, dysphoria, inquietudo, agor,
aestuatio, (angor, anxietas).

agitatio anxia cum fletu continuo, (*Camph.* 54, 14.)

- agitatio, blateratio et pavor concussorius in somno,
Acon. 6, 5.
 agitatio continua, (*Ign.* 161, 4.)
 agitatio continua totius corporis, (*Bell.* 55, 6.)
 agitatio convulsiva brachii alterutrius, *Op.* 204, 19.
 agitatio corporis sudantis, (*Bell.* 32, 5.)
 agitatio ferox, quasi moribundi, jactatio, dysphoria
 immanis, cum lacerantibus abdominis doloribus,
 tum stupiditas, tum dolor capitis ferox, (*Cham.* 76, 1.)
 agitatio manuum violenta et respiratio vehemens (gravis)
 inter clamorem et ardorem constantem, (*Hyos.*
 142, 19.)
 agitatio in somno, *Puls.* 232, 5.
 agitationes artuum, (*Stram.* 244, 2.)
 non agnoscit obvium et tamen illi respondet et colloquitur.
 colloquii tamen immemor, postquam ad se rediit,
 (*Stram.* 250, 12.)
 non agnoscit obvios, quos stupet oculis lacryma suffusis,
 (*Op.* 210, 15.)
 agitatorius, inquietus, comatosus somnus, *Puls.* 232, 1.
 agon, angustiae animi, (*Cocc.* 115, 3.)
 agon per vices repetens, (*Acon.* 12, 12.)
 agonizans angor, *Arn.* 17, 9.
 agonizans nausea per vices repetens, (*Diz.* 126, 6.)
 agrypnia, vide et somnus, et pervigilia, et vigiliae.
 agrypnia, *Caps.* 70, 14. *Nux v.* 194, 9. *Ign.* 159, 5.
 Bell. 26, 15. *Acon.* 8, 20. *Hyos.* 131, 2. (*Hyos.* 140, 8.)
 Dros. 129, 17. *Acris.* 16, 18. *Val.* 252, 9. *Canth.* 58, 4.
 Puls. 219, 14. (*Stram.* 245, 12.)
 agrypnia, angoris accessibus et luculentis et graphicis
 phantasiae visionibus stipata, (*Cham.* 75, 10.)
 agrypnia ob angorem, *Bell.* 26, 16.
 agrypnia ob angorem et auxietatem, *Hyos.* 131, 2.
 agrypnia post calorem internum sine siti, *Nux v.* 194, 8.
 agrypnia diurna, (*Hyos.* 140, 8.)
 ut ab agrypnia et crapula dolor capitidis, *Puls.* 227, 1.
 agrypnia dum decumbit, somnolentia dum sedet diurna,
 Cham. 75, 3.
 agrypnia cum inquietudine et jactatione, *Led.* 169, 7.
 agrypnia ob pavorem concussorum somnum capturi,
 Bell. 26, 19.
 agrypnia quasi a sanguinis ebullitione, *Puls.* 219, 4.
 agrypnia nocturna, convulsionibus et concussionibus,
 quasi a terrore, intermista, (*Hyos.* 159, 6.)

- akynesia, *Camph.* 47, 15. vide et *motus, rigiditas, immobilitas.*
- alacritas animi, (*Op.* 209, 8.)
- in albam rem dum figuntur oculi, scotomiae lateralis sensus, *Cham.* 75, 7.
- albae, diarrhoeicae egestiones, *Arn.* 19, 6.
- alborum excrementorum diarrhoea cum torminibus discedentibus ante et inter sedes, *Cop.* 116, 3.
- (alboe) molliores, tenesmodae sedes, *Acon.* 5, 7.
- albida urina, *Bell.* 27, 16.
- albo-mucosa diarrhoea torminosa, *Cham.* 36, 4.
- albuginea vide et *oculus, inflammatio, chemosis.*
- albuginea icterodes, somnolentia continua diurna, labris fuga, nausea vel minus ingratorum, etiam absentia, *Cinch.* 95, 4.
- albugineae inflammatio cum dolore lacerante, *Verat.* 261, 5.
- albugineae inflammatio cum hordeolo, *Puls.* 224, 24.
- alienatio mentis, (*Stram.* 250, 8.)
- alienatio mentis summa, (*Hyos.* 143, 10.)
- altae, seriae cogitationes cum animo composito, aequo, *Cham.* 89, 15.
- alta meditatio, altae cogitationes, *Acon.* 8, 18.
- alta respiratio suspirii instar, *Caps.* 65, 22.
- alta et suspiriosa respiratio, *Caps.* 66, 5.
- inter altam respirationem dolor internus in pectoris latere quasi pulmo ad costas adhaereret, *Mer.* 179, 12.
- altam nimis et cavam, raucam et absonam reddens vocem pituita caput laryngis occupans, *Cinch.* 92, 8.
- alte respirare cogens angor, *Caps.* 65, 21.
- alteratio, (*Hyos.* 157, 14.)
- cum altercatione quadam verhorum, mentis alienatio, (*Hyos.* 146, 13.)
- ab alto praecipitatio autochirica, (*Bell.* 45, 14.)
- in altum projicitur corpus trunco flexo spasmis, (*Hyos.* 134, 4.)
- alvus; vide et *sedes, excrements, eckoprosis, diarrhoea, constipatio.*
- quasi ab alvi constipatione inquietudo et tensio abdominis, *Verat.* 261, 15.
- alvi constipatio, *Camph.* 59, 21. *Op.* 204, 16. *Nux v.* 197, 21. vide et *alvi obstructio et constipatio.*
- alvinae dejectiones violentae, sanguineae, (*Verat.* 266, 18.)

- alvi dejectio crebra, vehemens, (*Verat.* 263, 1.)
 alvi dejectiones crebrae, (*Hyos.* 145, 13.)
 alvi dejectiones nigricantes, crebriores, (*Cinch.* 101, 6.)
 alvi dejectiones, (*Cham.* 91, 2.) (*Mez.* 182, 4.)
 alvi excretio, *Op.* 201, 1.
 alvi excretiones restrictae, *Op.* 204, 16.
 alvi excretiones, (*Verat.* 264, 13.)
 alvi exonerandae nisus irritus, *Bell.* 27, 3.
 alvi exonerandae nisus creber, *Hyos.* 132, 17.
 post alvi exonerandae nisum irritum, vomitus, *Bell.* 27, 12.
 alvi exoneratio involuntaria inter somnum, *Aru.* 22, 19.
 alvi exoneratio involuntaria, (*Bell.* 39, 7.)
 quem alvi exoneratio in constipatione causat, dolor tor-
 nosus in abdomen, *Cham.* 85, 10.
 alvi fluxus, (*Cinch.* 100, 4.)
 alvi fluxus immoderatus, (*Nux v.* 199, 6.)
 alvi fluor copiosissimus, dolorosus, (*Verat.* 264, 6.)
 alvi incontinentia, *Dig.* 124, 12. *Bell.* 28, 3.
 alvi obstructio, (*Cinch.* 101, 5, 16.) vide *constipatio*.
 alvi obstructio pertinax, (*Camph.* 54, 4.)
 alvi profluvium, (*Fal.* 253, 4.) *v. et diarrhoea*.
 alvi suppressio, (*Stram.* 245, 11.) *Bell.* 26, 14. (*Hyos.* 139, 4.)
 in alvo deponenda ardor in ano, *Verat.* 259, 6.
 in alvo deponenda anxietas et metus apoplexiae, *Verat.*
 256, 3.
 ab alvo quasi deponenda angor, *Cham.* 85, 12.
 alvum adstringit post purgationem, (*Rh.* 258, 2.)
 inter alvum deponendam sensibilis a nucha ad os sacrum
 rheumatismus, *Verat.* 260, 13.
 ante alvum deponendam sensus quasi a syncope nascitura in
 abdomine infimo, *Verat.* 256, 4.
 inter alvum deponendam sensus, quasi via ad rectum pree-
 cluderetur, *Op.* 205, 11.
 ad alvum deponendam crebra invitatio, quasi diarrhoea
 eruptura esset, *Puls.* 225, 4.
 alvus non nisi abdominalium muscularum nisu extor-
 quenda, ob intestini recti inertiam, *Cham.* 85, 13.
 alvus adstrictior per breve tempus, (*Hyos.* 145, 17.)
 alvus ceta, mollior, post ructus acidos vel sodam, quae
 pastum sequuntur, *Caps.* 68, 9.
 alvus soluta, *Aceris*, 16, 17. *v. et diarrhoea*.
 quasi alvus constipata esset, inquietudo, abdominis et ten-
 sio, *Verat.* 261, 15.
 alvus laxa, (*Stram.* 248, 7.)

- alvus obstructa segnior, (*Stram.* 248, 6.)
 alvus tardior, (*Hyos.* 144, 17.)
 amari ructus, *Arn.* 18, 13. *Verat.* 258, 7.
 amari et acidi liquoris regurgitatio, *Dros.* 128, 13.
 amari liquoris regurgitatio, *Dros.* 128, 12. *Ign.* 154, 13.
 Puls. 221, 17.
 amari saporis regurgitatio, *Nux v.* 190, 21. (*Puls.* 221,
 17.) (*Ign.* 154, 13.)
 amarities oris, (*Cinch.* 101, 4.)
 amaror in ore post vomitum, *Puls.* 221, 18.
 amaror oris, (*Op.* 215, 22.)
 amaror et siccitas oris, sine siti, cum distentione abdo-
 minis post pastum, *Ign.* 154, 15.
 amaror oris et dentes obtusi post vomitum escarum ves-
 pertinum, *Puls.* 222, 11.
 amarus sapor, (*Cinch.* 104, 2.)
 amarus sapor ingestorum, *Ign.* 154, 12.
 amarus sapor esculentorum omnium, tum frigus cum
 sudore frigido, *Puls.* 221, 10.
 amarus sapor cerevisiae, *Ign.* 154, 12. *Mez.* 181, 5.
 amarus sapor cum appetentia citri acidi, *Puls.* 221, 11.
 amarus primo, dein acidus sapor, *Ign.* 154, 16.
 amarus sapor maxime post cibum captum, *Puls.* 221, 12.
 amatoriae, profanae cantilenae, (*Hyos.* 137, 7.)
 amaurosis, vide et scotomia, et amblyopia, et visus, et
 muscae, et caligo, coecitas, ocoecatio.
 amaurosis aliquot horarum, (*Nux v.* 195, 6.)
 amaurosis ex somno expergefacti, (*Bell.* 37, 16.)
 amaurosis, amblyopia, *Cocc.* 107, 12. *Puls.* 220, 6. 7. 8.
 amaurosis, apertis oculis, (*Bell.* 38, 1.)
 amaurosis, typis excusa legere non potest, (*Bell.* 32, 20.)
 amauroseos praecursores, *Acon.* 1, 8. *Cocc.* 107, 11.
 Val. 251, 5. *Puls.* 220, 6 — 12. *Cham.* 81, 12.
 (*Bell.* 44, 15.) *Cinch.* 93, 8. (*Op.* 208, 13.)
 amauroticae muscae oculis obversantes, *Cocc.* 107, 11.
 Acon. 1, 8. *Cinch.* 93, 8.
 amblyopia, (*Hyos.* 139, 19.) (*Cinch.* 102, 11.) (*Acon.*
 10, 3. 12, 11. 20.)
 amblyopia cum horrescentia, *Cham.* 74, 2.
 amblyopia, seu visus obtenebratio cum vomititione
 et pallore, *Puls.* 220, 6.
 amblyotica lucis intolerantia matutina cum dormituri-
 tione, *Nux v.* 187, 3.
 ambulatio difficilis vacillans, *Op.* 202, 19. (*Op.* 210, 18.)

- ambulatio vesperi in lecto, inter somnum, tacitura, oculis clausis, inter calorem corporis magnum, *Rh.* 256, 10.
- amenorrhoea, *Puls.* 231, 15.
- amenorrhoea cum frigiditate, horrescentia et tremore pedum, *Puls.* 231.
- amens sibi videtur esse, dum oculos claudit; inde somnus horribilis, (*Op.* 215, 6.)
- amens et excoecata passim errat per urbem, (*Hyos.* 155, 13.)
- amentia, (*Bell.* 52, 12.) (*Hyos.* 143, 12. 144, 20. 147, 7. 18.)
- amentia cum artuum convulsivis motibus, (*Bell.* 40, 22.)
- amentia loquax, conquestio de cane pectus mordicus dilacerante, *Stram.* 240, 21.
- amentia timida aufugere conantis, (*Capr.* 120, 4.)
- amicissimorum objectorum contemptus, insensilitas, indifferentia, cum facie hippocratica, *Cinch.* 93, 10.
- amissionis sensum periculum, (*Hyos.* 143, 8.)
- amor laboris, *Verat.* 262, 5.
- amor laboris, lectionis, scriptio[n]is, meditationis, assiduitas, *Cinch.* 99, 1.
- amor laboris nullus, *Cocc.* 106, 14.
- amor nullius rei, *Cocc.* 106, 15.
- amor nullius rei, ex nulla tamen re offendio, *Puls.* 218, 15.
- anaesthesia, vide *insensilitas* et *insensibilitas*.
- anasarca, (*Cinch.* 103, 7.)
- angentia vel evigilantem insomnia gravia, *Cinch.* 97, 5.
- angina; vide et *glandulae, fauces, tumor, deglutitio, indeglutitio, gula, palatum, parotis, pharynx, os, oesophagus, salivales, ductus, lingua.*
- angina, (*Cinch.* 103, 10.) (*Ip.* 167, 7.)
- angina, ardor in faucibus, cum angore quasi a calore interno, sine calore externo, *Aru.* 19, 17.
- angina, ardor in velo palatino, *Cocc.* 110, 6.
- angina, ardor in oesophago ad os usque, *Nux v.* 191, 4.
- angina, abolita et labefactata deglutitio, (*Bell.* 53, 9. 59, 21.)
- angina, constrictio pharyngis et quasi strictura, *Mez.* 180, 4.
- angina, constrictio oesophagi insignis, (*Bell.* 46, 1.)
- angina, constrictio gulae, *Stram.* 239, 12.

- angina, a deglubitione quae oritur aspritudo in pharynge, deglutitione salivae vel potus ordinarii fugganda, *Ip.* 163, 6.
- angina, dolor inter deglutiendum, quasi glandulae submaxillares in fauibus proninarent et quasi ab excoriatione dolerent, *Puls.* 225, 6.
- angina, dolorosa deglutitio, (*Bell.* 45, 4.)
- angina, dolor in deglutitione, *Caps.* 63, 5.
- angina, deglutitione salivae vel potus ordinarii minuenda vel fuganda aspritudo in pharynge vel deglutitionis, vel siccitatis nimiae sensus, *Ip.* 163, 6.
- angina, dolor in pharynge extra et inter deglutitionem, *Caps.* 63, 5.
- angina, ab epistomio quasi sensus in gula, extra deglutitionem percipiendus, *Ign.* 154, 4.
- angina, ab excoriatione quasi in fauibus dolor, deglutitione tantum percipiendus, *Ign.* 157, 17.
- angina, excoriatio oesophagi, (*Dig.* 125, 1.) *Mez.* 180, 11.
- angina, excoriationis sensus in ore interno, *Stram.* 241, 16.
- angina, quasi excoriatio salivalium ductuum, *Acon.* 9, 2.
- angina, excoriatio salivalium ductuum, *Bell.* 28, 14.
- angina, impedita deglutitio, (*Hyos.* 149, 12. (*Bell.* 33, 9. 39, 21.)
- angina, impedita maxime deglutitio, (*Bell.* 37, 3.)
- angina, impedita deglutitio in oesophago, indeglutitio oesophagea, *Cocc.* 110, 4.
- angina, inflammatio fauicum, (*Bell.* 31, 8. 45, 20.)
- angina, inflatio oesophagi, (*Ferat.* 265, 17. 266, 13.)
- angina, lacerans in larynge dolor, deglutitione, respiratione, tussi auctus, *Ign.* 154, 1.
- angina lancinans, *Puls.* 225, 7.
- angina, lancinans dolor in parotide, *Bell.* 28, 17. *Puls.* 225, 2. (*Cinch.* 96, 17.)
- angina, lancinans dolor in glandulis submaxillaribus, *Mez.* 130, 12.
- angina, lancinantes dolores volatichi in parotide, (*Cinch.* 96, 17.)
- angina, lancinatus in velo palatino, *Ign.* 152, 16.
- angina, lancinatus in velo palatino ad aurem usque, *Ign.* 152, 16.
- angina, paralysis pharyngis, *Cocc.* 110, 4.
- angina, paralytica atonia oris partium, (*Bell.* 33, 14.)

- angina parotidea, *Cham.* 83, 16.
 angina, cum (pressorio) dolore in glandulis submaxillaribus, difficultas deglutiendi, *Stram.* 239, 14.
 angina, pressio in collo, *Ign.* 153, 1.
 angina pressoria in velo palatino, *Arn.* 18, 7.
 angina, pressorius dolor in glandulis maxillaribus, *Ign.* 153, 6.
 angina, pulsationes aliquae in pharynge, *Cham.* 83, 14.
 angina punctoria, *Stram.* 239, 13. *Led.* 169, 16. *Ip.* 163, 4. *Acon.* 7, 3.
 angina, punctus in fauicibus ut a setis fructuum cynosbati, *Acon.* 2, 3.
 angina, punctorius dolor in gula cum difficultate deglutiendi, *Stram.* 239, 13.
 angina, punctorius dolor in gula cum ardore, *Ip.* 163, 4.
 angina, sensibilitas oris interni partium nimia et fere dolorosa, *Ip.* 162, 13.
 angina, a siccitate quasi nimia sensus in pharynge, vel ab aspritudine ea, quae a deglubitione oritur et salivae et potus ordinarii deglutitione minuitur et fugatur, *Ip.* 163, 6.
 angina, simplex dolor pharyngis cum tumoris in linguæ radice doloroso sensu inter deglutiendum, *Cocc.* 110, 5.
 angina, simplex faucium dolor, motu partium colli et deglutitione auctus, *Cham.* 83, 15.
 angina, spasmatica, (*Cocc.* 110, 4.) *Bell.* 26, 7. 8. (*Bell.* 46, 1. 40, 6. 44, 5. 33, 9. 37, 3.) *Verat.* 253, 6. (*Verat.* 265, 14.) (*Dig.* 125, 7.) (*Hyos.* 142, 10. 139, 5.) *Stram.* 239, 11.
 angina strictorii doloris, *Caps.* 63, 8.
 angina, strictorius in pharynge dolor extra deglutitionem, *Caps.* 63, 5.
 angina, strictorius (post pressorium) dolor in glandulis maxillaribus, *Ign.* 154, 2.
 angina, tumor glandularum submaxillarium, *Ign.* 154, 3.
 angina, a tumore quasi in pharynge dolor inter deglutiendum, *Ip.* 163, 5.
 angina, ob tumorem glandularum submaxillarium indeglutatio vel dolor maxime inter deglutiendum percipiendus, *Cinch.* 96, 18.
 angina, tumor ostii ductuum salivalium dolorosus, *Ign.* 154, 5.

- angina, tumor in linguae radicis latere dolorosus,
Cinch. 96, 16.
 angina, tumoris in linguae radice dolorosi sensus, *Cocc.*
 210, 5.
 angina, tumor internus (inflatio) oesophagi, (*Verat.* 265.
 17. 266, 13.)
 angina quasi a tumore in gula, *Puls.* 225, 9. *Verat.*
 257, 2. *Ip.* 163, 5.
 anginosa indeglutitio ob glandularum submaxillarium
 tumorem et dolorem maxime inter deglutendum
 percipiendum, *Cinch.* 96, 18.
 anginoso pressorius in velo palatino dolor, *Arn.* 18, 8.
 angor, vide et *agon*, *aesuatio*, *angustia*, *anxietas*, *jacta-*
tio, *agitatio*, *inquietudo*.
 angor, (*Bell.* 41, 17.) *Camph.* 48, 4. *Cupr.* 118, 9.
 (*Nux v.* 200, 2.)
 angor quasi ab alvo-deponenda, *Cham.* 85, 12.
 angor agonizans, *Arn.* 17, 9.
 angor alte respirare cogens, *Caps.* 65, 21.
 angor brevis, *Ign.* 150, 8.
 angor, quem calor excitare solet, *Arn.* 19, 17. (*Puls.*
 218, 17. 18. 20. 219, 3. 4. 5. 6.)
 angor, quasi a calore per noctem, *Puls.* 219, 6.
 angor quasi ex conscientia mala, *Verat.* 256, 8.
 angor continuus et frigus externum et internum post
 cephalalgiam, *Arn.* 20, 5.
 angor, quasi crimen commisisset, *Ign.* 152, 5. *Verat.*
 256, 8. *Puls.* 219, 19.
 angor quasi a fati imminentis divinatione, *Verat.* 256, 9.
 angor inconsolabilis et ejulatus miserabilis, opprobriis
 plenus ob mala et incommoda (parva) *Acon.* 3, 6.
 angor ineffabilis, (*Nux v.* 200, 5.)
 angor ingens, respirationem intercipiens, *Verat.* 256, 2.
 angor intolerabilis somnum capturi et oculos claudentis,
 (*Op.* 213, 10. 215, 6.)
 angor maximus, *Acris* 15, 1. (*Camph.* 55, 8.)
 angor inter mictum sine impedimento mechanico, *Cham.*
 86, 15.
 angor cum micturitione frustranea sine lotii copia,
Cham. 86, 16.
 angor et morositas cum punctione in pectoris latere;
 tum pulsatio in scrofula, tum capitis dolor pres-
 sorius, *Acon.* 2, 6.

- angor nocturnus quasi a calore, *Puls.* 219, 6.
 angor quasi morientis, *Acon.* 5, 8.
 angor post pastum, et plenitudo et dolor lacerans dorsi
 in abdomen tendens, *Cham.* 84, 20.
 angor cum pressorio primo, dein lancinante dolore in
 sterni media parte, *Cocc.* 112, 1.
 angor, respirationem intercipiens cum sudore frontis
 calido, *Acon.* 5, 18.
 angor, respirationem intercipiens, iugens, *Verat.* 256, 2.
 angor respirare alte cogens, *Caps.* 65, 21.
 angor circa scrofulicum, (*Cinch.* 102, 13.)
 angor, somnum impediens, *Bell.* 26, 16. *Cocc.* 108,
 20. (*Op.* 215, 10. 215, 6.)
 angor summinus, (*Op.* 205, 11.) *Melamp.* 175, 1.
 angor summus voce impedit, *Ign.* 150, 11.
 angor summus, repentinus, *Cocc.* 106, 1.
 angor suspiciosus, *Verat.* 256, 5.
 angor terribilis, insomni instar, somni principium im-
 pediens, *Cocc.* 108, 20.
 fere sine angore palpitatio cordis, *Ip.* 162, 6.
 cum angore ponderis sensus in abdomine circa umbilicum,
 caloris volatrici interni sensus et infatuatio capitatis,
 Op. 203, 2.
 cum angore quasi a calore, ardor in faucibus, *Arn.* 19, 17.
 cum angore pressorio primo, dein lancinans dolor in media
 sterni parte, *Cocc.* 112, 1.
 ob angorem agrypnia, *Bell.* 26, 15.
 ob angorem et anxietatem agrypnia, *Hyos.* 151, 2.
 angorem procreans digitorum formicatio, *Verat.* 260, 10.
 angorem creans calor, post horripilationem; postea ce-
 revisiae sitis, *Nux v.* 189, 14.
 angorem procreans tensio pertinax in abdomine, (*Cinch.*
 102, 21.)
 angoris accessibus et luculentis et graphicis phantasiae
 visionibus stipata agrypnia, *Cham.* 75, 10.
 anguli labiorum ulcerati, non prurientes, nec dolorosi,
 Bell. 29, 15.
 angusta, cita respiratio post formicationem in bronchii,
 Led. 170, 1.
 angusta respiratio, *Stram.* 240, 13. *Led.* 169, 13. 170, 1.
 angusta, dolorosa respiratio, *Led.* 169, 13.
 angusta respiratio extra lectum, intra lectum justa,
 Nux v. 196, 12.

- angustans respirationem dolor pressorius sterni, *Cham.*
83, 2.
- angustans respirationem sensus in pectore constrictorius,
Arn. 21, 3. Caps. 66, 3.
- angustatio circa scrobiculum, maxime post pastum,
(Cinch. 102, 16.)
- angustum pectus ad suffocationem usque, (*Cupr.*
121, 8.)
- angustia pectoris, *Cham. 87, 14. (Nux v. 199, 7.)*
(Acon. 10, 1.) (Arn. 23, 2.) Ign. 160, 10.)
- angustiae animi, (*Cocc. 115, 3.*)
- angustia nocturna inter evigilationem, quasi crimen
 commisisset, *Puls. 213, 19.*
- angustia pectoris, (*Hyos. 136, 7.) (Nux v. 199, 7.)*
(Puls. 234, 12.)
- angustia pectoris aliquot horarum, *Ip. 164, 16.*
- angustia pectoris, quasi a flatibus in epigastrio cum
 pressionis sensu restagnantibus et ventriculi dolore
 quasi a soda nascitura, postea ardor in spina dorsi,
Cham. 85, 1.
- eum angustia pectoris, pressio in scrobiculo, inspiratione
 aucta et in lancinationem scrobiculi cito transiens,
Ign. 152, 19.
- angustia pectoris post pastum et plenitudo, tum vel
 ructus acidi, vel soda, tandem alvus cita, mollior,
Caps. 68, 9.
- angustiam creans calor (post horripilationem) tum sitis
 cerevisiae, *Nux v. 189, 14.*
- in angustiam pectoris transiens dolor in scrobiculo presso-
 rius, *Acon. 6, 2.*
- anhela respiratio, aestuatio, indeterminatio, negotio-
 rum aversatio, *Puls. 219, 15.*
- anhelitus praefocatio, (*Verat. 264, 3.)*
- aniles fabulae, animus nimis hilaris, *Acon. 2, 9.*
- anima foetida, (*Led. 173, 1.) Acon. 5, 12. Mgz. 181,
 1. Caps. 66, 15. 16. Rh. 236, 16. Puls. 221, 6.*
 vide et *halitus.*
- ab animali vivo quasi intus tumultuante dolor in pectore
 inter respirationem, *Led. 170, 4.*
- ab animali vivo quasi intus tumultuante spasmi abdomina-
 lium muscularum, *Hyos. 152, 16.*
- animatae literae visae librum lecturo, (*Hyos. 147, 15.)*
- animi abjectio, *Stram. 239, 4. Op. 201, 14. (Op. 211, 8.)*
- animi aegritudo, vide *aegritudo.*

- animi aegritudo, *Nux v.* 190, 2. *Puls.* 220, 2.
 animi alacritas, (*Op.* 209, 8.)
 animi angustiae, agon, (*Cocc.* 115, 3.)
 animi defectus, (*Verat.* 264, 2.)
 animi et corporis languor cum hypererethisino, *Cinch.*
 93, 7.
 animi deliquia, (*Canth.* 62, 13.) (*Melamp.* 177, 8.
 178, 8.)
 animi deliquium, vide et *lipothymia* et *syncope*.
 animi deliquium, (*Canth.* 59, 7.) (*Ign.* 160, 6.) (*Op.*
 208, 4.) *Verat.* 254, 12.
 animi deliquorum accessus plus minus repetiti, *Cham.*
 74, 4.
 animi deliquii accessus, (*Hyos.* 144, 14.)
 animi deliquum post pectoris concussionem, (*Camph.*
 52, 1.)
 animi despensio, *Cocc.* 106, 5.
 animi dotes omnes hebetes, sensus omnes hebetes,
 (*Op.* 211, 13.)
 animi effusio, *Verat.* 262, 7.
 animi exasperatio et offensio per visus, olfactus, gu-
 stus, auditus objecta, ob sensorii teneritudinem,
 Cinch. 93, 18.
 animi impotentia, (*Cupr.* 121, 14.)
 animi languor, (*Bell.* 42, 14.)
 animi morosi et serenitatis animi, curarum expertis, vi-
 cissitudines, *Op.* 204, 20.
 animi mutabilitas mira, in jocum jam, jam in fletum
 proni, *Ign.* 156, 8.
 animi serenita corporis vigor, (*Hyos.* 145, 3.)
 animi serenitatis, curarum expertis, et animi morosi vi-
 cissitudines, *Op.* 204, 20.
 animi virium debilitas, (*Op.* 213, 7.)
 cum animo flebiliter querulo lancinantes in latere dextro,
 Acon. 6, 17.
 animo aequo, composito cogitationes altae, seriae,
 Cham. 89, 15.
 animus abjectus et moestitia, post ecstasin, (*Op.* 211, 8.)
 animus abjectus, demissus, (*Bell.* 35, 12.)
 animus aegre ferens minima, cum lancinatibus singulis
 in aure, *Cham.* 78, 17.
 animus anxius, *Cocc.* 106, 3. vide et *angor*, et *anxietas*.
 animus conquirens vitia aliorum, *Verat.* 258, 4. (*Caps.*
 65, 16.)

animus constans, fortis, nec hilaris, *Acon.* 8, 12.
 animus ad contentionem pronus, *Cham.* 76, 12.
 animus contentus, *Cocc.* 114, 2. *Caps.* 70, 4. *Op.* 204, 7.
 animus contentus, jocosus, in stomachationem tamen
 brevem, minima occasione, apprise pronus, *Caps.*
 70, 6.
 animus male contentus, infelicem se et impediri et ex-
 cruciari ab omnibus hominibus putantis, *Cinch.* 94, 1.
 animus curiosus, plenus sollicitudine, *Ip.* 165, 15.
 animus demissus, abjectus, (*Bell.* 35, 12.)
 animus demissus et morosus, *Nux v.* 189, 19.
 animus demissus, tristitia, (*Hyos.* 138, 7.)
 animus desideriis et votis ignotis agitatus, *Ip.* 165, 15.
 animus desperans, *Cocc.* 106, 4. *Verat.* 256, 1.
 animus dicta aliorum tamquam imperata aegre ferens,
 (*Camph.* 48, 11.)
 animus efflagitans varia importuno modo et fletu, *Rh.*
 236, 3.
 animus exasperatus, stomachatio, indignatio, irascen-
 tia, *Cinch.* 94, 8.
 animus fortis, constans, nec hilaris, *Acon.* 8, 12.
 animus hilaris, contentus, lepidus, facetiae, sales,
 Cocc. 114, 2.
 animus hilaris nimis, fabulae aniles, *Acon.* 2, 9.
 animus importuno modo et fletu varia efflagitans, *Rh.*
 236, 3.
 animus injuriari et conviciis lacesiri se putantis,
 (*Camph.* 48, 11.)
 animus jocosus, in stomachationem levi de causa pro-
 nus, *Caps.* 71, 6.
 animus jocos inter ipsos minima aegre ferens, *Caps.*
 65, 15.
 animus ad iram, contentionem, rixam paratus, pronus,
 Cham. 76, 12.
 animus irae capax, *Acon.* 8, 13.
 animus male facta aliorum et prave dicta et mendacia
 vel minima maximi faciens animus et aegre ferens,
 Cocc. 106, 13.
 animus minima aegre ferens, cum lancinatibus singulis
 in aure, *Cham.* 78, 17.
 animus obsequiosus pueriliter, *Nux v.* 189, 17.
 animus obtusus, insensilis, existentiae suae parum con-
 scius, apte tamen satis respondet, (*Op.* 214, 14.)

- animus offenditur per sensuum omnium objecta ob hyperaesthesia et sensorii nimiam teneritudinem,
Cinch. 93, 18.
 animus opprobrians, vitia aliorum magni faciens, parva aegre ferens, reprehendens, *Caps.* 65, 16.
 animus parva aegre ferens, reprehendens, *Caps.* 65, 16.
 animus querulus, *Cocc.* 106, 7.
 animus ad rixam paratus, pronus, *Cham.* 76, 12.
 animus scrupulosus, *Ip.* 165, 15.
 animus setius atrociter, tuui querulus, *Cocc.* 106, 7.
 animus sollicitudine plenus, *Ip.* 165, 15.
 animus stupidus, erga objecta indifferens, (*Op.* 207, 2.)
 animus vitia aliorum conquirens, *Verat.* 258, 4. *Caps.* 65, 16.
 animus voluptate effusus, vide *ecstasis*.
 animus votis ignotis agitatus, *Ip.* 165, 15.
 in annulum abdominalem impetus ut in hernia nascitura, *Cham.* 86, 6.
 cum ani ardore et pruritu, summoque tenesmo, excrementa liquida, spumosa, (*Op.* 214, 2.)
 ani paralysis volatice, *Acon.* 2, 15.
 ani dolor pressorius, *Arn.* 19, 4.
 ani dolor pressorio lancinans, *Acon.* 4, 10.
 ani dolor pressorio tensivus, *Op.* 207, 8.
 cum ani pruritu et ardore summoque tenesmo, excrementa liquida, spumosa, (*Op.* 214, 2.)
 ani sphincteris paralysis, (*Bell.* 39, 7.)
 ani tenesmus, *Arn.* 19, 5. *Caps.* 69, 2, 6. (*Caps.* 72, 1.)
 annihilaris, pessum dari se putat, anxietas, *Puls.* 219, 21.
 in ano ardor, (*Caps.* 72, 2.)
 in ano ardor in alvo deponenda, *Verat.* 259, 6.
 in ano dolor ardens, *Caps.* 69, 7.
 ex ano grumosus sanguis secedens, *Stram.* 242, 1.
 ex ano haemorrhagia, *Nux v.* 197, 5. *Acon.* 7, 15. *Cham.* 89, 12.
 ex ano haemorrhagia cum torminibus, *Led.* 171, 6.
 in ano lancinatio, *Acon.* 4, 10. *Ip.* 164, 2. *Cham.* 86, 5.
 in ano pressio, *Acon.* 4, 10. *Arn.* 19, 4. *Cinch.* 97, 16.
 in ano pruritus, *Caps.* 69, 8.
 ad anum usque inde ab ore, canalis intestinalis excoriatio, (*Canth.* 59, 1, 62, 6)
 per anum excretio meri sanguinis, (*Canth.* 59, 13.)
 anorexia, vide et *appetitus*, *appetentia*, *aborrescentia*, *nausea*, *fastidium*, *inappetentia* et *fuga*.

- anorexia, *Op.* 201, 10. (*Op.* 209, 13.) *Canth.* 57, 12.
Led. 170, 12. *Puls.* 221, 3. 4. 8. (*Hyos.* 140, 12.)
Cham. 84, 6. *Stram.* 240, 1. *Nux v.* 190, 12.
Cocc. 107, 14. (*Cinch.* 104, 1.) *Caps.* 65, 8. *Acon.*
 9, 1. (*Bell.* 58, 19.) *Bell.* 26, 12. *Ign.* 154, 8.
 (*Ip.* 163, 12.)
 anorexia acidorum, *Ign.* 155, 3.
 anorexia cum siti aquae et siccitatis linguae sensu, ca-
 lore volatrico, sudore facie et palpitatione cordis,
 fame canina subsequaque, *Cham.* 82, 13.
 anorexia carnis cum sapore cerevisiae amaro, *Mez.*
 181, 2. 3.
 anorexia carnis et panis veteris, *Puls.* 221, 7.
 anorexia cerevisiae, *Cinch.* 95, 1. (*Ign.* 154, 12.) *Mez.*
 181, 3.
 anorexia chronica, *Bell.* 30, 12.
 anorexia ciborum praesentanea, *Nux v.* 190, 12.
 anorexia ciborum sapore integro, *Cinch.* 94, 20. 22.
 Cham. 84, 10. *Puls.* 221, 3. *Hyos.* 132, 2. *Led.*
 171, 5.
 anorexia a ciborum sapore deleto et ventriculi plenitu-
 dine, (*Puls.* 221, 4.)
 anorexia a cibi quasi fastidio, sapore integro, *Cham.*
 84, 10.
 anorexia coffeae, *Nux v.* 190, 15. *Cham.* 84, 7.
 anorexia coffeae, nisi saccharo conditatur, *Rh.* 235, 12.
 anorexia diurna, *Bell.* 30, 12. (*Nux v.* 199, 2.)
 anorexia fumi tabaci, *Nux v.* 190, 15.
 anorexia maxime panis, *Nux v.* 190, 13.
 anorexia panis fisci cerealis, et ab eo salivae affluxus
 in ore, *Nux v.* 190, 14.
 anorexia plurium horarum, *Ign.* 154, 8.
 anorexia quasi a pituita faucium nimia, *Mez.* 180, 5.
 anorexia potulentorum, *Bell.* 26, 13. *Cocc.* 110, 11.
 Puls. 218, 7. vide et *sitis* et *adipsia*.
 anorexia cum respiratione, per accessus, brevi et dolo-
 re scrobiculi, quasi interne tumidum esset, *Acon.* 6, 3.
 anorexia sapore integro, *Hyos.* 132, 2. *Cinch.* 94, 20.
 22. *Puls.* 221, 3. *Cham.* 84, 10. *Led.* 171, 5.
 anorexia (satietas) ciborum, potulentorum, sapore in-
 tegro, grato, *Cinch.* 94, 20. 22.
 anorexia quasi a saturatione nimia, *Rh.* 237, 8.
 anorexia totalis, (*Bell.* 42, 8.)
 sine anserina cute frigus vespertinum, *Puls.* 218, 6.

- cum anserina cuncte horror, et frigus, sine frigiditate externa,
Led. 169, 4.
 cum anserina cuncte (dolorifice sensibili) horror, *Camph.* 47, 6.
 anxia agitatio cum fletu continuo, (*Camph.* 54, 14.)
 anxia insomnia, (*Op.* 209, 9.)
 anxia micturitio, *Acon.* 6, 13.
 anxia et nimis sollicita cura ob minima, *Cinch.* 94, 3.
 anxia sitis, (*Bell.* 51, 11.)
 auxia pressio in abdomen, cum aestuatione, *Mez.* 181, 6.
 anxietas, vide et *angor*, *angustia*, *agitatio*, *aestuatio*,
jactatio, *agon*, *dysphoria*, *trepidatio*, *inquietudo*.
 anxietates, (*Verat.* 265, 6, 12.) (*Val.* 253, 2.) *Arn.* 23,
 14.) (*Bell.* 43, 16, 46, 8.) (*Cinch.* 100, 7, 101, 1.)
 (*Cupr.* 120, 11.) (*Hyos.* 156, 14.) (*Ign.* 161, 3.)
 (*Melamp.* 177, 5.) (*Stram.* 248, 5.)
 anxietas, (*Verat.* 267, 4, 269, 16.) (*Arn.* 25, 1.) (*Hyos.*
 144, 11.)
 anxietas, nescit quo se vertat, *Puls.* 219, 20.
 anxietas autochiriae cupida, *Nux v.* 189, 18.
 anxietas in alvo deponenda, quae metum apoplexiae
 incutit, *Verat.* 256, 3.
 anxietas, annihilaris, pessimum se putat, *Puls.* 219, 21.
 anxietas auctior et respirandi difficultas, (*Rh.* 238, 4.)
 anxietas et asthma sensim per aliquot horas crescens,
 respiratione sensim breviore et breviore, sudoribus
 identide e toto corpore erumpentibus, *Nux v.*
 194, 12.
 anxietas diaphoresis, maxime fromis, gignens, *Nux v.*
 194, 10.
 anxietas dira vomitu mox cessans, (*Melamp.* 178, 5.)
 anxietates graves, (*Arn.* 24, 10.)
 anxietas hypochondriaca, *Arn.* 17, 18. *Cham.* 76, 2.
 anxietas post ecstasin, (*Op.* 211, 2.)
 anxietas ingens, *Nux v.* 189, 16. (*Nux v.* 198, 11.)
 (*Stram.* 248, 5.) (*Hyos.* 155, 3.) (*Op.* 212, 4.)
 anxietas quasi a calore aeris ambientis, *Puls.* 218, 18.
 anxietas ingens, tumque sudor, *Nux v.* 194, 10, 13.
 anxietas et inquietudo, (*Bell.* 46, 17.)
 anxietates insignes, (*Cinch.* 103, 15.)
 anxietas in lecto maxime, non extra, pupillis citissime
 mobilibus, *Cham.* 83, 9.
 anxietas et palpitatio ingens, ita ut vestimenta abjici
 debeant, *Puls.* 218, 17.

- anxietas, tum nausea, tum respiratio cito a nausea orta,
 tum vomititio et vomitus, *Nux v.* 194, 11.
 anxietas magna circa praecordia, (*Bell.* 34, 1.)
 anxietas magna, (*Canth.* 60, 17.)
 anxietas ploratum gignens cum horrore corporis et ca-
 lore manuum, *Ign.* 151, 16.
 anxietas praecordiorum, (*Op.* 213, 9.)
 anxietas summa, respirationem intercipiens, *Verat.*
 256, 2.
 anxietas tremula cum palpitatione, *Cham.* 75, 16.
 anxietas tremula, quasi mors instaret, *Puls.* 220, 1.
 inter et post anxietatem ingenteim sudor profusus, *Nux v.*
 194, 13.
 anxietates summae, (*Nux v.* 199, 11.)
 post anxietatem nausea, respiratio cito, tum tussis sicca a
 nausea oriunda, et vomititio et vomitus, *Nux v.*
 194, 11.
 ob anxietatem et angorem agrypnia, *Hyos.* 151, 2.
 cum anxietate ponderis sensus in abdomine, *Mer.* 179, 13.
 cum anxietate dolor strictorius in pectore, (*Arn.* 21, 2.)
 cum anxietate et aestuatione pressorius dolor in abdomine,
 Mer. 181, 6.
 cum anxietate vomitus, (*Acon.* 10, 5.)
 anxietates cum metu suffocationis, (*Acon.* 13, 12.)
 anxietates intolerabiles, (*Op.* 210, 9.)
 anxius animus, *Cocc.* 106, 3.
 anxius calor quasi ab affusa aqua calida, fronte gelida,
 Puls. 218, 20.
 anxiis dolores abdominalis, (*Arn.* 23, 3.)
 anxius somnis et insomniis obrutus, (*Op.* 213, 24.)
 anxius tremoris sensus in artibus, *Puls.* 230, 19.
 anxius et ore aperto spiritum suinma molestia trahit,
 (*Op.* 213, 15.)
 apeptorum diarrhoea, *Cinch.* 97, 15.
 aperiendi oculos impotentia comatosa, *Cham.* 74, 17.
 aperiendi palpebras impotentia, (*Hyos.* 158, 6. 147, 12.)
 aperti oculi, pupillis sursum retortis, (*Op.* 207, 8.)
 apertae palpebrae et diductae, *Bell.* 25, 9.
 apertione oculorum auctus capit^s dolor strictorio-tensi-
 vus, *Puls.* 226, 11.
 apertis oculis anaurosis, (*Bell.* 33, 1.)
 aperto ore loqui nescit, (*Op.* 210, 16.)
 apertus hic, ille semiclausus oculus in somno, iride
 retorta, inorientium instar, *Cinch.* 93, 11.

- apex nasi acutus, oculi cavi nimbis lividis, indifferen-
 tia, insensilitas, extenorium, immo amicissimorum
 objectorum contemtus, *Cinch.* 93, 10.
 aphona raucedo, *Puls.* 224, 15.
 aphonia, vide et *mutitas*.
 aphonia, *Verat.* 255, 5. (*Stram.* 244, 4. 246, 11.)
 (*Bell.* 34, 4.) (*Cinch.* 101, 12. 105, 1.) (*Hyos.* 144,
 19. 148, 7.)
 aphonia post horrorem levem, (*Cinch.* 105, 1.)
 aphonia temporaria, (*Bell.* 38, 8.)
 aphthae artificiales, (*Canth.* 61, 4.)
 apnoea cum respiratione alternans, (*Bell.* 38, 5.)
 apoplectica quasi colli strangulatio, (*Stram.* 247, 10.)
 apoplecticus faciei tumor, *Cocc.* 109, 3.
 apoplecticus status, (*Bell.* 34, 9. 54, 11.)
 apoplexia, (*Bell.* 34, 9, 11. *Verat.* 265, 1.) (*Stram.*
 249, 18.)
 apoplexia stertorosa, (*Hyos.* 141, 7.)
 apoplexiae metum incutit anxietas in alvo deponenda,
 Verat. 256, 3.
 quasi ob apoplexiā vel suffocationē nascituram, fauces
 praestriktæ, (*Stram.* 247, 10.)
 apoplexiae accessibus intermisti epileptici insultus,
 (*Hyos.* 140, 16.)
 apoplexiae et insaniae parvi accessus, (*Cinch.* 104, 17.)
 apostemata in abdomine, (*Cinch.* 103, 2.)
 apostemata parva in buccis, in femore doloris punctorio
 lancinantis vehementis, furunculorum species, *Nux*
 v. 195, 18.
 ab apostemate quasi dolor inter pronationem in nasi radice,
 Puls. 224, 5.
 quasi ab apostemate intus latente tactu dolorosus tumor nu-
 chæ utrinque ad colli latus usque ad carotides pro-
 tensus, *Puls.* 226, 9.
 ab apostemate quasi vel sugillatione dolor in plantis, *Led.*
 172, 5.
 apostematis instar tactu dolentes tumores parvi in ca-
 lotta, *Puls.* 226, 7.
 appetens modo, modo fastidiens morositas, *Arn.* 18, 2.
 appetentia acetii, *Arn.* 18, 5.
 appetentia aëris liberi, *Arn.* 18, 6. (*Stram.* 244, 11.)
 appetentia aquæ frigidae, (*Acv.* 12, 10.)
 appetentia aquosorum, inter frigus febrile, *Mer.* 179, 10.

sine appetentia caloris, frigiditas maxima cum siti magna,
Mez. 179, 3.
appetentia cibi nulla, nullus ciborum gratus sapor,
Cham. 84, 9.
cum appetentia citri acidi, sapor amarus, *Puls.* 221, 11.
appetentia escarum, sed nescit quarum, nec grata sa-
pit, quo vescitur, *Puls.* 218, 10.
appetentia fructuum horaeorum, citri acidi, *Verat.* 257, 6.
appetentia lecti caloris, (*Acon.* 15, 7.)
appetentia lecti inter calorem et siti aquae, *Nux v.*
194, 15.
appetentia leoti inter calorem universalem, (*Stram.*
241, 7.)
appetentia rerum multimodarum, nescit quarum, *Cinch.*
92, 3.
appetentia pomorum, *Verat.* 257, 7.
appetentia variorum, *Arn.* 18, 2.
appetentia veneris, *Cinch.* 99, 2. *Op.* 204, 9. *Cham.*
89, 9. *Cocc.* 114, 4. *Arn.* 22, 20.
appetentia venoris diminuta, *Acon.* 2, 12.
appetit cibos, sed frusto viꝝ uno deglutito, caetera
fastidit, (*Op.* 210, 21)
appetitus auctus, *Nux v.* 197, 20. *Bell.* 30, 6. (*Op.*
204, 10.) *Stram.* 241, 15. (*Stram.* 248, 8.)
appetitus cibi nullus, *Bell.* 26, 12.
appetitus diminutus, *Nux v.* 190, 11.
appetitu integrō, nauſea vomituriens sine vomitu, cum
menſtruorum suppressione, *Puls.* 222, 4.
appetitu integrō, nauſea vomituriens inter soporem vel
ſomnum emergens, *Puls.* 222, 5.
appetitus integer, cum febre vespertina, siti aquae, et
ſudore nocturno, *Led.* 172, 17.
appetitus potus nullus, *Bell.* 26, 13. vide et *anorexia*
potentorum et adipisia.
appetitus prostratus, vide *anorexia*, *fastidium*, *nausea.*
appetitus prostratio, (*Cinch.* 102, 7.) *Led.* 170, 12.
appetitus prostratus, *Acon.* 9, 1. *Stram.* 240, 1.
appetitus reddit inter vescendum (post *anorexiā*), *Cinch.*
94, 21.
appetitus et sapor deletus, escae quodammodo descen-
dere detrectant, *Cham.* 84, 8.
appetitus rei certae nullus et tamen fames, *Puls.* 218, 11.
apta responsio et querelae cum delirio alternantes,
(*Bell.* 38, 4.)

- aptæ responsiones existentiae suaæ parum concii,
 (Op. 207, 11. 214, 14.)
 quasi ab aqua calida affusa calor anxius, fronte gelida, *Puls.*
 218, 20.
 quasi ab aqua bulliente commoveretur cerebrum, ardens ca-
 pitis dolor, (*Acon.* 11, 11.)
 quasi ab aqua fluctuante sensus in cerebro, (*Bell.* 44, 16.)
 quasi ab aqua cadente susurrus in auribus, *Cham.* 79, 3.
 aquae deglutitio difficillima et non nisi in minima quan-
 titate, (*Bell.* 37, 12.)
 quasi ab aquæ frigidæ perfusione frigus, *Puls.* 227, 15.
Led. 169, 3.
 quasi ab aqua frigida frigus in ventriculo, tum sensus quasi
 a tremore, *Caps.* 65, 1.
 aquæ frigidæ appetentia, (*Acon.* 12, 10.)
 aquæ frigidæ intincto digito paulisper sedans dentium dolor lacerans et lacinians, vespertinus, *Cham.*
 79, 9.
 aqua frigida admota mox exasperans dentium dolor
 hinc illinc micans, ad oculos tendens, *Cham.* 79, 8.
 aquæ frigidæ siti immanis, (*Bell.* 37, 11.)
 quasi ab aqua frigida infusa frigus in pedibus cum tremore,
Nux v. 186, 4.
 quasi ab aqua frigida circulante in pedibus frigiditas (frigus)
 cum tremore, *Verat.* 254, 3.
 aquæ mucidæ sapor, *Acon.* 5, 11.
 aquæ putridæ sapor, *Caps.* 65, 5. *Acon.* 5, 11.
 aquæ salsaæ regurgitatio, *Arn.* 18, 14.
 aquæ siti inter pulsum magnum et frequentem et ca-
 lorem, cum lecti appetentia, *Nux v.* 194, 15.
 aquæ siti vespertina, *Puls.* 252, 9.
 cum aquæ siti calor et una horripilatio, *Caps.* 70, 8.
 cum aquæ siti sudores volatichi, cerebri faciei et volarum
 manuum, *Cham.* 82, 2.
 aquæ siti cum siccitatis linguae sensu, anorexia, calo-
 re volaticho, sudore faciei et palpitatione cordis, ca-
 nina fame subsequi, *Cham.* 82, 13.
 aquæ siti nocturna cum calore capitis interno, *Led.*
 172, 17.
 aquæ vomitus inter tussim, *Dros.* 128, 18.
 aqua (lacrymis) suffusi oculi in aëre libero, frigido,
Puls. 224, 18.
 aqua (lacrymis) suffuso oculo altero, capitis dolor stri-
 ctiorius, *Puls.* 224, 19.

in aquam se dat praecipitem, (*Bell.* 42, 19.)
 aqua diarrhoea cum (vel sine) torminibus dissindentibus, *Cham.* 86, 2.
 aqua urina, *Cocc.* 111, 6. *Ign.* 158, 6.
 aqueae salivae effluxus copiosus, *Verat.* 258, 11. *Puls.*
 222, 2.
 aqueae salivae effluxus ex ore cum colica, *Led.* 170, 13.
 aquae oculi, *Cinch.* 96, 3. *Nux v.* 189, 8.
 aquae oculi in aere libero frigido, *Puls.* 224, 18.
 aquosa diarrhoea, *Acon.* 5, 15.
 aquosae, foetidae materiae secessus ex urethra, (*Puls.*
 233, 10.)
 cum aquosorum tantum appetentia frigus febrile, *Mez.*
 179, 10.
 aquosorum liquorum horror, hydrophobiae instar, in
 ferociam transiens, dum labia iis madesiunt, (*Stram.*
 247, 13.)
 arcus instar incurvatio trunci, (*Op.* 211, 16.)
 ardens capitidis dolor, quasi cerebrum aqua bulliente com-
 moveretur, (*Acon.* 11, 11.)
 ardens calor in pedibus, *Ign.* 152, 1.
 ardens calor cutis, (*Bell.* 38, 2.)
 ardens calor externus vel internus, (*Bell.* 45, 10.)
 ardens dolor in ano, *Caps.* 69, 7.
 ardens dolor in sterno ad os usque, *Cham.* 87, 3.
 ardoris doloris blennorrhoea colore et consistentia se-
 minis humani maxime statim post mictionem, *Puls.*
 223, 17.
 ardens febris; vide *febris*.
 ardens dolor in ulcere, *Ign.* 152, 2.
 ardens et mordax dolor in ulcere nocturnus cum formi-
 catione et hyperaesthesia inter tactum, *Cham.* 89, 6.
 ardens pruritus in glande penis, *Nux v.* 193, 13.
 ardens pruritus per totum corpus, *Nux v.* 194, 4.
 ardens punctus hinc inde in corpore, *Nux v.* 194, 5.
 ardens et simul pressorio distendens capitidis dolor, *Arn.*
 20, 2.
 cum ardentis calore somnus pomeridianus (post horripilatio-
 nem cum torminibus, et debilitatem), *Ign.* 156, 14.
 ardentes et urentis doloris vesiculae in lingua et gingi-
 vis, *Mez.* 180, 7.
 ardenti lacerans in dorso dolor, *Nux v.* 197, 5.
 ardentes lacerantes vagi dolores a digitis pedum ad in-
 guen usque, (*Puls.* 233, 15.)

- ardenti lacerans dolor in vesicae collo inter mictum,
Nux v. 193, 11.
 ardentes ex lacinantibus nati dolores, (*Ip.* 163, 20.)
 ardenti pruriens eruptio miliaris in genu utroque et cru-
 ribus, *Nux v.* 197, 19.
 ardenti pruriens dolor ut a gelu in digitii minimi pha-
 lange prima, *Verat.* 260, 11.
 ardenti tensivi doloris epulis in gingiva dentis canini,
Nux v. 195, 20.
 ardantis doloris pustulæ in pede serum fundentes, *Puls.*
 229, 15.
 ardentissima febris, (*Canth.* 60, 10.) (*Mer.* 183, 11.)
 ardor, vide et *calor*, *aestus*, *incendium*, *fervor*, *inflam-
 matio*.
 ardor in abdomen, (*Bell.* 44, 6.) *Cocc.* 111, 3. (*Cop.*
 117, 4.)
 ardor in ano, *Caps.* 69, 7. (*Caps.* 72, 2.)
 ardor in ano inter alvum depouendam, *Verat.* 259, 6.
 ardoris sensus sub axilla dextra ad digitos pergens cum
 dolore pulsatorio formicante, *Cocc.* 112, 17.
 ardor in auricula, *Ign.* 157, 6.
 cum ardore in buccis sensus indolorificus micans sursum de-
 orsum, *Caps.* 70, 13.
 ardor in capite cum dolore pressorio distendente, *Arn.*
 20, 2.
 ardor in capite et facie, (*Verat.* 266, 11.)
 ardor in cerebro subter frontem, *Nux v.* 198, 3.
 ardor in cerebro inter erectionem trunci, *Melamp.* 176, 1.
 ardor in cerebro corpore ceteroquin frigido, saltem non
 calido, *Arn.* 20, 1.
 ardor in colli alterutra parte, *Ign.* 157, 7.
 ardor in corde quasi a prunis et dolor quasi a dilacera-
 tione intestinalium ita, ut pessum dari sibi videretur,
(Op. 211, 17.)
 ardor per corpus totum, *Nux v.* 194, 6.
 ardor per corpus totum internum, (*Hyos.* 140, 18.)
 inter ardorem (corporis) constantem et clamorem, respiratio
 vehemens, gravis et manuum violenta agitatio,
(Hyos. 142, 19.)
 ardor corporis totius externus sine rubore, (*Hyos.*
 142, 17.)
 ardor corporis totius externus cum rubore, (*Hyos.*
 142, 18.)

- ardor in epigastrio, (*Arn.* 23, 17.)
 ardor in facie et capite, (*Verat.* 266, 11.)
 ardor in faucibus, *Acon.* 7, 3. *Arn.* 19, 17. (*Verat.*
 266, 4.)
 ardor in faucibus et ore intolerabilis, (*Mez.* 132, 7.)
 ardor et punctus in faucibus, *Acon.* 7, 3.
 ardor in faucibus cum angore quasi a calore interno,
 sine calore externo, *Arn.* 19, 17.
 ardor formicans in oculis, *Nux v.* 189, 7.
 ardoris sensus et formicatio in lingua et maxillis, ita ut
 dentes vacillare videantur, (*Acon.* 12, 13.)
 ardor in gena alterutra, *Arn.* 19, 19. *Ign.* 157, 6.
 ardor et rubor in gena alterutra corpore caeteroquin
 frigido, saltem non calido, *Arn.* 19, 19.
 ardor generum, manuum, pedum cum genae tumore,
 Caps. 70, 12.
 ardor in genis, pedibus frigidissimis, *Cocc.* 103, 7.
 ardor in genis cum horrore interno, *Nux v.* 189, 11.
 ardor in genis cum horroris accessibus vesperi, *Cham.*
 81, 14.
 ardor in genitalibus, (*Canth.* 61, 8.)
 ardor in gula, *Verat.* 256, 22. *Cham.* 87, 2.
 ardor in gula post vomitum, *Puls.* 222, 14.
 ardor in gula cum punctione, *Ip.* 163, 4.
 ardor internus, (*Bell.* 44, 13.) (*Hyos.* 140, 18.)
 ardor (aestus) internus cum potus denegatione, (*Verat.*
 265, 3.)
 ardor internus cum frigiditate externa, *Bell.* 27, 1.
 ardor internus per totum corpus, (*Hyos.* 140, 18.)
 ardor in labiis et lingua, et siccitas corii adusti instar,
 (*Hyos.* 147, 2.)
 ardor (fervor) linguæ et gutturis, (*Verat.* 266, 12.)
 ardor in lingua ad stomachum usque, (*Mez.* 183, 10.)
 ardor in lingua, *Ign.* 155, 4.
 ardor in lingua diu inhaerens, (*Acon.* 13, 19.)
 ardor manuum, pedum cum generum ardore et tumore,
 (*Caps.* 70, 12.)
 ardor in nucha, *Ign.* 157, 7.
 ardor in oculis, (*Arn.* 24, 5.) (*Bell.* 45, 10.)
 ardor in oculis formicans, *Nux v.* 189, 7.
 ardor in oculis sine inflammatione, *Nux v.* 189, 5.
 ardor in oesophago ad os usque, *Nux v.* 191, 4. (*Caps.*
 68, 10.)
 ardor in palati velo, *Cocc.* 110, 6.

- ardor in pectore, *Nux v.* 194, 6. *Acon.* 7, 2.
 ardor et punctus in pectore, *Acon.* 7, 2.
 ardor pedum, manuum, cum ardore et tumore genarum,
 (*Caps.* 70, 12.)
 ardor pedum cum pruritu ut in gelatis fieri consuevit,
 Cham. 82, 7.
 ardor circa praecordia, (*Verat.* 265, 7.)
 ardor pruriens in pedum digitis ut a gelu, *Nux v.* 197, 19.
 ardor pruriens in digitii minimi phalange prima ut a
 gelu, *Verat.* 266, 11.
 ardor pruriens in calcaneo (ut a pernionibus) et caetero
 pede, *Ign.* 157, 11.
 ardor pruriens supra totum corpus, *Nux v.* 194, 4.
 ardor et punctus in pectore, *Acon* 7, 2.
 ardor in renibus, vesica, (*Rh.* 238, 12.)
 ardor, rubor et tumor totius corporis, (*Bell.* 43, 3.)
 ardor et rubor in facie cum horrore, *Ign.* 156, 13.
 ardor et rubor in gena et auricula alterutra, *Ign.* 157, 6.
 ardor et rubor natum, pedum, (*Hyos.* 143, 16.)
 ardor circa scapulas, (*Verat.* 266, 10.)
 ardentes et secantes hinc inde dolores, (*Arn.* 24, 6.)
 ardor in spina dorsi post dolorem in ventriculo quasi a
 soda nascitura, *Cham.* 84, 21.
 ardor in sterno ad os usque, *Cham.* 87, 3.
 ardor stomachi, *Nux v.* 191, 3.
 ardor in ulcere, *Ign.* 152, 2.
 ardor in umbilicali regione, *Acon.* 7, 1.
 ardor circa umbilicum cum genarum rubore, reluctantia
 pertinaci et dolore capitidis pressorio, *Acon.* 8, 3.
 ardor in urethra inter mingendum, *Cop.* 116, 3.
 ardor urinae molestus, (*Puls.* 235, 9.)
 ardor urinae, *Camph.* 50, 14. *Caps.* 69, 10. *Acon.* 8,
 21. *Verat.* 259, 12. *Rh.* 237, 7. *Mez.* 181, 9.
 (*Canth.* 60, 2. 61, 2.)
 ardor urinae tantus, ut sine cruciatu et ejulatu ne gut-
 tulam quidem urinae (sanguinolentae) emittere pos-
 set, (*Canth.* 62, 20.)
 ardor urinae continuus, (*Canth.* 59, 11.)
 ardor in velo palati, *Cocc.* 110, 6.
 ardor ventriculi, *Ign.* 155, 5. (*Camph.* 52, 10). (*Hyos.*
 139, 14.)
 ardor circa ventriculum, (*Bell.* 52, 19.)
 ardor in ventriculo ad os usque, post jentaculum, *Caps.*
 68, 10.

- ardor vesicae, (*Canth.* 60, 3. 15. *Caps.* 69, 10. (*Rh.* 238, 12.)
 ardor in vesicae collo, *Camph.* 50, 14. *Caps.* 69, 10.
Acon. 8, 21. *Verat.* 259, 12.
 ardor in vesicae collo inter mictum, *Cham.* 86, 14.
 ardor in vesicae collo extra mictum, *Acon.* 8, 21.
 ardorem mordaeem accedit, (*Cham.* 91, 1.)
 ardoris et formicationis sensus totum sensim corpus
 occupans, maxime brachia et crura, (*Acon.* 12, 15.)
 ardoris sensus, (*Verat.* 268, 3.)
 ardoris sensus ab axilla ad digitos pergentis, *Cocc.*
 112, 17.
 ardoris sensus in ventriculo, (*Cupr.* 121, 17.)
 ab arenulis quasi pressio in oculis, *Puls.* 224, 23. (*Bell.*
 43, 10.) (*Cocc.* 109, 10.)
 arteria aspera; vide et *bronchia* et *larynx*, et *trachea*.
 arteriae asperae rauitas catarrhosa et siccitas palpebra-
 rum, *Cham.* 87, 6.
 arteriae asperae et bronchiorum dolor maxime inter tus-
 siendum, etiam inter screatulum, *Camph.* 50, 11.
 arteriarum in omni corporis parte pulsatio, tactu maxi-
 me percipienda, *Puls.* 231, 9.
 arteriarum pulsus auctus, (*Val.* 253, 7.)
 arteriarum pulsu auctus capiris dolor, *Ign.* 151, 14.
 arteriarum pulsus in cerebro dolorosus, *Acri* 16, 7.
Puls. 220, 13.
 ad arteriarum pulsum modulatus crepitus in cerebro inter
 eundum, *Puls.* 226, 12.
 arteriarum pulsus sensatio in scrobiculo, *Puls.* 228, 2.
 arthriticus dolor; vide et *rheumaticus*, et *strictorius*, et
lacerans.
 arthriticus dolor in artibus, *Arn.* 22, 2.
 arthriticus dolor in dorso, *Arn.* 22, 2.
 arthriticus dolor in genu et musculo deltoide, *Verat.*
 260, 14.
 arthriticus dolor in articulis manuum et pedum, (*Cinch.*
 104, 4.)
 arthriticus dolor in maxilla inferiori, *Acri* 15, 2.
 arthriticus dolor in omnibus membris, *Acri* 15, 7. (*Val.*
 252, 5.)
 articulationes; vide et *juncturae*.
 in articulatione humeri et cubiti et tubo ossis intermedio
 dolor ex diffingente, lacerante et lancinante com-
 positus, inter quietem intolerabilis cum gravitatis

- sensu et metu brachium movendi, motu tamen mitigatus, *Cocc.* 115, 4.
- in articulatione humeri dolor, quasi contorta seu luxata esset, *Ign.* 159, 1.
- in articulatione humeri, femoris, genuum dolor, quasi a luxatione, *Ign.* 158, 18.
- in articulatione humeri, inter brachii retroversionem, dolor quasi a nimio labore sive a contusione, *Ign.* 158, 16.
- articulationes vertebrarum collis dolorosae, *Nux v.* 196, 21.
- in articulationibus maxime et artubus (tactu quasi a contusione dolorosis) strictorio punctorius dolor, *Puls.* 230, 15.
- articulationis ossis sacri cum vertebulis lumborum dolor quasi a confractione, *Aeon.* 5, 2.
- articulationes maxime genu et circa malleolos relaxatae, (*Aeon.* 12, 16.)
- articulationis humeri et muscularum ipsius lancinatus singuli inter quietem, *Cocc.* 112, 16.
- articulationum manuum et pedum dolor arthriticus, (*Cinch.* 104, 4.)
- articulationum diminuta mobilitas, *Nux v.* 193, 19.
- articulationum digitorum fragor, *Caps.* 70, 3.
- articulationum dolor acutus, *Dig.* 123, 9.
- articulationum dolor quasi a verberatione, *Cinch.* 98, 3.
- articulationum dolor lancinanti lacerans, *Led.* 172, 2.
- articulationum tophi et nodi dolentes, duri, *Led.* 172, 7.
- articulationum dolorosa rigiditas, *Cocc.* 103, 2. *Cham.* 88, 11.
- articulationum genuum fragor, *Caps.* 70, 3.
- articulationum omnium dolor simplex, in motu, *Rh.* 237, 3.
- articulationum dolor qualis in narcosi artuum usu venit, *Ip.* 164, 5.
- articulationum omnium dolor inter motum fere paralyticus, *Arn.* 22, 13.
- articulationum omnium dolor inter motum quasi rigidae essent et disfringerentur, *Cham.* 88, 11.
- articulationum omnium dolor quasi a contusione, *Ip.* 164, 4.
- articulationum omnium dolor, maxime inter motum, simplex, seu quasi a confractione, cum asthenia artuum, sine tamen lassitudine, *Cham.* 77, 11.

- cum articulationum omnium dolore, praecordia dolorilice
 tensa, (*Acon.* 10, 10, 11.)
 articulationum maxime artuum inferiorum crepitus et
 dolor quasi a contritione, nec tamen lassitudo com-
 pleta, *Cham.* 88, 14.
 articulationum omnium fragor, *Ip.* 165, 8. *Cham.* 88,
 14. *Cocc.* 103, 1. *Camph.* 48, 2. *Cinch.* 98, 7.
 articulationum omnium rigiditatis sensus et dolor sim-
 plex in motus principio summus, inter motum con-
 tinuantum mitigatus, cum pituitae tenacis catarrho
 in bronchiis, *Caps.* 70, 5.
 articulationum omnium (ligamentorum) instabilitas,
Acon. 2, 11. (12, 16.)
 articulationum osteocopus dolor, *Ip.* 164, 4.
 articulorum malleolorum, pedum, lumbi, pruritus,
Led. 170, 15.
 artus, vide et *extremitates*, et *membra*.
 artus inferiores; vide et *crura*, *pedes*, *femora*, *genua*.
 in artu modo uno, modo altero dolor strictorio-lacerans
 cum frigore et frigiditate, *Puls.* 250, 14.
 in artibus dolores, (*Hyos.* 147, 5.)
 artibus frigidis frons calida, *Cinch.* 95, 9.
 in artibus inferioribus macularum et vesicularum gangrae-
 nosarum copiosa eruptio, (*Hyos.* 139, 20.)
 in artibus dolor spasmodicus post pandiculationem matu-
 tinam, *Nux v.* 187, 7.
 in artibus strictorius et fere paralyticus dolor, *Canth.* 57, 6.
 in artibus et abdomine dolor strictorius cum menstruis au-
 etis, *Stram.* 242, 3.
 in artibus strictorius dolor, *Verat.* 259, 19.
 in artibus sinistri lateris strictorius dolor, *Cocc.* 112, 6.
 in artibus anxietas tremula, sive trepidatio, requie, decu-
 bitu, sessu aucta, motu diminuta, *Puls.* 230, 19.
 in artibus et maxime articulationibus (tactu, quasi a con-
 tustione dolorosis) dolor strictorio-punctorius, *Puls.*
 230, 15.
 in artibus dolor arthriticus, *Arn.* 22, 2.
 artibus frigidis, frons calida, et congestio sanguinis
 ad caput, *Cinch.* 95, 9.
 artuum agitationes, (*Stram.* 244, 2.)
 artuum asthenia paralytica, cum periostii dolore, *Cham.*
 77, 9.
 artuum asthenia et dolor simplex maxime inter motum,
Cham. 77, 11.

- artuum a confractione quasi dolor, inter motum, *Cocc.*
112, 4.
 artuum contractiones et extensiones lentae, alternantes,
(*Stram.* 246, 4.)
 artus quasi contusi, (*Puls.* 230, 18.)
 artuum a contusione quasi dolor, *Val.* 252, 1. (*Puls.*
230, 18.)
 artus et totum corpus quasi a contusione tactu dolorifi-
ca, *Led.* 172, 3.
 artuum convulsiva extensio momentanea inter exper-
giscendum e somno, *Bell.* 29, 10.
 cum artuum convulsivis motibus, amentia, (*Bell.* 40, 22.)
 artuum convulsiones, *Acris* 15, 12. *Stram.* 241, 10.
(*Verat.* 268, 13.)
 artuum debilitas maxima, ut pedibus insistere non pos-
set, (*Nux v.* 199, 13.)
 modo artus flexi miris motibus, modo corpus immobile,
(*Bell.* 38, 3.)
 artuum fornicatio narcotica, *Ign.* 150, 5.
 artuum formicatio, pruritus, (*Op.* 215, 8.)
 artuum frigiditas, sine horrore, *Caps.* 64, 11.
 artuum frigiditas et pallor, sudore frigido perfusorum
cum pulsu tardiore et debiliore, (*Op.* 213, 19.)
 artuum gravativus dolor, *Led.* 171, 17.
 artuum gravitas lassa, *Arn.* 22, 12.
 artuum hemiparalysis, *Cocc.* 107, 9.
 artuum horror et abdominis cum sensu in capite, quasi
a sudore erupturo, *Camph.* 49, 5.
 artuum jactatio fanatica, (*Canth.* 60, 9.)
 artuum immobilitas aucta, (*Op.* 214, 12.)
 artuum immobilitas paralytica cum strictoriis doloribus
quasi in ossibus, *Cocc.* 107, 6.
 artuum infirmitas tremula, pupillis dilatatis, *Cinch.*
96, 1.
 artuum inferiorum formicatio, *Arn.* 22, 9. *Ign.* 150, 4.
 artuum inferiorum paralytica immobilitas cum vulsio-
nibus singulis, *Ign.* 150, 13.
 artuum inferiorum juncturarum crepitus et dolor quasi
a contritione, nec tamen lassitudo, *Cham.* 88, 14.
 artuum inferiorum lassitudo, *Ip.* 165, 17.
 artuum inferiorum dolor lacerans, *Arn.* 22, 5.
 artuum infirmitas tremula, pupillis dilatatis, *Cinch.*
96, 1.

- artuum tam internus dolor, quam tactu exasperatus,
Cocc. 112, 7.
- artuum lacerans dolor cum contractione pedis digitorum
 spasmodica, *Cham.* 78, 10.
- artuum lacerantes dolores, (*Arn.* 24, 1.) *Arn.* 22, 2.
- artuum lassitudo, (*Cinch.* 103, 13.) (*Stram.* 247, 1.)
- artuum motus spastici, (*Bell.* 31, 6.)
- modo artus motibus miris flexi, modo corpus immobile,
(Bell. 38, 3.)
- nec artus movere, nec verbum proferre potest; lapsus vi-
 riūm insignis, (*Cupr.* 121, 13.)
- artuum musculi tactu dolorifici, *Cocc.* 112, 5.
- in artuum musculis, non in juncturis, strictorio vulsorius,
 quasi a laqueo, dolor, *Puls.* 231, 4.
- in artuum musculis sensus spasmodicus magis quam dolo-
 rosus, quasi aliquid rursum versum traheretur,
Nux v. 193, 23.
- artuum narcosis ut a gelu, *Cham.* 77, 14.
- artuum narcosis alternans, *Cocc.* 107, 22.
- artuum narcosis quibus incumbitur, *Cinch.* 97, 22. *Rh.*
 237, 4.
- artuum narcosis, *Hyos.* 131, 11. *Led.* 170, 10. *Stram.*
 240, 5. *Verat.* 260, 7.
- artuum narcosis volatrica, reiterans, *Cocc.* 107, 22.
- artuum narcotica formicatio, *Ign.* 150, 5.
- artuum osteocopus dolor, *Cinch.* 98, 3. (*Cinch.* 100, 11.)
Led. 171, 17.
- artuum paralytica immobilitas cum strictoriis doloribus
 quasi in ossibus, *Cocc.* 107, 6.
- artus quasi paralytici, *Cocc.* 107, 5.
- artuum paralytica debilitas, *Acris* 15, 10.
- artus paralytici, (*Stram.* 245, 6. 246, 13.)
- artuum periostii dolor cum asthenia paralytica, *Cham.*
 77, 9.
- artuum paralyticus torpor, *Val.* 251, 15. *Melamp.* 177,
 2. *Acris* 15, 10.
- artuum fere paralyticus (tractorius) dolor, *Canth.* 57, 6.
- artuum rheumatici dolores, *Val.* 252, 5. *Caps.* 70, 4.
- artuum rigiditas, (*Melamp.* 177, 2.) *Nux v.* 193, 21.
Ign. 153, 7. *Cham.* 77, 6
- artuum, praecipue genuum rigiditas cum tensione, (*Nux*
v. 198, 2.)
- artuum rigiditas cum vulsionibus, *Nux v.* 193, 20.
- artuum rigiditas sub specie lassitudinis, *Bell.* 26, 4.

- artuum simplex dolor, maxime inter motum, et asthenia, sine tamen vero lassitudinis sensu, *Cham.* 77, 11.
- in artuum (scapulae, dorsi) musculis, quasi aliquid rursum versum traheretur, sensus spasmoidicus magis, quam dolorosus, *Nux v.* 193, 23.
- artuum spastici motus, (*Bell.* 31, 6.)
- artus spasmodis fleetuntur et truncu flexo corpus in altum projicitur, (*Hyos.* 134, 4.)
- artuum strictorius dolor, *Canth.* 57, 6. *Verat.* 259, 19. *Stram.* 242, 3.
- in artuum ossium tubis strictorio lacerantes dolores uno ictu et rari, *Cham.* 78, 13.
- artuum strictorio punctoriis dolor, *Puls.* 230, 15.
- ab artuum strictoriis doloribus trepidatio, *Puls.* 231, 2.
- artuum stupor, *Cinch.* 95, 3. *Led.* 171, 7. *Cocc.* 107, 22. (*Op.* 215, 1.) (*Nux v.* 198, 8.) *Cham.* 77, 5.
- artuum stupor, pedes quasi paralyticci, deliquescentia cordis syncoptica, nanseabunda, *Cham.* 77, 5.
- artuum stuporificus dolor, *Led.* 171, 17.
- artuum sugillationes dolorosae, *Acon.* 6, 22.
- artus et totum corpus tactu dolorifica quasi a contusione, *Led.* 172, 3.
- artuum tactu exasperandus dolor, *Cocc.* 112, 7.
- artuum tensio, *Nux v.* 193, 21. (*Verat.* 264, 10.)
- artuum torpor et insueta rigiditas, (*Melamp.* 177, 2.)
- artuum tremoris sensus anxius, trepidatio, *Puls.* 230, 17.
- ab artuum et totius corporis strictorio dolore trepidatio, *Puls.* 231, 2.
- artuum tremula infirmitas, tumque pupillae dilatatae, *Cinch.* 96, 1.
- artuum tremor, *Puls.* 230, 19. (*Op.* 211, 15.)
- artuum tractorius dolor, fere paralyticus, *Canth.* 57, 6.
- artuum tumor, (*Cinch.* 102, 15.)
- artus omnes quasi a verberatione dolorosi vel tactu, *Dros.* 129, 9.
- artuum vulsiones, *Cham.* 75, 13.
- artuum vulsiones singulæ uno ictu, *Ign.* 155, 17.
- artuum et totius corporis vulsiones singulæ in somno, *Puls.* 230, 16.
- artuum vulsiones singulæ, incipiente somno, *Cham.* 75, 12. *Ign.* 155, 18.
- sum artuum, et capitis vulsionibus singulis febris soporosa (matutina), *Cham.* 75, 14.

- artuum vulsiones cum rigiditate, *Nux v.* 193, 20.
 ascites, (*Cinch.* 103, 6.)
 asperitas vel aspritudo faucium, *Verat.* 257, 1.
 asperitas linguae apicis, quasi a vulnere, *Ign.* 157, 18.
 asphyxia, vide et *lipothymia*, et *syncope*, et *animi deliquium*.
 asphyxia, (*Stram.* 246, 13.) (*Cinch.* 102, 1. (*Op.* 209, 4.)
 asphyxia post pulsus duos, tres citos, (*Acon.* 15, 6.)
 asphyxiae pulsibus citis intermistae, (*Acon.* 15, 6.)
 asphyxia quatuor dierum, (*Bell.* 41, 4.)
 aspritudo faucium, *Verat.* 257, 1.
 aspritudo faucium et palati, *Mer.* 180, 8.
 aspritudo rauca in bronchiis, *Led.* 170, 2.
 aspritudo narium et excoriatio, *Mer.* 180, 10.
 aspritudo oesophagi et excoriatio, (*Mer.* 180, 11.)
 ut ab aspritudine ea, quae a deglubitione oritur et siccitate
 nimia, sensus in pharynge, salivae et potus ordinarii
 deglutitione minuendus, *Ip.* 163, 6.
 assiduitas, laboris, lectionis, scriptionis, meditationis
 amor, *Cinch.* 99, 1.
 asthenia artuum paralytica cum periostii dolore, *Cham.*
 77, 9.
 asthenia artuum, cum dolore articulationum simplici,
 quasi a confractione, inter motum, *Cham.* 77, 11.
 asthenia paralytica post sessum in cruribus et femoribus, *Acon.* 5, 1.
 asthenia paralytica pollicis et digitii indicis, dolore quasi
 a distortione affectorum inter motum, *Cham.* 78, 2.
 astheniae paralytiae paroxysmi cum dorsi dolore, *Cocc.*
 107, 8.
 asthenia paralytica, subita, volatice femoris inter eundum, *Puls.* 229, 12.
 asthenia in femoris capite inter eundum, sive impossibilitas
 incedendi ob dolorem innominabilem post decubitum et somnum nata, *Acon.* 2, 18.
 astheniae paralytiae paroxysmi cum dolore dorsi, *Cocc.*
 107, 8.
 asthenia subitanea omnium musculorum; collabitur in
 terram frigidus, cum madore frontis frigido, voce
 haerente, pulsu quam lentissimo, pupilla contractissima, *Melamp.* 175, 4.
 asthma; confer *pectus*, *respiratio*, *inspiratio*, *expiratio*,
 angustia, *angor*, *apnoea*, *suffocatio*, *strangulatio*, *spiritus*, *anhelitus*.

- asthma, *Ip.* 164, 15. (*Ip.* 167, 2, 3.) *Caps.* 65, 23.
 24, 25, 26, 66, 4, 5. *Cham.* 85, 4. 88, 2—6. (*Bell.*
 45, 9.) (*Cinch.* 104, 13.)
 asthma bronchiale, *Led.* 169, 17.
 asthma continuum cum dolore lancinanti in utrovis la-
 tere et tussicula dolorem augente, *Arn.* 21, 7.
 asthma continuum plurium horarum, *Mer.* 179, 11.
 asthma convulsivum, *Acris* 16, 15. *Ip.* 167, 1. (*Op.* 216, 7.)
 asthma et anxietas crescens sensim, respiratione sensim
 breviore, *Nux v.* 194, 12.
 asthma; dolorosa, angusta respiratio, *Led.* 169, 13.
 asthma cum exspiratione valida, sonora, *Acon.* 6, 1.
 asthma inter eundum, *Caps.* 66, 4.
 asthma inter cundum et motum, *Led.* 169, 12.
 asthma inter motum et requiem, *Caps.* 65, 23.
 asthma quasi a ventriculo proficiscens, *Caps.* 65, 25.
 asthma, sensus plenitudinis in pectore, *Caps.* 65, 24.
 asthma spasmodicum, (*Op.* 216, 7.)
 asthma strangulatorium circa colli scrobiculum, cum
 irritatione ad tussim sicciam continua, *Cham.* 87, 11.
 asthmatis suffocatorii paroxysmi breves, (*Cinch.* 104, 16.)
 (*Cupr.* 121, 8.)
 asthma suffocatorium, pressione quadam a scrobiculo
 epigastrico proficiscens, *Camph.* 48, 13.
 asthma vel inter quietem, *Caps.* (65, 23.) 66, 5.
 asthma vel inter quietem rigiditas dorsi inter pronatio-
 nem dolorosi, respiratio hinc inde alta suspiriosa,
 tussicula secca, *Caps.* 66, 5.
 cum asthmate et lancinatione dolor a sterno ad scapulas
 quasi a verberatione, mere diurnus, *Nux v.* 196, 17.
 asthmatica pectoris constrictio, motu aucta, *Led.* 169, 12.
 asthmatica pectoris anterioris et posterioris constrictio,
 inter frigus et frigiditatem, *Mer.* 179, 9.
 asthmaticus plenitudinis in pectore sensus, *Caps.* 65, 24.
 atonia paralytica oris partium, (*Bell.* 38, 14.)
 atoniae et vacui sensus in ventriculo, *Ip.* 162, 9.
 atrocia tormina, (*Verat.* 264, 15.)
 atrocia verba et semiarticulata, (*Bell.* 39, 4.)
 atrocissimi, intolerabiles dolores colici, (*Cinch.* 101, 15.)
 atrox et continua cephalalgia, (*Hyos.* 140, 7.)
 atrox furor, violentas inferens manus, (*Hyos.* 142, 3.
 157, 16.)
 atrox jactatio et aestuatio desperabunda, *Cinch.* 94, 10.
 atrox vomitus, (*Verat.* 268, 10.)

attactus v. tactus.

attactu recrudescentes modo manuum, modo pedum
contractiones, (*Stram.* 247, 7. 8.)

attentione fixa auctus capitis dolor, quasi a vulnere
cerebri, *Cinch.* 96, 13.

attonitus quasi incedit, (*Ign.* 161, 5.)

attractio spiritus summe gravis plurium horarum,
(*Verat.* 263, 2.)

quasi ab attritu faucium dolor, *Ign.* 157, 16. 17.

quasi ab attritu palpebrae dolentes, rigidae, siccae, conglu-
tinatae, maxime post somnum, *Verat.* 256, 14.

inter audacem loqueland et vividis oculis, frons sudore fri-
gido madida, et pulsus fere deletus, (*Acon.* 11, 3.)

audire voces absentium opinantis hallucinatio, *Cham.*
75, 9.

auditus abolitus, (*Stram.* 243, 13.)

auditus et visus abolitus, cum cephalalgia strictoria et
gravitate et formicatione in cerebro, tumque frigus,
Puls. 220, 12.

auditus organi plethora, *Puls.* 220, 18.

aufugere conantis timida amentia, (*Cupr.* 120, 4.)
aufugere tentat; mania taciturna, reluctantans, inobedi-
ens, *Dig.* 123, 7.

augmentum dolorum praesentium, *Cinch.* 94, 12.

aura frigida exacerbati dolores lancinanti fodientes,
Melamp. 176, 20.

auram frigidam in vertice et occipite diffundens globus
ab umbilico adscendens, (*Acon.* 11, 6.)

in aure interna formicatio pruriens, *Nux v.* 195, 13.

in aure interna formicatio reptans, *Nux v.* 195, 13.

in aure fragor, (in tuba Eustachii), *Cocc.* 109, 9.

in aure interna lancinanti pruriens dolor, *Puls.* 226, 3.

in aure lacerans dolor, *Bell.* 28, 16.

in aure laceranti lancinans dolor, *Acris* 15, 9.

in aure singulae lacerationes vulsoriae, *Puls.* 226, 5.

in aure lancinatus singuli cum animo minima aegre ferente,
maxime inter pronationem, *Cham.* 78, 17.

in aure murmur ad pulsuum modulationem, *Puls.* 220, 14.

in aure interna pressio obtusa inter pronationem quasi ab
ictu, *Cham.* 79, 1.

in aure pressorius dolor, *Caps.* 67, 8. *Arn.* 20, 11.

in aure pruriens lancinans dolor, *Puls.* 226, 3.

in aure interna pruriens formicatio, *Nux v.* 195, 13.

in aure pruritus, *Caps.* 67, 7. *Nux v.* 195, 13.

- in aure pulsatorius primo sensus dein tinnitus longus,
Cinch. 96, 5.
- in aure susurrus, quasi ab aqua calente, *Cham.* 79, 3.
- in aure susurrus, quasi avis pedibus scalpat et radat,
Cham. 79, 2.
- in aure susurrus quasi a vento procelloso, cum dolore laceranti lancinante, *Acris* 15, 9.
- in aure tinnitus longus post pulsatorium in ea sensum,
Cinch. 96, 5.
- in aure tinnitus acutus, *Puls.* 220, 17.
- in aure tinnitus sibilans, *Nux v.* 195, 12.
- ad aurem glandulae tumor dolorosus, *Puls.* 225, 8.
- ad aurem internam usque lacinatus singuli in maxilla,
Cham. 79, 5.
- ad aurem pertinens dolor lacerans in maxilla, cum genae tumore, *Cham.* 79, 6.
- ad aurem usque iudea maxilla lacinatus singuli, *Cham.* 79, 5.
- ad aurem internam usque hinc a velo palatino dolor lacinans, *Ign.* 152, 16.
- circa aurem externam calor et sudor, *Puls.* 221, 2.
- infra aurem dolor, *Caps.* 67, 9.
- pone aures bullae aqueae, (*Cinch.* 96, 9.)
- ad aures congestio sanguinis, *Puls.* 220, 18.
- per aures lacinatio ex occipite, *Puls.* 226, 4.
- aures quasi obturatae, et susurrus in iis, quasi ab aye pedibus scalpente, *Cham.* 79, 2.
- ad aures usque (ex ore) dolor lacinans, *Ign.* 152, 16.
- aureo et azureo colore tremulantes literae, (*Bell.* 44, 17.)
- in auribus continuus surdus sonus, syncopes praecursor, (*Acon.* 15, 2.)
- in auribus lacerans dolor, *Cham.* 78, 15.
- in auribus vulsiones, *Puls.* 226, 6.
- auricula alterutra rubore suffusa, *Ign.* 157, 6.
- in auricula dextra lacerans dolor, *Cham.* 78, 16.
- in auricula lacerantes dolores, (*Cinch.* 96, 7.)
- auricula alterutrius rubor, *Ign.* 157, 6. (*Cinch.* 95, 11.)
- auriculae calidae, frons calida, cum frigiditate totius corporis, *Acon.* 1, 2.
- auriculae dolor lacerans, *Cham.* 78, 16.
- auriculae et genae alterutrius calor et rubor, et hoc nondum penitus evanido frigus in cute totius corporis, *Cinch.* 95, 11.
- auriculae et genae alterutrius rubor et ardor, *Ign.* 157, 6.

- auricularum et genarum rubor, *Cinch.* 95, 10.
 auricularum rubor, *Cinch.* 95, 10. *Camph.* 50, 2.
 in auriculis dolor lacerans, (*Verat.* 261, 3.)
 auris, vide et *parotis*.
 in auris concha dolor lacerans, *Caps.* 67, 6.
 auris externae calor, rubor, tumor, *Puls.* 221, 1.
 auris interna obturatio, *Verat.* 256, 12. *Cinch.* 92, 8.
 Cham. 79, 2.
 in auris trago glandula dolorosa, *Puls.* 225, 8.
 in auris recessu intimo dolor pruriens, *Caps.* 67, 7.
 in auris intima parte dolor pressorius, *Caps.* 67, 8.
 aurium frigor, *Cocc.* 109, 9.
 auris obturatio alterntrius, *Verat.* 256, 12.
 aurium obturbationis sensus et susurtus, quasi avis pe-
 dibus radat et scalpat, *Cham.* 79, 2.
 aurium plethora, *Puls.* 220, 18.
 aurium sibilus tinniens, *Nux v.* 195, 12.
 aurium surdus sonus continuus et susurrus, *Hypothenmia*
 subsequa, (*Acon.* 13, 2.)
 aurium susurrus, *Verat.* 256, 11. *Arn.* 20, 12. *Cinch.*
 96, 6. (*Bell.* 45, 7.) (*Acon.* 13, 2.) (*Op.* 215, 18.)
 aurium susurrus, quasi a campanis vel vento procelloso,
 Led. 170, 5.
 aurium tinnitus, *Ign.* 159, 4. *Puls.* 220, 16. *Cham.*
 79, 4. (*Camph.* 54, 2.)
 aurium tinnitus oscillans quasi a pulsatione baculi fer-
 rei, *Puls.* 220, 15.
 aurium tinnitus sibilans, *Nux v.* 195, 12.
 quasi ab austoris sensus in ventriculo, *Acon.* 2, 1.
 quasi ab austoris sensus in faucibus, *Arn.* 19, 16. *Acon.* 1, 9.
 ab austoris quasi sensus corrugationis in palato, *Arn.* 19, 16.
 autochiria, praecipitatio ab alto, (*Bell.* 45, 14.)
 autochiriae cupida anxietas, *Nux v.* 189, 18.
 aversantem morositatem causant et odio sunt omnia
 objecta externa, *Camph.* 48, 10.
 aversatio ciborum, (*Bell.* 31, 10.)
 aversatio negotiorum, indeterminatio, anhela respiratio,
 aestuatio, *Puls.* 219, 15.
 aviditas lucis, *Acon.* 1, 7.
 sub axilla dolor pulsatorio formicans, cum ardoris hinc in
 digitos pergentis sensu, *Cocc.* 112, 17.
 azureo et aureo colore tremulantes literae, (*Bell.* 44, 17.)

- Balbuties, *Cham.* 75, 8. (*Stram.* 244, 19. 245, 19.)
 (Verat. 265, 1.) (*Op.* 210, 19.)
 balbuties, verborum inconcinna commutatio, *Cham.*
 75, 8.
 balbuties ebrii instar, (*Bell.* 40, 4.)
 balbuties linguae, (*Bell.* 31, 7.)
 ut in bibonibus tubercula in fronte, *Led.* 170, 17.
 cum bilioso sapore in ore, vomitritio, *Verat.* 258, 8.
 biliosorum primo vomitus, dein pituitae maxime tena-
 cis; horror semper ante vomitum, *Verat.* 258, 9.
 biliosorum brevis vomitus, *Puls.* 222, 12.
 biliosorum vomitus, (*Aeon.* 11, 5.)
 biliosus vomitus sanguine tinctus, (*Camph.* 55, 2.)
 biliosus, vide *amarus*.
 biliosus vomitus post levem motum vel in lecto erectio-
 nem, *Stram.* 240, 3.
 bilis merae vomitus vehementis, (*Cupr.* 121, 5.)
 bilis viridis vomitus, (*Aeon.* 11, 5.) (*Verat.* 267, 8.)
 blateratio, vide et *delirium*, *mussitatio*, *fabulae*, *verba*,
garrulitas, *loquacitas*.
 blateratio absurdorum, (*Ilyos.* 158, 13.)
 blateratio, agitatio, et pavor concussorius in somno,
Acon. 6, 5.
 blateratio delira, nocturna, vigil, inter sessum, *Cham.*
 82, 12.
 blateratio delira, (*Stram.* 246, 17.) (*Bell.* 35, 5.)
 blateratio delirans de impedimentis variis removendis,
Cham. 75, 11.
 blateratio futilis inter coma, *Op.* 202, 16.
 blateratio futilis, *Op.* 202, 16. (*Stram.* 246, 17.)
 blateratio inconcinna, (*Bell.* 37, 13.) (*Hyos.* 143, 14.)
 (*Stram.* 245, 9.)
 blateratio in somno cum calore magno, (*Stram.* 247, 3.)
 blateratio inter somnum, *Puls.* 232, 3.
 blateratio inter somnum, ejulatus, aesfuiatio, concus-
 siones, *Cham.* 83, 4.
 blateratio soliloqua, (*Hyos.* 142, 2.)
 blateratio velox rerum insanarum, (*Bell.* 43, 4.)
 blennorrhagia, vide et *leucorrhoea*.
 blennorrhagia purulenta, *Cop.* 116, 6.
 blennorrhagia aucta, *Canth.* 57, 9.
 blennorrhagia urethrae, *Mez.* 181, 11. *Nux v.* 193, 18.
 (*Caps.* 72, 3.)

- blennorrhagia vulvae purulenta erodens cum dolore
 quasi ad partum in utero, immanni constrictorio
 pressorio, *Ign.* 153, 5.
 blennorrhagia vulvae, *Mez.* 181, 11. *Cocc.* 111, 8.
 (*Acon.* 14, 6.) *Cham.* 86, 9. *Puls.* 223, 14. 15. 16. 17.
 blennorrhagia vulvae flava, mordicans, *Cham.* 86, 9.
 blennorrhagia vulvae purulenta, erodens, post dolores
 quasi ad partum, *Ign.* 153, 5.
 blennorrhagia colore et consistentia seminis humani
 cum ardenti dolore, maxime statim post mictionem,
 Puls. 223, 17.
 borborygmi, vide et rugitus, et flatus, et glocitatio, et
 murmur.
 borborygmi, (*Ign.* 160, 13.) *Ign.* 155, 9. *Arn.* 18, 19.
 Melamp. 176, 10. *Led.* 172, 17. (*Ilyos.* 145, 16.)
 (*Stram.* 244, 7.)
 borborygmi colicales, *Dig.* 124, 2.
 borborygmi fermentantes quasi, *Acon.* 5, 6.
 borborygmi flatus, *Arn.* 18, 19.
 borborygmi in abdomine murmurantes ut a flatibus,
 Puls. 222, 16.
 borborygmi in hypochondriis vomititivi, *Puls.*
 222, 15.
 borborygmi matutini, sonori, *Nux v.* 192, 3.
 borborygmi pomeridiani, *Nux v.* 192, 4.
 supra brachia et in dorso horripilatio, *Mez.* 179, 6.
 supra brachia et abdomen frigus cum pupillis dilatatis, *Mez.*
 181, 14.
 supra brachia et abdomen horror, non in capite, *Bell.* 26, 20.
 brachia et manus interdum protensa quasi aliquid cap-
 tatura, (*Bell.* 36, 1.)
 brachii alterutrius agitatio convulsiva, *Op.* 204, 19.
 brachia maxime et crura occupans formicationis et ardo-
 ris sensus, (*Acon.* 12, 15.)
 brachia pone caput porrecta inter somnum, *Verat.*
 256, 16.
 brachii intumescentia, (*Mez.* 184, 2.)
 brachii, digit dolores, (*Acon.* 13, 10.)
 in brachii flexione dolor tendinum flexorum cubiti tensi-
 vus, (*Puls.* 229, 4. 8.)
 inter brachii motum citum dolor lancinans in humeri jun-
 ctura, *Puls.* 229, 6.
 brachii narcosis inter flexionem, *Cinch.* 98, 1.

- in brachii ossium tubis ad digitos usque lacerans dolor
cum formicatione et sensu stuporis quasi brachium
sensu tactus careret, *Cham.* 78, 1.
- a brachii sublatione dolor humeri, *Puls.* 229, 9. *Led.*
170, 23.
- in brachii radio dolor intermotum et a tactu quasi a contor-
tione, *Cocc.* 113, 3.
- in brachii retroversionem in humeri articulatione dolor
quasi a nimio labore sive a contusione, *Ign.* 153, 16.
- a brachii sublatione dolor lancinans in humeri articulatio-
ne, *Led.* 170, 23.
- brachii tumor, (*Mez.* 184, 2.)
- in brachiis et cruribus serpens calor, (*Acon.* 12, 15.)
- brachium et crus paralyticum, (*Acon.* 10, 14.)
- in brachiis internis dolor strictorio tensivus, *Puls.* 229, 7.
- in brachiis horror sine vel cum frigiditate externa, *Cham.*
73, 3.
- in brachiis lacerans dolor, *Led.* 172, 1. (*Arn.* 22, 1.) *Bell.*
29, 6.
- in brachiis lacinatus singuli, *Rh.* 237, 2.
- in brachiis strictorius dolor, *Ign.* 155, 12. *Nux v.* 196, 23.
- in brachiis strictorii dolores, ab humero ad carpum usque
parvis sed repetitis accessibus, *Puls.* 229, 5.
- in brachio et crure sinistro stupor paralysi similis, ita ut
vix manum summam movere possit, (*Acon.* 11, 7.)
- in brachiis vulsiones singulæ, *Op.* 204, 18. (*Op.* 205, 13.)
- in brachio dextro forficans dolor, *Ip.* 164, 13.
- in brachii ossium tubis ad digitos usque lacerans, cum for-
micatione dolor, cum sensu narcoseos, quasi bra-
chium sensu tactus careret, *Cham.* 78, 1.
- in brachio hinc inde dolores lancinantes, (*Puls.* 233, 2.)
- in brachio sensus quasi nimis plenum seu tumidum esset,
Verat. 269, 6.
- in brachio nocturnus pruritus, (*Puls.* 233, 3.)
- brachiorum et manuum continua intorsio, (*Bell.* 55, 19.)
- brachiorum convulsiones cum pollicis intorsione, *Cocc.*
108, 17.
- in brachio pustulae cito purulentæ et crusta tectae, *Bell.*
29, 14.
- in brachio vesiculae, pure dein refertæ et squamis deci-
duae, (*Puls.* 233, 5.)
- nec brachiorum, nec crurum, sed manuum et pedum calor,
Bell. 28, 5.
- brachiorum frigus, stupor, *Acon.* 1, 5.

- brachiorum lassitudo, *Ign.* 150, 15.
 brachiorum motus continuus, (*Bell.* 35, 10.)
 brachiorum protensio, (*Stram.* 245, 1.) (*Bell.* 36, 1.)
 brachiorum protensio digitis incurvatis, (*Cinch.* 105, 6.)
 brachiorum aliquae convulsivae rotationes, *Camph.*
 48, 8.
 brachiorum stupor, *Acon.* 1, 5. (*Acon.* 11, 7.) *Cocc.*
 107, 21.) (*Led.* 171, 17.) *Cinch.* 98, 1. *Cham.*
 73, 1. 77, 9.
 brachiorum stuporisca rigiditas, dum manus aliquid
 capessit, *Cham.* 77, 6.
 brevissima respiratio, cum longissima alternans, *Cocc.*
 109, 3.
 bronchia; vide et *trachea*, *larynx*, *aspera arteria*.
 bronchiale asthma, *Led.* 169, 16.
 in bronchiis fornicatio; tum respiratio cīta, angusta, *Led.*
 170, 1.
 in bronchiis pituitae tenacis catarrhus cum rigiditatis inter-
 motus principium sensu summo, in motus continua-
 tione levatus, *Caps.* 70, 5.
 in bronchiis rauca aspritudo, *Led.* 170, 2.
 in bronchiis stertor, (*Bell.* 31, 4.)
 ob bronchiorum infimae sedis pruritum tussis siccissima,
 Arn. 21, 9.
 in bronchiorum infima sede titillatio tussifera, expectora-
 tione levi, *Verat.* 259, 17. (*Ip.* 165, 6.)
 in bronchiorum infima regione titillatio tussifera sine ex-
 pectoratione, *Verat.* 262, 2.
 bronchiorum sibilatio in respiratione, *Cinch.* 97, 1.
 bronchiorum stridulatio in respiratione, *Cham.* 87, 4.
 Ip. 165, 5.
 bronchiorum et tracheae dolor, maxime inter tussim,
 Camph. 50, 11.
 bubo, *Stram.* 240, 17.
 buccae; vide et *genae* et *os*.
 in buccis excoriatio, *Bell.* 28, 14.
 in buccis furunculorum species, *Nux v.* 195, 18.
 in buccis pustulae parvae, *Bell.* 29, 14.
 in buccis ardor et sensus indolorificus micans sursum deor-
 sum, *Caps.* 70, 13.
 bulbis motitatis quaquaversum, oculi tumore clausi,
 (*Stram.* 247, 5.)
 bulbi oculorum retorti, *Op.* 202, 6. *Cinch.* 93, 11.
 bulbi oculorum sursum versi, *Camph.* 47, 12.

circa bulbum urethrae glocitatio, *Cinch.* 97, 19.
 buliniae crebri accessus, *Op.* 204, 15. v. *fames canina*.
 bullae; vide et *vesiculae* et *pustulae*.
 bullae aqueae pone aures, (*Cinch.* 96, 8.)
 bullae aqueae ad rupturam pronae in vola et tibia,
 (*Bell.* 42, 4.)
 bullae aquosae serum assatim fundentes, maxime dolo-
 rosae, ejulatum exprimentes, (*Bell.* 42, 5.)
 bullae gangraenosae diarrhoea solvendae, (*Hyos.*
 139, 20.)
 bulla obsessi digiti inflammatio dolorosa, (*Bell.* 42, 10.)
 bullae in pedibus ad rupturam pronae, serum funden-
 tes, (*Bell.* 42, 4.)
 bullae serosae dolorificae in sterno, (*Bell.* 42, 11.)
 quasi a bulliente aqua cerebrum commoveretur, ardens ca-
 pitis dolor, (*Acon.* 11, 11.)

Cacaturitio cum sedibus naturalibus, *Hyos.* 132, 18.
 cachinnus immanis, (*Bell.* 44, 12.)
 cachinnus, (*Bell.* 32, 8. 39, 2. 59, 11.) (*Stram.* 243, 9.)
 quasi a cacodæmone obsessi mania, (*Hyos.* 146, 14.)
 ne cadat timor, (*Stram.* 244, 13.)
 cedit facile et vacillat, *Ign.* 151, 2.
 in calcaneo et caetero pede ardor pruriens ut a pernionibus,
Ign. 157, 11.
 ut a calcii pressura dolor in digitis pedum, *Puls.* 230, 11.
 calcis dolor secans inter lecti calorem, *Puls.* 230, 13.
 calcis et genuum dolor tensivus, post sessum inter eun-
 dum, *Led.* 171, 13.
 calefieri nequit; frigus continuum, *Dros.* 128, 1.
 calefieri nequit, nec in lecto; horripilatio inter quie-
 tem et calorem justum corporis, *Dros.* 128, 2.
 calefieri noctu in lecto nequit, *Nux v.* 185, 11.
 calidi et frigidi aëris intolerantia, *Cocc.* 108, 9.
 a calida admota dentium dolor, *Cham.* 79, 14.
 calida frons et congestio sanguinis ad caput, artibus
 frigidis, *Cinch.* 95, 9.
 calida manus haec, illa frigida, alternatim, *Cocc.*
 107, 20.
 calida manus haec, illa gelida, *Cinch.* 95, 12. *Puls.*
 219, 1.
 calidarum justo partium horror, cum somnolentia, *Cham.*
 73, 4.

calidis auriculis et fronte et calore interno sicco frigus
 totius corporis, *Acon.* 1, 2.
 in calido cubiculo frigus circa vesperam, caloris volatice
 sensu intermitto, *Puls.* 218, 5.
 cum calido frontis sudore angor respirationem intercipiens,
Acon. 5, 18.
 quasi a calido nimis aere afflatus, cephalalgiam gignens,
Puls. 219, 3.
 calido juste corpore frigidus volarum sudor, *Cham.*
 73, 5.
 post calidum haustum statim odontalgia, *Cham.* 79, 11.
 calidus sudor frontis et volae manus, *Camph.* 50, 9.
 caligant oculi, (*Hyos.* 136, 1.)
 caligo oculorum, (*Camph.* 52, 11.)
 caligo in visu, (*Acon.* 12, 20.)
 calor, vide et *ardor* et *rubor*, (et *fervor* et *incendium* et
inflammatio.)
 calor, *Cocc.* 114, 8. *Op.* 204, 6.
 calor aliquantum auctus in toto corpore, venae tumidae,
 pupillae dilatabiles, sine siti, *Cinch.* 95, 14.
 calor, quasi angorem creans noctu, *Puls.* 219, 6.
 calor anxietatem creans, post horripilationem; tum si-
 tis cerevisiae, *Nux v.* 189, 14.
 calor anxius, quasi ab affusa aqua calida, fronte gelida,
Puls. 218, 20.
 calor ardens inter somnum pomeridianum, post horri-
 pilationem cum torminibus, et debilitatem, *Ign.*
 156, 14.
 calor ardens externus, (*Bell.* 45, 10.)
 calor ardens internus, (*Bell.* 45, 10.)
 calor ardens universalis cum pulsu citissimo, respira-
 tione citissima agonizante, *Puls.* 217, 12.
 calor ardens in pedibus, *Ign.* 152, 1.
 calor (ardor) internus, cum frigiditate externa, *Bell.*
 27, 1.
 calor (ardor) in nucha et colli alterutra parte, *Ign.*
 157, 7.
 calor auctus, *Val.* 252, 8. (*Val.* 253, 8.) (*Cinch.* 101,
 4.) *Ign.* 157, 9.
 calor auris externae cum rubore et tumore, *Puls.* 221, 1.
 calor et sudor circa aurem externam, *Puls.* 221, 2.
 calor in capite, *Ign.* 156, 11. *Dros.* 129, 14.

- calor capitis internus cum pallore faciei, naturaliter
 calidae et vertigine titubante quasi ab ebrietate,
 maxime vesperi, *Puls.* 217, 1.
 calor capitis internus et rubor genarum, cum frigore
 corporis, *Nux v.* 139, 17.
 calor in capite, corpore caeteroquin frigido, saltim non
 calido, *Arn.* 19, 18.
 calor in capite et sensus in eo, quasi a sudore erupturo,
 cum horrore artuum et abdominis, *Camph.* 49, 5.
 calor in capite, cum vertigine quasi ab ebrietate, *Puls.*
 217, 1.
 calor capitis, manuum, pedum sine siti, *Cannab.* 59, 4.
 calor ad caput adscendens internus, cum siti aquae,
 post horripilationem vespertinam, *Led.* 172, 17.
 calor ad caput adscendens internus, sine siti, *Igu.*
 156, 12.
 calor colli, frontis, pectoris ardens cum frigiditate ge-
 nitalia genarum, manuum, pedum, *Cham.* 81, 8.
 calor in colli alterutra parte et nucha, *Igu.* 157, 7.
 calor corporis totius, (*Arn.* 23, 7.)
 calor corporis totius ardens cum pulsu citissimo, respi-
 ratione citissima, *Puls.* 217, 12.
 calor corporis magnus, intumescentia brachii, faciei,
 (Mez. 134, 1. 2. 3.)
 calor in corpore toto aliquantum auctus, venis tumidis,
 sine siti, pupillis dilatabilibus, *Cinch.* 95, 14.
 calor corporis subitus cum faciei sudore magno, tremo-
 re artuum, et scotomia syncopode, *Puls.* 219, 8.
 calor corporis motu levi, eundo excitatus, (*Bell.* 27, 3.)
 calor corporis totius maximus et sudor sine siti, *Stram.*
 241, 6.
 calor corporis totius sine siti, *Led.* 172, 14.
 calor corporis cum calore et rubore faciei, (*Verat.*
 267, 13.)
 calor corporis totius, venae tumidae, respiratio citissi-
 ma, sitis nulla, *Camph.* 50, 7.
 calor, ebrietas, vertiginis accessus, *Puls.* 217, 5.
 calor corporis totius, exceptis manibus, cum pressorio
 supra orbitam dolore et aestuatione ejulatoria, *Puls.*
 219, 11.
 quem calor excitare solet angor, *Arn.* 19, 17.
 calor externus cum horrore, *Cham.* 82, 9.
 calor externus sine calore interno, *Ip.* 166, 3.

calor externus et rubor, sine calore interno, *Ign.* 157,
 10. (*Ip.* 166, 3.)
 calor externus siccus, maxime frontis et faciei, cum
 horrore artuum, dorsi, *Cham.* 82, 1.
 calor externus nullus, sitis nulla et tamen caloris sen-
 sus, *Cham.* 82, 11.
 calor externus nullus sensibilis, et tamen caloris per
 totum corpus sensus, venis tumidis, pedibus frigi-
 dis, (*Cinch.* 95, 13.)
 calor externus nullus, et tamen sitis, *Arn.* 19, 15.
 calor externus nullus, et tamen calor internus cum su-
 dore frontis, post frigiditatem totius corporis et
 livorem cutis, *Nux v.* 19/4, 7.
 calor externus nullus sensibilis, et tamen caloris sensus
 primo in manibus, dein in toto corpore, *Acon.* 7, 19.
 calor externus nullus, et tamen caloris externi sensus,
 Cham. 82, 10. *Acon.* 7, 19.
 calor externus nullus, et tamen caloris interni sensus,
 vel angor quem calor excitare solet, *Arn.* 19, 17.
 calor externus intolerabilis, *Puls.* 219, 2. *Cocc.* 108, 9.
 Ign. 157, 2.
 calor externus ardens, (*Bell.* 38, 2. 45, 10.
 calor externus auctus, *Ign.* 157, 9.
 calor externus siccus faciei et calor internus siccus cum
 horrore posterioris superficie corporis, *Cham.* 82, 1.
 calor faciei post sensum circumvolutionis in pectore,
 Stram. 240, 14.
 calor faciei et post aliquot horas horror, frigus et frigi-
 ditas totius corporis, *Cinch.* 95, 12.
 calor faciei, et gemitus involuntarii, *Cham.* 82, 4.
 calor faciei maxime et frontis externus siccus cum ca-
 lore interno sicco, et horrore posterioris superficie
 corporis, *Cham.* 82, 1.
 calor faciei et rubor cum calore corporis, (*Verat.*
 267, 13.)
 calor faciei et rubor cum horrore, *Ign.* 156, 13.
 calor faciei et rubor, *Dros.* 129, 15. *Hyos.* 132, 23.
 calor faciei et rubor, cum siti, *Cocc.* 111, 17.
 calor faciei et sudor post pastum et potum, *Cham.*
 81, 13.
 calor faciei per oculos micans, cum frigore totius cor-
 poris, *Cham.* 81, 9.
 calor faciei, *Cocc.* 111, 17.
 calor faciei et tumor magnus, (*Bell.* 40, 14.)

- calor in facie volaticus, (*Cinch.* 102, 17.)
 calor et frigus corporis, alternatim, *Cocc.* 103, 5.
 calor frontis, artibus frigidis, *Cinch.* 95, 9.
 calor frontis et auricularum et calor internus siccus,
 cum frigiditate totius corporis, *Acon.* 1, 2.
 calor in fronte, *Acris* 16, 5. *Cocc.* 103, 8.
 calor (frontis maxime et faciei) siccus externus, cum
 horrore artuum, dorsi, *Cham.* 82, 1.
 calor genae cum formicatione in ea hinc inde, *Nux v.*
 189, 10.
 calor genae alterutrius et auriculae et hoc nondum pe-
 nitus evanido frigus in cute totius corporis, *Cinch.*
 95, 11.
 calor generum cum horrore interno, *Nux v.* 189, 11.
 calor et rubor generum, (*Bell.* 40, 1.)
 calor genae; vide *calor faciei*.
 calor in glandularum tumoribus cum dolore lancinanti,
 Cocc. 113, 11.
 calor et una horripilatio cum siti aquae, *Caps.* 70, 8.
 calor et dein horror, *Puls.* 219, 7.
 calor et ignis quasi per oculos micaret, sensus, *Cham.*
 81, 11.
 calor imminutus ad frigiditatem universalem usque,
 Nux v. 186, 1.
 calor imminutus pedentem, *Caps.* 64, 8.
 calor ingratus in ore, (*Camph.* 53, 12.)
 calor internus cum horrore, *Cham.* 82, 8.
 calor internus ad caput ascendens, cum siti aquae,
 post horripilationem vespertinam, *Led.* 172, 17.
 calor internus, sine calore externo, pedibus frigidis,
 Cinch. 95, 13.
 calor internus sine siti, cum pulsu pleno; tum agryp-
 nia, *Nux v.* 194, 8.
 calor internus una cum horrore, *Cham.* 82, 8.
 calor internus, cum frigiditate externa, (*Ip.* 165, 4.)
 calor internus cum sudore frontis frigido, (*Caps.* 70, 9.)
 calor internus et ardor, cum frigiditate externa, *Bell.*
 27, 1.
 calor internus siccus, cum frigiditate totius corporis,
 fronte et auriculis calidis, *Acon.* 1, 2.
 calor internus nullus inter calorem externum, *Ign.* 157,
 10. (*Ip.* 166, 3.)
 calor (aestus) internus cum potus denegatione, (*Verat.*
 265, 3.)

- calor internus siccus, cum calore faciei externo sicco,
 cum horrore posterioris superficie corporis, *Cham.*
 82, 1.
- calor mere internus ex angore natus cum sudore frontis,
 post frigiditatem totius corporis et livorem cutis,
Nux v. 194, 7.
- calor internus nullus inter calorem et ruborem exte-
 num, *Ign.* 157, 10.
- calor internus ad caput adscendens, sine siti, *Ign.*
 156, 12.
- calor lenis cum sudore modico, (*Acon.* 13, 8.)
- calor in lingua diutinus post dolorem mordentem, (*Puls.*
 233, 1.)
- calor magnus corporis, intumescens brachii et faciei,
 (*Met.* 184, 1. 2. 3.)
- calor magnus, (*Camph.* 55, 11.)
- calor magnus cum siti, (*Acon.* 13, 14.)
- calor magnus, sudore miti, pulsu celeri, molli, (*Stram.*
 247, 12.)
- calor manuum et pedum vesperi, *Led.* 172, 11.
- calor manuum cum horrore corporis et anxietate plora-
 tum gignente, *Ign.* 151, 16.
- calor manuum et pedum (vespertinus) nec tamen crurum
 aut brachiorum, *Bell.* 28, 5.
- calor manuum et pedum et venae tumidae, nec tamen
 brachiorum aut femorum aut faciei, *Rh.* 236, 5.
- calor in nucha ardens et colli alterutra parte, *Ign.* 157, 7.
- calor pedum ardens, *Ign.* 152, 1.
- calor per oculos micans, quasi ignis, *Cham.* 81, 9.
- calor pedum, *Puls.* 230, 2.
- calor pedum et manuum vesperi, *Led.* 172, 11.
- calor pedum cum tumore et pruritu exedente, *Cors.*
 113, 6.
- calor et rubor capitissolius, (*Bell.* 26, 22.)
- calor et rubor faciei cum horrore, *Ign.* 156, 13.
- calor, rubor faciei cum siti, *Cocc.* 111, 17.
- calor et rubor faciei volaticus, (*Cinch.* 102, 17.)
- calor et rubor externus sine calore interno, *Ign.* 157, 10.
- calor et rubor genae et auriculae alterutrius et hoc non-
 dum penitus evanido frigus in cute totius corporis,
Cinch. 95, 11.
- calor siccus et coma somnolentum cum phantasiis deli-
 rantibus post cephalalgiam quasi a gravedine, *Puls.*
 227, 2.

- calor siccus externus, (*Op. 215, 11.*)
 calor siccus cum horrore et frigiditate alternans, *Melamp.*
 176, 12.
 calor siccus externus, maxime frontis et faciei, cum hor-
 rore artuum, dorsi, *Cham. 32, 1.*
 calor siccus internus, calore externo sicco faciei et hor-
 rore posterioris superfici corporis, *Cham. 32, 1.*
 calor siccus internus, cum frigiditate totius corporis,
 fronte et auriculis calidis, *Acon. 1, 2.*
 calor cum siti, (*Op. 208, 15.*)
 calor cum siti aquae et horripilatione, *Caps. 70, 8.*
 calor subitus corporis cum faciei sudore magno, tre-
 more artuum et scotemia syncopode, *Puls. 219, 8.*
 calor et sudor universalis maximus sine siti, *Stram.*
 241, 6.
 calor, sudor, *Melamp. 176, 19.*
 calor et sudor faciei post pastum et potum, *Cham.*
 81, 13.
 calor summus, *Stram. 241, 6.*
 calor summus universalis, cum delirio, (*Bell. 55, 2.*)
 calor in testiculis, *Nux v. 193, 16.*
 calor cum tremore, (*Camph. 54, 3.*)
 calor, tumor, pruritus exedens pedum, *Cocc. 113, 6.*
 calor in ulcere cum lancinanti pruriante dolore, *Cinch.*
 98, 9.
 calor universalis sine siti, *Led. 172, 14.*
 calor universalis siccus cum horrore et frigiditate crebro
 alternans torminibus latenter forficantibus subsequis,
 Melamp. 176, 12.
 calor universalis, venae tumidae, respiratio citissima,
 sitis nulla, *Camph. 50, 7.*
 calor vehemens, (*Bell. 31, 2.*)
 calor et venae tumidae manuum et pedum, nec tamen
 brachiorum aut femorum, aut faciei, *Rh. 236, 5.*
 calor volatilis et sudor faciei, cum siccitatis linguae
 sensu, siti aquae, anorexia, fame canina subsequi,
 Cham. 82, 13.
 quasi a calore angor, *Arn. 19, 17.*
 quasi a calore angor per noctem, *Puls. 219, 6.*
 calore ardens cutis, (*Bell. 38, 2.*)
 sine calore externo sensibili, calor per totum corpus sen-
 sus, venis tumidis, pedibus frigidis, (*Cinch. 95, 13.*)
 cum calore et pulsu magno, frequente lecti appetentia et si-
 tis aquae, *Nux v. 194, 15.*

sine calore externo sitis, pupillis parum dilatabilibus, *Arn.*
 19, 15.
 sine calore externo sensibili, caloris sensus primo in mani-
 bus, dein in toto corpore, *Acon.* 7, 19.
 sine calore externo, caloris externi sensus, *Cham.* 82, 10.
 Acon. 7, 19.
 sine calore externo, caloris interni sensus, angor quem ca-
 lor excitare solet, *Arn.* 19, 17.
 sine calore externo, caloris sensus sine siti, *Cham.* 82, 11.
 cum calore externo maxime frontis et faciei et caloris inter-
 ni sicci sensu horror repetens posterioris superficie
 corporis, *Cham.* 82, 1.
 calore fornacis non delendum frigus dorsi, quasi a gla-
 cie hinc illine illata, *Cocc.* 197, 18.
 sine calore interno et sine horrore genae alterutrius rubor
 per vices reiterans, *Cham.* 81, 15.
 sine calore interno, calor externus, *Ign.* 157, 10. *Ip.* 166, 3.
 sine calore interno, rubor externus, *Ign.* 157, 10.
 quasi a calore aëris ambientis, auxetas, *Pals.* 218, 18.
 quasi a calore magno in abdomen, constipatio, (*Caps.*
 71, 1.)
 cum calore magno blateratio in somno, (*Stram.* 247, 3.)
 quasi a calore nimio angor, *Arn.* 19, 17.
 quasi a calore nimio languor, *Verat.* 254, 14.
 calore parvo subsequi, horripilatio recurrens, *Puls.*
 218, 4.
 inter calorem capitis et generum ruborem, horripilatio per
 totum corpus, cum sapore integro, *Acon.* 8, 1.
 inter calorem corporis magnum in somno vesperi delirium,
 ambulatio in lecto taciturna, oculis clausis, *Rh.*
 236, 10.
 post calorem evanidum sitis intensissima, maxime cerevisiae
 et lingua albida, *Puls.* 232, 10.
 inter calorem, cum lecii appetentia, sitis aquae, *Nux v.*
 194, 15.
 inter calorem faciei, gemitus involuntarii, *Cham.* 82, 4.
 calorem et lancinanti prurientem dolorem in ulcere
 (vulnere) excitat, *Cinch.* 98, 9.
 inter calorem stragulis obvolvi apprime gestit, nec digitum
 emitit sine dolorum redintegratione, *Stram.* 241, 7.
 inter calorem lecti, dolor in calcaneo secans, *Puls.* 250, 13.
 calorem mordacem accedit, (*Cham.* 91, 1.)
 inter calorem justum corporis et quietem horripilatio; ca-
 lefieri nequit, *Dros.* 128, 2.

calores volatichi, *Puls.* 219, 10. (*Cinch.* 102, 17.) *Cham.*
 82, 2. 13. *Cocc.* 108, 5. *Ign.* 157, 1.
 caloris auxii volatichi sensus, *Ign.* 157, 1.
 sine caloris appetentia et sine calore subsequo, frigiditas
 maxima cum siti magna, *Mez.* 179, 8.
 caloris per corpus totum sensus, venis tumidis, sine
 calore externo sensibili, pedibus frigidis, *Cinch.*
 95, 13.
 caloris diminutio, *Op.* 201, 5.
 caloris externi intolerantia, venae tumidae, *Puls.* 219, 2.
 caloris externi intolerantia, *Puls.* 219, 2. *Cocc.* 108, 9.
 Ign. 157, 2.
 caloris externi intolerabilis sensus, tum respiratio cito,
 Ign. 157, 2.
 caloris externi sensus, sine calore externo, *Cham.*
 82, 10. *Acon.* 7, 19.
 ab caloris externi sensum, lecti intolerantia, *Cham.* 82, 16.
 caloris faciei sensus, cum sensu circumvolutionis in
 pectore, *Stram.* 240, 9.
 caloris faciei sensus post frigus et frigiditatem longam,
 Stram. 240, 19.
 caloris faciei sensus, cum horrore corporis caeteri, *Nux*
 v. 189, 12.
 caloris insultus subitanei volatichi per totum corpus,
 Ign. 157, 8.
 cum caloris interni sensu et calore externo sicco horror re-
 petens posterioris superficie corporis, *Cham.* 82, 1.
 cum caloris interni volatichi sensu, infatuacione capitii et
 angore, ponderis sensus in abdomine, *Op.* 203, 2.
 caloris interni cum horripilatione sensus mixtus, post
 frigus immame, *Puls.* 217, 12.
 caloris interni sensus, sine calore externo, angor quem
 calor excitare solet, cum ardore in faucibus, *Arn.*
 19, 17.
 caloris lecti intolerantia, *Led.* 172, 8. 9. 10.
 caloris nocturnus sensus sine siti, *Puls.* 219, 5.
 caloris sensus in facie post frigus et frigiditatem octo
 horarum, *Stram.* 240, 19.
 caloris sensus in facie, cum sensu circumvolutionis in
 pectore, *Stram.* 240, 14.
 caloris sensus in facie, cum horrore corporis caeteri,
 Nux v. 189, 12.
 caloris sensus primo in manibus, dein in toto corpore,
 sine calore externo sensibili, *Acon.* 7, 19.

- caloris sensus, sine externo calore et sine siti, *Cham.*
 82, 11.
 caloris sensus totius corporis, sine calore externo,
 Acon. 7, 19.
 caloris sensus externi, sine calore externo, *Cham.* 82, 10.
 Acon. 7, 19.
 caloris sensus interni cum horripilatione mixtus, *Puls.*
 217, 12.
 caloris sensus interni (angor quem calor excitare solet),
 sine calore externo, *Arn.* 19, 17.
 caloris sensus nocturni, sine siti, *Puls.* 219, 5.
 caloris sensus in ore, ventriculo, (*Camph.* 56, 4.)
 caloris sensus per totum corpus, venis tumidis, sine
 calore externo sensibili, pedibus frigidis, (*Cinch.*
 95, 13.)
 caloris volatici sensu intermitto frigus in cubiculo cali-
 do circa vesperam, *Puls.* 218, 5.
 caloris sensus universalis, genae rubrae, scurrilitas,
 capitis dolor a motu oculorum, *Acon.* 7, 20.
 caloris sensus universalis, sine siti, *Rh.* 236, 4.
 ob caloris sensum externi, lecti intolerantia, *Cham.* 82, 16.
 caloris sensus, sine siti et sine calore externo, *Cham.*
 82, 11.
 caloris temperati et frigiditatis vicissitudines, *Op.* 205, 4.
 in calotta tumores parvi, tactu dolorosi apostematis instar,
 Puls. 226, 7.
 calottae dolor continuus, tactu invalescens, *Nux v.*
 195, 2.
 a campanis quasi susurrus in auribus, *Led.* 170, 5.
 canalis intestinalis ab ore ad anum usque excoriatio,
 (*Canth.* 59, 1.)
 candelae flamma stellae instar, *Puls.* 220, 10.
 candelae lucem tolerare non potest oculus alteruter,
 lancinanti dolore affectus, fere sine inflammatione
 albugineae, palpebris conniventibus, *Puls.* 220, 9.
 de cane atro, feli clamor, in somno, *Puls.* 232, 4.
 de cane mordicante conquestio delirans, *Stram.* 240, 21.
 canis atri metus, *Bell.* 25, 14.
 in canini dentis gingiva epulis, tensivo - ardoris doloris,
 Nux v. 195, 20.
 canina fames, *Puls.* 218, 8.
 canina fames cum abhorrescentia ciborum, (*Op.* 213, 17.)
 canina fames cum sapore fatuo in ore, *Cinch.* 94, 14.

- quasi a canina fame dolor excedens in ventriculo, *Puls.* 218, 9. *Verat.* 238, 13.
- canina fames post siccitatis linguae sensum, cum siti aquae, anoresia, calore violento, sudore faciei et palpitatione cordis, *Cham.* 32, 13.
- caninæ famis cerebri accessus, *Op.* 204, 15.
- cantilense profanae, amatoriaæ, (*Hyos.* 157, 7.)
- in cantillationem propensio irresistibilis, delirii instar, *Cocc.* 114, 3.
- cantillatio, (*Stram.* 245, 10. 245, 17.) (*Bell.* 59, 12.)
- cum cautu pluratio alternans, (*Acon.* 12, 9.)
- in canthis ocalorum dolor, quasi ab excoriatione, *Cham.* 90, 3. *Nux v.* 195, 5.
- in cantho narium anteriori dolor lancinans ut ab exulcratione, *Camph.* 49, 8.
- in cantho oculorum interiori dolor pressorius, *Puls.* 224, 22.
- canthus, (*Bell.* 39, 12.) (*Stram.* 245, 10. 245, 17.)
- canthus oculi quasi purulentus, *Nux v.* 195, 4. *Cham.* 81, 4 — 7.
- canthus oculorum mane purulentus, *Cham.* 81, 4.
- canthus oculorum ut a vulnere dolorosus, *Nux v.* 195, 5.
- capere somnum non potest dormituriens, (*Op.* 213, 10.) capessere rem posse non putat; vertigo, *Puls.* 217, 4.
- dum capessitur aliquid manu aucta in digitis formicatio narcotica, *Op.* 202, 9.
- dum capessitur aliquid manu, brachiorum rigiditas stuporifica, *Cham.* 77, 6.
- capilli madore rigent, (*Bell.* 32, 2.)
- capilli, ante idioelectrici, nunc minime, *Bell.* 29, 12.
- capillitii et dorsi sudor, *Led.* 172, 17.
- capillorum casus per horam copiosus, tunc cessans, *Bell.* 29, 11.
- capillorum sudor, *Cinch.* 92, 6.
- in capite ardor et in facie, (*Verat.* 266, 11.).
- in capite ardor, corpore caeteroquin frigido, saltem non calido, *Aru.* 19, 18.
- in capite calor, *Ign.* 156, 11. *Dros.* 129, 14.
- in capite calor corpore caeteroquin frigido, saltem non calido, *Aru.* 19, 18.
- in capite calor et sensus in eo, quasi a sudore erupturo, cum horrore artuum et abdominis, *Camph.* 49, 5.
- in capite calor, genae rubrae et una horripilatio per totum corpus, *Acon.* 8, 1.
- in capite ictus aliqui, *Nux v.* 189, 12.

- in capite indolorifice tractórius motus hinc inde, *Nux v.*
188, 7.
- in capite pulsationes aliquae, *Cham.* 80, 20. *Nux v.* 189, 2.
 capite reclinato, somnus ejulatorius, inquietus, *Rh.*
236, 9.
- in capite sensus quasi ab aqua intus fluctuante, (*Bell.* 44, 16.)
- in capite sensus quasi a vacuo, *Ign.* 151, 4. *Nux v.* 187, 25.
- in capite sensus, quasi prolapsurus esset, inter pronatio-
 nem, *Puls.* 217, 8.
- in capite sensus crepitans in fronte vel temporibus, *Acon.*
4, 8.
- in capite sensus quasi a sudore erupturo cum horrore ar-
 tuum et abdominis, *Camph.* 49, 5.
- in capite (et thorace) sudor frigidus emanans, (*Verat.*
263, 5.)
- capitis acclinatio in alterutram partem, *Camph.* 49, 4.
- capitis calor (et manuum et pedum) sine siti, *Camph.*
50, 4.
- capitis calor internus et genarum rubor inter frigus cor-
 poris, *Nux v.* 189, 17.
- capitis calor internus cum vertigine quasi ab ebrietate,
Puls. 217, 1.
- inter capitis calorem et genarum ruborem horripilatio per
 totum corpus cum sapore integro, *Acon.* 8, 1.
- capitis convulsiones tremulæ, *Cocc.* 103, 16.
- capitis dolor (*Verat.* 263, 8.) (*Camph.* 55, 2.) (*Dig.*
127, 5.) (*Hyos.* 144, 7. 145, 6.) (*Op.* 216, 10.)
 (*Stram.* 249, 3. 11. 12.) (*Arn.* 23, 4.) (*Cop.* 117, 3.)
- post capitis dolorem frigus externum et internum et angor
 continuus, *Arn.* 20, 5.
- cum capitis dolore et dolore intestinorum quasi a contri-
 tione, contusione conspirans vomitatio, *Cocc.*
110, 20.
- capitis dolor dirus, (*Led.* 174, 23.) (*Verat.* 267, 15.)
- capitis dolor vehemens, (*Op.* 212, 3.)
- capitis dolor molestus, (*Melamp.* 177, 12.)
- capitis dolor plurium horarum, (*Hyos.* 142, 7.)
- capitis dolor continuus, atrox, (*Hyos.* 140, 7.)
- capitis dolor immanis et gravitas, (*Hyos.* 139, 11.)
- capitis dolores immanes, (*Cupr.* 122, 4.)
- capitis posterioris partis et colli dolor, (*Acon.* 10, 7.)
- capitis dolor Aëre libero adgravatus, pronatione in
 mensam levatus, pressorius in fronte cum crurum
 lassitudine inter adscensionem, *Nux v.* 188, 4.

- capitis dolor Aëre frigido summe augetur, *Cocc.* 108, 10.
 capitis dolor, quasi ab Atflatu aëris nimis calidi, *Puls.*
 219, 3.
 capitis dolor ut ab Agrypnia et crapula, *Puls.* 227, 1.
 capitis dolor, sive sensus in cerebro quasi ab Aqua
 fluctuante, (*Bell.* 44, 16.)
 capitis (dolor) Ardor, (*Acon.* II, 11.)
 capitis dolor Ardens inter trunci erectionem, *Melamp.*
 176, 1.
 capitis dolor Ardens, quasi cerebrum aqua bulliente
 commoveretur, (*Acon.* II, 11.)
 capitis dolor Ardens subter frontem, *Nux v.* 188, 3.
 capitis dolor cum Ardore pressorius, distendens, *Arn.*
 20, 2.
 capitis dolor ex Ardente, constringente, lacerante, fo-
 diente compositus, *Cocc.* 109, 15.
 capitis dolor, Attentione fixa, meditatione, et motu
 capitis minimo et loquela auctus, quasi vulneratum
 esset cerebrum, (*Cinch.* 96, 13.)
 capitis dolor Arteriarum pulsu auctus, *Ign.* 151, 14.
 (*Puls.* 220, 13.)
 capitis dolor, Casuri quasi essent oculi e capite, *Acon.*
 4, 2.
 capitis dolor, Casuri quasi essent oculi e capite, disrup-
 torius, *Puls.* 226, 14.
 capitis dolor, Cerebrum quasi foras exprimeretur,
Acon. 4, 3.
 capitis dolor, quasi Cerebri pars modo hic, modo illic
 tollatur, motu parvo et loquela et potu excitandus,
 augendus, *Acon.* 4, 4.
 capitis dolor Cibo auctus, *Cocc.* 113, 12.
 capitis dolor quasi a Clavo per tempora transfixo, cum
 sudore universalis, languore subsequio, *Arn.* 20, 7.
 capitis dolor, Conquassationis sensus in cerebro, inter
 eundum, *Nux v.* 188, 2.
 capitis dolor quasi a Constrictione cerebri, *Camph.*
 50, 6.
 capitis dolor Constrictorius, *Stram.* 240, 20. *Nux v.*
 188, 14.
 capitis dolor Constrictorius, pedibus, manibusque fri-
 gidis fronte calida, *Camph.* 50, 6.

- capitis dolor Constrictorius, pronatione, decubitu et pressione externa auctus, *Camph.* 49, 4.
- capitis dolor Constrictorius inter coma, calorem totius corporis magnum, venas tumidas, respirationem citissimam, sitim nullam, et dorsi dolorem quasi a contritione, *Camph.* 50, 7.
- capitis dolor e Constringente, ardente, lacerante, fodiente compositus, *Cocc.* 109, 15.
- capitis dolor, cerebrum vinculo quasi Constringens, *Cocc.* 109, 13.
- capitis dolor quasi a Contritione, *Camph.* 49, 3.
- capitis dolor quasi a Contritione (in fronte) cum infatuatione capitis, *Puls.* 220, 4.
- capitis dolor ex Contritione et pressione compositus, hinc inde in cerebro, *Verat.* 258, 2.
- capitis dolor quasi a Contusione, *Ign.* 158, 13. *Camph.* 49, 3.
- capitis dolor quasi a Contusione cerebri et cranii per omnia capitis ossa ad linguae radicem usque pertingens, nauseabundus, *Ip.* 164, 17.
- capitis dolor e Contusione et gravitate compositus, *Cham.* 80, 22.
- capitis dolor quasi a Crapula obnubilans, in temporibus pressorius, *Acon.* 4, 1.
- capitis dolor ut a Crapula et agrypnia, *Puls.* 227, 1.
- capitis (dolor) sensus Crepitans in fronte vel temporibus, *Acon.* 4, 8.
- capitis dolor, Crepitans fragor in hemicranio sinistro, *Cham.* 81, 1.
- capitis dolor, Crepitus cerebri inter eundum, ad pulsum arteriarum modulatus, *Puls.* 226, 12.
- capitis dolor quasi a Debilitate corporis, obnubilans, *Ilyos.* 151, 1.
- capitis dolor, Decubitu, pronatione et pressione externa auctus, constrictorius, *Camph.* 49, 4.
- capitis dolor lancinans in occipite, Decubitu exasperatus, erectione trunci evanidus, *Puls.* 227, 3.
- capitis dolor, Decubitu in dorso levatus, in occipite lacerans, *Ign.* 151, 8.
- capitis dolor, Decubitu exasperandus, sessu levandus, lacerans in oculis, *Led.* 172, 17.
- capitis dolor Decumbere cogens, dormituriens, vocem submittens, quasi **cerebrum** foras exprimeretur, *Bell.* 26, 20.

- capitis dolor, Delirio evanido, (*Acon.* 10, 9.)
 capitis dolor Depressorius in vertice, *Cupr.* 118, 3.
 capitis dolor Dilacerans, eundo auctus, ad nasi radicem
 et maxillam superiorem protensus, *Nux v.* 183, 9.
 capitis dolor Disruptorius, quasi oculi e capite casuri
 essent, *Puls.* 226, 14.
 capitis dolor, quasi Disrumperetur cranium inter tus-
 sim, *Nux v.* 196, 9.
 capitis dolor, quasi Disruimperetur cranium, maxime in
 temporibus inter motum, *Caps.* 67, 17.
 capitis dolor Discindens, *Puls.* 226, 13.
 capitis dolor Distendens, pressorius, cum ardore, *Arn.*
 20, 2.
 capitis dolor Distendenti strictorius obtusus et obnubi-
 lans, *Rh.* 235, 7.
 capitis dolor Distendens quasi tempora, *Ign.* 151, 12.
 capitis dolor Distendens in fronte seu quasi a plenitu-
 dine, *Caps.* 67, 25.
 capitis dolor Distendens in fronte, *Caps.* 67, 26.
 capitis dolor ut ab Ebrietate hesterna et infatuatio-
 Puls. 220, 3.
 capitis dolor lancinans in occipite Erectione trunci eva-
 nidus, *Puls.* 227, 3.
 capitis dolor Erectione trunci exasperatus, pronatione
 alta pacatus, quasi caput sanguine turgeret, gravi-
 tas, in occipite lacetans dolor, *Ign.* 151, 8.
 capitis dolor ardens inter Erectionem trunci, *Melamp.*
 176, 1.
 capitis dum Erectum est, infatuatio, dum vero prona-
 tur, sensus quasi a fronte prolabente, *Nux v.* 185, 8.
 capitis dolor quasi foras Exprimeretur cerebrum, *Acon.*
 4, 3.
 capitis dolor, quasi foras Exprimeretur cerebrum, sub-
 lationem oculorum impeditus, decumbere cogens,
 pupillas contrahens, dormituriens, vocem submit-
 tens, *Bell.* 28, 20.
 capitis dolor Externus, *Nux v.* 183, 6. *Hp.* 164, 3. 11.
 capitis dolor Externus crani osteocopus et tactu ma-
 xime dolorifici, *Mez.* 180, 17.
 capitis dolor Ferox, saeviens, *Led.* 169, 9.
 capitis dolor Ferox, post stupiditatem et lacerantia tor-
 mina, *Cham.* 76, 1.
 capitis dolor, quasi Fissum esset cerebrum, *Nux v.*
 189, 1.

- capitis sensus, quasi ab aqua intus Electuante, (*Bell.*
44, 16.)
- capitis dolor e Fodiente, constringente, ardente, lace-
rante compositus, (*Cocc.* 109, 15.)
- capitis dolor Formicans in vertice, (*An.* 20, 10.)
- capitis dolor Formicans in vertice cum depressionis
sensu, (*Copr.* 118, 7.)
- capitis dolor Formicanus, post pulsatorio lancinantem,
in frontis sinistram eminentia, (*Cocc.* 110, 1.)
- capitis dolor, cum Formicatione et gravitate cerebri,
stricterius et cum visus et auditus abolitione, (*Puls.*
220, 12. 227, 15.)
- capitis dolor, quasi Fractum esset cerebrum, aut pars
eius, (*Verat.* 257, 19.)
- capitis dolor, Fragor crepitans in hemicranio sinistro,
Cham. 81, 1.
- capitis dolor, Frigido aere summe anctus, (*Cocc.* 108, 10.)
- capitis dolor, Frigus in vertice et simul in pedibus,
Verat. 254, 4.
- capitis dolor, Glocitationis sensus in cerebro inter eun-
dum, (*Nux v.* 188, 2.)
- capitis dolor Gravedinosus, (*Cinch.* 96, 10. 12.)
- capitis dolor in fronte ut in Gravedine, (*Cinch.* 96, 10.)
- capitis dolor in temporibus ut in Gravedine, (*Cinch.* 96, 12.)
- capitis dolor quasi a Gravedine vespertinus, tum calidus
in lecto siccus et coma somnolentum cum phantasillis
delirantibus, (*Puls.* 227, 2.)
- capitis Gravitas, (*Camph.* 55, 15.) (*Cham.* 80, 21. *Ign.*
151, 8. 10. *Puls.* 220, 12. (*Cinch.* 102, 18.) (*Acon.*
15, 3.) (*Hyos.* 145, 5. 146, 11. 148, 2.) (*Nux v.*
185, 7.)
- capitis Gravitas quasi sanguine turgidi, cum dolore in
occipite lacerante, pacato pronatione alta, per ere-
ctionem exasperato, (*Ign.* 151, 8.)
- capitis Gravitas matutina, ebriosa, vertiginosa, (*Nux v.*
185, 7.)
- capitis dolor cum Gravitate et formicatione cerebri,
stricterius, et visus et auditus abolitione, (*Puls.*
220, 12. 227, 15.)
- capitis dolor ex Gravitate et contusione compositus,
Cham. 80, 22.
- capitis Gravitas et circumgyratio, (*Verat.* 264, 11.)
- capitis Gravitas et dolor insignis, (*Hyos.* 139, 11.)
- capitis Gravitas et obnubilatio, (*Hyos.* 140, 19.)

- capitis dolor Hystericus, nausea stipatus, hemicrania,
Caps. 68., 2.
- capitis dolor quasi ab Ictu, *Led.* 169, 8.
- capitis dolor, Ictus aliqui in capite, *Nux v.* 189, 2.
- capitis dolor quasi ab Inanitione et vacuo cerebri, *Nux v.* 187, 23. *Ign.* 151, 4.
- capitis dolor et Infatuatio quasi ab ebrietate hesterna, *Puls.* 220, 3.
- capitis dolor Infatuatio ebriosa cum pavore concussorio, et meticulositate, *Nux v.* 186, 16.
- capitis dolor Infatuatio cum angore calore interno volatrico, et pondere in abdomen, *Op.* 205, 2.
- capitis dolor Infatuatio, cogitationes evanidae, *Puls.* 220, 4.
- capitis dolor Infatuatio et dolor quasi a contritione in fronte, *Puls.* 220, 4.
- capitis dolor Infatuatio dum erectum est caput, dum vero pronatur, sensus in fronte quasi a pondere prolabente, *Nux v.* 185, 8.
- capitis Infatuatio, quasi se ipsum non nosceret, ex somno expersiscentis, (*Caps. 64.*, 2.)
- capitis dolor quasi ab Ingluvie nimia, *Puls.* 226, 16.
- capitis dolor Integumentorum, tactu exasperandus, *Nux v.* 188, 6.
- capitis dolor disruptorius ab Itione et motu capitis, *Caps. 67.*, 17.
- capitis dolor Lacerans in occipite, qui mitior fit inter decubitum in dorso, exasperatus erectione trunci et capitis et pacatus alta pronatione capitis, *Ign.* 151, 8.
- capitis dolor Lacerans ex nucha in frontem tendens, *Mer.* 180, 13.
- capitis dolor Lacerans, (*Caps. 67.*, 28.) (*Arn.* 22, 1.)
- capitis dolor Lacerans cum chemosi, febri vespertina, et appetitu integro, *Led.* 172, 17.
- capitis dolor Lacerans in temporibus alterutribus, hemicrania, *Cham.* 80, 10.
- capitis dolor Lacerans in occipite et hemicranio sinistro, cum genis tumidis ardentibus et oculis inflammatis, *Led.* 172, 4.
- capitis dolor Lacerans (frontis), tactu exasperandus, *Ip.* 164, 11.
- capitis dolor Lacerans (frontis) et vomitritivus cum exspiratione cito, sopore somni expertise, et impotentia oculos aperiendi, *Cham.* 74, 17.

- capitis dolor Lacerans in fronte, vertice, oculis, cum
nausea vomituriante, deliquescentia cordis et infir-
mitate loquelae organi, *Nux v.* 188, 8.
capitis dolor Lacerans in occipite, (*Arn.* 22, 1.)
capitis dolor Lacerans in occipite, maxime ab aere fri-
gido, *Hyos.* 151, 5.
capitis dolor e Lacerante, constringente, ardente, fo-
diente compōsitus, *Cocc.* 109, 15.
capitis dolor Laceranti strictorius, hemicrania, *Cham.*
80, 9. *Nux v.* 188, 10.
capitis dolor Lacerans post pressorium, *Rh.* 235, 8.
capitis dolor Laceranti pressorius, *Camph.* 49, 1.
capitis dolor Laceranti punctorius in temporibus iden-
tideū reiterans, *Arn.* 20, 8.
capitis dolor Lacerans et lancinans in fronte per vices
repetens, *Cham.* 80, 11.
capitis dolor Lacerans et lancinans, per tempora pene-
trans, *Arn.* 20, 8.
capitis dolor Laceranti vulsorius, pronatione et tussi
auctus, (*Arn.* 20, 9.)
capitis dolor Lancinans, hemicrania, *Puls.* 227, 3.
capitis dolor Lancinans ut a refrigerio, hemicrania,
Cham. 80, 15.
capitis dolor in occipite Lancinans per aures, *Puls.*
226, 4.
capitis dolor in occipite Lancinans, decubitu exaspera-
tus, erectione trunci evanidus, *Puls.* 227, 3.
capitis dolor Lancinans et lacerans, per tempora pene-
trans, *Cham.* 80, 12.
capitis dolor Lancinans et lacerans in fronte per vices
repetens, *Cham.* 80, 11.
capitis dolor Lancinans, (*Puls.* 234, 10.) *Val.* 252, 2.
capitis dolor Lancinans ex fronte per oculos penetrans,
Puls. 225, 1.
capitis dolor Lancinans in pressorium transiens, *Ip.*
165, 14.
capitis dolor longus Lancinanti pressorius, *Val.* 252, 3.
capitis dolor Lancinans in vertice et fronte, *Mez.*
180, 16.
capitis dolor Lancinanti pressorius in fronte et tem-
poribus unius lateris, *Cinch.* 96, 14.
capitis dolor Lancinanti pressorius, motu auctus, nau-
seabundus, *Caps.* 63, 2.

- capitis dolor Lancinanti pressorius, vomituriens, supra orbitas, in maxillam superiorem tendens, *Acon.* 3, 12.
- capitis dolor Lancinanti pulsatorius, ut ab ulcere interno, per accessus loqui impediens, *Acon.* 4, 5.
- capitis dolor Lancinatibus constans, in dextro hemicranio, *Camph.* 49, 6.
- capitis dolor Lancinanti pulsatorius, dirus, parvi spati, reiterans, in formicantem desimens, *Cocc.* 110, 1.
- capitis dolor Lancinatibus obtusis seu pressoriis cerebrum permicans, *Bell.* 29, 1.
- capitis dolor, Lancinatibus singulis, volaticis constans (in dextro hemicranio), *Cham.* 30, 13.
- capitis dolor Loquela auctus, *Ign.* 151, 15. *Cocc.* 113, 12.
- capitis dolor Loquela auctus, quasi a vulnere cerebri, (*Cinch.* 96, 13.)
- capitis dolor Meditatione fixa, attentionem motu capitis et loquela auctus, quasi a vulnere cerebri, (*Cinch.* 96, 13.)
- capitis dolor hinc illinc Migrans, *Cinch.* 96, 9.
- capitis dolor Loquela, Motu parvo et potu augendus, quasi cerebrum hinc inde tollatur, *Acon.* 4, 4.
- capitis disruptorius dolor in temporibus a Motu capitis et itione, *Caps.* 67, 17.
- capitis dolor quasi vulneratum esset cerebrum, Motu minime capitis et loquela auctus, (*Cinch.* 96, 13.)
- capitis dolor, inter (Motum) eundum glotitationis vel conquassationis sensus in cerebro, *Nux v.* 188, 2.
- capitis dolor a Motu oculorum, caloris universalis sensus, genae rubrae, scurrilitas, *Acon.* 7, 20.
- capitis dolor per Motum, quasi cranium disrumperetur, maxime in temporibus, *Caps.* 67, 13.
- capitis dolor Motu evanidus, quiete excitatus, punctarius magis, quam lacerans, *Caps.* 67, 23.
- capitis dolor Nauseabundus et quasi a contusione, *Ip.* 164, 17.
- capitis dolor a Nucha ad verticem confluens, *Melamp.* 175, 12.
- capitis Obnubilatio, (*Stram.* 48, 2.) (*Cinch.* 102, 10. 104, 9.) (*Op.* 206, 1.) (*Hyos.* 145, 4.)
- capitis Obnubilatio cum tumoribus glandularum in nucha, *Bell.* 25, 6.

capititis Obnubilatio post pastum, et potum, *Cocc.*
 ^{107, 15.}
 capititis dolor Obnubilans, quasi a debilitate corporis,
Hyos. 131, 1.
 capititis dolor Obnubilans, obtusus et strictorio disten-
 dens maxime in vertice et temporibus, *Rh.* 235, 7.
 capititis dolor Obnubilans, quasi a crapula, in tempori-
 bus pressorius, *Acon.* 4, 1.
 capititis dolor cum Obnubilatione, (*Stram.* 248, 2.)
 capititis Obnubilatio cum narcosi manuum paralytica,
 frigida, et aëris hyperaesthesia, quasi refrigerium
 nasciturum sit, *Cham.* 77, 7.
 capititis Obnubilatio et gravitas, (*Hyos.* 140, 19.)
 capititis dolor Obnubilanti pressorius ut a crapula,
 Acon. 4, 1.
 capititis Obtenebratio, *Nux v.* 185, 1. *Hyos.* 131, 1.
 capititis Obtenebratio ebriosa, *Nux v.* 185, 1. (*Bell.*
 55, 1.)
 capititis dolor Obtuse pressorius, mane, *Verat.* 257, 18.
 capititis dolor Obtusus, vomituriens, *Camph.* 50, 5.
 capititis dolor Obtusus in fundo cerebri, *Hyos.* 131, 4.
 capititis dolor Obtusus, *Camph.* 50, 5. *Hyos.* 131, 3.
 Rh. 235, 7. (*Stram.* 250, 13.)
 capititis dolor Obtusis lancinatibus, et pressoriis cere-
 brum hinc illinc permicans, *Bell.* 29, 1.
 capititis dolor Obtusus in fronte, maxime in meningibus
 cerebri, *Hyos.* 131, 3.
 capititis dolor, quasi Oculi e capite casuri sint, disrupto-
 rius (hemicrania), *Puls.* 226, 14.
 capititis dolor, quasi Oculi casuri sint, punctoriis, *Cham.*
 80, 17.
 capititis dolor, quasi Oculi e capite casuri sint, *Acon.* 4, 2.
 capititis dolor, Oculorum apertione auctus, strictorio ten-
 sivus in fronte, *Puls.* 226, 11.
 capititis dolor, Oculorum sublatione auctus, punctorias
 cum faciei calore et siri, *Arn.* 20, 6.
 capititis dolor, Oculorum resupinatione invalescens,
 pressorio lancinans, *Caps.* 68, 2.
 capititis dolor, Oculorum sublationem impediens, quasi
 cerebrum foras exprimeretur, *Bell.* 28, 40.
 capititis dolor ab Oculorum motu, caloris universalis
 sensus, genae rubrae, scurrilitas, *Acon.* 7, 20.
 capititis Ossium dolor, ad radicem linguae usque nau-
 seabundus, *Ip.* 164, 17.

- capitis dolor Osteocopus cranii et tactu externe dolorifici, *Mez.* 180, 17.
- capitis dolor Palpebrarum depressione emergens, qualis post vomitum usu venit, *Nux v.* 180, 6.
- capitis dolor Penetrans, *Melamp.* 176, 1.
- capitis dolor quasi a Pondere prolabente in fronte, dum caput pronatur, *Nux v.* 185, 8; 188, 5.
- capitis dolor Potu auctus, *Cocc.* 113, 12.
- capitis dolor Potu augendus, excitandus, quasi cerebri pars modo hic, modo illic tollatur, *Acon.* 4, 4.
- capitis dolor ut a Pervigilio et crapula, *Puls.* 227, 1.
- capitis dolor, ut a Pervigilatione et insomnia, vappiditas capitis et corporis torpor, *Cinch.* 93, 5.
- capitis dolor constrictorius, Pressione externa, decubitu et pronatione auctus, *Camph.* 49, 4.
- capitis dolor ex Pressione et contritione compositus, hinc inde in cerebro, *Verat.* 253, 2.
- capitis dolor Pressorius, *Dios.* 128, 7. (*Ip.* 165, 1.)
- capitis dolor Pressorius inter evigilandum, cuni ore mucinoso, brevi ambo evanida, *Bell.* 27, 11.
- capitis dolor Pressorius post punctionem in pectoris lateret et pulsationem in scrobiculo (una angor et morositas), *Acon.* 2, 6.
- capitis dolor Pressorius, quasi cerebrum foras exprimeretur, paulo supra orbitas in fronte, sublationem oculorum impediens, decumbere cogens, pupillas maxime contrahens, dormituriens, vocem submitens, *Bell.* 23, 20.
- capitis dolor Pressorius in fronte supra-nasi radicem, qui caput deprimere cogit, *Ign.* 151, 9.
- capitis dolor Pressorius cum ventriculi dolore conexus, hemicrania, *Verat.* 257, 20.
- capitis dolor Pressorius in lacerantem transiens ad occiput usque, *Rh.* 235, 8.
- capitis dolor Pressorio lacerans, *Camph.* 49, 1.
- capitis dolor Pressoriis sive obtusis lancinatibus cerebrum hinc illuc permicans, *Bell.* 29, 1.
- capitis dolor Pressorio lancinans, *Val.* 252, 3.
- capitis dolor Pressorius in fronte, *Arn.* 20, 3.
- capitis dolor Pressorius in fronte, a pronatione in mensam allevatus, in aere libero aggravatus cum crurum lassitudine inter adscensionem, *Nux v.* 188, 4.
- capitis dolor Pressorius in temporibus, *Ign.* 151, 12, 13.
Caps. 67, 2^o.

- capitis dolor Pressorius interdum cum somno profundo,
Ign. 151, 13.
 capitis dolor Pressorio distendens cum ardore, *Arn.* 20, 2.
 capitis dolor Pressorio lancinans, respiratione oculorum invalescens nauseahundus, *Caps.* 63, 2.
 capitis dolor obtuse Pressorius (in vertice) mane post somnum, *Verat.* 257, 18.
 capitis dolor Pressorius cum ardore et distendens, *Arn.* 20, 2.
 capitis dolor Pressorio lancinans in fronte et temporibus unius lateris, *Cinch.* 96, 4.
 capitis dolor Pressorius in pulsatorio pressorium transiens, *Arn.* 20, 4.
 capitis dolor Pressorius supra orbitam cum aestuatiue ejulatoria, et calore corporis totius, exceptis manibus, *Puls.* 219, 11.
 capitis dolor Pressorio pulsatorius, *Verat.* 257, 17.
 capitis dolor Pressorius in fronte vel temporibus, *Caps.* 67, 20, 21. *Ign.* 151, 9, 13.
 capitis dolor Pressorius in temporibus, caetera obnubilans, ut a crapula, *Acon.* 4, 1.
 capitis dolor Pressorius in nasi radice, ad latus migrans, *Cinch.* 96, 11.
 capitis dolor Pressorius et aliquantum strictorius supra orbitam dextram et nasi radicem, pronatione alta emergens, *Ign.* 156, 10.
 capitis dolor Pressorius in pronatione, *Puls.* 226, 15.
 capitis dolor Pressorius in alterutro hemicranio, *Bell.* 28, 19.
 capitis dolor in Pressorium transiens, punctorio lancinans, *Ip.* 165, 14.
 capitis dolor Pressorius e somno exergiscentis, brevi evanidus, *Bell.* 27, 11.
 capitis dolor Pressorio pulsatorius, in fronte, post somnum, *Mer.* 180, 14.
 capitis dolor Pressorio pulsatorius post mero pressorium, *Arn.* 20, 4.
 capitis dolor quasi a pondere Prolabente inter Pronationem, *Nux v.* 185, 8, 188, 5.
 capitis dolor sive, quasi Prolapsurus sit, sensus inter Pronationem, *Puls.* 217, 8.
 capitis dolor sive a Prolabente quasi fronte sensus dum pronatur caput, dum vero erectum est, infatuatio, *Nux v.* 185, 8.
 capitis dolor Pronatione auctus, *Ign.* 156, 9.

- capitis dolor Pronatione alta emergens, pressorius et aliquantum strictorius supra orbitam dextram et nasi radicem, *Ign.* 156, 10.
- capitis dolor Pronatione alta pacatus, erectione trunci exasperatus, inter decubitum in dorso mitescens, in occipite lacerans, *Ign.* 151, 8.
- capitis dolor Pronatione trunci magna levatus, *Mer.* 180, 15.
- capitis dolor a Pronatione in mensam allevatus, in aere libero adgravatus, pressorius in fronte, *Nux v.* 188, 4.
- capitis dolor Pronatione et tussi auctus, vnlsorio lacerans, *Arn.* 20, 9.
- capitis dolor in Pronatione pressorius, *Puls.* 226, 15.
- capitis dolor inter Pronationem sensus, quasi prolapsus sit, *Puls.* 217, 8.
- capitis dolor, Pronatione, decubitu et pressione externa auctus, constrictorius, *Camph.* 49, 4.
- capitis dolor Pulsatorius, Pulsationes aliquae in capite, *Cham.* 80, 20. *Nux v.* 189, 2.
- capitis dolor Pulsatorius, *Ign.* 151, 11. *Camph.* 49, 2. *Rh.* 235, 9. *Acon.* 4, 7. *Cham.* 80, 18, 19.
- capitis dolor Pulsatorius in fronte sinistra, in fronte dextra, ierbibus fortibus per accessus, *Acon.* 4, 7.
- capitis dolor Pulsatorius supra oculum sinistrum, *Verat.* 257, 16.
- capitis dolor Pulsatorio pressorius, *Verat.* 257, 17.
- capitis dolor Pulsatorio pressorius post somnum, *Mer.* 180, 14.
- capitis dolor Pulsatorio pressorius, post mere pressorium, *Arn.* 20, 4.
- capitis dolor quasi a Pulsatione arteriarum cerebri, *Puls.* 220, 13.
- capitis dolor interrupte Pulsatorius, *Verat.* 257, 15.
- capitis dolor Pulsatorius, Pulsus arteriarum in cerebro vehementer dolorosus, *Acris* 16, 7.
- capitis dolor Pulsu arteriarum auctus, *Ign.* 151, 14.
- capitis dolor Pulsatorius in fronte vel in temporibus, *Caps.* 67, 17, 18.
- capitis dolor Pulsatorio terebrans, *Caps.* 67, 24.
- capitis dolor hinc inde minutum Pulsatorius, *Acon.* 4, 6.
- capitis dolores Pulsatorii volatici (hemicrania), *Cham.* 80, 18.
- capitis dolor Pulsatorio lancinans, dirus, parvi spatii, reiterans, in formicantem desinens, *Cocc.* 110, 1.

capititis dolor Pulsatorio lacerans, ut ab ulcere interno,
 per accessus loqui impediens, *Acon.* 4, 5.
 capititis dolor Pulsu arteriarum auctus, *Ign.* 151, 14.
 (*Puls.* 220, 13.)
 capititis dolor Punctorius, *Cham.* 80, 16. *Caps.* 67, 22.
 Hyos. 131, 6.
 capititis dolor Punctorius, quasi oculi casuri essent,
 Cham. 80, 17.
 capititis dolor Punctorius in temporibus, *Cocc.* 109, 14.
 capititis dolor Punctorius in fronte, tactu exasperandus,
 Ip. 164, 3.
 capititis dolor Punctorius in fronte, sublatione oculorum
 auctus, cum faciei calore et siti, *Arn.* 20, 6.
 capititis dolor Punctorio lacerans in temporibus, identi-
 dem reiterans, *Arn.* 20, 8.
 capititis dolor Punctorius magis quam lacerans, motu
 evanidus, quiete excitatus, *Caps.* 67, 23.
 capititis dolor Punctorius volatice, lacerans, in presso-
 rium transiens, *Ip.* 165, 14.
 capititis dolor, Quiet excitatus, motu evanidus, puncto-
 rius magis quam lacerans, *Caps.* 67, 23.
 capititis dolor ut a Refrigorio, lacerans, hemicrania,
 Cham. 80, 15.
 capititis dolor Saeviens, ferox, *Led.* 169, 9.
 capititis dolor, Sessu levandus, decubitu exasperandus,
 dolor lacerans in oculis inflammati, *Led.* 172, 17.
 capititis dolor, e Somno expurgiscentis infatuatio, quasi
 se ipsum non nosceret, *Caps.* 64, 2.
 capititis dolor e Somno expurgiscentis, pressorius, brevi
 evanidus, *Bell.* 27, 11.
 capititis dolor Somno augetur, *Cocc.* 113, 12.
 capititis dolor post Somnum pressorio pulsatorius in fron-
 te, *Mez.* 180, 14.
 capititis dolor post Somnum obtuse pressorius in vertice,
 Verat. 257, 18.
 capititis dolor Strictorio lacerans, *Nux v.* 188, 10.
 capititis dolor Strictorio lacerans, hemicrania, *Cham.*
 80, 9.
 capititis dolor Strictorius (tractorius), *Nux v.* 188, 12, 13.
 capititis dolor Strictorio tensivus in fronte, apertione
 oculorum auctus, *Puls.* 226, 11.
 capititis dolor Strictorius in fronte, *Caps.* 67, 27.
 capititis dolor Strictorius cum oculo uno lacrymante,
 Puls. 224, 19.

- capititis dolor Strictorio distendens, obnubilans et obtusus, maxime in vertice et temporibus, *Rh.* 235, 7.
 capititis dolor Strictorius cum gravitate et fornicatione cerebri et visus et auditus abolitione, *Puls.* 220, 12.
 227, 15.
 capititis dolor Strictorius in temporibus, tum in fronte, tum in occipite, *Nux v.* 188, 13.
 capititis dolor aliquantum Strictorius, pressorius supra orbitam dextram, et nasi radicem, pronatione alta emergens, *Ign.* 156, 10.
 capititis dolor Stuporificis, *Led.* 169, 10.
 capititis dolor Tactu (pressione externa) auctus, *Camph.*
 49, 4.
 capititis dolor integumentorum Tactu exasperandus, *Nux v.* 188, 6. 195, 2.
 capititis (cranii) dolor osteocopus et, Tactu maxime, externe dolorifici, *Mez.* 180, 17.
 capititis dolor puncrorius in fronte, Tactu excitandus, *Ip.* 164, 3.
 capititis dolor Tactu exasperandus, lacerans in fronte,
 Ip. 164, 11.
 capititis dolor continuus in calotta Tactu aggravatus,
 Nux v. 195, 2.
 capititis dolor in Temporibus lacerans, hemicrania, *Cham.*
 80, 10.
 capititis dolor Tensivus, (*Ip.* 165, 2.)
 capititis dolor Tensivo strictorius, apertione oculorum auctus, *Puls.* 226, 11.
 capititis dolor e Terebrante, fodiente, constringente, ardente, lacerante compositus, *Cocc.* 109, 15.
 capititis dolor Terebranti pulsatorius, *Caps.* 67, 24.
 capititis dolor Trahens hinc illine in cerebro, *Cinch.* 96, 9.
 capititis dolor inter Tussim, quasi cranium disrumpetur, *Nux v.* 196, 9.
 capititis dolor ut ab Ulcere interno, lancinanti pulsatorius, per accessus loqui impediens, *Acon.* 4, 5.
 capititis dolor quasi a Vacuo et inanitione cerebri, *Nux v.* 187, 23. *Ign.* 151, 4.
 capititis Vappiditas, ebrietas, temulentia, *Led.* 169, 5.
 capititis Vappiditas et torpor corporis, qualis ex pervigilatione et insomnia, *Cinch.* 93, 5.
 capititis dolor Vehemens, (*Bell.* 42, 6.)
 capititis dolor, a Ventriculo quasi corrupto, carne nimis pingui ingurgitata, *Puls.* 226, 16.

- capitis in Vertice frigoris sensus et simul in pedibus,
Verat. 254, 4.
- capitis dolor a nucha ad Verticem confluens, *Melamp.*
 175, 12.
- capitis dolor Vespertinus ut a gravedine, tum calor sic-
 cus in lecto et coma somnolentum cum phantasiis
 delirantibus, *Puls.* 227, 2.
- capitis dolor post Vomitum qui usu venit, depressione
 palpebrarum emergens, in medio cerebri, *Nux v.*
 183, 1
- capitis dolor Vomituriens, in fronte lacerans, cum sopor-
 re somni experte et exspiratione cito, *Cham.* 74, 17.
- capitis dolor Vomituritivus. *Ip.* 164, 17. *Cocc.* 110, 20.
 . *Acon.* 3, 12. 13. *Caps.* 6g, 2. *Nux v.* 183, 8.
- capitis dolor Vomituritivus obtusus, *Camph.* 50, 5.
- capitis dolor quasi a Vulnere, *Camph.* 49, 3.
- capitis dolor, quasi a Vulnere cerebri, motu minimo
 capitis, et capitis partium maxime attentione et me-
 diatione fixa et loquela auctus, (*Cinch.* 96, 13.)
- capitis dolor, Vulsiones singulae in temporibus, *Op.*
 204, 117.
- capitis dolor Vulsorio-lacerans pronatione et tussi au-
 ctus, (*Arn.* 20, 3.)
- capitis Gravitas, vide *capitis dolor.*
- capitis infatuatio, vide *capitis dolor.*
- capitis integrumentorum dolor, vide *capitis dolor.*
- capitis ossium dolor, vide *capitis dolor.*
- capitis perturbatio, *Arn.* 17, 6.
- capitis reclinatio in latus, *Cinch.* 93, 10.
- capitis solius rubor et calor, *Bell.* 26, 22.
- capitis sudor frigidus, (*Camph.* 55, 9.)
- capitis turbatio, (*Op.* 216, 2.)
- capitis turbatio, vera notitia nullius rei, eorum quae
 legit sensum assequi non potest, (*Op.* 214, 8.)
- capitis tremulae convulsiones, *Cocc.* 108, 16.
- capitis tumor, (*Nux v.* 200, 8.) (*Bell.* 41, 12.)
- capiitis vappiditas, vide *capitis dolor.*
- capitis et artuum vulsiones singulae cum febri soporosa
 (matutina), *Cham.* 75, 14.
- captabant obvia, casura enim fore clamantes, (*Hyos.*
 143, 20.)
- captantes manus, (*Stram.* 250, 2.)
- captat modo violenter obvia, modo timide et retrahit,
 (*Bell.* 36, 18.)

- capitat temere hinc inde, (*Hyos.* 139, 7.)
 captatio somni frustranea, (*Bell.* 31, 12.)
 quasi captatura aliquid brachia et manus, interdum protensa, (*Bell.* 36, 1.)
 ad caput adscendens calor internus, sine siti, *Ign.* 156, 12.
 ad caput adscendens calor internus, cum siti aquae, post horripilationem vespertinam, *Led.* 172, 17.
 ad caput congestio insignis, (*Camph.* 56, 6.)
 ad caput congestio sanguinis, (*Stram.* 250, 7.) *Ign.* 151,
 8. 10. *Camph.* 50, 3. *Bell.* 26, 21. (*Bell.* 40, 8.)
Cinch. 95, 9. (*Nux v.* 200, 8.)
 ad caput congestio sanguinis et facies rubra, tumida cum pedibus frigidis, *Bell.* 26, 21.
 ad caput congestio sanguinis inter pronationem, *Verat.*
 256, 1.
 ad caput congestio sanguinis insignis, (*Camph.* 52, 12.)
 ad caput congestio sanguinis frons calida, artibus frigidis,
Cinch. 95, 9.
 caput depicimere qui cogit dolor in fronte supra nasi radicum pressorium tuncque vomituritio, *Ign.* 151, 9.
 caput erigendi impotentia in dorso reclinati, ob vertiginem et scotomiam, *Nux v.* 189, 3.
 caput grave, *Ign.* 151, 5. *Cham.* 80, 21. (*Acon.* 13, 3.)
(Cinch. 102, 18. (*Hyos.* 145, 5. 146, 8. 148, 2.)
(Camph. 45, 15.) *Puls.* 220, 12.)
 caput grave et obnubilatum, *Dros.* 128, 6. (*Hyos.*
 140, 19.)
 caput obnubilatum et obtenebratio ea, quae a nimia debilitate corporis in caput adscendere solet, *Hyos.*
 154, 1.
 caput obnubilatum, vide *capitis dolor.*
 caput obstipum, et versus humerum oblique revulsum,
Camph. 47, 11.
 caput obtenebratum et inebratio quasi a vino nimio cum tumore et rubore faciei, (*Bell.* 35, 1.)
 caput propendulum, *Ign.* 151, 6.
 pone caput porrecta brachia inter somnum, *Verat.* 256, 16.
 caput reclinatum, *Op.* 202, 8
 caput reclinatum inter somnum, *Rh.* 236, 9.
 caput sanguine turgidum, *Ign.* 151, 8. 10. *Camph.* 50,
 3. *Cinch.* 95, 9.
 caput suffultum mensa, *Ign.* 151, 7.
 caput sustentare nequit, *Puls.* 226, 10.
 caput tumidum, (*Nux v.* 200, 8.) (*Cupr.* 121, 10.)

- cardialgia, vide et *ventriculus*. (*Acris* 16, 13. *Camph.*
 48, 16. *Verat.* 258, 12. (*Verat.* 265, 13.) *Puls.*
 228, 10. (*Melamp.* 178, 8. (*Arn.* 23, 8. 23, 11.)
 Arn. 18, 18. (*Bell.* 34, 2. 41, 18.)
 cardialgiae, (*Acon.* 13, 11.)
 cardiaalgia constrictoria, *Cocc.* 110, 18. *Nux v.* 191,
 12. 17.
 cardialgia constrictoria somnum impediens, *Cocc.* 108,
 22.
 cardialgia diurna, *Nux v.* 191, 11. (*Nux v.* 198, 5.)
 cardialgia (erodens) vehemens, *Cocc.* 110, 17.
 cardialgia quasi a fame canina, *Verat.* 258, 13.
 cardialgia forficans convulsiva, *Arn.* 18, 17.
 cardialgia lacerans, *Nux v.* 191, 9.
 cardialgia inter menstrua, *Puls.* 228, 11.
 cardialgia pressoria aliquot horas post pastum vel noctu
 in lecto, *Cocc.* 110, 15.
 cardialgia pressoria quasi a lapide, *Op.* 203, 1.
 cardialgia pressorio corripiens, *Cinch.* 94, 13.
 cardialgia suffocatoria, (*Cinch.* 103, 11.)
 cardialgia vehemens, (*Op.* 208, 2.)
 cardialgia vehemens (erodens), *Cocc.* 110, 17.
 cardialgica sensatio corrodens, (*Verat.* 266, 5.)
 a carne, pane et aliis solidioribus et spissioribus cibis, vo
 mituritio, *Puls.* 222, 7.
 carnis anorexia cuin sapore cerevisiae amaro, *Mez.* 181,
 2. 3.
 a carnis quasi nimis pinguis ingluvie capitidis dolor, *Puls.*
 226, 16.
 carnis et panis veteris anorexia, *Puls.* 221, 7.
 carnis sapor deletus, *Puls.* 221, 9.
 quasi caro ab ossibus separata esset dolor femoris musculo
 rum, *Dros.* 129, 11.
 in carpi malleolo et in digitis lacerans dolor, *Ign.* 155, 16.
 in carpo dolores quasi a distortione, *Arn.* 22, 7.
 in carpo interno miliaria prurientia, *Led.* 170, 16.
 in carpo strictorius dolor, *Cham.* 78, 3.
 carus, vide et *coma*.
 casei putridi halitus ex pulmonibus, *Mez.* 181, 1.
 in castigationes invalescentia jurgia, *Nux v.* 187, 1.
 quasi ob casum ab alto pavores in somno, *Caps.* 65, 13
 Verat. 255, 10.
 quasi casura essent, captabant obvia. (*Hyos.* 143, 20.)

- casuri quasi essent dentium dolor, maxime inter mor-
 dendum, *Hyos.* 132, 8.
 casuri quasi essent, dentium dolor pulsatorius, *Stram.*
 241, 1.
 casuri quasi essent oculi e capite cephalalgia, *Acon.* 4, 2.
Cham. 80, 17. *Puls.* 226, 14.
 casuri quasi essent oculi e capite cephalalgia punctoria,
Cham. 80, 17.
 casurus quasi esset, vertiginis species orta ab oculorum
 resupinatione, *Puls.* 217, 6.
 casus, vacillatio; ad minimum offendiculum impingit
 et prolabitur, *Ign.* 151, 2.
 casus capillorum, *Bell.* 29, 11. (*Melamp.* 178, 9.)
 casus dentium vix vacillantium, *Nux v.* 195, 16.
 casus pilorum et unguium, (*Melamp.* 178, 9.)
 catalepsis volatice, *Stram.* 240, 6.
 catalepsis cum sensuum abolitione; deglutitione tamen
 illaesa, (*Stram.* 246, 7.)
 catarrhi symptomata, *Acon.* 7, 14. *Bell.* 29, 8.
 catarrhi, coryzae symptomata, *Acon.* 7, 14.
 catarrhosa arteriae asperae raucitas cum siccitate palpe-
 brarum, *Cham.* 87, 6.
 catarrhus in bronchiis pituitae tenacis cum rigiditatis
 articularum sensu summo inter motus principium,
Caps. 70, 5.
 catarrhus, *Ign.* 157, 14. *Bell.* 29, 8.
 causus, (*Bell.* 59, 17. 41, 8.)
 cavam, nimis altam et rauacam vocem reddens pituita
 caput laryngis obsidens, *Cinch.* 92, 9.
 cava tussis post experreptionem e somno, *Ign.* 157, 15.
 cavi oculi, *Cinch.* 93, 10.
 causus, vide febris ardens, calor, ardor.
 cephalaea, vide capitis dolor.
 cephalalgia, vide capitis dolor.
 in cerebri basi constrictorius dolor, pronatione, decubitu et
 pressione externa auctus, *Camph.* 49, 4.
 a cerebri quasi constrictione cephalalgia, *Camph.* 49, 4.
 in cerebri fundo dolor obtusus, *Hyos.* 131, 4.
 cum cerebri gravitate et formicatione cephalalgia stricto-
 ria, *Puls.* 220, 12. 227, 15.
 a cerebri quasi inanitione sensus, *Nux v.* 187, 23. *Ign.*
 141, 4.
 in cerebri medio dolor qualis post vomitum usu venit,
 depressione palpebratum emergens, *Nux v.* 188, 1.

- in cerebri meningibus dolor obtusus capitis in fronte,
Ilyos. 131, 3.
- cerebri quasi pars hinc illinc tollatur, cephalalgia, *Acon.*
Arn. 4, 4.
- a cerebri quasi vulneratione cephalalgia, motu minimo
 capitis, meditatione, loquela augenda, *Cinch.*
96, 13.
- in cerebro ardor, *Arn.* 20, 1, 2. *Nux v.* 188, 3.
- in cerebro ardor inter erectionem trunci, *Melamp.* 176, 1.
- in cerebro ardor subter frontem, *Nux v.* 188, 5.
- in cerebro ardor, corpore frigido, certe non calido, *Arn.*
20, 1.
- in cerebro conquassationis et glotitationis sensus inter
 eundum, *Nux v.* 188, 2.
- in cerebro indolorifice tractorius motus hinc inde, *Nux v.*
188, 7.
- in cerebro sensus hinc illinc trahens, vertiginis species,
Nux v. 185, 6.
- in cerebro sensus quasi ab aqua fluctuante, (*Bell.* 44, 16.)
- in cerebro interrupti dolores, ex pressione et contritione
 compositi, *Verat.* 258, 2.
- cerebri stupor, (*Nux v.* 200, 1.)
- in cerebro titubationis sensus, *Nux v.* 185, 3. *Ign.* 150, 7.
- Acon.* 1, 6.
- cerebrum quasi vinculo constringens, capitis dolor,
Cocc. 109, 13.
- cerebrum quasi fissum esset, sensus, *Nux v.* 189, 1.
- cerebrum quasi fractum esset, dolor, *Verat.* 257, 19.
- cerebrum quasi foras exprimeretur dolor, *Bell.* 28, 20.
- Acon.* 4, 3.
- cerebrum quasi in gyrum verteretur sensatio, cum sen-
 suum abolitione, *Nux v.* 185, 4.
- cerevisiae anorexia, *Cinch.* 95, 1.
- cerevisiae maxime et frigidorum sitis, *Cocc.* III, 18.
- cerevisiae sapor amarus, *Ign.* 154, 12.
- cerevisiae sapor amarus cum carnis anorexia, *Met.*
181, 2, 3.
- cerevisiae sapor putridus, *Ign.* 154, 12.
- cerevisiae sitis inter frigus, *Nux v.* 189, 15.
- cerevisiae sitis intensissima, et lingua albida post calo-
 rem evanidum, *Puls.* 232, 10.
- cerevisiae sitis post horrorem et angustiam ex calore,
Nux v. 189, 14.

certae rei appetitus nullus, et tamen fames, *Puls.* 218, 11.

chemodes ophthalmia, *Dig.* 124, 9. *Acon.* 7, 17.

chemosis, *Nux v.* 195, 8. *Acon.* 7, 17. (*Hyos.* 140, 5.)

chemosis cum dolore lacerante, *Verat.* 261, 4.

chemosis, albuginea et conjunctiva tumida, rubra,
cum dolore lacerante in oculis et capite, horripila-
tione vespertina, et calore caput adscendente, de-
cubitu exasperato, sessu levato, *Led.* 172, 17.

cholera, (*Verat.* 264, 1. 265, 16.)

inter cibandum evanidus, incerti loci, dolor dentium stri-
ctorius, maxime nocturnus, *Cham.* 89, 1.

cibi, vide et *escae* et *pastus*.

cibi appetentia, sed frusto vix uno degluttito, caetera
fastidit, (*Op.* 210, 21.)

cibi nulla appetentia, ciborum sapor gratus nullus,
Cham. 84, 9.

cibi appetitus nullus, *Bell.* 26, 12.

cibi pridem capti vomitus, *Puls.* 222, 6.

cibi ad serobiculum colli adscendunt vesperi, cum ple-
nitudine, nausea vomituriente et ructibus, *Cham.*
84, 11.

cibi descendere detrectant, *Cham.* 84, 8. *Arn.* 18, 9.

a cibi quasi fastidio anorexia, sapore integro, *Cham.*
84, 10.

a cibo abhorrescentia, *Nux v.* 190, 15.

cibi et potus abhorrescentia, cum stupore mentis et
sudore manuum et frontis gelido, *Cocc.* 107, 14.

a cibo solido, spissiore vomituritio, *Puls.* 222, 7.

a cibo capto inebriatio, *Bell.* 25, 8.

a cibo capto distentionis abdominis sensus, *Ign.* 154, 14.

a cibo capto vertigo, *Cham.* 84, 12.

a cibo capto pressio in hypochondriis et ventriculo, *Cham.*
84, 13.

a cibo capto plenitudo satura ventriculi vel in crastinum
et vomituritio, *Cham.* 84, 14.

sine cibo et motu jacet quatriduo mortui instar, (*Bell.* 40, 4.)

a cibo et potu dolor in sterno pressorius, *Verat.* 260, 5.

a cibo et potu obnubilatio capitis, *Cocc.* 107, 15.

ciborum, potulentorum inappetentia, *Cinch.* 94, 19.

ciborum inappetentia, sapore integro, *Cinch.* 94, 20.

Cham. 84, 10. *Led.* 171, 5. *Hyos.* 132, 2. *Puls.*
221, 3.

- ciborum inappetentia, inter vescendum tamen reddit appetitus et bene sapient escae, *Cinch.* 94, 21.
 ciborum abhorrentia cum fame canina, (*Op.* 213, 12.)
 ciborum anorexia, *Nux v.* 190, 12. *Canth.* 57, 12.
 vide, anorexia.
 ciborum aversatio, (*Bell.* 31, 10.)
 ciborum eructatio, *Cham.* 84, 19.
 ciborum sapor imminutus, *Achis* 16, 11.
 quasi a ciborum sapore deleto et ventriculi plenitudine anorexia, (*Puls.* 221, 4.)
 ciborum, potulentorum, tabaci satietas, sapore grato, integro, *Cinch.* 94, 22.
 ciborum nullus gratus sapor, *Cham.* 84, 9.
 ciborum nausea cum ictero et accessibus syncopes brevibus, morbos debilitate subsequi, *Nux v.* 190, 10.
 ciborum vomitus vespertinus, tum amaror oris et dentes obtusi, *Puls.* 222, 11.
 ciborum vomitus inter tussim, *Dros.* 128, 18.
 ciborum omnium anorexia, *Puls.* 221, 3, 4, 8.
 ciborum indigestorum vomitus ante duodecim horas manducatorum, (*Bell.* 31, 13.)
 post cibum captum tensionis abdominis sensus, *Ign.* 154, 14.
 post cibum captum nausea et ebullitio sanguinis evanescunt, *Cinch.* 95, 6.
 post cibum captum pressio in ventriculo, *Cinch.* 94, 18.
 post cibum captum sapor amarus, biliosus, continuus, *Puls.* 121, 12.
 post cibum captum expansio abdominis quasi a plenitudine, *Cinch.* 94, 16.
 circuitio, (*Bell.* 39, 15.)
 circulatio sanguinis aucta, (*Hyos.* 141, 15.)
 in circulum versio aegroti, (*Bell.* 39, 15.)
 circumactio in gyrum, (*Bell.* 39, 15.)
 circumgyrationis sensus, vertigo, (*Op.* 214, 7.)
 circumgyratio et gravitas capitidis, (*Verat.* 264, 11.)
 circumspectio nimis sollicita, *Cinch.* 94, 2.
 quasi circumverterentur omnia, hallucinatio, (*Op.* 214, 9.)
 circumvolutionis sensus in pectore cum faciei calore, *Stram.* 240, 14.
 cita exspiratio, *Cinch.* 97, 3. (*Cham.* 74, 17.)
 cita, angusta respiratio, post formicationem in bronchii, *Led.* 170, 1.
 cita respiratio, *Melamp.* 176, 18.
 citissima, vagitosa respiratio, *Cupr.* 119, 12.

- citri acidi et fructuum horaeorum appetentia, *Verat.*
 257, 6.
 cum citri acidi appetentia, sapor amarus, *Puls. 221, 11.*
 citrina, granulata et aliquantum mucosa excrementa,
 Bell. 28, 2.
 citrini coloris urina cum sedimento multo, (*Op.*
 213, 18.)
 inter citum brachii motum humeri juncturae dolor lanci-
 nans, *Puls. 229, 6.*
 clamor, vide et *ejulatus, vociferatio, (vagitus).*
 clamor, inquietudo, standi, sedendi impotentia, (*Hyos.*
 152, 15.)
 clamor in somno de cane atro, feli, *Puls. 232, 4.*
 clamor, ejulatus de cordis oppressione, *Cham. 76, 4.*
 clamor miserabilis inter somnum, et vagitus, *Op.*
 202, 12.
 inter clamorem et ardorem constantem respiratio vehe-
 mens, gravis et manuum violenta agitatio, (*Hyos.*
 142, 19.)
 clamor tussifer infantum, *Aen. 21, 14.*
 cum clamore evigilatio spontanea, (*Hyos. 142, 14.*)
 clamores subitaneos inter motum levissimum extor-
 quens dolor ossis sacri intolerabilis, *Cinch. 98, 5.*
 clamores de torninibus quasi ilea rumpantur, pugnis
 in latera innixis, (*Hyos. 147, 11.*)
 clamoribus et pavoribus quasi ob casum ab alto inter-
 ruptus somnus, *Caps. 65, 18.*
 clamoris altissimi plena intermissione inter convulsiones,
 dolorum proditoris, (*Bell. 32, 10.*)
 clausae statim palpebrae, vibrantes, *Cupr. 119, 10.*
 in claviculae confiniis dolor lacerans, *Cham. 78, 11.*
 claviculae osteocopus, lancinans dolor, *Mez. 180, 18.*
 quasi a clavo per tempora transfixo capitis dolor, cum su-
 dere universalis, languore subsequo, *Aen. 20, 7.*
 coaretans respirationem tensiva pectoris constrictio,
 Cocc. 109, 6.
 coarctanti pressoriis in pectoris latere dolor, *Acon.*
 4, 15.
 coarctatio gulæ, *Verat. 257, 2. Pals. 225, 9. Stram.*
 239, 12. Ip. 163, 5.
 coarctatio gulæ quasi a tumore premente interno, *Verat.*
 257, 2.
 coarctatio spastica gulæ, *Verat. 255, 16. (Verat. 265,*
 6.) vide *angina.*

- coarctatio praecordiorum, (*Hyos.* 134, 8.)
 coeca haemorrhoeis, *Cham.* 86, 11, 12. *Verat.* 259, 11.
 coeci oculi, continuo aperti, (*Bell.* 38, 1.)
 coecitas, vide et visus, *amblyopia*, *anaurosis*, *scotomia*,
 caligo.
 coecitas reiterata, loquela integra, (*Acon.* 12, 11.)
 coecitas, (*Verat.* 266, 3.) (*Bell.* 32, 15.)
 a coffeea aucta symptomata, *Cocc.* 114, 1. *Ign.* 158, 17.
 a coffeea abhorrescentia, *Nux v.* 190, 15.
 coffeeae anorexia, *Cham.* 84, 7.
 coffeea anorexia nisi saccharo conditatur, *Rh.* 235, 12.
 post coffeeae maxime potum odontalgia, *Cham.* 79, 11.
 post coffeeae maxime potum tussicula, *Caps.* 66, 12.
 post coffeeae maxime potum pressio in ventriculo, hypo-
 chondrio, respirationem angustans, *Cham.* 85, 5.
 post coffeeae potum vertigo, *Cham.* 79, 11.
 cogitabundi alte inattentio, *Cham.* 75, 8. *Cocc.* 106, 9.
 cogitat nil nisi ingrata et taediosa, *Mez.* 179, 4.
 cogitationes altae, *Acon.* 8, 18.
 cogitationes altae, seriae, animo composito aequo,
 Cham. 89, 15.
 cogitationes evanescentes, *Cham.* 75, 6.
 cogitationes evanidae cum infatuacione capitis, *Puls.*
 220, 4.
 cogitationes immotae, *Cocc.* 106, 10.
 cogitationibus immersi inattentio, *Cham.* 75, 5. *Cocc.*
 106, 9.
 cogitationibus tristissimis immersa mens, offensae hae-
 rent alta mente repostae, *Cocc.* 106, 11.
 non cohaerentia verba, (*Hyos.* 135, 2.)
 colica, *Arn.* 18, 21. vide et *tormina*, *abdomen*, *epiga-*
 strium, *hypogastrium*, *venter*, *intestina*.
 colicae, (*Cinch.* 102, 23.)
 colica forcicans supra umbilicum post dolorem in he-
 patis regione pressorium, respirationem coarctan-
 tem, *Acon.* 5, 16.
 cum colica effluxus salivae aqueae ex ore, *Led.* 170, 13.
 colica pressorio tensiva, quasi a flatibus, *Acon.* 5, 4.
 colica flatuosa hinc inde intestina lacessens et totum
 abdomen occupans, flatibus quo serius eo diffici-
 lius et rarius abeuntibus, *Verat.* 258, 18.
 colica flatulenta, *Ip.* 164, 5. *Verat.* 261, 15. *Cham.*
 85, 2. *Cinch.* 97, 9. *Acon.* 5, 4.

- colica flatulenta (forficanti lacerans) cum dolore ossis sacri, quasi a confractione, *Cham.* 83, 8.
- colica per intervalla rediens, hypochondrio flatibus obpresso, et lacinatibus pectus pervadentibus, *Cham.* 85, 5.
- colici dolores atrocissimi, intolerabiles, (*Cinch.* 101, 15.)
- colici dolores vehementes, (*Mez.* 183, 1.)
- colicalis flatulentia, *Arn.* 18, 20.
- colicales borborygmi, *Dig.* 124, 2.
- colico flatuosa tormina, cum dolore vertebrarum humorum pressorio tensivo vel quasi a confractione, *Acon.* 5, 3.
- colicales dolores (dilacerantes, strictorii) ad vertebrae lumbares concentrati, *Cocc.* 111, 2. 3.
- colicus dolor, (*Hyos.* 144, 15.)
- collabitur viribus cassus, *Verat.* 254, 10.
- collabitur in terram frigidus, cum madore frontis frigido, voce haerente, pulsu quam lentissimo, pupilla contractissima, *Melamp.* 175, 4.
- collapsa, pallida facies, (*Op.* 207, 7.)
- colli, frontis et pectoris calor ardens, inter frigiditatem gelidam genarum, manuum, pedum, *Cham.* 81, 8.
- in colli alterutra parte ardor, *Ign.* 157, 7.
- colli dolor et posterioris capitatis partis, (*Acon.* 10, 7.)
- colli glandularum dolor ad carotides, *Melamp.* 176, 7.
- colli motu tantum percipiendus dolor rheumaticus in nucha, *Acon.* 6, 7.
- in colli parte externa dolor, *Caps.* 68, 5.
- ad colli scrofuliculum asthma strangulatorium cum irritazione continua ad tussim seccaum, *Cham.* 87, 11.
- ad colli scrofuliculum usque pertingens raucedo, *Mez.* 180, 9.
- ad colli scrofuliculum usque quasi adscensio escarum vesperi cum plenitudine, nausea vomituriente et ructibus, *Cham.* 84, 11.
- colli strangulatio quasi apoplectica, (*Stram.* 247, 10.)
- colli (faciei, manuum) sudor, *Cham.* 82, 2.
- ad colli utrinque latus tumor dolorosus, quasi ab apostemate latente, *Puls.* 225, 9.
- colli tumor, (*Bell.* 37, 5.)
- colli vertebrarum juncturae dolorosae, *Nux v.* 196, 21.
- in colli parte externa dolor, *Caps.* 68, 5.
- in collo dolor lacerans, *Cham.* 78, 11.

- in collo dolor pressorius, *Ign.* 153, 11.
 in collo sub mento pustulæ tactu dolentes, (*Puls.* 226, 3.)
 in collo externo dolores punctorii, vagi, *Val.* 25, 4.
 in collo vesicae urinariae ardor, *Camph.* 50, 14. *Caps.* 69,
 10. *Verat.* 239, 12.
 in collo vesicae urinariae ardor extra mictum, *Acon* 3, 21.
 in collo vesicae urinariae ardor intra mictum, *Cham.*
 86, 14.
 in collo vesicae urinariae lancinatus extra mictum, *Cham.*
 86, 13.
 colloquitur et respondet alteri quem non agnovit, col-
 loquii tamen immemor, postquam ad se rediit,
(Stram. 250, 12.)
 collum obstipum in latus, (*Cinch.* 105, 5.)
 collum sinistrosum incurvatum, (*Hyos.* 140, 15.)
 ad collum usque inde a pectoris latere tractorius sensus in-
 ter tussiculum, *Caps.* 66, 9.
 color cutis flavescentia, (*Cinch.* 104, 8.)
 colore alieno visa objecta, (*Dig.* 126, 1.) (*Hyos.* 149, 3.)
 color objectorum rutilus visus, (*Hyos.* 149, 3.)
 color objectorum vel viridis, vel luteus, (*Dig.* 126, 11.)
 coloris faciei mutatio crebra, (*Hyos.* 143, 18.)
 color luridus, (*Op.* 210, 13.)
 coma, vide et *sopor*, et *dormititio*, et *coma*.
 coma cum delirio, (*Camph.* 55, 10.)
 coma; piget oculos ad videndum, os ad loquendum aperi-
 re cum respiratione leni et lenta, *Ign.* 151, 3.
 coma, vel potius impotentia oculos aperiendi, *Cham.*
 74, 17.
 coma; sapore suppressus jacet, (*Op.* 215, 7.)
 coma invincibile, *Cocc.* 108, 19.
 inter coma blateratio futilis, *Op.* 202, 16.
 inter coma somnolentum nocturnum phantasiae delirae cum
 calore sicco, post capitum dolorem gravedinosum ves-
 pertinum, *Puls.* 227, 2.
 coma vigil, vel potius *sopor* somni expers, impotentia
 oculos aperiendi, cum exspiratione cira et cephalal-
 gia frontis lacerante, vomititiva, *Cham.* 74, 17.
 coma vigil, capite in alterutram partem inclinato,
Camph. 49, 4.
 inter coma vigil et cephalaeam constrictoriam calor univer-
 salis magnus, venae tumidae, respiratio citissima,
 sitis nulla, sapor integer, dolor dorsi quasi a con-
 tritione, *Camph.* 50, 7.

- coma vigilans, sopor, *Verat.* 262, 10.
 coma vigilans, *Verat.* 262, 10. *Hyos.* 151, 8. (*Hyos.*
 154, 11.) *Op.* 202, 7.
 coma vigilans, invincibile, *Cocc.* 103, 19.
 coma vigilans, oculis hoc aperto, illo clauso, semiclauso,
 cum succussionibus quasi a terrore, *Verat.* 255, 9.
 comatosi somni species, palpebris semiclausis, bulbis
 retortis, ore plus minus aperto, inspiratione sterto-
 rosa, *Op.* 202, 6.
 comatosus, phantasticus et insomniosus somnus, nimis
 protractus, *Puls.* 232, 8.
 comatosus, inquietus, agitatorius somnus, *Puls.* 232, 1.
 quasi communisset crimen, angor, *Ign.* 152, 5.
 commutatio inconcinnia verborum, *Cham.* 75, 8.
 composito animo et serio, cogitationes altae, *Cham.*
 89, 15.
 compressio pectoris, (*Rh.* 238, 10.)
 conatus, vide et *nitus*, *proclivitus*, *pronus*.
 conatus vomendi, (*Nux v.* 199, 12.)
 concoctordum, prave, diarrhoea, *Cinch.* 97, 15.
 concussio, vide et *terror*, et *pavor*, et *succusso*, et *ictus*.
 concussio quasi a terrore somnum capturi, *Bell.* 26, 19.
 concussio in somno, agitatio, blateratio, *Acon.* 6, 5.
 cum concussione convulsiva tremor, *Bell.* 26, 10.
 concussions per somnum, aestuatio, ejulatus, blatera-
 tio, *Cham.* 83, 4.
 concussores pavore somnum capturi, *Bell.* 26, 19.
 concussores pavore et meticulositas inter capitum ebrio-
 sam infatuationem, *Nux v.* 186, 16.
 concussions quasi electricae, *Verat.* 262, 14. (*Arn.*
 23, 16.)
 econcussions pavoris cum tremore et convulsionibus al-
 ternantes, (*Hyos.* 153, 16.)
 concussions quasi a terrore, (*Hyos.* 159, 6.)
 concussions terrifcae inter capiendum somnum et
 phantasiae monstruosae vel post experrectionem ali-
 quandiu vigentes, *Ign.* 155, 19.
 concussions, terrores inter somnum, *Arn.* 22, 18.
 concussionibus quasi a terrore et convulsionibus inter-
 mixta agrypnia nocturna, (*Hyos.* 159, 6.)
 concutens obvia, incoercibilis, ferox mania, (*Stram.*
 245, 8.)
 concutit pectus et animo delinquitur, (*Camph.* 52, 1.)
 dum concutitur corpus, dolor vibrans in corpore, *Arn.* 22, 14.

- confabulationum impatientia, *Nux v.* 186, 15.
 confactio, vide *contritio*, *contusio*, *verberatio*.
 a confractione quasi dolor artuum inter motum, *Cocc.*
 112, 4.
 a confractione dolor articulationis ossis sacri cum vertebris
 lumborum, *Acon.* 5, 2.
 a confractione quasi vertebrarum lumbi dolor, cum colica
 quasi flatulenta nexus, *Acon.* 5, 3.
 a confractione quasi dolor, seu qualis post distortionem
 vel laborem nimium remanet dolor, in pollice et di-
 gito indice cum asthenia paralytica, *Cham.* 78, 2.
 quasi a confractione, seu simplex dolor omnium articulatio-
 num maxime inter motum, cum asthenia artuum
 sine tamen lassitudine completa, *Cham.* 77, 11.
 a confractione quasi dolor in osse sacro cum terminibus
 forficanti lacerantibus, *Cham.* 85, 7.
 confusio visus, objectorum color vel viridis, vel luteus,
 (*Dig.* 126, 11.)
 congestio sanguinis ad auditus organon, *Puls.* 220, 18.
 congestio insignis ad caput, (*Camph.* 56, 6.)
 congestio sanguinis ad caput, (*Stram.* 250, 7. *Ign.* 151,
 8, 10. *Camph.* 59, 3. *Bell.* 26, 21. (*Bell.* 40, 8.)
Cinch. 95, 9. (*Nux v.* 200, 8.)
 congestio sanguinis ad caput, et facies rubra, tumida,
 pedibus frigidis, *Bell.* 26, 21.
 congestio sanguinis ad caput, frons calida, artubus fri-
 gidis, *Cinch.* 95, 9.
 congestio sanguinis ad caput inter pronationem, *Verat.*
 253, 1.
 congestio sanguinis ad caput insignis, (*Camph.* 52, 12.)
 conglomeratae acervatim pustulae, dolorifcae, *Verat.*
 261, 10.
 conglutinatae palpebrae post somnum, *Cham.* 81, 7.
Puls. 224, 20.
 conglutinatio palpebrarum purulenta, *Dros.* 123, 19.
 conglutinatus pure et tumidus manc oculus, *Cham.*
 81, 5.
 connatae quasi essent omnes pectoris partes, constrictio
 pectoris suffocatoria, dolorosa, *Dig.* 123, 9.
 qui post conquassationem restat dolor (simplex) in testiculis,
Acon. 6, 9.
 conquassationis sensus in cerebro inter eundam, *Nux v.*
 183, 1.

- conquestio delirans de cane pectus mordicus dilacerante, *Stram.* 240, 21.
 conquestio delirans de strepitu nimio, *Ign.* 156, 2.
 conquirens aliorum vitia et magni faciens animus, *Caps.* 65, 16.
 a conscientia quasi mala angor, *Verat.* 256, 8. *Ign.* 152, 5.
Puls. 219, 19.
 non conscientis sui, (*Op.* 210, 1.)
 conscientis parum existentiae suae, respondet tamen satis
 apte, (*Op.* 207, 11. 214, 14.)
 considero cogens constrictio dolorifica et suffocatoria
 pectoris, maxime inter experrectionem e somno,
Dig. 123, 9.
 consilii incertantia, *Nux n.* 190, 4.
 consilii praecepsitatio, *Camph.* 50, 1.
 consilii vacillatio, indeterminatio summa, *Puls.* 218, 13.
 consistere recte non posse putat, vertigo, *Puls.* 217, 6.
 constans mens, (*Op.* 208, 5.)
 constans parvum animus, (*Canth.* 59, 7.)
 constans, fortis, nec hilaris animus, *Acon.* 8, 12.
 quasi constipata esset alvus, inquietudo et tensio in abdo-
 mine, *Verat.* 261, 15.
 constipatio alvi, *Camph.* 50, 21. *Op.* 204, 16. *Nux v.*
 197, 21. *Stram.* 259, 9. (*Stram.* 245, 11.) *Verat.*
 261, 12. (*Cinch.* 103, 5.) (*Hyos.* 139, 4.) *Bell.*
 26, 14. 27, 8.
 constipatio abdomine molli, (*Mer.* 184, 9.)
 constipatio pertinax, *Puls.* 231, 16. *Camph.* 54, 4.
 constipatio plurium diērum, *Cocc.* 114, 11. (*Cupr.* 121,
 15.) (*Op.* 207, 10.)
 constipatio quasi a calore magno in abdomine, *Caps.*
 71, 1.
 constipatio ob crassitiem et duritiem excrementorum
 alvinorum, *Verat.* 261, 12.
 constipatio quae ab intestini recti inertia proficiscitur,
 alvus non nisi abdominalium muscularum nisi ex-
 torquenda, *Cham.* 85, 13.
 quem in constipatione alvi exoneratio gignit, dolor in abdo-
 mine torminosus, *Cham.* 85, 15.
 quasi a constipatione molestia in abdomine, *Cham.* 85, 11.
 constrictae fauces, (*Stram.* 243, 1.)
 constrictae fauces, deglutitio impedita, (*Hyos.* 149, 12.)
 constrictio abdominis et laterum, scapulis sursum deor-
 sum tractis, (*Cinch.* 105, 4.)

constrictio asthmatica pectoris anterioris et posterioris
 inter frigus et frigiditatem, *Mez.* 179, 9.
 constrictio in epigastrio respirationem paecludens, *Cocc.*
 109, 5.
 constrictio faucium, (*Ilyos.* 135, 16.)
 constrictiones gulæ, quasi a pyri austeri esu, *Verat.*
 255, 18.
 constrictio gulæ, *Stram.* 239, 12. (*Verat.* 268, 12.)
 constrictio gulæ spasmatica, (*Dig.* 125, 7.)
 constrictio laterum et abdominis, scapulis sursum deor-
 sum tractis, (*Cinch.* 105, 4.)
 constrictio narium quasi praefocatoria, (*Melamp.* 177,
 13.) *Caps.* 65, 19.
 constrictio œsophagi insignis, (*Bell.* 46, 1.)
 constrictio dolorifica, suffocatoria pectoris, quasi ejus
 omnes partes connatae essent, *Dig.* 123, 9.
 constrictio pectoris et quasi rigiditas, respiratio diffi-
 ciliis, (*Op.* 215, 14.)
 constrictio pectoris, *Ign.* 157, 19. *Cham.* 87, 13. (*Cinch.*
 102, 12.)
 constrictio pectoris respirationem angustans, *Ign.*
 157, 19.
 constrictio pectoris asthmatica, motu exasperata, *Led.*
 169, 12.
 constrictio pectoris dolorifica, *Cupr.* 119, 4.
 constrictio pectoris horizontalis, (*Stram.* 244, 18.)
 constrictio pectoris maxime in superiori sterni parte
 respirationem intercipiens, *Cocc.* 109, 7.
 constrictio pectoris superioris inter tussim dolorosi,
 Cham. 87, 12.
 constrictio pectoris tensiva, respirationem coarctans,
 Cocc. 109, 6.
 constrictio pharyngis, *Mez.* 180, 4. *Stram.* 239, 12.
 constrictio pupillarum cum inquietudine quadam, *Rh.*
 235, 6.
 constrictio ventriculi, *Nux v.* 191, 12. 17.
 quasi a constrictione cerebri, cephalalgia pedibus manibus-
 que frigidis, fronte calida, *Camph.* 50, 6.
 constrictiones spasticae gulæ, strangulatio, (*Verat.*
 265, 14.)
 constrictiones spasticae gulæ, pupilla contractiore,
 Verat. 255, 16.
 constrictiones subter hypochondria reiterantes, *Nux v.*
 191, 14.

- constrictio*n*is in basi cerebri, occipite et supra nasi radicem dolor indesinens, *Camph.* 49, 4.
 constrictio*n*is quasi a pyri austeri esu sensus in gula,
Verat. 255, 18.
 constrictio*n*is et relaxatio*n*is vicissitudines subter hypochondria, *Nux v.* 191, 14.
 constrictio*n*is sensus vehemens per totum corpus, *Nux v.* 197, 22.
 constrictorio*n* pressorii dolores in utero, dolorum ad partum instar, cum blennorrhagia subsequente, *Ign.* 153, 4.
 constrictorio*n* titillans sensus tussifer a superiori larynge ad infima bronchia tendens, *Ip.* 165, 6.
 constrictorius in Abdomine dolor, *Nux v.* 191, 16.
 constrictorius Capitis dolor, *Stram.* 240, 20. *Nux v.* 188, 14.
 constrictorius dolor sub Costis ultimis, a latere utroque terminum instar, *Ign.* 157, 3.
 constrictorius Dorsi dolor, *Nux v.* 197, 4. *Op.* 205, 2.
 constrictorius Dorsi dolor, motu percipiendus, *Op.* 205, 2.
 constrictorius Hypochondriorum dolor, *Nux v.* 191, 15.
 constrictorius circum Hypochondria dolor ad vertebrales lumbares usque, *Camph.* 48, 18.
 constrictorius Hypochondriacae regionis dolor, tactu exasperandus, tussim reprimens, *Dros.* 129, 12.
 constrictorius dolor a Latere utroque sub costis ultimis, terminum instar, *Ign.* 157, 3.
 constrictorius in Naribus sensus, (*Melamp.* 177, 13.)
 constrictorius Pectoris dolor, motu auctus, *Caps.* 66, 3.
 constrictorius Pectoris dolor, *Cupr.* 119, 4. *Verat.* 256,
 1. *Cham.* 87, 12. *Caps.* 66, 3. (*Op.* 215, 14.)
Nux v. 196, 16. *Dig.* 123, 9.
 constrictorius in Pectore dolor, *Acon.* 4, 14.
 constrictorius in Pectore sensus (non dolor), tactu tantum dolorificus, *Arn.* 21, 3.
 constrictorius in Sacro osse dolor, *Melamp.* 176, 7.
 constrictorius Sterni dolor, *Op.* 205, 2. *Cocc.* 109, 7.
Nux v. 196, 15.
 constrictoria Tormina infra umbilicum truncum incurvare cogentia, *Bell.* 27, 13.
 constrictorio*n* dolores in Uteri sinistra parte, quasi ad partum, *Puls.* 228, 16.

- constrictorius Ventriculi dolor, *Nux v.* 191, 12, 17.
Cocc. 108, 22, 110, 18.
 constrictorius Ventriculi dolor somnum impediens, *Cocc.*
 108, 22.
 constringens quasi vinculo cerebrum, capitis dolor,
Cocc. 109, 13.
 contactus, vide *tactus et attactus*.
 contemtrix morositas, *Ip.* 163, 13.
 contemtrix objectorum vel amicissimorum, *Cinch.* 93, 10.
 ad contentionem pronus animus, *Cham.* 76, 12.
 contentiositas, *Camph.* 43, 12.
 contentus animus, *Caps.* 70, 4.
 male contentus animus, infelicem se et impediri et excru-
 ciari ab omnibus hominibus putantis, *Cinch.* 94, 1.
 contentus animus et hilaris, *Cocc.* 114, 2.
 contentus animus et jocosus, in stomachationem tamen
 levi de causa pronus, *Caps.* 71, 6.
 contentus animus, *Op.* 204, 7.
 contineri vix potest; mania, (*Hyos.* 144, 2.)
 contorquens, strictorius sensus in testiculis, *Ip.* 166, 2.
 contorquenti dissidentia tornina cum sedibus pituitae
 tenacis vel atro sanguine mistae, cum siti post se-
 dem singulam et horrore post haustum, *Caps.* 69, 3.
 contorsio, vide *contortio et distortio et luxatio*
 a contorta quasi junctura humeri dolor, *Ign.* 159, 1.
 contortio oculorum, (*Stram.* 244, 5.) *Bell.* 35, 18.
 40, 20, 43, 15.
 contortiones muscularum omnium, (*Bell.* 59, 16.)
 quasi a contortione dolor in brachii radio inter motum et a
 tactu, *Cocc.* 113, 3.
 a contortione quasi dolor acutus in pedis junctura, motu
 excitatus, *Cocc.* 113, 7.
 a contortione quasi dolor in articulatione humeri, femoris,
 genuum, *Ign.* 158, 18, 159, 1.
 contortiones manuum, (*Bell.* 35, 7, 19.)
 contractae, extensiles tamen manus, pollice erecto,
 (*Stram.* 246, 3.)
 contractio spasmodica muscularum intercostalium in
 latus, respiratione intercepta, *Terat.* 255, 19.
 cum contractione spasmodica cruris rara, somnus altus,
 stertorosus, (*Stram.* 246, 9.)
 contractiones et extensiones artuum lentae, alternan-
 tes, (*Stram.* 246, 4.)

- contractiones manuum et pedum alternantes, (*Stram.* 247, 7.)
 contractiones modo manuum, modo pedum alternantes, attactu maxime excitandae, (*Stram.* 247, 7. 8.)
contractiones spasmodicae digitorum pedis cum strictorio artuum dolore, *Cham.* 78, 10.
 contrita quasi essent ossa, sensus, *Verat.* 260, 2.
 contrita quasi et labefactata intestina, flatibus abire rebusantibus, *Verat.* 261, 14.
 contritio, vide et *contusio*, et *verberatio* et *ictus*, et *confractionis*.
- a contritione quasi dolor intestinalium, *Cocc.* 110, 20.
 a contritione quasi dolor in fronte cum infatuacione capitis, *Puls.* 220, 4.
 a contritione quasi dolor articulationum, *Cinch.* 98, 3.
 a contritione quasi dolor inferiorum articulationum (et crepitus) nec tamen lassitudo completa, *Cham.* 83, 14.
 a contritione quasi dolor intolerabilis in femoris capite post decubitum et somnum natus, *Acon.* 2, 18.
 a contritione quasi dolor dorsi, cum calore universalis, siti nulla, *Camph.* 50, 7.
 a contritione quasi dolor capitidis, *Camph.* 49, 3.
 a contritione quasi intestinalium tornina, *Lcd.* 171, 3.
 quasi a contritione vel contusione dolor intestinalium et cephalgia cum vomititione conspirans, *Cocc.* 110, 20.
 quasi a contritione vel crampo, aut verberatione dolor ossis sacri intolerabilis, inter motum levissimum clamores subitaneos extorquens, *Cinch.* 98, 5.
 ex contritione et pressione compositi dolores interrupti, hinc inde in musculosis corporis partibus, *Verat.* 259, 18.
 contumeliae, rixae, tumultus, (*Hyos.* 136, 23.)
 conturbatio mentis, ita ut, utrum dormiat, an vigilet, nesciat, (*Bell.* 44, 18.)
 conturbatus vultus, (*Bell.* 35, 13.)
 in contusa parte aut vulnerata sensus ingratus, pressio, formicatio, *Arn.* 22, 16.
 contusio, vide et *contritio*, *verberatio*, *ictus*, *confractionis*.
 a contusione, vel a contritione, vel quasi a vulnere capitis dolor, *Camph.* 49, 3.
 a contusione quasi Abdominis dolor, *Cocc.* 110, 20.

- * contusione quasi Abdominalium musculorum dolor,
tactu tantum et motu percipiendus, *Nux v.* 193, 1.
- a contusione quasi Abdominis et Dorsi dolor, motu exci-
tandus, *Stram.* 241, 12.
- a contusione quasi Articulationes et Artus tactu dolentes,
Puls. 230, 15.
- quasi a contusione et paralyticus dolor Articulationum ge-
nu et ossis sacri post sessum inter motum, *Verat.*
260, 19.
- a contusione quasi in Articulatione humeri dolor inter
brachii retroversionem, *Ign.* 158, 16.
- a contusione quasi Artus et totum corpus tactu dolorosa,
Led. 172, 3.
- a contusione quasi in Artibus dolor, *Val.* 252, 1. *Puls.*
230, 15.
- e contusione et gravitate compositus dolor Capitis, *Cham.*
80, 22.
- a contusione quasi dolor Capitis, *Ign.* 158, 13. *Campi.*
49, 3.
- a contusione quasi Capitis ossium nauseabundus, *Ip.*
164, 17.
- quasi a contusione Corpus totum tactu dolorosum, *Led.*
172, 3.
- quasi a contusione Cubiti dolor, *Verat.* 262, 4.
- a contusione quasi Dorsi dolor a nucha ad os sacrum us-
que, *Acon.* 6, 6.
- quasi a contusione dolor Dorsi hinc inde, *Dros.* 129, 8.
- a contusione quasi Dorsi et una abdominis dolor, motu
excitandus, *Stram.* 241, 12.
- a contusione quasi Epigastrii dolor a tussi, *Nux v.* 196, 10.
- a contusione quasi Femoris musculorum posteriorum in
sessu dolor, *Cinch.* 98, 2.
- quasi a contusione Genu dolor, *Verat.* 262, 4.
- a contusione quasi Genuum dolor, *Dig.* 123, 9.
- a contusione quasi Genu et Ossis sacri dolor post sessum
inter motum, *Verat.* 260, 19.
- a contusione quasi in Glutaeis a sessu dolor, *Puls.*
229, 13.
- quasi a contusione dolor inter tactum, inter respirationem
vero dolor lacerans in Hypochondriis, *Cupr.* 118, 11.
- a contusione quasi Intestinorum dolor, *Led.* 171, 3. *Cocc.*
110, 20. *Op.* 203, 7.
- a contusione quasi Iuncturarum dolor, *Ip.* 164, 5. (*Ign.*
158, 16.) *Puls.* 230, 15. (*Verat.* 260, 19.)

- a confusione quasi Ossium omnium dolor, *Ip.* 164, 5.
- a contusione quasi Oseum capitis dolor nauseabundus, *Ip.* 164, 17.
- a contusione quasi Ossis sacri et genu dolor post sessum in motu, *Verat.* 260, 19.
- a contusione quasi Tormina, *Op.* 203, 7.
- quasi a convalescentia e morbo gravi sensus, *Acon.* 8, 3.
- ut convalescenti e morbo gravi, aer externus molestus, *Verat.* 254, 15.
- convicia irritati, alias taciturnitas, *Verat.* 258, 5.
- convicia, opprobria, *Nux v.* 186, 18.
- conviciis se lassiri, et injuriari putans animus, (*Camph.* 48, 11.)
- convolutio seu depsatio circa umbilicum, *Nux v.* 192, 6.
- convulsio, (*Verat.* 26), 6.)
- convulsio faciei, (*Hyos.* 134, 7.)
- convulsio oculorum, (*Bell.* 35, 7. 18. 37, 6. 43, 15.) (*Acon.* 12, 1.) (*Hyos.* 136, 10. 138, 15. 140, 14.)
- convulsio oris, (*Acon.* 11, 12.)
- convulsio pharyngis, (*Hyos.* 149, 13.)
- convulsiones, vide et spasmi et epilepsia, (*Verat.* 264, 9. 265, 11. 267, 7. 269, 2.) (*Stram.* 245, 23. 249, 6. 17.) (*Nux v.* 193, 12. 199, 9.) (*Camph.* 53, 20. 56, 2.) (*Igu.* 160, 8.) (*Melamp.* 178, 1.) (*Mez.* 185, 5.)
- convulsiones, spasmi, (*Melamp.* 177, 11.)
- convulsiones, (*Dig.* 127, 1.) (*Op.* 209, 3. 212, 7. 8.) (*Hyos.* 141, 8. 148, 3.) (*Bell.* 46, 20.)
- convulsiones abdominis et totius corporis, *Camph.* 48, 8.
- convulsiones artuum, *Acris* 15, 12, *Stram.* 241, 10. (*Verat.* 263, 13.)
- convulsiones brachiorum, *Camph.* 48, 8.
- convulsiones brachiorum cum pollicis in manum intorsione, *Cocc.* 108, 17.
- modo convulsiones post partum, modo inagnitio parentum, (*Hyos.* 130, 12.)
- convulsiones capitis tremulae, *Cocc.* 108, 16.
- convulsiones corporis totius, *Camph.* 48, 8.
- convulsiones enormes, epilepsiam mentientes, (*Bell.* 51, 14.)
- convulsiones epilepticae, (*Bell.* 34, 8.) (*Verat.* 264, 14.)
- convulsiones extremitatum modo superiorum modo inferiorum, (*Hyos.* 140, 11.)
- convulsiones extremitatum, (*Capr.* 120, 2.)

convulsiones horrondaes, (*Nux v.* 198, 6. 200, 6.)
 inter convulsiones facies livida, (*Op.* 209, 3.)
 inter convulsiones intermissio, clamoris altissimi plena, do-
 lotum proditoris, (*Bell.* 32, 10.)
 convulsiones oculorum, (*Stram.* 248, 15.)
 convulsiones muscularum omnium, (*Bell.* 39, 16. 37, 4.
 58, 20.)
 convulsiones repetitae, spasmi dirissimi imprimitur
 fle-
 ctentium muscularum, (*Bell.* 32, 9.)
 convulsionibus et concussionibus quasi a terrore inter-
 mista agrypnia nocturna, (*Hyos.* 139, 6.)
 cum convulsionibus et stridore dentium furor, (*Bell.* 53, 5.)
 cum convulsionibus et tremore, pavoris concussions,
 (*Hyos.* 158, 18.)
 convulsionibus agitati oculi et prominentes, (*Hyos.*
 140, 14.)
 convulsiva agitatio brachii alterutrius, *Op.* 204, 19.
 convulsiva extensio artuum momentanea inter expurgis-
 cendum e somno, *Bell.* 29, 10.
 convulsiva, fortificans cardialgia, *Arn.* 18, 17.
 convulsiva concussio cum tremore, *Bell.* 26, 10.
 convulsiva tussis, (*Hyos.* 146, 4.)
 convulsiva, dicrota inspiratio, *Led.* 169, 14.
 convulsivae aliquae rotationes brachiorum, *Camph.* 48, 8.
 convulsivi motus, (*Hyos.* 136, 2.) (*Ign.* 160, 4.) (*Nux v.*
 198, 4.)
 convulsivi quasi motus oculorum, manuum, (*Bell.* 35, 7.)
 convulsivae yulsiones singulae incipiente somno, *Cham.*
 75, 12.
 convulsivi motus extremitatum mites, (*Bell.* 38, 20.)
 convulsivi motus leves artuum modo superiorum, modo
 inferiorum, (*Hyos.* 140, 10.)
 convulsivi motus, (*Melamp.* 178, 4.) (*Op.* 212, 7.)
 convulsivus singultus, brachia et totum corpus concu-
 tiens, (*Mer.* 150, 21.)
 convulsivus singultus, (*Op.* 209, 5.)
 cum convulsivis artuum motibus, amentia, (*Bell.* 40, 22.)
 convulsivum asthma, *Aceris* 16, 15. *Ip.* 167, 1.
 convulsus alternis pedibus, quassat terram, (*Hyos.*
 134, 2.)
 ad cor congestio sanguinis, *Cham.* 75, 17.
 in corde ardor ut a prunis, (*Op.* 211, 17.)
 cordis deliquescentia, *Nux v.* 187, 12.

- cum cordis deliquescentia, nausea vomituriente et infirmitate
 loquelae organi, dolor lacerans continuus in oculis,
 vertice, fronte, *Nux v.* 133, 8.
 in cordis regione deliquescentiae sensus, *Cham.* 77, 1.
 cordis deliquescentia nauseabunda, *Cham.* 77, 2.
 cordis deliquescentia nauseabunda, syncoptica, pedes
 quasi paralytici, stupor artuum, *Cham.* 77, 5.
 cordis dolor, (*Canth.* 61, 10.)
 cordis gravedo, (*Acon.* 11, 2.)
 in cordis regione lancinatio inter exspirationem, *Ign.* 152, 8.
 cordis languor inter evigilationem, (*Op.* 216, 5.)
 cordis oppressio cum sudore immani, ejulatu et aestua-
 tione, *Cham.* 76, 4.
 cordis palpitatio, *Cinch.* 95, 7. *Ip.* 162, 5. *Nux v.*
 189, 20. *Ign.* 155, 15. *Arn.* 17, 4. *Cham.* 82, 13.
 Cocc. 106, 2. *Val.* 251, 6. *Camph.* 48, 3. *Mer.*
 180, 22. (*Cop.* 117, 5.) *Cupr.* 119, 1. *Dig.* 125, 3.
 cordis palpitatio fere sine angore, *Ip.* 162, 6.
 cordis palpitatio cum dormititione, *Cinch.* 95, 8.
 in cordis palpitationem propensio et tremor, *Acon.* 2, 7.
 corii adusti instar (ardor et) siccitas labiorum et lin-
 guae, (*Hyos.* 147, 2.)
 in corpore toto caloris sensus sine calore sensibili externo,
 Acon. 7, 19.
 corpore juste calido, frigiditas manuum et sudor vola-
 rum frigidus, *Cham.* 73, 5.
 corporis et animi languor cum hypererethismo, *Cinch.*
 93, 7.
 corporis languor, (*Bell.* 42, 15.)
 corporis totius languor et lassitudo, (*Hyos.* 133, 8.)
 corporis motus deletus, *Camph.* 47, 15.
 corporis motus difficilis, *Camph.* 47, 18.
 corporis motus tardus, *Verat.* 262, 13.
 corporis superficie posterioris horror cum calore ex-
 terno, *Cham.* 32, 1.
 corporis superficie totius inflammatio, (*Bell.* 38, 7.)
 (*Hyos.* 142, 18.)
 corporis torpor qualis ex pervigilatione et insomnia,
 Cinch. 93, 5.
 corporis sudantis Agitatio, (*Bell.* 32, 5.)
 corporis totius interni Ardor, (*Hyos.* 140, 18.)
 corporis totius externus Ardor sine rubore, (*Hyos.* 142, 17.)
 corporis totius Calor ardens cum pulsu citissimo et re-
 spiratione citissima agonizante, *Puls.* 217, 12.

- corporis totius Calor, venis tumidis, comate, respiratione citissima, siti nulla, *Camph.* 50, 7.
- corporis totius Calor aliquantum auctus, venis tumidis, sine siti, pupillis dilatabilibus, *Cinch.* 95, 14.
- corporis totius Calor sine siti, *Led.* 172, 14.
- corporis totius Calor, exceptis manibus cum pressorio supra orbitam dolore, *Puls.* 219, 11.
- corporis totius Convulsiones, v. *convulsiones*.
- corporis totius Dolores, (*Cauth.* 62, 1.)
- corpo Frigido, saltem non calido, ardor et rubor in gena alterutra, *Arn.* 19, 19.
- corpo Frigido, saltem non calido, calor in capite, *Arn.* 19, 18.
- corporis totius Frigiditas, *Bell.* 25, 1. *Arn.* 17, 1.
(*Verat.* 268, 5. 15.) (*Camph.* 52, 5.) *Acon.* 1, 1.
Cinch. 92, 2. *Stram.* 239, 2. *Verat.* 254, 2. *Dig.*
123, 1. *Led.* 169, 1. 2. *Caps.* 64, 11. *Nux v.*
185, 12.
- corporis totius Frigiditas, livor cutis, *Nux v.* 185, 12.
- corporis totius Frigiditas maxima, *Camph.* 47, 2.
- corporis totius Frigiditas, cum facie pallida, *Bell.* 25, 1.
- corporis totius Frigiditas pedetentim crescens, *Caps.*
64, 12. *Nux v.* 130, 1.
- corporis totius Frigiditas, stuporem membrorum inducens, (*Op.* 215, 1.)
- corporis totius Frigiditas cum (vel sine) horrore a dorso ad abdomen reptante, *Cham.* 73, 2.
- corporis totius Frigiditas sine horrore; manus lividae, *Cocc.* 107, 17.
- corporis totius Frigiditas (livor cutis), *Nux v.* 185, 12.
- corporis totius Frigiditas, Frigus et horror, post calorem faciei, *Cinch.* 95, 12.
- corporis totius Frigiditas et Frigus, *Led.* 169, 1.
- corporis Frigiditas matutina sine Frigore, *Led.* 169, 2.
- corporis totius Frigus cum rubore genarum et interno capitis calore, *Nux v.* 189, 17.
- in corporis totius cute Frigus, rubore et calore genarum et auricularum nondum penitus evanido, *Cinch.* 95, 11.
- corporis totius Frigus cum calore interno sicco, fronte calida, *Acon.* 1, 2.
- corporis totius Frigus cum calore faciei per oculos micante, *Cham.* 81, 9.
- corporis totius Frigus et Horror, (*Hyos.* 144, 10.)
- corporis totius Gravitas, *Puls.* 231, 8.

- corporis Habitus paclidus et lividus, (*Op.* 214, 3.)
 corporis totius Hyperaesthesia dolorosa, *Arn.* 22, 15.
 corporis Iactationes enormes, (*Hyos.* 154, 3.)
 corporis Immobilitas rigida, *Puls.* 231, 7.
 in corpore toto Ingratissimus sensus ad summam desperationem et impotentiam animi adigens, neque dormire, neque requiescere ullo modo sinens, *Puls.* 231, 1.
 in corpore toto ingratus sensus pernox quasi a vigilia longa cum capitis vappiditate ut a crapula, *Puls.* 231, 3.
 corporis et animi Languor cum hypererethismo, *Cinch.* 93, 7.
 corporis totius Languor, (*Hyos.* 146, 7.)
 corporis Motus tardus, *Verat.* 262, 13.
 corporis totius Pruritus, (*Stram.* 248, 21.) (*Canth.* 59, 4.)
 corporis totius Rigiditas, (*Bell.* 45, 15.)
 corporis omnium fere partium Rigiditas, (*Nux v.* 198, 7.)
 corporis totius Rigiditas frigida, gena altera rubra, altera pallida, *Acon.* 1, 3.
 corporis totius Rubor et ardor, (*Hyos.* 142, 18.)
 corporis totius Rubor et tumor, (*Bell.* 40, 15.)
 corporis totius Rubor cum pulsu celeri, (*Bell.* 40, 24.)
 corporis totius (et artnum) Strictorio dolore trepidatio, *Puls.* 231, 2.
 corporis omnium fere partium stupor, (*Nux v.* 198, 8.)
 corporis Sudantis agitatio, (*Bell.* 32, 5.)
 corporis totius Sudor, *Ign.* 150, 4.
 corporis totius Sudor frigidus, *Cinch.* 92, 3.
 corporis Torpor et vapiditas capitis quasi a pervigilatione et insomnia, *Cinch.* 93, 5.
 corporis totius Tremores, *Verat.* 256, 10. (*Camph.* 54, 11.) (*Ign.* 160, 3.) (*Nux v.* 199, 14.)
 corporis totius Tumor erysipelaceus, (*Cinch.* 103, 19.)
 corporis totius Tumor et rubor, (*Bell.* 40, 15.)
 corporis totius Tumor, rubor et ardor, (*Bell.* 45, 3.)
 corporis Tumor, (*Cupr.* 122, 3.)
 corporis Vigor, animi serenitas, (*Hyos.* 145, 3.)
 per corpus totum ardor, *Nux v.* 194, 6.
 per corpus totum internum ardor, (*Hyos.* 140, 18.)
 per corpus totum caloris insultus subitanei, *Ign.* 157, 8.
 per corpus totum caloris sensus, venis tumidis, sine calore externo sensibili, pedibus frigidis, (*Cinch.* 95, 13.)
 per corpus totum calor serpens, (*Acon.* 12, 15.)

- per corpus totum constrictio sensus vehemens, *Nux v.*
193, 22.
- corpus totum quasi a contusione tactu dolorificum, *Led.*
172, 3.
- supra corpus totum in cute pruritus punctorius in cute,
Led. 170, 20.
- corpus in latus trahens spasmus, tum vomitus et alvi
 et urinae exoneratio, *Nux v. 192, 7.*
- corpus modo immobile, modo artus motibus miris flexi,
(Bell. 38, 3.)
- corpus gelidum, rigidum, (*Op. 207, 4.*)
- corpus totum tactu dolens quasi a contusione, *Led.*
172, 3.
- corripiens et pressoria cardialgia, *Cinch. 94, 13.*
- correptoria et forficantia termina cum diarrhoea, *Dros.*
129, 5.
- corrodens ventriculi dolor, (*Canth. 60, 21.*) (*Verat.*
266, 5.)
- corrugationis sensus, quasi ab austoris in faucibus,
Arn. 19, 16. Acon. I, 9.
- corrodens sensatio cardialgica, (*Verat. 266, 5.*)
- corrugationis sensus in palato, quasi ab austoris, *Arn.*
19, 16.
- corrugationis sensus, quasi ab austoris in ventriculo,
Acon. 2, 1.
- ut in corruptione ventriculi contentorum, sapor in ore,
Ign. 154, 11.
- quasi a corrupto ventriculo sensus, *Puls. 221, 19.*
- ut in corrupto nimia ingluvie ventriculo, vel carne nimis
 pingui ingurgitata dolor capitis, *Puls. 226, 16.*
- ut in corruptione ventriculi contentorum, sensus, quasi
 escae evomenda essent, *Puls. 221, 20.*
- coryza, vide et *destillatio.*
- coryza, *Verat. 259, 16. Camph. 51, 3. Puls. 224, 2.*
Cham. 87, 1. (Hyo. 146, 2.)
- coryza aucta, *Canth. 57, 9.*
- coryza chronica in sanguineam mutata, *Canth. 57, 10.*
- coryza cum olfactus et gustus jactura, *Puls. 224, 2.*
- coryza matutina, *Nux v. 195, 22.*
- coryza (sanguinea) muci spississimi, *Mez. 180, 23.*
- enim coryza tussis, *Bell. 29, 8.*
- coryza vehemens quatuor dierum, *Cocc. III, 14.*
- coryzae et catarrhi symptomata, *Acon. 7, 14.*

- in costa parvi spatii dolor simplex, tactu quidem, sed nec tussi, nec respiratione exasperandus, *Caps.* 69, 13.
- sub costa ultima vera dextri lateris dolor immaniter pressorius, tussi, inclinatione et respiratione, non vero tactu auctus, *Cocc.* 111, 21.
- costarum dolor osteocopus inspiratione, *Cinch.* 98, 3.
- costarum dolor in respiratione, *Caps.* 66, 1.
- infra costas in latere sinistro dolor pressorio lancinans, *Bell.* 29, 4.
- circa costas abdomen tensum, (*Bell.* 57, 18.)
- ad costas quasi adhaereret pulmo, dolor in pectoris latere, inter altam inspirationem, *Mez.* 179, 12.
- in costis dolor stritorius, *Nux v.* 196, 19.
- sub costis ultimis ab utroque latere constrictorius dolor terminum instar, *Ign.* 153, 3.
- sub costis ultimis dolor punctorio lancinans, *Arn.* 21, 6.
- quasi a crampo vel contritione aut verberatione dolor ossis sacri intolerabilis inter motum levissimum clamores subitanos extorquens, *Cinch.* 98, 5.
- crampoides dolor abdominis, *Bell.* 27, 14.
- crampoides dolor cubiti, *Bell.* 27, 14.
- crampoides dolor primo in latere dextro, tum in sinistro, tum in pectore, (*Puls.* 228, 9.)
- crampoides dolor lumborum, *Bell.* 27, 14.
- crampoides dolor pectoris, *Bell.* 27, 14. (*Puls.* 228, 9.)
- crampoides dolor surarum, *Cham.* 88, 12.
- crampoides et tensivus dolor in sura inter motum, *Cham.* 88, 13.
- crampus, vide et *tensivus* et *stritorius* *tensivus* dolor.
- crampus dolorificus in alterutro latere pectoris, abdominis, lumborum, cubiti, partem inclinare et curvare cogens, *Bell.* 27, 14.
- crampus surarum, *Cham.* 88, 12. *Verat.* 260, 17. (*Verat.* 265, 20. 267, 6.)
- crampus, spasmus ventriculi, (*Bell.* 57, 14.)
- cranii laeticans dolor osteocopus, *Mez.* 180, 17.
- in cranii meningibus dolor obtusus, *Hyos.* 151, 13.
- in crano dextro lancinatus volatici, *Cham.* 80, 13.
- cranium quasi disrumperetur dolor capititis inter tussim, *Nux v.* 196, 9.
- cranium quasi disrumperetur in temporibus dolor, *Caps.* 67, 17.

- ut a crapula vappiditas capitum et sensus ingratus in toto corpore pernox quasi a vigilia longa, *Puls.* 231, 3.
 ut a crapula capitis dolor, *Puls.* 227, 1.
 a crapula quasi dolor capitis obnubilans in temporibus presorius, *Acon.* 4, 1.
 crassa in facie cutis, quasi exanthema erupturum sit,
 (*Bell.* 36, 8.)
 crassiora et grandiora justo, et eodem momento graciliora justo et minora videntur esse objecta dormitienti, *Camph.* 48, 15.
 ob crassitatem et duritatem excrementorum alvinorum constitatio, *Verat.* 261, 12.
 crepitans in fronte, naso sensus, *Acon.* 4, 8.
 crepitans fragor in hemicranio sinistro, *Cham.* 81, 1.
 cum crepitu dentium frigus vehemens, *Nux v.* 186, 2.
 crepitus cerebri inter euendum ad pulsum arteriarum modulatus, *Puls.* 226, 12.
 crepitus, vide et *fragor*.
 crepitus juncturarum, *Cocc.* 108, 1.
 crepitus juncturarum, ut a contritione dolentium, nec tamen lassitudo completa, *Cham.* 88, 14.
 crescens sensim asthma, *Nux v.* 194, 12.
 crimen quasi commisisset, angustia nocturna inter evigilationem, *Puls.* 218, 19.
 crimen quasi commisisset, angor, *Ign.* 152, 5. (*Verat.* 256, 8.)
 crines, vide *capilli*.
 cruciatus stomachi et intestinorum, (*Verat.* 267, 3.)
 cruciatus vesicae atrox, (*Canth.* 60, 11.)
 cruciatus diri circa praecordia, (*Bell.* 34, 6.)
 cruentus, vide et *sanguis*.
 cruentum urinae stolidum, (*Canth.* 59, 10.)
 cruentus mictus, (*Canth.* 60, 14. (*Cop.* 117, 7.)
 cruentus, dolorosus mictus, (*Canth.* 62, 2.)
 crura, vide et *pedes*, et *tibiae*, et *artus inferiores*.
 crura paralytica, (*Stram.* 246, 19.)
 crura trementia, (*Verat.* 268, 11.)
 crura maxime et brachia sensim occupans fornicationis et ardoris sensus, (*Acon.* 12, 15.)
 in cruribus et femoribus lacerans dolor, *Cham.* 78, 9.
 in cruribus sensus quasi a narcosi nascitura, *Cham.* 77, 12.
 in cruribus et genu eruptio miliaris ardenti pruriens, *Nux v.* 197, 17.

- in cruribus tensionis sensus supra genu usque, cum gravitatis sensu, *Ign.* 153, 9.
 cum cruris contractione spasmatica, rara, somnus altus, stertorosus, (*Stram.* 246, 9.)
 cum cruris dolore strictorio asthenia paralytica pedis nocturna, *Cham.* 77, 8.
 cruris sensus fere deletus, (*Op.* 216, 6.)
 non crucum aut brachiorum, sed manuum et pedum calor, *Bell.* 29, 5.
 crurum debilitas, (*Op.* 213, 4.)
 crurum debilitas tremula, *Caps.* 64, 7.
 crurum dolor immanis, pedem extendere cogens, (*Bell.* 42, 9.)
 crurum frigiditas supra genu usque, *Ign.* 150, 2.
 crurum gravatus dolor quasi a lassitudine, *Verat.* 260, 15.
 crurum gravitas strictoria, *Bell.* 29, 11.
 crurum gravitas cum tensionis sensu, supra genu usque, *Ign.* 153, 9.
 crurum gravitas tremula, *Bell.* 26, 11.
 crurum instabilitas tremula, *Camph.* 43, 7.
 crurum et femorum post sessum paralytica asthenia, *Acon.* 3, 1.
 crurum lassitudo, *Ip.* 165, 17. *Camph.* 47, 17.
 crurum lassitudo inter adscensum scalarum, *Nux v.* 180, 4.
 crurum osteocopus dolor, *Mez.* 180, 19.
 eruris et brachii paralysis, (*Acon.* 10, 14.)
 eruris et brachii sinistri stupor paralysi similis, (*Acon.* 11, 7.)
 erurum rigiditas dolorosa, matutina, *Led.* 171, 14.
 erurum maxime et femorum sudor, (*Hyos.* 141, 16.
 crustosae exulcerationes in labiorum margine, *Cham.* 83, 11.
 in cubiculo calido frigus circa vesperam, caloris volatili sensu intermisto, *Puls.* 213, 5.
 cubiti quasi a contusione dolor, *Verat.* 262, 4.
 cubiti dolor immanis, crampoides, partem incurvare cogentes, *Bell.* 27, 14.
 in cubiti flexione dolores, (*Cupr.* 120, 8.)
 supra cubiti flexuram tumores subcutanei non inflammati, tactu dolorosi, *Puls.* 229, 10.
 supra et infra cubiti articulum dolor strictorio paralyticus, (*Caps.* 69, 19.)

supra cubiti flexuram abscessus, (*Mez.* 184, 4.)
 in cubiti et humeri articulatione et tubo ossis intermedio
 dolor ex dilfringente, lacerante, lancinante compo-
 situs, inter quietem intolerabilis, cum gravitatis
 sensu et metu brachium movendi, motu tamen mi-
 tigatus, *Cocc.* 113, 4.
 in cubiti osse dolor strictorio lancinans, motu excitandus,
 Acon. 6, 8.
 in cubito et manibus strictorio paralyticus dolor, *Cham.*
 77, 13.
 cubiti tendinum flexorum dolor tensivus inter brachii
 flexionem, (*Puls.* 229, 4.)
 cultris hinc inde quasi dissindens in abdomine dolor,
 Verat. 253, 17.
 cupida autochiriae anxietas, *Nux v.* 189, 18.
 cupreus in ore sepor, *Cocc.* 110, 9.
 cura anxia et nimis sollicita ob minima, *Cinch.* 94, 3.
 curarum expertis serenitatis animi, et animi morosi
 vicissitudines, *Op.* 204, 20.
 curarum plenus animus, *Ip.* 165, 15.
 quasi cursus sanguinis in extremitatibus interceptus esset,
 sensus, (*Acon.* 12, 17.)
 curti quasi nimis essent poplites, sensus post sessum
 inter surgendum, *Nux v.* 197, 13.
 quasi a curto nimis femore dolor tensivus, *Nux v.* 197, 10.
 Hyos. 132, 20.
 curtuin quasi nimis esset pectus dolor mere diurnus in
 sterno inter respirandum, *Nux v.* 196, 15.
 cutanea eruptio morbillosa, (*Bell.* 40, 21.)
 cutaneae eruptiones miliares, (*Verat.* 261, 11.)
 cutaneae eruptiones, scabiei species, *Verat.* 261, 9.
 cutaneae eruptiones, *Acris* 16, 10. (*Hyos.* 141, 17.
 145, 9.) (*Verat.* 267, 10.) *Acon.* 8, 22. (*Stram.*
 246, 21.) (*Mez.* 181, 21.)
 cutaneae maculae, (*Verat.* 267, 11.)
 cutaneus pruritus, *Led.* 170, 14. *Acon.* 7, 10.
 cum cute anserina horror, cute dolorifice sensibili, *Camph.*
 47, 6.
 sine cute anserina frigus vespertinum, *Puls.* 218, 6.
 cum cute anserina frigus sine frigiditate, *Led.* 169, 4.
 in cute eruptiones, *Acris* 16, 10.
 in cute eruptio maxime vesperi in lecto pruriens, *Mez.*
 181, 21.

- in cute erythema, miliaribus papulis obsessa, *Cham.*
88, 9.
 cutem exulcerat, (*Dros.* 130, 1.)
 in cute frontis reptatio, (*Cinch.* 96, 2.)
 in cute lacinatus, *Cocc.* 111, 19.
 in cute pruritus pungens hinc inde, *Op.* 204, 4.
 in cute pruritus, *Acris* 16, 9.
 in cute pruriens punctorius sensus ut a pulicibus innumerabilibus, *Puls.* 231, 10.
 in cute totius corporis pruritus punctorius, volaticus, *Led.*
170, 20.
 in cute punctorius sensus, (*Arn.* 23, 9.)
 in cute hinc inde reptatio tanquam a musca, *Caps.* 70, 6.
 cutem (v. c. faciei) perreptans horripilatio, *Verat.*
256, 19.
 sub cute lacinans dolor, externe quadantenus in latere
utrovis, *Bell.* 29, 3.
 cutis calore ardens, (*Bell.* 38, 2.)
 cutis desquamatio, *Acon.* 7, 10. (*Verat.* 266, 19.) (*Mez.*
182, 10.) (*Melamp.* 178, 10.)
 cutis desquamatio post pruritum et formicatio, *Acon.*
7, 10.
 cutis dolorifice sensibilis et horror cum cute anserina,
Camph. 47, 6.
 cutis faciei crassa, quasi exanthema erupturum sit,
(*Bell.* 36, 8.)
 cutis flavescentia color, (*Cinch.* 104, 8.)
 cutis formicatio, pruritus, desquamatio, *Acon.* 7, 10.
 cutis inflammata totius corporis, (*Ilyos.* 142, 18.) (*Bell.*
38, 7.)
 cutis mader, (*Cupr.* 121, 1.)
 cutis pruritus, formicatio, desquamatio, *Acon.* 7, 10.
 cutis pruritus, *Led.* 170, 20. *Acon.* 7, 10. *Canth.* 58,
5. (*Canth.* 59, 4) (*Puls.* 231, 10. *Acris* 16, 9.)
 cutis pruritus exedens, *Verat.* 261, 8.
 cutis pruritus hinc inde pungens, *Op.* 204, 4.
 cutis pruritus ardens, *Nux v.* 194, 4.
 cutis pruritus pertinax plurium dierum, *Mez.* 181, 20.
 cutis sicca, calida, (*Op.* 215, 11.)
 cutis universae rubor cum pulso celeri, (*Bell.* 40, 24.)
 cutis universae rubor et tumor, (*Bell.* 40, 15.)
 cutis fit ulcerosa, id est, in exulcerationem prona,
Cham. 89, 3.
 ut a cynobati fructuum setis punctus in faucibus, *Acon.* 2, 3.

quasi dauci foliorum herbaceus nauseosus sapor in faucibus,
Nux v. 190, 16.
 debile quasi nimis esset os sacrum ut a puerperio et quasi
 a verberatione dolor mere diurnus, *Nux v.* 197, 7.
 debilis memoria, *Acon.* 3, 2.
 debilitas, vide et languor, infirmitas, instabilitas, lapsus
 virium, desatigatio.
 debilitas, (*Hyos.* 140, 2.)
 debilitas artuum maxima, ut pedibus insistere non pos-
 set, (*Nux v.* 199, 13.)
 debilitas, languor, *Mez.* 179, 2.
 debilitas chronica, *Verat.* 262, 9. (*Cinch.* 105, 7.)
 debilitas, prostratio virium, *Canth.* 57, 13.
 debilitas ad geniculationem usque, *Ign.* 151, 1.
 debilitas intestinorum, quasi a laxantium abuso, *Acon.*
 9, 4.
 debilitas maxima, *Verat.* 254, 8. (*Verat.* 263, 1.) *Cocc.*
 197, 3.
 debilitas magna, (*Bell.* 44, 14.)
 debilitas magna junctorum, maxime genuum et mal-
 leolorum, cum vulsione in tendinibus ita ut vix in-
 cedere posset, (*Acon.* 12, 16.)
 debilitas et lassitudo maxima ad syncopen accedens,
Cham. 74, 5.
 debilitas moribosa, post accessus syncopes, una cum
 nausea ciborum et ictero, *Nux v.* 190, 10.
 debilitas, vix pedibus insistere potest, (*Hyos.* 149, 14.)
 debilitas inter requiem major, quam per motum, inter
 motum robur sufficiens, *Cham.* 74, 7.
 debilitas ad syncopen accedens, *Cham.* 74, 5.
 debilitas tremula crurum, *Caps.* 64, 7.
 debilitas ventriculi, *Op.* 205, 6. (*Cupr.* 120, 7.)
 debilitas virium animi, (*Op.* 213, 7.)
 debilitate quasi intestinorum, quae post purgantia rema-
 net, termina, *Led.* 171, 4.
 debilitate nimis corporis, quae adscendere solet in captu,
 obnubilatio et obtenebratio, *Hyos.* 151, 1.
 decoriatae quasi fauces, *Ign.* 157, 16. 17.
 decoratio, vide et deglubitus, et excoriatio, et intertrigo,
 et erosio.
 decoratio faicum, *Mez.* 180, 8. *Dig.* 125, 1.
 decoratio narum, *Ign.* 157, 13.
 decoratio oesophagi, *Dig.* 125, 1.
 decoratio palati, *Mez.* 180, 8.

- decoratio salivalium ductuum, *Acon.* 9, 2.
 decorationis linguac sensus, *Arn.* 18, 16.
 decorationis oris interni sensus, *Stram.* 241, 16.
 decubitu auctus capitinis dolor, *Camph.* 49, 4.
 decubitu, sessu aucta trepidatio, motu diuminuta, *Puls.*
 230, 19.
 decubitu exasperatus, trunci erectione evanidus occi-
 pitis lancinaus dolor, *Puls.* 227, 3.
 decubitu exasperandus, sessu levatus capitinis dolor la-
 cerans, *Led.* 172, 17.
 decubitu in dorso mitigatus occipitis dolor lacerans,
 erectione trunci et capitinis exasperatus, pacatus ma-
 xime alta pronatione capitinis inter sessum (cum gra-
 vitate capitinis quasi sanguine turgeret), *Ign.* 151, 8.
 in decubitum nesus, *Nux v.* 187, 4. (*Acon.* 13, 5.) *Cocc.*
 107, 4. (*Op.* 213, 8.) (*Stram.* 247, 2.) *Verat.*
 254, 7.
 in decubitum nesus mane, *Nux v.* 187, 9.
 in decubitum nesus et sitis aquae inter calorem et pulsum
 magnum frequentem, *Nux v.* 194, 15.
 in decubitum nesus pertinax, *Acon.* 5, 10. *Stram.* 239, 8.
 post decubitum noctu dolor dissindens in sterno, flatuua
 secessu evanescens, sed repetens, *Stram.* 240, 15.
 post decubitum vesperi titillatio in larynge et tussicula sicca,
 Caps. 66, 17.
 post decubitum et somnum nata impossibilitas incedendi ob
 dolorem intolerabilem in femoris capite, *Acon.*
 2, 18.
 non nisi inter decubitum lacinatus in latere, *Puls.* 228, 8.
 inter decubitum maxime percipienda leucorrhoea pituitae
 coloris lactei, indolorifica, *Puls.* 223, 16.
 decubitus, *Acon.* 5, 9. (*Stram.* 244, 15.)
 decubitus in dorso, oculis late apertis, fixis, (*Stram.*
 246, 1.)
 decubitus pronus in abdomine inter somnum, (*Cocc.*
 109, 2.)
 decubitus tranquillus, (*Hyos.* 145, 1.)
 in decumbendo et sedendo dolor simplex juncturarum,
 Cinch. 98, 6.
 decumbere cogens capitinis dolor quasi cerebrum expres-
 surus, *Bell.* 28, 20.
 dum decubit insomnia vigil adest, dum sedet somnolentia
 diurna, *Cham.* 75, 3.

- 2 defatigatione quasi dolor genu, *Ip.* 165, 9.
- 2 defatigatione quasi omnium membrorum dolor, *Verat.*
260, 1.
- defatigationis sensus in femoribus, *Rh.* 235, 3.
- sub defatigationis specie artuum rigiditas, *Bell.* 26, 4.
- defectus animi, (*Verat.* 264, 2.)
- defectus virium, (*Acon.* 13, 4.)
- deficit ratio, *Verat.* 255, 1.
- deficiens vox, (*Verat.* 268, 18.)
- quae a deglubitione oritur aspritudo et siccitas nimia in pharynge, deglutitione salivae aliquantum minuenda,
Ip. 163, 6.
- cum deglutiendi difficultate punctoriis dolor in gula, *Stram.*
239, 13.
- deglutiendi difficultas cum dolore in glandulis submaxillaribus (pressorio), *Stram.* 239, 14.
- deglutiendi difficultas, *Stram.* 239, 13. 14. vide et *angina*.
- deglutiendi difficultas ex oesophagi (spasmo aut) paroxysmi, *Cocc.* 110, 4.
- deglutiendi impotentia, (*Hyos.* 144, 18.)
- deglutiendi impotentia non dolorosa, *Bell.* 26, 8.
- inter deglutiendum maxime percipiendus dolor et tumor glandularum submaxillarium, anginosa indeglutitio, *Cinch.* 96, 18.
- inter deglutiendum dolor, quasi glandulae submaxillares in faucibus prominenter et quasi ab excoriacione dolebant, *Puls.* 225, 6.
- deglutire non valet potum desideratum, (*Hyos.* 142, 12.)
- deglutitio abolita, *Bell.* 26, 7. (*Bell.* 40, 6. 41, 5.)
- deglutitio aquae difficillima et non nisi in minima quantitate, (*Bell.* 37, 12.)
- deglutitio difficilis et dolorosa, (*Bell.* 45, 4.)
- deglutitio impedita, vide et *angina* et *indeglutitio*.
- deglutitio impedita, *Bell.* 26, 7. (*Bell.* 39, 21.) (*Hyos.* 149, 12.)
- deglutitio impedita in oesophago, *Cocc.* 110, 4.
- deglutitio impedita nausea quadam, *Arn.* 18, 9.
- deglutitio impedita tumore in gula, *Puls.* 225, 9. *Verat.*
257, 2.
- deglutitio labefactata, (*Bell.* 53, 9.)
- deglutitio potus suffocatoria, (*Bell.* 37, 3.)
- deglutitio strepera, *Arn.* 18, 8.
- deglutitio suffocatoria potus, (*Bell.* 37, 3.)

- deglutitione auctus in larynge dolor lacrans, *Ign.*
 154, 1.
 deglutitione illaesa, sensuum extinctio, (*Stram.* 246, 7.)
 deglutitione et motu partium auctus dolor simplex fau-
 cium, *Cham.* 83, 15.
 deglutitione tantum percipiendus dolor quasi ab exco-
 riatione in faucibus, *Ign.* 157, 17.
 inter deglutitionem cessans rasio scalptoria in faucibus,
 Nux v. 191, 6.
 inter deglutitionem dolor quasi a tumore in pharynge, *Ip.*
 163, 5.
 extra deglutitionem dolor stritorius in pharynge, *Caps.*
 60, 5.
 extra deglutitionem sensus quasi ab epistomio in gula,
 Ign. 154, 4.
 inter et extra deglutitionem dolor in pharynge, *Caps.* 60, 4. 5.
 deglutitionem impediens nausea, *Arn.* 18, 9.
 inter deglutitionem tussis, *Op.* 205, 4.
 dejectiones alvinae violentiae, sanguineae, (*Ver.* 266, 18.)
 dejectio alvi crebra, vehemens, (*Verat.* 263, 1)
 dejectiones alvi crebrae, (*Hyos.* 145, 13.)
 dejectiones alvi crebtiores, nigricantes, (*Cinch.* 101, 6.)
 dejectio virium, (*Canth.* 60, 8.)
 dejectiones, vide *egestiones, sedes, excrementa, diarrhoea,*
 dejectiones parvae, crebrae, mere mucosae, *Arn.* 19, 5.
 dejectiones alvi, (*Cham.* 91, 2.) (*Mel.* 182, 4.)
 delecta irritabilitas ventriculi, (*Bell.* 33, 10.)
 deletus sensus, deglutitione illaesa, (*Stram.* 246, 7.)
 deletus appetitus et sapor, escae quodammodo descen-
 dere detrectant, *Cham.* 84, 8.
 deletus corporis motus, *Camph.* 47, 15.
 deletus fere sensus, (*Verat.* 268, 8.)
 deletus sapor et appetitus, *Cham.* 84, 3.
 deletus sapor esculentorum omium, *Puls.* 221, 8.
 (*Cham.* 84, 8. *Dros.* 128, 14. *Op.* 204, 14.)
 deliquescentia cordis, *Nux v.* 187, 12. 188, 8.
 deliquescentia cordis nauseabunda, *Cham.* 77, 2. 5.
 deliquescentiae sensus in cordis regione, *Cham.* 77, 1.
 deliquia animi, (*Melamp.* 177, 8. 178, 8.) (*Op.* 208, 4.)
 (*Canth.* 62, 13.)
 deliquum animi, *Verat.* 254, 12. (*Canth.* 59, 8. (*Ign.*
 160, 6.)
 deliquum animi post pectoris concussionem, (*Camph.*
 52, 1.)

- deliquii animi accessus, (*Hyos.* 144, 14.)
 delirae phantasiae inter coma somnolentum nocturnum
 cum calore sicco, *Puls.* 227, 2.
 delira blateratio, nocturna, vigil, inter sessum, *Cham.*
 82, 12.
 delira blateratio, (*Bell.* 55, 5.) (*Stram.* 246, 17.)
 delirans blateratio de impedimentis variis removendis,
 Cham. 75, 11.
 delirans conquestio de cane pectus mordicus dilacerante,
 Stram. 240, 21.
 delirans conquestio de strepitu nimio, *Ign.* 156, 2.
 (*Nux v.* 186, 15.)
 delirans loquacitas, (*Bell.* 40, 2.)
 delirans garrulitas, (*Stram.* 244, 9.)
 modo delirat, modo juste respondet, et queritur, (*Bell.*
 58, 4.)
 delirae, terribiles phantasiae, *Nux v.* 187, 19.
 deliria, (*Cinch.* 100, 8.) (*Rh.* 238, 9.)
 deliria et convulsiones tactu maxime excitanda, debili-
 tate inox subsequas, (*Stram.* 247, 8.)
 cum deliriis vehementibus insultus epileptici, (*Op.* 212, 13.)
 delirium, (*Camph.* 55, 4.) (*Hyos.* 154, 14. 156, 3. 9.
 149, 11.) (*Bell.* 55, 2. 37, 17. 39, 11. 45, 13. 46,
 9. 46, 18.)
 cum delirio calor summus, universalis, (*Bell.* 35, 2.)
 in delirio perpetuo versari videtur somnolentius, (*Op.* 212,
 14.)
 delirium, inquietudo, spasmi reiterant circa vesperti-
 nam horam septimam, (*Bell.* 43, 6.)
 delirium accessibus reiterans, (*Bell.* 43, 6. 44, 7. 9.)
 delirium de apibus abigendis (inter experditionem suc-
 cessoriam), *Puls.* 232, 7.
 delirium, aptis responsis et querelis intercalatum,
 (*Bell.* 58, 4.)
 delirium, hallucinatio nuces diffingere opinantis, qua-
 rum nucleos avibus proijiceret, et manibus abigen-
 tis veluti pavoues, (*Hyos.* 147, 8.)
 delirium cachinnans, (*Bell.* (32, 8. 39, 2. 11.) 44, 12.)
 delirium cantans (*Bell.* 59, 12.) (*Stram.* 243, 10. 245,
 17.) (*Hyos.* 157, 7.)
 cum delirio coma, (*Camph.* 55, 10.)
 delirium continuum, (*Bell.* 41, 13.)

- delirio evanido, dolores stomachi, capitis, maxillarum,
pectoris et modo unius, modo alterius juncturae,
(Acon. 10, 9.)
- delirium ferox, (Stram. 249, 1.)
- delirium hilare transiens in ferocia u, (Bell. 45, 11.)
- delirium ineptiae, (Acon. 10, 3.)
- delirium jucundum, (Bell. 58, 9.)
- delirium leve, Verat. 265, 2. (Stram. 244, 9.)
- delirium cum ratione alterna, (Acon. 12, 8.)
- delirium mite, corpore frigido, oculis aperis, vultu
sereno, interdum risotto, de rebus religiosis, de
votis solvendis, de precibus, cum erronea de domi-
cilio opinione (alio esse credit), Verat. 255, 2.
- delirium mite de rebus religiosis, corpore frigido, Ve-
rat. 255, 2.
- delirium cum ferocia, (Bell. 34, 12.)
- delirium ridiculum, (Bell. 32, 16.)
- deliriū quasi synochi, (Hyos. 145, 15.)
- delirium vel per intervalia rediens, vel continuum, hi-
lare primum, postea pleruque in furorem muta-
tum, (Bell. 45, 11.)
- in deltoide musculo arthriticus dolor, Verat. 260, 14.
- dementia, (Stram. 245, 24.) (L.ed. 174, 5.) (Op. 212, 5.)
- dementia aliquot septimanarum, (Bell. 31, 9.)
- dementia totalis, (Hyos. 155, 4.)
- demissus animus et morosus, Nux v. 189, 19.
- demissus animus, tristitia, (Hyos. 138, 7.)
- dens, vide et maxilla.
- dens inter mordendum dolorificus, Puls. 225, 15.
- dentes elongati, vacillantes, Camph. 49, 9. Ign. 158, 11.
Cham. 80, 2. Arn. 20, 17. Caps. 67, 13. Cocc.
110, 3. Nux v. 195, 15. Verat. 257, 11. Op.
203, 11. Hyos. 152, 7. Cinch. 96, 4. Rh. 237, 5.
- dentes hebetes, Caps. 67, 13.
- dentes laedit, (Dros. 130, 2.)
- dentes mucaginosi, Arn. 18, 11. Cham. 84, 2.
- dentes obtusi et amaror oris post vomitum ciborum,
vespertinum, Puls. 222, 11.
- dentes quasi vacillent sensatio in maxillis, (Acon. 12, 13.)
- in dentibus maxillae superioris formicatio, Cham. 80, 4.
- in dentibus strictiorius dolor, Cham. 80, 1.
- in dentis canini gingiva epulis, dolore ardenti tensivo,
Nux v. 195, 20.
- dentis dolor cum tumore genae, Cham. 80, 3.

- dentis cariosi vacillatio et elongatio cum gingivae tumor,
Cocc. 110, 3.
 dentis nervi dolor subtilis exedens, *Op.* 204, 1.
 dentis strictorius dolor, nec tactu, nec pastu auctus,
Caps. 67, 15.
 dentium casus vix vacillantium, *Nux v.* 195, 16.
 cum dentium crepitu frigus vehemens, *Nux v.* 186, 2.
 dentium dolor, *Op.* 203, 12. *Cham.* 79, 5 — 14. 80,
 1 — 5. *Val.* 231, 3.
 dentium (maxillae superioris) dolor, *Op.* 203, 13.
 dentium dolor a Calida admota, *Cham.* 79, 14.
 dentium dolor post Calidum haustum (maxime Coffeae),
Cham. 79, 11.
 dentium dolor, quasi Casuri essent, *Hyos.* 132, 3. *Stram.*
 241, 1.
 dentium dolor maxime post Coffeae potum, *Cham.*
 79, 11.
 dentium dolor Diruens, vacillatio, elongatio, *Rh.*
 237, 5.
 dentium dolor Diruenti lacerans, *Cocc.* 110, 2.
 dentium dolor Dissindens, *Cham.* 80, 5.
 dentium dolor diruens, Elongatio, vacillatio, *Rh.*
 237, 6.
 dentium (dolor) Elongatio, vacillatio, tumor gingiva-
 rum, *Cocc.* 110, 3.
 dentium Elongatio non dolorosa, *Arn.* 20, 17.
 dentium dolor Evulsorius per intervalla, *Ip.* 166, 1.
 dentium nervi dolor Exedens, subtilis, *Op.* 204, 1.
 in dentibus maxillae superioris Formicatio, *Cham.* 80, 4.
 dentium dolor a Frigido maxime aëre, lacerans, *Hyos.*
 132, 9.
 dentium dolor, Frigida aqua (multa) admota mox ex-
 asperatus, hinc illinc micat, cum salivatione, ad
 oculos tendens, *Cham.* 79, 8.
 dentium dolor lacerans et lancinans, per digitum Fri-
 gidae aquae intinctum paulisper sedandus, *Cham.*
 79, 9.
 dentium dolor quasi cum Glandulis submaxillaribus
 connexus, *Camph.* 49, 9.
 dentium dolor, Gravedo, oculi aquei, *Cinch.* 96, 3.
 dentium dolor Lacerans, *Puls.* 225, 12.
 dentium (in maxilla) dolor Lacerans ad aurem tendens
 cum genae tumore, *Cham.* 79, 6.

- dentium dolor Lacerans, maxime ab aëre frigido,
Hyos. 132, 9.
 dentium (maxillae inferioris) dolor Laceranti strictorius, *Puls.* 225, 13.
 dentium (maxillae superioris) dolor Lacerans, eundo
 auctus, ex capite inde et nasi radice pertingens,
Nux v. 183, 9.
 dentium (maxillarum, capitis, palpebrarum) dolor La-
 ceranti strictorius, *Nux v.* 195, 21.
 dentium (maxillae inferioris) Laceranti diruens dolor,
Cocc. 110, 2.
 dentium dolor Lacerans et Lancinans, vespertinus, per
 digitorum aquae trigidae intinctum paulisper sedan-
 dus, *Cham.* 79, 9.
 dentium dolor, a maxilla ad aurem usque Lancinatus
 singuli, *Cham.* 79, 5.
 dentium dolor, ex capite supra orbitam in maxillam
 tendens superiorem Lancinans, vomituriens, qua-
 dantenus pressorius, *Acon.* 5, 12.
 dentium dolor quasi a Luxatis dentibus, pressorio pul-
 satorius, quasi a sanguinis turgore extra premeren-
 tur, tactu digitorum tunc dolorosiores, (*Arn.* 20, 18.)
 dentium dolor hinc illuc Micans ad oculos tendens, fri-
 gida aqua admota, mox exasperatus ad oculos ten-
 dens, *Cham.* 79, 8.
 dentium inter Mordendum dolor, *Puls.* 225, 15.
 dentium dolor inter Mordendum maxime, quasi casuri
 essent, *Hyos.* 132, 8.
 dentium dolor nec Pastu nec tactu auctus, strictorius,
Caps. 67, 15.
 dentium dolor post Pastum, *Cham.* 79, 10. 12. 13.
 dentium dolor inter Pastum cyanidus, incerti loci, stri-
 ctorius, noctu maxime ingravescens, dentibus
 elongatis, *Cham.* 80, 1.
 dentium dolor post Pastum et Potum strictorius, *Cham.*
 79, 13.
 dentium dolor, Potu frigido exasperatus, vulsorio,
 strictorius, *Puls.* 225, 14.
 dentium dolor post Potum maxime Coffeae, *Cham.*
 79, 11.
 dentium dolor post Potum, *Cham.* 79, 10. 11. 12. 13.
 dentium (quasi luxatorum) dolor Pressorio pulsatorius,
 tactu exasperandus, *Arn.* 20, 18.

- dentium dolor quadantenus Pressorius, lancingans, vomitriens, ex capite supra orbitam in maxillam tendens superiorem, *Acon.* 5, 12.
 dentium dolor Pressorio pulsatorius, quasi turgore sanguinis extra pressorum, luxatorum, vacillantium, *Arn.* 20, 18.
 dentium dolor quasi Protruderentur, *Puls.* 225, 16.
 dentium dolor Pulsatorius, quasi pars dentium casura esset, *Stram.* 241, 1.
 dentium dolor Pulsatorio pressorius, quasi a turgore sanguinis extra pressorum, luxatorum, vacillantium, *Arn.* 20, 18.
 dentium dolores Punctorii, vagi, *Val.* 251, 4.
 dentium dolor in gingivis Punctorio exedens, maxime circa vesperam, lecti calore exasperatus, denudatione et aëris liberi aflatu lenitur, somno vespertino deletur, *Puls.* 226, 1.
 dentium dolor Punctorius et Punctorio ardens a refregerio per aërem liberum vel minimum, *Nux v.* 18, 6.
 dentium dolor Strictorius, *Cham.* 79, 7, 13.
 dentium (maxillae inferioris) Strictorii, lacerantes dolores, *Puls.* 225, 12, 13.
 dentium (maxillarum) Strictorio lacerans dolor, *Nux v.* 195, 21.
 dentium Strictorius dolor post potum et pastum, *Cham.* 79, 13.
 denti Strictorius dolor nec tactu, nec pastu auctus, *Caps.* 67, 15.
 dentium dolor Strictorius incerti loci, inter cibandum evanidus, noctu maxime ingravescens, dentibus elongatis, *Cham.* 80, 1.
 dentium Strictorius dolor in gingivis, *Caps.* 67, 14.
 dentium dolor Strictorius in mandibula inferiori, antrosum versus, *Cham.* 79, 7.
 dentium Stridor, (*Stram.* 244, 3. 245, 22.)
 cum dentium Stridore, tussis valida inter somnum, *Bell.* 29, 9.
 cum dentium Stridore et convulsionibus, furor, (*Bell.* 33, 5.)
 dentium nervi dolor Subtilis, exedens, *Op.* 204, 1.
 dentium dolor Tactu exasperatus, pressorio pulsatorius, *Arn.* 20, 18.
 dentium dolor nec Tactu, nec pastu auctus, strictorius, *Caps.* 67, 15.

- dentium (in gingiva) dolor Tensivo ardens, *Nux v.*
 v. 195, 20.
 dentium dolor Tinniens et vibrans, *Hyos. 152, 7.*
 dentium dolor cum Tumore genae, *Cham. 80, 3.*
 dentium Vacillatio, *Op. 203, 11.* *Verat. 257, 11.* *Nux*
 v. 195, 15. *Cocc. 110, 3.* *Cham. 80, 2.*
 dentium Vacillatio cum dolore, *Cinch. 96, 4.* (*Acon.*
 12, 13.) *Ign. 153, 12.* *Camph. 51, 4.* *Cham. 80, 1.*
 Arn. 20, 17. *Caps. 67, 13.* *Rh. 237, 5.* *Hyos.*
 132, 7.
 dentium Vacillatio et sensus vibrans, tinniens in iis,
 Hyos. 152, 7.
 dentium vix Vacillantium casus, *Nux v. 195, 16.*
 dentium Vacillatio, elongatio, non dolorosa, *Arn.*
 20, 17.
 dentium dolor Vespertinus, lacerans et lacinans, per
 digitum aquae frigidae intinctum paulisper sedan-
 dus, *Cham. 79, 9.*
 dentium dolor Vibrans et tinniens, *Hyos. 152, 7.*
 dentium post Vomitum obtusus sensus, *Puls. 222, 11.*
 dentium dolor Vomituriens, lacinans, quadantenus
 pressorius, *Acon. 5, 12.*
 dentium dolor Vulsorio strictorius, potu frigido exaspe-
 ratus, *Puls. 225, 14.*
 a denudatione horrescentia, *Cham. 74, 3.*
 depressione palpebrarum emergens capitidis dolor in
 medio cerebri, qui post vomitum usu venit, *Nux*
 v. 188, 1.
 depressionis sensus in vertice, *Capr. 118, 8.*
 cum depressionis sensu formicatio in vertice, *Capr. 118, 7.*
 post depressoriam cephalalgiam vomituritio, *Ign. 191, 9.*
 deprinere caput qui cogit dolor in fronte supra nasi
 radicem, pressorius, tumque vomituritio, *Ign.*
 151, 9.
 depsatio in umbilico, seu convolutio, *Nux v. 192, 6.*
 descendere detrectant cibi, *Cham. 84.* * *Arn. 18, 9.*
 desideriis et votis ignotis agitatus animus, *Ip. 165, 15.*
 (*Cinch. 99, 3.*)
 desiderium mortis et vitae taedium cum taciturnitate,
 Mer. 179, 3.
 desiderium veneris, (*Op. 204, 9.*) *Cinch. 99, 2.*) *Arn.*
 22, 20. *Cocc. 14, 4.* *Cham. 89, 9.*
 disidia veternosa, (*Cinch. 102, 19.*)
 desipientia, (*Hyos. 136, 17.*)

- desipientia, vivo corpore putrescere metuit, *Bell.* 26, 1.
 desipientia meticulosa timens de cane atro, de patibulo, *Bell.* 25, 14.
 desperabunda aestuatio et jactatio atrox, *Cinch.* 94, 10.
 desperans animus, *Cocc.* 106, 4. *Agn.* 17, 19. *Verat.* 256, 7.
 desperatio, vide et *animus abjectus, demissus; abjectio spei, animi; despensio animi; moeror, moessitia.*
 ad desperationem sumnam et impotentiam animi adigens
 sensus in toto corpore ingratisimus neque dormire
 neque requiescere ullo modo sinens, *Puls.* 231, 1.
 desperatio omnia perdita putantis, *Ign.* 152, 4.
 desperatio vitae, *Melamp.* 175, 7.
 desperatio de vita, cum spe erecta alternans, (*Acon.* 12, 7.)
 despensio animi, *Cocc.* 106, 5.
 desquamatio cutis, *Acon.* 7, 10. (*Verat.* 266, 9.)
 desquamatio cutis, maxime partis, pridem affectae,
 post pruritum et formicationem, *Acon.* 7, 10.
 desquamatio cutis totius, (*Mer.* 182, 10.)
 desquamatio epidermidis, (*Melamp.* 178, 10.) (*Verat.* 266, 19.)
 destillatio copiosa alterutrius naris obturatae quasi a
 gravedine, *Nux v.* 196, 2.
 destillatio (coryza) vehemens quatuor dierum, *Cocc.*
 III, 14.
 destillatio diurna cum nocturna gravedine, *Nux v.*
 196, 1.
 destillatio matutina e naribus, *Nux v.* 195, 22.
 detumescentes subito pedes, antea tumidi, *Verat.*
 260, 18.
 diabetes (lethalis), (*Canth.* 63, 1.)
 diapedesis sanguinis ex stenomate, ex oculo, *Nux v.*
 195, 10.
 diaphoresis, maxime frontis, gignens anxietas, *Nux v.*
 194, 10.
 diaphoresis aucta, *Op.* 204, 12. vide et *sudor*
 diarrhoea, vide et *excrementa, almus, sedes, egestiones, ecopresis.*
 diarrhoea, (*Nux v.* 198, 14.) (*Puls.* 234, 2.) (*Cop.*
 117, 8.) (*Hyos.* 136, 4. 139, 21.) (*Mer.* 183, 2.)
 diarrhoea apeptorum seu prave concoctorum, *Cinch.*
 97, 15.
 diarrhoea aquosa, *Acon.* 5, 15. *Cham.* 86, 2.

- diarrhoea aqua cum torminibus dissidentibus,
Cham. 86, 2.
- diarrhoea continua cum torminibus intolerabilibus,
(Mez. 183, 8.)
- diarrhoea enormis, (*Nux v.* 199, 6.)
- diarrhoea excrementorum alborum maxime mane, inter
 frigus, cum torminibus dissidentibus, truncum
 incurvare cogentibus ante et inter sedes, *Cop.* 116, 8.
- diarrhoea fermenti fusci instar, (*Arn.* 19, 7.)
- diarrhoea (leuis) foetidissima, (*Op.* 212, 18.)
- diarrhoea immoderata, (*Nux v.* 199, 6.)
- diarrhoea involuntaria, *Cop.* 116, 9.
- diarrhoea pituitae cum torminibus ante singulam se-
 dem, *Puls.* 223, 2.
- diarrhoea pituitosa, debilitans, (*Hyos.* 144, 16.)
- diarrhoea pultacea, *Op.* 201, 2.
- diarrhoea sanguinea, (*Verat.* 263, 14.)
- diarrhoea, sedes molles, *Cocc.* 111, 4.
- diarrhoea sine torminibus, *Canth.* 58, 1.
- diarrhoea torminosa mere albi muci, *Cham.* 86, 4.
- diarrhoea torminosa pituitae tenaci, interdum san-
 guine atro intermistae, torminibus dissidentibus
 et contorquentibus circa umbilicum, post singulam
 sedem sitis et post haustum singulum horror, *Caps.*
 69, 3.
- diarrhoea non debilitans, (*Puls.* 234, 4.)
- diarrhoea cum torminibus dissidentibus, *Puls.* 223, 3.
- diarrhoea cum torminibus forficantibus et correptoriis,
Dros. 129, 5.
- diarrhoea pultacea, *Op.* 201, 2.
- diarrhoea vehemens, (*Cupr.* 122, 2.) (*Dig.* 125, 9.)
- diarrhoea viridis, tandem mucosa, *Puls.* 222, 17.
- diarrhoeae eruptuae molimina crebra, *Puls.* 223, 4.
- diarrhoeae molimina fustranea, vomitu subsequence
 post tormina forficantia, trunco incurvato sedere
 cogentia, *Bell.* 27, 15.
- in diarrhoeam nitus irritus, *Arn.* 19, 2.
- diarrhoicae excrementiciae sedes cum pituita, *Rh.*
 236, 1.
- diarrhoicae, albae egestiones, *Arn.* 19, 6.
- dicrota, convulsiva inspiratio, *Led.* 169, 14.
- dicta aliorum tamquam imperata aegre ferens animus,
Camph. 48, 11.
- difficilior respiratio, vide *respiratio*.

- difficultis expectoratio, *Ign.* 153, 3.
 difficultis motus corporis, *Camph.* 47, 15.
 difficultis, vacillans ambulatio, (*Op.* 210, 18.) *Op.*
 202, 19.
 difficultas deglutiendi cum dolore punctorio in gula,
 Stram. 239, 13.
 difficultas deglutiendi cum dolore in submaxillaibus
 glandulis (pressorio), *Stram.* 239, 14.
 difficultas loquelae, vide et *loqua*, et *lingua*, et *balbuties*.
 difficultas urinae maxima, (*Canth.* 62, 4.)
 disfidentia sui, et timiditas, omnia perdita putantis,
 Ign. 152, 4.
 disfidentia timida, *Bell.* 25, 11.
 - disfringere, vide et *rumpere*, et *disrumpere*.
 quasi disfinguntur, dolor omnium articulationum inter
 motum, *Cham.* 88, 11.
 ex disfingente, lacertante, lacinante compositus dolor in
 humeri articulatione, in cubito et tubo ossis inter-
 medio inter quietem intolerabilis, cum gravitatis
 sensu et metu brachium movendi, motu tamen ipso
 mitigatus, *Cocc.* 113, 4.
 digestionis corruptae signa, *Ign.* 154, 9, 11. *Puls.* 221,
 19, 20. vide et *venriculus*, et *indigestio*, et *corruptus*.
 digestionis impeditae, debilis signa, *Ign.* 154, 9.
 digiti, brachii dolores, (*Aeon.* 13, 10.)
 digiti, bulla obsessi, dolorosa inflammatio, (*Bell.* 42, 5.)
 digiti indicis et pollicis intermotum dolor, quasi a dis-
 tortione, cum asthenia paralytica, *Cham.* 78, 2.
 a digitos inde ab axilla pergeus Ardoris sensus, *Cocc.*
 112, 17.
 in digitis minimi phalange prima dolor ut a gelu, Ardentis
 pruriens, *Verat.* 260, 11.
 a digitis pedum ad inguen usque Ardentes et lacerantes do-
 lores, (*Puls.* 235, 15.)
 in digitis pedum Ardor pruriens ut a gelu, *Nux v.* 197, 19.
 in digitis Dilacerans dolor, *Cocc.* 112, 14.
 in digitis pedum Exedens dolor, *Cocc.* 112, 15.
 in digitis dolor Fodiens, *Cocc.* 112, 14.
 in digitis, manibus Formicationes, (*Verat.* 267, 16.)
 in digitis manuum Formicatio, *Verat.* 260, 8. *Acon.* 7, 4.
 in digitis Formicatio narcotica, aucta dum aliquid manu
 capessitur, *Op.* 202, 9.
 in digitis dolor Formicans, *Acon.* 7, 4.
 in digitis Formicatio angorem procreans, *Verat.* 260, 16.

- digitis incurvatis brachiorum protensio, (*Cinch.* 105, 6.)
 digitorum pedis Contractiones spasmodicae cum lace-
 rante artum dolore, *Cham.* 78, 10.
 digiti inflammatio dolorosa, bulla obsessi, (*Bell.* 42, 10.)
 digitorum juncturarum Frigor, *Caps.* 70, 3.
 a digitis pedam Lacerantes, ardentes, vagi dolores ad in-
 guen usque, (*Puls.* 233, 15.)
 digitorum Lacerans dolor, *Ign.* 155, 10.
 in digitorum apice et plantis Lacinatus singuli inter quie-
 tem, *Puls.* 250, 7.
 digitorum narcosis, *Verat.* 269, 9.
 digitorum strictorius dolor, *Cocc.* 112, 14.
 ad digitos usque dolor Laceranti formicans in brachio,
 cum sensu narcoseos, quasi brachium sensu tactus
 careret, *Cham.* 78, 1.
 digitorum pedis dolor ut a Pressura calcei, *Puls.* 230, 11.
 dilacerandi obvia nisus, (*Bell.* 39, 5.)
 dilacerans, vide et *lacerans*.
 dilacerans, eundo aucta, cephalalgia ad nasi radicem
 et maxillas superiores protensa, *Nux v.* 188, 9.
 dilacerans dolor in digitis, *Cocc.* 112, 14.
 dilacerans dolor in dorso, *Cocc.* 112, 8.
 dilacerans intestinorum dolor et ardor in corde quasi
 a prunis, ita ut pessum dari sibi videretur, (*Op.*
 211, 17.)
 dilacerans (evulsorius) dolor oculorum, *Cocc.* 109, 11.
 dilacerans dolor in pedibus, *Cocc.* 112, 11.
 dilacerantia tormina, *Cocc.* 111, 2.
 dilacerat obvia, mordet, screat, (*Bell.* 36, 17.)
 diminuta mobilitas juncturarum, *Nux v.* 193, 19. vide
 et *rigiditas*.
 diminutio caloris, *Op.* 201, 5.
 diminutio irritabilitatis, *Op.* 202, 17.
 diminutio sensibilitatis, *Op.* 202, 2.
 diminutus appetitus, vide et *appetitus*, et *anorexia*, et
 nausea, et *inappetentia*, et *fuga*, et *fastidium*, *abhor-
 rescentia*.
 diruens dentium dolor, *Rh.* 237, 6.
 diruenti sodiens in ulcere (vulnere) dolor, *Cinch.* 98, 8.
 diruenti lacerans dolor in maxilla inferiori, *Cocc.* 110, 2.
 displicant omnia aliorum facta, *Cham.* 76, 15.
 dispositio ad inflammationes, (*Camph.* 55, 17.)
 quasi disrumperetur cranium, in temporibus cephalalgia,
 Caps. 67, 17.

- quasi disrumpetur cranium dolor capitis inter tussim, *Nux v.* 196, 9
 disruptoria hemicrania, quasi oculi e capite casuri es-
 sent, *Puls.* 226, 14.
 ad disruptionem usque abdominis distentionis sensus, suffo-
 cationem initans, *Caps.* 66, 7.
 ad disruptionem usque sensus expansionis in abdomine,
Val. 254, 13.
 disruptorio pressorius dolor in femoris et humeri mus-
 culosis partibus, *Puls.* 229, 11.
 dissindens in Abdomine dolor hinc inde quasi cultris,
Verat. 253, 17, 259, 2.
 dissindens dolor in infimo Abdomine, *Hyos.* 132, 15.
 dissindens dolor in Calcaneo inter lecti calorem, *Puls.*
 250, 13
 dissindens dolor in Capite, *Puls.* 226, 13.
 dissidentia quasi Cultris tormenta, *Verat.* 253, 17.
 dissindens dolor Dentium, *Cham.* 80, 5.
 dissindens dolor in Sterno post decubitum, *Stram.*
 240, 15.
 dissindens dolor circa umbilicum cum horrore, *Ip.*
 164, 9.
 dissidentia, lancinaria, respirationem praecudentia
 tormenta, ex dolore in osse sacro lancinanti profecta,
Puls. 227, 15.
 dissidentia tormenta circa umbilicum una cum horrore,
Ip. 164, 9.
 dissidentia tormenta, *Dros.* 129, 6. *Hyos.* 132, 14.
Verat. 259, 2.
 dissidentia tormenta, respirationem praecudentia,
Puls. 227, 14.
 dissidentia tormenta in infimo abdome, *Hyos.* 132, 5.
 dissidentia tormenta quasi cultris, *Verat.* 253, 17.
 dissidentia tormenta ante et inter sedes diarrhoeicas al-
 bas, *Cop.* 116, 8.
 dissidentia tormenta cum vomititione, (*Nux v.*
 192, 9.)
 cum dissidentibus et contorquentibus tormentibus diar-
 rhoea pituitoso sanguinea, *Caps.* 69, 3.
 cum dissidentibus tormentibus diarrhoea aqua, *Cham.*
 86, 2.
 cum dissidentibus tormentibus diarrhoea, *Puls.* 223, 3.

quasi dissecarentur aut distortae essent, dolor juncturarum
 pedum, genu et ossis femoris capitis, per vices in-
 valescens, (Cinch. 104, 14.)
 distendens abdominis dolor, Op. 202, 20. Stram. 239,
 16. Val. 251, 13. Caps. 66, 7.
 distendens capitis dolor, Caps. 67, 25, 26.
 distendens tempora dolor capitis, Ign. 151, 12.
 distensivo pressoria proctalgia, Op. 203, 8.
 distendenti pressorius capitis dolor cum ardore, Aru.
 20, 2.
 distentio; vide et intumescens, expansio, meteorismus,
 inflatio, tumor, tensio, plenitudo.
 distentio abdominis, (Verat. 265, 18.)
 distentio abdominis dura, Val. 251, 14.
 distentio abdominis (praecordiorum) dura, dolorosa,
 (Acon. 10, 12.)
 distentio abdominis non dura, Stram. 239, 16.
 distentio abdominis post pastum cum amarore et siccii-
 tate oris et genae alterius rubore, sine siti, vesperi,
 Ign. 154, 15.
 distentio abdominis post pastum, Cham. 84, 15.
 distentionis abdominis summae sensus, Ip. 164, 6.
 distentionis abdominis ad rupturam usque sensus, suf-
 focationem minitans, Caps. 66, 7.
 distentiovis abdominis sensus a cibo capto, Ign. 154,
 14. Cinch. 94, 16.
 distentionis abdominis sensus, Op. 202, 20. Stram.
 239, 16. Val. 251, 13. Caps. 66, 7.
 distentionis in capite sensus, Caps. 67, 25, 26.
 distentionis hypochondriorum sensus, Verat. 253, 15.
 distentio ivenarum, (Hyos. 146, 12.)
 distentionis ventriculi sensus, Op. 202, 20. Aru.
 18, 10.
 distortae quasi essent, aut dissecarentur, dolor junctu-
 rarum pedis, genu et ossis femoris capitis, per vices in-
 valescens, (Cinch. 104, 14.)
 distortio, vide et contortio, et luxatio.
 distorta, livida, lurida facies, ore hiante, (Hyos. 134, 7.)
 distortio oris, (Nux v. 200, 14.)
 distorti oculi, (Acon. 13, 1.)
 distorti hinc illinc oculi et aperti, (Hyos. 138, 15.)
 * distortione quasi dolor in manus malleolo cum sensu pa-
 ralyzante, Ign. 159, 3.

- a distortione quasi dolor pollicis et digiti indicis inter mortum cum asthenia paralytica, *Cham.* 78, 2.
- a distortione quasi dolor lacerans in nucha, quando collum movetur, *Ign.* 159, 2.
- a distortione quasi dolores in carpo, lumbis, (dorso, pectori), *Arn.* 22, 7.
- distractae ideae, *Cham.* 75, 5.
- diuresis, *Led.* 171, 1. *Puls.* 223, 6. (*Val.* 253, 6.) (*Dros.* 130, 4.)
- diuresis aquosa, *Ign.* 150, 6. *Cocc.* 111, 6.
- diuresis aucta, vide enuresis.
- diuresis majoris aquae copiae, quam pota est, (*Arn.* 24, 8.)
- diurna destillatio cum nocturna gravedine, *Nux v.* 196, 1.
- diurna dormitaritio, *Mez.* 181, 15. *Cham.* 74, 15. *Cinch.* 92, 12.
- diurna dormituritio et lassitudo, *Cham.* 74, 15.
- diurna matutina febris, *Stram.* 241, 17.
- diurna somnolentia dum sedet, dum vero decumbit insomnia, *Cham.* 75, 3.
- diurna, continua somnolentia, nausea vel minus ingraviterodes, *Cinch.* 95, 4.
- diurnus mere dolor in sterno, quasi pectus nimis cursum esset, inter respirandum, *Nux v.* 196, 15.
- de diurnis laboribus sedulo perficiendis insomnia, *Nux v.* 137, 22.
- diurnus mere dolor, quasi a verberatione genuum inter motum et quietem, *Nux v.* 197, 15.
- diurnus mere dolor, quasi a verberatione, a sterno ad scapulas, cum lancinatione et asthmate, *Nux v.* 196, 17.
- diurnus mere dolor, quasi a verberatione in osse sacro et quasi pars nimis debilis esset, ut a puerperio, *Nux v.* 197, 7.
- a divinatione quasi imminentis fati, angor, *Verat.* 256, 9.
- dolentes quasi ab attrito palpebrae, siccae, rigidae, conditinatae maxime post somnum, *Verat.* 256, 14.
- dolor; vide nomen partis et sedis doloris, nec non hyperesthesia, cruciatus et sensus.
- dolor tracheae et bronchiorum maxime intef tussim, *Camph.* 50, 14.

- cum dolore experrectio nocturna et sitis vespertina, *Cham.*
 82, 14
 erga dolorem ei voluptatem indifferentia, (*Op.* 210, 4.)
 dolores aëre aucti, excitati, vide *aēr.*
 dolores vento aucti, *Puls.* 225, 11.
 dolores deterripi per ossium medullam penetrantes,
 (*Op.* 211, 14.)
 dolores spiriti ab osse sacro ad femora tendentes, stric-
 torio paralytici, imperum in uterum facientes, dol-
 lorum ad partum iustar, *Cham.* 77, 10.
 dolores quasi ad partum insignes, (*Camph.* 52, 8.)
 cum doloribus quasi ad partum, menstruorum suppressio,
 abdominis expansio, tumor scrobicali et pressio au-
 xia in eo, et hydrops cutaneus, *Cham.* 86, 8.
 dolorifica bullae serosae in sterno, (digito) (*Bell.*
 42, 11.)
 dolorifice sensibilis cutis et horror cum cute anserina,
 Camph. 47, 6.
 dolorifici tactu artuum musculi, *Cocc.* 112, 5.
 dolorosa et difficilis deglutitio, (*Bell.* 45, 4.)
 dolorosa diarrhoea, *Cham.* 86, 2.
 dolorosa glandula in trago auris, *Puls.* 225, 8.
 dolorosa hyperesthesia totius corporis, *Arn.* 22, 15.
 dolorosa inspiratio, *Cinch.* 97, 3.
 dolorosa inflammatio digitii, bulla ob sessi, (*Bell.* 42, 10.)
 dolorosa per se et tactu macula in dorso, *Stram.* 241, 14.
 dolorosa mictio, *Camph.* 50, 13.
 dolorosa valde ophthalmia, *Acon.* 7, 17.
 dolorosa incredibiliter ophthalmia, lippitudinosa,
 (*Acon.* 11, 11.)
 dolorosa pars ubi mucus per tussim abrasus fuerat,
 Cham. 87, 7.
 dolorosa respiratio et angusta, *Led.* 169, 13.
 dolorosa rigiditas articulationum, *Cocc.* 103, 2.
 dolorosa sensibilitas in abdomen, *Puls.* 232, 12.
 dolorosa sensibilitas interni oris partium, *Ip.* 162, 13.
 dolorosa sensibilitas hypogastri post tactum, *Acon.*
 6, 15
 dolorosa statio, *Arn.* 22, 6.
 dolorosa tussis, *Caps.* 66, 13. *Cinch.* 97, 18. *Cham.*
 87, 7, 12. *Puls.* 224, 12.
 dolorosae sugillationes in artibus, *Acon.* 8, 22.
 dolor osi quasi a contusione artus et totum corpus, *Led.*
 172, 3.

- dolorosi tumores frigidi, *Bell.* 30, 13.
 dolorosi tumores in fronte, *Nux v.* 195, 5.
 dolorosi tumores in genu, *Nux v.* 197, 16.
 dolorosi tumores parvi quasi ab ictu, *Melamp.* 176, 6.
 doloroso et duro tumore praecordia tensa, *Acon.* 10, 12.
 dolorosum inter tussiendum pectus et constrictum,
Cham. 87, 12.
 dolorosus motus articulationum, *Cham.* 88, 11, 14. *Rh.*
 257, 3. (*Caps.* 70, 5.) (*Cocc.* 108, 2.) *Acon.* 10, 10.
 dolorosus sensus in scrofula, quando tangitur, *Arn.*
 21, 3.
 dolorosus tumor ostii ductuum salivarium, *Ign.* 154, 5.
 dolorosus tumor pedum, (*Cinch.* 103, 22.)
 dolorum exasperatio a digiti emissione e lecto durante
 calore, *Stram.* 241, 7.
 dolorum praesentium augmentum, *Cinch.* 94, 12.
 dolorum ad partum species, *Cham.* 77, 10. 86, 7. 8.
 dolorum ad partum instar dolor constrictorio pressorius
 in utero cum subsequente blennorrhagia, *Ign.* 153, 5.
 dolorum ad partum instar dolor strictorio tensivus in
 abdome, *Puls.* 228, 14.
 dolorum ad partum instar, impetum in uterus facientes
 dolores spurii, ab osse sacro ad femora, tendentes
 strictorio paralytici, *Cham.* 77, 10.
 dolorum et pathorum imminentio cum agilitate, *Verat.*
 262, 3.
 dolorum pristinorum renovatio, *Cinch.* 94, 11.
 de domicilio hallucinatio, *Verat.* 255, 2.
 dormiat an vigilet ignorans hallucinatio, (*Bell.* 44, 18.)
 inter dormiendum sudor maxime capitis, *Cham.* 82, 6.
 neque dormire neque requiescere ullo modo simens sensus
 in toto corpore ingratissimus ad desperationem sum-
 mani et impotentiam animi adagens. *Puls.* 231, 1.
 dormituriens capitidis dolor cerebrum expressurus, *Bell.*
 28, 20.
 dormituriens somnum capere non potest, (*Op.* 213, 10.)
 dormituriens languor, sopor, *Dig.* 124, 1.
 non dormituriens lessitudo ingens, *Caps.* 64, 6.
 dormituriens stupor, (*Op.* 205, 2.)
 dormituriens stupor mentis a somno alienus et laetitiae
 expers, *Cham.* 74, 16.
 dormiturientes fissi oculi, (*Stram.* 245, 3.)

- dormiturientis phantasiae Iusus, quo omnia objecta solito grandiora et crassiora, eodemque momento minora justo et graciliora esse videntur, secundum pulsus modulationem, *Camph.* 48, 15.
- dormituritio, vide et *coma*, et *somnolentia*, et *sopor*.
- dormituritio, *Arn.* 17, 14. *Camph.* 48, 9. (*Hyos.* 142, 13.) *Bell.* 26, 18. (*Bell.* 59, 21.) *Nux v.* 187, 5.
- dormituritio continua, insomniosa, *Puls.* 251, 17.
- dormituritio diurna, *Mer.* 181, 15. *Cham.* 74, 15. *Cinch.* 92, 12.
- dormituritio incoercibilis, (*Hyos.* 138, 9.)
- dormituritio diurna et lassitudo, *Cham.* 74, 15.
- dormituritio matutina cum lucis intolerantia, *Nux v.* 187, 3. 6.
- dormituritio maxima, *Cham.* 75, 2.
- dormituritio palpebris semiclausis, (*Op.* 205, 10.)
- dormituritio palpebris semiclausis, oculis retortis, *Op.* 202, 6.
- dormituritio cum palpitatione cordis, *Cinch.* 95, 8.
- dormituritio post pastum, *Cinch.* 94, 17.
- dormituritio post intelligentiae hebetudinem, *Cham.* 75, 2.
- dormituritio cum succussionibus somnum impeditibus, *Verat.* 255, 10.
- inter dormiturbationem dolores faciei, *Caps.* 68, 1.
- in dorsalis spinae medio dolor strictorius cum dolore strictorio pone ventriculum, *Stram.* 240, 10.
- in dorsalis spinae medio dolor strictorius, *Stram.* 240, 11.
- in dorso Ardentia lacerans dolor, *Nux v.* 197, 5.
- in dorso Arthriticus dolor, *Arn.* 22, 1.
- cum dorsi dolore Astheniae paralytiae paroxysmi, *Cocc.* 107, 8.
- dorsi Constrictorius dolor, *Nux v.* 197, 4.
- dorsi Constrictorius dolor, motu percipiendus, *Op.* 205, 2.
- dorsi dolor quasi a Contritione cum calore universalis, venis tumidis, siti nulla, *Camph.* 50, 7.
- dorsi dolor a nucha ad os sacrum usque quasi a Contusione, *Acon.* 6, 6.
- dorsi et una abdominis dolor quasi a Contusione motu excitandus, *Stram.* 240, 12.
- dorsi hinc inde dolor quasi a Contusione, *Dros.* 129, 8.
- in dorsi spina Fornicatio ut a scarabaeis, *Acon.* 7, 9.
- dorsi Frigus, (*Op.* 215, 2.)

- dorsi Frigus, quasi a glacie hinc illinc lata, calore
fornacis non delendum, *Cocc.* 107, 18.
dorsi Lacerans (arthriticus) dolor, *Arn.* 22, 2.
dorsi Lacerans dolor in abdomen tendens cum angore
et plenitudine post pastum, *Cham.* 84, 20.
dorsi dolor Laceranti strictorius, *Nux v.* 197, 3.
dorsi dolor Lancinanti strictorius versus scapulam cum
vomitu nocturno, *Puls.* 222, 13.
in dorsi infima parte Pressoria tensio, *Caps.* 63, 12.
dorsi dolor inter Pronationem, *Caps.* 69, 17.
dorsi Rigiditas, inter Pronationem dolorosi, *Caps.*
66, 5.
dorsi et scapularum dolorosa Rigiditas inter motum,
Led. 171, 8.
dorsi dolorosa Rigiditas post sessum, *Led.* 171, 15.
dorsi Rigiditas, asseris instar, dolorosa, *Puls.* 227, 12.
dorsi Rigiditas tetanosa, *Op.* 202, 10.
dorsi dolor Strictorio pressorius, *Caps.* 69, 16.
dorsi dolor Strictorius, *Caps.* 69, 15. *Nux v.* 197, 2.
Cham. 78, 6. *Cocc.* 112, 10. *Val.* 252, 11.
in dorsi spinae medio dolor Strictorius, *Stram.* 240, 11.
dorsi et capillitii Sudor nocturnus, *Led.* 172, 17.
dorsi et nucha Sudor motu levissimo corporis excita-
tus, *Cinch.* 95, 15.
in dorsi infima parte Tensio pressoria, *Caps.* 63, 12.
in dorsi (scapulae, artuum) musculis sensus quasi aliquid
rursum versum trahetur, spasmodicus magis
quam dolorosus, *Nux v.* 193, 23.
dorsi dolor quasi a Verberatione, *Stram.* 241, 13.
dorsi (et genu) dolor quasi a Verberatione inter mo-
tum levissimum, *Cinch.* 98, 4.
in dorso Ardentl lacerans dolor, *Nux v.* 197, 5.
in dorso Arthriticus dolor, *Arn.* 22, 2.
in dorso Constrictorius dolor, *Op.* 205, 2. *Nux v.* 197, 4.
dorsi dolor quasi a Contritione cum comate, calore
corporis magno et respiratione citissima sine siti,
Camph. 50, 7.
in dorso quasi a Contusione dolor a nucha ad os sacrum
usque, *Acon.* 6, 6.
in dorso Decubitus, oculis late apertis, fixis, (*Stram.*
246, 1.)
in dorso Dilacerans dolor, *Cocc.* 112, 8.
in dorso quasi a Distortione dolor, (*Arn.* 22, 1.)

- dor i dolore stipata Febris pomeridiana, frigoris plena,
Hvos. 133, 5.
- in dorso Fodiens dolor, *Cocc.* 112, 9.
- in dorso et supra brachia Horripilatio, *Mez.* 179, 6.
- in dorso Horror vespertinus, *Cocc.* 107, 19.
- a dorso ad abdomen reptans Horror cum frigiditate totius corporis, *Cam.* 73, 2.
- in dorso Horror sine frigiditate externa, cum calore interno sicco, et facie calore externo, *Cham.* 82, 1.
- in dorso dolor Lacerans, *Arn.* 22, 2. *Canth.* 57, 8.
- in dorso cum Lace anti dolore, tensio, *Cham.* 78, 7.
- in dorso Lacerant ardens dolor, *Nux v.* 197, 5.
- in dorso et epigastrio Laceranti strictiori dolores, *Stram.* 240, 9.
- in dorso Lacerans dolor post lancinantem in pectoris lateret et pressorio strictiorum in scrobiculo, *Puls.* 228, 1.
- in dorso, supra genu et in plantis Lacerans dolor, *Puls.* 230, 10.
- in dorso Lacerans dolor, maxime ab aere frigido, *Hyos.* 132, 22.
- in dorso Laceranti tractorius dolor, *Op.* 204, 2.
- in dorso Lacerans dolor hinc inde inter menstrua, *Bell.* 29, 6.
- in dorso Laceranti strictorius dolor, *Op.* 204, 2. *Nux v.* 197, 3.
- in dorso et epigastrio Laceranti strictorii dolores, *Stram.* 240, 9.
- in dorso Lacerans dolor in abdomen tendens post pastum cum plenitudine et angore, *Cham.* 34, 20.
- in dorso Lancinanti strictorius dolor versus scapulam cum vomitu nocturno, *Puls.* 222, 13.
- in dorso Lancinanti pulsatorius dolor, (*Cinch.* 97, 21.)
- in dorso Lancinatus inter tussiendum, *Puls.* 223, 14.
- in dorso Macula dolorosa per se et tactu, *Stram.* 241, 14.
- in dorso sursum dolor Pressorius, *Puls.* 227, 10.
- (in dorso) pedis dolor Pressorius, *Arn.* 22, 8.
- in dorso dolor Pressorio strictorius, *Caps.* 69, 16.
- dorsi dolor inter Pronationem, *Caps.* 69, 17.
- in dorso dolor Pulsatorio lancinans, (*Cinch.* 97, 21).
- in dorso dolor Punctorius, *Cham.* 78, 8. *Puls.* 227, 11.
- in dorso Punctorio strictorii dolores, *Puls.* 227, 7.
- in dorso Reclinati impotentia caput erigendi ob vertiginem et scotomiam, *Nux v.* 189, 2.

- in dorso Rheumaticus dolor, *Caps.* 70, 4. *Verat.* 260,
 (12, 13.)
 in dorso Strictorio pressorius dolor, *Caps.* 69, 16.
 in dorso Strictorius (tractorius) dolor, *Caps.* 69, 15.
 in dorso Strictorius dolor, *Val.* 252, 6.
 in dorso parvum spatium doloris Strictorii, et tactu dolorosum, *Stram.* 241, 11.
 in dorso et epigastrio Strictorio lacerantes dolores, *Stram.*
 240, 9.
 in dorso Strictorio punectorii dolores, *Puls.* 227, 7.
 in dorso Strictorio lancinans dolor versus scapulam cum
 vomitu nocturno, *Puls.* 222, 13.
 in dorso Strictorius dolor, *Caps.* 69, 15. *Nux v.* 197, 2.
Cham. 7, 6. *Cocc.* 112, 10. *Val.* 252, 6.
 in dorso Strictorio lacerans dolor, *Nux v.* 197, 3.
 in dorso Tensivo lacerans dolor, *Cham.* 78, 7.
 in dorso Tremor, *Cocc.* 108, 12,
 dorsum, vide et *os sacrum*.
 dorsum rectum rigidum, *Op.* 202, 10.
 ductuum salivalium quasi excoriatio, *Acon.* 9, 2.
 ductuum salivalium ostii excoriatio in buccis, *Bell.*
 23, 14.
 ductuum salivalium ostii tumor dolorosus, *Ign.* 154, 5.
 dulcis sapor in ore, *Capr.* 118, 10.
 quasi a dulcis vel piuguis nauseosi esu nausea vomituriens,
Acon. 5, 9.
 duodenii initii inflammatio, (*Bell.* 44, 2.)
 duplex visus, *Puls.* 220, 11.
 ob duritiem et crassitiem excrementorum alvinorum con-
 stipatio, *Verat.* 261, 12.
 durities glandularum mammae scirrhosa, *Cham.* 89, 7.
 durities abdominis parvi accessus, (*Cinch.* 104, 15.)
 durum abdomen, *Val.* 251, 14.
 durum abdomen et tumidum, *Cham.* 86, 1.
 durus nodus sub papula mammae, tactu dolorosus, per
 se interdum strictorio laceranti affectus, *Cham.*
 89, 8.
 quasi a dysenteria tormina, *Led.* 171, 3.
 dysenterica, fodientia, nauseabunda, soporifera tor-
 mina, *Arn.* 19, 1.
 dysentericæ, strigmentosae sedes, (*Canth.* 62, 11.)
 dyskynesia, *Camph.* 47, 17. vide et *rigiditas*.
 dysphoria, vide *aquatio*, *angor*, *angustio*, *aestuatio*,
factatio, *inqüietudo*.

- dysphoria immānis, jactatio ferox quasi moribundi cum lacerantibus abdominis doloribus; tum stupiditas, tum dolor capitis ferox, *Cham.* 76, 1.
dysuria, (*Canth.* 62, 19.)
- ebrietas, vide et *inebriatio*, et *caput obnubilatum et obtusnebratum*.
- ebrietas, *Bell.* 25, 7. (*Bell.* 45, 12.) *Caps.* 64, 1. *Led.* 169, 5. *Nux v.* 185, 1. 2. *Stram.* 239, 6. (*Stram.* 245, 13.) (*Camph.* 53, 8. 54, 5.) (*Ilyos.* 143, 9. 146, 8.) (*Ign.* 161, 1.)
- ebrietas statim a cibo capto, *Bell.* 25, 3. *Puls.* 217, 7.
 quasi ab ebrietate vertigo, *Puls.* 217, 2.
- quasi ab ebrietate vertigo titubans cum calore capitis interno, et pallore faciei naturaliter calidae, maxime vesperi, *Puls.* 217, 1.
- quasi ab ebrietate histeria dolor capitis et infatuatio, *Puls.* 220, 3.
- ebrietatis sensus post pastum, *Puls.* 217, 7.
- ebrietas, calor, vertiginis accessus, *Puls.* 217, 5.
- ebrietas, temulentia, vappiditas capitis, *Led.* 169, 5.
- post ebrietatem ecstasis, (*Op.* 211, 1.)
- quasi ab ebrietate vertigo cum calore capitis interno, *Puls.* 217, 1.
- ebrii instar balluties, (*Bell.* 40, 4.)
- ebrii instar temula vacillatio, (*Stram.* 244, 12.)
- ebriorum more oscitatio, (*Bell.* 33, 16.)
- ebriorum more, ridiculi gestus, (*Hyo.* 137, 3.)
- ebriosa capitis obtenebratio, *Nux v.* 185, 1.
- ebriosa capitis infatuatio cum meticulositate et pavore concussorio, *Nux v.* 186, 16.
- ebriosa, et vertiginosa matutina gravitas capitis, *Nux v.* 185, 7.
- ebullitione sanguinis et nausea, post cibum captum evanescens, *Cinch.* 95, 6.
- quasi ab ebullitione sanguinis agrypnia, *Puls.* 219, 4.
- eccoprosis terminosa, *Cinch.* 97, 13.
- post ecstasin, moestitia, animus abjectus, (*Op.* 211, 8.)
- post ecstasin ex opio anxietas, (*Op.* 211, 2.)
- ecstasis, (*Op.* 211, 7.) (*Stram.* 243, 5.)
- ecstasis post ebrietatem, (*Op.* 211, 1.)
- efflagitans varia importuno motu et fletu animus, *Rh.* 236, 3.

- efflagitans varia, oblata negligens inquietudo lacrymabunda, *Cham.* 76, 11.
 effluvium auctum ex affecta parte, ulcere, naribus, urethra, *Canth.* 57, 9.
 effluxus saliva aqueal copiosus, *Verat.* 258, 11. *Puls.* 222, 2. *Dros.* 128, 11. *Led.* 170, 13.
 effluxus saliva aqueae et vomitatio, tussi excitata, *Mer.* 180, 25.
 effluxus salivaque ex ore cum colica, *Led.* 170, 13.
 effluxus sanguinis et naribus cum grayedine, *Puls.* 224, 7.
 effusio animi, *Verat.* 262, 7.
 effusus voluptate animus, vide *ecstasis*.
 effutunt plurima, quae reticuisse per totam vitam prudentia suasisset, (*Hyos.* 137, 10.)
 egelidus faciei, maxime nasi et oris sudor, *Rh.* 236, 6.
 egestiones, vide et *alvus*, et *excrementa* et *diarrhoea* et *sedes*.
 egestiones albae, diarrhoicae, *Arn.* 19, 6.
 egestiones mucosae, *Ign.* 158, 7.
 egestiones parvae, crebrae, molles, *Mer.* 181, 7.
 egestiones parvae, crebrae, *Nux v.* 193, 3. *Cocc.* III, 5.
 egestiones parvae, celeres, involuntariae, *Bell.* 28, 3.
 egestiones parvae, moliores, albae, tenesmodae, *Acon.* 5, 7.
 ejulando misere detrectat infans pedibus insistere et incedere, *Cham.* 76, 6.
 ejulans reluctantia, *Caps.* 65, 14.
 ejulatio, (*Stram.* 250, 10.)
 ejulatio lacrymatoria, *Nux v.* 186, 18.
 ejulatio suspiriosa in somno, *Nux v.* 187, 21.
 ejulatio per somnum, aestuatio, blateratio, concussions, *Cham.* 83, 4.
 ejulatoriae, immodicae querelae ob minima, *Ign.* 152, 3.
 ejulatorius somnus, *Cinch.* 97, 4. *Ip.* 163, 8. *Cham.* 83, 3. 4. *Rh.* 236, 9.
 ejulatorius, stertorosus sonitus infantum, *Cinch.* 97, 4.
 ejulatorius somnus et turbulentus, *Ip.* 163, 8.
 ejulatoria aestuatio cum dolore supra orbitam pressorio et calore corporis totius exceptis manibus, *Puls.* 219, 11.
 ejulatorius somnus, capite reclinato, *Rh.* 236, 9.
 ejulatus rancus, miserabilis, *Cinch.* 93, 13.

- eum ejulatu et aestuatione et sudore immani cordis oppres-
 gio, *Cham.* 70, 4.
 ejulatus, aestuatio, blateratio, concussions inter som-
 num, *Cham.* 83, 4.
 ejulatus inter somnum, *Cham.* 83, 3.
 ejulatus ob injuriam levem, imaginariam, quin diu praec-
 teritam, *Cham.* 76, 8.
 ejulatus miserabilis et angor inconsolabilis inter oppro-
 bria, ob mala et incommoda (parva), *Acon.* 5, 5.
 ejulatus lacrymatorius in loco abdito, dicta aliorum
 tanquam imperata aegre ferens, (*Camph.* 43, 11.)
 ejulatus ob petita negata miserabilis, *Cham.* 76, 9.
 ejulatus sine causa maximus, et ploratus cum meticu-
 lositate, *Bell.* 25, 13.
 electricae quasi succussions cum dolore subsequuo genu
 et cubiti quasi a contusione, *Verat.* 262, 14.
 electricae quasi succussions, *Arn.* 23, 16. *Verat.*
 262, 14.
 electrici ictus in corpore, (*Arn.* 23, 13.)
 elocutio, scriptio praepostera, *Nux v.* 186, 11.
 elongati quasi dentes, *Camph.* 49, 9. *Arn.* 20, 17.
 Cham. 30, 2. *Caps.* 67, 13. vide et dentes.
 elongatio, vacillatio dentis, cum gingivae tumore,
 Cocc. 110, 3.
 emesis, (*Ip.* 168, 1.) vide vomitus.
 ab emesi artificiali symptomata pejora, (*Acon.* 12, 18.)
 emesin creans tussis, *Arn.* 21, 12.
 emorientis instar oculi fixi, languidi, stupidi, (*Op.*
 207, 12.)
 empyreumaticus sapor in ore, *Puls.* 221, 14.
 empyreumaticus sapor pituitae tussi ejectae instar jus-
 culi cancerorum vel olei tabaci, *Puls.* 221, 15.
 enuresis, (*Puls.* 233, 7. 254, 11.) (*Verat.* 267, 18.
 268, 4.) (*Bell.* 36, 13. 43, 11. 46, 5.) (*Cupr.*
 121, 2.) (*Hyo.* 145, 23.)
 enuresis fere continua, (*Puls.* 234, 5.)
 epidermidis desquamatio, (*Melamp.* 178, 10.) (*Mez.*
 182, 9.) (*Verat.* 266, 19.)
 epigastricae regionis tensio pressoria, motu augenda,
 Caps. 68, 12.
 epigastricae regionis et ventriculi dolor per longum
 tempus, (*Nux v.* 200, 22.)
 epigastrii dolor a tussi, quasi a contusione, *Nux v.*
 196, 10.

- in epigastrii sive hypochondriorum utraque parte, pressorius dolor, *Ign.* 153, 4.
 in epigastro ardor, (*Arn.* 23, 17.)
 in epigastro constrictio respirationem praecludens, *Cocc.* 109, 5.
 in epigastro forficantia tortuosa, *Ip.* 164, 8.
 in epigastro lacerans dolor, *Ip.* 164, 10.
 in epigastro pressorius dolor, *Cocc.* 110, 19.
 in epigastro cum pressionis sensu, flatibus restagrantibus,
 angustia pectoris et ventriculi dolor quasi a soda
 nascitura; postea in spina dorsi ardor, *Cham.*
 84, 21.
 in epigastro punctus, (*Arn.* 23, 18.)
 in epigastro et dorso strictorio lacerantes dolores, *Stram.*
 240, 9.
 epilepsia in mentientes convulsiones enormes, (*Bell.*
 31, 14.)
 epilepsia, (*Hyos.* 154, 10.) (*Op.* 212, 8.).
 epilepticae convulsiones, (*Bell.* 54, 8.) (*Verat.* 264, 14.)
 epileptici insultus per intervalla brevia recurrentes,
 (*Cupr.* 120, 9.)
 epileptici parvi insultus, apoplexiae accessibus inter-
 misti, (*Hyos.* 140, 16.)
 epileptici insultus cum deliriis vehementibus, (*Op.*
 212, 13.)
 epischesis, vide *suppressio*.
 epistaxis, (*Ip.* 167, 3.) (*Bell.* 54, 10.) (*Op.* 209, 16.)
 Acon. 7, 13. *Puls.* 224, 6. *Hyos.* 152, 24.) (*Hyos.*
 142, 5.) *Nux v.* 196, 6. *Cham.* 89, 11.
 ut ab epistaxi instantे sensibilitas dolorosa erga aërem,
 Ign. 151, 10.
 epistaxis diurna, *Nux v.* 196, 6.
 epistaxis cum gravedine, *Puls.* 224, 7.
 epistaxis, narium mucus sanguinolentus, *Caps.* 67, 3.
 ab epistomio quasi in gula sensus extra deglutitionem,
 Ign. 154, 4.
 epulis in gingiva dentis canini cum dolore ardentí ten-
 sivo, *Nux v.* 195, 20.
 cum erecta spe desperatio de vita alternans, (*Acon.* 12, 7.)
 erectio penis, *Nux v.* 195, 17. *Cocc.* 114, 4. (*Op.*
 216, 13.) (*Canth.* 60, 1.)
 inter erectionem trunci in lecto vomitus biliosus, *Stram.*
 240, 3.

- erectione trunci evanidus occipitis lancinans dolor, de-
 cubitu exasperatus. *Puls.* 227, 3.
 erectione trunci et capitis exasperatus, mitis inter de-
 cubitum in dorso, pacatus maxime capitis alta pro-
 natione, dolor occipitis lacerans, cum gravitate ca-
 pitis, quasi sanguine turgeret, *Ign.* 151, 8.
 inter erectionem trunci ardor in cerebro, *Melamp.* 176, 1.
 dum erectum est caput, infatuatio, dum vero pronatur sen-
 sus in fronte quasi a pondere prolabente, *Nux v.*
 185, 8.
 erigendi caput impotentia in dorso reclinati ob vertigi-
 nem et scotomiam, *Nux v.* 189, 3.
 erodentes genam et palpebram inferiorem lacrymae;
 lippitudo sine albugineae inflammatione, *L.ed.* 170, 6.
 erosio, vide et *excoriatio*, *decoratio*, *deglobitio*, *inter-
 trigo*.
 erosio ab ore ad anum usque, (*Canth.* 62, 6.)
 erodens purulenta vulvae bleanori hagia, *Ign.* 153, 5.
 (erodens) vehemens cardialgia, *Cocc.* 110, 17.
 errat per urbem passim, excocata et amens, (*Hyos.*
 155, 13.)
 eructatio, vide *regurgitatio*.
 eructatio contentorum ventriculi, *Camph.* 50, 19.
 eructatio escarum, *Cham.* 84, 19.
 eruptio cutanea maxime in lecto vesperi pruriens, *Mez.*
 181, 21.
 eruptio cutanea pruriens, (*Stram.* 246, 21.)
 eruptio miliaris rubra cutis, *Stram.* 241, 5.
 eruptio flatum sursum, deorsum, *Acris* 16, 4.
 eruptio miliaris ardenti pruriens in genu utroque et
 cruribus, *Nux v.* 197, 17.
 eruptiones miliares rubrae, pruriientes, brachium, caput
 et totum corpus occupantes discretae vel in plagulas
 confluentes, molestissimae, (*Mez.* 182, 1.)
 eruptio pustularum magnarum, (*Hyos.* 141, 17)
 erupcio uricalium tuberculorum urens post fricatum
 exanthematis miliaris pruriens, *Verat.* 261, 11.
 eruptiones circa labia miliaries, pus includentes, *Nux v.*
 195, 17.
 eruptiones cutaneae, scabiei species, *Verat.* 261, 9.
 eruptiones cutaneae, *Acris* 16, 10. *Verat.* 261, 9.
 (*Verat.* 267, 10.) *Bell.* 29, 11. *Hyos.* 133, 6.
 (*Hyos.* 141, 17. 145, 9.) *Acon.* 8, 22.

eruptio stiginatum et macularum rubrarum cum pru-
 ritu corporis, (*Bell.* 36, 9.)
 erupturi sudoris sensus, *Ign.* 157, 1.
 erupturi sudoris in capite sensus cum horrore artuum
 et abdominis, *Camph.* 49, 5.
 quasi ab erupturo sudore horripilatio, *Puls.* 218, 3.
 erysipelacea synochus, tumoribus inflammatoriis, immo-
 gangraenosis stipata, *Bell.* 30, 1.
 erysipelaceus tumor toxi corporis, (*Cinch.* 103, 19.)
 erysipelas, *Camph.* 48, 14.
 erysipelas partis, (*Camph.* 54, 13.)
 erythema pedum cum dolore inter standum lancinante,
 Puls. 230, 4.
 erythemata et maculae polymorphae scarlatinosae, *Bell.*
 27, 16.
 erythemata in cute papulis miliaribus ob sessae, *Cham.*
 88, 9.
 escae, vide cibi.
 escae descendere detrectant, *Cham.* 84, 8. *Arn.* 18, 9.
 escae vesperi quasi ad scrobiculum colli adscendent ibi-
 que subsistunt cum nausea vomitidente et ructibus,
 Cham. 84, 11.
 escarum appetentia, sed nescit quarum, nec grata sapit,
 quo vescitur, *Puls.* 218, 10.
 ab escarum quasi nimia ingurgitatione sensus in ventriculo,
 Puls. 221, 20.
 escarum regurgitatio, quasi evomendae essent, *Puls.*
 221, 20.
 escarum eructatio *Cham.* 84, 19. *Puls.* 221, 20.
 escarum, potulentorum, tabaci satietas, sapore grato,
 integro, *Cinch.* 94, 22.
 escarum sapor deletus, *Dros.* 128, 14.
 escarum sapor imminutus, *Acris* 16, 11.
 post escarum vomitum vespertinum, amarororis et dentes
 obtusi, *Puls.* 222, 11.
 escarum vomitus inter tussim, *Dros.* 128, 18.
 esculentorum et potulentorum fuga, *Cocc.* 116, 11.
 esculentorum omnium sapor imminutus, *Puls.* 221, 8.
 esculentorum omnium sapor amarus, tum frigus cum
 sudore frigido, *Puls.* 221, 10.
 eundo excitati dolores in lumbis, quasi ad partum,
 Acon. 6, 16.
 eundo aucta dilacerans cephalalgia, *Nux v.* 188, 9.
 eundo excitatus calor corporis, *Bell.* 27, 3.

- inter eundum asthma, *Caps.* 66, 4.
 inter eundum conquassationis et glotinationis sensus in cerebro, *Nux v.* 188, 2.
 inter eundum dolor in vesica urinaria, *Acon.* 6, 11.
 inter eundum crepitus cerebri, ad pulsum arteriarum modulatus, *Puls.* 226, 12.
 inter eundum, post sessum dolortensivus genuum et calcis, *Led.* 171, 13.
 inter eundum post sessum dolor tensivus surarum, *Led.* 171, 10.
 inter eundum femoris subita asthenia paralytica volatrica, *Puls.* 229, 12.
 inter eundum constrictio pectoris asthmatica, *Led.* 169, 11.
 inter eundum dolor genuum tensivus et lancinans, *Led.* 171, 11.
 inter eundum vertigo, (*Ip.* 162, 7.)
 in Eustachiana tuba fragor, *Cocc.* 109, 9.
 evacuatio, vide et *excretio*.
 evacuationes omnes suppressae, (*Nux v.* 200, 21.) *Verat.* 261, 13. *Stram.* 239, 9. *Bell.* 26, 14.
 evanescentes ideae, cogitationes, *Cham.* 75, 6.
 evanida ambo post pastum, et nausea et sanguinis ebullitio, *Cinch.* 95, 6.
 evanidi sensus omnes, *Cupr.* 119, 11.
 evanidi fere sensus, (*Verat.* 268, 8)
 vel evigilantem angentia insomnia de impedimentis vix removendis, *Cinch.* 97, 5.
 evigilatio cum clamore, (*Hyos.* 142, 14.)
 evigilatio crebra e somno, *Cocc.* 108, 21.
 post evigilationem nausea vomituriens, (*Op.* 216, 9.)
 post evigilationem e somno linguae motus impeditus, (*Op.* 214, 5.)
 inter evigilationem languor cordis, (*Op.* 216, 5.)
 inter evigilationem anxietas nocturna, quasi crimen commisisset, *Puls.* 213, 19.
 inter evigilationem e somno et circa vesperam suffocationis paroxysmus quasi a pituita caput laryngis occupante, *Cinch.* 92, 10.
 evigilationes post medianam noctem, *Caps.* 70, 15.
 evomendae quasi essent, escarum regurgitatio, *Puls.* 221, 20.
 evulsorius dentium dolor per intervalla, *Ip.* 166, 1.
 evulsorius oculorum dolor, *Cocc.* 109, 11.

evulsurus quasi umbilicum, dein in pectus tendens, dolor lacerans, *Stram.* 240, 8.
 exaltatus mentis status, *Verat.* 262, 6. (*Cupr.* 121, 4.)
 exanthema, vide et *eruptio cutanea*, *pustulae*, *papulae*, *tubercula*, *miliaria*, *erythema*, *maculae*, *furunculi*.
 exanthema miliare per calorem etiam interdiu pruriens, post fricatum urens inter urticarium tuberculorum eruptionem, *Verat.* 261, 11.
 exanthema morbillosum, (*Bell.* 40, 21.)
 exanthema pruriens, (*Stram.* 246, 21.)
 exanthemata pustulosa, serpiginosa, fusca in mento et genis, (*Hyos.* 145, 9.)
 quasi exanthema erupturum sit, cutis in facie crassa, (*Bell.* 36, 8.)
 exasperatio et offendit animi per visus, olfactus, gustus, auditus objecta ob sensorii teneritudinem et hyperaesthesia, *Cinch.* 93, 18.
 exasperatus animus, stomachatio, indignatio, irascencia, *Cinch.* 94, 8.
 excidere quasi velle pars dentium sensus, *Stram.* 241, 1.
 excidere quasi velle maxillae, dolor acutissimus, (*Acon.* 12, 2.)
 excoecata et amens passim, errat per urbem, (*Hyos.* 135, 13.)
 excoriatae quasi fauces; anginae species, *Ign.* 157, 16.
 excoriatae quasi glandulae submaxillares in faucibus prominenter, dolor inter deglutendum, *Puls.* 225, 6.
 excoriatio; vide et *decoratio*, et *deglubito*, et *intertrigo*, et *erosio*.
 excoriatio in buccis, *Bell.* 28, 14.
 excoriatio canalis intestinalis ab ore ad anum usque, (*Canth.* 59, 1.)
 excoriatio ductuum salivalium ostii, *Bell.* 28, 14.
 (*Acon.* 9, 2.)
 quasi excoriatio ductuum salivalium, *Acon.* 9, 2.
 excoriatio faicum, *Mez.* 180, 8. *Dig.* 125, 1. (*Ign.* 157, 17.)
 excoriatio labiorum, et dolor quasi ab excoriatione in canthis oculorum externis, *Cham.* 90, 3.
 excoriatio narium, *Ign.* 157, 13. *Mez.* 180, 10.
 excoriatio oesophagi, *Dig.* 125, 1. (*Mez.* 180, 11.)
 excoriatio palati, *Mez.* 180, 8.
 excoriatio vesicæ urinariae diutina, (*Canth.* 59, 2.)

- ab excoriatione quasi dolerent glandulae submaxillares in fauicibus prominentes in deglutiendo, *Puls.* 225, 6.
 excoriationis in canthis oculorum sensus, *Cham.* 90, 3.
Nux v. 195, 5.
 excoriationis faucium sensus deglutitione tantum percipiendus, *Ign.* 157, 17.
 excoriationis linguae sensus, *Arn.* 18, 16.
 excoriationis oris interni sensus, *Stram.* 241, 16.
 excrements, vide et *alvus*, et *egestiones*, et *diarrhoea*, et *sedes*.
 excrements alba, *Acon.* 5, 13. *Puls.* 222, 18. *Cham.* 86, 4. *Arn.* 19, 6.
 excrements alba, urina rubra, *Acon.* 5, 14.
 excrements alvina sanguinosa, *Nux v.* 193, 4.
 excrements crassioris formae, duriora, *Verat.* 261, 12.
 excrements granulato citrina, aliquantum mucosa, *Bell.* 28, 2.
 excrements indigesta, quamvis non fluida, *Arn.* 19, 7.
 excrements liquida spumosa, cum ani pruritu, ardore, summoque tenesmo, (*Op.* 214, 2.)
 excrements muco obducta, vel et in interstitia muco insinuato, *Cham.* 86, 3.
 excrements cum pituita, *Rh.* 236, 2.
 excrementiae, diarrhoeicae sedes cum pituita, *Rh.* 236, 1.
 exrementorum acredo, *Verat.* 259, 7.
 exrementorum alborum diarrhoea maxime mane inter fligunt, cum doloribus ventris dissidentibus ante et inter sedes, *Cop.* 116, 8.
 exrementorum secessus involuntarius per somnum, *Arn.* 22, 19.
 ob excrescentiam quasi protuberantem in plantae medio, dum insistitur dolor cum lancinatibus versus suram, *Puls.* 230, 12.
 excretio, vide *evacuatio*.
 excretio alvi suppressa, (*Hyos.* 139, 4.)
 excretiones alvi, (*Verat.* 264, 13.)
 excretio alvina, *Op.* 201, 1.
 excretiones alvi restrictae, *Op.* 204, 16.
 ex retiones omnes suppressae, *Verat.* 261, 13.
 excretionum lotii et alvi suppressio, (*Stram.* 245, 11.)
 excruciarise et impediri ab omnibus hominibus putans animus male contentus, *Cinch.* 94, 1.
 exedens cutis pruritus, *Verat.* 261, 8.
 exedens in digitis pedum dolor, *Cocc.* 112, 15.

- exedens et subtilis dolor nervi dentis, *Op.* 204, 1.
 exedens in ventriculo dolor ut a fame canina, *Puls.*
 218, 9.
 ab exenteratione quasi et vacuo sensus in abdomine, *Puls.*
 218, 12.
 existentiae suae parum conscious, respondet tamen *satis*
 apte, (*Op.* 214, 14.)
 exlex synocha cum sudore immanni, (*Cinch.* 103, 9.)
 expansio, vide et *distractio*, *intumescentia*, *inflatio*, *meteo-*
 rismus.
 expansio abdominis dura, *Val.* 251, 14.
 expansio abdominis non dura, *Stram.* 239, 16.
 expansio abdominis quasi a plenitudine post cibum
 captum *Cinch.* 94, 16.
 expansio hypochondriorum flatulenta, *Verat.* 258, 15.
 expansio scrobiculi tactu dolorosi, *Nux v.* 191, 22.
 expansionis abdominis sensus, *Op.* 202, 20. *Caps.* 66, 6.
 expansionis in artibus inferioribus sensus, *Melamp.*
 176, 3.
 expansionis summae sensus in abdomine, *Stram.* 239,
 15. *Val.* 251, 13.
 expansionis summae sensus strangulatorius, in abdo-
 mine, *Caps.* 66, 7.
 expansionis ventriculi sensus, *Op.* 202, 20. *Arn.* 18,
 15. *Rh.* 237, 9.
 expansionis ventriculi saturo - nauseabundae sensus,
 Arn. 18, 10.
 expavescientia, maxime somnum capturi, *Cinch.* 97, 6.
 expavescientia tremula, *Cham.* 75, 15.
 expectoratio difficilis, *Ign.* 158, 3.
 expectoratio levis, cum titillatio tussifera in infima
 bronchiorum sede, *Verat.* 259, 17.
 cum expectoratione purulenta, tussis mera nocturna, ma-
 tutina, *Led.* 170, 3.
 sine expectoratione titillatio in ima bronchiorum regione,
 Verat. 262, 2.
 cum expectoratione tussis, *Puls.* 224, 9.
 inter expergiscendum e somno tussis cava, sicca, *Ign.* 157,
 15.
 expergiscendi e somno infatuatio capitis, quasi se ipsum
 non nosceret, *Caps.* 64, 2.
 experrectio, vide et *evigilatio*, et *somnus*.
 inter experrectionem e somno os mucaginosum et dolor ca-
 pitis pressorius, brevi ambo evanida, *Bell.* 27, 11.

- experrectio e somno cum dolore et sitis vespertina,
Cham. 82, 14.
 experrectio cum amaurosi, (*Bell.* 37, 16.)
 experrectio succussoria et delirium de apibus abigendis,
Puls. 252, 7.
 post experrectionem e somno, mane, dolor lacerans in ma-
 num malleolo, *Ign.* 155, 11.
 post experrectionem e somno aliquamdiu vigentes phantasiae
 monstruae, et concussions terrificae inter somnum
 capiendum, *Ign.* 155, 19.
 inter experrectionem e somno constrictio pectoris dolorifica
 suffocatoria, considere cagens, *Dig.* 123, 9.
 inter experrectionem e somno extensio artuum convulsiva,
 momentanea, *Bell.* 29, 10.
 exprimere cerebrum visa cephalalgia, *Bell.* 28, 20.
 exilire a lecto tentat, (*Bell.* 46, 16.)
 exspiratio cita, inspiratio gravis, difficilis, dolorosa,
Cinch. 97, 3.
 exspiratio cito cum sopore somni experte et cephalalgia
 frontis lacerante, vomititiva, *Cham.* 74, 17.
 exspiratio celerrima, inspiratio lenta, (*Stram.* 246, 5.)
 exspiratio lenta, inspiratio cito, gravis, (*Arn.* 17, 10.)
 exspiratio levis, inspiratione pondere quasi oppressa,
Ign. 158, 1.
 in exspiratione lancinatio in cordis regione, *Ign.* 152/8.
 post exspirationem singulam lancinatus e sterno in latus
 dextrum micans, *Cham.* 83, 6.
 cum exspiratione valida, sonora, asthma, *Acon.* 6, 1.
 exspuit liquores ori ingestos statim; indeglutitio,
(Hyos. 139, 5.)
 extendere pedem cogens dolor crurum immanis, (*Bell.*
 42, 9.)
 extensibiles manus contractae, (*Stram.* 246, 3.)
 extensio convulsiva artuum momentanea inter exper-
 giscendum e somno, *Bell.* 29, 10.
 extensiones et contractiones artuum lentae, alternan-
 tes, (*Stram.* 246, 4.)
 in extensoribus musculis dolor lacerans intersessuum, *Verat.*
 261, 2.
 externa frigiditas cum ardore interno, *Bell.* 27, 1.
 externa frigiditas cum calore interno sicco et fronte ca-
 lido, *Acon.* 1, 2.
 externa frigiditas cum calore interno, *Ip.* 165, 4.
 sine externa frigiditate, horror, *Rh.* 235, 1.

- sine externa frigiditate horror in humero, *Cocc.* 107, 16.
 externarum rerum inattenio, *Op.* 202, 5.
 externe et tactu dolorificum cranium, *Mez.* 180, 17.
 ab externi caloris sensum stragulorum intolerantia, *Cham.*
 82, 16.
 externi caloris sensus, sine calore externo, *Cham.*
 82, 10.
 externi caloris intolerantia, *Puls.* 219, 2. *Cocc.* 108, 9.
Ign. 157, 2.
 externi frigoris intolerantia, *Cocc.* 108, 9. 10. *Camph.*
 47, 4. vide et *frigidi aëris hyperaesthesia et horres-*
centia.
 ab externo aere molestia, quasi e morbo aegre convales-
 centi, *Verat.* 254, 15.
 sine externo calore, calor internus, *Nux v.* 194, 7. *Ip.* 165, 4.
Cinch. 95, 13.
 sine externo calore sitis, *Arn.* 19, 15.
 sine externo calore, caloris externi sensus, *Cham.* 82, 10.
 sine externo calore, caloris interni sensus, *Arn.* 19, 17.
 sine externo calore sensibili, caloris sensus primo in mani-
 bus, dein in toto corpore, *Acon.* 7, 19.
 externus calor, rubor, sine calore interno, *Ign.* 157, 10.
Ip. 166, 3.
 externus calor, una cum horrore, *Cham.* 82, 1. 9.
 externus capitis dolor, *Nux v.* 188, 6. *Ip.* 164, 3. 11.
Caps. 68, 1. *Mez.* 180, 17.
 extremitates, vide et *artus, brachia, manus, femora,*
crura, pedes.
 in extremitatibus sensatio, quasi sanguinis cursus intercep-
 tus esset, (*Acon.* 12, 17.)
 ab extremitatibus inferioribus ad umbilicum usque sensus
 tratorius, tum in umbilico convolutio, seu depas-
 tio, *Nux v.* 192, 6.
 extremitatum convulsiones, *Acris* 15, 12. (*Cupr.*
 120, 2.)
 extremitatum convulsivi motus mites, (*Bell.* 58, 20.)
 extremitatum modo inferiorum, modo superiorum con-
 vulsiones leves, (*Hyos.* 140, 11.)
 extremitatum frigiditas, *Stram.* 239, 1. *Op.* 201, 8.
 vide *frigiditas.*
 extremitatum frigiditas sine horrore, *Caps.* 64, 11.
 extremitatum frigiditas cum calore faciei et oculorum
 ardente, et balitu per quam calente, *Cham.* 81, 16.

- extremitatum narcosis,** (*Hyos.* 140, 1.) (*Hyos.* 131,
 11.) *Led.* 170, 10. *Stram.* 240, 5. *Cocc.* 107, 22.
Nux v. 197, 1. *Verat.* 260, 7.
extremitatum inferiorum paralysis, (*Bell.* 39, 10.)
extremitatum rheumaticus dolor, *Val.* 252, 5. *Caps.*
 70, 4.
extremitatum stupor, *Cinch.* 95, 3. *Cham.* 77, 5.
 (*Nux v.* 198, 8.)
extremitatum stuporificus dolor, *Led.* 171, 17.
extremitatum siccationes dolorosae, *Acon.* 8, 22.
extremitatum torpor, *Melamp.* 177, 2.
extremitatum vulsiones uno ictu, *Ign.* 155, 17.
extremitatum vulsiones uno ictu, *incipiente somno,*
Cham. 75, 13. *Ign.* 155, 18.
extremorum frigus, (*Cinch.* 60, 18.)
exulcerat cutem, *Dros.* 150, 1.)
 in exulcerata parte ichor auctus, *Canth.* 57, 9.
 in exulcerata parte dolor lacerans, *Canth.* 57, 7.
 in exulcerata parte dolor auctus, *Cham.* 89, 4.
 exulceratae, obturatae nares, *Pds.* 224, 4.
 exulceratae nares, *Bell.* 29, 15.
 exulcerati labiorum anguli, non pruriens, *Bell.* 29, 15.
 exulceratio albida linguae apicis, *Dros.* 129, 1.
 exulceratio superficiatis in nasi ala serum fundens,
Puls. 224, 1.
 cum exulceratione narium, gravedo, *Puls.* 224, 3.
 exulceratio oris, faucium, oesophagi, ventriculi, (*Dig.*
 125, 1.)
 exulceratio oris interni, linguae, gingivarum cum sali-
 vatione, (*Dig.* 125, 4.)
 ut ab exulceratione dolor lancinans in cantho narium ante-
 riori, *Camph.* 49, 8.
 in exulcerationem prona cutis, *Cham.* 89, 3.
 exulcerationes crustosae in labiorum margine, *Cham.*
 83, 11.
 exulcerationis narium sensus, *Arn.* 20, 13.

 Fabulae aniles, animus nimis hilaris, *Acon.* 2, 9.
 facetae, sales, *Cocc.* 114, 2.
 facies, vide et *vultus* et *genae*.
 in facie ardor et in capite, (*Verat.* 266, 11.)
 in facie calor et post aliquot horas horror, frigus et frigi-
 ditas totius corporis, *Cinch.* 95, 12.
 in facie calor et rubor volaticus, (*Cinch.* 102, 17.)

in facie cutis crassa quasi exanthema erupturum sit, (*Bell.*
 56, 8.)
 in facie horror sine vel cum frigiditate externa, *Cham.*
 75, 4.
 in facie maculae puliceae, *Acon.* 8, 22.
 in facie osteocopus dolor, tactu excitandus inter somnum
 capiendum, *Caps.* 68, 1.
 facie pallida frigida, manibus frigidis, sopor profun-
 dissimus, (*Bell.* 35, 11.)
 facie pallida, frigiditas universalis, *Bell.* 25, 1.
 in facie rabor volaticus, (*Cinch.* 102, 17.)
 in facie sensus, quasi a formicis innumerabilibus obreptan-
 tibus, (*Nux v.* 200, 17.)
 faciei calor, *Hyos.* 132, 23. *Dros.* 129, 15.
 faciei calor per oculos micans cum frigore totius cor-
 poris, *Cham.* 81, 9.
 faciei et oculorum calor ardens et halitu per quam ca-
 lente, cum extremitatibus frigidis, *Cham.* 81, 10.
 faciei calor cum sensu circumvolutionis in pectore,
 Stram. 240, 14.
 faciei calor et sudor post pastum et potum, *Cham.*
 81, 13.
 faciei calor et rubor, *Dros.* 129, 15. *Hyos.* 132, 23.
 faciei calor et rubor cum siti, *Cocc.* 111, 17.
 faciei calor et tumor magnus, (*Bell.* 40, 14.)
 cum faciei calore et siti dolor capititis in fronte punctoriis,
 sublatione oculorum auctus, *Arn.* 20, 6.
 inter faciei calorem gemitus involuntarii, *Cham.* 82, 4.
 cum faciei calore et rubore, calor corporis, (*Verat.* 267, 23.)
 faciei caloris sensus cum horrore corporis caeteri,
 Nux v. 189, 12.
 cum faciei et frontis calore externo et interni caloris siccii
 sensu, horror posterioris superficie corporis,
 Cham. 82, 1.
 faciei caloris sensus post frigus et frigiditatem longam,
 Stram. 240, 19.
 faciei coloris mutatio crebra, (*Hyos.* 143, 18.)
 faciei convulsio, (*Hyos.* 134, 7.)
 faciei dolores inter dormititionem, *Caps.* 68, 1.
 faciei frigiditas, (*Bell.* 53, 11.)
 faciei inflatio, (*Dig.* 127, 8.)
 faciei lividae luridaeque tumor, (*Op.* 213, 1.)
 faciei maculae puliceae, *Acon.* 8, 22.

- faciei muscularum motu dolor in oculo inflammato strictorio tensivus, *Puls.* 224, 24.
- faciei oedema, *Acon.* 8, 7.
- faciei pallor cum calore naturali, inter capitis calorem internum et vertiginem titubantem quasi ab ebrietate, maxime vesperi, *Puls.* 217, 1.
- faciei pallor, *Bell.* 25, 1. (*Bell.* 35, 11.) *Camph.* 47, 3.
- facies pallida, colapsa, (*Op.* 207, 7.)
- faciei phlogosis, (*Verat.* 267, 9.)
- faciei rubor, *Stram.* 240, 18. (*Stram.* 245, 16. 249, 4.)
Bell. 26, 21. (*Hyos.* 154, 13.)
- faciei rubor et calor, *Hyos.* 132, 23.
- faciei rubor solius, *Bell.* 26, 22.
- faciei tumidae rubor intensus, (*Bell.* 36, 7.)
- faciei rubor vespertinus cum horrore, *Ign.* 156, 13.
- faciei rubor cum tumore, *Bell.* 26, 21. (*Stram.* 247, 4.)
- faciei rubor et tumor cum pedibus frigidis, *Bell.* 26, 21.
- faciei rubor et calor cum siti, *Cocc.* III, 17.
- cum faciei rubore et calore, corporis calor, (*Verat.* 267, 13.)
- faciei rubor subitanus cum horrore pedum et trepidatione, *Puls.* 219, 9.
- faciei, (colli, manuum) sudor, *Cham.* 82, 3.
- in faciei (latere dextro) sudor, *Puls.* 219, 13.
- faciei sudor frigidus cum siti, *Cinch.* 92, 5.
- faciei sudor et calor volaticus cum siccitatis linguae sensu, siti aquae et palpitatione cordis, fame canina subsequa, *Cham.* 82, 13.
- faciei sudor solius, *Bell.* 26, 23.
- faciei sudore et calor post potum et pastum, *Cham.* 81, 13.
- faciei sudor frigidus cum horripilatione et sensu in maxillis adstrictorio ut ab acidis, *Puls.* 225, 17.
- faciei sudor minus quam tepidus, egelidus, maxime nasi et oris, *Rh.* 256, 6.
- faciei sudor magnus inter calorem subitaneum corporis cum tremore et scotomia, *Puls.* 219, 8.
- faciei volatici crebri et volae sudores cum siti aquae, *Cham.* 82, 2.
- faciei tumor, (*Stram.* 249, 9. 14.) *Bell.* 42, 2. (*Dig.* 127, 8.) (*Mez.* 184, 4.) (*Op.* 215, 10.)
- cum faciei tumore et rubore inebriatio, (*Bell.* 35, 1.)
- Inter faciei tumorem et ruborem, oculi retorti, (*Bell.* 40, 20.)
- faciei tumor apoplecticus, *Cocc.* 109, 3.
- faciei tumor magnus cum calore, (*Bell.* 40, 14.)

- faciei tumor intense ruber, (*Bell.* 36, 7.)
 faciei tumor lividae luridaeque, (*Op.* 215, 1.)
 faciei tumor apoplecticus cum inspiratione sibilante
 stertorosa, longissima cum brevissima (immo ces-
 sante) alternante, ad suffocationem usque impedita,
 Cocc. 109, 3.
 faciei tumor, genis labiisque praerubris, (*Stram.*
 247, 4.)
 faciei tumor (sine rubore), maxime labiorum, (*Bell.*
 42, 2.)
 faciei venae tumidae, (*Op.* 209, 14.)
 facies, vide et *genae*.
 facies distorta, livida, lurida, ore hiante, (*Hyos.* 134, 7.)
 facies frigida, pallida, (*Hyos.* 145, 2.)
 facies hippocratica, *Verat.* 254, 13. *Cinch.* 93, 10.
 facies hippocratica, apex nasi acutus, oculi cavi, ex-
 ternorum, immo amicissimorum objectorum contem-
 tus, insensilitas, indifferentia, *Cinch.* 93, 10.
 facies inflata, (*Dig.* 127, 7.)
 facies inflata, sanguine turgida, (*Stram.* 244, 4.)
 facies livida, (*Hyos.* 141, 1.)
 facies livida inter convulsiones, (*Op.* 209, 3.)
 facies livida, labia nigra, (*Acon.* 12, 4.)
 facies livida, lurida, distorta, ore hiante, (*Hyos.*
 134, 7.)
 facies pallida, frigida, (*Hyos.* 143, 2.)
 facies rubra, (*Cupr.* 121, 11.) vide et *rubor faciei*.
 facies rubra, tumida, (*Hyos.* 149, 9.) (*Nux v.* 200, 8.)
 (*Op.* 212, 9.) *Bell.* 26, 21. (*Bell.* 35, 7. 36, 7.)
 (*Stram.* 244, 4.) (*Cinch.* 103, 21.)
 facies rubra, tumida, et congestio sanguinis ad caput
 cum pedibus frigidis, *Bell.* 26, 21.
 facies profunde rubra, et tumida, (*Bell.* 36, 7.)
 facies profunde rubra, (*Bell.* 45, 1.)
 facies ruberrima, (*Camph.* 55, 19.)
 facies quasi tumida esset, sensatio, (*Acon.* 12, 14.)
 facta inepte, (*Hyos.* 137, 17.)
 facta inepte solemnia ferociae intermista, vestitu in-
 concinno, (*Hyos.* 137, 11.)
 facta aliorum omnia displicant, morositas, *Cham.* 76, 15.
 famis caninae accessus crebri, *Op.* 204, 15.
 quasi a fame canina cardialgia, *Verat.* 258, 13.
 fames canina brevis, *Puls.* 218, 8.
 fames canina cum abhorrescentia ciborum, (*Op.* 215, 17.)

- fames canina cum sapore fatuo in ore, *Cinch.* 94, 14.
 ut a fame canina dolor exedens in ventriculo, *Puls.* 218, 9.
 faines, sed appetitus rei certae nullus, *Puls.* 218, 11.
 fames magna, *Nux v.* 197, 20.
 fames nulla, *Caps.* 65, 8. vide *Anorexia*, et *appetitus*,
 et *fastidium* et *nausea* et *inappetentia*.
 fames canina post anorexiā, sitim aquae siccitatis
 linguae sensum, calorem volaticum et palpitationem
 cordis, *Cham.* 82, 13.
 famis caninae crebri accessus, *Op.* 204, 15.
 famis caninae instar cardialgia, *Verat.* 258, 13.
 fanatica artuum jactatio, (*Canth.* 60, 9.)
 fastidia, (*Canth.* 62, 12.)
 fastidiens modo, modo appetens morositas, *Arn.* 18, 2.
 fastidit caeteros cibos, frusto vix uno deglutito, (*Op.*
 210, 21.)
 a fastidio quasi cibi anorexia, sapore integro, *Cham.*
 84, 10. *Cinch.* 94, 20.
 fastidium, vide et *nausea* et *anorexia*.
 fastidium, *Capr.* 118, 1.
 fastidium cibi, cum sapore integro, *Cham.* 84, 10.
 fastidium eorum, quae mox appetita sunt, *Arn.* 18, 2.
 fastidium omnium, *Ip.* 163, 12.
 fastidium et taedium omnium rerum, *Puls.* 218, 16.
 quasi a fati impendentis divinatione angor, *Verat.* 256, 9.
 fatigatio, vide et *lassitudo*, *langor*, *asthenia*, *imbecillitas*, *lapsus virium*.
 a fatigazione quasi crurum sensus, *Ip.* 165, 18.
 a fatigazione quasi genu dolor, *Ip.* 165, 9.
 a fatigazione quasi gravitas crurum, *Verat.* 260, 15.
 a fatigazione quasi omnium membrorum, dolor, *Verat.*
 260, 1.
 fatigationis sensus in femoribus, *Rh.* 235, 3. *Melamp.*
 175, 5.
 sub fatigationis specie, rigiditas artuum, *Bell.* 26, 4.
 fatuitas, *Cocc.* 107, 13. vide et *stupor menti*, *stupiditas*,
mens, *amentia*, *obnubilatio*, *obtenebratio capitii*.
 fatuitas et vertigo motu excitata, *Puls.* 220, 5.
 fatuitas, vesania, (*Hyos.* 142, 1.)
 cum fatuo sapore in ore fames canina, *Cinch.* 94, 14.
 fatuus sapor, *Caps.* 65, 4. *Ip.* 162, 10. *Acon.* 5, 11.
Verat. 257, 4. (*Bell.* 38, 18.) *Op.* 204, 14. (*Puls.*
 221, 8.) (*Cham.* 84, 1. 8.)

- fauces, vide et or.
 fauces constrictae, (*Stram.* 243, 1.)
 fauces constrictae, deglutitio impedita, (*Hyos.* 149, 12.)
 fauces horridae, (*Hyos.* 147, 3.)
 fauces siccae, (*Hyos.* 149, 11.) *Ign.* 154, 15.
 versus fauces in palato strictriorius dolor, *Cham.* 80, 7.
 fauces præstrictæ quasi a suffocatione vel apoplexia
 nascitura, (*Stram.* 247, 1c.)
 ad fauces usque tendens vomituriens nausea, *Puls.* 222, 8.
 fauces quasi excoriatae; anginæ species, *Ign.* 157, 16.
 in faucibus adstrictriorius sensus, quasi ab austoris, *Acon.*
 1, 9.
 in faucibus ardor et punctus, *Acon.* 7, 3.
 in faucibus ardor cum angore quasi a calore interno, sine
 calore externo, *Arn.* 19, 17.
 in faucibus quasi glandulae submaxillares prominenter et
 excoriatæ essent, dolor inter deglutiendum, *Puls.*
 223, 6.
 in faucibus quasi a decoratione dolor, deglutitione tantum
 percipiendus, *Ign.* 157, 17.
 in faucibus sensus, qualis a dracunculi esu, *Ip.* 162, 12.
 in faucibus herbaceus nauseosus sapor, quasi foliorum
 dauci, *Nux v.* 190, 16.
 in faucibus molestia; digitis monstrat, ac si quid in ore
 haeret, (*Hyos.* 142, 11.)
 in faucibus mordax sensus, *Hyos.* 152, 6.
 in faucibus piperis sensus, (*Verat.* 266, 9.)
 in faucibus punctus ut a setis e fructibus cynosbati, *Acon.*
 2, 3.
 in faucibus punctus et ardor, *Acon.* 7, 3.
 cum faucibus siccissimis, et lingua alba, raucedo, (*Op.*
 213, 21.)
 in faucibus rasio scalptoria, inter deglutitionem cessans,
 Nux v. 191, 6.
 in faucibus siccitas per quatuor horas, (*Bell.* 40, 3.)
 faucium ardor, (*Verat.* 266, 4.)
 faucium aspiritudo, *Verat.* 257, 1. *Ip.* 163, 6. (*Bell.*
 38, 13.) (*Ign.* 157, 6.) (*Nux v.* 191, 6.)
 faucium et palati aspiritudo et excoriatio, *Mez.* 180, 8.
 faucium ab attritu quasi dolor, *Ign.* 157, 16. 17.
 faucium constrictio, (*Hyos.* 135, 16.) (*Stram.* 243, 1.)
 quasi faucium cutis a materia acri degluberetur siccitas oris,
 (*Bell.* 38, 13.)
 faucium excoriatio, *Mez.* 180, 11.

- faucium exulceratio, (*Dig.* 125, 1.)
 faucium quasi excoratio, (*Ign.* 157, 16. 17.)
 faucium haemorrhagia fatalis, (*Bell.* 46, 2.)
 in faucium posteriori parte herbaceus et putridus sapor,
 Pals. 221, 5. *Nux v.* 190, 16.
 faucium immeabilitas, et siccitas insignis ita ut sorbitio
 theae potus suffocatura esse videatur, (*Hyos.* 138, 10.)
 faucium inflammatio, (*Bell.* 31, 8. 43, 20.)
 quasi a faucium pituita nimia anorexia, (*Mez.* 180, 5.)
 faucium siccitas, *Cocc.* 110, 8. *Stram.* 239, 10. *Caps.*
 65, 3. *Cham.* 82, 13. 15. *Cocc.* 110, 8.
 faucium siccitas insignis, (*Bell.* 45, 16.)
 faucium et linguae siccitatis ingentis sensus, (*Stram.*
 244, 16.)
 faucium siccitas sine siti, *Caps.* 65, 3. 7.
 faucium siccitas et amaror, sine siti, post pastum cum
 genae alterius rubore, vesperi, (*Ign.* 154, 15.)
 faucium siccitas potulentis non sedanda, *Verat.* 257, 5.
 ob faucium siccitatem indeglutitio, (*Bell.* 40, 4.)
 faucium simplex dolor, motu partium et deglutitione
 auctus, *Cham.* 85, 15.
 faucium strangulatio, (*Melamp.* 177, 10.) (*Verat.* 267, 2.)
 febricula plurium dierum, interdum chronica, *Verat.*
 262, 8.
 febriculosum frigus per horam, *Acris* 16, 5.
 febrile frigus cum aquosorum tantum appetentia, *Mez.*
 179, 10.
 febriles motus, *Verat.* 256, 18.
 febriles motus post somnolentiam cum succussionibus
 terrificis, *Verat.* 255, 10.
 febrile paroxysmum incipiens sternutatio, *Cinch.*
 93, 2.
 febrilis horripilatio inter sudorem, *Aeon.* 8, 4.
 febris, vide et *frigus*, *frigiditas*, *horripilatio*, *calor*,
 ardor.
 febris post quodlibet praebium, (*Bell.* 43, 19.)
 febris, (*Bell.* 58, 6.) (*Canth.* 62, 16.) (*Dig.* 127, 9.)
 (*Melamp.* 177, 15.) (*Stram.* 248, 12.)
 febris acuta, (*Mez.* 182, 9.)
 febris ardens, (*Bell.* 39, 17. 41, 8.)
 febris ardentissima, (*Canth.* 60, 10.) (*Mez.* 183, 12.)
 febris auctior, sanguinis cursum accelerat, (*Rh.* 238, 3.)
 febris diurna, matutina, *Stram.* 241, 17.

- febris aliquot dies repetens; post matutinum frigus et
frigiditatem calor pomeridianus universalis cum siti
aqua, *Cop.* 116, 7.
- febris erysipelacea, *Bell.* 30, 1.
- febris; frigus immanc, tum caloris interni cum horri-
pilatione sensus mixtus, tum calor ardens universa-
lis, pulsus cisisimus, respiratio citissima aestuans,
agonizans, *Puls.* 217, 12.
- febres lentae, (*Cinch.* 103, 16.)
- febris; frigiditas externa cum calore mere interno,
Nux v. 194, 7.
- febris; horripilatio vespertina tum calor maxime inter-
nus capitis laceranti dolore affecti, sitis aquae no-
cturna, borborygmi, sudor dorsi et capillitii, appe-
titus integer, *Led.* 172, 17.
- febris pomeridiana frigoris plena et dolore (v. c. dorsi)
stipata, *Hyos.* 133, 5.
- febris pomeridiana; horripilatio cum torminibus, tum
debilitas et somnus cum calore corporis ardente, *Ign.*
156, 14.
- febris soporosa cum vulsionibus artuum capitum, *Cham.*
75, 14.
- febris species, (*Canth.* 61, 12.)
- febris; sanguinem exagitat, (*Cop.* 117, 1.)
- febris accessus crebri volatilis; calor universalis siccus,
tum horror et frigiditas, torminibus latenter forsi-
cantibus subsequis, *Melamp.* 176, 12.
- de feli et cane atro clamor in somno, *Puls.* 232, 4.
- per femora, ab osse sacro, tendentes dolores spuri stricto-
rio paralytici, *Cham.* 77, 10.
- in femore furunculorum species, *Nux v.* 195, 18.
- in femore tensivus dolor, quasi nimis cursum esset, *Nux v.*
197, 10.
- in femore vulsorius sensus, *Arn.* 22, 3.
- in femoribus (et cruribus) lacerans dolor, *Cham.* 78, 9.
- in femoribus lassitudinis sensus, *Rh.* 235, 3. *Melamp.*
175, 5.
- in femoribus (abdomine, artibus) stritorii dolores cum
menstruatione aucta, *Stram.* 241, 3.
- in femoribus stritorius dolor, *Stram.* 241, 3.
- in femoribus a verberatione quasi dolor volaticus, *Cham.*
89, 1.
- femoris (inter eundum) asthenia subita volatica, *Puls.*
229, 12. (*Acon.* 2, 18. 3, 1.)

- in femoris articulatione a contortione quasi seu luxatione dolor, *Ign.* 158, 18.
- in femoris et humeri musculosis partibus dolor immanis pressorio disruptorius, *Puls.* 229, 11.
- femoris musculorum posteriorum a contusione quasi dolor in sessu, *Cinch.* 93, 2.
- in femoris ossis tubo strictorius dolor ante termina discentia, *Cop.* 116, 12.
- in femoris ossis capite lancinatus quasi a luxatione, *Nux v.* 197, 11.
- femoris ossis capitis dolor quasi distortum esset aut dissecaretur, per vices, (*Cinch.* 104, 14.)
- femoris dolor osteocopus, *Mez.* 130, 19.
- in femoris (et humeri) partibus musculosis pressorio disruptorius dolor immanis, *Puls.* 229, 11.
- in femoris capite asthenia inter eundum, sive impossibilitas incedendi ob dolorem innominabilem, intollerabilem post decubitum et somnum, *Acon.* 2, 18.
- femorum et crurum asthenia paralytica post sessum, *Acon.* 3, 1.
- femorum et crurum maxime sudor, (*Hyos.* 141, 16.)
- femorum lassitudo cum frigore in abdomine, *Melamp.* 175, 3. 5.
- femorum lassitudo quasi nimis defatigatorum, *Rh.* 235, 3.
- in femorum medio dolor tensivus transversus, in adscensione, quasi nimis curta essent, *Hyos.* 132, 20.
- femorum musculi dolorosi quasi caro ab ossibus separata esset, *Dros.* 129, 11.
- feriens, obvia concutientis, insurgens, vix contineti passa, ferox mania, (*Stram.* 245, 8.)
- fermentantes quasi borborygmi, *Acon.* 5, 6.
- fermenti fusci instar diarrhoea, *Arn.* 19, 7.
- cum ferocia delirium, (*Bell.* 34, 12.)
- in ferociam transiens horror liquorum aquosorum, dum labia iis madefiunt, (*Stram.* 247, 13.)
- ferociae intermitte inepte solemnia facta, vestitu inconcinno, (*Hyos.* 137, 11.)
- ferocitas temeraria, (*Op.* 210, 9.)
- ferox agitatio, *Cham.* 76, 1.
- ferox capitidis dolor, *Led.* 169, 9.
- ferox capitidis dolor post stupiditatem, *Cham.* 76, 1.
- ferox delirium, (*Stram.* 249, 1.)
- ferox mania, incoercibilis, (*Stram.* 250, 1.)
- fervor linguae et gutturis, (*Verat.* 266, 12.)

- fessi pedes, *Stram.* 239, 7.
fimi instar sapor putridus, *Verat.* 257, 8.
fimi foetoris sensus, *Verat.* 257, 9.
qum figuntur oculi in rem albam, scotomiae lateralis sensus,
Cham. 75, 7.
fissa labia et sanguislua, *Ign.* 152, 7. *Caps.* 67, 11.
Arn. 19, 13.
fissilia labia, (*Cinch.* 96, 15.) *Verat.* 257, 10.
fissum quasi esset cerebrum sensus, *Nux v.* 189, 1.
fissum rhagade et sanguisluum labii inferioris medium,
Cham. 83, 10.
fissurae labiorum, *Caps.* 67, 11. *Ign.* 152, 7. *Arn.* 19,
13. *Verat.* 257, 10.
fixae ideae, *Chun.* 89, 16.
fixa mens, inattentio alte cogitabundi, *Cocc.* 106, 9.
fixi dolores in lumbis, *Hyos.* 132, 21.
fixi oculi dormitientes, (*Stram.* 245, 3.)
fixi oculi et horridi, (*Stram.* 245, 20.) *Camph.* 47, 5.
flacciditas, torpor, (*Op.* 210, 10.)
flatibus quasi, cum pressionis sensu in epigastrio restag-
nancibus, angustia pectoris, et ventriculi dolor,
quasi a soda nascitura; postea ardor in spina dorsi,
Cham. 84, 21.
flatibus quasi dolores colici, *Acon.* 5, 4.
flatibus quasi pressio terminosa, *Arn.* 18, 22.
flatibus quasi termina in hypogastrio, *Caps.* 69, 1.
flatibus hypochondria obsidentibus (et lancinatibus pe-
ctus pervadentibus) colica per intervalla rediens,
Cham. 85, 6.
flatibus abire recusantibus, labefactata quasi et contrita
intestina, *Verat.* 261, 14.
flatibus abire detrectantibus dolor in hypochondriis et
pectore, *Verat.* 261, 1.
flatibus quasi borborygni, *Puls.* 222, 16.
flatibus quasi colica pressorio tensiva, *Acon.* 5, 4.
flatibus quasi dolor tensivus in hypochondriis, *Verat.*
258, 15.
flatulenta colica, *Ip.* 164, 7. *Verat.* 258, 18. 261, 15.
262, 1. *Cham.* 85, 2.
flatulentia, *Camph.* 50, 20. *Arn.* 18, 19. 20. (*Cinch.*
104, 3.) (*Op.* 209, 12.)
flatulentia colicalis, *Arn.* 18, 20.
qum flatuosa colica dolor pressorio tensivus in vertebris
lumborum, *Acon.* 5, 3.

- flatuosa colica intestina hinc inde lassessens et totum abdomen occupans flatibus quo serius eo rarius et difficilis abeuntibus, *Verat.* 258, 18.
- cum flatuosa colica connexus dolor tensivo pressorius vertebrarum lumbi, *Acon.* 5, 3.
- flatuosa colica, *Cinch.* 97, 9.
- flatuosa intumescentia abdominis, (*Cinch.* 102, 20.)
- flatuosa tormina in iuxta parte abdominis, *Acon.* 5, 5.
- flatuosa tormina in hypogastrio cum diarrhoea pituitae sanguineae, *Caps.* 69, 2.
- * flatuosis quasi purgantibus tormina, *Acon.* 5, 5.
- flatus, meteorismus surde torminosus, inquietudo et tensio abdominis quasi ab alvo constipata, *Verat.* 261, 15.
- flatuum adscensio et restagnatio ad hypochondria, *Nux v.* 191, 19. *Cham.* 85, 1.
- flatuum secessus copiosus, *Verat.* 259, 3.
- flatuum eruptio sursum deorsum, *Acris* 16, 4.
- flatuum eruptio tumultuosa deorsum, *Verat.* 259, 4.
- flatuum incarceratio, *Nux v.* 191, 20.
- flatuum incarceratio in hypochondriis, *Canth.* 58, 3.
- flatuum incarceratio cum torminibus pressorio forficantibus, *Caps.* 68, 13.
- flatuum secessu evanescens sed repetens dolor in sterno dissindens, noctu, *Stram.* 240, 15.
- flatuum restagnatio in hypochondriis, *Cham.* 85, 1. *Cocc.* 114, 10.
- flavescens color cutis, (*Cinch.* 104, 8.)
- flexibiliter querulans animus cum dolore lancinanti in latere dextro, *Acon.* 6, 17.
- fleetentium muscularorum spasmi dirissimi, (*Bell.* 32, 9.)
- fleetuntur artus spasmis et trunco flexo corpus in altum projicitur, (*Hyos.* 134, 4.)
- fletu et importuno modo efflagitans varia animus, *Rh.* 256, 3.
- cum fletu continuo agitatio anxia, (*Camph.* 54, 14.)
- fletui intermista rixosa mussitatio, *Puls.* 220, 2.
- in fletum iam, jam in jocum mutabilitas mira animi, *Ign.* 156, 8.
- fletus, vide et *lacrymatio*, *ejulatus*, *vagitus*, *ploratus*.
- in flexione brachii, dolor tendinum flexorum cubiti tensionis, *Puls.* 229, 4.
- flexo trunco corpus in altum projicitur spasmis, (*Hyos.* 134, 4.)

- ut flocci faciant alii quaevis, optans et omnia vilipendens
 morositas, *Ip.* 163, 14.
 floccilegium, (*Op.* 205, 12.)
 floccilegium in lecto, vultu, capite, (*Hyos.* 138, 19.)
 floccilegium cum mussitatione, (*Hyos.* 141, 6.)
 floccos carpit, evellit, (*Bell.* 46, 10.)
 quasi a fluctuante aqua in cerebro sensus, (*Bell.* 44, 16.)
 fluens haemorrhois, *Acon.* 7, 15. *Cham.* 89, 12. (*Puls.*
 233, 16.)
 fluor alvi copiosissimus, dolorosus, (*Verat.* 264, 6.)
 fluxus alvi, (*Cinch.* 100, 4.)
 fluxus alvi immoderatus, (*Nux v.* 199, 6.)
 fluxus urinae nimius, (*Bell.* 40, 11.)
 fodiens in digitis dolor, *Cocc.* 112, 14.
 fodiens in dorso dolor, *Cocc.* 112, 9.
 fodiens et terebrans in plantis pedum dolor, *Bell.* 28, 3.
 fodiens in pedibus dolor, *Cocc.* 112, 12.
 e fodiente, constringente, ardente, lacerante compōsita
 cephalalgia, *Cocc.* 109, 15.
 fodienti diruens dolor in ulcere, vulnere, *Cinch.* 98, 8.
 fodienti lancinans dolor in ossium intēgumentis, *Me-*
 lamp. 176, 4.
 fodienti lancinantes dolores ab aura frigida, labore, pa-
 stu, potu exacerbati, *Melamp.* 176, 20.
 fodientia, dysenterica tormenta, *Arn.* 19, 1.
 foetidae, aquosae materiae secessus ex urethra, (*Puls.*
 233, 10.)
 foetida anima, *Acon.* 5, 12. *Mez.* 181, 1. *Caps.* 66, 16.
 (*Led.* 173, 1.) *Puls.* 221, 6.
 foetidae, viscidiae, turbidae urinae, sine sedimento se-
 cessus copiosus, (*Cupr.* 121, 18.)
 foetido moco obductum os internum post somnum, *Rh.*
 236, 14.
 foetidus, vide et *putidus*, et *putridus*.
 foetidus ex ore halitus post somnum, *Rh.* 236, 16.
 foetidus, magnus, nocturnus sudor, (*Puls.* 233, 8.)
 foetidus, putidus sudor in latere aegroto, *Nux v.*
 194, 16.
 foetor halitus inter tussim, *Caps.* 66, 16.
 foetoris quasi simi olfactus, *Verat.* 257, 9.
 quasi foliorum dauci sapor nauseosus herbaceus in faucibus,
 Nux v. 190, 16.
 fortificans et convulsiva cardialgia, *A/n.* 18, 17.

- forficans supra umbilici regionem colica post pressorium
 in hepatis regione dolorem, respirationem coarctan-
 tem, *Acon.* 5, 16.
 forficantes in brachio dextro dolores, *Ip.* 164, 13.
 forficantes in pede dextro dolores, *Ip.* 164, 12.
 forficantes in pectore sinistro sub axilla dolores, *Ip.*
 164, 14.
 forficanti correptoria tormina cum diarrhoea, *Dios.*
 129, 5.
 forficanti lacerans in abdomen et in pectus tendens
 dolor, *Nux v.* 192, 5.
 forficanti lacerantia tormina in umbilico et infra ab utro-
 que latere, cum dolore ossis sacri quasi a confactio-
 ne, *Cham.* 85, 8.
 forficanti lancinans dolor in glande penis in mictu,
 Acon. 6, 10.
 forficanti lancinantia tormina, *Cinch.* 97, 10.
 forficanti punctarius dolor in pectoris latere sinistro
 post tormina forficantia in umbilico, *Ign.* 153, 14.
 forficantia tormina, *Ign.* 153, 13. *Nux v.* 192, 13.
 Val. 251, 12. *Ip.* 164, 8.
 forficantia tormina in hypochondrio utroque, vel epi-
 gastro, *Ip.* 164, 8.
 forficantia in alterutro latere abdominis tormina post
 punctaria tormina infra umbilicum, *Ign.* 153, 12.
 forficantia tormina, trunco incurvato sedere cogentia
 cum diarrhoeae moliminibus frustraneis, vomitu
 subsequente, *Bell.* 27, 15.
 forficantia in ipsa umbilici regione tormina, (vomitum
 procreantia), dolore dein in pectoris latus sinistrum
 forficanti punctorio migrante, *Ign.* 153, 14.
 forficatio et lancinatio in glande penis, *Acon.* 6, 10.
 circa formam rerum hallucinatio, (*Hyos.* 138, 4.)
 formicatio, vide et *reptatio*.
 formicatio, (*Stram.* 248, 22.) (*Arn.* 24, 3.)
 formicatio in Artibus, (*Op.* 215, 8.)
 formicatio narcotica in Artibus, *Ign.* 150, 5.
 formicatio reptans, pruriens in Aure interna, *Nux v.*
 195, 13.
 formicanti pulsatorius dolor sub Axilla dextra cum ar-
 dere hinc ad digitos pergens, *Cocc.* 112, 17.
 formicationis et ardoris sensus totum corpus sensim oc-
 cupans, maxime Brachia et Crura, (*Acon.* 12, 15.)

- formicatio in Bronchiis, tum respiratio cito, angusta,
Led. 170, 1.
 formicationis et gravitatis sensus in Cerebro et stricto-
 rius capitis dolor, cum frigore et visus et auditus
 abolitione, *Puls.* 220, 12.
 formicatio Cutis, pruritus, desquamatio, maxime in
 parte pridem affecta, *Acon.* 7, 10.
 formicatio in Dentibus maxillae superioris, *Cham.*
 80, 4.
 formicatio in Digitis, *Verat.* 260, 8. *Acon.* 7, 4.
 formicans dolor in Digitis, *Acon.* 7, 4.
 formicationes in Digitis, manibus, (*Verat.* 267, 16.)
 formicatio in Digitis, angorem procreans, *Verat.* 260, 10.
 formicatio narcotica in Digitis, aucta dum aliquid ca-
 pessitur manu, *Op.* 202, 9.
 formicatio ut a scarabaeis in Dorsi spina, *Acon.* 7, 9.
 formicatio in Frontis dextra prominentia post pulsato-
 rio lancinantem dolorem in eminentia frontis sini-
 stra, *Cocc.* 110, 1.
 formicatio in Fronte ut a scarabaeis, *Nux v.* 189, 9.
 formicatio in Gena calida, *Nux v.* 189, 10.
 formicans dolor in Genis, *Acon.* 7, 5.
 formicatio et pressio in Glande penis post mictum, *Puls.*
 223, 12.
 formicans dolor in Gula, *Acon.* 7, 6.
 formicatio et ardoris sensus in Lingua et Maxillis, ita
 ut dentes vacillare viderentur, (*Acon.* 12, 13.)
 formicatio in Manibus, *Verat.* 260, 8. (*Verat.* 267, 16.)
 formicatio (pruritus) in omnibus Membris, (*Op.* 215, 8.)
 formicatio in Ossibus pedum, non narcotica, *Ign.* 158, 12.
 formicans ardor in Oculis, *Nux v.* 189, 7.
 formicatio in parte contusa, vulnerata, *Arn.* 22, 16.
 formicans dolor in Pectore, *Acon.* 7, 7.
 formicans dolor in Pectore ut a scarabaeis reptantibus,
Acon. 7, 8.
 formicatio in Pedibus, *Arn.* 22, 9. *Ign.* 150, 4.
 formicatio in Pedibus sursum, *Bell.* 28, 7. *Nux v.*
 197, 12.
 formicatio in Pedum ossibus, non narcotica, *Ign.* 150, 12.
 formicanti punctorius et quasi a narcosi dolor a statu
 in Pedum Plantis, *Puls.* 230, 6.
 formicatio et pressio in Penis glande post mictum, *Puls.*
 223, 12.

- formicans dolor in Spina dorsi, quasi a scarabaeis rep-tantibus, *Acon.* 7, 9.
 formicatio in Vertice externe, *Arn.* 20, 10.
 formicatio narcotica cum depressionis sensu in Vertice, *Cupr.* 118, 7.
 cum formicatione et hyperaesthesia inter tactum dolor mor-dax et ardens in Ulcere externus, *Cham.* 89, 6.
 formicatio et pruritus in Urethra post mictum, *Canth.* 57, 4.
 formicanti pressorius post mictum dolor in Urethrae orificio, *Puls.* 223, 10.
 formicatio in Vulnerata parte aut contusa, *Arn.* 22, 16.
 cum formicatione lacerans dolor in brachii ossium tubis ad digitos usque cum sensu narcoseos quasi brachium sensu tactus careret, *Cham.* 78, 1.
 ut a formicis innumerabilibus faciem obreptantibus, sensus, (*Nux v.* 200, 17.)
 fornicis calore non delendum frigus dorsi, quasi a gla-cie hinc illinc lata, *Cocc.* 107, 18.
 nec fornicis calore nec lecti stragulis delenda frigiditas, *Nux v.* 185, 10.
 fortis animus et constans, nec hilaris, *Acon.* 8, 12.
 fractum quasi cerebrum esset, aut pars ejus, cephalal-gia, *Verat.* 257, 19.
 fragor digitorum juncturarum, *Caps.* 70, 3.
 fragor in Eustachii tuba, *Cocc.* 109, 9.
 fragor genuum, *Led.* 170, 9. *Puls.* 230, 1.
 fragor genuum juncturarum, *Caps.* 70, 3. *Verat.* 260, 16.
 fragor in hemicranio sinistro crepitans, *Cham.* 81, 1.
 fragor juncturarum lumborum, genuum, pedum, *Camph.* 48, 2.
 fragor juncturarum omnium, *Ip.* 165, 8. *Cham.* 88, 14.
Cocc. 108, 1. *Camph.* 48, 2. *Cinch.* 98, 7.
 frigescentia et frigiditas, pupillis parum dilatabilibus, *Ign.* 150, 3.
 quasi frigescerent omnes venae, sensus, (*Acon.* 11, 9.)
 frigida aqua admota dentium dolor mox exasperandus, *Cham.* 79, 8.
 quasi a frigida aqua frigus in ventriculo, tum sensus quasi a tremore, *Caps.* 65, 1.
 quasi a frigida aqua infusa frigus in pedibus cum tremore, *Nux v.* 186, 4.
 frigida manus haec, illa calida, alternatim, *Cocc.* 107, 20.

- frigida manus haec, illa calida, *Cinch.* 95, 12. *Puls.*
 219, 1. *Cocc.* 107, 20.
 frigida rigiditas totius corporis, oculis apertis, horridis,
 gena altera rubra, calida, altera pallida frigida,
 Acon. 1, 3.
 frigidae aquae appetentia, (*Acon.* 12, 10.)
 frigidae aquae sitis immanis, (*Bell.* 37, 11.)
 frigidae, madidae manus, alternatim, tum haec, tum
 illa, *Cocc.* 108, 3.
 frigidae manus, (*Nux v.* 200, 10.)
 sine frigi aëris fuga frigiditas maxima, cum siti magna,
 Mer. 179, 8.
 frigidi aeris horrescentia, *Cham.* 74, 1.
 frigidi aeris hyperaesthesia, *Camph.* 47, 4.
 frigidi et calidi aëris intolerantia, *Cocc.* 108, 9.
 frigida aura exacerbati dolores lancinianti fodientes,
 Melamp. 176, 20.
 frigidam auram in vertice et occipite diffundens globus
 ab umbilico adscendens, (*Acon.* 11, 6.)
 frigidi tumores dolorosi, *Bell.* 60, 13.
 frigidi pedes, *Cupr.* 119, 14. *Hyos.* 131, 12.
 frigidis artibus frons calida, et congestio sanguinis ad
 caput, *Cinch.* 95, 9.
 cum frigidis pedibus, facies rubra, tumida et congestio san-
 guinis ad caput, *Bell.* 26, 21.
 frigidis pedibus caloris per totum corpus sensus, venis
 tumidis, sine calore externo sensibili, (*Cinch.*
 95, 13.)
 frigidissimus sudor, (*Verat.* 268, 16.)
 frigiditas, *Val.* 251, 1. *Puls.* 217, 11. *Ip.* 162, 4. (*Op.* 211, 9.)
 frigiditas maxime mane, *Melamp.* 175, 2.
 frigiditas et horror alternans cum calore universalis
 sicco; febries crebri accessus, torminibus latenter
 forficantibus subsequis, *Melamp.* 176, 12.
 frigiditas et horripilatio quasi ex metu frigoris, *Ign.*
 160, 3.
 frigiditas sine horrore (manus lividae), *Cocc.* 107, 17.
 frigiditas ut plurimum cum horrore a tergo ad abdomen
 reptante, *Cham.* 73, 2.
 frigiditas externa, cum ardore interno, *Bell.* 27, 1.
 frigiditas maxima, cum siti magna aquosorum, sine ca-
 lore subsequi, sine caloris appetentia et sine fuga
 aëris frigi, *Mer.* 179, 8.
 frigiditas, frigus octo horarum, *Stram.* 239, 3.

- frigiditas et frigus longum, tum caloris sensus in facie,
 Stram. 240, 19.
 frigiditas, horrescentia et tremor pedum cum ame-
 norrhoea, *Puls.* 231, 14.
 frigiditas maxima nec calore fornacis nec lecti stragulis
 abigenda, *Nux v.* 185, 10.
 frigiditas universalis, *Cinch.* 92, 2. (*Stram.* 244, 23.)
 frigiditas universalis facie pallida, *Bell.* 25, 1.
 frigiditas universalis maxima, *Camph.* 47, 2.
 frigiditas cum frigore et horrore totius corporis post
 faciei calorem, *Cinch.* 95, 12.
 frigiditas maxima Artuum et trunci, (*Stram.* 244, 23.)
 frigiditas Brachiorum, femorum, faciei, manibus et
 pedibus calidis, *Rh.* 236, 5.
 frigiditas Corporis totius, cum livore cutis; tum calor
 mere interius et sudor frontis, *Nux v.* 185, 12.
 frigiditas totius Corporis, extremitates frigidae, sine
 horrore, *Caps.* 64, 11.
 frigiditas totius Corporis, cum vel sine horrore a tergo
 ad abdomen reptante, *Cham.* 73, 2.
 frigiditas corporis totius et frigus, *Led.* 169, 1.
 frigiditas Corporis totius, *Cinch.* 92, 2. *Stram.* 239, 2.
 (*Stram.* 244, 23.) *Verat.* 254, 2. (*Verat.* 268, 5.
 15.) *Arn.* 17, 1. *Dig.* 123, 1. *Acon.* 1, 1. *Led.*
 169, 1. *Op.* 215, 1. *Bell.* 25, 1.
 frigiditas Corporis totius, stuporem membrorum indu-
 cens, (*Op.* 215, 1.)
 frigiditas Corporis totius pedetentim crescens, *Caps.*
 64, 12. *Nux v.* 186, 1.
 frigiditas Corporis totius cum pallore, (*Camph.* 52, 5.)
 frigiditas Corporis totius maxima, *Camph.* 47, 2.
 frigiditas Corporis totius sine horrore; manus lividae,
 Cocc. 107, 17.
 frigiditas Corporis totius cum facie pallida, *Bell.* 25, 1.
 frigiditas crescens cum animi aegritudine et pupillae
 contractione, *Caps.* 64, 12.
 frigiditas Crurum supra genu usque, *Ign.* 150, 2.
 frigiditas Extremitatum, *Stram.* 239, 1. *Op.* 201, 8.
 (*Dig.* 123, 1.)
 frigiditas Extremitatum cum calore faciei et oculorum
 ardente, et balitu perquam caliente, *Cham.* 81, 10.
 frigiditas Extremitatum sine horrore, *Caps.* 64, 11.
 frigiditas Faciei, Femorum et brachiorum, manibus et
 pedibus calidis, venis tumidis, *Rh.* 236, 5.

- frigiditas Faciei, Manuum, (*Bell.* 33, 11.)
 frigiditas maxime mane, *Melamp.* 175, 2.
 frigiditas Genarum, Manuum, pedum gelida cum frontis, colli, pectoris ardente calore, *Cham.* 81, 8.
 frigiditas Manuum, *Cinch.* 92, 4. (*Nux v. Eoo*, &c.) (*Bell.* 33, 11.)
 frigiditas Manuum, pedum, nasi, *Cinch.* 92, 4.
 frigiditas Manuum et sudor frigidus volatuum, corpore reliquo juste calido, *Cham.* 73, 5.
 frigiditas primo Manuum et Pedum, tum volae et plantae, tum artuum, *Dig.* 123, 1.
 frigiditas Matutina corporis, sine Frigore, *Led.* 169, 2.
 frigiditas maxima cum siti magna, sine appetentia caloris, sine fuga aeris liberi et sine calore subsequuo, *Mer.* 179, 8.
 frigiditas Nasi, *Cinch.* 92, 4.
 frigiditas Pedum cum facie rubra, tumida, *Bell.* 26, 21.
 frigiditas Pedum, manuum, genarum gelida, cum frontis, colli, pectoris calore ardente, *Cham.* 81, 8.
 frigiditas Pedum, *Elyos.* 131, 12. *Cinch.* 92, 4. *Cupr.* 119, 14. *Led.* 171, 5.
 frigiditas Pedum et tibiarum supra genu usque, *Ign.* 150, 2.
 frigiditas Pedum et manuum sine horrore, *Caps.* 70, 11.
 frigiditas Pedum maxima, *Acris* 16, 2.
 frigiditas Pedum quasi ab aqua frigida circulante, una cum tremito, *Verat.* 254, 3.
 frigiditas Scroti, impotentia virilis, *Caps.* 64, 13.
 frigiditas Trunci, (*Stram.* 244, 23.)
 frigiditas Universalis, vide *frigiditas corporis totius*.
 frigiditas in re Venerea, (*Op.* 211, 5.)
 frigiditas Volae et Plantae, *Dig.* 123, 1.
 cum frigiditate et frigore, modo in uno, modo in altero
 Artu strictorio lacerans dolor, *Puls.* 230, 14.
 cum frigiditate Corporis crescens animi aegritudo, *Caps.* 64, 12.
 cum frigiditate externa calor internus, (*Ip.* 165, 4.)
 cum frigiditate externa ardor internus, *Bell.* 27, 1.
 cum frigiditate externa horror singularium partium, in facie, brachiis, *Cham.* 73, 3.
 sine frigiditate externa horror singularium partium, in facie, brachiis, *Cham.* 73, 3.
 sine frigiditate externa, horror, *Rh.* 235, 1.
 sine frigiditate externa frigiditatis sensus in humero, *Cocc.* 107, 16.

- ane frigiditate externa horror posterioris superficie corporis, *Cham.* 82, 1.
 sine frigiditate externa horror et frigus cum cute anserina, *Led.* 169, 4.
 ad frigiditatem universalem usque imminutus calor, *Nux v.* 186, 1.
 inter frigiditatem et frigus totius corporis constrictio asthmatica pectoris totius, *Mez.* 179, 9.
 frigiditatis et caloris temperati vicissitudines, *Op.* 205, 4.
 frigiditatis sensus in ventriculo, *Cinch.* 93, 4.
 frigiditatis sensus in hamero sine frigiditate, *Cocc.* 107, 16.
 de frigido lapide ventriculum premente, querelae, (*Acon.* 10, 16.)
 frigido corpore delirium mite, *Verat.* 255, 2.
 frigido caeteroquin corpore, saltem non calido, calor in capite, *Arn.* 19, 18.
 frigido caeteroquin corpore, saltem non calido, ardor et rubor in gena alterutra, *Arn.* 19, 19.
 frigido humidae volae manus, *Acon.* 8, 6.
 frigidorum sitis, maxime cerevisiae, *Cocc.* III, 18.
 frigidorum pedum tremor, *Verat.* 254, 3.
 frigidus, vide et *gelidus*.
 frigidus capitis sudor, (*Camph.* 55, 9.)
 frigidus faciei sudor cum siti, *Cinch.* 92, 5.)
 frigidus faciei sudor cum horripilacione et sensu in maxillis adstrictorio ut ab acidis, *Puls.* 225, 17.
 frigidus frontis sudor, (*Acon.* II, 3.) *Op.* 201, 12.
Verat. 255, 12.
 frigidus frontis sudor, inter loqueland audacem et vividis oculis, (*Acon.* II, 3.)
 frigidus frontis sudor cum calore interno, *Caps.* 70, 9.
 frigidus, maxime frontis sudor, *Verat.* 255, 12.
 frigidus manuum sudor copiosus, *Bell.* 27, 2.
 frigidus manuum sudor tum hujus, tum illius alternatim, *Cocc.* 108, 3.
 frigidus pedum sudor, *Cocc.* 108, 4.
 frigidus volae manus sudor, *Acon.* 8, 6.
 frigidus volarum sudor, corpore juste calido, *Cham.* 73, 5.
 frigidus sudor, (*Nux v.* 199, 10.) *Camph.* 48, 6. *Verat.* 255, 11. (*Verat.* 265, 19. 268, 6.)
 frigidus sudor in toto capite et thorace emanans, (*Verat.* 263, 5.)

frigidus sudor per totum corpus, *Cinch.* 92, 3. (*Verat.*
 268, 6.)
 frigidus sudor faciei cum siti, *Cinch.* 92, 5.
 cum frigore corporis totius calor internus, capitis et rubor
 genarum, *Nux v.* 189, 17.
 sine frigore, frigiditas corporis matutina, *Led.* 169, 2.
 de frigore querelae, (*Op.* 210, 20.)
 cum frigore totius corporis, calor internus siccus, fronte
 et auriculis calidis, *Acon.* I, 2.
 cum frigore et frigiditate dolor strictorio lacerans modo in
 uno modo in altero Artu, *Puls.* 230, 14.
 frigoris hyperesthesia, *Acon.* I, 4. *Ign.* 150, 3. *Ip.*
 162, 2.
 frigoris intolerantia et caloris, *Cocc.* 108, 9.
 frigoris metus, *Nux v.* 186, 3. *Acon.* I, 4. *Ign.* 150, 3.
 Ip. 162, 2. *Cham.* 74, 1.
 frigoris plena et dolore (v. c. dorsi) stipata febris po-
 meridiana, *Hyos.* 133, 5.
 cum frigoris sensu tremor, recurrens, calore parvo subse-
 quo, sine sudore, *Puls.* 218, 4.
 frigoris sensus in vertice et simul in pedibus, *Verat.*
 254, 4.
 frigus, *Arn.* 17, 1. vide et *frigescentia*, *horrescentia*,
 horror, *horripilatio*.
 frigus, frigiditas universalis, *Arn.* 17, 1. *Led.* 169, 1.
 frigus sine cute anserina vespertinum, *Puls.* 218, 6.
 frigus externum et internum post cephalalgiam, et an-
 gor continuus, *Arn.* 20, 5.
 frigus febriculosum per horam, *Acris* 16, 5.
 frigus febrile cum aquosorum tantum appetentia, *Mez.*
 179, 10.
 frigus vehemens cum crepitu dentium, *Nux v.* 186, 2.
 inter frigus cerevisiae sitis, *Nux v.* 189, 15.
 frigus immane, tum caloris interni cum horripilatione
 sensus mixtus, tum calor ardens universalis, pul-
 sus citissimus, respiratio citissima, agonizans,
 Puls. 217, 12.
 frigus cum visus et auditus abolitione cum dolore ca-
 pitis strictorio et gravitatis et forficationis sensu
 in cerebro, *Puls.* 220, 12.
 frigus post levem lecti remotionem, *Caps.* 94, 9.
 post frigus et frigiditatem longam caloris in facie sensus,
 Stram. 240, 19.
 frigus inter dolores vespertinos, *Puls.* 226, 2.

- frigus maxime vespertinum, *Arn.* 17, 2.
 frigus cum gravitatis et formicationis sensu in cerebro,
Puls. 220, 12.
 frigus et horror cum cute anserina sine frigiditate ex-
 terna, *Led.* 169, 4.
 frigus continuum, calefieri nequit, *Dros.* 128, 1.
 frigus quasi ab aquae frigidae perfusione, cum baryo-
 xia, amblyopia, et formicatione, gravitate et
 strictorio in capite sensu, *Puls.* 227, 15.
 frigus quasi ab aqua frigida corpori hinc inde affusa,
Led. 169, 3.
 inter frigus sitis, *Op.* 201, 9.
 frigus vehemens cum crepitu dentium, *Nux v.* 186, 2.
 frigus supra Abdomen et brachia cum pupillis dilatatis,
Mez. 181, 14.
 frigus in Abdomine, *Melamp.* 175, 3.
 frigus Brachiorum et Stupor, *Acon.* 1, 5.
 frigus supra Brachia et abdomen cum pupillis dilatatis,
Mez. 181, 14.
 frigus in cubiculo Calido circa vesperam calori vola-
 tico intermistum, *Puls.* 218, 5.
 frigus et calor corporis alternatum, *Cocc.* 108, 5.
 frigus et horror Corporis totius, (*Hyos.* 144, 10.)
 frigus Corporis totius cum calore faciei, per oculos
 micante, *Cham.* 81, 9.
 frigus Corporis totius, cum calore interno sicco et ca-
 lidis auriculis et fronte, *Acon.* 1, 2.
 inter frigus Corporis rubor genarum et calor capitis inter-
 nus, *Nux v.* 189, 17.
 frigus in Corporis totius cute, calore genae et auri-
 culae nondum penitus evanido, *Cinch.* 95, 11.
 frigus et frigiditas Corporis totius, *Led.* 169, 1.
 inter frigus et frigiditatem Corporis totius, constrictio
 asthmatica pectoris anterioris et posterioris, *Mez.*
 179, 9.
 frigus et frigiditas totius Corporis post calorem in fa-
 cie, *Cinch.* 95, 12.
 frigus in Dorso, (*Op.* 215, 2.)
 frigus in Dorso quasi a glacie hinc illinc lata, calore
 fornacis non delendum, *Cocc.* 107, 18.
 frigus Extremorum, (*Canth.* 60, 18.)
 inter frigus Febrile dolor dorsi pedis inter motum, *Cop.*
 116, 11.
 frigus Febrile per horam, *Acris* 16, 5.

- frigus Internum, (*Mer.* 179, 7.)
 frigus post levem Lecti remotionem, *Caps.* 64, 9.
 frigus frigiditas Manuum, Pedum, Nasi, *Cinch.* 92, 4.
 frigus in Pedibus mane, *Nux v.* 186, 7.
 frigus in Pedibus maxime, *Ign.* 150, 1.
 frigus in Pedibus quasi ab aqua frigida infusa, cum
 tremore, *Nux v.* 186, 4.
 frigus Pedum cum tremore, *Verat.* 234, 3.
 frigus Pedum cum facie rubra, tumida, *Bell.* 26, 21.
 frigus cum Sudore frigido et sapore ciborum omnium
 amaro, *Puls.* 221, 10.
 frigus universale, (*Verat.* 268, 15.)
 frigus Ventriculi quasi ab aqua frigida, tum sensus
 quasi a tremore, *Caps.* 65, 1.
 frigus circa Vesperam caloris volatice sensui inter-
 nistum, *Puls.* 218, 5.
 frigus Vespertinum sine cute anserina, *Puls.* 218, 6.
 frons calida et congestio sanguinis ad caput artubus
 frigidis, *Cinch.* 95, 9.
 fronte calida (auriculis calidis et calore interno sicco)
 frigus toties corporis, *Acon.* 1, 2.
 supra frontale os dolor obtusus capitis vomituriens, *Camph.*
 50, 5.
 in fronte calor, *Cocc.* 108, 8.
 in fronte calor post febrile frigus, *Acris* 16, 6.
 in fronte sensus Crepitans, *Acon.* 4, 8.
 in fronte (capite) Distentionis sensus, *Caps.* 67, 25, 26.
 in fronte (capite) Dolor, *Cinch.* 96, 9.
 in fronte l'ormicatio ut a scarabaeis, *Nux v.* 189, 10.
 in fronte Furunculi, *Led.* 170, 19.
 in fronte cephalalgia ut in Gravideine, *Cinch.* 96, 10.
 fronte Gelida, calor auxius quasi ab affusa aqua cali-
 da, *Puls.* 218, 20.
 in fronte Lacerans dolor, (*Caps.* 67, 28.)
 in fronte Lacerans dolor per vices repentes, *Cham.* 80, 8.
 in fronte Lacerans et vomitritiva cephalalgia cum exspira-
 ratione cita, sopore somni experte et impotentia
 oculos aperiendi, *Cham.* 74, 17.
 in fronte Lacerans dolor externe, *Bell.* 28, 15.
 in fronte (oculis, vertice) Lacerans dolor continuus cum
 nausea vomituriante, deliquescentia cordis, et in-
 firmitate loquelae organi, *Nux v.* 188, 8.
 in fronte (capite) Lacerans dolor, tactu exasperandus,
 Ip. 164, 11.

- in fronte Laceranti lacinans dolor per vices, *Cham.*
 80, 11.
- in fronte et vertice Lacinans cephalalgia, *Mez.* 180, 16.
- ex fronte et oculis Lacinatus penetrans, *Puls.* 225, 1.
- in fronte et temporibus unius lateris Lacinanti pressorius capitis dolor, *Cinch.* 96, 14.
- in fronte mador frigidus, vox haerens, pulsus lentissimus, pupilla contractissima, *Melamp.* 175, 4.
- in fronte Lacinanti lacerans dolor per vices, *Cham.*
 80, 11.
- in fronte (capite) Obtusus dolor, *Hyos.* 131, 3.
- in fronte sensus quasi a Pondere prolabente, dum caput pronatar, *Nux v.* 185, 8.
- in fronte (capite) Pressorio pulsatorius dolor post somnum, *Mez.* 180, 14.
- in fronte Pressorius dolor, *Caps.* 67, 21. *Arn.* 20, 3.
- in fronte supra nasi radicem Pressorius dolor, qui caput deprimere cogit, tumque vomituritio, *Ign.* 151, 9.
- in fronte (capite) Pressorius dolor, *Arn.* 20, 3.
- in fronte (capitis) dolor Pressorius, pronatione in mensam allevatus, in aere libero adgravatus, cum crurum lassitudine inter adscensionem, *Nux v.* 188, 4.
- in fronte et temporibus unius lateris Pressorio lacinans capitis dolor, *Cinch.* 96, 14.
- in fronte Pulsatorius dolor, *Caps.* 67, 19.
- in fronte sinistro (capite) Pulsatorius dolor, *Acon.* 4, 7.
- in fronte Punctorius dolor, sublatione oculorum auctus, cum faciei calore et siti, *Arn.* 20, 8.
- in fronte Punctorius dolor, tactu exasperandus, *Ip.* 164, 3.
- in fronte Strictorio tensivus dolor, oculorum apertione auctus, *Puls.* 226, 11.
- in fronte Strictorius motus ad nasi radicem usque, *Nux v.* 188, 11.
- in fronte (capite) Strictorius dolor, *Nux v.* 188, 11. *Caps.* 67, 27.
- in fronte Tubercula ut in bibonibus, *Led.* 170, 17.
- in fronte Tumores dolorosi, *Nux v.* 193, 3. *Melamp.* 176, 6.
- in fronte Tumores parvi dolorosi, quasi ab ictu, *Melamp.* 176, 6.
- subter frontem Ardor in cerebro, *Nux v.* 188, 3.
- in frontem teudens ex nucha lacerans dolor, *Mez.* 180, 13.
- inter frontis, colli, pectoris Calorem ardentem, frigiditas gelida genarum, manuum, pedum, *Cham.* 81, 8.

- cum frontis et faciei Calore externo et sensu caloris interni
sicci, horror posterioris superficie corporis, *Cham.*
82, 1.
- in frontis sinistri eminentia dolor capitis pulsatorio lanci-
nans in formicationem in prominentia frontis dex-
tra expirans, *Cocc.* 110, 1.
- frontis Lacerans cephalalgia, vomituritivus cum so-
pore somni experte et exspiratione cito, *Cham.*
74, 17.
- frontis Oedema, *Acon.* 8, 7.
- in frontis cute Reptatio, (*Cinch.* 96, 2.)
- cum frontis et manuum Sudore gelido, stupor mentis et ab-
horrescentia potus et cibi, *Cocc.* 107, 14.
- frontis frigidus sudor, (*Acon.* 11, 3.) *Op.* 201, 12.
- frontis frigidus Sudor cum calore interno, (*Caps.* 70, 9.)
- frontis maxime Sudor frigidus, *Verat.* 255, 12.
- frons Sudore frigido madida, inter loqueland audacem
et oculis vividis, (*Acon.* 11, 3.)
- frontis Sudor et calor mere internus ex angore natus
post frigiditatem totius corporis, *Nux v.* 194, 7.
- frontis (et volae manus) calidus Sudor, *Camph.* 50, 9.
- cum frontis Sudore calido angor respirationem intercipi-
ens, *Acon.* 5, 18.
- cum frontis Sudore calido, viscido et ore aliquantum aper-
to inspiratio stertorosa inter somnum, citior quam
exspiratio, *Cham.* 83, 8.
- cum frontis Sudore viscido, gemitus singuli inter somnum,
Cham. 82, 5.
- frontis maxime Sudorem creans anxietas, *Nux v.*
194, 10.
- in frontis cute Tumores parvi dolentes quasi ab ictu,
Melamp. 176, 6.
- fructuum horacorum appetentia, *Verat.* 257, 6.
- frusto vix uno deglutito, caeteros cibos fastidit, (*Op.*
210, 21.)
- de frustrationibus variis moeror lacrymatorius, *Dig.*
123, 5.
- frustrationum et offendionum variarum taediosa, lucu-
lenta insomnia, *Op.* 202, 15.
- Fuga, vide et horrescentia, abhorrescentia, intolerantia,
fastidium, odium, impatientia, nausea, odium, into-
lerabilitas.
- fuga esculentorum et potulentorum, *Cocc.* 110, 11.
- fuga laboris, *Ign.* 150, 9. *Bell.* 26, 2. *Cham.* 74, 8.

- fuga laboris, nec tamen fuga motus, *Nux v.* 186, 8.
 fuga e lecto, (*Bell.* 46, 6.)
 fuga loquela, *Ign.* 150, 10.
 fuga lucis, *Acon.* 8, 9. *Nux v.* 187, 2.
 fuga lucis, dormiturio, *Nux v.* 187, 2. 5.
 fuga motus, *Ign.* 150, 9. *Bell.* 26, 2. 3. *Caps.* 65, 10.
 in fugam nisus, (*Bell.* 36, 16.)
 fulcire manu pectus cogens tussis et sternutatio dolosa, *Dros.* 129, 2.
 a fumo tabaci abhorrescentia, *Nux v.* 190, 15.
 a fumo tabaci ancta symptomata, *Ign.* 158, 17.
 in fundo cerebri obtusus dolor, *Hyos.* 131, 4.
 furor, vide et *mania*.
 furor, (*Stram.* 246, 14.) (*Bell.* 44, 10. 42, 12. 45, 14.)
 (*Hyos.* 143, 6.)
 furor immanis, vix contineri patiens, insurgents, fe-
 riens, arripere obvios gestieus, (*Stram.* 245, 8.)
 furor atrox, laedens, (*Hyos.* 142, 3.) *Bell.* 30, 4.
 furor atrox, obvios cultro adgreditur, (*Hyos.* 142, 3.)
 furor atrox, violentas alteri inferens manus, (*Hyos.*
 137, 16.)
 furor, capillos adstantium diripientis, (*Bell.* 33, 18.)
 furor injurians, laedens, *Hyos.* 133, 3.
 furor cum ore spumante, (*Canph.* 53, 19.)
 furor incoercibilis, (*Hyos.* 141, 5.)
 furor cum stridore dentium et convulsionibus, (*Bell.*
 33, 5.)
 furor, verbera, (*Hyos.* 138, 2.)
 furor sese voluntatis, in lecto, *Stram.* 250, 4.
 in furorem sumimum transiens horror liquorum aquoso-
 rum, dum labia iis madefiunt, (*Stram.* 247, 13.)
 in furorem transiens delirium hilare, (*Bell.* 45, 11.)
 furunculi, (*Hyos.* 145, 10.)
 furunculi frequentes, majores, *Hyos.* 133, 6.
 furunculi in fronte, *Led.* 170, 19.
 furunculi hinc inde, *Puls.* 231, 13.
 furunculorum species in femore, buccis, *Nux v.*
 195, 18.
 furunculus in humero, *Bell.* 29, 13.
 fusca urina, *Puls.* 223, 9.
 fuscum fermenti instar diarrhoea, *Arn.* 19, 7.
 futilis joci, *Bell.* 29, 2.
 futilis blateratio, *Op.* 202, 16. (*Acon.* 6, 5.) (*Stram.*
 246, 17.)

- Gangraena universalis, (*Bell.* 33, 12.)
 gangraena et tumor partis, suppuratione insigni sub-
 sequa, (*Acon.* 13, 15.)
 gangraenosarum vesicularum et macularum in artibus
 inferioribus copiosa eruptio, (*Hyos.* 139, 20.)
 gangraenosi tumores, *Bell.* 30, 1.
 garrulitas, vide et *blateratio*.
 garrulitas incongruorum, mente vehementer pertur-
 bata, (*Bell.* 32, 7.)
 garrulitas delirans, (*Stram.* 245, 9.)
 modo gelatae aquae, modo ignis volatci sensus per venas
 micantis, (*Op.* 211, 16.)
 ut in gelatis fieri consuecit, pedum ardor cum pruritu,
Cham. 82, 7. *Nux v.* 197, 19. (*Ign.* 157, 11.)
 gelida fronte, calor anxius quasi ab affusa aqua calida,
Puls. 218, 20.
 gelida illa, haec calida manus, *Cinch.* 93, 12. *Puls.*
 219, 1. *Cocc.* 107, 20.
 gelidum, rigidum corpus, (*Op.* 207, 4.)
 gelidus sudor totius corporis, (*Verat.* 268, 6.)
 ut a gelu ardenti pruriens dolor in digiti minimi phalange
 prima, *Verat.* 260, 11.
 ut a gelu narcosis manuum et pedum, *Cham.* 77, 14.
 gemebunda, lenta respiratio, (*Op.* 212, 10.)
 gemebundus, suspiriosus, inquietus somnus, (*Op.*
 216, 8.)
 gemitus involuntarii inter faciei calorem, *Cham.*
 82, 4.
 gemitus singuli inter somnum cum sudore frontis ca-
 lido, viscido, *Cham.* 82, 5.
 gemitus vagitosi inter somnum, *Op.* 202, 11.
 gemitus vagitosi inter somnum et clamor miserabilis,
Op. 202, 12.
 gena, vide et *facies*, et *buccae*.
 gena altera rubra calida cum formicatione in ea hinc
 inde, *Nux v.* 189, 10.
 gena altera rubra calida, altera pallida frigida, et ocul-
 lis apertis, horridis, rigiditas frigida totius corpo-
 ris, *Acon.* 1, 3.
 gena alterutra et auricula rubore suffusae et ardentes,
Ign. 157, 6.
 in gena alterutra ardor, rubor, corpore caeteroquin fri-
 gido, saltim non calido, *Arn.* 19, 19.

- in gena alterutra rubor, sine horrore et sine calore interno
per vices reiterans, *Cham.* 81, 15.
- in gena alterutra rubor, sine siti, cum siccitate et amarore
oris et distentione abdominis post pastum, *Ign.*
154, 15.
- in gena et mento exanthemata fusca, serpiginosa, pustu-
losa, (*Ilyos.* 145, 9.)
- in gena formicatio hinc inde et rubor et calor, *Nux v.*
189, 10.
- in gena lancinatus externe, *Cocc.* 111, 19.
- in gena punctio, *Ign.* 152, 11.
- genae alterutrius rubor et distentio abdominis post pa-
stum cum siccitate et amarore faucium sine siti, ves-
peri, *Ign.* 154, 15.
- genae et auriculae alterutrius calor et rubor et hoc non-
dum penitus evanido frigus in cute, *Cinch.* 95, 11.
- genae et auriculae alterutrius rubor et ardor, *Ign.* 157, 6.
- genae calidae cum horrore interno, *Nux v.* 189, 11.
- post genae dextrae ruborem et pupillas contractas, somnus
stertorosus, *Cham.* 81, 8.
- genae dextrae rubor post frigiditatem genarum, manu-
um, pedum gelidam inter calorem ardentem frontis,
colli, pectoris, *Cham.* 81, 8.
- genae rubrae, calidae, sine siti, *Nux v.* 189, 13.
- genae rubrae, scurrilitas, caloris universalis sensus,
cephalalgia a motu oculorum, *Acon.* 7, 20.
- genae tumidae, ardentes, et oculi inflammati, *Led.*
172, 4.
- genae tumor, *Caps.* 70, 12.
- cum genae tumore dentis dolor, *Cham.* 80, 3.
- cum genae tumore dolor lacerans in maxilla ad aurem usque,
Cham. 79, 6.
- genam et palpebram inferiorem mordaci dolore eroden-
tibus lacrymis lippitudo, *Led.* 170, 6.
- genarum et auricularum rubor, *Camph.* 50, 2. *Cinch.*
95, 10.
- genarum ardor et tumor cum manuum et pedum ardore,
(*Caps.* 70, 12.)
- genarum, manuum, pedum frigiditas gelida inter fron-
tis, colli, pectoris calorem ardentem, *Cham.* 81, 8.
- genarum rubor, ardor, *Ign.* 157, 6. *Nux v.* 189, 10.
13. 17.

- genarum rubor, *Cinch.* 95, 10. *Caps.* 70, 10. *Camph.* 50, 2. (*Ign.* 154, 15. 157, 6.) (*Bell.* 40, 9.) *Cham.* 81, 15. *Arn.* 19, 19. (*Stram.* 247, 4.)
- genarum rubor et calor, corpore caeteroquin frigido, saltem non calido, *Arn.* 19, 19.
- genarum rubor sine calore interno, *Cham.* 31, 15.
- genarum rubor meridie post pastum, manibus et pedibus frigidis, sine horrore, *Caps.* 70, 11.
- genarum rubor et calor magnus, (*Bell.* 41, 1.)
- genarum rubor et calor capitinis internus cum frigore totius corporis, *Nux v.* 189, 17.
- inter genarum ruborem et calorem in capite horripilatio per totum corpus, sapore integro, *Acon.* 8, 1.
- inter genarum ruborem horripilatio et lacrymatio cum cephalalgia pressoria, *Acon.* 8, 2.
- inter genarum ruborem reluctantia pertinax, ardor circa umbilicum et pressorius dolor in capite, *Acon.* 8, 3.
- inter genarum ruborem scurrilitas, caloris sensus universalis et capitinis dolor inter movendum oculos sursum et ad latus, *Acon.* 7, 20.
- ad geniculationem usque debilitas, *Ign.* 151, 1.
- genarum tumor et rubor, (*Bell.* 40, 13.)
- in genis ardor vesperi cum horroris accessibus, *Cham.* 81, 14.
- in genis ardor pedibus frigidissimis, *Cocc.* 108, 7.
- in genis formicatio, *Acon.* 7, 5. *Nux v.* 189, 10.
- in genis miliaria rubra, *Cham.* 88, 1.
- genis labiisque praerubris, tumor faciei, (*Stram.* 247, 4.)
- geniculatio, (*Stram.* 244, 24.)
- genitalia, vide et pudenda, *vulva, penis.*
- in genitalibus ardor, (*Canth.* 61, 8.)
- genitalium partium orgasmus, appetentia rei venereae, *Cocc.* 114, 4.
- in genu arthriticus dolor, *Verat.* 260, 14.
- genu et ossis sacri articulationum dolor paralyticus et quasi a Contusione post sessum inter motum, *Verat.* 260, 19.
- genu et cubiti quasi a Contusione dolor, *Verat.* 262, 4.
- in genul ligamentis dolor quasi a Defatigatione, *Ip.* 165, 9.
- in genu flexione dolores, (*Cupr.* 120, 8.)
- genu fragor, *Verat.* 260, 16.
- genu Instabilitas, *Acon.* 2, 13. *Nux v.* 187, 13. *Bell.* 26, 11.

- supra genu, in plantis et in dorso Lacerans dolor, *Puls.*
230, 10.
in genu Laceranti strictorius dolor ad malleolos usque,
Cham. 78, 4.
genu dolor Lancinans, *Cocc.* 112, 18.
in genu utroque et cruribus Miliaris eruptio ardenti pru-
riens, *Nux v.* 197, 17.
genu et ossis sacri articulationum dolor Paralyticus et
quasi a contusione post sessum inter motum, *Verat.*
260, 19.
genu Relaxatum, (*Acon.* 12, 16.)
genu et lumborum Rigiditas dolorifica inter motum,
Ign. 153, 8.
genu Rigiditas inter motum dolorosi, *Rh.* 237, 5.
in genu maxime dolor Spasmodicus post pandiculationem
matutinam, *Nux v.* 187, 7.
in genu Strictorio lacerans dolor ad malleolos usque,
Cham. 78, 4.
supra genu usque Tensio in cruribus, *Ign.* 153, 9.
in genu Tensorius dolor, *Caps.* 70, 1.
in genu Tumores dolorosi, *Nux v.* 197, 16.
in genua Erectio, geniculatio, (*Stram.* 244, 25.)
supra genua usque Frigiditas pedum, *Ign.* 150, 2.
in genuum articulatione a Coutortione quasi et luxatione
dolor, *Ign.* 158, 13.
genuum quasi a Contusione dolor, *Dig.* 123, 9.
genuum maxime et malleolorum debilitas magna,
cum vulsioue in tendinibus, ita ut *vix* incedere pos-
set, (*Acon.* 12, 16.)
genu dolor quasi Distortum esset aut dissecaretur, per
vices invalescens, (*Cinch.* 104, 14.)
genuum Fragor, *Led.* 170, 9. *Puls.* 230, 1.
genuum juncturarum Fragor, *Camph.* 48, 2. *Caps.* 70, 3.
Verat. 260, 16.
genuum Instabilitas; status, gressus vacillans, *Acon.*
2, 13.
genuum Instabilitas, *Nux v.* 187, 13. *Bell.* 26, 11.
supra genu Lacerans dolor, *Puls.* 230, 8. 10.
genuum tumor et Lancinans et tensivus dolor inter eun-
dum dolor, *Led.* 171, 11.
in genu articulatione quasi a Luxatione dolor, *Ign.* 158, 18.
genuum Rigiditas, *Nux v.* 197, 14. *Led.* 171, 12.
genuum singularis Rigiditas cum Tensione, (*Nux v.*
198, 2.)

- genuum Tensio, *Nux v.* 197, 14. *Caps.* 70, 2.
 genuum et calcis dolor Tensivus post sessum inter eundem, *Led.* 171, 13.
 genuum trumperum Tensivus et lacinans dolor, *Led.* 171, 11.
 genuum et pedis alterutrius Tremor, *Nux v.* 187, 15.
 genuum Tumor et dolor inter eundem tensivus et lacinans, *Led.* 171, 11.
 genu et dorsi quasi a Verberatione dolor inter motum levissimum, *Cinch.* 98, 4.
 genuum a Verberatione quasi dolor diurnus inter motum et quietem, *Nux v.* 197, 15.
 nisi gestatus, quiescere non potest infans, *Cham.* 76, 5.
 gesticulatio, (*Hyos.* 137, 16.) (*Stram.* 243, 8.)
 gesticulationes absurdae, morionis instar saltantibus, (*Hyos.* 137, 6.)
 gesticulationes histrionum instar, (*Hyos.* 138, 3.)
 gestus ridiculi, ebriorum more, (*Hyos.* 137, 3.)
 gestus ridiculi, corpus obviorum palpat, nunc sedet, nunc circuit caligans, jam lotricis, jam pecuniam numerantibus, jam vero bibentis speciem prae se fert, (*Bell.* 32, 16.)
 gingivae tumor in regione dentis cariosi, *Cocc.* 110, 3.
 gingivae tumor, *Caps.* 67, 12. *Cham.* 30, 6.
 gingivae et labiorum tumor, (*Cinch.* 103, 20.)
 gingivarum exulceratio cum salivatione, (*Dig.* 125, 4.)
 in gingivis epulis cum dolore ardente tensivo, *Nux v.* 195, 20.
 in gingivis et lingua vesiculae ardentib[us] urentes, *Mez.* 180, 7.
 in gingivis dolor punctorio exedens maxime circa vesperam, lecti calore exasperatus, denudatione et aëris liberi afflato lenitur, somno vespertino deletur, *Puls.* 226, 1.
 in gingivis dolor lacerans maxime ab aëre frigido, *Hy.* 132, 9.
 in gingivis dolor stritorius, *Caps.* 67, 14.
 in gingivis dolor quasi a vulnere, *Puls.* 225, 10.
 in glacie quasi hinc illinc lata frigus in dorso, calore fornicatis non delendum, *Cocc.* 107, 18.
 in glande penis formicatio et pressio post mictum, *Puls.* 223, 12.
 in glande penis lacinanti forficans dolor, *Acon.* 6, 10.
 in glande penis pruritus ardens, *Nux v.* 193, 13.
 in glande penis pruritus, punctus pruriens, *Arn.* 19, 11.
 glandula dolorosa in trago auris, *Puls.* 225, 8.

- . glandulae inguinis tensivus dolor, *Mez.* 181, 13.
- glandulae inguinis tumor, *Stram.* 240, 17.
- quasi glandulae submaxillares in faucibus prominenter, et
quasi ab excoriatione dolerent, dolor inter deglu-
tiendum, *Puls.* 225, 6.
- glandularum colli ad carotides dolor, *Melamp.* 176, 8.
- glandularum mammae durities, *Cham.* 89, 7.
- glandularum Meibomianarum inflamatio, *Dig.* 124, 10.
- glandularum submaxillarium tumor et dolor, maxime
inter degluviendum, *Cinch.* 96, 18.
- glandularum submaxillarium dolor, *Cinch.* 96, 18. *Ign.*
153, 6. 154, 2. *Puls.* 225, 3.
- glandularum submaxillarium tumor, *Cinch.* 96, 18. *Puls.*
225, 6. *Ign.* 154, 2.
- glandularum submaxillarium dolor pressorius, *Ign.*
153, 6.
- glandularum submaxillarium dolor strictorius, *Ign.*
154, 2.
- glandularum tumores, *Arn.* 20, 16.
- glandularum submaxillarium dolor in deglutiendo, quasi
in faucibus prominenter et ab excoriatione dolerent,
Puls. 225, 6.
- in glandularum tumoribus duris dolor lacerans, *Cocc.*
113, 10.
- in glandularum tumoribus frigidis dolor lancinans, certe si
tanguntur, *Cocc.* 113, 11.
- cum glandularum tumoribus in nucha, obnubilatio capititis,
Bell. 25, 6.
- cum glandulis submaxillaribus correspondens odontalgia,
Camph. 49, 9.
- in glandulis submaxillaribus dolor lancinans, *Mez.* 180, 12.
- in glandulis submaxillaribus dolor pressorius cum difficul-
tate deglutiendi, *Stram.* 239, 14.
- in glandulis submaxillaribus dolor terebrans vel inter quiet-
tem partium, *Puls.* 225, 4.
- in glandulis submaxillaribus dolor strictorio tensivus, *Puls.*
225, 5.
- in glandulis dolor, (*Dig.* 127, 4.)
- in glandulis proritus, (*Dig.* 127, 3.)
- in glandulis inguinis tensivus dolor, *Mez.* 181, 13.
- in glandulis terebrans dolor, *Bell.* 28, 18.
- a globo quasi circa umbilicum sensus, superna petente,
inque vertice et occipite auram quandam frigidam
diffundente, (*Acon.* 11, 6.)

- in globum quasi concentratus in abdominis latere lacerans
 dolor, dein in pectus tendens, *Cham.* 85, 9.
 glœcitatio in latere ad abdomen usque, *Cham.* 85, 5.
 glœcitatio in urethrae bulbo, *Cinch.* 97, 19.
 glœcitionis et conquassationis sensus in cerebro inter
 eundam, *Nux v.* 183, 2.
 in glutaeis (a sessu) dolor simplex quasi a contusione, *Puls.*
 229, 13.
 gonorrhœa, vide *blemmorhagia* et *pollutiones*.
 graciliora justo et minora videntur dormienti objecta,
 eodemque momento grandiora justo et crassiora,
Camph. 48, 15.
 granulato citrina excrements et aliquantum mucosa,
Bell. 28, 2.
 grata aliorum facta nulla putans morositas, *Cham.*
 76, 15.
 non grata sapit quo vescitur, quamvis appetat cibos, *Puls.*
 218, 10.
 grato et integro sapore satietas ciborum, potulentorum
 et tabaci, *Cinch.* 94, 22.
 gratus nullus ciborum sapor, *Cham.* 84, 9.
 gravant ventriculum potulenta, *Nux v.* 191, 23.
 gravativus crurum dolor quasi a lassitudine, *Ferat.*
 260, 15.
 gravativus artuum dolor, *Led.* 171, 17.
 grave caput, *Ign.* 151, 5. *Cham.* 80, 21.
 grave caput et obnubilatum, (*Hyos.* 140, 19.) *Dros.*
 128, 6.
 ut in gravedine oculi aquei, *Nux v.* 189, 8.
 cum gravedine epistaxis, *Puls.* 224, 7.
 quasi a gravedine cephalgia vespertina, *Puls.* 227, 2.
 ut in gravedine narium pruritus, *Nux v.* 196, 3.
 ut in gravedine cephalgia frontis, *Cinch.* 96, 10.
 ut in gravedine cephalgia temporum, *Cinch.* 96, 12.
 gravedinosa narium obturatio, *Cham.* 86, 18.
 gravedinosa obturatio naris alterutrius et stillicidium
 ex ea, *Nux v.* 196, 2.
 gravedinosa in naribus titillatio, *Caps.* 67, 2. *Ign.*
 157, 12. *Nux v.* 196, 3.
 gravedinosus capititis dolor, *Cinch.* 96, 10. 12.
 gravedo, oculi aquei, dentium dolor, *Cinch.* 96, 3.
 gravedo, *Cinch.* 96, 3. *Camph.* 51, 2. *Ign.* 157, 14.
 gravedo matutina, *Caps.* 67, 1.

- gravedo nocturna cum destillatione diurna, *Nux v.*
196, 1.
 gravedo cum exulceratione narium, *Puls.* 224, 3.
 gravedo cordis, (*Acon.* 11, 2.)
 gravis et difficilis inspiratio, *Cinch.* 97, 3.
 gravis respiratio, *Stram.* 240, 12.
 gravitas artuum lassa, *Arn.* 22, 12.
 gravitas et dolor insignis capitis, (*Hyos.* 139, 11.)
 gravitas capitis, (*Hyos.* 139, 11. 145, 5. 146, 11. 148,
2.) (*Acon.* 13, 3.) *Puls.* 220, 12. (*Cinch.* 102, 18.)
Cham. 80, 21. (*Camph.* 55, 15.) (*Nux v.* 135, 7.)
 gravitas capitis matutina, ebriosa, vertiginosa, *Nux v.*
185, 7.
 gravitas capitis et circumgyratio, (*Verat.* 264, 11.)
 gravitas in cerebro et formicatio, *Puls.* 220, 12.
 gravitas corporis totius, quasi e somno altissimo exper-
recti, *Rh.* 235, 2.
 gravitas corporis totius post somnum, *Rh.* 236, 12.
 gravitas corporis totius, *Puls.* 231, 8.
 gravitas crurum strictoria, *Bell.* 28, 11.
 gravitas crurum tremula, *Bell.* 26, 11.
 gravitas crurum quasi a lassitudine, *Ver.* 260, 15.
 gravitas in hypochondriis quasi pressoria, *Acon.*
4, 12.
 gravitas in nucha, scapulis, *Cocc.* 111, 20.
 gravitas in pedibus et strictorius dolor, minus in bra-
chiis, *Puls.* 229, 14.
 gravitas pedum post pastum, *Op.* 202, 18.
 gravitas in ventriculo quasi pressoria, *Acon.* 4, 11.
 cum gravitate crurum tensio supra genu usque, *Ign.* 153, 9.
 e gravitate et contusione composita cephalalgia, *Cham.*
80, 22.
 gressus fere impossibilis, stupor muscularum, (*Op.*
215, 4.)
 gressus, status vacillans, *Acon.* 2, 13. (*Acon.* 12, 16.)
 gressus vacillans, *Verat.* 254, 9.
 gressus vacillans cum metu labendi, (*Nux v.* 198, 3.)
 griseae pituitae sedes, *Rh.* 236, 2.
 grumosis et magnis frustis secedens sanguis menstrualis
menstruis aucti, *Stram.* 242, 2.
 grumosus sanguis ex ano secedens, *Stram.* 242, 1.
 in gula ardor, *Cham.* 87, 2. *Verat.* 256, 22.
 in gula ardor cum punctione, *Ip.* 163, 4.

- in gula ardor post vomitum, *Puls.* 222, 14.
 in gula aspritudinis sensus, *Nux v.* 191, 5. *Verat.* 256, 23.
 in gula constrictionis sensus quasi a pyri austeri esu,
 Verat. 255, 18.
 in gula quasi ab epistomio sensus, extra deglutitionem
 percipiendus, *Ign.* 154, 4.
 in gula formicatio, *Acon.* 7, 6.
 in gula punctio; punctio cum ardore, *Ip.* 163, 4.
 in gula punctarius dolor cum difficultate deglutiendi,
 Stram. 239, 13.
 in gula rasioris, aspritudinis sensus, *Nux v.* 191, 5. 6. 7.
 Verat. 256, 22.
 in gula rasioris, aspritudinis sensus, fere ut post sodam,
 Nux v. 191, 5.
 circa gulam strangulatio, (*Verat.* 265, 5.)
 in gula quasi reptet vermes sensus, *Puls.* 222, 10.
 in gula strictorius dolor extra deglutitionem, *Caps.* 68, 5.
 in gula quasi tumoris sensus, *Puls.* 225, 9. *Verat.* 257, 2.
 (*Ign.* 154, 4.)
 in gula quasi a tumore modo superne modo inferne se-
 dente, sensus, *Puls.* 225, 9.
 gulae coarctatio, quasi a tumore interno premente,
 Verat. 257, 2. *Puls.* 225, 6. 9.
 gulae constrictio, *Stram.* 239, 12. (*Verat.* 268, 13.)
 Mer. 180, 4.
 gulae constrictio spasmodica, (*Dig.* 125, 7.)
 gulae constrictiones spasticae, pupilla contractiore,
 Verat. 255, 16.
 gulae constrictiones spasticae, strangulatio, (*Verat.*
 265, 14.)
 gulae et linguae fervor, (*Verat.* 266, 12.)
 gulae inflammatio, (*Mer.* 184, 6.)
 ad gulam adscendens sensus ingratus cum nausea vomitu-
 riente, *Puls.* 222, 8.
 ad gulam usque a ventriculo ardor post jentaculum, *Caps.*
 68, 11.
 ad gulam usque plenitudo diutina post pastum, *Cinch.*
 94, 15.
 gustus, vide et sapor.
 gustus imminutus, sapor pultaceus in ore, *Verat.* 257, 3.
 gustus privatio, (*Op.* 214, 15.) *Hyos.* 131, 9.
 gustus jactura et olfactus inter coryzam, *Puls.* 224, 2.
 gustus salivae inconcinnus, (*Bell.* 45, 5.)
 guttatum destillans lotium, *Canth.* 57, 2.

- guttatum prostillantis urinæ epischesis, *Bell.* 58, 16.
 gutturis et linguae fervor, (*Verat.* 266, 12.)
 in gyrum versio aegroti, (*Bell.* 59, 15.)
 in gyrum quasi verteretur cerebrum, vertiginis accessus
 cum sensuum abolitione, *Nux v.* 185, 4.

 habitus corporis lividus, pallidusque, (*Op.* 214, 3.)
 haematemesis, *Nux v.* 192, 8. (*Verat.* 263, 3.)
 haematemesis funesta, (*Mel.* 182, 11.)
 haematuria, *Mel.* 181, 10.
 haemoptysis, *Arn.* 21, 11. *Dig.* 124, 8. *Puls.* 224, 10.
 Acon. 7, 12. (*Cop.* 117, 6.) *Cupr.* 119, 3. *Dros.*
 129, 4. (*Ip.* 167, 4. 9.) (*Op.* 215, 16.)
 haemoptysis sanguinis dilute rubri, cum tussi vehementi, *Led.* 172, 16.
 haemoptysis cum tussi vehementi nocturna, *Led.*
 172, 15.
 haemorrhagiae, (*Cocc.* 115, 6.) (*Cop.* 117, 2.)
 haemorrhagia ex ano, *Nux v.* 193, 5. *Acon.* 7, 15.
 Cham. 89, 12.
 cum haemorrhagia ex ano, tormina, *Led.* 171, 6.
 haemorrhagia narium, *Hyos.* 132, 24. (*Hyos.* 142, 5.)
 Acon. 7, 13. *Puls.* 224, 6. *Nux v.* 196, 6. *Cham.*
 89, 11. (*Bell.* 54, 10.) (*Ip.* 167, 3. 6.) (*Op.* 209, 16.)
 (*Caps.* 67, 3.)
 haemorrhagia narium diurna, *Nux v.* 196, 6.
 haemorrhagia faucium fatalis, (*Bell.* 46, 2.)
 haemorrhagia oris, (*Bell.* 54, 10.)
 haemorrhagia uteri, *Stram.* 242, 2. 3. *Cop.* 116, 10.
 Acon. 7, 16. (*Cham.* 89, 13.) (*Cocc.* 114, 5.)
 haemorrhagia uteri cum doloribus strictoriis in abdome,
 femoribus, artibus, *Stram.* 242, 3.
 haemorrhagiae uterinae molimina vel in decrepitis,
 Cham. 89, 13.
 ad haemorrhoides stimulus, (*Melamp.* 177, 14.)
 haemorrhoidum coecarum molimina, *Cham.* 86, 11.
 haemorrhoides coeca, *Verat.* 259, 11. *Cham.* 86, 12.
 haemorrhoides fluens, *Cham.* 89, 12. *Acon.* 7, 15. (*Puls.*
 253, 16.)
 haemorrhoides plures dies fluens, *Stram.* 241, 18.
 hacret vox, respondere taedet, *Puls.* 218, 14.
 haesitatio, *Ign.* 156, 7. *Nux v.* 190, 4. *Puls.* 218, 13.
 14. (*Melamp.* 175, 9.)
 haesitatio indigneans, *Cinch.* 94, 9.

- haesitatio (indeterminatio), negotiorum aversatio, an-
hela respiratio, aestuatio, *Puls.* 219, 15.
- modo halitum ultimum exspirasse videtur, modo respirat,
viciis per horae quadrantem quater repetentibus,
(*Bell.* 38, 5.)
- halitus acidus ex pulmonibus, *Nux v.* 196, 11.
- halitus per quam calens et calor in oculis et facie ardens
cum extremitatibus frigidis, *Cham.* 31, 10.
- halitus casei putridi ex pulmonibus, *Mez.* 181, 1.
- halitus ex ore foetidus post somnum, *Rh.* 236, 16.
- halitus ex ore picis cedriæ instar, (*Canth.* 62, 7.)
- halitus oris putridus mane, *Puls.* 221, 6.
- halitus ex pulmonibus aliquantum foetidus, *Acon.* 5, 11.
- halitus ex pulmonibus aliquantum foetidus in tussi,
Caps. 66, 16.
- halitus exspirationis in tussi sapore aliquo alieno pre-
dictus, *Caps.* 66, 15.
- hallucinans visus; in lectione nil nisi margo candidus,
nigris literarum areis circumfusus, (*Bell.* 45, 3.)
- hallucinatio, literas, formicarum discurrentium instar,
animatas opinantis, (*Hyos.* 147, 15.)
- hallucinatio, dormitienti objecta phantasiae modo
grandiora et crassiora, modo minora et graciliora
justo obversantur secundum pulsus modulationem;
Camph. 48, 15.
- hallucinatio quasi in aëre suspensus esset, aut volitaret
et omnia circumverterentur, (*Op.* 214, 9.)
- hallucinatio quasi oculos quater maiores habeat et cor-
pus monstrosae magnitudinis, (*Op.* 214, 10.)
- hallucinatio: insectorum variae imagines phantasiae
obversantes, (*Bell.* 45, 2.)
- hallucinatio in visu, candelæ unius flamma minor, al-
terius major videtur, quamquam candelæ sint
pares, *Hyos.* 131, 10.
- hallucinatio: lemurum quaedam ludibria phantasiae
obversantia, (*Bell.* 45, 2.)
- hallucinatio: ignorantia utrum dormiat, an vigilet,
(*Bell.* 44, 18.)
- hallucinatio, quasi omnia circumverterentur, (*Op.*
214, 9.)
- hallucinatio circa formam et faciem rerum obviatum,
(*Hyos.* 138, 4.)
- hallucinatio culnum paleæ trabem putantis, (*Hyos.*
146, 9.)

- hallucinatio circa magnitudinem rerum, (*Hyos.* 137, 12.)
 (*Op.* 214, 10.)
 hallucinatio amblyopica acum hinc inde fagentis, cum
 suere vellet, (*Hyos.* 147, 16.)
 hallucinatio, quasi casura essent obvia, (*Hyos.* 143, 20.
 146, 9.)
 hallucinatio de domicilio, *Verat.* 255, 2.
 hallucinatio sibi fagentis, se nucleos avi dispergere,
 pavonem abigere, (*Hyos.* 147, 8.)
 hallucinatio fornacem amplectentis loco arboris scan-
 denda. (*Hyos.* 147, 10.)
 hallucinatio, voces absentium exaudire opinantis,
 Cham. 75, 9.
 post haustum calidum odontalgia, *Cham.* 79, 11.
 post haustus singulos horror, sitis post singulas sedes pi-
 tuitae tenacis merae, vel atro sanguine mistae,
 Caps. 69, 8.
 hebetata quasi per insomnia ingenii acies, *Cham.* 75, 4.
 Verat. 255, 3.
 hebetata quasi per surditatem vel insomnia ingenii
 acies, *Cham.* 75, 4.
 hebetes dentes et elongati, *Caps.* 67, 13.
 hebetes animi dotes omnes et sensus, (*Op.* 211, 13.)
 hebetudo intelligentiae, vis perceptionis imminuta,
 Cham. 74, 18.
 hebetudo visus, *Cocc.* 107, 12. *Puls.* 220, 6 — 10. vide
 et scotomia, *amblyopia*, *amaurosis visus*.
 hemicrania, vide *capitis dolor*.
 hemictania disruptoria, quasi oculi e capite casuri es-
 sent, *Puls.* 225, 14. *Caps.* 67, 17. (*Nux v.* 196, 9.)
 hemicrania lacerans, *Cham.* 80, 10.
 hemicrania strictorio lacerans, *Cham.* 80, 9.
 hemicrania lancinans quasi a refrigerio, *Cham.* 80, 15.
 hemicrania lancinans, *Puls.* 227, 4.
 hemicrania pressoria cum ventriculi dolore connexa,
 Verat. 257, 20.
 hemicrania pressoria, *Bell.* 28, 19.
 hemicrania pressorio lancinans, motu aucta, cum nau-
 sea, *Caps.* 68, 2.
 hemicrania per accessus pulsatoria, *Cham.* 80, 18. 20.
 hemicrania dolorum volatice pulsatoriorum, *Cham.*
 80, 15.
 hemicraniae hystericae species, nausea stipatae, *Caps.*
 68, 2.

- in hemicranio dextro lancinatus singuli, *Camph.* 49, 6.
 in hemicranio dextro lancinatus singuli volatigi, *Cham.*
 80, 13.
 in hemicranio sinistro fragor crepitans, *Cham.* 81, 1.
 ad hemicranium sinistrum, occiput et maxillam sinistram
 inde ab osse sacro pertingens dolor lacerans, *maxi-*
me vesperi, Led. 172, 4.
 hemiplegia, (*Hyos.* 147, 19.) (*Acon.* 11, 7. 8.)
 hemiplegia sinistri lateris, *Cocc.* 107, 9.
 hepatici ructus, *Arn.* 10, 13.
 hepatico-sulphurei ructus, *Arn.* 18, 13.
 in hepatis anteriori parte dolor pressorius, *Camph.* 48, 17.
 in hepatis regione dolor, *Nux v.* 190, 8.
 in hepatis regione dolor pressorius, respirationem coar-
 ctans tum colica forcans supra umbilicum, *Acon.*
 5, 16.
 in hepatis regione dolor punctorius, *Nux v.* 190, 9.
 herbaceus quasi foliorum dauci sapor nauseosus in fau-
 cibus, *Nux v.* 190, 16.
 herbaceus putridus sapor in posteriori faucium parte,
Puls. 221, 5.
 herniae molimina, *Nux v.* 192, 15. *Cham.* 36, 6. *Cocc.*
 111, 10. *Verat.* 259, 8.
 ut in hernia nascitura impetus in annulum abdominalem,
 cum pupillis contractioribus, *Cham.* 36, 6.
 herniam incarcerare tentat, *Verat.* 259, 9.
 hilaria insomnia, (*Op.* 209, 10.)
 hilaris animus et contentus, *Cocc.* 114, 2.
 hilaris nimis animus, *Acon.* 2, 4.
 hilaritas, (*Verat.* 266, 15.)
 hippocratica facies, *Verat.* 254, 13. *Cinch.* 93, 10.
 histrionum instar gesticulationes, (*Hyos.* 138, 3.)
 horaeorum fructuum et ciiri acidi appetentia, *Verat.*
 257, 6.
 hordeolum cum naribus exulceratis, inflammatione al-
 bugineae et dolore strictrio tensivo a motu muscu-
 lorum faciei, *Puls.* 224, 24.
 horizontalis pectoris constrictio, (*Stram.* 244, 18.)
 horizontalis pectoris dolor cum respiratione cito, *Nux v.*
 196, 14.
 horizontalis pectoris pressio suffocans respirationem,
Nux v. 196, 13.
 horret et friget et stragulis multis operii gestit inter
 quietum decubitum, (*Acon.* 15, 7.)

- horrescentia, (*Op.* 210, 6.)
 horrescentia, seu metus frigoris, *Acon.* 1, 4. *Ign.* 150, 3.
Nux v. 186, 2. *Ip.* 162, 2.
 horrescentia aëris frigidi, *Cham.* 74, 1.
 horrescentia cum amblyopia, *Cham.* 74, 2.
 horrescentia, frigiditas, tremor pedum et amenorrhoea,
Puls. 231, 14.
 horrescentia, horror cum cute anserina, cute dolorifice
 sensibili, *Canph.* 47, 6.
 horrescentia a denudatione, *Cham.* 74, 3.
 horrescentia (frigescentia) pupillis parum dilatabilibus,
Ign. 150, 3.
 horribilis somnus ob angorem in claudendo oculos,
(Op. 215, 6.)
 horridae fauces, (*Hys.* 147, 3.)
 horridis oculis et aperiis, rigiditas frigida totius corpo-
 ris, *Acon.* 1, 3.
 horridi oculi et splendentes, (*Nux v.* 200, 9.)
 horridi oculi et fixi, *Canph.* 47, 5. (*Stram.* 245, 20.)
 horripilatio, vide et *horror* et *frigus*.
Horripilatio, *Verat.* 256, 19. *Bell.* 25, 2. *Puls.* 213, 1.
Horripilatio reiterata, *Puls.* 218, 2.
Horripilatio supra Brachia et in dorso, *Mez.* 179, 6.
Horripilatio et una Calor cum siti aquae, *Caps.* 70, 8.
Horripilatio recurrens, Calore parvo subsequo sine su-
 dore, *Puls.* 218, 4.
Horripilatio Cutem perreptans, v. c. faciei, *Verat.*
256, 19.
Horripilatio primo; tum angustiam creans Calor; tum
 siti cerevisiae, *Nux v.* 189, 1.
Horripilatio in Dorso et supra brachia, *Mez.* 179, 6.
Horripilatio in Dorso vespertina, nec calore, nec siti,
 sed sudore miti subsequo, *Caps.* 64, 10.
Horripilatio totius corporis inter Genarum ruborem et
capitis dolorem, sapore integro, *Acon.* 3, 1.
Horripilatio et Lacrymatio inter Genarum ruborem,
cum cephalalgia pressoria, *Acon.* 3, 2.
Horripilatio Mane, *Nux v.* 186, 5.
Horripilatio nocturna cum calore capitis interno magis
quam externo, siti aquae nocturna et sudore dorsi
et capillitii, *Led.* 172, 17.
Horripilatio cum Oscitatione, *Ip.* 162, 1.
Horripilatio Pomeridiana cum torminibus, tum debilitas
et somnus cum calore ardente, *Ign.* 156, 14.

- horripilatio inter Quietem et calorem justum corporis;
calefieri nequit, *Dros.* 128, 2.
- horripilatio inter Quietem, inter motum nulla, *Dros.*
128, 3.
- horripilatio cum Ructibus, *Ip.* 162, 3.
- horripilatio quasi a Sudore erupturo, *Puls.* 218, 3.
- horripilatio febrilis inter Sudorem, *Acon.* 8, 4.
- horripilatio in Tergo Vespertina, nec calore, nec siti,
sed sudore subsequuo miti, *Caps.* 64, 10.
- horripilatio Vespertina, tum calor ad caput adscendens,
internus, borborygmai, sitis aquae, sudor dorsi et
capillitii, appetitu integro, *Led.* 172, 17.
- cum horripilatione, Caloris interni sensus mixtus, tum ca-
lor ardens universalis, pulsus citissimus, respiratio
citissima, *Puls.* 217, 12.
- cum horripilatione et Sudore faciei frigido dolor in maxillis
adstrictorius ut ab acidis, *Puls.* 225, 17.
- ex horripilatione Tremor, *Caps.* 65, 2.
- horror, vide et *abhorrescentia*, et *fuga*, et *metus*, et *in-*
tolerabilitas, *impatientia*, *intolerantia*, *taedium*, *fasti-*
dium.
- horror liquorum aquosorum, in ferociam transiens,
dum labia iis madefiunt, (*Stram.* 247, 13.)
- horror, vide et *horripilatio* et *frigus*.
- horror, *Verat.* 256, 19. *Bell.* 25, 2. (*Bell.* 46, 11.)
Puls. 218, 1.
- horror et frigiditas alternans cum calore sicco univer-
salis, tormentibus latenter fortificantibus subsequis,
Melamp. 176, 12.
- horror, frigus et frigiditas totius corporis post calorem
faciei, *Cinch.* 95, 12.
- horror febrilis cum sudore, *Acon.* 8, 4.
- horror et frigiditas totius corporis post calorem in fa-
cie, *Cinch.* 95, 12.
- horror artuum et abdominis cum calore capitis et sensu
in eo quasi a sudore erupturo, *Camph.* 49, 5.
- horror identidem recurrentis, calore parvo subsequo,
Puls. 213, 4.
- horror levis, (*Camph.* 53, 9.)
- horror cum cute anserina, cute dolorifice sensibili,
Camph. 47, 6.
- horror et frigus cum cute anserina longum sine frigidi-
tate externa, *Led.* 169, 4.

- horror pedum et trepidatio cum subitaneo rubore faciei, *Puls.* 219, 9.
 horror supra totum corpus ante vomitum, *Verat.* 258, 10.
 horror et frigus per totum corpus; (*Hyos.* 144, 10.)
 horror posterioris superficie corporis, (brachiorum, femorum, dorsi) per vires repetens, sine frigiditate externa, immo cum calore sicco interno (et externe, maxime frontis et faciei), *Cham.* 82, 1.
 horror singularum partium, non quidem frigidarum cum somnolentia, *Cham.* 75, 4.
 horror singularum partium (in facie, brachiis) sine vel cum frigiditate externa, *Cham.* 75, 3.
 horror cum ructibus, *Ip.* 162, 3.
 horror cum oscitatione, *Ip.* 162, 1.
 horror post calorem, *Puls.* 219, 7.
 horror (et frigiditas) quasi ex metu frigoris, *Ign.* 150, 3.
 horror cutem perreptans, *Verat.* 256, 19.
 horror a dorso ad abdomen reptans cum frigiditate totius corporis, *Cham.* 75, 2.
 horror sine frigiditate externa, *Rh.* 255, 1.
 horror in humero siae frigiditate externa, *Cocc.* 107, 16.
 horror post haustum singulum, *Caps.* 69, 3.
 horror in mento, (*Stram.* 249, 16.)
 horror potellentorm, (*Hyos.* 141, 24.)
 horror vespertinus in dorso, *Cocc.* 107, 19.
 cum horrore rubor vespertinus faciei, *Ign.* 156, 13.
 cum horrore calor manuum et anxietas ploratum gignens, *Ign.* 151, 16.
 cum horrore corporis cacteri, caloris faciei sensus, *Nux v.* 189, 12.
 cum horrore pedum et trepidatione subitanus faciei rubor, *Puls.* 219, 9.
 cum horrore interno calor genarum, *Nux v.* 189, 11.
 cum horrore tornina dissidentia circa umbilicum, *Ip.* 164, 9.
 cum horrore dolor dissindens circa umbilicum, *Ip.* 164, 9.
 cum horrore tornina circa umbilicum, *Cinch.* 97, 12.
 cum horrore artuum et abdominis, sensus in capite quasi a sudore erupturo, *Camph.* 49, 5.
 sine horrore, frigiditas extremitatum et totius corporis, *Caps.* 64, 11.

- sine horrore frigiditas universalis et manus lividae, *Cocc.*
107, 17.
- sine horrore et sine calore interno genae alterutrius rubor
per vices reiterans, *Cham.* 81, 15.
- cum horrore calor internus, *Cham.* 82, 8.
- cum horrore calor externus, *Cham.* 82, 9.
- ex horrore tremor, *Caps.* 63, 2.
- post horrorem levem aphonia, (*Cinch.* 105, 1.)
- cum horroris accessibus ardor in genis vesperi, *Cham.*
81, 13.
- cum horrore interno ardor in genis, *Nux v.* 189, 11.
- in humeri articulatione (inter brachii retroversionem) do-
lor quasi a nimio labore, sive a contusione, *Ign.*
158, 16.
- in humeri articulatione et musculis lacinatus singuli inter
quietem, *Cocc.* 112, 16.
- in humeri et cubiti articulatione et tubo ossis intermedio
dolor ex diffingente, lacerante et lacinante com-
positus cum gravitatis sensu et metu brachium mo-
vendi, motu tamen mitigatus, inter quietem into-
lerabilis, *Cocc.* 113, 4.
- in humeri sublatione dolor in articulatione lacinans, *Led.*
170, 23.
- in humeri junctura dolor lacinans inter citum brachii mo-
tum, *Puls.* 229, 6.
- in humeri articulatione dolor quasi a contortione, seu lu-
xatione, *Ign.* 158, 18. 159, 1.
- humeri dolor a tussi, *Puls.* 224, 13.
- humeri dolor osteocopus, *Cinch.* 93, 5.
- humeri dolor a sublatione brachii, *Puls.* 229, 9. *Led.*
170, 23.
- in humeri capite strictrius dolor, *Nux v.* 196, 22.
- in humeri et femoris musculosis partibus dolor immanis
pressorio disruptarius, *Puls.* 229, 11.
- humeri quasi a verberatione dolor, *Stram.* 241, 13.
- in humero furunculus, *Bell.* 29, 13.
- in humero frigiditatis sensus sine frigiditate, *Cocc.* 107, 16.
- lumi prostratio, (*Hyos.* 136, 8.)
- hydrophobia, (*Stram.* 247, 13.) (*Hyos.* 138, 10. 139,
5. 141, 14. 142, 12. 146, 15.)
- hydrophobiae instar, horror liquorum aquosorum in
furorem summum transieus, dum labia iis made-
fiunt, (*Stram.* 247, 13.)
- hydropicus corporis status, (*Op.* 210, 14.)

- hydropiens quasi esset, ventris tumor, (*Acon.* 10, 11.
12, 5.)
- hydrops, (*Cinch.* 101, 9. 102, 6. 103, 18. 104, 12.)
- hydrops pertinax, (*Hym.* 146, 17.)
- hydrops saccatus, (*Cinch.* 107, 6.)
- hydrops cutaneus, inflatio abdominis, dolores quasi
ad partum, pressio anxia in scrobiculo et tumor;
menstrua suppressa, *Cham.* 26, 3.
- hyperaesthesia, *Cocc.* 114, 6. *Verat.* 262, 6.
- hyperaesthesia abdominis, tactu dolorosi, *Puls.* 232, 12.
- hyperaesthesia aëris, quasi refrigerium nasciturum sit,
cum narcosi manuum paralytica frigida et obnubi-
latione capitis, *Cham.* 77, 7.
- hyperaesthesia aëris frigidi, *Camph.* 47, 4.
- hyperaesthesia frigoris, *Ip.* 162, 2.
- hyperaesthesia dolorosa narium internarum, *Nux v.*
196, 4.
- hyperaesthesia, mentis status exaltatus, *Verat.* 262, 6.
- hyperaesthesia dolorosa totius corporis, *Arn.* 22, 15.
- hyperaesthesia et sensorii nimia teneritudo; offendunt
animum visus, olfactus, auditus gustus objecta,
Cinch. 93, 13.
- hyperaesthesia lucis, *Camph.* 49, 13. *Ign.* 158, 9.
(*Nux v.* 137, 3.) *Acon.* 8, 9. (*Puls.* 220, 9.)
- hyperaesthesia variarum internarum ut in epistaxi, *Ign.*
151, 10.
- hyperaesthesia narium internarum quasi a pulvere via-
rum siccarum, *Verat.* 257, 12.
- hyperaesthesia ulceris inter tactum, cum formicatione
in eo et dolore mordaci et ardente nocturno, *Cham.*
89, 6.
- hypercatharses, (*Verat.* 263, 17.)
- hypercatharsis effraena, (*Mer.* 102, 5.)
- hypererethismus cum pusillanimitate et intolerabili-
tate strepitus, *Cinch.* 93, 17.
- cum hypererethismo languor animi et corporis, *Cinch.* 95, 7.
- hypochondria, vide et *praecordia* et *scrobiculum*.
- ad hypochondria adscensio et restagnatio flatum, *Nux v.*
191, 19.
- ad hypochondria (sternum et ossa ilei) propagata pressio
in scrobiculo vehemens, *Verat.* 258, 14.
- circum hypochondria constrictorius dolor ad vertebrales lum-
bares usque, *Camph.* 48, 18.

- subter hypochondriā constrictio et relaxatio vicissitudines, *Nux v.* 191, 14.
- hypochondriaca anxietas, *Acn.* 17, 18. *Cham.* 76, 2.
- hypochondriaca morositas, ad quaevis segnis, *Arn.* 17, 15.
- hypochondriaca morositas, minima aegre ferens, *Puls.* 219, 16.
- hypochondriacae regionis dolor tactu exasperandus, tussim reprimens, constrictorius, *Dros.* 129, 12.
- hypochondriaca symptomata, (*Cinch.* 102, 22.)
- hypochondriasis, *Nux v.* 190, 2.
- hypochondrii et ventriculi dolor pressorius, respirationem angustans, maxime post potam Goseam, *Cham.* 85, 4.
- in hypochondriis constrictorius dolor, *Nux v.* 191, 15.
- in hypochondrii sive epigastrii utraque parte pressorius dolor, *Ign.* 153, 4.
- in hypochondriis borborygmi vomititivi, *Puls.* 222, 15.
- in hypochondriis flatum incarceratio, *Canth.* 58, 3.
- in hypochondriis dolor lacerans inter respirationem, tactu maxime dolentibus ut a contusione, *Cupr.* 118, 11.
- in hypochondriis molestiae, (*Cinch.* 103, 12.)
- in hypochondriis et pectore dolor a flatibus abire recusantibus, *Verat.* 262, 1.
- in hypochondriis dolor pressorius, *Caps.* 68, 15. *Verat.* 253, 14.
- in hypochondriis et infra scrobiculum dolor pressorius, *Caps.* 68, 15.
- in hypochondriis pressio post cibum captum, *Cham.* 84, 13.
- in hypochondriis dolor pressorius aliquot horas post pastum, vel noctu in lecto, *Cocc.* 110, 15.
- in hypochondriis dolor tensivus quasi a flatibus, *Verat.* 253, 15.
- in hypochondriis restagnatio flatum, *Cham.* 85, 1.
- hypochondrio flatibus obpresso (et lancinatis pectus permicantibus) colica, *Cham.* 85, 6.
- in hypochondrio strictorio tensivus dolor, *Puls.* 228, 13.
- in hypochondrio sinistro lancinatio, *Ip.* 164, 1.
- in hypochondrio utroque termina forficantia, *Ip.* 164, 8.
- hypochondriorum tensio, tactu dolorifcentiorum, (*Op.* 213, 13.)
- hypochondriorum dolor pressorio strictorius, *Verat.* 253, 16.

- ia hypochondriorum utraque parte pressorius dolor, *Ign.*
153, 4.
hypochondriorum dolor pressorio tensivus quasi a pon-
dere et plenitudine, *Acon.* 4, 13.
hypochondriorum imprimis dextri dolor, (*Op.* 215, 12.)
hypogastrum, vide et *abdomen*.
in hypogastrio lancinantes dolores, (*Verat.* 266, 7.)
in hypogastrio tortuina quasi a flatibus, *Caps.* 69, 1.
in hypogastrio supra os pubis dolores strictorio lacerantes,
Verat. 259, 1.
hypogastrium post tactum dolorifice sensibile, *Acon.*
6, 15.
hypogastrium inflatum, tactu dolorosum, (*Hyos.* 131, 11.)
hystericæ hemiteraniae species, nausea stipatae, *Caps.*
63, 2.

- Jactatio, vide et *agitatio*, *dysphoriae*, *inquietudo*, *aestua-
tio*, (*angor*, *angustia*, *anxietas*.)
jactatio, *Cape.* 119, 13. *Fal.* 252, 10.
jactatio, dysphoria, agitatio ferox quasi moribundi,
cum lacerantibus abdominis doloribus, tum stupidi-
tas, tum dolor capitis ferox, *Cham.* 76, 1.
jactatio atrox et aestuatio desperabunda, *Cinch.* 94, 10.
jactatio artuum fanaticæ, (*Canth.* 60, 9.)
jactatio ferox, *Cham.* 76, 1.
jactatio et morositas infantum, *Arn.* 21, 14.
jactatio nocturna aestuans in lecto cum phantasiis,
Cham. 83, 5.
cum jactatione et inquietudine agrypnia, *Led.* 169, 7.
jactationes enormes corporis, (*Hyos.* 134, 3.)
in ichorem in serum pus in ulcere mutat, *Arn.* 22, 17.
Ichoris augmentum in ulceribus, *Canth.* 57, 9.
icterodes albuginea, somnolentia continua, laboris fu-
ga, nausea vel nūnus ingratorum, etiam absentium,
Cinch. 95, 4.
icterus, *Acon.* 5, 17. (*Cinch.* 101, 11. 103, 4. 104,
8, 11.)
icterns cum nausea ciborum et accessibus syncopes bre-
vibus, morbosa debilitate subsequatur, *Nux v.* 190, 10.
ab ictu quasi dolentes parvi tumores in cute (frontis),
Melamp. 176, 6.
uno ictu et raro dolor strictorio lacerans in ossium artuum
tubis, vel tendinibus, *Cham.* 78, 13.

- mo ictu membrorum vulsiones singulæ, *Ign.* 155, 17, 18.
Cham. 75, 13. (*Op.* 204, 18.)
- ab ictu quasi cephalalgia, *Led.* 169, 8.
- quasi ab ictu pressio obtusa in aure interna inter pronationem, *Cham.* 79, 1.
- ictus aliqui in capite, *Nux v.* 189, 2.
- ictus quasi electrici in corpore, (*Arn.* 23, 13.)
- ictus singuli in pollice pedis, *Arn.* 22, 10.
- ideæ distractæ, *Cham.* 75, 5.
- ideæ evanescentes, *Cham.* 75, 6.
- ideæ fixæ, *Cham.* 83, 16. *Cocc.* 106, 9.
- ideæ immotæ, inattentio alte cogitabundi, *Cham.* 75, 5. *Cocc.* 106, 9.
- ideæ permultæ, sed instabiles, *Puls.* 219, 19.
- ideæ vagæ, (*Op.* 214, 13.)
- idearum penuria, *Verat.* 262, 12.
- idearum processio tarda, *Cinch.* 95, 6. *Ip.* 163, 9.
Nux v. 186, 10.
- idearum progressio tarda, cuin taciturnitate interna,
Nux v. 186, 10.
- idearum series lente progrediens, *Ip.* 163, 9. *Cinch.*
 95, 6. *Nux v.* 186, 10.
- idearum turba projectantium, sive circa varia proposi-
 tiones versantium, *Cinch.* 99, 5.
- post jentaculum ardor a ventriculo ad os usque, *Caps.*
 63, 10.
- ignis et calor quasi per oculos micaret, sensus, *Cham.*
 61, 11.
- modo igit̄s volatili, modo aquae gelatae per venas micantis
 sensus, (*Op.* 211, 16.)
- ignotis vetis et desideriis agitatus animus, *Ip.* 165, 15.
 (*Cinch.* 99, 3.)
- ilea quasi rumpantur, tortuina, pugnis in latera iuifixis,
(Hyos. 147, 11.)
- ad ilei ossa (sternum et hypochondria) propagata pressio,
Verat. 253, 14.
- illatio manuum violentarum, (*Hyos.* 137, 15.)
- ab imaginariam vel levem injuriam ejulatur, *Cham.* 76, 8.
- imaginatio voces absentium exaudire opinantis, *Cham.*
 75, 9.
- imaginatio viva, *Acon.* 8, 17.

- imagines variae insectorum et lemurum quaedam ludibriæ oculis obversantur, (*Bell.* 45, 2.)
- imbecillitas pedum, (*Hyos.* 145, 21.)
- imbecillitas ventriculi, (*Hyos.* 144, 3.)
- imbecillitas, languor, (*Op.* 211, 12.)
- imbecillitas maxima, *Verat.* 254, 8. (*Verat.* 263, 4.)
- imbecillitas extrema, (*Verat.* 263, 7.)
- de imbecillitate magna, lassitudine corporis universi et cordis gravedine querelae, (*Acon.* 11, 2.)
- immanes crampoïdes dolores abdominis, cubiti, lumborum, pectoris, surarum, *Bell.* 27, 14.
- immani cum sudore synocha exlex, (*Cinch.* 103, 9.)
- immeabilitas faucium insignis et siccitas ita, ut sorbitio theæ potus suffocatura esse videatur, (*Hyos.* 138, 12.)
- iminuta appetentia veneris, *Acon.* 2, 12.
- iminuta sensibilitas, *Op.* 202, 2.
- iminuta memoria, *Stram.* 241, 17. *Acon.* 3, 2. *Ign.* 153, 10. *Hyos.* 131, 14. (*Hyos.* 148, 5.) *Bell.* 25, 3. (*Camph.* 53, 16.) *Verat.* 255, 6. (*Op.* 210, 3.)
- iminuta mobilitas articulationum, *Nux v.* 193, 19.
- iminuta vis vesicae, urinae radius tentis, *Cham.* 89, 14. *Camph.* 50, 17.
- iminuti sensus, (*Op.* 211, 13.)
- iminutus pathorum, *Verat.* 262, 3.
- iminutus esculentorum omnium sapor, *Puls.* 221, 8. *Aeris* 16, 11.
- immobile modo corpus, modo artus motibus singularibus flexi, (*Bell.* 38, 3.)
- immobilis sedet in lecto statuae instar, (*Hyos.* 155, 8.)
- immobilitas, vide et rigiditas et motus.
- immobilitas artuum paralytica cum strictoriis doloribus quasi in ossibus, *Cocc.* 107, 6.
- immobilitas artuum aucta, (*Op.* 214, 12.)
- immobilitas pedum paralytica, *Cocc.* 107, 7.
- immobilitas quasi paralytica artuum inferiorum cum vulsonibus singulis, *Ign.* 150, 13.
- immobilitas corporis rigida, *Puls.* 251, 7.
- immodicæ ejulatoriae querelæ ob minima, *Ign.* 152, 3.
- impatientia, vide et taedium, intolerantia, fuga, abhorrescentia, fastidium.
- impatientia confabulationum, *Nux v.* 186, 15.
- impatientia parvorum malorum, *Nux v.* 186, 13.
- impatientia strepitus, *Nux v.* 186, 15.
- impatientia summa, *Ip.* 163, 16. *Ign.* 156, 7.

- impavidus periculi, (*Op.* 210, 7.)
 impedientes somnum succussions cum somnolentia,
Verat. 255, 10.
 impedimentis plena insomnia, *Caps.* 70, 16.
 de impedimentis vix removendis (vel vigilantem angentia)
 insomnia gravia, *Cinch.* 97, 5.
 de impedimentis variis removendis delira blateratio, *Cham.*
 75, 11.
 impediti et excruciari ab omnibus hominibus putans
 animus male contentus, *Cinch.* 94, 1.
 impedit laborem, maxime literarium, nescio quid, *Nux*
v. 136, 9.
 impedit vocem summus angor, *Ign.* 150, 11.
 impedita deglutitio, vide et *angina*. *Bell.* 26, 7. *Cocc.*
 110, 4. *Stram.* 259, 11.
 impedita deglutitio, fauces constrictae, (*Hyos.* 149, 12.)
 impedita deglutitio nausea quadam, *Arn.* 18, 9.
 impedita in oesophago deglutitio, *Cocc.* 110, 4.
 impeditae digestionis signa, *Ign.* 154, 9. 11.
 impedita vox, (*Hyos.* 149, 10.)
 ut imperata aegre ferens dicta aliorum animus, *Camph.*
 48, 11.
 imperiosa morositas, *Arn.* 21, 16.
 impetus in annulum abdominalem ut in bernia nascitura,
 cum pupillis contractioribus, *Cham.* 86, 6.
 impetus in uterum cum dolorum spuriorum specie, et
 micturitione creberrima, *Cham.* 36, 7. (*Puls.* 228,
 14. 16.)
 impingens ad quaevis ineptitude, *Ip.* 165, 10.
 impingit ad minimum offendiculum vacillans et prola-
 bitur, *Ign.* 151, 2.
 importuno modo et fletu efflagitans varia animus, *Rh.*
 236, 3.
 impos animi, (*Capr.* 121, 14.)
 impos omnium laborum, (*Op.* 211, 16.)
 impossibilis fere gressus, stupor muscularum, (*Op.*
 215, 4.)
 impotentia caput, ob vertiginem et scotomiam, erigendi
 in dorso reclinati, *Nux v.* 189, 3.
 impotentia deglutiendi, (*Hyos.* 144, 18.)
 impotentia deglutiendi non dolorosa, *Bell.* 26, 8.
 ad impotentiam animi et desperationem suam adligens
 sensus in toto corpore ingratissimus, neque dormire
 neque requiescere ullo modo sinens, *Puls.* 231, 1.

- impotentia animi, (*Capr.* 121, 14.)
 impotentia mentis, *Camph.* 47, 9.
 impotentia oculos aperiendi, *ca natosa*, *Cham.* 74, 17.
 impotentia palpebrarum aperiendi, (*Hyo.* 153, 6, 147, 12.)
 impotentia standi et sedendi, (*Hyo.* 142, 15.)
 impotentia virilis, (*Camph.* 54, 8.) (*Op.* 210, 12.)
 impotentia virilis e somno expurgata, (*Op.* 216, 14.)
 impotentia virilis diutina, (*Hyo.* 148, 9.)
 impotentia virilis, scroti fligilius, *Caps.* 64, 13.
 impotentia, voce clara loquendi, *Ign.* 150, 12.
 impudicitia, (*Stram.* 245, 18.)
 imaginatio adstantium, (*Hyo.* 153, 12.)
 imaginatio necessariorum, (*Hyo.* 143, 13.)
 imaginatio parentum, (*Bell.* 42, 13.) (*Hyo.* 153, 12.
 149, 1.)
 imaginatio parentum et objectorum solitorum, *Op.* 202, 4.
 imaginatio parentum post potum, (*Hyo.* 153, 12.)
 inanes ructus, *Arn.* 18, 12. *Verat.* 259, 6.
 inanis vomititio, *Arn.* 18, 3. *Bell.* 27, 7. *Ign.*
 154, 7.
 ab inanitione quasi cerebri dolor, *Nux v.* 187, 23.
 ab inanitione quasi et vacuo in ventriculo sensus, *Ign.*
 155, 6.
 ab inanitione quasi et vacuo in capite sensus, *Ign.* 151, 4.
 inappetentia, vide et *anorexia*, *fuga*, *abhorrecentia*.
 inappetentia ciborum, sapore integro, *Cinch.* 94, 20.
 inappetentia ciborum, potulentorum, *Cinch.* 94, 19.
 inappetentia ciborum, inter vescendum tamen reddit appetitus et bene sapiunt escae, *Cinch.* 94, 21.
 inappetentia ciborum, *Canth.* 57, 12.
 inappetentia ciborum, potulentorum, tabaci, sapore grato integro, *Cinch.* 94, 22.
 inappetentia potus, (*Bell.* 32, 1.)
 inattentio cogitationibus immersi, *Cham.* 75, 4. *Cocc.*
 106, 9.
 inattentio rerum externarum, *Op.* 202, 5.
 incalcentia, *Stram.* 241, 4. vide et *calor*.
 incalcentia magna corporis, (*Met.* 194, 1.) (*Stram.*
 243, 24.)
 incarcerare tentat herniam, *Verat.* 259, 9.
 incarceratio flatum, *Nux v.* 191, 21.
 incarceratio flatum in hypochondriis, *Canth.* 58, 3.
 vix incedere potest coactus, vix pedes movere, (*Op.* 215, 4.)

- incedere et pedibus insistere detrectat infans misere
ejulando, *Cham.* 76, 6.
incendi impossibilitas ob dolorem intolerabilem in fe-
moris capite post decubitum et somnum nata, *Acon.*
2, 18.
incendium circa praecordia, (*Verat.* 265, 7.)
incessu dolorosa, mollis, tumida pedum pollicis pila,
Led. 172, 6.
incessu plantae dolorosae, quasi ab apostemate vel su-
gillatione, *Led.* 172, 5.
incessu plantae medium dolorosum quasi ab excrescen-
tia protuberante, cum lacinatibus versus suram,
Puls. 250, 12.
incipiente somno membrorum vulsiones singulae, *Cham.*
75, 13.
inclinatione, tussi, respiratione, non vero tactu auctus
dolor immaniter pressorius in costa ultima vera dex-
tri lateris, *Cocc.* 111, 21.
incoercibilis, ferox mania, (*Stram.* 250, 1.)
incompleta, crebra oscitatio, *Ign.* 158, 8. (*Cham.* 73, 1.)
inconcinna blateratio, (*Bell.* 37, 13.) (*Hyos.* 143, 14.)
inconcinna verborum et phrasium admixtio, inter legen-
dum, (*Hyos.* 147, 14.)
inconcinus vestitus et facta inepte solemnia ferociae
internista, (*Hyos.* 157, 11.)
inconcinus vestitus, (*Altamp.* 175, 10.)
inconcinna verborum commutatio, *Cham.* 75, 8. (*Nux v.*
156, 11.)
incongruorum garrolitas, (*Bell.* 52, 7.)
inconsolabilis angor et ejulatus miserabilis, opprebris
plenus, ob mala et incomoda parva, *Acon.* 3, 6.
inconstantia, *Ign.* 156, 7.
inconstantia consilii, *Nux v.* 190, 4.
incontinentia alvi, *Dig.* 124, 12. *Bell.* 23, 3. (*Bell.*
39, 7.) *Acon.* 2, 15. *Arn.* 22, 19.
incontinentia urinae, *Bell.* 23, 4. *Dig.* 124, 12. (*Bell.*
35, 16. 56, 2. 4.) *Acon.* 2, 16. *Cham.* 86, 17.
incubus, *Op.* 202, 14.
quibus incumbitur artuum narcosis, *Cinch.* 97, 22, *Rh.*
237, 4.
non incuriosus circa objecta externa, sed negligens, *Puls.*
219, 18.
incurvare quae truncum cogunt, tormina, *Bell.* 27, 13.
incurvatio digitorum protensis brachiis, (*Cinch.* 105, 6.)

- incurvato trunco sedere cogentia tornuina forficantia
cum diarrhoeae moliminibus frustraneis vomitu sub-
sequente, *Bell.* 27, 15.
- incurvatio trunci, arcus instar, (*Op.* 211, 16.)
- incurvatum sinistrorum collum, (*Hyos.* 140, 15.)
- indecentia, (*Stram.* 245, 18.)
- indeglutio; liquores ori ingestos statim exspuebat
bis, (*Hyos.* 139, 5.)
- indeglutio, vide et *deglutio* et *angina*.
- indeglutio anginosa cum dolore et tumore glandula-
rum submaxillarum, *Cinch.* 90, 18.
- indeglutio, (*Hyos.* 142, 10.) *Stram.* 239, 11.
- indeglutio oesophagea, paralysis pharyngis, *Cocce.*
110, 4.
- indeglutio ob siccitatem oris, nasi, faucium, (*Bell.*
40, 4.)
- indeterminatio, vide *hesitatio*.
- indeterminatio, aversatio negotiorum, anhela respiratio,
aestuatio, *Puls.* 219, 15.
- indeterminatio summa, vacillatio consilii, *Puls.* 219, 13.
- indeterminatio, *Igu.* 156, 7. (*Melamp.* 175, 9.)
- indicis digiti et pollicis dolor qualis a distortione sive
a nimio laboris nisu remanet, seu quasi a confracti-
one inter motum percipiendus cum asthenia paraly-
tica, *Cham.* 78, 2.
- indifferens erga objecta et stupidus animus, (*Op.* 207, 2.)
- indifferentia, vide *indolentia* et *adiaphoria*.
- indifferentia, *Arn.* 17, 16.
- indifferentia erga objecta vel amicissima, *Cinch.* 95, 10.
- indifferentia erga dolorem et voluptatem, (*Op.* 210, 4.)
- indigesta excrements, quamvis non fluida, *Arn.* 19, 8.
- indigestio, (*Cinch.* 101, 7.)
- indigestorum ciborum vomitus ante plures horas come-
storum, (*Bell.* 31, 13.)
- indigestorueri diarrhoea, *Cinch.* 97, 15.
- indignans hesitatio, *Cinch.* 94, 9.
- indignatio, *Cinch.* 94, 8.
- in indignationem et stomachationem propensio summa,
Ip. 163, 19.
- indolens taciturnitas et adiaphora, *Op.* 202, 3. *Rh.*
235, 4.
- indolentia, vide *adiaphoria*, *indolentia*.
- indolorificus micans sensus sursum deorsum in buccis,
Caps. 70, 13.

- indurationes in abdomen, (*Cinch.* 103, 3.)
 inebriatio, *Nux v.* 185, 2. (*Nux v.* 198, 1.) *Bell.* 25, 7.
 (*Bell.* 33, 1. 39, 19. 41, 9. 44, 8.) *Caps.* 64, 1. vide
 et ebrietas.
 inebriatio statim a cibo capto, (*Bell.* 25, 8.)
 inebriatio quasi a vino nimio cum tumore et rubore fa-
 ciei, (*Bell.* 33, 1.)
 ut ab inedia longa sensus in ventriculo, *Cocc.* 110, 16.
 ut ab inedia longa sapor in ore, *Cocc.* 110, 10.
 ineffabilia termina in ventre, (*Cinch.* 101, 13.)
 inepta facta patrat, (*Op.* 210, 17.)
 inepta facta, (*Hyos.* 137, 17.)
 inepte solemnia facta ferociae intermista, vestitu incon-
 cimo, (*Hyos.* 137, 11.)
 ineptitudo ad quaevis impingens, *Ip.* 163, 10.
 ineptorum mussitatio, (*Hyos.* 147, 9.)
 ineptitudo ad omnia negotia, (*Op.* 211, 4.)
 infans non nisi gestatus quiescere potest, *Cham.* 76, 5.
 infans per morositatem obrigescit, *Puls.* 219, 17.
 infans detectat pedibus insistere et incedere misere
 ejulando, *Cham.* 76, 6.
 infantum morositas, *Arn.* 21, 14.
 infantum obrigescentia ob morositatem, *Puls.* 219, 17.
 infantum somnus stertorosus, ejulatorius, *Cinch.* 97, 4.
 infantum tussifera vociferatio, *Arn.* 21, 14.
 infantum tussis post vagitum, *Arn.* 21, 13.
 infatuatio, *Cocc.* 107, 13. vide et fatuitas, inebriatio,
 ebrietas, obnubilatio, obtenebratio capitis, stupiditas,
 stupor mentis.
 infatuatio capitis, dum erectum est, dum vero pronatur
 se in fronte quasi pondere prolabente, *Nux v.*
 185, 8.
 infatuatio capitis ex somno expurgiscenti, quasi se ipsum
 non nosceret, (*Caps.* 64, 2.)
 infatuatio et dolor capitis quasi ab ebrietate hesterna,
Puls. 220, 3.
 infatuatio capitis, cogitationes evanidae, *Puls.* 220, 4.
 infatuatio capitis, cum calore volatico interno, angore
 et ponderis sensu in abdomen, *Op.* 203, 2.
 infatuatio capitis et quasi a contritione dolor in fronte,
Puls. 220, 4.
 infelicem se et impediri et excruciaris ab omnibus homi-
 nibus putans animus male contentus, *Cinch.* 97, 1.

- infelicem se putantis morositas, *Ip.* 165, 15. vide et
desperatio.
- in inferiori maxilla dolor arthriticus, *Acris* 15, 8.
- in inferiori maxilla dolor strictorius, *Cham.* 79, 7.
inferioris maxillae paresis, *Arn.* 18, 4.
- in infima bronchiorum regione titillatio tussifera, expe-
ctoratione levi, *Verat.* 259, 16.
- in infima bronchiorum sede titillatio tussifera, sine expe-
ctoratione, *Verat.* 262, 2.
- in infima pectoris parte irritamentum tussis non cessantis
niisi vomituritione et effluxu saliva copioso ex ore,
Mer. 150, 25.
- ad infimam bronchiorum sedem a superiori laryngis parte
tendens titillatio strictoria, tussim afferens, *Ip.*
165, 6.
- in infinitis pedibus dolor, *Hyos.* 132, 19.
infirmitas, vide et debilitas, instabilitas, languor, lapsus
virium.
- infirmitas, collapsus virium, (*Op.* 210, 11.)
- infirmitas artuum tremula, pupillis dilatatis, *Cinch.*
96, 1.
- infirmitas, instabilitas pedum, (*Nax v.* 200, 13.)
- infirmitas pedum, *Nax v.* 187, 10. *Ign.* 150, 14.
- inflammata praecordia dextra, (*Cant.* 62, 8.)
- inflammati oculi mane purulentii, *Cham.* 31, 6.
- inflammatio, vide et phlogosis.
- ad inflammationes dispositio, (*Camph.* 55, 17.)
- inflammationes in Abdomine, (*Cinch.* 105, 1.)
- inflammatio Albugineae modo unius, modo alterius canthi
oculorum cum herdeolo et dolore strictorio tensivo
a motu muscularum faciei, *Puls.* 224, 24.
- inflammatio, rubor, tumor Albugineae, cum dolore la-
cerante in capite et oculis, *Led.* 172, 17.
- inflammatio (albugineae) oculorum, cum dolore lacer-
ante, *Verat.* 261, 4.
- inflammatio Corporis totius superficie, (*Bell.* 58, 7.)
- inflammatio Cutis Corporis totius cinabarini coloris,
(*Hyos.* 142, 19.)
- inflammatio Digihi dolorosa, bulla obsessi, (*Bell.* 42, 10.)
- inflammatio Duodeni intestini, (*Bell.* 44, 2.)
- inflammatio Faucium, (*Bell.* 51, 8. 43, 20.)
- inflammatio Glandularum meibomianarum, *Dig.* 124, 10.
- inflammatio Gulae, (*Mer.* 184, 6.)
- inflammatio Intestinorum, (*Mer.* 186, 6.) (*Bell.* 44, 2.)

- inflammatio Oculi cum dolore lacerante, (*Verat.* 261, 4.)
 inflammatio Oculorum, (*Ip.* 167, 5.) (*Bell.* 43, 8.)
 Cham. 81, 6. vide et *chemosis et ophthalmia*.
 inflammatio Oculorum albugineae cum dolore lacerante,
 Verat. 261, 5.
 inflammatio Oculorum, genis tumidis, ardentibus, *Led.*
 172, 4.
 inflammatio oculorum lippitudinosa, incredibiliter do-
 lorosa, (*Acon.* 11, 1.)
 inflammatio Penis, (*Canth.* 62, 5.)
 inflammatio Ventriculi, (*Bell.* 44, 1.) (*Hyos.* 146, 16.)
 (*Mez.* 183, 4. 184, 6.)
 inflammatio Vesicae colli, (*Dig.* 125, 5.)
 sine inflammatione ardor in Oculis, *Nux v.* 189, 5.
 inflammations in abdomen, (*Cinch.* 103, 1.)
 inflammatorii tumores cum febre, *Bell.* 30, 1.
 inflammatorius oculorum dolor, *Acon.* 7, 17. vide *ocu-*
 lorum inflammatio.
 inflata facies, (*Dig.* 127, 7.)
 inflata facies et sanguine turgida, (*Stram.* 244, 4.)
 inflatae venae totius corporis, (*Hyos.* 141, 2.)
 inflatio, vide et *expansio, distentio, intumescentia, meteo-*
 rismus, tumor, tensio.
 inflatio abdominis, (*Verat.* 256, 18.) (*Rh.* 256, 8.)
 inflata facie. (*Dig.* 127, 8.)
 inflatio oesophagi, (*Verat.* 256, 17.)
 inflatio oesophagi cum suffocationis sensu, (*Ver.* 266, 13.)
 ingenii acies, (*Verat.* 266, 16.)
 ingenii acies quasi insomniis praesticta, *Cham.* 75, 4.
 Verat. 255, 3.
 ingenii acies quasi surditate quadam praesticta, *Cham.*
 75, 4.
 ingestorum sapor amarus, *Igu.* 154, 12. *Puls.* 221, 10, 12.
 cum ingestorum sapore ructus cibri, *Puls.* 221, 16.
 ingestorum sapor putridus, *Igu.* 154, 12.
 quasi ab ingluvie, vel a ventriculo carne nimis pingui in-
 gurgitata corrupto cephalalgie, *Puls.* 226, 16.
 nil nisi ingrata et taediosa cogitat, *Mez.* 179, 4.
 ingratissimus sensus in toto corpore ad summam despe-
 rationem et impotentiam animi adigens, neque
 dormire, neque requiescere ullo modo sinens, *Puls.*
 231, 1.

- ingratus sensus in toto corpore pernox, quasi a vigilia longa cum capit is yappiditate ut a crapula, *Puls.* 251, 3.
 ingratus dolor in ventriculo, (*Arn.* 23, 10.)
 ingratus sensus in parte pridem affecta, contusa, *Arn.* 22, 16.
 in inguine intertrigo, *Nux v.* 197, 9.
 in inguinis glandulis tensivus dolor, *Mer.* 181, 13.
 ad inguen usque inde a digitis pedum dolores lacerantes, ardentes, vagi, (*Puls.* 253, 15.)
 in inguinis glandulis tumor, *Stram.* 240, 17.
 quasi ab ingurgitatione nimia escarum sensus in ventriculo, *Puls.* 221, 20.
 ob injuriam levem, vel imaginariam, vel jam diu praeteritam ejulatus, *Cham.* 76, 8.
 ob injurias minimas perpessas lacrymatio, *Nux v.* 186, 14.
 injurians, laedens furor, *Hyo.* 153, 3.
 injuriari se putantis suspicio, *Cham.* 76, 14.
 injuriari se putans animus et conviciis laccissiri, *Camph.* 48, 11.
 inobediens, reluctans, tacitura mania; aufugere tentat, *Dig.* 123, 7.
 inobedientia, *Cinch.* 94, 6.
 impossibilitas incendi, ob dolorem intolerabilem infemoris capite post decubitum et somnum nata, *Acon.* 2, 18.
 inquietudo, vide et *angor*, *anxietas*, *jactatio*, *agitatio*, *aestuatio*, *angustia*.
 inquietudo, delirium, spasmi reiterant circa vespertinam horam septimam, (*Bell.* 43, 6.)
 inquietudo, *Arn.* 17, 7. (*Bell.* 46, 7.) (*Stram.* 244, 21.)
 (*Canth.* 62, 15.) (*Op.* 216, 4.) (*Bell.* 53, 4.) (*Hyo.* 142, 8. 144, 1.)
 inquieta sedulitas, *Caps.* 70, 18 (*Verat.* 262, 4.)
 cum inquietudine et jactatione agrypnia, *Led.* 169, 7.
 cum inquietudine quadam, pupillarum constrictio, *Rh.* 235, 6.
 inquietudo in abdomine, *Ip.* 162, 8. (*Nux v.* 190, 1.)
 inquietudo ex abdomine, *Nux v.* 190, 1.
 inquietudo, *anxietas*, (*Bell.* 46, 17.)
 inquietudo (morosa) ab inquietudine viscerum abdominis, *Nux v.* 190, 1.
 inquietudo lacrymabunda varia efflagitans, oblata negligens, *Cham.* 76, 10.

- inquietudo negotiosa, *Verat.* 262, 4. *Caps.* 70, 17.
 inquietudo cum pupillis maxime dilatabilibus, *Nux v.*
 197, 22.
 inquietudo summa, clamor, standi, sedendi impoten-
 tia, (*Hyos.* 142, 15.)
 inquietudo et tensio in abdomen, quasi ab alvo con-
 stipata, *Verat.* 261, 15.
 inquietudo, tremor, (*Op.* 211, 3.)
 inquietus, agitatorius, comatosus somnus, *Puls.* 232, 1.
 inquietus somnus et parum reficiens, *Mez.* 181, 16.
 inquietus vultus, (*Bell.* 35, 9.)
 insania, (*Bell.* 31, 15.) (*Hyos.* 139, 18.) (*Stram.* 243,
 6. 249, 10.)
 insania brevis, (*Acon.* 13, 16.)
 insania vagabunda per varias terras nudo corpore per
 aestatem pelle vestito, (*Hyos.* 137, 9.)
 insania, abjectis vestibus, indusio solo velati in pla-
 teas excurrunt, gesticulando, tripudiando, cachin-
 nando et delira multa tam blaterando quam agendo,
 (*Bell.* 34, 15.)
 insaniae et mentis sanae vicissitudines, (*Stram.*
 245, 10.)
 insaniae et apoplexiae parvi accessus, (*Cinch.* 104, 17.)
 insectorum variae imagines et lemurum quaedam ludic-
 bria oculis obversantur, (*Bell.* 45, 2.)
 insensibilitas, (*Hyos.* 139, 3.) (*Bell.* 45, 8.) (*Stram.*
 246, 16.)
 insensibilitas totius corporis, (*Ign.* 161, 2.)
 insensibilitas, (*Stram.* 244, 20.) (*Bell.* 45, 8.) (*Camph.*
 52, 2.)
 insensibilitas, stupor, et tamen apposite respondet,
 (*Op.* 207, 11.)
 insensibilis, existentiae suae parum conscious, apte ta-
 men satis respondet, (*Op.* 214, 14.)
 insensibilitas, indifferentia erga objecta, vel amicissima,
Cinch. 93, 10.
 vix insistere pedibus potest ob debilitatem, (*Hyos.* 149, 14.)
 ita ut insistere pedibus non posset, artuum debilitas maxi-
 ma, (*Nux v.* 199, 13.)
 insistere pedibus nequit, (*Stram.* 250, 5.)
 insistere in pede nequit ob astheniam pedis paralyti-
 cam nocturnam cum cruris dolore strictorio et dole-
 re plantae surdo, *Cham.* 77, 8.

- insistere pedibus et incedere detrectat infans, misere ejulando, *Cham.* 76, 6.
- dum insistitur dolor vibrans omnium membrorum, *Arn.* 22, 14.
- dum insistitur dolor in plantae medio quasi ob excrescentiam protuberantem, cum lancinatibus versus suram, *Puls.* 230, 12.
- ex insomnia et pervigilio quae oritur capitis vappiditas, et torpor corporis, *Cinch.* 93, 5.
- insomnia vigil dum decumbit, somnolentia diurna dum sedet, *Cham.* 75, 3.
- insomnia anxia, (*Op.* 209, 9.)
- insomnia hilaria, (*Op.* 209, 10.)
- insomnia historica, *Stram.* 241, 9. (*Cham.* 83, 1.)
- insomnia impedimentis plena, *Caps.* 70, 16.
- insomnia de laboribus diurnis sedulo perficiendis, *Nux v.* 187, 22.
- insomnia luculenta, *Cham.* 83, 1.
- insomnia luculenta quasi historia vigilando ageretur, *Cham.* 83, 1.
- insomnia luculenta taediosa de frustrationibus et offenditionibus variis, *Op.* 202, 15.
- quasi per insomnia rationis status, *Verat.* 255, 3.
- insomnia terribilia, *Nux v.* 187, 20. *Mez.* 181, 17.
- insomnia terrifica, (*Hyos.* 140, 9.)
- insomniis instar angor terribilis, somni principium impediens, *Cocc.* 108, 20.
- insomniis gravibus (vel evigilantem angentibus) de impedimentis vix removendis, molestus somnus, *Cinch.* 97, 5.
- insomniis plenus somnus, *Cinch.* 97, 5. 7. *Op.* 202, 13. *Caps.* 65, 17.
- insomniis tristissimis vexatus somnus, ita ut somnolentus in perpetuo delirio versari videatur, (*Op.* 212, 14.)
- insomniis obrutus, anxius somnus, (*Op.* 213, 24.)
- insomniis gravis somnus et turbulentus, (*Op.* 214, 4.)
- insomniis vigilibus praepedita intelligentia, *Cham.* 75, 4.
- insomniosa continua dormituritio, *Puls.* 131, 17. *Verat.* 255, 3.
- insomniiosus somnus, *Caps.* 65, 17. *Puls.* 232, 1.
- insomniiosus somnus et phantasticus, *Cham.* 82, 17.
- inspiratio cito gravis, exspiratio lenta, (*Arn.* 17, 10.)

- inspiratio convulsiva, dicrota, *Led.* 169, 14.
 inspiratio dolorosa, *Cinch.* 97, 3.
 inspiratio gravis, difficilis, dolorosa, exspiratio cito,
 Cinch. 97, 3.
 inspiratio intercepta, (*Cinch.* 105, 2.)
 inspiratio lenta, exspiratio celerrima, (*Stram.* 246, 5.)
 inspiratio longissima cum brevissima (interdum ces-
 sante) alternans, sibilans, stertorosa, ad suffoca-
 tionem usque impedita, cum faciei tumore apo-
 plectico, *Cocc.* 109, 3.
 inspiratio per nares intercepta, maxime inter somnum,
 Acon. 6, 4.
 inspiratio per nares sibilo stertoroso, inter somnum,
 Caps. 65, 19.
 inspiratio suffocationis nasalis insultibus stipata, *Caps.*
 65, 19.
 inspiratio sibilans stertorosa ad suffocationem usque
 impedita, longissima cum brevissima (interdum
 cessante) alternans, cum faciei tumore apoplectico,
 Cocc. 109, 3.
 inspiratio stertorosa in somno, *Ign.* 157, 3. *Op.* 202, 6.
 Rh. 236, 8. (*Cinch.* 97, 2. 3.) *Cham.* 83, 7.
 inspiratio stertorosa, ore aperto, *Op.* 202, 6.
 inspiratio stertorosa inter somnum, citior quam exspira-
 tio, ore aliquantum aperto et sudore frontis ca-
 lido, viscido, *Cham.* 83, 8.
 inspiratio pondere quasi oppressa, expiratione levi,
 Ign. 158, 1.
 inspiratio summe gravis ac difficilis, (*Verat.* 263, 2.)
 in inspiratione dolor lancinans in pectoris latere dextro,
 extra respirationem pressorius, *Op.* 203, 9.
 inspiratione aucta pressio in scrobiculo, cito in lanci-
 nationem scrobiculi transiens, cum angustia pecto-
 ris, *Ign.* 152, 19.
 in inspiratione pressio e scrobiculo per sternum propa-
 gata, post somnum, inque dolorem quasi a verbe-
 ratione transiens, *Rh.* 236, 17.
 in inspiratione osteocopus costarum dolor, *Cinch.* 98, 3.
 inter inspirationem altam dolor in pectoris latere, quasi
 pulmo ad costas adhaeret, *Mez.* 179, 12.
 instabiles, sed per multae ideae, *Puls.* 219, 19.
 instabilitas, vide et infirmitas, *titubatio, vacillatio.*
 instabilitas crurum tremula, *Bell.* 26, 11. *Camph.*
 48, 7.

- instabilitas genuum; status, gressus vacillans, *Acon.*
2, 13.
 instabilitas genuum, *Nux v.* 287, 13. *Bell.* 26, 11.
 instabilitas articulationum omnium seu ligamentorum
eorum, *Acon.* 2, 11.
 instabilitas pedum, *Nux v.* 137, 10.
 instabilitas, infirmitas pedum, (*Nux v.* 200, 13.)
 instabilitas pedum tremula, *Canph.* 46, 7.
 ab instantे quasi epistaxi irritatio et hyperesthesia narium
internarum, *Ign.* 151, 10.
 de instantе morte timor et querelae, *Acon.* 3, 7. (*Acon.* 10,
4.) *Dig.* 123, 6. (*Hyos.* 146, 10.) (*Bell.* 46, 13.)
Melamp. 175, 8. *Nux v.* 190, 6. 7.
 instare mortem putat, *Nux v.* 190, 7.
 insudatio, (*Verat.* 267, 18.)
 insulsus sapor et fere delectus, *Op.* 204, 14.
 insulsus sapor, postea soda, *Caps.* 65, 4.
 insultus, vide et *accessus*.
 insultus caloris per totum corpus subitanei, *Ign.* 157, 8.
 insultus epileptici, (*Verat.* 264, 14)
 insultus epileptici cum deliriis vehementibus, (*Op.*
212, 15.)
 insultus parvi epileptici, apoplexiae accessibus inter-
misti, (*Hyos.* 140, 16.)
 integumentorum capitris dolor tactu exasperandus, *Nux*
v. 188, 6. *Ip.* 164, 3. 11. *Caps.* 63, 1.
 intelligentia hebetata quasi surditate quadam aut insom-
niis, *Cham.* 75, 4.
 intelligentiae hebetudo, vis perceptionis imminuta;
Cham. 74, 18.
 intelligentiae et perceptionis vi redeunte et sopore
evanido, pupillæ dilatabiliores, *Cham.* 90, 1.
 intercepta per constrictionis pectoris sensum respiratio,
Cocc. 109, 6. 7.
 intercepta respiratio, *Verat.* 255, 13. 14. 15. 16. 18.
 intercepta inspiratio per nares, maxime inter somnum,
Acon. 6, 4.
 interceptus quasi esset sanguinis cursus in extremitati-
bus sensatio, (*Acon.* 12, 17.)
 intercostalium musculorum contractio spasmodica in la-
tus, respiratione intercepta, *Verat.* 255, 18.
 interna obturatio auris, *Cinch.* 92, 8. *Cham.* 79, 2.
Verat. 256, 12,

- interna taciturnitas, idearum progressio tarda, *Nux v.*
 186, 10.
 interna ulcera, (*Bell.* 45, 18.)
 per internum corpus totum ardor, (*Hyos.* 140, 18.)
 interpellationum et strepitus intolerantia, *Cocc.* 107, 1.
 interpellationum, oblocutionum intolerantia, *Cham.*
 76, 16.
 interrupta, crebra oscitatio, rigiditate pectoris quadam
 impedita, *Ign.* 153, 8.
 interrupe pulsatorius capitisi dolor, *Verat.* 257, 15.
 (*Cham.* 30, 18.)
 intertrigo in inguine, *Nux v.* 197, 9. (*Bell.* 28, 12.)
 intertrigo praeputii, *Verat.* 259, 15.
 intertrigo, vide et *erosio*, *excoriatio*, *decoratio*, *deglobi-*
tio.
 intervalla, vide et *accessus*, *paroxysmi*, *vices*, *reiterans*,
repetens, *rediens*.
 per intervalla rediens colica, hypochondrio flatibus obsesso,
 lacinatibus pectus pervadentibus, *Cham.* 85, 5.
 intestina inflammata, (*Mer.* 184, 6.)
 intestina labefactata quasi et contrita, flatibus abire
 recusantibus, *Verat.* 261, 34.
 intestinalis canalis excoriatio ab ore ad anum usque,
 (*Canth.* 59, 1.)
 ab intestini recti inertia quae proficiscitur constipatio, ita
 ut alvis non nisi muscularium abdominalium nisu
 extorqueri queat, *Cham.* 85, 13.
 in intestinis et stomacho cruciatus, (*Verat.* 267, 3.)
 in intestinis strictorius dolor, *Cocc.* 114, 1.
 quasi ab intestinorum contritione tormina, *Led.* 171, 3.
 cum intestinorum dolore quasi a contritione, contusione et
 cephalgia conspirans vomituritio, *Cocc.* 110, 20.
 ab intestinorum quasi debilitate quae post purgantia remia-
 nent tormina, *Led.* 171, 4.
 intestinorum dolor dilacerans ita ut pessum dari sibi
 videretur, (*Op.* 211, 17.)
 intestinorum inflammatio, (*Mer.* 184, 6.)
 intestinorum (ani) paralysis, (*Bell.* 39, 8.)
 intestinorum debilitas, quasi a laxantium abusu, *Acon.*
 9, 4.
 cum intestinorum dolore contusivo et cephalgia vomituri-
 tio, *Cocc.* 110, 20.
 intolerabiles, atrocissimi dolores colici, (*Cinch.* 101, 15.)
 intolerabilis narium pruritus, (*Nux v.* 200, 16.)

- intolerabilis dolor ossis sacri, quasi a crampo, vel contritione, aut verberatione, inter motum levissimum clamores subitaneos extorquens, *Cinch.* 93, 5.
- intolerabilitas lucis, *Ign.* 158, 9.
- intolerabilitas strepitus cum pusillanimitate, *Cinch.* 93, 17.
- intolerantia, vide et *intolerabilitas*, *impatientia*, *fuga*, *aborrescentia*, *fastidium*, *taedium*, *hyperesthesia*.
- intolerantia aëris liberis et sensus inde quasi a refrigerio, *Op.* 205, 14.
- intolerantia calotis externi, venae tumidae, *Puls.* 219, 2.
- intolerantia caloris externi, *Puls.* 219, 2. *Cocc.* 108, 9.
- intolerantia calidi et frigidi aëris, *Cocc.* 108, 9.
- intolerantia frigoris externi, *Cocc.* 108, 9. (*Camph.* 47, 4.)
- intolerantia interpellationum, strepitus, *Cocc.* 107, 1.
- intolerantia interpellationum, oblocutionum, *Cham.* 76, 16. *Nux v.* 186, 15.
- intolerantia interpellationum, oblocutionum maxime post somnum pupillis aegre dilatabilibus et contractilibus, *Cham.* 76, 16.
- intolerantia lecti caloris, *Led.* 172, 8.
- intolerantia lucis matutina scotomica cum dormitacione, *Nux v.* 187, 3. 6.
- intolerantia stragulorum ob calorem et ob sudorem inde enatum, *Led.* 172, 9. 10.
- intolerantia stragulorum ob caloris externi sensum, *Cham.* 82, 16.
- intolerantia strepitus, *Cocc.* 107, 1. *Nux v.* 186, 15. *Ign.* 156, 2. *Ip.* 163, 18.
- intolerantia strepitus cum hypererethismo et pusillanimitate, *Cinch.* 93, 17.
- intolerantia strepitus cum pupillis facile dilatabilibus, *Ign.* 156, 3.
- intolerantia strepitus maxima, *Acon.* 2, 8.
- intorsio continua manuum et brachiorum, (*Bell.* 35, 19.) cum intorsione pollicis in manum, brachiorum convulsiones, *Cocc.* 108, 17.
- intorsiones oculorum, (*Verat.* 266, 2)
- intropressio umbilici, (*Arn.* 23, 19.)
- intuetur obvios torvo vultu, (*Ilyos.* 135, 12.)
- intumescentia, vide et *tumor*, *expansio*, *inflatio*, *distentio*, *meteorismus*, *tensio*.
- intupescientia abdominis a pastu, *Cham.* 84, 15.

- intumescentia abdominis non dura, *Stram.* 239, 16.
 intumescentia abdominis flatuosa, (*Cinch.* 102, 20.)
 cum intumescentiae abdominis sensu termina constrictoria,
Bell. 27, 13.
 quasi ab intumescentia abdominis sensus, dolor tensivus ex
 abdomen in pectus tendens, *Caps.* 66, 6.
 intus tractiones iteratae, strictoriae in pectore, *Cham.*
 87, 15.
 invalescens deglutitione dolor pharyngis, *Caps.* 68, 4. 5.
 vide et *angina*.
 inversio circa ventriculum, *Nux v.* 191, 13.
 invincibile sere coma vigilans, *Cocc.* 108, 19.
 involuntaria alvi exoneratio inter somnum, *Arn.* 2, 16.
 involuntaria diarrhoea, *Cop.* 116, 9.
 involuntaria mictio, *Cham.* 86, 17.
 involuntarii genitus inter faciei calorem, *Cham.* 82, 4.
 involuntaria mictio post urgentem nisum ad miugendum,
Camph. 50, 18.
 involuntarius mictus, *Acon.* 2, 16. *Bell.* 28, 4. *Cham.*
 86, 17.
 involuntarius risus, (*Ign.* 160, 9.)
 involuntariae, celeres parvae sedes, *Bell.* 28, 3.
 involuntariae sedes, (*Bell.* 59, 7.) *Bell.* 28, 3. *Acon.*
 2, 15. *Arn.* 22, 19. *Dig.* 124, 12.
 involuntarius excrementorum secessus inter somnum,
Arn. 22, 19.
 involuntarius urinae fluxus, *Dig.* 124, 12. *Cham.* 86,
 17. *Acon.* 2, 16. *Bell.* 28, 4. (*Bell.* 35, 16. 36, 2. 4.)
 joci futilis, *Bell.* 29, 2.
 ex joco offendio lacrymabunda, *Op.* 202, 1.
 inter jocos ipsos minima aegerrime ferens animus, *Caps.*
 65, 15.
 jocosus animus in stomachationem levi de causa pronus,
Caps. 71, 6.
 in jocum jam, jam in fletum mutabilitas mira animi, *Ign.*
 156, 8.
 jocus, *Caps.* 71, 5.
 ira, vide et *stomachus*, *stomachatio*, *jurgia*, *convicia*, *con-*
tentio.
 irae capax animus, *Acon.* 8, 13.
 iracundia, *Nux v.* 186, 17. *Cinch.* 94, 8.
 iram pronus animus, *Cham.* 76, 12.
 irascientia, *Nux v.* 186, 17. *Cinch.* 94, 8.
 iris, vide et *pupilla*, (*bulbus oculorum*, *oculus*.)

- iris retorta morientium instar, *Cinch.* 93, 11.
 irrita micturitio, tenesmus vesicae urinariae, *Arn.* 19, 9.
 irritabilitas stomachi, haec illa facile in malam partem
 verit, *Cocc.* 114, 7.
 irritabilitas ventriculi deleta, (*Bell.* 33, 10.)
 irritabilitatis diminutio, *Op.* 202, 17.
 irritati convicia, alias taciturnitas, *Verat.* 258, 5.
 irritatio continua ad tussim siccum cum asthmate stran-
 gulatorio circa colli scrobiculum, *Cham.* 87, 11.
 irritatio narium internarum quasi a pulvere viarum ari-
 darum, *Verat.* 257, 12.
 irritatio narium quasi ab instante epistaxi, *Ign.* 154, 10.
 irritatio tracheae, titillatio, pruritus, *Verat.* 254, 1.
 259, 17. 262, 2. *Ip.* 165, 5. *Cocc.* 111, 16. *Nux v.*
 196, 8.
 irritatio ad tussim in ima pectoris parte, *Mez.* 180, 25.
 irritatio ad tussim in supraea laryngis parte, *Cocc.*
 111, 16.
 nisi irritatur, taciturnitas, *Verat.* 258, 5.
 irritus in diarrhoeam nisus, *Arn.* 19, 2.
 irritus vomendi nisus, (*Bell.* 33, 4.) *Bell.* 27, 7. *Arn.*
 13, 3. *Ign.* 154, 7.
 ischuria, vide et *urinae retentio, suppressio, epischesis.*
 ischuria, *Camph.* 50, 16. (*Hyos.* 141, 12.) (*Canth.*
 62, 9.) (*Bell.* 58, 6. 40, 7.) *Bell.* 26, 14.
 ischuria gravis, (*Canth.* 61, 1.)
 iterata vomitritio, *Cocc.* 110, 14.
 ab itione et motu capitidis cephalalgia quasi cranium disrum-
 peretur, *Caps.* 67, 17.
 post itum dolor pressorius in lumborum vertebra quarta,
 Puls. 227, 13.
 jugulatura quasi essent potulenta, sensus in sorbitione,
 (*Hyos.* 138, 10.)
 juncturae modo unius modo alterius dolor, delirio eva-
 nido, (*Acon.* 10, 9.)
 in junctura humeri dolor lancinans inter brachii motum
 citum, *Puls.* 229, 6.
 a junctura humeri quasi contorta luxata dolor, *Ign.* 158, 18.
 159, 1.
 in junctura pedis acutus dolor, quasi a contorsione mota
 excitandus, *Cocc.* 115, 7.
 juncturae, vide et *articulationes.*
 juncturae pedum pruritus, *Cocc.* 113, 8.
 juncturae omnes dolent, (*Acon.* 10, 10.)

- juncturorum Acutus dolor, *Dig.* 123, 9.
 juncturorum Colli vertebrarum dolor, *Nux v.* 196, 21.
 juncturorum osteocopus et quasi a contritione dolor,
 motu maxime percipiendus, *Cinch.* 98, 3.
 juncturorum artuum inferiorum quasi a Contritione do-
 lor, *Cham.* 88, 14.
 juncturorum quasi a Contusione dolor, seu qui in nar-
 cosi artuum usu venit, *Ip.* 164, 5.
 juncturorum Crepitus et fragor, *Cocc.* 108, 1.
 juncturorum (artuum maxime inferiorum) Crepitus et
 dolor ut a Contritione, *Cham.* 88, 14.
 juncturorum omnium Debilitas, maxime genu et malleo-
 lorum, cum vulsione in tendinibus, ita ut vix ince-
 dere posset, (*Acon.* 12, 16.)
 juncturorum dolor simplex in Decumbendo et Sedendo,
 Cinch. 98, 6.
 juncturorum pedis, genuum et femoris ossis capitis do-
 lor quasi Dissecarentur, seu quasi a Distortione, per
 vices invalescens, (*Cinch.* 104, 14.)
 cum juncturorum omnium Dolore, praecordia tensa tumore
 duro et dolorifico, (*Acon.* 10, 10, 11.)
 juncturorum Fragor et crepitus, *Cocc.* 108, 1.
 juncturatum Fragor omnium, *Ip.* 165, 8. *Cham.* 88,
 14. *Cocc.* 108, 1. *Camph.* 48, 2. *Cinch.* 98, 7.
 juncturorum Fragor digitorum, *Caps.* 70, 3.
 juncturorum Fragor Genuum, *Caps.* 70, 3. *Led.* 170, 9.
 Puls. 230, 1. *Verat.* 260, 16.
 juncturorum Genuum, Manuum et femoris capitis quasi
 distortae essent, aut dissecarentur, per vices inva-
 lescens, (*Cinch.* 104, 14.)
 in junctura Humeri dolor quasi a contortione seu luxatione,
 Ign. 158, 18. 159, 1.
 in junctura Humeri dolor lancinans inter brachii motum
 citum, *Puls.* 229, 6.
 juncturorum Mobilitas imminuta, *Nux v.* 193, 19.
 juncturorum omnium inter Movendum dolor simplex,
 Rh. 237, 3.
 juncturorum Osteocopus et quasi a contritione dolor,
 motu maxime percipiendus, *Cinch.* 98, 3.
 juncturorum Osteocopus dolor, *Ip.* 164, 4.
 juncturorum (Simplex?) dolor, inter quietem intolerabili-
 lis, motitare artus cogens, *Cinch.* 98, 6.
 jurgia, (*Hyos.* 138, 1.)

- jurgia in castigationes invalescentia, *Nux v.* 187, 1.
 (Hyos. 133, 3.)
 modo juste respondet et queritur, modo delirat, (*Bell.* 53, 4.)
 juste calido corpore, sudor frigidus volarum, *Cham.*
 73, 5.
 inter justam corporis temperaturam sitis et tamen potulenta
 ventriculum aggravant, *Nux v.* 191, 23.

- Labefactata** quasi et contrita intestina, flatibus abire
 recusantibus, *Verat.* 261, 14.
labefactatio ventriculi, (*Fal.* 253, 5.)
 cum labendi metu, gressus vacillans, (*Nux v.* 198, 3.)
labi continuo visus, vertigo, (Hyos. 149, 15)
 circa labia eruptiones miliares, pus includentes, *Nux v.*
 195, 17.
labia excoriata, cum dolore in canthis oculorum externis
 quasi ab excoriatione, *Cham.* 90, 3.
labia fissa et sanguinlua, *Ign.* 152, 15. (*Cham.* 83, 10.)
 (*Caps.* 67, 11.)
labia fissilia, (*Cinch.* 96, 15) *Verat.* 257, 10.
labia nigra, facies livida, (*Acon.* 12, 4.)
labia nigra, (*Cinch.* 102, 2.)
labia siccata, siti torrida, *Arn.* 19, 14.
labia praerubra et genae, (*Stram.* 247, 4.)
labii inferioris medium rhagade fissum, sanguinulum,
Cham. 83, 10.
labii tumor, *Caps.* 67, 10.
labii ulcus, ruptum, (*Bell.* 42, 3.)
 in **labiis** et lingua ardor et siccitas corii adusti instar,
 (Hyos. 147, 2.)
 in **labiis** lancinatio, maxime dum moventur, *Ign.* 152, 14.
labiis genisque praerubris, faciei tumor, (*Stram.* 247, 4.)
 in **labiis** sensus mordax, *Ip.* 162, 14.
labilis memoria, *Ign.* 158, 10. *Stram.* 241, 17. *Acon.*
 3, 2. *Hyos.* 131, 14. (Hyos. 148, 5.) (*Camph.* 53,
 16.) *Verat.* 255, 6. (*Op.* 210, 3.)
labiorum anguli ulcerati, non prurientes, non dolentes,
Bell. 29, 15.
labiorum fissurae, *Caps.* 67, 11. *Ign.* 152, 15. *Arn.* 19,
 13. *Verat.* 257, 10. *Cinch.* 96, 15. *Cham.* 83, 10.
 (*Bell.* 42, 3.)
labiorum marginis exulcerationes crustosae, *Cham.*
 83, 11.

- labii occlusis, trismus, (*Stram.* 246, 2.)
 labiorum tremor, (*Stram.* 245, 21.)
 labiorum tumor sine calore, (*Bell.* 42, 2.) (*Caps.* 67, 10.)
 labiorum tumor et gingivaram, (*Cinch.* 103, 20.)
 labitur facile, ad minimum offendiculum pede offendit,
 Ign. 151, 2.
 labore exacerbati dolores lancinanti fodientes, *Melamp.*
 176, 20.
 a labore quasi nimio dolor in humeri articulatione inter
 brachii retroversionem, *Ign.* 158, 16.
 labore maxime literarum impedit nescio quid, *Nux v.*
 186, 9.
 in labore nitis, *Dig.* 123, 4.
 qui post labore nimium seu distortionem remanet quasi a
 contractione dolor in pollice et digito indice, motu
 percipiendus, cum asthenia paralytica, *Cham.* 73, 2.
 ab labore et negotiis nimis lente procedentia, aegritudo,
 Ip. 165, 17.
 ac laboribus diurnis sedulo perficiendis insomnia, *Nux v.*
 187, 22.
 laboris abhorrescentia, *Eell.* 26, 3.
 laboris amor, *Verat.* 262, 5. *Cinch.* 99, 1.
 laboris nullius amor, *Cocc.* 106, 14.
 laboris fuga, *Bell.* 26, 2. *Ign.* 150, 9. *Cham.* 74, 8.
 laboris fuga, cum nausea vel minus ingratorum, etiam
 absentium, somnolentia diurna, et albuginea icti-
 rode, *Cinch.* 95, 4.
 laboris fuga, nec tamen fuga motus, *Nux v.* 186, 8.
 laborum omnium impos, (*Op.* 211, 11.)
 lac auctum in nutricibus, *Acon.* 8, 11.
 lacerans, vide et rheumaticus, arthriticus, strictorius,
 tractorius, dilacerans, valvularius.
 lacerans in Abdomine dolor, *Cham.* 76, 1. (*Ign.* 155, 8.)
 Stram. 240, 8. *Ign.* 155, 8. *Mez.* 181, 4. (*Cocc.* 111,
 1.) *Arn.* 18, 23. *Ip.* 164, 10. (*Led.* 171, 2.) *Nux v.*
 192, 10. *Verat.* 259, 1.
 lacerans in Abdomen tendens dolor dorsi post pastum,
 cum plenitudine et angore, *Cham.* 84, 20.
 lacerantes in Abdomine dolores cum dysphoria immanni,
 quasi moribundi, *Cham.* 76, 1.
 lacerans in Abdomine dolor supra umbilicum, *Ip.* 164, 10.
 lacerans in Abdomine dolor, quasi umbilicum evulsurus
 sit, dein in pectus tendens, *Stram.* 240, 8

- lacerans in Abdominis latere dolor, in globum quasi
 concentratus, dein in pectus tendens, *Cham.* 85, 9.
 lacerans et strictorius in (Abdomine) hypogastrio supra
 os pubis, *Verat.* 259, 1.
 lacerans et forficans in Abdomine dolor in pectus ten-
 dens, *Nux v.* 192, 5.
 lacerans in oculi Albugineae inflammatione dolor, *Ve-
 rat.* 261, 5.
 lacerans, Ardens, constringens et fodiens dolor capi-
 tis, *Cocc.* 109, 15.
 lacerans et Ardens dolor in dorso, *Nux v.* 197, 5.
 lacerans et Ardens dolor in vesicae collo intermictum,
 Nux v. 193, 11.
 lacerans et lancinans in Articulationibus dolor, *Led.*
 172, 2.
 lacerans in Artibus dolor, (*Arn.* 24, 1.)
 lacerans in Artibus inferioribus dolor, *Arn.* 22, 5.
 lacerans Artuum dolor cum contractionibus digitorum
 spasmodicis, *Cham.* 78, 10.
 lacerans et strictorius in ossium Artuum tubis vel ten-
 dinibus uno ictu et rarus dolor, *Cham.* 78, 13.
 lacerans et strictorius in Artu modo uno, modo altero
 dolor cum frigore et frigiditate, *Puls.* 230, 14.
 lacerans in Aure dolor, versus inferiora, *Bell.* 28, 16.
 lacerationes vulsoriae singulae per Aures, *Puls.* 226, 5.
 lacerans in Auricula dolor, *Cham.* 78, 16. (*Verat.*
 261; 3.)
 lacerantes in Auricula dolores, (*Cinch.* 96, 7.)
 lacerans in Auricula dextra dolor, (*Cham.* 78, 16.)
 lacerans et lancinans in Aure dolor cum susurro quasi
 a vento procelloso, *Acris* 15, 9.
 lacerans in maxilla ad Aurem pertinens dolor cum ge-
 nae tumore, *Cham.* 79, 6.
 lacerans in Auris concha dolor, *Caps.* 67, 6.
 lacerans in Auribus dolor, *Cham.* 78, 15.
 lacerans hinc inde modo in Brachio, modo in dorso,
 inter menstrua, *Bell.* 29, 6.
 lacerans et formicans dolor in Brachii ossium tubis ad
 digitos usque et sensu stuporis quasi brachium sen-
 su tactus careret, *Cham.* 78, 1.
 lacerans et formicans in Brachio dolor cum narcoseos
 sensu quasi tactus sensu careret, *Cham.* 78, 1.
 lacerans in Brachiis dolor, (*Arn.* 22, 1.) *Led.* 172, 1.
 lacerans Capitis dolor, (*Caps.* 67, 28.)

- lacerans Capitis dolor ex nucha in frontem tendens,
Mer. 180, 13.
 lacerans Capitis dolor in fronte per vices repetens,
Cham. 80, 14.
 lacerans et pressorius Capitis dolor, *Camph. 49, 1.*
 lacerans et vomituiens Capitis (frontis) dolor, cum
 sopore somni experie et exspiratione cito, *Cham.*
 74, 17.
 lacerans Capitis dolor in occipite, *Arn. 22, 1.*
 lacerans Capitis dolor in occipite qui mitior fit inter
 decubitum in dorso, exasperatus erectione truncii,
 maxime vero pacatus alta pronatione capitis inter
 sessum, *Ign. 151, 8.*
 lacerans Capitis dolor in fronte tactu exasperandus,
Ip. 164, 11.
 lacerans Capitis dolor post pressorium, *Rh. 235, 8.*
 lacerans in Capite et oculis inflammatis dolor, *Led.*
 172, 17.
 lacerans Capitis dolor et simul constringens, ardens,
 fodiens, *Cocc. 109, 15.*
 lacerans Capitis dolor (hemicrania), *Cham. 80, 9. 10.*
 lacerans Capitis dolor in occipite, dolor in dorso et
 gingivis maxime ab aere frigido, *Hyos. 151, 5.*
 lacerans Capitis dolor in temporibus alterutribus (he-
 micrania), *Cham. 80, 10.*
 lacerans et strictrorius Capitis dolor (hemicrania),
Cham. 80, 9.
 lacerans et strictrorius Capitis dolor, *Nux v. 188, 10.*
 lacerans Capitis (in fronte) dolor per vices, *Cham. 80, 8.*
 lacerans et lancinans Capitis dolor per tempora pene-
 trans, *Cham. 80, 12.*
 lacerans et lancinans Capitis dolor in fronte in pectus
 tendens, *Cham. 80, 11.*
 lacerans et vulsorius Capitis dolor pronatione et tussi
 auctus, *Arn. 20, 9.*
 lacerans Cardialgia, *Nux v. 191, 9.*
 lacerans in Carpi malleolo dolor, mane post exper-
 ctionem e somno, *Ign. 155, 11.*
 lacerans in Carpi malleolo et in digitis dolor, *Ign.*
 155, 1c.
 lacerans in Claviculae confiniis et Collo dolor, *Cham.*
 78, 11.
 lacerans quando Collum movetur ut a distortione in
 nucha dolor, *Ign. 159, 2.*

- lacerans, Constringens, ardens et fodiens dolor capititis,
Cocc. 109, 15.
 lacerans in Cruribus et femoribus dolor, *Cham.* 78, 9.
 ex lacerante, lancinante, diffringente compositus dolor in
 humeri articulatione et Cubito et tubo ossis inter-
 medio, inter quietem intolerabilis cum gravitatis
 sensu et metu brachium movendi, motu tamen mi-
 tigatus, *Cocc.* 113, 4.
 lacerans (Dentium) in maxilla inferiori dolor, *Puls.*
 225, 13.
 lacerans et diruens (Dentium) in maxilla inferiori do-
 lor, *Cocc.* 110, 2.
 lacerans (Dentium) in maxilla dolor ad aurem perti-
 nens cum genae tumore, *Cham.* 79, 5.
 lacerans (Dentium) in gingivis, maxime ab aere fri-
 gido, *Hyos.* 132, 9.
 lacerans Dentium dolor, *Puls.* 225, 12.
 lacerans et strictorius dolor (Dentium) in maxillis,
 Nux v. 195, 21.
 lacerans et lancinans Dentium dolor, per digitum aquae
 frigidae intinctum paulisper sedandus, vespertinus,
 Cham. 79, 9.
 ex lacerante, Diffringente, et lancinante compositus do-
 lor in humeri articulatione et cubito, inter quietem
 intolerabilis, *Cocc.* 113, 4.
 lacerans et lancinans dolor in (Digito) pollice, *Rh.*
 236, 18.
 lacerans in Digitis dolor, *Ign.* 155, 10.
 lacerans et Diruens dolor in maxilla inferiori, *Cocc.*
 110, 2.
 lacerans quasi a Distortione dolor in nucha quando
 collum movetur, *Ign.* 159, 2.
 lacerans in Dorso dolor, *Avn.* 22, 2. *Canth.* 57, 8.
 lacerans dolor Dorsi in abdomen tendens, angor et
 plenitudo post pastum, *Cham.* 84, 20.
 lacerans et ardens in Dorso dolor, *Nux v.* 197, 5.
 lacerans in Dorso dolor, maxime ab aere frigido,
 Hyos. 132, 22.
 lacerans in Dorso, in plantis et supra genu dolor, *Puls.*
 230, 10.
 lacerans et tensivus dolor in Dorso, *Cham.* 78, 7.
 lacerans dolor hinc inde, modo in Dorso, modo in
 brachio, inter menstrua, *Bell.* 29, 6.

- lacerans et strictorius in Dorso dolor, *Op.* 204, 2.
Nux v. 197, 3.
 lacerans et strictorius dolor in Dorso et Epigastrio,
Stram. 240, 9.
 lacerans Extensorum musculorum dolor inter sessum,
Verat. 261, 2.
 lacerans in Exulcerata parte dolor, *Canth.* 57, 7.
 lacerans in Femoribus et cruribus dolor, *Puls.* 230, 14.
Cham. 78, 9.
 lacerans, Fodiens, constringens et ardens dolor capi-
 tis, *Cocc.* 109, 15.
 lacerans et Forficans in abdomen dolor in pectus ten-
 dens, *Nux v.* 192, 5.
 lacerans et Forficans dolor in umbilico et infra ab-
 utroque latere cum dolore ossis sacri quasi a con-
 fracione, *Cham.* 85, 7.
 lacerans et Formicans dolor in brachio, cum narcoseos
 sensu, quasi tactus sensu careret, *Cham.* 78, 1.
 lacerans et lancinans in Fronte per vices dolor, *Cham.*
 80, 11.
 lacerans dolor in Fronte externe, *Bell.* 28, 15.
 lacerans dolor in Fronte tactu exasperandus, *Ip.*
 104, 11.
 lacerans dolor in Fronte, oculis et vertice continuus,
 cum nausea vomitidente in pectore, deliquescentia
 cordis et infirmitate loquacae organi, *Nux v.* 188, 8.
 lacerans et vomituriens Frontis cephalalgia cum sopore
 somni experte et exspiratione cito, *Cham.* 74, 17.
 lacerans in Fronte dolor per vices repetens, *Cham.*
 80, 8.
 lacerans dolor in Frontem ex nucha tendens, *Mez.*
 180, 13.
 lacerans et strictorius in Genu dolor ad malleolos per-
 tingens, *Cham.* 78, 4.
 lacerans dolor supra Genu, in plantis, in dorso, *Puls.*
 230, 10.
 lacerans dolor in Gingivis, maxime ab aere frigido,
Ilyos. 132, 9.
 lacerans dolor in Glandularum tumoribus duris, *Cocc.*
 113, 10.
 lacerans Hemicrania in temporibus alterutribus, *Cham.*
 80, 10.
 lacerans in Hemicranio sinistro dolor, *Led.* 172, 4.
 lacerans et strictoria Hemicrania, *Cham.* 80, 9.

- ex lacerante, lacinante et disfringente compositus dolor
in Humeri articulatione et cubito inter quietem in-
tolerabilis, *Cocc.* 113, 4.
lacerans dolor in Hypochondriis inter respirationem,
Capr. 118, 11.
lacerans et strictrorius dolor in Hypogastrio supra os
pubis, *Verat.* 259, 1.
ex lacerante, Lacinante et disfringente compositus do-
lor in articulatione humeri et cubito, *Cocc.* 113, 4.
lacerans et Lancinans cephalalgia per tempora pene-
trans, *Cham.* 80, 12.
lacerans et Lancinans per vices in fronte dolor, *Cham.*
80, 11.
lacerans et Lancinans dolor in articulationibus, *Led.*
172, 2.
lacerans et Lancinans in pollice dolor, *Rh.* 236, 18.
lacerans et Lancinans dolor in aure cum susurru quasi
a vento procelloso, *Aceris* 15, 9.
lacerans in Larynge dolor deglutitione, respiratione
et tussi auctus, *Ign.* 154, 1.
lacerans in Latere abdominis dolor, in globum con-
centratus, dein in pectus tendens, *Cham.* 85, 9.
lacerans et strictrorius in Latere pectoris dolor, *Op.*
204, 2.
lacerans in Lumbis dolor, *Nux v.* 197, 8.
lacerans et strictrorius ad Malleolos pertingens in genu
dolor, *Cham.* 78, 4.
lacerans dolor in Manibus, *Arn.* 22, 1.)
lacerans et strictrorius dolor in Maxillis, *Nux v.*
195, 21.
lacerans et diruens in Maxilla inferiori dolor, *Cocc.*
110, 2.
lacerans in Maxilla sinistra dolor, vesperi cum genis
tumidis ardentibus et oculis inflammatis, *Led.*
172, 4.
lacerans in Maxilla dolor ad aurem pertinens cum genae
tumore, *Cham.* 79, 6.
lacerans dolor in Maxilla inferiori, *Puls.* 225, 13.
lacerans inter Motum maxime dolor volaticus, *Led.*
171, 9.
lacerans Musculorum extensorum dolor inter sessum,
Verat. 260, 2.
lacerans ex Nucha in frontem tendens dolor, *Mez.*
180, 13.

- laceranti punctorius in Nucha dolor, *Ign.* 153, 15.
 lacerans in Nucha dolor ut a distortione, quando col-
 lum moveretur, *Ign.* 159, 2.
 lacerans in Occipite dolor, *Arn.* 22, 1. *Led.* 172, 4.
 lacerans in Occipite dolor maxime ab aëre frigido,
 (*Hyos.* 151, 5.)
 lacerans in Oculi albugineae inflammatione dolor, *Ve-
 rat.* 261, 5.
 lacerans in Oculis inflammati et capite dolor, *Led.*
 172, 17.
 lacerantes, terebrantes, secantes dolores summi in Ocu-
 lo, (*Puls.* 254, 5.)
 lacerans in Oculo inflammato dolor, (*Verat.* 261, 4.)
 lacerans in Oculis, fronte, vertice continuus cum nau-
 sea vomituriente, *Nux v.* 138, 8.
 lacerans et strictorius in Osium artuum tubis dolor,
 Cham. 78, 13.
 lacerans et strictorius supra Os pubis in hypogastrio
 dolor, *Verat.* 269, 1.
 lacerans dolor ab Osse sacro ad occiput, hemicranium
 sinistrum et maxillam sinistram maxime vesperi,
 Led. 172, 4.
 lacerans et strictorius in Palpebris dolor, *Nux v.*
 195, 11.
 lacerans Parte affecta v. c. ulcere, dolor, *Canth.* 57, 7.
 lacerans post Pastum dolor dorsi in abdomen tendens,
 cum plenitudine et angore, *Cham.* 84, 20.
 lacerans et in Pectus tendens, quasi umbilicum evulsu-
 rus sit, dolor, *Stram.* 240, 8.
 lacerans et in Pectus tendens in abdominis latere dolor,
 in globum quasi concentratus, *Cham.* 85, 9.
 lacerans et forficans, in Pectus tendens, in abdomen
 dolor, *Nux v.* 192, 5.
 lacerans et strictorius in Pectoris latere dolor, *Op.*
 204, 2.
 lacerans in Pedibus dolor lectum tolerare recusantibus,
 Cham. 78, 14.
 lacerans in Plantis, supra genu et in dorso dolor, *Puls.*
 250, 8. 10.
 lacerans et lancinans in Pollice dolor, *Rh.* 236, 18.
 lacerans et Pressorius capitis dolor, *Camph.* 49, 1.
 lacerans, post Pressorium, capitis dolor, *Rh.* 225, 8.
 lacerans et vulsorius Pronatione et tussi auctus capitis
 dolor, *Arn.* 20, 9.

- lacerans et Puncotorius in naso dolor, *Arn.* 20, 14.
 laceranti tractorius dolor per minutu in infimo abdomi-
 ne, maxime supra os Pubis, *Verat.* 259, 1.
 lacerans et Puncotorius dolor in nucha, *Ign.* 153, 15.
 lacerans et per vices Repetens in fronte dolor, *Cham.*
 30, 11.
 lacerans et Respiratione, deglutitione, tussi auctus in
 larynge dolor, *Ign.* 153, 1.
 lacerantes Rheumatici dolores maxime inter motum,
Led. 171, 9.
 lacerans dolor a Sacro osse ad occiput, hemicranium
 sinistrum et maxillam sinistram tendens maxime
 vesperi, *Led.* 172, 4.
 lacerans inter sessum dolor extensorum muscularum,
Verat. 261, 2.
 lacerantes et Strictorii dolores in toto corpore hinc in-
 de, repetitis sed parvis accessibus, *Puls.* 229, 3.
 lacerans et Strictorius abdominis dolor, *Nux v.* 192, 10.
 11. *Cocc.* 111, 1. *Verat.* 259, 1.
 lacerans et Strictorius capitis dolor, *Nux v.* 188, 10.
 (*Cham.* 30, 9.)
 lacerans et Strictorius in dorso dolor, *Op.* 204, 3. *Nux*
 v. 197, 3.
 lacerans et Strictorius dolor in genu ad malleolos per-
 tingens, *Cham.* 73, 4.
 lacerans et Strictorius in maxillis dolor, *Nux v.* 195, 21.
 lacerans et Strictorius in palpebris dolor, *Nux v.* 195, 11.
 lacerans et Strictorius dolor in pectoris latere, *Op.*
 204, 2.
 lacerans et Strictorius uno ictu et rarus dolor in ossium
 artuum tubis vel tendinibus, *Cham.* 73, 13.
 lacerans et Strictorius dolor nodi duri in mamma, *Cham.*
 89, 8
 lacerans et Strictorius dolor modo in uno, modo in al-
 tero artu cum frigore et frigiditate, *Puls.* 230, 14.
 lacerans et Tactu exasperandus dolor in fronte, *Ip.*
 164, 11.
 lacerans et lancinans, per Tempora penetrans cephalal-
 gia, *Cham.* 30, 12.
 lacerans in Temporibus alterutribus hemicrania, *Cham.*
 30, 10.
 lacerans in Tendinibus dolor, *Cham.* 73, 13.
 lacerans dolor in Tibiae corpore, *Bell.* 23, 9.

- lacerantia Tormina, (*Ign.* 155, 8.) *Ip.* 164, 10. (*Puls.*
 254, 1.)
 laceranti forficantia Tormina in umbilico et infra ad
 utrumque latus cum dolore ossis sacri quasi a con-
 fractione, *Cham.* 85, 8.
 lacerans et strictiorius in Tubis ossium artuum uno ictu
 et rarus dolor, *Cham.* 78, 13.
 lacerans in Tumoribus glandularum duris dolor, *Cocc.*
 113, 10.
 lacerans et vulsorius, Tussi auctus et pronatione, ca-
 pitis dolor, *Arn.* 20, 9.
 lacerans dolor in affecta parte, v. c. in Ulcere, *Canth.*
 57, 7.
 laceranti forficantia tormina in Umbilico et infra ad
 utrumque latus, cum dolore ossis sacri quasi con-
 fractione, *Cham.* 85, 8.
 lacerans quasi Umbilicum evulsurus sit dolor, dein in
 pectus tendens, *Stram.* 240, 8.
 lacerans supra Umbilicum dolor abdominis, *Arn.* 18, 23.
Ip. 164, 10.
 lacerans dolor Ventriculi, *Nux v.* 191, 9. 10.
 lacerans dolor in Vertice, oculis, et fronte continuus,
 cum nausea vomituriente in pectore, deliquescen-
 tia cordis, et infirmitate loquelae organi, *Nux v.*
 188, 8.
 lacerans et ardens in Vesicae collo inter mictum dolor,
Nux v. 193, 11.
 Jacerans maxime Vesperi dolor ab osse sacro ad occi-
 put, hemicranium et maxillam usque, *Led.* 172, 4.
 lacerans dolor per Vespertinos accessus, *Cham.* 78, 12.
 lacerans et per Vices repetens in fronte dolor, *Cham.*
 80, 8.
 lacerans et Vomituriens cephalalgie frontis cum sopore
 somni experte, et exspiratione cito, *Cham.* 80, 11.
 lacerans Vulsio in aure, *Puls.* 226, 5.
 lacerans et Vulsorius capitis dolor, pronatione et tussi
 auctus, *Arn.* 20, 3.
 (lacerantes et Vulsoriae) dolores volatili in pectore si-
 nistro sub axilla, *Ip.* 164, 14.
 lacerat industria et vestimenta, (*Bell.* 43, 5. 42, 18.)
 lacerationes Vulsoriae singulae in aure, *Puls.* 226, 5.
 lacessiri se conviciis et iuriari putans animus, *Camph.*
 48, 11.

- lacryma abunda inquietudo, varia efflagitans et oblata
 negligens, *Cham.* 76, 11.
 lacryma abunda offensio ex joco, *Op.* 202, 1.
 lacrymae dementes, (*Bell.* 59, 3.)
 lacrymae, (*Bell.* 59, 3.) *Cocc.* 106, 6.
 lacryma suffusis oculis stupet adstantes, nec tamen
 agnoscit, nec scit, quid agatur, (*Op.* 210, 15.)
 lacrymatio, *Arn.* 17, 20. *Cham.* 76, 7. *Cocc.* 106, 6.
 lacrymatio inter cephalalgiam pressoriam, generum ru-
 borem, et horripilationem, *Acon.* 6, 2.
 lacrymatio miserabilis, *Op.* 201, 15.
 lacrymatio involuntaria, *Stram.* 232, 5.
 lacrymatio, ploratus, ejulatus sine causa maximus cum
 meticulositate, *Bell.* 25, 13.
 lacrymatio ob minimas injurias perpessas, *Nux v.*
 136, 14.
 in lacrymationem jam, jam in jocum pronus animus, *Ign.*
 156, 8.
 lacrymatoria ejulatio, *Nux v.* 136, 18.
 lacrymatoria timiditas, *Bell.* 25, 12.
 lacrymatoria ejulatus in loco abdito, *Camph.* 48, 13.
 lacrymatoria moeror de frustrationibus variis, *Dig.*
 123, 5.
 lacrymæ suffusus oculus alter cum cephalalgia strictoria,
Puls. 224, 19.
 lacrymis superfusi et aquei oculi ut in lippitudine vel
 gravedine, *Nux v.* 139, 8.
 laedens furor injuriante, *Hyos.* 133, 3. (*Nux v.* 187, 1.)
 laedit dentes, (*Dros.* 130, 2.)
 in laeso pridem brachio livor, lacinatus et dolor tensivus,
 (*Bell.* 56, 6.)
 lactifiae expers et a somno alienus stupor mentis cum
 sensu mordacitatis in linguae posteriori parte et
 velo palatino, *Cham.* 74, 16.
 lacinantes dolores, (*Arn.* 24, 12.) (*Verat.* 266, 8.)
 lacinantes, vagi dolores, (*Verat.* 266, 8.)
 lacinans in Abdomine et osse sacro dolor, respiratio-
 nem praeccludens, *Puls.* 227, 14. 15.
 lacinans in Abdomine dolor, (*Puls.* 233, 14.)
 lacinans et forficans in Abdomine dolor, *Cinch.* 97, 10.
 lacinans et dissicindens in Abdomen ex osse sacro mi-
 grans dolor, et respirationem praeccludens, *Puls.*
 227, 15.

- lacinans volaticus dolor in Abdomine, ventriculo,
(Cinch. 67, 11.)
 lacinans Angina, *Puls. 225, 7.*
 lacinans in Ano dolor, *Ip. 164, 2.*
 lacinans in Ano dolor post singulam sedem, *Cham.*
 86, 5.
 lacinans et pressorius in Ano dolor, *Acon. 4, 10.*
 lacinans dolor in Apice digitorum et plantis inter quietem,
 Puls. 230, 7.
 lacinantes dolores, motu excitati, et in Ardentes terminati,
 (Ip. 163, 20.)
 lacinans dolor in Articulatione et musculis humeri inter quietem,
 Cocc. 112, 16.
 lacinans in Articulatione humeri dolor a sublatione
 brachii, *Led. 170, 23.*
 lacinans et facerans dolor in Articulationibus, *Led.*
 172, 3.
 lacinans et fodiens dolor, *Aura frigida, labore, pastu*
 et potu exacerbatus, Melamp. 176, 20.
 lacinans ad Aurem usque dolor in velo palatino, *Ign.*
 152, 16.
 lacinans dolor per Aures in occipite, *Puls. 226, 4.*
 lacinans ad Aurem internum usque dolor in maxilla,
 Cham. 79, 5.
 lacinans et preriens in Aure interna dolor, *Puls. 226, 3.*
 lacinans in Aure dolor maxime inter pronationem cum
 animo minima aegre ferente, *Cham. 78, 17.*
 lacinans et lacerans in Aure dolor cum susurro quasi
 a vento procelloso, *Acris 15, 9.*
 lacinatus singuli in Brachiis, *Rh. 237, 2.*
 lacinans inter Brachiis motum citius dolor in humeri
 junctura, *Puls. 229, 6.*
 lacinantes hinc inde dolores in Brachio, *(Puls. 233, 2.)*
 lacinans a Brachii sublatione dolor humeri in articula-
 tione, *Led. 170, 23.*
 lacinans dolor in Cantho narium anteriori ut ab exul-
 ceratione, *Camph. 49, 8.*
 lacinans et pressorius in Capite dolor a respiratione
 oculorum, *Caps. 68, 2.*
 lacinans et pressorius Capitis dolor (hemicrania) in
 fronte et temporibus, *Cinch. 96, 14.*
 lacinans et pressorius Capitis dolor, *Val. 252, 3.*
 lacinans et pressorius Capitis dolor supra orbitas vo-
 mituriens, *Acon. 3, 12.*

- lacinans et pulsatorius Capitis dolor, *Cocc.* 110, 1.
 lacinans dolor Capitis in pressorium transiens, *Ip.*
 165, 14.
 lacinans in Capite (occipite) dolor per aures, *Puls.*
 226, 4.
 lacinans Capitis dolor ex fronte et oculis penetrans,
 Puls. 225, 1.
 lacinatus singuli in Capite in hemicranio dextro, et
 ab alterutra parte cerebri, *Cham.* 80, 13.
 lacinans Capitis dolor in hemicranio dextro, *Camph.*
 49, 6.
 lacinans Capitis dolor (hemicrania) ut a refrigerio,
 Cham. 80, 15.
 lacinans et lacerans Capitis dolor per tempora pene-
 trans, *Cham.* 80, 12.
 lacinans et lacerans Capitis dolor in fronte per vices
 reiterans, *Cham.* 80, 8.
 lacinans et pulsatorius, dein formicans Capitis dolor,
 Cocc. 110, 1.
 lacinans Capitis (in occipite) dolor, decubitu exaspe-
 ratus, erectione trunci evanidus, *Puls.* 227, 3.
 lacinans Capitis dolor, hemicrania, *Puls.* 227, 4.
 lacinans Capitis dolor, (*Puls.* 234, 10.)
 lacinans Capitis dolor in vertice et fronte, *Mer.* 180, 16.
 lacinans Capitis dolor innmanis, lacinatibus obtusis
 seu pressoriis Cerebrum hinc illinc permicans, *Bell.*
 29, 1.
 lacinatus singuli in (Cerebro) Capite, *Cham.* 80, 14.
 laciunans Capitis dolor, lacinatus singuli in alterutra
 parte Cerebri, *Cham.* 80, 13.
 lacinans et osteocopus Claviculae dolor, *Mer.* 180, 18.
 lacinans in Cordis regione inter exspirationem, *Ign.*
 152, 8.
 lacinans et pressorius infra Costas in latere sinistro,
 Bell. 29, 4.
 lacinans et punctorius sub Costis ultimis dolor, *Arn.*
 21, 3.
 lacinans et strictorius in Cubiti osse dolor, motu ex-
 citandus, *Acon.* 6, 8.
 lacinans dolor in Cute hinc inde in latere, externa
 quadantenus, *Bell.* 29, 3.
 lacinatus in Cute, *Cocc.* 111, 19.
 lacinans non nisi inter Decubitum dolor in latere,
 Puls. 228, 8.

- lancinans et lacerans Dentium dolor per digitum aquae
 frigidae intinctum paulisper sedandus, vespertinus,
 Cham. 79, 9.
 ex lancinante, Diffingente, lancinante compositus dolor
 in luneri articulatione et cubito, inter quietem in-
 tolerabilis, *Cocc.* 113, 4.
 lancinans dolor in Digitorum apice et plantis inter qui-
 tem, *Puls.* 230, 7.
 lancinans et Disscindens in abdomen ex osse sacro mi-
 grans dolor et respirationem paecludens, *Puls.*
 227, 15.
 lancinantes, vagi Dolores, (*Verat.* 266, 8.)
 lancinans et pulsatorius Dorsi dolor, (*Cinch.* 97, 21.)
 lancinans in Dorso dolor inter tussiendum, *Puls.* 224, 14.
 lancinans et strictorius Dorsi dolor versus scapulam
 cum vomitu nocturno, *Puls.* 222, 13.
 (lancinans? et) strictorius in Dorso dolor parvi spatii
 vel tactu dolorosi, *Stram.* 241, 11.
 lancinans Erythematis pedum dolor in statu, *Puls.*
 230, 4.
 lancinans et tensivus inter Eundum genuum dolor,
 Led. 171, 11.
 lancinans dolor post singulam Exspirationem e sterno
 ad latus dextrum micans, *Cham.* 88, 6.
 lancinans inter Exspirationem in cordis regione dolor,
 Ign. 152, 8.
 lancinans dolor Externus in latere, *Bell.* 29, 3.
 lancinans ut ab Exulceratione dolor in cantho narium
 anteriori, *Cimph.* 49, 3.
 lancinans in Femoris ossis capite dolor quasi a luxatio-
 ne, *Nux v.* 197, 11.
 lancinans et Fodiens dolor, aura frigida, labore, pastu
 et potu exacerbatus, *Melamp.* 176, 20.
 lancinantes et Fodientes dolores in integumentis ossium,
 Melamp. 176, 4.
 lancinans et Forficans in glande penis dolor, *Aeon.* 6, 10.
 lancinans et Forficans abdominis dolor, *Cinch.* 97, 10.
 lancinans et pulsatorius, dein Formicans dolor capititis,
 Cocc. 110, 1.
 lancinans et lacerans in Fronte dolor per vices reiterans,
 Cham. 80, 11.
 lancinans in Fronte et vertice capititis dolor, *Mez.* 180, 16.
 lancinans dolor ex Fronte et oculis penetrans, *Puls.*
 225, 1.

- lancinans et pressoria in Fronte et temporibus hemicra-
 nia, *Cinch.* 96, 4.
 lancinatus in Gena externe, *Cocc.* 111, 19.
 lancinans et tensivus Genuum dolor inter eundum, *Led.*
 171, 11.
 lancinans dolor in Genu, *Cocc.* 112, 18.
 lancinans et forficans in Glande penis dolor inter mi-
 etum, *Acon.* 6, 10.
 lancinans dolor in Glandulis submaxillaribus, *Met.*
 180, 12.
 lancinans dolor et calor in Glandularum tumoribus fri-
 gidis, certe si tanguntur, *Cocc.* 113, 11.
 lancinans Hemicrania ut a refrigerio, *Cham.* 80, 15.
 lancinans et pressoria Hemicrania in fronte et tempori-
 bus, *Cinch.* 96, 14.
 lancinatus singuli in Hemicranio dextro et ab alterutra
 parte cerebri, *Cham.* 80, 15.
 lancinans, volaticus dolor in Hemicranio dextro, *Cham.*
 80, 13.
 lancinans dolor in Hemicranio dextro, *Camph.* 49, 6.
 lancinans dolor in Humeri articulatione et musculis in-
 ter quietem, *Cocc.* 112, 16.
 lancinans dolor in Humeri articulatione inter brachii
 motum citum, *Puls.* 229, 6.
 lancinans dolor in Humeri articulatione a sublatione
 brachii, *Led.* 170, 23.
 lancinans in Hypochondrio sinistro dolor, *Ip.* 164, 1.
 lancinantes dolores in Hypogastrio, (*Verat.* 266, 7.)
 lancinans dolor, post pressorium, in scrobiculo, Inspi-
 ratione auctus, *Ign.* 152, 19.
 lancinans in Labiis dolor, maxime dum moventur, *Ign.*
 152, 14.
 lancinans et fodiens dolor, Labore, aura frigida, potu
 et pastu auctus, *Melamp.* 176, 20.
 lancinans et Lacerans dolor in fronte per vices reite-
 rans, *Cham.* 80, 11.
 lancinans et Lacerans dolor in aure cum susurru quasi
 a vento procelloso, *Acris* 15, 9.
 lancinans et Lacerans dentium dolor per digitum aquae
 frigidae intinctum paulisper sedandus, vespertinus,
 Cham. 79, 9.
 ex lancinante, Lacerante, diffingente compositus dolor in
 humeri articulatione et cubito, inter quietem into-
 lerabilis, *Cocc.* 115, 4.

- lancinans et Lacerans dolor in pollice, *Rh.* 236, 18.
 lancinans et Lacerans dolor capitis per tempora pene-
 trans, *Cham.* 80, 12.
 lancinans et Lacerans dolor in articulationibus, *Led.*
 172, 2.
 lancinatus, livor et dolor tensivus in Laeso pridem bra-
 chio, (*Bell.* 36, 6.)
 lancinatus in Latere pectoris, (*Hyos.* 144, 6.)
 lancinans in Latere dolor a nocturna tussi, *Puls.* 224,
 11.
 lancinans dolor in Latere dextro, *Cocc.* 112, 2.
 lancinans dolor in Latere sinistro, *Cocc.* 112, 3.
 lancinans dolor in Latere non nisi inter decubitum,
 Puls. 228, 8.
 lancinans dolor in Latere dextro cum animo flebiliter
 querulo, *Acon.* 6, 17.
 lancinatus in Latere abdominis sinistro vel extra respi-
 rationem, *Op.* 203, 10.
 lancinans dolor in Latere dextro sinistro, hinc inde sub
 cute, externe quadantenus, *Bell.* 29, 3.
 lancinans dolor in Latere pectoris dextro inter inspi-
 rationem cum dolore immaniter pressorio vel extra
 respirationem, *Op.* 203, 9.
 lancinans et pressorius in Latere sinistro dolor infra
 costas, (*Bell.* 29, 4.)
 lancinans in utrovis Latere dolor cum tussicula et asthi-
 mate continuo, *Arn.* 21, 7.
 lancinans dolor post singulam exspirationem e sterno ad
 Latus dextrum micans, *Cham.* 83, 6.
 lancinantes et punctoriae vesiculae supra et infra Lin-
 guam, *Cham.* 83, 13.
 lancinans quasi a Luxatione dolor in ossis femoris ca-
 pite, *Nux v.* 197, 11.
 lancinans in Malleolo pedis dolor, *Led.* 170, 22.
 lancinans et punctorius in Manu dolor, *Led.* 170, 21.
 lancinans in Margine ulceris dolor, strictorius in ulcere
 ipso, *Mez.* 181, 23.
 lancinatus singuli in Maxilla ad aurem internum usque,
 Cham. 79, 5.
 lancinans, vomituriens dolor in Maxillam superiorem
 e capite tendens, *Acon.* 3, 12.
 lancinans in Maxillaribus glandulis dolor, *Mez.* 180, 12.
 lancinans inter Menstrua dolor pectoris in respiratione,
 Puls. 228, 6.

- lancinans extra Mictum dolor in vesicae collo, *Cham.*
 86, 13.
 lancinans extra Mictum dolor in urethrae orificio,
 (*Caps.* 69, 11.)
 lancinans et Mordax dolor in ulcere cum pruritu cir-
 cumcirca, *Puls.* 231, 12.
 lancinans inter Motum brachii citum dolor in humeri
 junctura, *Puls.* 229, 6.
 lancinantes, Motu excitati et in ardentes terminati do-
 lores, (*Ip.* 163, 20.)
 lancinans et strictriorius, Motu excitandus, dolor in osse
 cubiti, *Acon.* 6, 8.
 lancinans inter Motum dolor in pectore, *Puls.* 228, 5.
 lancinans inter Motum dolor intra scapulas, respiratio-
 nem paecludens, *Puls.* 227, 9.
 lancinans in labiis dum Moventur dolor, *Ign.* 152, 14.
 lancinans et rheumaticus in Musculis omnibus dolor
 maxime intra scapulas, *Camph.* 49, 11.
 lancinans in Musculis humeri et articulatione dolor,
 inter quietem, *Cocc.* 112, 16.
 lancinatus in Musculis, *Cocc.* 111, 19.
 lancinans in Narium cantho anteriori dolor ut ab exul-
 ceratione, *Camph.* 49, 8.
 lancinans a Nocturna tussi dolor in latere, *Puls.* 224, 10.
 lancinans in Nucha dolor, *Puls.* 227, 5.
 lancinans Obtuse et pressorius dolor capitis cerebrum
 hinc illinc permicans, *Bell.* 29, 1.
 lancinans in Occipite per aures dolor, *Puls.* 226, 4.
 lancinans in Oculis dolor, *Cham.* 81, 2. (*Arn.* 24, 5.)
 lancinans in Oculo alterutro dolor cum intolerantia can-
 dela lucis, *Puls.* 220, 9.
 lancinans ex Oculis et fronte penetrans dolor, *Puls.*
 225, 1.
 lancinans et pressorius ab Oculorum resupinatione do-
 lor in capite, *Caps.* 80, 2.
 lancinans et pressoria supra Orbitas cephalgia vomi-
 turiens, *Acon.* 3, 13.
 lancinans in Orificio urethrae dolor extra mictum, *Caps.*
 69, 11.
 lancinans et strictriorius in Osse cubiti dolor, motu ex-
 citandus, *Acon.* 6, 8.
 lancinans in Ossis femoris capite quasi a luxatione,
 Nux v. 197, 11.

- lancinans in Osse sacro et abdomen dolor cum tormini-
 bus dissidentibus respirationem paecludentib^{us},
Puls. 227, 14.
 lancinans in Osse sacro dolor, tum in abdomen migrans,
 dissindens lancinans, respirationem paecludens,
Puls. 227, 15.
 lancinanti fodiens in Ossium integumentis dolor, *Me-*
lamp. 176, 4.
 lancinans et Osteocopus claviculae dolor, *Mer.* 180, 18.
 lancinatus singuli vehementes in Palati velo, *Camph.*
 49, 7.
 lancinans in Palati velo dolor ad aurem usque, *Ign.*
 152, 16.
 lanciuans in Parotide dolor, *Bell.* 28, 17. *Puls.* 225, 2.
 (Cinch. 96, 17.)
 lancinantes et fodientes, Pastu, Potu et aura frigida
 exacerbati dolores, *Melamp.* 176, 20.
 lancinans dolor in Pectore, *Arn.* 21, 4. *Cham.* 83,
 4. 5. 6.
 lancinans dolor in Pectore inter motum, *Puls.* 228, 5.
 lancinans dolor in Pectore interno, *Mer.* 180, 2.
 lancinantes dolores in Pectore singuli, volatichi, *Cham.*
 83, 4. *Rh.* 237, 1.
 lancinatus in Pectoris latere, (*Hyos.* 144, 6.)
 lancinans dolor per Pectus transversum inter singulam
 respirationem, *Cham.* 83, 5.
 lancinans dolor Pectoris in respiratione inter menstrua,
Puls. 228, 6.
 lancinatus Pectus pervadentes, cum colica per interval-
 la redeunte et hypochondrio flatibus obpresso, *Cham.*
 85, 6.
 lancinatus in Pede per pollicem, *Arn.* 22, 11.
 lancinans in Pedis malleolo dolor, *Led.* 170, 22.
 lancinantes in Pedis pollice dolores, *Verat.* 261, 1.
 lancinans Pedum erythematis in statu dolor, *Puls.* 230, 4.
 lancinans et forficans in Penis glande dolor, *Acon.*
 6, 10.
 lancinans in Plantis et digitorum apice dolor, inter
 quietem, *Puls.* 236, 7.
 lancinans et lacerans in Pollice dolor, *Rh.* 236, 18.
 lancinautes dolores in Pollice pedis, *Verat.* 261, 1.
 lancinatus per Pollicem in pede, *Arn.* 22, 11.
 lancinatus in Praeputii apice, *Cocc.* 111, 8.
 lancinans et pruriens dolor sub Praeputio, *Puls.* 223, 13.

- lancinantes obtuse et Pressorii per cerebrum dolores,
Bell. 29, 1.
 lancinans et Pressorius dolor in latere sinistro, infra
 costas, (*Bell.* 29, 4.)
 lancinans dolor post Pressorium in scrobiculo, inspira-
 tione auctus, *Ign.* 152, 19.
 lancinans in medio sterno dolor post Pressorium cum
 angore, *Cocc.* 112, 1.
 lancinans et Pressorius dolor in vesicae collo, *Canth.*
 57, 3.
 lancinans et Pressorius in capite dolor a respiratione
 oculorum, *Caps.* 68, 2.
 lancinans et Pressorius capitis dolor, *Val.* 252, 3.
 lancinans, dein Pressorius capitis dolor, *Ip.* 165, 14.
 lancinans et Pressorius dolor in ano, *Acon.* 4, 10.
 lancinans et Pressoria hemicrania in fronte et tempor-
 bus, *Cinch.* 96, 14.
 lancinans et Pressoria cephalalgia supra orbitas vomi-
 turiens, *Acon.* 5, 12.
 lancinans Proctalgia post singulam sedem, *Cham.* 86, 5.
 lancinans in aure dolor inter Preceptionem maxime cum
 animo minima aegre ferente, *Cham.* 78, 17.
 lancinans et Pruriens in ulcere dolor cum calore, *Cinch.*
 98, 9.
 lancinans et Pruriens dolor hinc inde scalpendo auctus,
Cham. 88, 7.
 lancinans et Pruriens dolor sub praeputio, *Puls.* 225, 13.
 lancinans et Pruriens dolor in aure interna, *Puls.* 226, 3.
 lancinans et mordax dolor in ulcere cum Pruritu cir-
 cumeirca, *Puls.* 231, 12.
 lancinans et Pulsatorius dolor dorsi, (*Cinch.* 97, 21.)
 lancinatus et Pulsatio in scrobiculo, *Dios.* 128, 10.
 lancinans et Pulsatorius dolor capitidis, *Cocc.* 110, 1,
 lancinans et Pulsatorius dein formicans capitidis dolor,
Cocc. 110, 1.
 lancinans et Punctorius in alterutro testiculo dolor,
Cocc. 111, 11.
 lancinans et dein Punctorius dolor in scrobiculo, *Ign.*
 152, 9.
 lancinantes et Punctoriae vesiculae supra et infra lin-
 guam, *Cham.* 83, 13.
 lancinans et Punctorius in ultimis costis dolor, *Arn.*
 21, 6.

- lancinans inter Quietem dolor in plantis et digitorum
 apice, *Puls.* 236, 7.
 lancinans inter Quietem dolor in humeri articulatione
 et musculis, *Cocc.* 112, 16.
 lancinans ut a Refrigorio hemicrania, (*Cham.* 30, 15.)
 lancinans et Respirationem praeccludens inter motum
 dolor intra scapulas, *Puls.* 227, 9.
 lancinantis tormina Respirationem praecudentia, *Puls.*
 227, 15.
 lancinans et Respirationem praeccludens dolor in abdo-
 mine et osse sacro, *Puls.* 227, 14.
 lancinans inter Respirationem singulam dolor per
 transversum pectus, *Cham.* 38, 5.
 lancinans in Respiratione dolor pectoris inter menstrua,
Puls. 228, 6.
 lancinanti dissidentia et Respirationem praecudentia
 tormina, *Puls.* 227, 15.
 lancinans et pressorius a Respiratione oculorum dolor
 capitis, *Caps.* 68, 2.
 lancinans et Rheumaticus dolor in omnibus musculis,
 maxime intra scapulas, *Camph.* 49, 11.
 lancinans in Sacro osse dolor, tum in abdomen migrans,
 dissidentia, lancinans, respirationem praeccludens,
Puls. 227, 15.
 lancinans in Sacro osse dolor, tum tormina dissiden-
 tia, respirationem praecudentia, *Puls.* 227, 14.
 lancinans et pruriens, Scalpendo auctus dolor, *Cham.*
 38, 7.
 lancinans dolor intra Scapulas inter motum, respiratio-
 nem praeccludens, *Puls.* 227, 9.
 lancinanti rheumaticus maxime intra Scapulas dolor,
Camph. 49, 11.
 lancinans in Scapulis dolor a dextra ad sinistram, *Cocc.*
 113, 2.
 lancinans dolor et asthma cum dolore a Sterno ad Sca-
 pulas quasi a verberatione diurno, *Nux v.* 196, 17.
 lancipans et strictorius dorsi versus Scapulam dolor,
 cum vomitu nocturno, *Puls.* 222, 13.
 lancinatus et pulsatio in Scrobiculo, *Dros.* 128, 10.
 lancinans dolor primo in Scrobiculo, dein punctus,
Ign. 192, 9.
 lancinans dolor post pressionem in Scrobiculo, inspira-
 tione auctus, *Ign.* 152, 19.
 lancinatus singuli in Scroto, *Arn.* 19, 12.

- lancinans, inter tussim dolor ex abdomen per funiculum Spermaticum penetrans, *Verat.* 259, 10.
 lancinans in Statu dolor erythematis pedum, *Puls.* 230, 4.
 lancinans dolor post singulam exspirationem e Sterno ad latus dextrum micans, *Cham.* 88, 6.
 lancinans dolor in Sterni media parte post pressorium dolorem cum angore, *Cocc.* II², 1.
 cum lancinatione et asthmate dolor a Sterno ad Scapulas quasi a verberatione diurnus, *Nux v.* 196, 17.
 lancinans et Strictorius parvi spatii dolor in dorso, vel tactu dolorosi, *Stram.* 241, 11.
 lancinans et Strictorius in osse cubiti dolor, motu extitandus, *Acon.* 6, 8.
 lancinans et Strictorius dorsi dolor versus scapulam cum vomitu nocturno, *Puls.* 222, 13.
 lancinans a Sublatione brachii dolor in humeri articulatione, *Led.* 170, 23.
 lancinans in Submaxillaribus glandulis dolor, *Mez.* 180, 12.
 lancinantes versus Suram dolores, cum dolore in planae medio, dum insistitur, quasi ob excrescentiam ibi protuberantem, *Puls.* 230, 12.
 (lancinanti?) strictorius vel Tactu auctus parvi spatii dolor in dorso, *Stram.* 241, 11.
 lancinanti pressoria hemicrania in Temporibus et fronte, *Cinch.* 96, 14.
 lancinanti lacerans per Tempora penetrans dolor capititis, *Cham.* 80, 12.
 lancinans et Tensivus inter eundum genuum dolor, *Led.* 171, 12.
 lancinans in Testiculis dolor, *Nux v.* 195, 16.
 lancinantes in Testiculo retracto dolores, *Bell.* 28, 1.
 lancinanti punctorius in Testiculo alterutro dolor, *Cocc.* II¹, 11.
 lancinantia imi ventris Tormina, (*Verat.* 266, 7.)
 lancinantia Tormina, respirationem praecudentia, *Puls.* 224, 11.
 lancinanti forficantia Tormina, *Cinch.* 97, 10.
 lancinanti dissidentia Tormina, respirationem praecudentia, *Puls.* 227, 14. 15.
 lancinans in Tumoribus glandularum frigidis dolor, et calor, certe si tanguntur, *Cocc.* 113, 11.

- lancinatum in latere Tussis nocturna gignens, *Puls.*
 224, 11.
 lancinatus, inter Tussiendum, in dorso, *Puls.* 224, 14.
 lancinans inter Tussim dolor ex abdomine per funiculum spermaticum penetrans, *Verat.* 259, 10.
 lancinans et mordax in Ulcere dolor, cum pruritu circumcirca, *Puls.* 231, 12.
 lanciaans dolor in Ulcere, maxime vesperi, *Mez.*
 181, 22.
 lancinans ut ab Ulcere in cantho narium anteriori dolor,
Camph. 49, 8.
 lancinans et vulnus in Ulcere dolor, *Cham.* 89, 5.
 lancinans dolor in Ulceris margine, et strictorius in
 Ulcere ipso dolor, *Mez.* 181, 23.
 lancinanti pruriens in Ulcere dolor cum calore, *Cinch.*
 93, 9.
 lancinatus in Urethra, *Arn.* 19, 10.
 lancinatus in Urethrae orificio, extra mictum, *Caps.*
 69, 11.
 lancinans dolor in Velo palatino ad aurem usque, *Ign.*
 152, 16.
 lancinatus in Velo palatino, *Ign.* 152, 16.
 lancinantes inni Ventris dolores, (*Verat.* 266, 7.)
 lancinantes, volatoci hinc inde in Ventriculo et abdo-
 mine dolor, (*Cinch.* 97, 11.)
 lancinans in Vertice et fronte dolor capitidis, *Mez.*
 180, 16.
 lancinanti pressorius in Vesicae collo dolor, *Canth.*
 57, 3.
 lancinatus in Vesicae collo extra mictum, *Cham.* 80, 13.
 lancinanti punctorii doloris Vesiculae supra et infra
 linguam, *Cham.* 83, 13.
 lancinans Vesperi maxime dolor in ulcere, *Mez.*
 181, 22.
 lancinanti pressoria et Vomituriens cephalalgia, supra
 orbitas, *Acon.* 3, 12.
 lancinanti strictorius cum Vomitu nocturno, dolor
 dorsi, versus scapulam, *Puls.* 222, 13.
 lancinans et Vulsorius dolor in ulcere, *Cham.* 89, 5.
 languida vis vitalis, *Cocc.* 107, 2.
 languidum urimae profluviun, *Cham.* 89, 14.
 languidus sudor, *Acon.* 9, 5.
 languidus sudio (mador) universalis a minimo corpo-
 ris motu, *Cocc.* 108, 6.

- languor, vide et *infirmitas*, et *debilitas*, et *lassitudo*, et
lapsus virium.
 languor, *Stram.* 239, 7. *Arn.* 17, 13. *Mer.* 179, 2.
 Acon. 9, 3. (*Hyos.* 140, 13.) (*Op.* 203, 3.)
 languor animi, (*Bell.* 42, 14.)
 languor animi et corporis, cum hypererethismo, *Cinch.*
 93, 7.
 languor quasi a calore nimio, *Verat.* 254, 14.
 languor cordis inter evigilationem, (*Op.* 216, 5.)
 languor corporis, (*Bell.* 42, 15.)
 languor et debilitas, *Mer.* 179, 2.
 languor et lassitudo totius corporis, (*Hyos.* 158, 8.)
 languor totius corporis, (*Hyos.* 146, 7.)
 languor dormituriens sopor, *Dig.* 123, 1.
 languor a meditatione levi, *Cham.* 75, 1.
 languor, pedes fessi, *Stram.* 239, 7.
 languor inter requiem, robur inter motum, *Cham.* 74, 7.
 languor post sudorem univerealem et capitis dolorem
 quasi a clavo per tempora transfixo, *Arn.* 20, 7.
 quasi a lapide casuero pressorius in ventriculo dolor, *Cham.*
 85, 3.
 quasi a lapide pressio in ventriculo, *Nux v.* 191, 25. *Op.*
 203, 1.
 quasi de lapide frigido ventricalum premente querelae post
 vomitum et sedes, (*Acon.* 10, 16.)
 lapsus memoriae, *Verat.* 255, 6. (*Hyos.* 148, 5.) (*Op.*
 210, 3.)
 lapsus virium, vide et *debilitas*, *infirmitas*, *lassitudo*,
 languor.
 lapsus virium, (*Op.* 203, 12.) *Canth.* 57, 13. *Verat.*
 254, 11. *Dig.* 123, 2. (*Bell.* 55, 19.)
 lapsus vitium insignis, nec artus movere nec verbum
 proferre potest, (*Capr.* 121, 13.)
 lapsus vitium insignis, (*Hyos.* 147, 6.)
 lapsus vitium insignis cum oscitatione et pandiculatio-
 ne, (*Camph.* 55, 13.)
 lapsus vitium subitus, (*Nux v.* 199, 8.)
 lapsus vitium summus, (*Mer.* 183, 13.)
 lapsus vitium syncopticus, *Aceris* 15, 11.
 lapsus vitium vitalium, *Dig.* 123, 2.
 a laqueo quasi vulsorio strictorius dolor in artuum muscu-
 lis, non in juncturis, *Puls.* 231, 4.
 in larynge lacerans dolor, deglutitione, tussi, respiratio-
 ne auctus, *Tgn.* 154, 1.

- in larynge titillatio post decubitum vesperi, *Caps.* 66, 17.
 laryngis caput obsidens pituita tenax et sereatum urgens, *Cocc.* 111, 15.
- a laryngis caput obsidente pituita viscida rauca, sereatum valido abigenda, *Cham.* 87, 5.
- laryngis caput obsidens pituita et vocem raucam, absconam, cavam et nimis altam reddens, *Cinch.* 92, 9.
- a laryngis caput obsidente pituita suffocationis paroxysmus, maxime circa vesperam et inter evigilationem e somno, *Cinch.* 92, 10.
- laryngis pruritus tussim proritans, *Nux v.* 195, 8. *Cocc.* 111, 16. *Ip.* 156, 6. *Cham.* 87, 10, 11.
- in laryngis superiori parte ad imam bronchiorum sedem tendens titillatio constrictorio tussifera, *Ip.* 165, 6.
- in laryngis superiori parte mucus stridulans, tussim proritans, *Cham.* 87, 7.
- in laryngis superiori parte dolor, ubi mucus tussi abrasus fuerat, *Cham.* 87, 7.
- in laryngis superiore parte, quae colli scrobiculo subjacet, titillatio, tussim proritans, *Cham.* 87, 10. *Cocc.* 111, 16.
- in laryngis suprema parte irritatio ad tussim, *Cocc.* 111, 16.
 lascivia, (*Stram.* 245, 18.)
- lassa artuum gravitas, *Ara.* 22, 12.
- sub lassitudinis specie rigiditas artuum, *Bell.* 26, 4.
- lassitudinis femorum sensus, *Rh.* 235, 5.
- lassitudo, *Cupr.* 119, 8. *Cinch.* 93, 4. vide et debilitas, languor, lapsus virium, infirmitas.
- lassitudo artuum, (*Cinch.* 103, 13.) (*Stram.* 247, 1.)
- lassitudo artuum inferiorum, *Ip.* 165, 17.
- lassitudo brachiorum, *Ign.* 150, 15.
- lassitudo et languor totius corporis, (*Hyos.* 133, 8.)
- de lassitudine corporis universi, imbecillitate magna et cordis gravedine querelae, (*Acon.* 70, 2.)
- lassitudo crurum, *Ip.* 165, 17. *Camph.* 47, 17.
- quasi a lassitudine crurum gravitas, *Verat.* 260, 15.
- lassitudo et debilitas maxima ad syncopen accedens, *Cham.* 74, 5.
- lassitudo et dormititio diurna, *Cham.* 74, 15.
- lassitudo femorum, *Melamp.* 175, 5.
- lassitudo femorum quasi nimis defatigatorum, *Rh.* 275, 3.
- lassitudo ingens, *Nux v.* 194, 3.
- lassitudo ingens, non dormitariens, *Caps.* 64, 6.

- lassitudo post somnum longa, (*Op.* 215, 9.)
 lassitudo matutina major, quam dormitum ituri, *Nux v.* 187, 8. *Caps.* 64, 6.
 lassitudo membrorum omnium cum sapore fatuo in ore
 et sensu in ventriculo quasi ab inedia longe vel va-
 cuo, (*Ign.* 155, 6.)
 lassitudo pedum, *Ign.* 150, 15.
 lassitudo, pedum maxime, *Cham.* 74, 6.
 lateralis scotomiae sensus, dum oculi in rem albam fi-
 guntur, *Cham.* 75, 7.
 in latere alterutro abdominis tormina forficantia post pun-
 ctoria tormina infra umbilicum, *Ign.* 153, 12.
 in latere alterutro abdominis crampoides dolor, tum in
 pectore, (*Puls.* 228, 9.)
 in latere abdominis lacerans dolor, in globum quasi con-
 centratus, deinde in pectus tendens, *Cham.* 85, 9.
 in latere abdominis sinistro sensus quasi tumore pressorio
 ex ventriculo cibis onusto, (*Led.* 171, 7.)
 in latere abdominis, circa ventriculum, in sterno, intra
 scapulas punctus inter respirandum, *Caps.* 66, 8.
 in latere sudor foetidus, (*Nux v.* 195, 1.)
 in latere aegroto sudor putidus, (*Nux v.* 194, 16.)
 in latere dextro lancinatus, *Cocc.* 112, 2.
 in latere sinistro lancinatus, *Cocc.* 112, 3.
 in latere dextro corporis sudor, *Puls.* 251, 5.
 in latere dextro dolor lancinans cum animo flebiliter que-
 rulo, *Acon.* 6, 17.
 in latere dextro sub ultima costa vera dolor immaniter
 pressorius, inclinatione, tussi et respiratione, non
 vero tactu auctus, *Cocc.* 111, 21.
 in latere dextro punctarius dolor, *Ign.* 152, 18. *Arn.* 21, 5.
 in latere gloctatio ad abdomen usque, *Cham.* 85, 4.
 in latere hinc inde sub cute externus lancinans dolor, *Bell.*
 29, 3.
 in latere lancinatus non nisi inter decubitum, *Puls.* 228, 8.
 in latere pectoris lancinans dolor post pressorio-strictorium
 dolorem in scrobiculo, *Puls.* 223, 1.
 in latere lancinatum gignens nocturna tussis, *Puls.* 224, 11.
 in latere pectoris alterutro crampoides, subiti, immanes
 dolores partem dolorificam inclinare et incurvare
 cogentes, *Bell.* 27, 14.
 in latere pectoris dextro dolor pressorius extra respiratio-
 nem, in inspiratione lancinatus, *Op.* 205, 9.
 in latere pectoris pressorio coarctans dolor, *Acon.* 4, 15.

- in latere pectoris strictorius dolor (inter tussiculum) ad collum usque, *Caps.* 66, 9.
- in latere pectoris strictorio lacerans dolor, *Op.* 204, 2.
- in latere sinistro infra costas pressorio lancinans dolor, *Bell.* 29, 4.
- in latere sinistro punctoriis dolor, *Ign.* 152, 10.
- in latere sinistro corporis sudor, *Puls.* 231, 6.
- in latere sinistro supra umbilicum strictoria tormenta, *Nux v.* 192, 12.
- in latere sinistro abdominis lancinatus vel extra respirationem, *Op.* 203, 10.
- in latere utroque in pubis regionem convergentia tormenta, *Nux v.* 192, 11.
- in latere utroque infra umbilicum tormenta forficanti lacerantia cum dolore in osse sacro quasi a confractione, *Cham.* 85, 7.
- in latere utroque sub costis ultimis constrictorius dolor, tormentum instar, *Ign.* 153, 3.
- in latere utrovis lancinans dolor cum tussicula et asthmate continuo, *Arn.* 21, 7.
- lateralis dextri pectoris constrictio tensiva respirationem coartans, *Cocc.* 109, 6.
- lateralis sinistri hemiplegia, *Cocc.* 107, 9.
- lateralum et abdominis constrictio, scapulis sursuvi deorsum tractis, (*Cinch.* 105, 4.)
- in latus collum obstipum, (*Cinch.* 105, 5.)
- in latus reclinatio capitis, *Cinch.* 93, 10.
- in latus alterutrum capitis acclinatio, *Camph.* 49, 4.
- in latus contractio spasmodica muscularum intercostalium, respiratione intercepta, *Verat.* 255, 19.
- in latus dextrum e sterno micans lancinatus post singulam exspirationem, *Cham.* 88, 6.
- in latus tractio corporis spasmodica, mente constante, *Nux v.* 192, 7.
- quasi a laxantium abusu debilitas intestinorum, *Acon.* 9, 4.
- laxat alvum, (*Cop.* 117, 8.)
- inter lecti appetentiam calor cum pulsu magno et frequente et siti aquae, *Nux v.* 194, 15.
- lecti caloris appetentia, (*Acon.* 13, 7.)
- lecti caloris appetentia inter calorem universalem, *Stram.* 241, 7.
- lecti caloris intolerantia, *Led.* 172, 8.
- inter lecti calorem dolor secans in calcaneo, *Puls.* 250, 13.
- lecti calore exasperatus dentium dolor, *Puls.* 226, 1.

- inter lecti calorem dolor secans in calcaneo, *Puls.* 230, 13.
 lecti intolerantia ob caloris externi sensum, *Cham.* 82,
 16.
 lecti intolerantia pedum, laceranti dolore affectorum,
Cham. 78, 14.
 a lecti vel levi remotione frigus, *Caps.* 64, 9.
 nec lecti stragulis nec fornacis calore delenda frigiditas ma-
 xima, *Nux v.* 185, 10.
 lectionis amor, *Cinch.* 99, 1.
 e lecto exire tentat, (*Bell.* 46, 16.)
 e lecto fuga, (*Bell.* 46, 16.)
 in lecto sedet immobilis statuae instar, (*Hyos.* 175, 8.)
 in lecto trunci erectio vomitum biliosum excitat, *Stram.*
 240, 3.
 in lecto voluntatio reptans, (*Stram.* 250, 4.)
 in lecto summa anxietas, non extra, et pupillae tum citis-
 sime mobiles, *Cham.* 83, 9.
 in lecto motitatio validia hinc illinc, (*Bell.* 35, 15.)
 in lecto maxime punctus innumeri quasi a pulicu ictibus,
Ign. 152, 6.
 in lecto maxime et vesperi pruriens cutis eruptio, *Mec.*
 181, 21.
 in lecto (noctu) pressorius dolor in ventriculo, in scrobi-
 lo, in hypochondriis, *Cocc.* 150, 15.
 in lecto nocturna aestuans jactatio, cum phantasiis, *Cham.*
 83, 5.
 in lecto calefieri nequit noctu, *Nux v.* 185, 11.
 nec in lecto calefieri potest; horripilatio inter quietem et
 calorem justum corporis, *Dros.* 123, 2.
 extra lectum angusta respiratio, intra lectum justa, *Nux v.*
 196, 12.
 in lectione nil nisi margo candidus, nigris arcis literarum
 circumfusus, (*Bell.* 45, 3.)
 in lectione literae aureo et azureo colore tremulantes, (*Bell.*
 44, 17.)
 lecturus, praeter candidum marginem libri, nigris areis
 literarum circumfusum, nihil agnoscere potest, (*Bell.*
 45, 3.)
 legere non potest typis excusa, (*Bell.* 52, 20.)
 legere non potest nisi literas maiores, (*Bell.* 42, 1.)
 inter legendum, verborum et phrasium inconcinnia admi-
 stio, (*Hyos.* 147, 14.)
 quae legit non intelligit, capitis perturbatio, (*Op.* 214, 8.)

lemurum quaedam ludibria phantasiae obversantia,

(Bell. 45, 2.)

lenis respiratio, *Ign.* 151, 3.

lenis sudor nocturnus, *Canth.* 58, 6.

lenis sudor universalis, *Acon.* 8, 5.

lentae febres, (Cinch. 103, 16.)

lentae contractions et extensiones artuum et iteratae,

(Stram. 246, 4.)

lenta respiratio, *Ign.* 151, 3.

lenta respiratio et gemebunda, (*Op.* 212, 10.)

ob lente nimis succedentia negotia aegritudo animi, *Ip.*

163, 17. (*Diz.* 123, 4. 5.)

lente progrediens idearum series, *Ip.* 163, 9. *Cinch.*

95, 6.

lentior respiratio, (*Op.* 205, 14.)

lentissima respiratio, *Nux v.* 190, 5.

lepidus animus, faceriae, sales, *Cocc.* 114, 2.

lethargicus status ultra nycthemerum sine ullo mem-
brorum motu, vellicatus oculos quidem aperit, sed
vocem nullam edit, (Bell. 34, 11.)

leucophlegmatia subitanea, *Melamp.* 176, 5.

leucorrhoea, vide *blennorrhagia vulvae*.

leucorrhoea, *Cocc.* 111, 8. (*Mez.* 181, 11.) (*Nux v.*
193, 18.)

leucorrhoea chronica, *Ign.* 159, 7.

leucorrhoea copiosa, tenax, flavescentia, (*Acon.* 14, 6.)

leucorrhoea flava mordax, *Cham.* 36, 9.

leucorrhoea purulenta, erodens, *Ign.* 153, 5.

leucorrhoea lactea cum tumore vulvae, *Puls.* 223, 14.

leucorrhoea lactea indolorifica, *Puls.* 223, 15.

leucorrhoea colore et consistentia semenis humani cum
ardenti dolore, maxime statim post mictionem, *Puls.*
223, 17.

leucorrhoea pituitae spissioris, lactei coloris, indolori-
fica, maxime inter decubitum percipiendo, *Puls.*
223, 16.

lienteriae species, indigestorum diarrhoea, *Cinch.* 97, 16.

in ligamentis genu dolor quasi defatigatione confectis, *Ip.*
165, 9.

ligamentorum articulationum omnium instabilitas, *Acon.*

2, 11.

lingua albida et siti intensissima maxime cerevisiae
post calorem evanidum, *Puls.* 252, 10.

- cum lingua alba et faucibus siccissimis, raucedo, (*Op.* 213, 21.)
 in lingua ad stomachum usque ardor, (*Mez.* 183, 10.)
 linguae bolibates, (*Bell.* 31, 7.)
 in lingua (et labiis) ardor et siccitas, corii adusti instar, (*Hyos.* 147, 2.)
 Lingua alba, (*Op.* 213, 3. 215, 13.)
 in lingua (gingivis) ardentes et urentes vesiculae, *Mez.* 180, 7.
 in lingua ardor diu inhaerens, (*Acon.* 13, 19.)
 in lingua ardor, *Ign.* 155, 4. (*Hyos.* 147, 2.)
 in lingua et maxillis ardoris sensus et fornicatio ita ut dentes vaillare videantur, (*Acon.* 12, 13.)
 in lingua calor diutinus post mordentem dolorem, (*Puls.* 253, 1.)
 Linguae fevor et gutturis, (*Verat.* 266, 12.)
 in lingua lancinantes, vagi, momentanei dolores cum salivae affluxu, (*Acon.* 14, 1.)
 in lingua et gingivis vesiculae ardentes, urentes, *Mez.* 180, 7.
 in lingua mordax sensus, *Arn.* 18, 15.
 in lingua primo dolor mordens, tum calor diutinus, (*Puls.* 253, 1.)
 in lingua phlegosis, (*Verat.* 267, 9.)
 in lingua piperatus sensus, *Mez.* 180, 6.
 in lingua piperatus sensus, et titillans, cum salivae allectione, (*Acon.* 2, 2.)
 Lingua pituita flava obducta, (*Cinch.* 104, 7.)
 lingua pura cum sapore nauseoso, *Bell.* 27, 9.
 lingua sicca et munda, (*Hyos.* 141, 10.)
 in lingua et faucibus siccitatis ingentis sensus, (*Stram.* 244, 16.)
 Linguae (oculorum, faciei) tumor, (*Stram.* 249, 9.)
 lingua tumida et protensa, (*Stram.* 247, 9.)
 in linguae medio tumor parvus, non dolorosus, *Dros.* 129, 18.
 in lingua vesiculae dolentes, *Nux v.* 191, 1.
 Linguae apicis asperitas quasi a vulnere, *Ign.* 157, 18.
 quasia linguae excoriacione sensus, *Arn.* 18, 16.
 Linguae apicis exulceratio albida, *Dros.* 129, 1.
 Linguae exulceratio, (*Dig.* 125, 4.)
 in linguae ima parte et velo palati sensus quasi ab esu marchantiae vel dracunculi, *Ip.* 162, 11.
 in linguae margine sensus mordax, *Ip.* 163, 1.

- ad linguae morsuram usque successiones in somno, Mez.
 181, 19.
- linguae motus impeditus post evigilationem e somno,
 (Op. 214, 5.)
- linguae paralysis volatice, Acon. 2, 17.
- linguae paralysis, (Op. 209, 11.)
- in linguae posteriori parte et velo palatino mordacitatis
 sensus, Cham. 83, 12.
- in linguae radice tumoris dolorosi sensus, Cocc. 110, 5.
- ad linguae radicem pertingens dolor cerebri et cranii ossi-
 um quasi a contusione nauseabundus, Ip. 164, 17.
- in linguae radicis latere tumor dolorosus, Cinch. 96, 16.
- linguae siccitatis sensus cum siti aquae, anorexia, ca-
 lone volatice, sudore faciei et palpitatione cordis,
 fame canina subsequa, Cham. 82, 13.
- linguae siccitas cum siti extingibili, Cham. 82, 15.
- linguae stupor, (Melamp. 177, 1.)
- linguae titubatio, (Op. 209, 1.)
- linguae tremor, (Bell. 38, 11.)
- lingua tumida, ex ore protensa, (Stram. 247, 9.)
- linguae tumor non ingratus, (Melamp. 177, 3.)
- supra et infra linguam vesiculae, doloris punctorio lancinan-
 tis, Cham. 83, 13.
- Lipothymia, vide et syncope.
- Lipothymia, (Acon. 13, 13.) (Cinch. 101, 18.) (Hyos.
 136, 15.)
- Lipothymiae, (Cinch. 100, 3.) Led. 169, 11. (Mez.
 183, 6.)
- lipothymia mortui instar, (Hyos. 149, 2.)
- lipethymia post aurium surdum sonum continuum;
 (Acon. 15, 2.)
- lippi oculi, aqua suffusi, lacrymantes, (Puls. 233, 11.)
- ut in lippitudine oculi aquei, Nux v. 189, 8.
- lippitudinosa et incredibiliter dolorosa ophthalmia,
 (Acon. 11, 1.)
- Lippitudo, Puls. 224, 17. Nux v. 189, 8. (Cinch. 96, 3.)
 (Stram. 248, 14.)
- Lippitudo (sine albugineae inflammatione) lacrymis mor-
 daci dolore palpebram inferiorem et genam eroden-
 tibus, Led. 170, 6.
- liquoris acidi et amari regurgitatio, Dros. 128, 13.
- liquoris amari regurgitatio, Puls. 221, 17. Dros. 128,
 12. Ign. 154, 13.

- liquorum aquosorum horror, hydrophobiae instar, in ferociam transiens, dum labia iis madefiunt, (*Stram.* 247, 13.)
- literarium laborem impedit nescio quid, *Nux v.* 136, 9.
- literas non nisi maiores legere potest, (*Bell.* 42, 2.)
- literae aureo et azureo colore tremulantes, (*Bell.* 44, 17.)
- literae, formicarum discurrentium instar, animatae visae, (*Hyos.* 147, 15.)
- literatum nigris areis circumfusus margo candidus in lectione, (*Bell.* 45, 3.)
- livida facies, (*Hyos.* 141, 1.)
- livida facies, labia nigra, (*Acon.* 12, 4.)
- cum livida facie, convulsiones, (*Op.* 289, 3.)
- lividae hinc inde maculae in corpore, (*Op.* 209, 8.)
- lividae maculae petechiarum instar, *Led.* 170, 18.
- lividae manus, *Cocc.* 107, 17.
- lividis nimbis oculi cavi cum facie hippocratica, *Cinch.* 93, 10.
- lividas pallidusque corporis habitus, (*Op.* 214, 3.)
- lividus vultus, (*Hyos.* 146, 1.)
- livor cutis, frigiditas totius corporis, *Nux v.* 135, 12.
- livor, lancinatus et dolor tensivus in brachio pridem laeso, (*Bell.* 36, 6.)
- in loco abdito ejelatus lacrymatorius, *Camph.* 48, 11.
- longissima respiratio cum brevissima alternans, *Cocc.* 109, 3.
- loquacitas delirans, (*Bell.* 40, 2.)
- loquacitas quasi a delirio cum oculis fixis, horridis, (*Bell.* 40, 16.)
- post loquacitatem mutitas, (*Bell.* 40, 17.)
- loquax amentia, *Stram.* 240, 21. (*Op.* 202, 16.)
- loquela aucta symptomata, *Cocc.* 113, 12.
- loquela auctus capitinis dolor, *Cocc.* 113, 12. *Ign.* 151, 15.
- loquela auctus capitinis dolor, quasi a vulnere cerebri, *Cinch.* 96, 13.
- loquela angenda et excitanda cephalalgie quasi pars cerebri modo hic, modo illic tollatur, *Acon.* 4, 4.
- inter loquelandam audacem et vividis oculis, frons sudore frigido madida et pulsus fere deletus, (*Acon.* 11, 3.)
- loquela excitandus dolor pectoris, sterni, pressorius, *Stram.* 240, 16.
- loquela excitata vertigo, *Cham.* 74, 9.

- loquela impedita post evigilationem et somno, (*Op.*
214, 5.)
- loquela impedita, (*Hyos.* 149, 10.)
- loquela praepostera, (*Nux v.* 186, 11.) (*Cham.* 75, 8.)
- loquela difficultas, *Nux v.* 186, 12. (*Op.* 209, 1.) vide
et *lingua et balbuties.*
- loquela organi infirmitas, deliquescentia cordis et nau-
sea vomituriens cum lacerante in oculis, fronte,
vertice dolore continuo, *Nux v.* 88, 8.
- loquela fuga, *Ign.* 150, 10. vide et *taciturnitas.*
- loquela serius rediens quam reminiscencia, *Capr.* 119,
16.
- loquela organi paresis, *Bell.* 26, 6.
- loqui impediens per accessus dolor capitidis lancinanti
pulsatorius, *Acon.* 4, 5.
- loqui nescit ore aperto, (*Op.* 210, 16.)
- inter loquendum vertigo, *Cham.* 74, 9.
- ut loqui vix possit, siccitas oris, (*Op.* 214, 6.)
- sine lotii copia angor cum micturitione frustranea, *Cham.*
86, 16.
- lotii et alvi suppressio longa, (*Stram.* 245, 11.)
- lotii copiosus profluvium, (*Acon.* 14, 7.)
- lotii largum profluvium, (*Stram.* 248, 13.)
- lotii plus mictus, quam potum est, (*Arn.* 24, 8.)
- lotium, vide et *urina et mictus.*
- lotium guttation destillans, *Cinth.* 57, 2.
- lucem candelae oculus alteruter tolerare non potest,
lancinanti dolore affectus, fere sine inflammatione
albugineae, palpebris conniventibus, *Puls.* 220, 9.
- locidiora quasi essent objecta, sensatio, *Camph.* 49, 13.
- lucis aviditas, *Acon.* 1, 7.
- lucis fuga, dormituritio, *Nux v.* 187, 2. 5.
- lucis intolerabilitas, *Ign.* 158, 9. (*Puls.* 220, 9.)
- lucis intolerantia matutina, scotomica, *Nux v.* 187, 3.
- lucis odium, *Acon.* 8, 9.
- luculentia insomnia, *Cham.* 83, 1. vide *insomnia et som-
nus.*
- luculentis et graphicis phantasiae visionibus et angoris
accessibus stipata agrypnia, *Cham.* 75, 10.
- luculentia insomnia, quasi historia vigilando ageretur,
Cham. 83, 1.
- ludibria, *Caps.* 70, 5.
- ludibria quaedam lemurum phantasiae obversantia,
(*Bell.* 43, 2.)

- lugubres, nocturnae, semivigiles phantasiac, *Nux v.*
 187, 13.
 lumbago post sessum, *Led.* 171, 16.
 ad lumbares vertebrae concentrati colicales (dilacerantes,
 strictiori) dolores, *Cocc.* 111, 2, 3.
 ad lumbares vertebrae usque constrictorius dolor circum
 hypochondria, *Camph.* 48, 13.
 lumbi pruritus, *Led.* 170, 15.
 in lumbis dolores quasi a distortione, *Arn.* 22, 7.
 in lumbis dolores fixi, *Hyos.* 152, 21.
 in lumbis dolores lacerantes, *Nux v.* 197, 8.
 in lumbis dolores quasi ad partum eundo excitati, *Acon.*
 6, 16.
 in lumbis dolores strictorio tensivi, *Puls.* 229, 1.
 lumberum juncturarum frigor, *Camph.* 48, 2.
 in lumborum vertebra quarta dolor pressorius maxime post
 itum, *Puls.* 227, 13.
 lumborum vertebrarum dolor pressorio tensivus, quasi
 a confractione cum colica flatulenta connexus,
 Acon. 5, 3.
 in lumborum vertebrarum articulatione cum osse sacro do-
 lor quasi a confractione, *Acon.* 5, 2.
 lumborum crampoides, subiti, immanes dolores, par-
 tem incurvare cogentes, *Bell.* 27, 14.
 lumborum et dorsi dolorosa rigiditas post sessum, *Led.*
 171, 14.
 lumborum, renum dolor maximus, (*Canth.* 62, 17.)
 lumborum et genu rigiditas dolorifica inter motum,
 Ign. 153, 8.
 luridus color, (*Op.* 210, 15.)
 lusus phantasiae dormitientis quo omnia objecta modo
 justo crassiora modo graciliora esse videntur secun-
 dum pulsus velocitatem, *Camph.* 48, 15.
 vel luteus vel viridis objectorum color, (*Dig.* 126, 11.)
 a luxata quasi et contorta humeri junctura dolor, *Ign.*
 159, 1.
 luxatio, vide *contortio* et *distortio*.
 quasi a luxatione articulationum humeri, genuum femoris
 dolor, *Ign.* 158, 18.
 quasi a luxatione dolor in metatarso, *Led.* 170, 24.
 quasi a luxatione lancinatus in femoris capite, *Nux v.*
 197, 11.
 quasi a luxatione dolor in pollicis articulo, *Verat.* 260, 12.

quasi a luxatis dentibus dolor pressorio pulsatorius, tactu exasperandus, (*Arn.* 20, 18.)

Macula in dorso dolorosa perse et tactu, *Stram.* 241, 14.
macularum et vesicularum gangraenosarum in artubus

inferioribus eruptio copiosa, (*Hyos.* 159, 20.)

maculae cutaneae, (*Verat.* 267, 11.)

maculae lividae hinc inde in corpore, (*Op.* 208, 8.)

macularum rubrarum eruptio cum pruritu totius corporis, (*Bell.* 56, 9.)

maculae lividae, petechiarum instar, *Led.* 170, 18.

maculae polymorphae scarlatinosae, *Bell.* 29, 16.

maculae puliceae in manibus, facie, *Acon.* 8, 22.

maculae rubrae in facie, collo, pectore (toto corpore),
(*Bell.* 57, 9.)

maculae rubrae cum miliaribus et pruritu in pectore

ut a pediculis, *Led.* 170, 17.

madidae frigidae manus alternatim tum haec, tum illa,
Cocc. 103, 3.

mador catif, (*Cupr.* 121, 1.)

mador frigidus pedum, *Cocc.* 103, 4.

mador subfrigidus, (*Hyos.* 144, 12.)

mador totius corporis, (*Acon.* 14, 2.)

mador (sudor) universalis languidus a minimo corporis motu, *Cocc.* 103, 6.

magnarum pustularum eruptio, (*Hyos.* 141, 17.)

magni faciens et conquirens aliorum vitia animus, *Caps.*
65, 16.

circa magnitudinem rerum hallucinatio, (*Op.* 214, 10.)
(*Hyos.* 137, 12. 146, 9.)

majora justo objecta visa, culmus pro trabe (literae
ampliores justo visae), (*Hyos.* 146, 9.)

maiores furunculi, et frequentes, *Hyos.* 135, 6.

maiores quater quasi essent oculi, hallucinatio, (*Op.*
214, 10.)

in malam partem facile vertit haec illa, irritabilitas sto-
machi, *Cocc.* 114, 7.

male facta aliorum et prave dicta et mendacia vel mi-
nima maximi faciens animus et aegre faciens, *Cocc.*
106, 13.

malleoli pedis pruritus, *Led.* 170, 15.

in malleolo pedis dolor lancinans, *Led.* 170, 22.

in malleolo manus sinistram sensus paralyzans et dolor
quasi a distortione, *Ign.* 159, 3.

- in malleolo manuum dolor lacerans mane post experrectionem e somno, *Ign.* 155, 11.
 malleolorum debilitas, (*Acon.* 12, 16.)
 malleolorum et genuum debilitas magna, cum vulsione in tendinibus, ita ut vix incedere posset, (*Acon.* 12, 16.)
 ad malleolos usque in genu dolor strictorio lacerans, *Cham.* 78, 4.
 malorum parvorum impatientia, *Nux v.* 186, 13.
 sub mammac papula nodas durus, tactu dolorosus, per se interdum dolore strictorio lacerante affectus, *Cham.* 89, 8.
 mammarum durities scirrhosa, *Cham.* 89, 7.
 mane caput obtenebratum quasi a nimia debilitate corporis, *Hyos.* 131, 1.
 mane frigus pedum, *Nux v.* 186, 7.
 mane maxime frigiditas, *Melamp.* 175, 2.
 mane nisus in decubitum, *Nux v.* 187, 9.
 mane horripilatio, *Nux v.* 136, 5.
 mane major lassitudo quam vesperi, *Nux v.* 187, 8.
Caps. 64, 6.
 mane dolor in scrobiculo pressorio strictorius, *Puls.* 228, 1.
 mane post sonnum capitidis dolor obtuse pressorius, *Verat.* 257, 18.
 mane post experrectionem e somno dolor lacerans in manuum malleolo, *Ign.* 155, 11.
 mane pandiculatio et oscitatio enormis; tum dolor in artibus spasticus maxime in genu, *Nux v.* 187, 7.
 mane pituitosum maxime os, *Cupr.* 118, 6.
 mane pure conglutinati, tumidi oculi, *Cham.* 81, 5.
 mane purulentii et inter dolorem pressorium inflammati oculi, *Cham.* 81, 6.
 mane putridus otis halitus, *Puls.* 221, 6.
 mane purulentus oculi canthus, *Cham.* 81, 4.
 mania ferox, (*Bell.* 36, 14. 42, 20.)
 mania ferox insurgents, feriens, obvia concutiens, vix contineri passa, (*Stram.* 245, 8.)
 mania ferox, incoercibilis, (*Stram.* 250, 1.)
 mania; vix contineri potest, (*Hyos.* 144, 2.)
 mania altercans, (*Hyos.* 146, 13.)
 mania quasi a cacodaemone obsessi, (*Hyos.* 146, 14.)
 cum mania scurrili alternantes rixae, *Acon.* 2, 9.

- mania tacitura, reluctans, inobediens; aufugere tentat, *Dig.* 123, 7.
 in manibus pruno caloris sensus, dein in toto corpore, sine calore sensibili externo, *Aeon.* 7, 19.
 manibus exceptis, calor corporis totius, cum pressorio supra orbitam dolore et aestuatione ejulatoria, *Puls.* 219, 11.
 in manibus (digitis) formicatio, *Verat.* 260, 8. (*Verat.* 267, 16.)
 manibus frigidis, facie pallida, frigida, sopor profundissimus, (*Bell.* 53, 11.)
 manibus pedibusque frigidis, calida fronte, cephalalgia constrictoria, *Camph.* 50, 6.
 manibus pedibusque frigidis, sine horrore, rubor generum meridie post pastum, *Caps.* 70, 11.
 in manibus lacerans dolor, (*Arn.* 22, 11.)
 in manibus maculae puliceae, *Aeon.* 8, 22.
 in manibus rheumatici dolores motu excitandi, volatichi, *Caps.* 70, 4.
 in manibus strictiorius dolor, ut a refrigeratione, *Cham.* 78, 5.
 in manibus et cubito strictorio paralyticus dolor, *Cham.* 77, 13.
 in manu lacinians et punctorius dolor, *Led.* 170, 21.
 manu dum aliquid capessitur, rigiditas brachiorum stuporifica, *Cham.* 77, 6.
 manus supra caput protensa inter somnum, *Rh.* 236, 11.
 manus illa calida, haec gelida, *Cinch.* 93, 12. *Pids.* 219, 1. *Cocc.* 107, 20.
 manus haec calida, frigida illa, alternatim, *Cocc.* 107, 20.
 manus captantes, (*Stram.* 250, 2.) (*Bell.* 56, 1.)
 manus frigidae, (*Nux v.* 200, 10.)
 manus, nec tamen pollices, in pugnum contractae, extensiles taeniam, (*Stram.* 246, 3.)
 manus et brachia interdum protensa, quasi aliquid captatura, (*Bell.* 36, 1.)
 in manus malleolo sensus paralyzans et dolor quasi a distorsione, *Ign.* 159, 3.
 manus quae itantes, (*Stram.* 245, 2.)
 manus volae frigido-humidae, *Aeon.* 8, 6.
 manus volae et frontis calidus sudor, *Camph.* 50, 9.
 manuum violenta Agitatio et respiratio vehemens, (gravis) inter calorem et ardorem constantem, (*Hyos.* 142, 19.)

- manuum, (pedum, genarum) Ardor, (*Caps.* 70, 12.)
 in manuum et pedum articulis Arthriticus dolor, (*Cinch.*
 104, 4.)
 manuum (pedum) Calor vesperi, *Led.* 172, 11.
 manuum (pedum, capitis) Calor sine siti, *Camph.* 50, 4.
 manuum (et pedum) Calor vespertinus, nec tamen cru-
 rum aut brachiorum, *Bell.* 28, 5.
 manuum Calor cum horrore et anxietate, ploratum
 gigneute, *Ign.* 151, 16.
 manus illa Calida, haec gelida, *Cinch.* 93, 12.
 manus illa Calida, haec frigida et vice versa, *Cocc.*
 107, 20.
 manuum (et pedum) Calor, et venae tumidae brachiis,
 femoribus et facie frigidis, *Rh.* 236, 5.
 manuum Contorsiones, (*Bell.* 35, 19.)
 manuum et pedum Contractioes alternantes, attactu
 maxime recrudescentes, (*Stram.* 247, 7.)
 mannum nec tamen pollicis in pugnum contractio,
 (*Stram.* 246, 3.)
 manuum Convulsivi quasi motus, (*Bell.* 35, 7. 19.)
 manus haec Frigida illa calida, et vice versa, *Cocc.* 107,
 20. (*Cinch.* 93, 12.)
 manuum, pedum, nasi Frigiditas, *Cinch.* 92, 4.
 manuum Frigiditas, *Cinch.* 92, 4. (*Nux v.* 200, 10.)
 (*Bell.* 33, 11.)
 manuum et pedum Frigiditas, fronte calida et capitis
 dolore constrictorio, *Camph.* 49, 4.
 manuum (pedum, genarum) Frigiditas gelida cum calo-
 re ardente frontis, colli, pectoris, quo postea in ge-
 nam alterutram progresso, manus et pedes iterum
 justum calorem acquirunt, pupillis contractis, non
 dilatabilibus; tunc somnus stertorosus, *Cham.* 81, 8.
 manus sudore Frigido madidae, alternatim haec illa,
 Cocc. 108, 3.
 manuum Frigiditas et sudor volarum frigidus, corpore
 juste calido, *Cham.* 73, 5.
 manuum, pedum, nasi Frigus, *Cinch.* 92, 4.
 manus haec Gelida, illa calida, *Cinch.* 93, 12.
 manuum et brachiorum continua Intorsio, (*Bell.* 35, 19.)
 in manuum malleolo Lacerans dolor mane post experre-
 ctionem e somno, *Ign.* 155, 11.
 manus Lividae cum frigiditate universalis sine horrore,
 Cocc. 107, 17.

- in manuum carpo interno Miliares papulae prarentes,
Led. 170, 16.
 manuum Narcosis paralytica frigida et rigiditas cum
 obnubilatione capitis et aeris hyperesthesia quasi
 refrigerium nasciturum sit, *Cham.* 77, 7.
 manuum Narcosis ut a gelu, *Cham.* 77, 14.
 manuum modo hujus, modo illius Narcosis, *Cocc.* 107,
 22.
 manuum, (pedum) Narcosis alternans, volatice, reuite-
 rans, *Cocc.* 107, 22.
 manuum (pedum) Narcosis, *Nux v.* 197, 1.
 manuum (digitorum) Narcosis, *Verat.* 260, 9.
 in manus malleolo sensus Paralyzans et dolor quasi a dis-
 tortione, *Ign.* 159, 3.
 manuum Rigescencia, (*Hyos.* 144, 8.)
 manuum Rigiditas et narcosis paralytica frigida cum
 obnubilatione capitis et aeris hyperesthesia quasi
 refrigerium nasciturum sit, *Cham.* 77, 7.
 manuum Spasmi continuo, (*Bell.* 35, 7.)
 manuum Stupor alternans, *Cocc.* 107, 21.
 manuum Stupor dolorificus, (*Hyos.* 135, 10.)
 manuum (faciei, colli) Sudor, *Cham.* 82, 3.
 manuum copiosus Sudor frigidus, *Bell.* 27, 2.
 manus Sudore frigido madidae, alternatim haec, illa,
Cocc. 108, 3.
 manuum volarum et faciei Sudores volatice crebri cum
 siti aquae, *Cham.* 82, 2.
 manuum Sudor frigidus, modo hujus, modo illius alter-
 natim, *Cocc.* 108, 3.
 manuum et frontis Sudor gelidus cum stupore mentis
 et abhorrescentia potus et cibi, *Cocc.* 107, 14.
 manuum Tremor, *Acris* 15, 4. (*Stram.* 245, 21.)
 manuum Tumor, (*Hyos.* 144, 9.)
 in margine labiorum exulcerationes crustosae, *Cham.*
 83, 11.
 in margine ulceris lancinans dolor, in ulcere ipso stricto-
 rijs, *Mez.* 181, 23.
 masticatio impedita, (*Hyos.* 142, 9.)
 matutina e naribus destillatio, *Nux v.* 195, 22.
 matutina dormitirito, *Nux v.* 187, 6.
 matutina diurna febris, *Stram.* 241, 17.
 matutina Frigiditas corporis, sine Frigore, *Led.* 169, 2.
 matutina gravedo, *Caps.* 67, 1.

- matutina capitis gravitas vertiginosa, ebriosa, *Nux v.*
185, 7.
- matutina major lassitudine quam dormitum ituri, *Nux v.*
187, 8.
- matutina lucis intolerantia, scotomica, *Nux v.* 187, 3.
- matutina nausea vomituriens, *Cham.* 77, 4.
- matutina capitis obnubilatio, *Hyps.* 131, 1.
- matutina excitatio et pandiculatio enorimis et post pandiculationem dolor in artibus, maxime in genu, spasmicus, *Nux v.* 187, 7.
- matutina rigiditas crurum dolorosa, *Led.* 171, 14.
- matutina et nocturna tussis cum expectoratione purulenta, *Led.* 170, 3.
- matutina vertigo, *Cham.* 74, 13.
- matutini borborygmi, *Nux v.* 192, 3.
- matutinus in oculis sensus, quasi a corpore alieno premente, *Puls.* 224, 23.
- in maxilla inferiori arthriticus dolor, *Aceris* 15, 8.
- in maxilla inferiori diruenti lacerans dolor, *Cocc.* 110, 2.
- in maxilla inferiori lacerantes (stricteri) dolores, *Puls.* 225, 13.
- in maxilla lacerans dolor ad aurem tendens cum genae tumore, *Cham.* 79, 6.
- in maxilla lacinatus singuli ad aurem internam usque, *Cham.* 79, 5.
- in maxillis et lingua ardoris sensus et formicatio ita ut dentes vacillare viderentur, (*Acon.* 12, 13.)
- in maxilla inferiori antrorum versus strictiorius dolor, *Cham.* 79, 7.
- maxillae constrictio, convulsio, vide *trismus*.
- in maxillae inferioris superficie externa sub cute tuberculum tactu tantum dolorosum, *Nux v.* 195, 19.
- maxillae inferioris paresis, *Arn.* 18, 4.
- maxillae superioris dolor, *Op.* 205, 13.
- in maxillae superioris dentibus formicatio, *Cham.* 80, 4.
- ad maxillam sinistram usque, inde ab osse sacro dolor lacerans, *Led.* 172, 4.
- ad maxillam superiorem et nasi radicem protensa dilacerans cephalalgia, *Nux v.* 188, 9.
- a maxillam superiorem tendens dolor capitis supra orbitas lacinans vomituriens, quadantenus pressorius, *Acon.* 3, 12.
- ad maxillam superiorem et nasi radicem protensa dilacerans cephalalgia eundo aucta, *Nux v.* 188, 9.

- maxillarium glandularum dolor, *Cinch.* 96, 18.
 maxillarium glandularum pressorius dolor, *Ign.* 153, 6.
 maxillarium glandularum strictorius dolor, *Ign.* 154, 2.
 maxillarium glandularum tumor, *Cinch.* 96, 8. *Ign.*
 154, 3.
 maxillarum dolor, delirio evanido, (*Acon.* 10, 4.)
 maxillarum dolor acutissimus, quasi excidere vellent,
 (*Acon.* 12, 2.)
 in maxillas ex glandulis submaxillaribus tendens strictorius
 dolor, *Ign.* 154, 3.
 in maxillis strictorio lacerans dolor, *Nux v.* 195, 21.
 in maxillis adstrictorius dolor ut ab acidis, cum horripila-
 tione et sudore faciei frigido, *Puls.* 225, 17.
 in maxillis et lingua ardoris sensus et formicatio, ita ut
 dentes vacillare viderentur, (*Acon.* 12, 13.)
 post mediam noctem evigilationes, *Caps.* 70, 15.
 in medio cerebri dolor qualis post vomitum usu venit, de-
 pressione palpebrarum emergens, *Nux v.* 188, 1.
 in medio femorum dolor transversus tensivus in adscen-
 sione, quasi nimis curta essent, *Hyos.* 132, 20.
 meditatio alta, *Acon.* 8, 18.
 a meditatione levi languor, *Cham.* 75, 1.
 meditationis amor, *Cinch.* 99, 1.
 meditatione auctus capitis dolor quasi a vulnere cere-
 bri, *Cinch.* 96, 13.
 medium labii inferioris rhagade fissum et sanguislu-
 um, *Cham.* 83, 1c.
 meibomianarum glandularum inflammatio, *Dig.* 124, 10.
 per medullam ossium penetrantes dolores deterrimi, (*Op.*
 211, 14.)
 membrana, vide et *artus*.
 membra omnia torpefacit, *Dros.* 128, 4.
 membris unius tremor, *Stram.* 240, 22.
 in membris omnibus arthriticus dolor, *Acris* 15, 7.
 in membris quasi a contusione dolor, *Val.* 252, 1.
 membrorum omnium contorsiones, (*Bell.* 39, 16.)
 membrorum omnium dolor (simplex?), *Mez.* 180, 20.
 membrorum omnium quasi a Fatigione dolor, *Verat.*
 260, 1.
 in membris omnibus Formicatio (pruritus), (*Op.* 215, 8.)
 membrorum omnium Lassitudo cum sapore fatuo in
 ore, et sensu ut ab inedia longa et quasi a vacuo
 in ventriculo, *Ign.* 153, 6.
 membrorum Narcosis (stupor), *Cinch.* 93, 3.

- membrorum Paralyticus torpor, *Val.* 251, 15. (*Melamp.*
 177, 2.) *Acris* 15, 10.
 membrorum omnium Paresis, *Bell.* 26, 5.
 in membris omnibus Pruritus (formicatio), (*Op.* 215, 8.)
 membrorum Rigiditas, *Ign.* 153, 7. *Cham.* 88, 10. 11.
 Nux v. 193, 20. 21. (*Melamp.* 177, 2.)
 membrorum omnium Spasmus tonicus, quasi a rigidi-
 tate, *Ign.* 153, 7.
 membrorum omnium Strictorius dolor, (*Bell.* 29, 5.)
 membrorum Stupor, *Cinch.* 93, 3. (*Nux v.* 193, 8.)
 Cham. 77, 5.
 membrorum Stuporem inducens frigiditas totius corpo-
 ris, (*Op.* 215, 1.)
 membrorum omnium Torpor, *Nux v.* 194, 2.
 membra unius vel plurium membrorum Tremor, *Stram.*
 240, 22.
 in membris omnibus Tremor, *Cocc.* 108, 13.
 in membris omnibus et nervis sensus Tremulus, (*Op.*
 211, 15.)
 membrorum omnium dolor quasi a Verberatione, *Nux*
 v. 194, 1.
 membrorum omnium dolor Vibrans dum corpus con-
 citetur in rheda et dum pes sistitur, *Arn.* 22, 14.
 membrorum Vulsiones uno ictu, *Ign.* 155, 17.
 membrorum Vulsiones uno ictu, incipiente somno,
 Cham. 73, 13. *Ign.* 155, 18.
 memoria diu abolita, (*Op.* 216, 16.)
 memoria penitus amissa, (*Op.* 208, 7.)
 memoria aucta, (*Bell.* 39, 13.)
 memoria debilis, *Acon.* 3, 2. *Hyos.* 131, 14.
 memoria defectus, (*Camph.* 53, 16.)
 memoria imminuta, *Stram.* 241, 17. *Bell.* 25, 3.
 memoria labilis, *Ign.* 158, 10.
 memoriae lapsus, *Verat.* 255, 6. (*Hyos.* 148, 5.) (*Op.*
 210, 3.)
 memoria viva, *Acon.* 8, 16.
 mendacia aliorum et prave dicta vel minima maximi-
 faciens animus et aegre ferens, *Cocc.* 106, 13.
 in meningibus cranii dolor, *Hyrs.* 131, 3.
 menorrhagia, *Acon.* 7, 16. *Stram.* 242, 2. 3. (*Cocc.*
 114, 5.) *Cop.* 116, 20.
 mens parum constans, (*Canth.* 59, 7.)
 mens exaltata, (*Cupr.* 121, 4.)
 mens constans, (*Op.* 208, 5.)

mens fixa, alte cogitabundi inattentio, *Cocc.* 106, 9.
 mens redux, oculis tamen torpidis et cerebro obtene-
 brato, (*Hyos.* 139, 9.)
 mens vividus, (*Op.* 204, 8.)
 mensa suffultum caput, *Ign.* 151, 7.
 menstrua, *Bell.* 30, 1. (*Bell.* 46, 6.) (*Hyos.* 145, 18.)
 menstrua aucta, sanguine menstruali frustis magnis et
 grumosis secedens, *Stram.* 242, 2.
 inter menstrua cardialgia, *Puls.* 228, 11.
 inter menstrua dolor pectoris in respiratione lancinans,
 Puls. 228, 6.
 inter menstrua dolor lacerans modo in brachio hinc inde,
 modo in dorso, *Bell.* 29, 6.
 menstrua septem dies anticipata, *Puls.* 229, 1.
 menstrua nimia, haemorrhagia uteri, cum doloribus
 strictoriis in abdomen, femoribus, artibus, *Stram.*
 242, 3.
 menstrua suppressa, *Puls.* 231, 15.
 menstruatio, (*Ign.* 160, 1.) *Melamp.* 176, 15.
 menstrua aucta, (*Hyos.* 145, 19.) (*Bell.* 42, 7.) *Op.*
 203, 5. (*Puls.* 233, 4.)
 menstruatio in amenorrhoea, (*Verat.* 267, 21.)
 menstruatio aucta nimia sanguinis grumosi, *Stram.*
 242, 2.
 menstruatio copiosa, (*Puls.* 234, 6.)
 menstruatio nimia, vide et *menorrhagia*.
 menstruatio nimia cum dolore strictorio in abdomen,
 femoribus et artibus, *Stram.* 242, 3.
 menstrui suppressio cum scrobiculi tumore et pressione
 auxia, tumore abdominis, doloribus quasi ad par-
 tum et hydrope cutaneo, *Cham.* 86, 8.
 menstruorum suppressio cum frigiditate, horrescentia
 et tremore pedum, *Puls.* 231, 14.
 menstruorum suppressio, *Puls.* 231, 15.
 cum menstruorum suppressione, nausea vomituriens, sine
 vomitu, appetitu integro, *Puls.* 222, 4.
 menstruorum tempore dolor pressorius in scrobiculo
 cum vomititione, *Caps.* 68, 7.
 menstruum austum, (*Bell.* 42, 7.)
 menstruum irregulare, (*Hyos.* 145, 20.)
 mente alta repostae haerent offensae, mens tristissimis
 cogitationibus immersa, *Cocc.* 106, 11.
 mentis absentia, (*Stram.* 244, 8.) (*Bell.* 40, 18.)
 Q 2

- mente vehementer perturbata, garrulitas incongruorum, (*Bell.* 32, 7.)
 ne mente privetur, timor, (*Stram.* 244, 14.)
 mentis alienatio cum quadam verborum altercatione, (*Hyos.* 146, 13.)
 mentis alienatio, (*Bell.* 37, 1.) (*Stram.* 250, 8.)
 mentis alienatio summa, (*Hyos.* 148, 10.)
 mentis impotentia, (*Camph.* 47, 9.)
 mentis perturbatio, (*Op.* 208, 11.)
 mentis perturbationum vicissitudines contrariarum, (*Acon.* 12, 13.)
 mentis sanae et insaniae vicissitudines, (*Stram.* 245, 10.)
 mentis status exaltatus, *Verat.* 262, 6.
 mentis stupor, *Bell.* 25, 4. (*Bell.* 40, 11. 42, 17.) (*Hyos.* 149, 6.)
 mentis stupor laetitiae expers (achaeria) dormituriens, a somno tamen alienus, (*Cham.* 74, 16.)
 mentis stupor cum sudore frontis et manuum gelido et abhorrescentia potus et cibi, (*Cocc.* 107, 14.)
 mentis stupor totalis, (*Hyos.* 149, 6.)
 mentis stupor cum vertigine, (*Bell.* 25, 5. *Cham.* 74, 14.)
 mentis tranquillitas, (*Op.* 209, 7.)
 mentis vacillatio, (*Stram.* 243, 3.)
 sub mento in collo pustulæ tactu dolentes, (*Puls.* 226, 8.)
 in mento et gena serpiginosa, fusca, pustulosa exanthemata, (*Hyos.* 145, 9.)
 in mento horror, (*Stram.* 249, 16.)
 meri sanguinis excretio per anum, (*Canth.* 59, 13.)
 meridie post pastum genarum rubor, manibus et pedibus frigidis, sine horrore, (*Caps.* 70, 11.)
 in metatarso pedis dolor quasi a luxatione, (*Led.* 170, 24.)
 meteorismus, vide et *distantio*, *expansio*, *intumescentia*, *tumor*, *inflatio*, *flatulentia*, *abdomen*.
 cum meteorismo pressio in abdomen et scrobiculo post pastum, *Nux v.* 192, 2.
 meteorismus surde terminosus, inquietudo et tensio abdominis quasi ab alvo constipata, *Verat.* 261, 15.
 meticulosa desipientia timens de cane atro, de patibulo, (*Bell.* 23, 14.)
 meticulositas summa, (*Hyos.* 133, 7.)
 meticulositas, ne mali quid sibi accidat, (*Acon.* 3, 5.)
 meticulositas et pavor concussorius inter capitum ebriosam infatuationem, *Nux v.* 186, 16.

- meticulositas timens de cane atro, patibulo, *Bell.*
 25, 14.
 cum meticulositate lacrymatio, ploratus, ejulatus sine cau-
 sa maximus, *Bels.* 25, 13.
 cum metu suffocationis, anxietates, (*Acon.* 13, 12.)
 metuit putrescere vivo corpore, desipientia, *Bell.* 26, 1.
 metus, vide *et timor et pavor.*
 metus, *Verut.* 262, 11.
 quasi ex metu frigoris horror, *Ign.* 150, 3. vide *et horre-*
scentia.
 cum metu labendi gressus vacillans, (*Nux v.* 198, 3.)
 metos brachium movendi dolorosum, dolore inter quie-
 tem intolerabili, per motum tamen mitigato, *Cocc.*
 113, 4.
 metus frigoris, *Acon.* 1, 4. *Ign.* 150, 3. *Nux v.* 186, 3.
 Ip. 162, 2. vide *et horrescentia.*
 metus canis atri, patibuli, *Bell.* 25, 14.
 metus mortis quasi instantis, (*Acon.* 5, 7.)
 metus mortis praesentaneae, (*Acon.* 10, 4.) *Acon.* 3, 7.
 metus syncopes, (*Verut.* 267, 1.)
 micans dolor hinc illinc a tussi et sternutatione, *Caps.*
 66, 14.
 micans hinc illinc dentium dolor cum salivatione, fri-
 gida aqua admota exasperatus, ad oculos tendens,
Cham. 79, 8.
 micans sursum deorsum sensus in buccis ardentibus
 indolorificus, *Caps.* 70, 13.
 micans per oculos calor faciei cum frigore totius cor-
 poris, *Cham.* 81, 9.
 quasi micantis per venas modo ignis volaticei, modo gelatae
 aquaee sensus, (*Op.* 211, 16.)
 quasi micaret ignis et calor per oculos, sensatio, *Cham.*
 81, 11.
 mictio involuntaria post urgentem nisum ad mingen-
 dum, *Camph.* 50, 18.
 mictio involuntaria, *Cham.* 86, 17. *Acon.* 2, 16. (*Bell.*
 35, 16. 36, 1. 39, 9.)
 mictio dolorosa, *Camph.* 50, 13.
 mictio cruenta, *Mez.* 181, 10. (*Canth.* 60, 14. 62, 10.)
 (*Cop.* 117, 7.)
 mictio cruenta dolorosa, (*Canth.* 62, 2.)
 mictio sanguinis copiosa, (*Canth.* 59, 3. 60, 12.)
 mictio majoris urinae copiae, quam pota erat, (*Arn.*
 24, 8.)

- ante mictum dolor in vesicae collo, *Nux v.* 193, 9.
 extra mictum lancinatus in urethrae orificio, (*Caps.* 69, 11.)
 extra mictum lancinatus in vesicae collo, *Cham.* 86, 13.
 extra mictum dolor in urethra pulsatorius, orificio ure-
 thrae tumido, aperto, inflammato, *Cop.* 116, 4.
 extra mictum ardor in vesicae collo, *Acon.* 8, 21.
 extra mictum pruritus in urethra, (*Mez.* 181, 12.)
 inter mictum lancinatio et forficatio in glande penis, *Acon.*
 6, 10.
 inter mictum angor sine impedimento mechanico, *Cham.*
 86, 15.
 inter mictum ardor in vesicae collo, *Cham.* 86, 14.
 inter mictum mordax in urethra dolor, *Canth.* 57, 5.
 inter mictum pruritus in urethra, *Nux v.* 193, 10.
 inter mictum dolor in vesicae collo ardens et lacerans,
 Nux v. 193, 11.
 post vel ante mictum orificium urethrae quasi a vulnere do-
 lorosum, *Nux v.* 193, 12.
 post mictum maxime bleumorrhœa consistentia et colore se-
 minis humani, cum aidenti dolore, *Puls.* 223, 17.
 post mictum formicatio et pressio in glande penis, *Puls.*
 223, 12.
 post mictum formicatio et pruritus in urethra, *Canth.* 57, 4.
 post mictum pressio in vesicae collo, *Nux v.* 193, 8.
 post mictum statim dolor punctorius in urethrae orificio,
 Caps. 69, 12.
 post mictum dolor pressorio formicans in urethrae orificio,
 Puls. 223, 10.
 micturitio, *Puls.* 223, 7. *Canth.* 57, 1. *Nux v.* 193, 6.
 Caps. 69, 9.
 micturitio tactu abdominis excitanda, *Acon.* 6, 14.
 micturitio continua, *Cop.* 116, 1.
 micturitio anxia, *Acon.* 6, 13.
 inter micturitionem continua dolor vehementissimus,
 (*Canth.* 63, 5.)
 micturitio creberrima cum dolorum superiorum in ute-
 rum irruentium specie, *Cham.* 86, 7.
 micturitio indesineus, (*Bell.* 40, 5.)
 micturitio irrita, tenesmus vesicae urinariae, *Arn.* 19, 9.
 micturitio perpetua cum dolore intolerabili, (*Canth.*
 61, 9.)
 micturitio pomeridiana, *Nux v.* 193, 7.
 cum micturitione frustranea angor sine letii copia, *Cham.*
 86, 16.

- post micturitionem fere irritam pressio in vesica, *Cinch.*
 97, 17.
 mictus majoris aquae copiae quam pota est, (*Arn.*
 24, 8.)
 mictus continuus, (*Canth.* 60, 7.)
 mictus creber, *Mez.* 181, 8. vide et *micturitio*.
 mictus frequens urinae pallidac, tenuis, aquosae, co-
 pirosae, (*Bell.* 32, 6.)
 mictus involuntarius, *Acon.* 2, 16. (*Bell.* 35, 16. 36,
 2. 4.) *Bell.* 28, 4. *Cham.* 86, 17.
 mictus sanguinis, (*Canth.* 59, 12. 14. 61, 3.)
 migrans ad latus dolor in nasi radice pressorius, *Cinch.*
 96, 11.
 migrans hinc illinc capitum dolor, *Cinch.* 96, 9.
 miliare exanthema inter calorem etiam interdiu pru-
 riens, post fricatum urens, inter eruptionem tuber-
 culorum, *Verat.* 261, 11.
 miliaris eruptio rubra in cute, *Stram.* 241, 5.
 miliares eruptions pus includentes circa labia, *Nux v.*
 195, 17.
 milieres eruptions rubrae, pruriens, brachium, ca-
 put et totum corpus occupantes, discretae vel in
 placulas confluentes, molestissimae, (*Mez.* 182, 1.)
 miliares papulae pruriens in carpo interno, *Led.*
 170, 16.
 miliares papulae in pectore cum maculis rubris et pru-
 ritu ut a pediculis, *Led.* 170, 17.
 miliares rubrae, pruriens, discretae et confluentes,
 (*Mez.* 180, 1.)
 miliares papulae erythemata in cute obsidentes, *Cham.*
 88, 9.
 miliaria rubra in genis, *Cham.* 88, 8.
 miliaris eruptio in genu utroque et cruribus ardenti
 pruriens, *Nux v.* 197, 17.
 minantis suffocationem distentionis abdominis sensus,
Caps. 66, 7.
 in mingendi molimine dolor pressorio lancinans in ves-
 icae collo, *Canth.* 57, 3.
 in mingendi molimine sensus quasi via ad urethram pre-
 cluderetur, *Op.* 205, 12.
 post mingendi nisus crebriorum, fere frustraneum, pressio
 in vesica, *Cinch.* 97, 17.
 ad mingendum nisus urgens et tum mictio involuntaria,
Camph. 50, 18.

- extra mingendum dolor pressorius in urethra, *Cinch.* 97, 17.
 inter mingendum ardor in urethra, *Cop.* 116, 3.
 ob minima cura anxia et nimis sollicita, *Cinch.* 94, 3.
 ob minima querelae ejulatoriae, immodicae, *Ign.* 152, 3.
 minima acgre ferens animus cum lacinatibus singulis
 in aure, *Cham.* 78, 17.
 minima aegerrime ferens inter jocos ipsos animus,
 Caps. 63, 15.
 minima exaudiuntur in somno levissimo, *Ign.* 157, 5.
 ob minimum strepitum stomachatio, *Ip.* 163, 18.
 miserabilis clamor inter somnum et gemitus vagitosi,
 Op. 202, 12.
 miserabilis ejulatus et raukus, *Cinch.* 93, 13.
 miserabilis ejulatus, opprobriis plenus, et angor inconsolabilis, ob mala et incommoda (parva), *Acon.*
 3, 6.
 miserabilis lacrymatio, *Op.* 201, 15.
 mite delirium frigido corpore, *Verat.* 255, 2.
 mobilitas juncturarum diminuta, *Nux v.* 193, 19.
 erga modestiae sensum et sensationes subtiliores stupiditas,
 (*Op.* 210, 5.)
 ad modulationem pulsuum murmur in aure, *Puls.* 220, 14.
 moeror, *Acon.* 3, 3. (*Op.* 213, 6.)
 moeror lacrymatorius de frustrationibus variis, *Dig.*
 123, 5.
 moestitia, animus abjectus post ecstasin, (*Op.* 211, 8.)
 molestia in abdomen quasi a constipatione, *Cham.*
 85, 11.
 molestia in faucibus, digitis monstrat ac si quid in ore
 haereat, (*Ilyos.* 142, 11.)
 molestiae in hypochondriis, (*Cinch.* 103, 12.)
 molestiae ventris, (*Rh.* 238, 6.)
 molestus aer, quasi e morbo gravi convalescenti, *Verat.* 254, 15.
 molimen ructuum frustraneum, *Bell.* 27, 6. *Acon.* 5, 10.
 molimina crebra diarrhoea erupturae, *Puls.* 223, 4.
 molimina haemorrhagiae uteri vel in decrepitis, *Cham.*
 89, 13.
 molimina haemorrhoidum coecarum, *Cham.* 86, 11.
 molimina herniae, *Nux v.* 192, 15. *Cham.* 86, 6. *Cocc.*
 111, 10. *Verat.* 259, 8. 9.
 molimina pollutionum, *Camph.* 49, 12.
 in molimine ad alvum deponendam sensus quasi vis ad re-
 ctum paecluderetur, *Op.* 202, 11.

- in molimine mingendi sensus quasi via ad urethram praecluderetur, *Op.* 205, 12.
- cum moliminibus diarrhoeae irritis et vomitu subsequente termina sorscantia, trunco incurvato sedere cogentia, *Bell.* 27, 15.
- molles, parvae, cerebrae sedes, *Mer.* 181, 7.
- molliores, parvae, tenesmodae sedes, *Acon.* 5, 7.
- morbillosum exanthema, (*Bell.* 40, 21.)
- quasi e morbo gravi convalescentiae sensus, *Acon.* 8, 8.
- quasi e morbo gravi convalescenti aer molestus, *Verat.* 254, 15.
- morbos debilitas post accessus syncopes una cum nausea ciborum et ictero, *Nux v.* 199, 10.
- mordacem calorem accedit, (*Cham.* 91, 1.)
- mordaci dolore genam erodentes lacrymae in lippudine, *Led.* 170, 6.
- mordacitatis insignis sensus in posteriori linguae parte et velo palatino, *Cham.* 83, 12.
- mordax, vide et *piperatus*.
- mordax in labiis sensus, *Ip.* 162, 14.
- mordax in linguae margine sensus, *Ip.* 163, 1.
- mordax in lingua sensus, *Arn.* 18, 15.
- mordax in fauibus sensus, *Hyos.* 132, 6.
- mordax in oculis sensus, quasi a sale culinari insperso, *Nux v.* 189, 6. *Canth.* 57, 11.
- mordax dolor in urethra inter mictum, *Canth.* 57, 5.
- mordax leucorrhœa et flava, *Cham.* 86, 9.
- mordax et ardens dolor in ulcere, cum formicatione et hyperaesthesia inter tactum, *Cham.* 89, 16.
- mordax et lancinans dolor in ulcere cum pruritu circum circa, *Puls.* 231, 12.
- mordens primo dolor in lingua, tum calor diutinus, (*Puls.* 233, 1.)
- mordendi adstantes nisus, (*Bell.* 39, 6.)
- mordendi obvia nisus, (*Bell.* 36, 17.)
- mordet, dilacerat obvia, screat, (*Bell.* 36, 17.)
- mordet adstantes, (*Bell.* 40, 3.)
- inter mordendum deus dolorificus, *Puls.* 225, 15.
- inter mordendum dolor dentium, quasi casuri essent, *Hyos.* 132, 8
- mordicans in ventriculo sensus, (*Stram.* 249, 2.)
- mori cupit ob dolorem ophthalmiae, (*Acon.* 11, 1.)
- moribundi, quasi nausea, (*Dig.* 126, 5.)

- moribundi angor, *Acon.* 3, 8.
 quasi moribundi agitatio ferox, dysphoria immanis, jactatio, cum lacerantibus abdominis doloribus, tum stupiditas, tum dolor capitis ferox, *Cham.* 76, 1.
 morientium instar oculus ille semiclausus, ille apertus, et facies hippocratica, *Cinch.* 93, 11.
 morientium instar vultus et iides retortae, *Cinch.* 95, 10, 11.
 morionis instar saltantis gesticulationes absurdæ, (*Hyos.* 157, 6.)
 morosa inquietudo, ab inquietudine viscerum abdominis, *Nux v.* 190, 1.
 morosi animi et animi serenitatis curarum expertis visciditudines, *Op.* 204, 20.
 morositas, *Caps.* 65, 12. *Acon.* 2, 6. *Cham.* 76, 12. *Canth.* 57, 14. *Led.* 170, 11. *Op.* 201, 13.
 morositas, facta aliorum omnia displicant, *Cham.* 76, 15.
 morositas et angor cum punctione in pectoris latere, *Acon.* 2, 6.
 morositas hypochondriaca ad quarvis segnis, *Arn.* 17, 15.
 morositas hypochondriaca, minima aegre ferens, *Puls.* 219, 16.
 morositas, spei abjectio, *Op.* 201, 13.
 morositas, taedium, *Caps.* 65, 12.
 morositas et taedium post somnum cessant, *Caps.* 65, 20.
 morositas omnia vilipendens et optans ut et alii omnia flocci faciant, *Ip.* 163, 14.
 morositas contemtrix, *Ip.* 163, 13.
 morositas varia modo appetens, modo fastidiens, *Arn.* 18, 2.
 morositas imperiosa, *Arn.* 21, 16.
 morositas infelicem se putantis, *Ip.* 163, 15. vide et *desperatio*.
 morositas post experrectionem e somno, *Mez.* 181, 18.
 morositas querula, *Cinch.* 95, 4. *Cocc.* 106, 7.
 morositas summa post somnum; mordet adstantes, (*Bell.* 40, 3.)
 morositas summa, opprobrians, vituperans, *Ign.* 156, 6.
 morositas infantum et jactatio, *Arn.* 21, 14.
 morositas ad rixam proea, *Cham.* 76, 13.
 morositas summa, *Cocc.* 106, 8. *Arn.* 18, 1.
 morositas summa, taciturna, *Arn.* 18, 1.

- morositas suspiriosa, *Cinch.* 94, 5.
 morositas taciturna cum pertinacia, *Caps.* 65, 13.
 morositas taciturna, *Ip.* 163, 13. *Arn.* 18, 1.
 morositatem aversantem causant et odio sunt omnia
 objecta externa, *Camph.* 48, 10.
 ab morositatem obrigescentia infantum, *Puls.* 219, 17.
 morosus et demissus animus, *Nux v.* 189, 19.
 mors specie quatuor dierum, (*Bell.* 41, 4.)
 quasi mors instaret, tremula anxietas, *Puls.* 220, 1.
 a morsuram linguae usque succussions in somno, *Mez.*
 181, 19.
 mortis desiderium et vitae taedium cum taciturnitate,
 Mez. 179, 3.
 de morte praesentanea terribilis phantasia, (*Hyos.* 146, 10.)
 de morte praesentanea timor et querelae, *Acon.* 3, 7.
 de morte istante timor, (*Bell.* 46, 13.)
 mortem instare putat, *Nux v.* 190, 7.
 mortis timor, *Dig.* 123, 6. *Nux v.* 190, 6.
 mortis praesentaneae metus, (*Acon.* 10, 4.)
 mortui instar lipothymia, (*Hyos.* 149, 2.)
 mortui instar jacet quatriduo sine motu et cibo, (*Bell.*
 41, 4.)
 modo motibus miris artus flexi, modo corpus immobile,
 (*Bell.* 38, 3)
 motitare artus cogens dolor juncturarum, *Cinch.* 98, 6.
 motitatio valida hiuc illic in lecto, (*Bell.* 35, 15.)
 motu parvo (et potu et loquela) excitanda, augenda cepha-
 lalgia, quasi pars cerebri hic illic tollatur, *Acon.* 4, 4.
 motu parvo auctus pectoris constrictorius dolor, respi-
 rationem angustans, *Caps.* 66, 3.
 ab motu capitinis et itione dolor capitinis in temporibus, quasi
 cranium disrumperetur, *Caps.* 67, 17.
 ab motu corporis minimo sudor languidus universalis, *Cocc.*
 108, 6.
 motu colli excitatus lacerans ut a distortione in nucha
 dolor, *Ign.* 159, 2.
 motu excitandi rheumatici dolores intra scapulas, *Verat.*
 260, 13. *Caps.* 70, 4.
 motu levi (eundo) excitatus calor corporis, *Bell.* 27, 3.)
 motu excitandi rheumatici dolores in nucha, *Acon.* 6, 7.
 Verat. 257, 14. (*Melamp.* 176, 2.)
 motu sensibilis dolor rheumaticus intra scapulas, *Verat.*
 260, 13.

- motu excitandi rheumatici, volatichi in artibus, dorso,
 scapulis, manibus, nucha dolores, *Caps.* 70, 4.
 motu tantum et tactu percipiendus dolor quasi a contusione abdominalium muscularorum, *Nux v.* 193, 1.
 motu tantum sensibilis rigiditatis in nucha sensus, *Caps.* 69, 14.
 motu (post itum) natus in vertebrarum lumborum quarta dolor pressorius, *Puls.* 227, 13.
 motu excitandi lancinantes dolores et in ardentes terminati, (*Ip.* 163, 20.)
 motu excitandus dolor simplex omnium articulationum, *Rh.* 257, 3. *Cham.* 88, 11.
 motu excitatus stupor mentis (fatuitas), *Puls.* 220, 5.
 motu excitatus (inter eundum) dolor vesicae, *Acon.* 6, 11.
 motu excitandus strictorio lancinans dolor in osse cubiti, *Acon.* 6, 8.
 motu excitandus dolor acutus quasi a contorsione in pedis junctura, *Cocc.* 113, 7.
 motu excitandus dolor dorsi et abdominis quasi a contusione, *Stram.* 241, 12.
 motu colli tantum percipiendus dolor rheumaticus in nucha, *Acon.* 6, 7.
 motu excitanda vertigo inter nuchae rheumaticam rigiditatem, *Verat.* 257, 14.
 motu percipiendus dolor constrictorius sterni et dorsi, *Op.* 205, 2.
 motu (itione) excitata constrictio pectoris asthmatica, *Leil.* 169, 11.
 motu partium colli et deglutitione auctus dolor simplex faucium, *Cham.* 83, 15.
 motu (eundo) excitati dolores in lumbis quasi a partu, *Acon.* 6, 16.
 motu excitata cephalalgia disruptoria, *Caps.* 67, 17.
 motu excitata fatuitas et vertigo, *Puls.* 220, 5.
 motu maxime percipienda lancinatio in labiis, *Ign.* 152, 14.
 motu tantum et tactu percipiendus dolor abdominalium muscularum quasi a contusione, *Nux v.* 193, 1.
 motu minimo capitis, meditatione, loquela auctus capitis dolor quasi a vulneré cerebri, *Cinch.* 96, 13.
 motu maxime percipiendus dolor juncturarum quasi a contritione, *Cinch.* 98, 3.

- motu percipiendum rheuma intra scapulas ad os sacrum
 usque, *Dros.* 129, 10.
 motu levissimo corporis excitatus sudor nuchae et dor-
 si, *Cinch.* 95, 15.
 motu excitandus dolor dorsi et una abdominis quasi a
 contusione, *Stram.* 241, 12.
 motu (eundo) aucta dilacerans cephalalgia, *Nux v.*
 188, 9.
 motu (inter eundum) excitatum asthma, *Caps.* 66, 4.
 motu (inter eundum) excitatus dolor in vesica urinaria,
 Aeon. 6, 11.
 motu (inter eundum) excitatus dolor surae tensivus
 post sessum, *Led.* 171, 10.
 motu (inter eundum) excitata femoris subita asthenia
 paralytica, volatrica, *Puls.* 229, 12.
 motu excitata vertigo et fatuitas, *Puls.* 220, 5.
 motu (inter eundum) excitatus dolor genuum tensivus
 et lancinans, *Led.* 171, 11.
 motu (inter eundum) excitatus in cerebro crepitus ad
 pulsum arteriarum modulatus, *Puls.* 226, 12.
 motu (inter eundum) post sessum dolor tensivus genu-
 um et calcis, *Led.* 171, 13.
 motu (inter eundum) excitata vertigo, (*Ip.* 162, 7.)
 a motu oculorum sursum et ad latus cephalalgia, genae
 rubrae, scurrilitas, caloris universalis sensus, *Aeon.*
 7, 20.
 motu oculorum et capitis et pronatione aucta hemicrania
 pressorio lancinans nauseabunda, *Caps.* 68, 2.
 motu mitigatus dolor in articulatione humeri et cubiti,
 inter quietem intolerabilis, cum metu tamen bra-
 chium movendi, *Cocc.* 113, 3.
 motu diminuta, requie aucta trepidatio, *Puls.* 250, 19.
 motu pacatior, requie excitatus dolor capitis punctoriis
 magis quam lacerans, *Caps.* 67, 23.
 sine motu et cibo jacet quatri duo mortui instar, (*Bell.* 41, 4.)
 inter motum (eundum) post sessum dolor tensivus surae,
 Led. 171, 10.
 inter motum et requiem asthma, *Caps.* 65, 23.
 inter motum dolor tensivus in suris, *Cocc.* 113, 1.
 inter motum dolorifica genuum et lumborum rigiditas, *Igu.*
 153, 8.
 inter motum et a tactu dolor in brachii radio quasi a con-
 tortione, *Cocc.* 113, 3.

- inter motum dolor quasi a confractione, seu qualis a distortione remanet in pollice et digito indice cum asthenia paralytica, *Cham.* 78, 2.
- inter motum dolor crampoides tensivus in sura, *Cham.* 83, 13.
- inter motum levissimum clamores subitaneos extorquens dolor ossis sacri intollerabilis, *Cinch.* 98, 5.
- inter motum citum brachii, lacinatus in humeri junctura, *Puls.* 229, 6.
- inter motum debilitas minor, inter requiem major, *Cham.* 74, 7.
- inter motum maxime dolor articulationum simplex seu quasi a confractione cum asthenia artuum, sine tamen lassitudine completa, *Cham.* 77, 11.
- inter motum dolor artuum quasi a confractione, *Cocc.* 112, 4.
- inter motum maxime dolores lacerantes, rheumatici, volatrici, *Led.* 171, 9.
- inter motum oculorum sursum et ad latus capitis dolor, caloris sensus universalis, generum rubor et scurritis, *Acon.* 7, 20.
- inter motum dolor simplex omnium articulationum quasi rigidae essent et disfringerentur, *Cham.* 88, 11.
- inter motum levem vomitus biliosus, *Stram.* 240, 3.
- inter motum dolor lacinans intra scapulas, respirationem praeccludens, *Puls.* 227, 9.
- inter motum dolor lacinans in pectore, *Puls.* 228, 5.
- inter motum dolor dorsi pedis inter frigus febrile, *Cop.* 116, 11.
- inter motum muscularum faciei, dolor oculi inflammatus strictior tensivus, *Puls.* 224, 24.
- inter motum rigiditas dorsi et scapularum dolorosa, *Led.* 171, 8.
- inter motum rigiditas genu dolorosa, *Rh.* 227, 5. *Ign.* 153, 8.
- inter motum levissimum dolor dorsi et genu quasi a verberatione, *Cinch.* 98, 4.
- inter motum dolor omnium articulationum fere paralyticus, *Arn.* 22, 13.
- inter motum robur sufficiens, inter requiem debilitas, *Cham.* 74, 7.
- inter motum post sessum dolor paralyticus et quasi a contusione articulationum genu et ossis sacri, *Verat.* 260, 19.

- motus fuga, *Ign.* 150, 9. *Bell.* 26, 2. *Caps.* 65, 10.
 motus abhorrescentia, *Bell.* 26, 3.
 motus continuus corporis, maxime brachiorum, pulsus
 integro, (*Bell.* 55, 10.)
 sine motus fuga, fuga laboris, *Nux v.* 136, 8.
 motus convulsivi, (*Nux v.* 198, 4.) (*Hyos.* 136, 2.)
 (*Ign.* 160, 4.) (*Melamp.* 178, 4.)
 motus convulsivi extremitatum mites, (*Bell.* 58, 20.)
 motus difficilis corporis, *Camph.* 47, 17.
 motus tardus corporis, *Verat.* 262, 13.
 motus tardus vacillans, *Op.* 202, 19.
 motus corporis deletus, *Camph.* 47, 15.
 motus musculorum continuus, (*Bell.* 37, 4.)
 motus oculorum, manuum quasi convulsivi, (*Bell.* 55, 7.)
 motus strictorius hinc inde in cerebro (fronte) ad nasi
 radicem usque, *Nux v.* 138, 11.
 motus nuchae dolorosus, *Cinch.* 97, 20.
 motus indolorifice tractorius hinc inde in cerebro, *Nux*
 v. 138, 7.
 in motus principio summus rigiditatis articulationum sen-
 sus, motu continuato mitigatus, cum pituitae tena-
 cis catarbo in bronchiis, *Caps.* 70, 5.
 motuum voluntariorum (catalepsis) et sensuum abolitio,
 deglutitione tamen illaesa, (*Stram.* 246, 7.)
 nec movere artus, nec verbum proferre potest; lapsus vi-
 rium insignis, (*Cupr.* 121, 13.)
 vix movere pedes, vix incedere potest coactus, (*Op.* 215, 4.)
 mucaginosi dentes, *Arn.* 18, 11. *Cham.* 84, 2.
 mucaginosum os (sine siti), *Caps.* 65, 5.
 mucaginosum os, post experrectionem e somno, cum
 capitis dolore pressorio, brevi ambo evanida, *Bell.*
 27, 11.
 mucaginosus sapor, *Cham.* 84, 1.
 muci spississimi coryza, *Mez.* 180, 23.
 muci narium copiosior excretio, (*Hyos.* 146, 2.)
 muci viridis vomitus, (*Verat.* 267, 8.)
 mucidae quasi aquae et putrescentis sapor piacosus,
 Acon. 5, 11.
 muco mere albo constans diarrhoea terminosa, *Cham.*
 86, 4.
 muco obducta excrementa, vel et in interstitia muco
 insinuato, *Cham.* 86, 3.
 muco foetido obductum os internum post somnum, *Rh.*
 256, 14.

- mucosa aliquantum excrementa granulato citrina, *Bell.*
28, 2.
 mucosa tandem, primo viridis diarrhoea, *Puls.* 222, 17.
 mucosae merae et crebrae sedes, *Arn.* 19, 5.
 mucosae sedes, *Ign.* 153, 7.
 ab mucum in superiori laryngis parte stridulante, rauco-
do et tussis cum dolore in ea parte, ubi mucus abra-
sus fuerat, *Cham.* 87, 7.
 mucus, vide et pituita.
 mucus narium sanguinolentus, *Nux v.* 196, 5. *Caps.*
67, 3.
 multimodarum rerum, nescit quarum, appetentia, *Cinch.*
99, 3.
 multiplex objectorum visus, scotomitus, (*Bell.* 36, 11.)
 munda, sicca lingua, (*Hyos.* 141, 10.)
 murmur in aure ad modulationem pulsuum, *Puls.* 220,
14.
 murmura ventris, (*Stram.* 244, 7.) vide et *borborygmi*.
 murmurat quasi somnolenta, (*Bell.* 52, 18.)
 murmuratio, (*Stram.* 244, 21.) vide et *mussitatio*.
 murmuratio cum floccilegio, (*Hyos.* 141, 6.)
 a musca quasi reptatio hinc inde in cute, *Caps.* 70, 6.
 muscae volitantes in visu, *Acon.* 1, 8. *Cocc.* 107, 11.
Cinch. 93, 8.
 musculi artuum tactu dolorifici, *Cocc.* 112, 5.
 in musculis artuum, nec in juncturis dolor vulsorio stricto-
vius, *Puls.* 231, 4.
 in musculis artuum et abdominis palpitatio et vulsio, *Nux*
v. 192, 16.
 in musculis omnibus, maxime intra scapulas rheumatico lan-
cinans dolor, *Camph.* 49, 11.
 in musculis lancinatus, *Cocc.* 111, 19.
 in musculis et articulatione humeri lancinatus singuli inter-
quietem, *Cocc.* 112, 16.
 in musculis sensus spasmodicus, quasi aliquid rursus ver-
sum traheretur, *Nux v.* 193, 23.
 musculi femorum dolorosi quasi caro ab ossibus separata
esset, *Dros.* 129, 11.
 in musculis extensoribus dolor lacerans intersessum, *Verat.*
261, 2.
 in musculis temporum vulsiones singulæ, *Op.* 204, 17.
 in musculo deltoide arthriticus dolor, *Verat.* 260, 14.
 musculorum intercostalium contractio spasmatica inla-
tus, respiratione intercepta, *Verat.* 255, 18.

musculorum stupor, gressus fere impossibilis, (*Op.* 215, 4.)

musculorum omnium paresis, maxime pedis, *Bell.* 26, 5.

musculorum abdominalium tantum nisi extorquenda
alvis, constipatio quae ab intestini recti inertia
proficiuntur, *Cham.* 85, 13.

musculorum abdominalium quasi a verberatione dolor,
Cham. 89, 2.

musculorum abdominalium dolor quasi a contusione,
tactu et motu tantum percipiendus, *Nux v.* 193, 1.

musculorum abdominalis palpitatio et vulsio sub cute,
Nux v. 192, 16.

musculorum motus continuus, (*Bell.* 37, 4.)

musculorum omnium convulsiones, (*Bell.* 39, 16.)

musculorum flexientium spasmi dirissimi, (*Bell.* 32, 9.)

musculorum posteriorum femoris in sessu dolor quasi a
contusione, *Cinch.* 98, 2.

a musculorum faciei motu dolor strictorio tensivus in oculo
inflammato, *Puls.* 224, 24.

in musculosis corporis partibus dolores interrupti, compo-
siti ex contritione et pressione, *Verat.* 259, 18.

musices aviditas, (*Acon.* 1, 7.)

mussitatio, (*Stram.* 244, 22.)

mussitatio iuxta fletui internista, *Puls.* 220, 2.

mussitatio ineptorum, (*Hyos.* 147, 9.)

mussitatio in senectute versa, (*Hyos.* 142, 2.)

mussitatio cum floccilegio, (*Hyos.* 141, 6.)

mutabilitas mira animi, in jocum jam, jam in fletum
proni, *Ign.* 156, 8.

*mutatio coloris faciei crebra, (*Hyos.* 145, 18.)

mutitas, -vide et aphonia.

mutitas, (*Stram.* 244, 4. 246, 11.) (*Op.* 209, 11.
214, 5.) (*Hyos.* 144, 19. 148, 7.) (*Bell.* 32, 14;
54, 4. 38, 8.) *Verat.* 255, 5. (*Cinch.* 105, 1.)

mutitas post loquacitatem, (*Bell.* 40, 17.)

myopia quatuor dies durans, (*Hyos.* 141, 18.)

myopia vix trium passuum, (*Hyos.* 149, 6.)

cum narcoseos sensu et quasi brachium sensu tactus careret,
dolor laceranti formicans in eo ad digitos usque,

Cham. 78, 1.

qui in narcosi artuum usu venit dolor articulationum, *Ip.*
164, 5.

- quasi a narcosi nescitura sensus in cruribus, *Cham.* 77, 12.
 quasi a narcosi formicanti punctorius dolor in plantis (a statu), *Puls.* 230, 6.
 narcosis artuum, *Hyos.* 131, 11. *Led.* 170, 10. *Siram.* 240, 5. *Cocc.* 107, 22. *Verat.* 260, 7.
 narcosis artuum quibus incumbitur, *Rh.* 237, 4. *Cinch.* 97, 22.
 narcosis brachii anterioris inter flexionem (inter scribendum) cum punctorio dolore in digitorum apicibus, *Cinch.* 98, 1.
 narcosis digitorum, *Verat.* 260, 9.
 narcosis extremitatum, (*Hyos.* 140, 1.)
 narcosis manuum, pedum, *Nux v.* 107, 1.
 narcosis manuum, pedum ut a gelu, *Cham.* 77, 14.
 narcosis manuum et pedum alternans, reiterans volatilis, *Cocc.* 107, 22.
 narcosis manuum paralytica frigida cum obnubilatione capitis et aëris hyperesthesia quasi refrigerium sit nascitum, *Cham.* 77, 7.
 narcosis in pede, (dein pes tam rigidus et sensibilis, ut eo incedi non possit), *Op.* 205, 7.
 narcosis in pedibus, *Ign.* 150, 5. (*Nux v.* 197, 1.) (*Cham.* 77, 12. 14.) (*Hyos.* 131, 11.) (*Cinch.* 97, 22.) (*Rh.* 237, 4.) (*Cocc.* 107, 22.)
 narcotica formicatio in artibus, *Ign.* 150, 5.
 narcotica formicatio in digitis, aucta dum aliquid manu capessitur, *Op.* 202, 9.
 non narcotica formicatio in ossibus pedum, *Ign.* 158, 12.
 narcoticus in pede stupor, *Op.* 205, 7.
 e nare sinistra purulenta excretio, (*Puls.* 234, 7.)
 per nares intercepta inspiratio maxime inter somnum, *Caps.* 65, 19. *Acon.* 6, 4.
 per nares sibilus inter respirationem, (*Cinch.* 105, 3.)
 nares ulceratae, non prurientes nec dolentes, *Bell.* 29, 15.
 nares exulceratae, *Bell.* 29, 15. *Ign.* 157, 13. (*Puls.* 224, 1. 3. 4.) (*Arn.* 20, 13.) *Mez.* 180, 10.
 nares obturatae, exulceratae, *Puls.* 224, 4.
 nares exulceratae cum hordeolo et inflammatione modo unius, modo alterius canthi oculorum, *Puls.* 224, 24.
 per nares inspiratio stertoroso-sibilans inter somnum, *Caps.* 65, 19. *Cocc.* 109, 3.
 in naribus sensus quasi ab ulcere, *Verat.* 257, 13. *Arn.* 20, 13.

- e naribus effluxus sanguinis cum gravedine, *Puls.* 224, 7.
 in naribus sensus constrictorius, (*Melamp.* 177, 13.)
 in naribus siccitas, (*Bell.* 46, 3.) (*Verat.* 257, 12.)
 in naribus strangulatorius sensus, (*Melamp.* 177, 13.) (*Caps.* 65, 19.)
 in naribus grayedinosa titillatio, *Caps.* 67, 2. *Ign.* 157, 12.
 in naribus titillatio continua, *Puls.* 223, 18.
 in naribus quasi ab ulcere sensus, *Verat.* 257, 13.
 e naribus destillatio matutina, *Nux v.* 195, 22.
 naris alterutrius stillicidium, obturatae ut in gravedine,
Nux v. 196, 2.
 narium aspritudo et excoriatio, *Mer.* 180, 10.
 narium obturatarum pruritus ut in gravedine, *Nux v.*
 196, 3.
 narium constrictio quasi praefocatoria, (*Melamp.*
 177, 13.)
 narium pruritus intolerabilis, (*Nux v.* 200, 16.)
 in narium orificio pustulae dolentes, *Caps.* 67, 4.
 narium internarum hyperaesthesia dolorosa, *Nux v.*
 196, 4.
 narium exulceratio cum gravedine, *Puls.* 224, 3.
 narium haemorrhagia, *Hyos.* 132, 24. (*Hyos.* 142, 5.)
Acon. 7, 13. *Puls.* 224, 6. 7. (*Bell.* 34, 10.) (*Ip.*
 167, 3. 6.) (*Op.* 209, 16.)
 narium haemorrhagia diurna, *Nux v.* 196, 6.
 narium haemorrhagia cum gravedine, *Puls.* 224, 7.
 narium excoriatio, *Ign.* 157, 13. *Mer.* 180, 10.
 narium internarum hyperaesthesia dolorosa, *Nux v.*
 196, 4.
 narium internarum siccitas et hyperaesthesia dolorosa,
 quasi a pulvere viarum aridarum, *Verat.* 257, 12.
 narium internarum hyperaesthesia dolorosa ut ab in-
 stante epistaxi, *Ign.* 151, 10.
 narium siccitas, *Hyos.* 132, 10. (*Bell.* 46, 3.)
 narium mucus sanguinolentus, *Nux v.* 196, 5. *Caps.*
 67, 3.
 narium muci copiosior excretio, (*Hyos.* 146, 2.)
 narium obturatio gravedinosa, *Cham.* 86, 18.
 in narium cantho anteriori dolor lancinans quasi ab exulce-
 ratione, *Camph.* 49, 8.
 narium exulcerationis sensus, *Arn.* 20, 13. *Verat.*
 257, 13.
 nasalis suffocationis accessibus stipata inspiratio inter
 somnum, *Caps.* 65, 19.

- in nasi radice dolor quasi ab Apostemato, inter pronationem, *Puls.* 224, 5.
- supra nasi radicem Constrictionis dolor pronatione, decubitu et pressione externa auctus, *Camph.* 49, 4.
- ad nasi radicem Dilacerans dolor capitis, ad maxillam superiorem protensa et eundo aucta, *Nux v.* 188, 9.
- in nasi ala Exulceratio superficialis, serum fundens, *Puls.* 224, 1.
- nasi apex acutus cum facie hippocratica, *Cinch.* 95, 10.
- nasi Frigiditas, *Cinch.* 92, 4.
- ad nasi radicem et superiorem maxillam protensa Dilacerans cephalalgia, *Nux v.* 188, 9.
- nasi Phlogosis, (*Verat.* 267, 9.)
- supra nasi radicem in fronte dolor Pressorius, qui caput deprimere cogit, tumque vomituritio, *Ign.* 151, 9.
- in nasi radice dolor Pressorius ad latus migrans post calorem genae evanidum, *Cinch.* 96, 11.
- in naso Pustulae parvae, cito purulentae, et crusta tectae, *Bell.* 29, 14.
- ob nasi Siccitatem indeglutitio, (*Bell.* 40, 4.)
- ad nasi radicem usque Strictorius motus in fronte, *Nux v.* 188, 11.
- nasi et oris Sudor egelidus, *Rh.* 236, 6.
- nasi Tumor, *Arn.* 20, 15.
- in nasi radice dolor inter pronationem quasi ab Ulcere interno, *Puls.* 224, 5.
- in naso sensus Crepitans, *Acon.* 4, 8.
- in naso Puncitorio lacerans dolor, *Arn.* 20, 14.
- in naso Siccas per quatuor horas, (*Bell.* 40, 3.) matrum, pedum rubor, (*Hyos.* 142, 16.)
- nausea, vide et fastidium et vomituritio et vomituriens.
- nausea, (*Nux v.* 199, 3.) (*Op.* 213, 23.) (*Rh.* 238, 5.) (*Verat.* 267, 24.) (*Dig.* 124, 4.) (*Stram.* 240, 2.) (*Camph.* 55, 1, 15.) (*Cinch.* 100, 13.) (*Cocc.* 115, 14.) (*Cupr.* 118, 2.) (*Hyos.* 132, 1.) (*Hyos.* 136, 20, 145, 14.) (*Led.* 174, 4.) (*Mez.* 182, 2.)
- nausea agonizans per vices repetens, (*Dig.* 126, 6.)
- nausea (post anxietatem), tum respiratio cita, tussis sicca a nausea oriens, vomituritio, vomitus, *Nux v.* 194, 11.
- nausea omnium rerum, (*Op.* 211, 6.)
- nausea cum sapore integro, *Cham.* 84, 10.

- nausea summa vel minus ingratorum etiam absentium,
albuginea icterodes, laboris fuga, somnolentia con-
tinua, *Cinch.* 95, 4.
- nausea Ciborum cum ictero et accessibus syncopes bre-
vibus, debilitate morbosa subsequā, *Nux v.* 190, 10.
- nausea quadam impedita Deglutitio, *Arn.* 18, 9.
- nausea Diurna, *Acon.* 9, 1.
- nausea stipata cephalalgia, Hemicraniae hystericae more,
Caps. 68, 2.
- nausea Molesta, (*Ip.* 168, 4.)
- nausea quasi Moribundi, (*Dig.* 126, 5.)
- nausea Panis fusi cerealis et ab eo salivae affluxus in
ore, *Nux v.* 190, 14.
- nausea post Pastum, *Cham.* 84, 17.
- nausea et ebullitio sanguinis post Pastum evanescunt,
Cinch. 95, 6.
- nausea summa vel minus ingratorum, etiam absentium
cum laboris fuga, somnolentia diurna et albuginea
icterode, *Cinch.* 95, 4.
- a nausea oriunda Tussis sicca, *Nux v.* 194, 11.
- nausea vomituriens, cordis deliquescentia, et infirmi-
tas loquacae organi, cum lacerante dolore continuo
in oculis, fronte, vertice, *Nux v.* 188, 8.
- nausea vomituriens, *Acon.* 5, 8. 9. *Rh.* 235, 11. *Cupr.*
118, 4.
- nausea vomituriens intolerabilis, sine vomitu, *Puls.*
222, 3.
- nausea vomituriens post evigilationem, (*Op.* 216, 9.)
- nausea vomituriens ad fauces usque tendens, *Puls.*
222, 9.
- nausea vomituriens sine vomitu, appetitu integro, cum
menstruorum suppressione, *Puls.* 222, 4.
- nausea vomituriens cum sensu ingrato ad gulam ad-
scendente, *Puls.* 222, 8.
- nausea vomituriens inter soporem (vel sumnum) emer-
gens cum appetitu integro, vel panis fusi, *Puls.*
222, 5.
- nausea vomituriens ut a syncope nascitura, *Cham.*
77, 3.
- nausea vomituriens primo in scrobiculo, tum sub ster-
no, denique in faucibus, sine salivae concitatione,
Acon. 5, 8.
- nausea vomituriens, quasi ab esu nauseosi cuiusdam
vel pinguis, vel dulcis, *Acon.* 5, 9.

- nausea vomituriens, quasi a filo pendens, ab umbilice
 oriens et sensim ad fauces adscendens, affluxum sa-
 livae copiosum ciens, *Val.* 251, 2.
 nausea vomituriens cum salivae affluxu in ore, *Cham.*
 84, 16.
 nausea vomituriens, matutina, *Cham.* 77, 4.
 cum nausea vomituriens et ructibus, vespertina adscensio
 escarum ad scrobiculum colli usque, *Cham.* 84, 11.
 nausea, vomiturio, (*Arn.* 23, 5.)
 nauseabunda cordis deliquescentia, *Cham.* 77, 2.
 nauseabunda -cordis deliquescentia syncoptica, stupor
 artuum et pedes quasi paralytici, *Cham.* 77, 5.
 nauseabunda cephalalgia, *Ip.* 164, 17. *Caps.* 68, 2.
Acon. 3, 12, 13. *Camph.* 50, 5.
 nauseabunda cephalalgia et quasi a contusione cerebri
 et crani, *Ip.* 164, 17.
 nauseabunda tormina, *Arn.* 19, 1.
 nauseabundae plenitudinis (quasi a nimia satietate)
 sensus in ventriculo, *Arn.* 18, 10.
 nauseosus herbaceus quasi foliorum dauci sapor in fau-
 cibus, *Nax v.* 190, 16.
 nauseosus sapor, lingua pura, *Bell.* 27, 4.
 nebulae ante oculos in visu, (*Bell.* 44, 15.)
 ab negata petitia ejulatus miserabilis, *Cham.* 76, 9.
 negligens, quamvis non incuriosus circa externa, *Puls.*
 219, 18.
 negligens oblata, efflagitans varia inquietudo lacry-
 mabunda, *Cham.* 76, 11.
 ob negotia nimirum lente succendentia aegritudo animi, *Ip.*
 163, 17.
 ad negotia omnia ineptitudo, (*Op.* 211, 4.)
 ad negotia segnis, *Arn.* 17, 17.
 erga negotia adiaphoria, *Arn.* 17, 16.
 negotiorum taedet, *Arn.* 17, 17.
 negotiosa inquietudo, *Verat.* 262, 4. *Caps.* 70, 18.
 negotiorum aversatio, indeterminatio, anhela respira-
 tio, aestuatio, *Puls.* 219, 15.
 nervi dentis dolor subtilis, exedens, *Op.* 204, 1.
 in nervis omnibus et membris sensus tremulus, (*Op.*
 241, 15.)
 niger vomitus, (*Verat.* 269, 3.)
 nigra labia, (*Cinch.* 102, 2.)
 nigra labia, livida facies, (*Acon.* 12, 4.)
 nigri unguis, (*Cinch.* 102, 3.)

nigricantes alvi dejectiones crebriores, (*Cinch.* 101, 6.)
 nimbis lividis oculi cavi cum facie hippocratica, *Cinch.*
 93, 10.
 nimbo stipata candelae flamma, stellae instar, *Puls.*
 220, 10.
 nisus, vide et *proclivitas*, *amor*, *appetentia*, *propensio*,
pronus.
 post nisum alvum exonerandi irritum, vomitus, *Bell.* 27, 12.
 nisus in alvum exonerandam irritus, *Bell.* 27, 8. vide
et tenesmus et cucurbitio.
 nisus alvum exonerandi creber, *Hyos.* 132, 17.
 nisus in decubitum, *Cocc.* 107, 4. (*Op.* 213, 8.) (*Stram.*
 247, 2.) *Verat.* 254, 7. *Nux v.* 187, 4. (*Acon.* 13, 5.)
 nisus in Decubitum pertinax, *Acon.* 3, 10. *Stram.*
 239, 8.
 nisus in decubitum mane, *Nux v.* 187, 9.
 nisus in Diarrhoeam irritus, *Arn.* 19, 2. *Bell.* 27, 15.
 nisus in fugam, (*Bell.* 36, 16.)
 nisus in Laborem, *Dig.* 123, 4.
 quasi a nisu Laboris nimio seu quasi a distortione dolor in
 pollice et indice, *Cham.* 78, 2.
 post nisum Mingendi crebriorem, fere irritum, pressio in
 vesica, *Cinch.* 97, 17.
 post nisum urgenter ad Mingendum, mictio involuntaria,
Camph. 50, 18.
 nisus Mordendi adstantes, (*Bell.* 39, 6.)
 nisus Mordendi et dilacerandi obvia, (*Bell.* 36, 17.)
 nisus Vomendi irritus, *Bell.* 27, 7. *Arn.* 18, 3.
 per noctem angor quasi a calore, *Puls.* 219, 6.
 post noctem medium evigilationes, *Caps.* 70, 15.
 noctu dolor dissindens in sterno, flatuum secessu eva-
 nescens, sed repetens, *Stram.* 240, 15.
 noctu in lecto dolor pressorius in ventriculo, in hypo-
 chondriis, in scrobiculo, *Cocc.* 110, 15.
 noctu in lecto calefieri nequit, *Nux v.* 185, 11.
 (noctu maxime) dolor pectoris punctorius, *Mez.* 180, 3.
 noctu maxime respiratio difficultis, angusta, *Op.* 205, 1.
 noctu maxime ingravescens dolor dentium stritorius,
 incerti loci, *Cham.* 80, 1.
 nocturna anxietas inter evigilationem, quasi crimen
 commisisset, *Puls.* 218, 19.
 nocturna agrypnia convulsionibus et concussionibus
 quasi a terrore intermixta, (*Hyos.* 139, 6.)

- nocturna pedis asthenia paralytica cum dolore cruris
 strictorio, *Cham.* 77, 8.
 nocturna blateratio, delira, vigil inter sessum, *Cham.*
 82, 12.
 nocturna expurgiscentia cum dolore et sitis vespertina,
Cham. 82, 14.
 nocturna grayedo cum destillatione diurna, *Nux v.*
 196, 1.
 nocturna aestuans jactatio in lecto cum phantasiis,
Cham. 83, 5.
 nocturnae, semivigiles, lugubres phantasiae, *Nux v.*
 187, 18.
 cum nocturna et matutina tussi expectoratio purulenta, *Led.*
 170, 3.
 nocturna tussis lancinatum in latere gigneus, *Puls.*
 250, 10.
 nocturna tussis, *Nux v.* 196, 7. *Dros.* 128, 16.
 nocturna inter somnum tussis, *Arn.* 21, 10.
 nocturnae pollutiones, *Cham.* 89, 10.
 nocturnus pruritus in brachio, (*Puls.* 233, 3.)
 nocturni caloris sensus sine siti, *Puls.* 219, 5.
 inter nocturnum coma somnolentum phantasiae delirae cum
 calore sicco, *Puls.* 227, 2.
 nocturnus maxime dolor Sacri ossis, *Cham.* 83, 6.
 nocturnus Sudor, *Canth.* 58, 6. *Dros.* 129, 16. (*Ip.*
 168, 3.)
 nocturnus dorsi et capillitii sudor, *Led.* 172, 17.
 nocturnus, validus Sudor, (*Cupr.* 121, 19.)
 nocturnus Sudor adustionem olenis, *Bell.* 30, 9.
 nocturnus, foetidus, magnus Sudor, (*Puls.* 233, 8.)
 nocturnus in Ulcere dolor mordax et ardens cum hyper-
 aesthesia ad tactum et formicatione, *Cham.* 89, 6.
 nocturnus vomitus cum dolore dorsi lancinanti stricto-
 rior versus scapulam, *Puls.* 222, 13.
 nodi, vide et *tumores*.
 nodi et tophi duri dolentes, in articulationibus, *Led.*
 172, 7.
 nodus durus sub papula mammae, tactu dolorosus, per
 se dolore interdum laceranti strictorio, *Cham.* 89, 8.
 quasi non nosceret se ipsum, capitis infatuatio ex somno
 expurgiscenti, (*Caps.* 64, 2.)
 nostalgia, *Melamp.* 175, 6.
 notitia vera nullius rei; eorum quae legit sensum asse-
 qui non potest, (*Op.* 214, 8.)

- novis propositionibus animum lactantium idearum
 (projectantium) turba, *Cinch.* 99, 5.
- in nucha Ardor, *Ign.* 157, 7.
- in nucha et colli alterutra parte Calor et Ardor, *Ign.* 157, 7.
- a nucha ad verticem confluens Cephalalgia, *Melamp.* 175,
 12.
- a nucha ad os sacrum usque dolor dorsi quasi a Contusione,
Acon. 6, 6.
- in nucha quasi a Distortione dolor, quando collum move-
 tur, *Ign.* 159, 2.
- nuchae Dolor, *Mer.* 180, 13..
- nuchae Dolorosus motus, *Cinch.* 97, 20.
- in nucha Gravitas, *Cocc.* 111, 20.
- a nucha in frontem tendens Lacerans dolor, *Mer.* 180, 13.
- in nucha Lacerans dolor quasi a Distortione, quando col-
 lum movetur, *Ign.* 159, 2.
- in nucha Laceranti puncroris dolor, *Ign.* 153, 15.
- in nucha Lancinans dolor, *Puls.* 227, 5.
- in nucha Punctus, *Ign.* 152, 13.
- in nucha Puncrorio lacerans dolor, *Ign.* 153, 15.
- in nucha Pustulae parvae cito purulentae et crusta tectae,
Bell. 29, 14.
- in nucha Rheumatici dolores, volatici, motu excitandi,
Caps. 70, 4.
- in nucha Rheumatici dolores, colli motu tantum percipi-
 endi, *Acon.* 6, 7. *Verat.* 257, 14.
- a nucha ad os sacrum Rheumaticus dolor, maxime inter
 alvum deponendam, *Verat.* 260, 13.
- in nucha Rhematicus dolor, colli motu tantum percipi-
 endus, *Acon.* 6, 7.
- nuchae Rheumatica Rigiditas, inter movendum maxi-
 me vertiginem acciens, *Verat.* 257, 14.
- nuchae Rheumatica Rigiditas, *Melamp.* 176, 2. (*Ign.*
 153, 10.)
- nuchae Rigiditas, *Ign.* 153, 10.
- in nucha Rigiditatis sensus motu tantum sensibilis, *Caps.*
 69, 14.
- in nucha Strictorius dolor, *Nux v.* 196, 20.
- in nucha intra scapulas et in dorso Strictorio puncrorius
 dolor, *Puls.* 227, 7.
- in nucha Strictorio tensivi dolores, *Puls.* 227, 6.
- nuchae et dorsi Sudor, motu corporis levissimo excita-
 tus, *Cinch.* 95, 15.

nuchae Tumor utrinque ad colli latus ad carotides usque protensus, taciū tantum sed vehementer dolorosus, quasi ab apostemate intus latente, *Puls.* 226, 9.
in nucha Vulsortius sensus, *Caps.* 69, 13.
nudo corpore, per aëstatem pelle vestitus vagatur insanus per varias terras, (*Hyos.* 137, 9.)
nutribibus lac auctum, *Acon.* 8, 11.

Obducta muco excrementa, *Cham.* 86, 3.
objecta majora justo visa, (*Hyos.* 137, 12. 146, 9.)
objecta omnia externa sunt odio et morositatem aver-
santem gignunt, *Curyh.* 48, 10.
objecta dormituri enti jam grandiora justo et crassiora,
jam vero justo minora et graciliora esse videntur,
per phantasiae lusum secundum pulsuum velocita-
tem, *Camph.* 48, 15.
objecta alieno colore visa, (*Dig.* 126, 1.)
objecta quasi lucidiora essent, sensatio, *Camph.* 49, 13.
objecta animata visa, (*Hyos.* 147, 15.)
objecta rubra et scarlatina visa, (*Hyos.* 149, 3.)
circa objecta vel amicissima indifferentia, insensilitas,
Cinch. 93, 10.
circa objecta externa non incuriosus, sed negligens, *Puls.*
219, 13.
erga objecta indifferens et stupidus animus, (*Op.* 207, 2.)
objecta sensuum exasperant et offendunt animum ob-
sensorii teneritudinem, *Cinch.* 93, 18.
objectorum color vel viridis, velluteus, (*Dig.* 126, 11.)
objectorum color rutilus visus, (*Hyos.* 149, 3.)
objectorum solitorum et parentum inagnitio, *Op.* 202, 4.
objectorum visus multiplex, scotomicus, (*Bell.* 36, 11.)
objectorum amicissimorum contentus, *Cinch.* 93, 10.
objectorum splendor auctus, (*Nux v.* 200, 18.)
objurgationes zelotypiae, obscoenissimis vocibus inter-
mistae, *Nux v.* 136, 18.
oblata negligens, varia efflagitans inquietudo lacryma-
bunda, *Cham.* 76, 11.
oblique, humerum versus, revulsum caput et obstipum,
Camph. 47, 11.
oblivio omnium, (*Hyos.* 149, 4.)
oblocutionum, interpellationum intolerantia, *Cham.*
76, 16.
obmutuit stupida, (*Hyos.* 135, 11.)

- obnubilans capitis dolor strictrior distendens, *Rh.* 235, 7.
 obnubilans capitis dolor, quasi a crapula, in temporibus pressorius, *Acon.* 4, 1.
 obnubilatio capitis, vide et *stupiditas*, et *fatuitas*, et *obtenebratio*, *infatuatio*, *stupor mentis*, *ebrietas*.
 obnubilatio capitis, (*Hyos.* 145, 4.) (*Cinch.* 102, 10.
 104, 9.) (*Op.* 206, 1.) (*Stram.* 248, 2.)
 obnubilatio capitis cum tumoribus glandularum in nucha, *Bell.* 25, 6.
 obnubilatio capitis maxime a potu, cibo, *Cocc.* 107, 15.
 obnubilatio, stupor, (*Hyos.* 142, 5.)
 obnubilatio visus, (*Puls.* 234, 9.)
 obnubilatio visus brevis, *Puls.* 220, 7.
 obnubilatio visus per aliquot dies repetens, *Puls.* 220, 8.
 cum obnubilatione capitis narcosis paralytica manuum,
Cham. 77, 7.
 obnubilatum caput et grave, *Dros.* 123, 6. (*Hyos.* 140, 19.)
 obnubilatum caput et vertiginosum, (*Op.* 206, 1.)
 obnubilatum caput cum dolore, (*Stram.* 248, 2.)
 obnubilatum caput, quasi a nimia debilitate corporis,
Hyos. 131, 1.
 origescientia infantum ob morositatem, *Puls.* 219, 17.
 obsecroenissimis vocibus iutemistae objurgationes zelotypicae, *Nux v.* 186, 18.
 obsequiosus pueriliter animus, *Nux v.* 189, 17.
 obsessi quasi a cacodaeinone, mania, (*Hyos.* 146, 14.)
 obstipum caput et oblique humerum versus, revulsum,
Camph. 47, 11.
 obstipum ad latus collum, (*Cinch.* 105, 5.)
 obstructio alvi, *Cinch.* 101, 5. 16.
 obstructio alvi pertinax, (*Camph.* 54, 4.)
 obtenebratio capitis ea, quae a nimia debilitate corporis
 in caput adscendere solet, *Hyos.* 131, 1.
 obtenebratio ebriosa capitis, *Nux v.* 185, 1.
 obtenebratio oculorum vertiginosa pulsu immutato,
(Acon. 10, 3.)
 obtenebratio visus cum vomititione et pallore, *Puls.*
 220, 6.
 obtenebratio cerebro et oculis torpidis, mens redux,
(Hyos. 139, 9.)
 obtenebratum caput et inebratio quasi a vino nimio
 cum tumore et rubore faciei, (*Bell.* 35, 1.)
 obtenebratio visus, (*Capr.* 120, 10.) (*Dig.* 127, 6.)
(Hyos. 148, 4.)

- obturatae quasi aures et susurrus in iis, quasi ab ave
 pedibus scalpente, *Cham.* 79, 2.
 obturatae, exacerbatae narēs, *Puls.* 224, 4.
 obturatarum ut in gravedine narium pruritus, *Nux v.*
 196, 3.
 obturatio auris interna, *Cinch.* 92, 8. *Cham.* 79, 2.
Verat. 256, 12.
 obturatio auris alterutrius, *Verat.* 256, 12.
 obturatio naris alterutrius et stillicidium copiosum ex
 ea, *Nux v.* 196, 2.
 obturatio narium gravedinosa, *Cham.* 86, 18.
 obtusi dentes et amaror in ore post vomitum ciborum
 vespertinum, *Puls.* 222, 11.
 obtusis lacinatibus seu pressoriis cerebrum hinc inde
 permicans dolor immanis, *Bell.* 29, 1.
 obtusus animus, insensibilis, existentiae suae vix con-
 sciens apte tamen satis respondet, (*Op.* 214, 14.)
 obtusus capititis dolor, (*Stram.* 250, 13.)
 obtusus capititis dolor, maxime in vertice et temporibus,
Rh. 255, 7.
 obtusa pressio in aure interna inter pronationem quasi
 ab ictu, *Cham.* 79, 1.
 obtusus in fronte dolor, *Hyos.* 131, 3.
 obtusus in cerebri fundo dolor, *Hyos.* 131, 4.
 obtusus capititis supra os frontale dolor vomituriens,
Camph. 50, 5.
 obvios cultro aggreditur, furor atrox, (*Hyos.* 142, 3.)
 obvios torvo vultu intuctur, (*Hyos.* 135, 12.)
 obvolutio circa ventriculum, *Nux v.* 191, 13.
 obvolvi stragulis gestit inter calorēm, nec digitum sine
 dolorum redintegratione emittit, *Stram.* 241, 7.
 in occipite et supra nasi radicem constrictio dolor inde-
 sinens, pronatione magna, decubitu et pressione ex-
 terna auctus, *Camph.* 49, 4.
 in occipite laceraus dolor, (*Arn.* 22, 1.)
 in occipite lacerans dolor maxime ab aere frigido, *Hyos.*
 131, 5.
 in occipite lacinatio per aures, *Puls.* 226, 4.
 in occipite strictorins dolor, *Nux v.* 133, 12. 13.
 occipitis dolor lacinans, decubitu exasperatus, trunci
 errectione evanidus, *Puls.* 227, 3.
 ad occiput, hemicranium sinistrum et maxillam sinistram
 pertingens ab osse sacro usque dolor lacerans, ma-
 xime vesperi, *Led.* 172, 4.

- ocoocatio reüterata, loquela integra, (*Acon.* 12, 11.)
 oculi Agitati, rubri splendidi, (*Bell.* 37, 6.)
 oculis Apertis horridis, et gena altera rubra, calida,
 altera frigida, pallida, rigiditas frigida totius corpo-
 ris, (*Acon.* 1, 3.)
 oculis hoc Aperto, illo semiclauso, coma vigilans, *Ver.*
 255, 9.
 oculos Aperiendi impotentia, *Cham.* 74, 14.
 oculos et os Aperiendi taedium, cum comate, *Ign.* 151, 3.
 oculis Apertis Amaurosis, (*Bell.* 38, 1.)
 oculis late Apertis, fixis, decupitus in dorso, (*Stram.*
 246, 1.)
 oculi dum in rem Albam figuntur, scotomiae lateralis
 sensus, *Cham.* 75, 7.
 oculi Aperti, pupillis sursum retortis, (*Op.* 207, 8.)
 oculi Aperti, hinc illinc distorti, (*Hyos.* 138, 15.)
 oculi inter somnum hic Apertos, ille semiclausus, pu-
 pillis retortis, *Cinch.* 93, 11.
 oculorum Apertione aucta cephalalgia frontis strictorio
 tensiva, *Puls.* 226, 11.
 oculi Aquei, lacrymis superfusi ut in lippitudine vel
 gravedine, *Nux v.* 189, 8.
 oculi in frigido aëre Aqua suffusi, *Puls.* 224, 18.
 oculi Aqua suffusi, lacrymantes, lippi, (*Puls.* 233, 11.)
 oculi Aquei gravedo, dentium dolor, *Cinch.* 96, 3.
 oculo uno Aqua suffuso (lacrymante) capitis dolor stri-
 ctorius, *Puls.* 224, 19.
 in oculis Ardor, *Nux v.* 189, 5. 7. (*Arn.* 24, 5.) (*Bell.*
 43, 9.)
 in oculis formicans Ardor, *Nux v.* 189, 7.
 in oculis Ardor sine inflammatione, *Nux v.* 189, 5.
 in oculis quasi ab Arenae granulo premente, irritante do-
 lor, *Cocc.* 109, 10. *Puls.* 224, 23.
 in oculis quasi ab Aerenulis pressio, *Puls.* 224, 23. (*Bell.*
 43, 10.)
 oculorum Bulbi retorti, oculis hoc semiclauso, illo aper-
 to, morientium instar, *Cinch.* 93, 11.
 oculorum Bulbi in gyrum spastice moti, (*Bell.* 35, 18.)
 oculorum Caligo, (*Camph.* 52, 11.)
 oculi Caligant, (*Hyos.* 136, 1.)
 per oculos micans Calor faciei cum frigore totius corporis,
 Cham. 81, 9.
 per oculos quasi Calor et ignis micaret, sensus, *Cham.*
 81, 11.

- in oculis et facie Calor ardens et halitus perquam calens cum extremitatibus frigidis, *Cham.* 81, 10.
- in oculorum Cantho interiori dolor pressorius, *Puls.* 224, 22.
oculi Canthus mane purulentus, *Cham.* 81, 4.
oculi Canthus quasi purulentus, *Nux v.* 194, 4.
oculorum Canthus ut ab excoriacione dolorosus, labiis excoriatis, *Cham.* 90, 3.
oculi Canthus ut a vulnere dolorosus, *Nux v.* 195, 5.
- quasi oculi e capite casuri essent, cephalalgia, *Acon.* 4, 2.
Cham. 80, 17. *Puls.* 226, 14.
- quasi oculi e capite casuri essent, cephalalgia punctoria,
Cham. 80, 17.
- oculi Cavi nimbis lividis cum facie hippocratica, *Cinch.* 93, 10.
- oculi Cavi, *Cinch.* 93, 10.
- oculorum Chemosis cum dolore lacerante in iis et in capite, *Led.* 172, 17.
- oculos Claudenti et somnum capturo angor intolerabilis, (*Op.* 215, 6.)
- oculi Claudi tumore, (*Stram.* 247, 5.)
- oculis Clausis amens sibi esse videtur, (*Op.* 215, 6.)
- oculi Coeci continuo aperti, (*Bell.* 38, 1.)
- oculorum Contorsiones, (*Bell.* 35, 18. 40, 20.) (*Stram.* 244, 5.)
- oculi Convulsionibus agitati et prominentes, (*Hyos.* 140, 14.)
- oculorum Convulsiones, (*Stram.* 248, 15.) (*Acon.* 12, 1.)
- oculorum motus quasi Convulsivi, (*Bell.* 35, 18.)
- ex oculo Diapedesis sanguinis, *Nux v.* 195, 10.
- ad oculos tendens dolor Dentium, *Cham.* 79, 8.
- oculorum Dilacerans (evulsorius) dolor, *Cocc.* 109, 11.
- oculi Distorti, (*Acon.* 13, 1.)
- oculi Distorti hinc illinc, et aperti, (*Hyos.* 158, 15.)
- oculorum Dolor, *Acris* 16, 16.
- in oculis Evulsorius dolor, *Cocc.* 109, 11.
- oculi Fixi, languidi, stupidi, emorientis instar, (*Op.* 207, 12.)
- oculi Fixi, Dormitientes, (*Stram.* 245, 3.)
- oculi Fixi et Horridi, (*Stram.* 245, 20.) *Camph.* 47, 5.
- oculis Fixis, Horridis, loquacitas quasi a delirio, (*Bell.* 40, 16.)
- in oculis Formicans ardor, *Nux v.* 189, 7.
- oculorum bulbi in Gyrum moti spastice, (*Bell.* 35, 18.)
- oculi Horridi splendentes, (*Nux v.* 200, 9.)

- oculi Horridi, anxietatis nuncii, *Arn.* 17, 8.
 oculis Horridis, fixis loquacitas quasi a delirio, (*Bell.*
 40, 16.)
 oculi Horridi et fixi, (*Stram.* 245, 20.) *Camph.* 47, 5.
 oculis Imagines variae insectorum et leporum quaedam
 ludibriis obversantur, (*Bell.* 45, 2.)
 oculorum Inflammatorius dolor, *Acon.* 7, 17.
 oculorum Inflammatio (chemosis) cum dolore lacerante
 in iis et in capite, *Led.* 172, 17.
 oculi modo unus, modo alterius Inflammatio albugineae
 cum hordeolo et dolore strictorio tensivo a motu
 muscularum faciei, — inter narres exulceratas, *Puls.*
 224, 24.
 oculi Inflammati, *Cham.* 81, 6. (*Bell.* 43, 8.) vide et
 inflammatio, et chemosis, et ophthalmia.
 oculi Inflammati cum dolore pressorio, mane purulentii.
Cham. 81, 6.
 oculi Inflammati, rubri cum genis tumidis, ardentibus,
 et dolore lacerante in osse sacro, capite et maxillis,
Led. 172, 4.
 oculi Inflammati summe, cum dolore lacerante in capite
 et oculis, per decubitum exasperato, per sessum le-
 vato, *Led.* 172, 17.
 ex oculis Inflammatis serum effluens foetidum, *Led.* 172, 17.
 oculi Inflammati, torvi, (*Camph.* 56, 1.)
 oculi splendentes (Inflammati), rubri, (*Hyos.* 141, 3.)
 oculi Inflammatio cum dolore lacerante, (*Verat.*
 261, 4.)
 oculorum (albugineae) Inflammatio cum dolore laceran-
 te, *Verat.* 261, 5.
 oculorum Inflammatio, incredibiliter dolorosa, lippitu-
 dinosa, (*Acon.* 11, 1.)
 oculorum Inflammatio, *Camph.* 51, 1. (*Jp.* 167, 5.)
 oculorum Intorsiones, (*Verat.* 266, 2.)
 oculi Inversi, (*Acon.* 12, 1. 13, 1.) (*Bell.* 40, 20.) (*Op.*
 202, 6.) (*Hyos.* 136, 10.)
 oculorum dolor Lacerans cum inflammatione, *Led.* 172,
 17. (*Verat.* 261, 4.)
 in oculo Lacerantes, terebrantes, secantes dolores summi;
 (*Puls.* 234, 5.)
 in oculis Lacerans dolor continuus, cum nausea vomitu-
 riente, deliquescentia cordis et infirmitate loquelae
 organi, *Nux v.* 188, 8.

- oculis Lacryma suffusis stupet adstantes, nec tamen
scit, quid agatur, nec cognoscit obvios, (*Op.* 210, 15.)
oculi Lacrymis suffusi, *Nux v.* 189, 8. *Puls.* 224, 17.
18, 19. (*Cinch.* 96, 3.) (*Puls.* 233, 11.)
in oculis Lancinatus, *Cham.* 81, 2. (*Arn.* 24, 4.)
oculi alterutrius Lancinans dolor, cum intolerantia
candelae lucis, palpebris conniventibus, *Puls.* 220, 9.
ex oculis et fronte Lancinatus penetrans, *Puls.* 225, 1.
oculi Lippi, aqua suffusi, lacrymantes, (*Puls.* 233, 11.)
oculus alteruter candelae Lucem tolerare non potest,
lancinanti dolore affectus, fere sine inflammatione
albugineae, palpebris conniventibus, *Puls.* 220, 9.
oculi quasi quater Majores esset, hallucinatio, (*Op.*
214, 10.)
oculi Mane purulenti, *Cham.* 81, 4. 5. 6. 7.
oculus Mane tumidus et pure conglutinatus, *Cham.*
81, 5.
in oculis Mordax sensus ut a sale culinari insperso, *Canth.*
57, 11. *Nux v.* 189, 6.
oculi spastice in gyrum Moti, (*Bell.* 35, 18.)
inter oculorum Motum sursum et ad latus, capitidis dolor,
cum caloris sensu universalis, genarum rubore et
scurrilitate, *Acon.* 7, 20.
ab oculorum (Motu) respiratione, vertiginis species,
quasi casurus esset, vel quasi saltaret, *Puls.* 217, 6.
ab oculorum (Motu) apertione auctus capitidis dolor stri-
ctorio tensivus, *Puls.* 226, 11.
oculorum (Motu) sublatione auctus capitidis in fronte
dolor punctorius cum faciei rubore et siti, *Arn.*
20, 6.
ab oculorum (Motu) respiratione cephalalgia pressorio
lancinans, *Caps.* 68, 2.
oculorum Motus quasi convulsivi, (*Bell.* 35, 18. 40, 20.)
oculis obversantes Muscae amauroticae, *Cocc.* 107, 11.
Acon. 1, 8. (*Cinch.* 93, 8.)
ante oculos Nebulae in visu, (*Bell.* 44, 15.)
oculorum Obtenebratio vertiginosa, pulsu immutato,
(*Acon.* 10, 3.)
ad oculos tendens Odontalgia, *Cham.* 79, 8.
in oculo Phlogosis, (*Verat.* 267, 9.)
in oculis Pressorius dolor, *Caps.* 67, 16.
oculorum Pressorius dolor, *Cham.* 81, 6.
in oculis Pressio quasi ab arenulis, *Puls.* 224, 23. (*Bell.*
43, 10.) *Cocc.* 109, 10.

- in oculis quasi ab arenae granulo Premente, irritante dolor, (*Cocc.* 109, 10.)
 in oculorum cantho interiori dolor Pressorius, *Puls.* 224, 22.
 oculi Prominentes, splendentes, (*Cupr.* 120, 5.)
 oculi Prominentes et convulsionibus agitati, (*Hyos.*
 140, 14.)
 oculis Prominentibus, suffocationis, strangulationis
 accessus, *Verat.* 255, 13.
 in oculis Pruritus, *Puls.* 224, 16.
 supra oculum sinistrum Pulsatorius dolor, *Verat.* 257, 16.
 in oculis Punctorius dolor, (*Nux v.* 195, 7.)
 oculi canthus mane Purulentus, *Cham.* 81, 4.
 in oculo dolor quasi Radatur cultro, (*Puls.* 233, 13.)
 ab oculorum Respiratione vertiginis species, quasi casu-
 rus esset, vel quasi saltaret, *Puls.* 217, 6.
 ab oculorum Respiratione cephalalgia pressorio lanci-
 nans, *Caps.* 68, 2.
 oculi Retorti, aperti, (*Op.* 207, 8.)
 oculis Retortis, palpebris semiclausis, dormituritio,
Op. 202, 6.
 oculis Retortis, tumor et rubor faciei, (*Bell.* 40, 20.)
 oculi Revulsi, *Verat.* 255, 8.
 oculi Rigidi, soporosi, (*Stram.* 245, 3.)
 oculi rubri, vide *oculi inflammati*.
 oculi Rubri, agitati, splendidi, (*Bell.* 37, 6.)
 oculi Rubri, inflammati cum genis tumidis, ardentibus,
Led. 172, 4.
 oculi Rubri, Splendentes, (*Hyos.* 141, 3.)
 ex oculo Sanguinis diapedesis, *Nux v.* 195, 10.
 oculi Scintillantes, torvi, (*Bell.* 32, 4.)
 in oculis Scintillatio, *Cham.* 81, 12.
 in oculo Secantes, terebrantes, lacerantes dolores, (*Puls.*
 234, 5.)
 oculi, hic Semiclausus ille apertus, pupillis retortis,
Cinch. 93, 11.
 oculis hoc aperto, illo clauso, Semiclauso, coma vigil,
Verat. 255, 9.
 oculi Semiclausi, retorti, cum dormituritione, *Op.*
 202, 6.
 in oculis Siccas, (*Bell.* 46, 3.) *Puls.* 224, 23.
 oculi Soporosi, rigidi, (*Stram.* 245, 3.)
 oculorum Spasmi, (*Bell.* 43, 15.)
 oculorum Spasmi continui, (*Bell.* 35, 7.)
 oculorum bulbi in gyrum Spastice moti, (*Bell.* 35, 18.)

- oculi Splendentes, (*Stram.* 245, 15.)
 oculi Splendentes, horridi, (*Nux v.* 200, 9.) (*Hyos.*
 143, 19.)
 oculi Splendentes, prominentes, (*Cupr.* 120, 5.)
 oculi Splendentes, rubri, (*Hyos.* 141, 3.)
 oculi Splendidi, pupillis summe dilatatis, (*Bell.* 35, 8.)
 oculi Splendidi, rubri, agitati, (*Bell.* 37, 6.)
 oculi Stupidi, languidi, fixi, emorientis instar, (*Op.*
 207, 12.)
 oculorum Sublationem impediens dolor frontis cere-
 brum expressurus, (*Bell.* 28, 20.)
 oculorum Sublatione auctus capitinis (frontis) dolor pun-
 ctorius cum faciei rubore et siti, (*Aru.* 20, 6.)
 oculi Sursum versi, (*Bell.* 40, 20.) (*Acon.* 12, 1. 13, 1.)
 (*Camph.* 47, 12.)
 in oculo Terebrantes, secantes lacerantes dolores, (*Puls.*
 234, 5.)
 oculis Torpidis et cerebro obtenebrato, mens redux,
 (*Hyos.* 139, 6.)
 oculi Torvi, inflammati, (*Camph.* 56, 1.)
 oculi Torvi, Tortique, (*Hyos.* 134, 6.)
 oculi Torvi, scintillantes, (*Bell.* 32, 4.)
 oculi Tumore clausi, bulbis motitatis quaquaversum,
 pupillis summe dilatis, (*Stram.* 247, 5.)
 oculorum (linguae, faciei) Tumor, (*Stram.* 249, 9.)
 oculus Tumidus mane et pure conglutinatus, (*Cham.*
 81, 5.)
 oculi Turgentes, (*Acon.* 12, 3.)
 oculi Vacillantes, (*Cupr.* 119, 9.)
 oculorum Vertiginosa obtenebratio, pulsu immutato,
 (*Acon.* 10, 3.)
 oculi canthus ut a Vulnero dolorosus, *Nux v.* 195, 5.
 odio sunt omnia objecta externa et morositatem aver-
 santem gignunt, (*Camph.* 48, 10.)
 odium lucis, (*Acon.* 8, 9.)
 odontalgia, vide *dentium dolor.*
 odoris privatio, (*Op.* 214, 15.)
 oedema, vide *et tumor.*
 oedema faciei, (*Acon.* 8, 7.) (*Dig.* 127, 8.)
 oedema frontis, (*Acon.* 8, 7.)
 oedema subitaneum, (*Melamp.* 176, 5.)
 in oesophago ad os usque ardor, *Nux v.* 191, 4.
 oesophagi aspritudo, (*Mer.* 180, 11.)
 oesophagi constrictio insignis, (*Bell.* 46, 1.)

- in oesophago impedita deglutitio, *Cocc.* 110, 4.
 ex oesophagi paralysi indeglutitio, *Cocc.* 110, 4.
 oesophagi exulceratio, (*Dig.* 125, 1.)
 oesophagi excoriatio, (*Mez.* 180, 11.)
 oesophagea indeglutitio, *Cocc.* 110, 4.
 oesophagi inflatio, (*Verat.* 265, 17.)
 oesophagi inflatio cum suffocationis sensu, (*Verat.*
 266, 13.)
- in oesophago siccitas, (*Bell.* 46, 3.)
 oestrus venereus, (*Camph.* 54, 9.)
- ad offendiculum minimum impingit vacillans et prolabitur,
 Ign. 151, 2.
 offendunt animum sensuum omnium objecta ob sensorii
 nimiam teneritudinem et hyperesthesia, *Cinch.*
 93, 18.
- offensae haerent alta mente repostae, mens tristissimis
 cogitationibus immersa, *Cocc.* 106, 11.
- offensio ex joco lacrymabunda, *Op.* 202, 1.
- offensio ex re nulla, et nullius rei amor, *Puls.* 218, 15.
- in offensionem propensio summa, *Acon.* 2, 4.
 offensionum et frustrationum variarum taediosa, lucu-
 lenta insomnia, *Op.* 202, 15.
 olfactus deletus, *Hyos.* 151, 9. (*Op.* 214, 15.)
 olfactus fimi, *Verat.* 257, 9.
 olfactus et gustus jactura inter coryzam, *Puls.* 224, 2.
- ab onere quasi et expansione sensus, *Melamp.* 176, 3.
 onere quasi oppressa inspiratio, expiratione levi, *Ign.*
 158, 1.
 operiri gestit multis stragulis, friget et horret, sed
 quiete jacet, (*Acon.* 13, 7.)
- ophthalmnia chemodes, *Dig.* 124, 9. *Acon.* 7, 17. *Nux v.*
 195, 8.
 ophthalmnia valde dolorifica, *Acon.* 7, 17.
 ophthalmnia incredibiliter dolorosa, lippitudinosa, (*Acon.*
 11, 1.)
 ophthalmiae, *Caps.* 70, 3. *Nux v.* 195, 8. *Camph.* 51, 1.
 (*Camph.* 56, 1.) (*Ip.* 167, 5.) (*Acon.* 7, 17. 11, 1.)
 _{Verat.} 261, 4. 5. *Led.* 172, 4. 17. (*Hyos.* 140, 5.
 141, 3.) (*Bell.* 43, 8.) *Cham.* 81, 6. *Dig.* 124, 10.
 125, 9. *Puls.* 224, 24.
 opinantis voces absentium exaudire, hallucinatio,
 Cham. 75, 9.
 opisthotonus per minutam pluries repetens, (*Nux v.*
 200, 7.)

- oppletio pectoris, *Ign.* 158, 2.
 oppressa quasi onere inspiratio, exspiratione expedita,
 Ign. 158, 1.
 oppressio cordis cum sudore immanni, ejulatu, aestuatio-
 ne, *Cham.* 76, 4.
 oppressio pectoris, (*Bell.* 43, 17.) (*Verat.* 266, 6.)
 oppressionis et ponderis sensus in ventriculo, (*Cinch.*
 100, 12.)
 opprobria, *Acon.* 2, 10.
 opprobria, convicia, *Nux v.* 186, 18.
 opprobrians animus, *Caps.* 65, 16.
 opprobrians, vituperans morositas summa, *Ign.* 156, 6.
 opprobriis plenus angor inconsolabilis et ejulatus mise-
 rabilis ob mala et incommoda (parva), *Acon.* 3, 6.
 orbatus sensibus omnibus, (*Hyos.* 135, 6.)
 supra orbitas in fronte dolor capituli cerebrum expressurus,
 Bell. 28, 20.
 supra orbitas lancinanti pressorius dolor, vomituriens,
 Acon. 3, 10.
 supra orbitas dolor pressorius et aestuatio ejulatoria cum
 calore corporis totius, exceptis manibus, *Puls.*
 219, 11.
 supra orbitas punctorii vagi dolores, *Val.* 251, 4.
 orbus sensibus, (*Bell.* 46, 21.)
 organi loquelaes paresis, *Bell.* 26, 6.
 ad organon auditos congestio sanguinis, *Puls.* 220, 18.
 orgasimus partium genitalium, appetentia rei venereae,
 Cocc. 114, 4.
 in orificio urethrae dolor punctorius statim post mictum,
 Caps. 69, 12.
 orificium urethrae apertum, tumidum, inflamatum,
 dolore in urethra pulsatorio extra mictum, *Cop.*
 116, 4.
 orificium urethrae quasi a vulnere dolorosum, *Cop.*
 116, 5. *Nux v.* 193, 12.
 orthopnoea, *Caps.* 65, 26.
 os, vide et fauces.
 ad es usque, inde a sterno ardens dolor, *Cham.* 87, 3.
 in ore acidus sapor, *Cham.* 84, 4.
 in ore acidus sapor saliva, *Ign.* 155, 2.
 in ore amaror post vomitum, *Puls.* 221, 18.
 ore aliquantum aperto inspiratio stertorosa inter som-
 num citior quam exspiratio, *Cham.* 83, 8.
 ore aperto stertorosa inspiratio, *Op.* 202, 6.

- ore aperto loqui nescit, (*Op.* 210, 16.)
 ore aperto et anxius spiritum summa molestia trahit,
 (*Op.* 215, 15.)
 ab ore ad anum usque erosio, (*Canth.* 62, 6.)
 in ore calor ingratus, (*Camph.* 53, 12.)
 in ore et ventriculo caloris sensus, (*Camph.* 56, 4.)
 ex ore halitus foetidus post somnum, *Rh.* 236, 16.
 ex ore halitus picis cedriæ instar, (*Canth.* 62, 7.)
 ore hiante facies distorta, livida, (*Hyos.* 134, 7.)
 in ore interno excoriationis sensus, *Stram.* 241, 16.
 in ore phlogosis, (*Verat.* 267, 9.)
 in ore salivæ affluxus cum nausea vomituriente, *Cham.*
 84, 16.
 in ore sapor ut a corruptis in ventriculo alimentis, *Ign.*
 154, 11.
 in ore sapor quasi ab aqua putrida, *Caps.* 65, 6.
 in ore sapor picis cedriæ, (*Canth.* 59, 6.)
 in ore sapor dulcis, *Cupr.* 118, 10.
 in ore sapor empyreumaticus, *Puls.* 221, 14.
 in ore sapor acidus, *Cham.* 84, 4. *Ign.* 155, 2.
 in ore sapor cupreus, *Cocc.* 110, 9.
 in ore sapor ut ab inedia longa, *Cocc.* 110, 10.
 in ore sapor salinus, *Cinch.* 95, 3.
 in ore siccitas per quatuor horas, (*Bell.* 40, 3.)
 in ore Siccitas, (*Bell.* 46, 3.)
 cum ore Spumante furor, (*Camph.* 53, 19.)
 oris Amarities, (*Cinch.* 101, 3.)
 oris Amaror, (*Op.* 213, 22.)
 oris distortio, (*Nux v.* 200, 14.)
 oris exulceratio, (*Dig.* 125, 1. 4.)
 oris amaror et dentes obtusi post vomitum escarum ve-
 spertinum, *Puls.* 222, 11.
 oris fauciunque ardor, intolerabilis, (*Mez.* 182, 7.)
 oris convulsio, (*Acon.* 11, 12.)
 oris haemorrhagia, (*Bell.* 34, 10.)
 oris halitus putridus mane, (*Puls.* 221, 6.) *Rh.* 236, 16.
 oris interni sensus quasi ab excoriatione, *Stram.*
 241, 16.
 oris interni partium sensibilitas nimia et fere dolorosa,
 Ip. 162, 13.
 oris interni mucus foetidus post somnum, *Rh.* 236, 14.
 oris partium paralytica atonia, (*Bell.* 38, 14.)
 oris pituita tenax, (*Bell.* 59, 20.) *Caps.* 65, 5.

- oris siccitas, *Stram.* 239, 10. *Verat.* 257, 5. (*Cinch.*
103, 14.) *Caps.* 65, 3. *Cocc.* 110, 8. (*Op.* 214, 6.)
(*Bell.* 40, 1. 41, 16. 45, 16. 46, 3.)
- oris siccitas, quasi cutis faucium a materia acri et mor-
dicante degluberetur, (*Bell.* 38, 13.)
- oris siccitas ut verba vix proferre possit, (*Op.* 214, 6.)
- oris siccitas potulentis non sedanda, *Verat.* 257, 5.
- oris siccitas vix delenda, (*Bell.* 40, 1.)
- oris siccitas et ainaror sine siti cum distentione abdomi-
nis post pastum, *Ign.* 154, 15.
- oris siccitas cum siti, (*Bell.* 36, 5.)
- ob oris siccitatem indeglutatio, (*Bell.* 40, 4.)
- oris spuma, *Verat.* 255, 7. *Camph.* 47, 16. (*Hyos.*
134, 5.)
- oris et nasi sudor egelidus, *Rh.* 236, 6.
- os et oculos aperire piget (coma) cum respiratione leni
et lenia, *Ign.* 151, 3.
- ad os usque inde a ventriculo ardor post jentaculum, *Caps.*
68, 10.
- ad os usque inde a sterno dolor ardens, *Cham.* 87, 3.
- ad os usque inde ab oesophago ardor, *Nux v.* 191, 4.
- os internum (post somnum) muco foetido obductum,
Rh. 236, 14.
- os mucaginosum cessante somno, cum dolore capitinis
pressorio, ambo brevi evanida, *Bell.* 27, 11.
- os mucaginosum (sine siti), *Caps.* 65, 5.
- os maxime pituitosum mane, *Cupr.* 118, 6.
- os revulsum, (*Acon.* 11, 12.)
- ante os spuma, *Camph.* 47, 16. (*Hyos.* 134, 5.) (*Op.* 209,
14.) *Verat.* 255, 7.
- ante os spuma sanguinolenta, (*Bell.* 35, 3.)
- oscillans aurium tinnitus quasi a pulsatione baculi fer-
rei, *Puls.* 220, 15.
- oscitatio, *Cinch.* 92, 7. *Caps.* 64, 4. *Verat.* 256, 20.
Acris 16, 3. *Puls.* 217, 10.
- oscitatio et somnus, (*Camph.* 53, 6.)
- oscitatio crebra, *Arn.* 17, 12. (*Bell.* 46, 12.)
- oscitatio cum horripilatione, *Ip.* 162, 1.
- oscitatio crebra, interrupta et rigiditate pectoris qua-
dam impedita, *Ign.* 158, 8.
- cum oscitatione et pandiculatione lapsus virium insignis,
(*Camph.* 53, 13.)
- oscitatio crebra, interrupta, *Cham.* 73, 1.
- oscitatio ebriorum more, (*Bell.* 35, 16.)

- oscitatio vehemens, *Cocc.* 109, 8.
 oscitatio vehemens et fragor versus auris tympanum,
Cocc. 109, 9.
 oscitatio vespertina, crebra, sine dormititione, *Arn.*
 17, 11.
 oscitatio et pandiculatio matutina enormis et post pan-
 diculationem dolor in artibus maxime in genu spas-
 modicus, *Nux v.* 187, 7.
 supra os pubis in infimo abdomine dolores strictorio lace-
 rantes, *Verat.* 259, 1.
 ad os sacrum a nucha dolor dorsi quasi a contusione, *Acon.*
 6, 6.
 ad os sacrum a nucha tendens rheumaticus dolor, maxime
 inter alvum deponendam, *Verat.* 260, 13.
 ad ossa ilei (sternum et hypochondria) propagata pressio
 in scrobiculo vehemens, *Verat.* 258, 14.
 in osse sacro constrictorius dolor, *Melamp.* 176, 7.
 in osse sacro dolor, *Nux v.* 197, 6.
 in osse sacro pulsatio, *Ign.* 155, 13.
 in osse sacro strictorius dolor, *Stram.* 241, 2.
 in osse sacro lancinatio, tum tornina dissidenti lanci-
 nantia respirationem praecudentia, *Puls.* 227, 15.
 in osse sacro et abdomine lancinatio cum torninibus dis-
 scendentibus, respirationem praecudentibus, *Puls.*
 227, 14.
 ab osse sacro per femora tendentes, dolores spurii, *Cham.*
 77, 10.
 in osse sacro dolor lacerans ad occiput, hemicranium sini-
 strum et maxillam sinistram usque, *Led.* 172, 4.
 in osse sacro dolor quasi a confractione, cum torninibus
 forcanti lacerantibus, *Cham.* 85, 7.
 ab ossibus quasi separata esset caro dolor muscularum se-
 moris, *Dros.* 129, 11.
 in ossibus sensus, quasi contrita essent, *Verat.* 260, 2.
 in ossibus pedum formicatio non narcotica, *Ign.* 158, 12.
 ossis sacri dolor maxime nocturnus, *Cham.* 83, 6.
 ossis sacri cum vertebris lumborum articulationis dolor
 quasi a confractione, *Acon.* 5, 2.
 ossium omnium dolor quasi a contusione, *Ip.* 164, 4.
 ossium osteocopi dolores, (*Cinch.* 100, 11.)
 ossium capitis dolor quasi a contusione ad linguae ra-
 dicem usque, nauseabundus, *Ip.* 164, 17.
 ossium integumentorum dolor lacinanti fodiens, *Me-*
lamp. 176, 4.

- ossium omnium periostei dolor, *Camph.* 49, 10:
 in ossibus strictorii dolores cum artuum paralytica immo-
 bilitate, *Cocc.* 107, 6.
 in ossium artuum tubis vel tendinibus dolor strictorio la-
 cerans uno ictu et rarus, *Cham.* 78, 13.
 per ossium medullam penetrantes dolores deterrimi, (*Op.*
 211, 14.)
 osteocopus artuum dolor, *Led.* 171, 17. *Cinch.* 98, 3.
 osteocopus dolor parvi spatii in costa tactu exasperandus,
 non vero nec respiratione, nec tussi, *Caps.* 69, 18.
 osteocopus claviculae lacinans dolor, *Mez.* 180, 18.
 osteocopus costarum dolor in inspiratione, *Cinch.* 98, 3.
 osteocopus crani dolor, et externe tactu maxime dolo-
 rifici, *Mez.* 180, 17.
 osteocopus crurum color, *Mez.* 180, 19.
 osteocopus in facie dolor, tactu excitandus, inter som-
 num capiendum, *Caps.* 68, 1.
 osteocopus femoris dolor, *Mez.* 180, 19.
 osteocopus humeri dolor, *Cinch.* 98, 3.
 osteocopus juncturarum ossium omnium dolor quasi a
 contusione, *Ip.* 164, 4.
 osteocopus juncturarum dolor, qualis in narcosi artuum,
 Ip. 164, 5.
 osteocopi ossium dolores, (*Cinch.* 100, 11.)
 (osteocopus) periostii dolor artuum cum asthenia para-
 lytica, *Cham.* 77, 9.
 ostii ductuum salivalium tumor dolorosus, *Ign.* 154, 5.
 ostii ductuum salivalium quasi excoriatio, *Acon.* 9, 2.
 ostii ductuum salivalium excoriatio, *Bell.* 28, 14.

 in palati velo Ardor, *Cocc.* 110, 6.
 palati et faucium aspritudo et excoriatio, *Mez.* 180, 8.
 in palati velo lacinans dolor ad aurem internam usque,
 Ign. 152, 16.
 in palati velo lacinatio, *Camph.* 49, 7.
 in palati velo et posteriori linguae parte mordacitatis in-
 signis sensus, *Cham.* 83, 12.
 in palati velo pressorius, (anginosus) dolor, *Arn.* 18, 7.
 in palato corrugationis sensus, quasi ab austoris, *Arn.*
 39, 16.
 in palato versus fauces strictorius dolor, *Cham.* 80, 7.
 pallida, collapsa facies, (*Op.* 207, 7.)
 pallida frigida facies, (*Bell.* 53, 11.) *Bell.* 25, 1.

- pallidus, lividusque corporis habitus, (*Op.* 214, 3.)
 pallor faciei naturaliter calidae, cum calore capitis interno, *Puls.* 217, 1.
 pallor, *Cinch.* 92, 1.
 pallor, frigiditas totius corporis, (*Camph.* 52, 5.)
 pallor faciei, *Bell.* 25, 1. *Camph.* 47, 3.
 pallor vultus, (*Camph.* 53, 10.)
 cum pallore et vomituritione visus obtenebratio, *Puls.*
 220, 6.
 palpebrae, vide et *oculus*.
 palpebrae statim clausae, vibrantes, *Cupr.* 119, 10.
 palpebrae diductae, latius apertae, *Bell.* 25, 9. (*Bell.*
 38, 1.)
 palpebrae mane conglutinatae, *Puls.* 224, 20.
 palpebrae (*oculus*) mane tumidae et pure conglutinatae,
Cham. 81, 5.
 palpebrae conglutinatae post somnum ut in lippitudine
 sicca, *Cham.* 81, 7.
 palpebrae siccae maxime post somnum, dolentes quasi
 ab attritu, rigidæ, conglutinatae, *Verat.* 256, 14.
 palpebrae post somnum materia purulenta conglutinatae,
Rh. 236, 13.
 palpebrae purulentæ sine tumore vel inflammatione, *Led.*
 170, 8.
 palpebrae purulentæ sine dolore, *Led.* 170, 7.
 palpebram inferiorem et genam erodentes lacrymae in
 lippitudine, *Led.* 170, 6.
 palpebrarum glandularum inflammatio, *Dig.* 124, 10.
 palpebrae siccae maxime post somnum, dolentes quasi
 ab attritu, rigidæ, conglutinatae, *Verat.* 256, 14.
 palpebrarum siccitas, *Cham.* 81, 3. *Ip.* 165, 13. *Puls.*
 224, 21. *Cocc.* 109, 12.
 palpebrarum siccitatis sensus, *Verat.* 256, 17.
 palpebrarum siccitas summa, *Verat.* 256, 13. *Cham.*
 81, 3.
 palpebrarum siccitas cum raucedine catarrhosa, *Cham.*
 87, 6.
 palpebrarum conglutinatio purulenta, *Dros.* 128, 19.
 palpebrarum depressione emergens capitis in medio ce-
 rebri dolor qui post vomitum usu venit, *Nux v.*
 188, 1.
 palpebrarum inferiorum tumor, (*Op.* 215, 2.)
 palpebrarum siccitas cum somnolentia, *Ip.* 165, 12.
 palpebrarum rubor et tumor, (*Puls.* 234, 8.)

- palpebrarum superiorum siccitas quasi pressoria, *Acon.*
 7, 18.
 palpebras aperiendi, impotentia, (*Hyos.* 147, 12.)
 palpebras aperiendi impotentia cum somnolentia, (*Hyos.*
 138, 6.)
 palpebras diducendi potestas serius rediens quam remi-
 niscentia, *Cupr.* 119, 16.
 in palpebris dolor strictorio lacerans, *Nux v.* 195, 11.
 palpebris conniventibus candelae lucis intolerantia ocu-
 li alterutrius lanciante dolore affecti, *Puls.* 220, 9.
 palpebris semiclausis, oculis retortis, dormituritio, *Op.*
 202, 6.
 palpebris semiclausis dormituritio, (*Op.* 205, 10.)
 in palpebris vulsiones, *Cham.* 75, 13.
 palpitatio cordis, *Cinch.* 95, 7. *Ign.* 155, 15. *Nux v.*
 189, 20. *Arn.* 17, 4. *Cham.* 82, 13. *Cocc.* 106,
 2. *Val.* 251, 6. *Camph.* 48, 3. *Dig.* 123, 3. *Mez.*
 180, 22. *Ip.* 162, 5. (*Cop.* 117, 5.) *Cupr.* 119, 1.
 palpitatio cordis maxima, *Arn.* 17, 4.
 palpitatio cordis, calor volaticus et sudor faciei cum
 siccitatis linguae sensu, siti aquae et anorexia, fame
 canina subsequा, *Cham.* 82, 13.
 palpitatio cordis fere sine angore, *Ip.* 162, 6.
 palpitatio (et vulsio) sub cote unsculorum artuum, ma-
 xime vero abdominis muscularum, *Nux v.* 192, 16.
 palpitatio et anxietas ingens ita ut vestimenta abisci
 debeant, *Puls.* 218, 17.
 palpitatio cum sterni dolore pressorio, inter pupillarum
 constrictionem, *Mez.* 180, 1.
 cum palpitatione cordis, dormituritio, *Cinch.* 95, 8.
 cum palpitatione anxietas tremula, *Cham.* 75, 16.
 in palpitationem cordis propensio et tremor, *Acon.* 2, 7.
 pandiculatio, *Cinch.* 92, 11. *Acris* 16, 1.
 pandiculationes summe convulsivae, (*Nux v.* 200, 19.)
 pandiculatio et oscitatio matutina enormis et post pan-
 diculationem in artibus dolor spasmodicus maxime
 in genu, *Nux v.* 187, 7.
 cum pandiculatione et oscitacione lapsus virium insignis,
 (*Camph.* 53, 13.)
 a pane, carne et aliis solidioribus cibis vomituritio, *Puls.*
 227, 7.
 panis maxime anorexia, *Nux v.* 190, 13.
 panis veteris et carnis anorexia, *Puls.* 221, 7.
 panis sapor acidus, *Cham.* 84, 5. *Bell.* 27, 10.

- panis fusci sapor acidus, (*Cinch.* 95, 2.)
 panis fusci cerealis nausea et ab eo salivae affluxus in
 ore, *Nux v.* 190, 14.
 sub papula mammae nodus durus tactu dolorosus, per se
 dolore interdum strictorio lacerante, *Cham.* 89, 8.
 papulae miliares in genis, *Cham.* 88, 8.
 papulae miliares cutis erythema obsidentes, *Cham.*
 88, 9.
 ex paralysi aut spasmo oesophagi indeglutitio, *Cocc.* 110, 4.
 paralysis, (*Op.* 209, 2.)
 paralysis cruris et brachii alterius, (*Acon.* 110, 14.)
 paralysi in crure et brachio sinistro similis stupor, ita
 ut manum summam vix movere possit, (*Acon.* 11, 7.)
 paralysis extremitatum inferiorum, (*Bell.* 39, 9.)
 paralysis artuum, (*Stram.* 245, 6. 246, 13.)
 paralysis ani volatice, *Acon.* 2, 15.
 paralysis ani sphincteris, (*Bell.* 39, 7.)
 paralysis lateris sinistri in dextri lateris paralysin mu-
 tata, (*Acon.* 11, 8.)
 paralysis linguae volatice, *Acon.* 2, 17.
 paralysis linguae, (*Op.* 209, 11.)
 paralysis pedum, (*Cinch.* 102, 4.)
 paralysis pharyngis, *Cocc.* 110, 4.
 paralysis pupillarum (continua), (*Stram.* 250, 6.)
 paralysis vesicae urinariae sphincteris, (*Bell.* 39, 8.)
 paralysis vesicae volatice, *Acon.* 2, 16.
 paralysis vesicae, *Hyos.* 133, 4.
 paralytica crura, (*Stram.* 246, 19.)
 paralytica oris partium atonia, (*Bell.* 38, 14.)
 paralytica, subita, volatice femoris asthenia inter eun-
 dum, *Puls.* 229, 12.
 paralytica asthenia pollicis et indicis cum dolore quasi
 a distortione inter motum percipiendus, *Cham.*
 78, 2.
 paralytica asthenia artuum cum dolore periostii, *Cham.*
 77, 9.
 paralytica debilitas artuum, *Acris* 15, 10.
 paralyticæ astheniae paroxysmi cum dorsi dolore, *Cocc.*
 107, 8.
 paralytica asthenia post sessum in cruribus et femori-
 bus, *Acon.* 3, 1.
 quasi paralytica artuum inferiorum immobilitas, cum vulsio-
 nibus singulis, *Ign.* 150, 13.
 paralytica pedum immobilitas, *Cocc.* 107, 7.

- paralytica frigida narcosis manus cum obnubilatione
 capitis et hyperesthesia aëris, quasi refrigerium
 nasciturum sit, *Cham.* 77, 7.
 paralyticum crus et brachium alterum, (*Acon.* 10, 14.)
 paralytica pollicis asthenia et indicis digiti cum dolore
 quasi a distortione inter motum, *Cham.* 78, 2.
 paralytica pedis asthenia nocturna cum cruris dolore
 strictorio, *Cham.* 77, 8.
 paralytice astheniae paroxysmi cum dorsi dolore, *Cocc.*
 107, 8.
 paralytici quasi pedes, stupor artuum cum déliquescen-
 tia cordis nauseabunda, syncoptica, *Cham.* 77, 5.
 paralytici artus, (*Stram.* 245, 6. 246, 13.)
 quasi paralytici artus, *Cocc.* 107, 5.
 paralytica artuum immobilitas cum strictoriis doloribus
 quasi in ossibus, *Cocc.* 107, 6.
 paralytico strictorius dolor infra et supra cubiti articu-
 lum, (*Caps.* 69, 19.)
 paralytico strictorius dolor in cubito et manibus, *Cham.*
 77, 13.
 paralytico strictorii dolores ab osse sacro ad femora ten-
 dentes, dolorum spuriorum instar, *Cham.* 77, 10.
 paralyticus fere dolor omnium articulationum inter mo-
 tum, *Arn.* 22, 13.
 paralyticus fere (strictorius) sensus in artibus, *Canth.*
 57, 6.
 paralyticus et quasi a contusione dolor articulationum
 genu et ossis sacri post sessum inter motum, *Verat.*
 260, 19.
 paralyticus torpor membrorum, *Val.* 251, 15. *Acris*
 15, 10. *Melamp.* 177, 2.
 paralyzans sensus in manus malleolo et dolor quasi a
 distortione, *Ign.* 159, 3.
 parentum et objectorum solitorum inagnitio, *Op.* 202, 4.
 (*Bell.* 42, 13.)
 parentum inagnitio, (*Hyos.* 138, 12. 149, 1.) (*Bell.*
 42, 13.)
 parentum inagnitio post potum, (*Hyos.* 138, 12.)
 paresis loquelae organi, *Bell.* 26, 6.
 paresis maxillae inferioris, *Arn.* 18, 4.
 paresis muscularum omnium, maxime pedum, *Bell.* 26, 5.
 paresis pedum, *Bell.* 26, 5.
 paresis recti, *Op.* 205, 11.
 paresis vesicae, *Op.* 205, 12.

- in parotide lancinans dolor, *Bell.* 28, 17. (*Cinch.* 96, 17.)
Puls. 225, 2.
- in parotide lancinantes, volatice dolores, (*Cinch.* 96, 17.)
 parotidea angina, *Cham.* 85, 16. *Puls.* 225, 2.
 parotidis tumor, *Cocc.* 110, 7.
 parotidis sinistrale tumor, (*Hyos.* 145, 11.)
 paroxysmi, vide et *accessus*, et *insultus*.
 paroxysmi astheniae paralyticae cum dorsi dolore, *Cocc.*
 107, 8.
 paroxysmi asthmatis, pectus angustatum, respiratio
 difficilis fere ad suffocationem, (*Cupr.* 121, 8.)
 paroxysmi epileptici, (*Cupr.* 121, 8.)
 paroxysmum febrilem incipiens sternutatio, *Cinch.* 93, 2.
 in parte pridem laesa livor, lancinatus, dolor tensivus,
 (*Bell.* 36, 6.)
 in partem malam facile vertit haec illa, irritabilitas sto-
 machi, *Cocc.* 114, 7.
 partium genitalium orgasmis, *Cocc.* 114, 4. *Nux v.*
 193, 17.
 quasi ad partum dolores constrictorio pressorii in utero, imma-
 nes, subsequi blennorrhagia purulenta, erodente,
Ign. 153, 5.
 ad partum quasi dolores eundo in lumbis excitandi, *Acon.*
 6, 16.
 quasi ad partum dolores, cum menstrui suppressione, tumore
 et pressione anxie scrobiculi, abdominis expansione
 et hydrope cutaneo, *Cham.* 86, 8.
 ad partum quasi dolores in uterum irruentes, *Cham.* 86, 7.
 quasi ad partum dolores strictorio tensivi in abdome, *Puls.*
 228, 14.
 quasi ad partum dolores constrictorii in uteri sinistra parte,
Puls. 228, 16.
 quasi ad partum dolores insignes, (*Camph.* 52, 8.)
 parva aegre ferens, reprehendens animus, *Caps.* 65, 16.
 parvae egestiones, *Cocc.* 111, 5.
 parvae, crebrae egestiones, *Nux v.* 193, 3.
 parvae, crebrae, mere mucosae sedes, *Arn.* 19, 5.
 parvae, celeres, involuntariae sedes, *Bell.* 28, 3.
 parvae, molles, crebrae sedes, *Mez.* 181, 7.
 parvae, molliores (albae), tenesmodae sedes, *Acon.*
 5, 7.
 parvae glandulae tumor ad aurem dolorosus, *Puls.*
 225, 8.

- parvi tumores in cute (frontis) dolorifici, quasi ab ictu, *Melamp.* 176, 6.
- parvorum malorum impatientia, *Nux v.* 186, 13.
- parum reficiens somnus et inquietus, *Mez.* 181, 16.
- post pastum Abdomen tumidum, *Cham.* 84, 15. *Ign.* 154, 14. 15.
- post pastum Abdominis distentio cum amarroe et siccitate oris, gena alterutra rubra, sine siti vesperi, *Ign.* 154, 15.
- post pastum in Abdomine et scrobiculo' pressio cum meteoroismo, *Nux v.* 192, 2.
- post pastum Abdominis expansio quasi a plenitudine, *Cinch.* 94, 16.
- post pastum Amaror et siccitas oris cum distentione abdominis, *Ign.* 154, 15.
- post pastum Amarus et biliosus sapor, *Puls.* 321, 12.
- post pastum Angor, plenitudo, et dolor dorsi lacerans in abdomen tendens, *Cham.* 84, 20.
- post pastum maxime Angustatio circa scrobiculum, (*Cinch.* 102, 16.)
- post pastum Angustia pectoris et plenitudo, tum vel ructus acidi, vel soda, tandem alvus cito mollior, *Caps.* 68, 9.
- post pastum Angustia et plenitudo pectoris, tum vel ructus acidi, vel soda, tandem alvus cito, melior, *Caps.* 68, 9.
- post pastum (jentaculum) Ardor a ventriculo ad os usque, *Caps.* 68, 11.
- post pastum et potum Calor et sudor faciei, *Cham.* 81, 13.
- post pastum Capitis obnubilatio, *Cocc.* 107, 15.
- post pastum Dentium dolor, *Cham.* 79, 10. 12. 13.
- post pastum et potum Dentium dolor stritorius, *Cham.* 79, 13.
- post pastum et potum Dentium dolor etiam si neuter neque calidus nec fugidus sit, *Cham.* 79, 12.
- post pastum Distentionis abdominis sensus, *Ign.* 154, 14.
- post pastum Distentio abdominis cum siccitate et amarore faucium, sine siti, cum genae alterius rubore vesperi, *Ign.* 154, 15.
- post pastum Dormiturio, *Cinch.* 94, 17.
- post pastum Dorsi dolor lacerans in abdomen tendens, cum angore et plenitudine, *Cham.* 84, 20.
- post pastum Ebrietatis sensus, *Puls.* 217, 7.

- post pastum Ebullitio sanguinis et nausea evanida, *Cinch.*
95, 6.
post pastum Faciei calor et sudor, *Cham.* 81, 13.
post pastum Genarum rubor, manibus et pedibus frigidis,
sine horrore, *Caps.* 70, 11.
post pastum ad Gulam usque diutina plenitudo, *Cinch.*
94, 15.
post pastum Hypochondriis pressio, *Cham.* 84, 13.
post pastum (aliquot horas) in Hypochondriis pressorius do-
lor, *Cocc.* 110, 15.
pastu exacerbati dolores Lacinanti sodientes, *Me-
lump.* 176, 20.
post pastum Nausea, *Cham.* 84, 17.
post pastum Nausea et ebullitio sanguinis evanescunt,
Cinch. 95, 6.
post pastum Obnubilatio capitis, *Cocc.* 107, 15.
post pastum Odontalgia, *Cham.* 79, 10. 12. 13.
post pastum Pectoris angustia et plenitudo, *Caps.* 68, 9.
post pastum meridie, manus et Pedes frigidi, sine horrore
inter genarum ruborem, *Caps.* 70, 11.
post pastum gravitas Pedum, *Op.* 202, 18.
post pastum Plenitudo ventriculi satra vel in crastinum
diem et vomituritio, *Cham.* 84, 13.
post pastum Plenitudo, angor et dolor dorsi lacerans in ab-
domen tendens, *Cham.* 84, 20.
post pastum Plenitudo et angustia pectoris, tum vel ructus
acidi, vel soda, tandem alvus cita, mollior, *Caps.*
68, 9.
post pastum Plenitudo ad gulam usque diutina, *Cinch.*
94, 15.
post pastum quasi a Plenitudine expansio abdominis, *Cinch.*
94, 16.
post pastum Pressio in ventriculo, *Cinch.* 94, 17.
post pastum Pressio in hypochondriis, *Cham.* 84, 13.
post pastum Pressio in abdomen et scrobiculo cum meteo-
rismo, *Nux v.* 192, 2.
post pastum Pressorio forficantia tornina cum flatuum in-
carceratione, *Caps.* 68, 13.
post pastum Pressorius dolor in sterno, *Verat.* 260, 5.
post pastum Pressorius dolor ventriculi, *Cinch.* 94, 17.
Cham. 84, 13.
post pastum et potum Ructus, *Nux v.* 190, 20.
post pastum Ructus acidi vel soda, *Caps.* 68, 9.

- post pastum Sanguinis ebullitio et nausea evanescunt,
Cinch. 95, 6.
- post pastum Sapor amarus, biliosus, *Ign.* 154, 15. *Puls.*
 221, 12.
- post pastum (aliquot horas) in Scrobiculo dolor pressorius,
Cocc. 110, 15.
- post pastum in Scrobiculo et abdomen pressio cum meteo-
 rismo, *Nux v.* 192, 2.
- maxime post pastum circa Scrobiculum angustatio, (*Cinch.*
 102, 16.)
- post pastum Soda, *Caps.* 68, 9.
- inter pastum Spasmus ventriculi diuturnus, *Bell.* 30, 11.
- post pastum et potum in Sterno pressorius dolor, *Verat.*
 260, 5.
- post pastum et potum Sudor et calor faciei, *Cham.* 81, 13.
- post pastum Tumidum abdomen, *Cham.* 84, 15. *Ign.* 154,
 14. 15.
- post pastum Tussis invalescens, *Op.* 205, 14.
- post pastum in Ventriculo pressio, *Cinch.* 94, 16. *Cham.*
 84, 13.
- post pastum a Ventriculo ad os usque ardor, *Caps.* 68, 1c.
- post pastum Ventriculi plenitudo satura vel in crastinum
 diem, *Cham.* 84, 14.
- post pastum (aliquot horas) in Ventriculo dolor pressorius,
Cocc. 110, 15.
- inter pastum spasmus in Ventriculo diuturnus, *Bell.* 30, 11.
- post pastum Vertigo, *Cham.* 84, 12.
- post pastum Vomituritio, *Cham.* 84, 14.
- pathorum et dolorum imminentia, cum agilitate, *Verat.*
 262, 3.
- de patibulo meticulositas delirans, *Bell.* 25, 14.
- pavor, vide et motus, meticulositas, timor, terror, con-
 cussio, successio, expavescencia.
- pavor, *Nux v.* 187, 17. *Arn.* 22, 21.
- pavoris concussions cum tumore et convulsionibus,
(Hyos. 138, 16.)
- pavor concussorius somnum capturi, *Bell.* 26, 14.
- pavor concussorius et meticulositas inter capitum ebrio-
 sam infatuationem, *Nux v.* 186, 16.
- pavor concussorius in somno cum agitatione et blate-
 ratione, *Acon.* 6, 5.
- cum pavorebus, quasi ob casum ab alto, somnus, *Caps.*
 65, 18.
- in pectore Acupunctio, *Cham.* 88, 3.

- pectus Angustatum, ad suffocationem usque, (*Cupr.* 121, 8.)
 pectoris Angustia, (*Acon.* 10, 1.) (*Arn.* 23, 2.) (*Hyos.* 136, 6.) (*Cham.* 87, 14.) (*Nux v.* 199, 7.) (*Ign.* 160, 10.) (*Puls.* 234, 12.)
 pectoris Angustia aliquot horarum, *Ip.* 164, 16.
 pectoris Angustia et plenitudo post pastum, tum vel
 ructus acidi, vel soda, tandem alvus cita, mollior,
Caps. 68, 9.
 cum pectoris Angustia pressio in scrobiculo inspiratione
 aucta et in laneinationem in scrobiculo cito transiens, *Ign.* 152, 19.
 pectoris Angustia quasi a flatibus in epigastrio cum
 pressionis sensu restagnantibus et ventriculi dolore,
 quasi a soda nascitura, postea ardor in spina dorsi,
Cham. 84, 21.
 in pectoris Angustiam transiens dolor pressorius in scro-
 biculo, *Acon.* 6, 2.
 in pectore dolor quasi ab Animali intus tumultuante, in-
 ter respirationem, *Led.* 170, 4.
 in pectore strictorius dolor cum Anxietate, (*Arn.* 21, 2.)
 in pectore Ardor, *Nux v.* 194, 6. *Acon.* 7, 2.
 in pectore Ardor et punctus, *Acon.* 7, 2.
 in pectore (sterno) Ardens dolor ad os usque, *Cham.* 87, 3.
 pectoris Asthmatica constrictio, motu exasperata,
Led. 169, 12.
 in pectoris latere Asthmatica et tensiva constrictio, *Cocc.*
 109, 6.
 in pectoris latere (Asthmaticus) dolor inter altam respi-
 rationem quasi pulmo ad costas adhaereret, *Mez.*
 179, 12.
 pectoris, colli, frontis calor ardens inter genarum, ma-
 nuum, pedum frigiditatem gelidam, *Cham.* 81, 5.
 in pectore Caloris sensus, sine calore externo sensibili,
Acon. 7, 19.
 in pectore Circumvolutionis sensus et tum calor in facie,
Stram. 240, 14.
 in pectoris latere Coartanti pressorius dolor, *Acon.* 4, 15.
 pectoris Compressio, (*Rh.* 238, 10.)
 pectus Concutit et animo delinquitur, (*Camph.* 52, 1.)
 pectoris Constrictio, (*Cinch.* 102, 12.)
 pectoris Constrictio dolorifica, *Verat.* 256, 1.

Pars II.

T

- pectoris Constrictio dolorifica, suffocatoria maxime inter experrectionem e somno, considere cogens, cum sensu, quasi connatae essent omnes pectoris partes, *Dig.* 123, 9.
- pectoris Constrictorius sensus, tactuantum dolorificus, *Arn.* 21, 3.
- pectoris superioris Constrictio et dolor inter tussendum, *Cham.* 87, 12.
- in pectoris latere dextro Constrictio tensiva asthmatica, *Cocc.* 109, 6.
- pectoris Constrictio asthmatica motu exasperata, *Led.* 169, 12.
- pectoris Constrictio, (*Cinch.* 102, 12.) *Ign.* 157, 19. *Cham.* 87, 13. (*Op.* 205, 2. (*Op.* 215, 14.)
- pectoris Constrictio horizontalis summa, (*Stram.* 244, 18.)
- pectoris anterioris et posterioris Constrictio inter frigus et frigiditatem, *Mer.* 179, 9.
- pectoris Constrictio asthmatica, maxime in superiori sterni parte, *Cocc.* 109, 7.
- pectoris Constrictio et rigiditas cum respiratione difficiili, (*Op.* 215, 14.)
- pectoris dolor Constrictorius, *Caps.* 66, 3. *Acon.* 4, 14. *Cupr.* 119, 4. *Cham.* 87, 12. (*Ferat.* 256, 1.) *Nux v.* 196, 16.
- pectoris dolor Constrictorius, respirationem angustans, motu parvo auctus, *Caps.* 66, 3.
- pectoris Constrictorius sensus non dolorificus, scrobiculum tunc si tangitur, dolore affectum, respirationem praecudente, *Arn.* 21, 3.
- pectoris Constrictio, respirationem angustans, *Arn.* 21, 3. *Led.* 169, 12. *Ign.* 157, 19. *Caps.* 66, 3. (*Cham.* 87, 12.) *Cocc.* 109, 6.
- pectoris Constrictio, respirationem intercipiens, *Cocc.* 109, 6. 7. *Ign.* 157, 19. (*Arn.* 21, 3.)
- in pectore Crampoides dolor, (*Puls.* 228, 9.)
- pectoris Crampoides, subiti, immanes dolores, *Bell.* 27, 14.
- pectus quasi nimis Curtum esset dolor in sterno mere diurnus in respirando, *Nux v.* 196, 15.
- de pectoris mordicus a cane Dilaceratione conquestio deliriens, *Stram.* 240, 21.
- in pectore quasi a Distortione dolor, *Arn.* 22, 8.

- pectoris mere Diurnus dolor, quasi nimis curtum esset,
in respirando, *Nux v.* 196, 15.
pectoris dolor inter tussim, *Puls.* 224, 12.
in pectus tendens Dolor ex abdomen, *Cham.* 85, 9. *Caps.*
66, 6.
pectoris Dolor, delirio evanido, (*Acon.* 10, 9.)
pectoris Dolor horizontalis cum respiratione cito, *Nux*
v. 196, 14.
pectoris Dolor inter altam respirationem, quasi pulmo
ad costas adhaereret, *Mer.* 179, 12.
in pectore dolor a Flatibus abire recusantibus, *Verat.*
262, 1.
in pectore sinistro Forficantes dolores, *Ip.* 164, 14.
in pectus tendens dolor in abdomen Forficanti lacerans,
Nux v. 192, 5.
in pectoris latus sinistrum tendens dolor Forficanti pun-
ctorius, *Ign.* 153, 14.
in pectore Formicantis dolor, *Acon.* 7, 7.
in pectore Formicantis dolor, quasi a scarabaeis reptanti-
bus, *Acon.* 7, 8.
pectus Fulcire manu cogens tussis et sternutatio dolo-
rosa, *Dros.* 129, 2.
pectoris Horizontalis constrictio, (*Stram.* 244, 18.)
pectoris Horizontalis dolor cum respiratione cito, *Nux*
v. 196, 14.
pectoris Horizontalis pressio respirationem suffocans,
Nux v. 196, 15.
pectoris in Inspiratione lancinatus, extra respirationem
pressorius dolor, *Op.* 203, 9.
in pectoris latere dolor inter altam Inspirationem, quasi
pulmo costis adhaereret, *Mer.* 179, 12.
in pectore Intustractiones strictoriae, iteratae, *Cham.*
87, 15.
in pectoris latere Laceranti tractorius dolor, *Op.* 204, 2.
in pectoris latere Laceranti strictorius dolor, (*Nux v.*
196, 19.) *Op.* 204, 2.
in pectus tendens Lacerans dolor, qui antea umbilicum
quasi evulsurus erat, *Stram.* 240, 8.
in pectus tendens ex abdomen dolor Laceranti forficans,
Nux v. 192, 5.
in pectus tendens ex abdominis latere Lacerans dolor,
Cham. 85, 9.
in pectore sinistro (Lacerans et vulsorius) dolor, *Ip.*
164, 14.

- in (pectoris) latere utrovis Lancinans dolor cum tussicula dolorem exasperante et asthinate continuo, *Arn.* 21, 7.
- in pectoris latere dextro inter inspirationem Lancinatus, extra respirationem dolor pressorius, *Op.* 203, 9.
- in pectoris latere Lancinatus, (*Hyos.* 144, 6.)
- in pectore sinistro medio Lancinans dolor, *Arn.* 21, 3. (*Cham.* 88, 4. 5. 6.) (*Mer.* 180, 2.)
- in pectore interno Lancinans dolor, *Mer.* 180, 2.
- in pectoris latere Lancinans dolor post pressorio strictorum dolorem in scrobiculo, *Puls.* 228, 1.
- pectoris (in ultimis costis) Lancinanti punctorius dolor, *Arn.* 21, 6.
- in pectore Lancinatus singuli, *Rh.* 237, 1. *Cham.* 88, 4.
- in pectore Lancinatus singuli, volatichi, *Cham.* 88, 4.
- pectoris in respiratione Lancinans dolor inter menstrua, *Puls.* 228, 6.
- in pectore dolor Lancinans inter motum, *Puls.* 228, 5.
- pectus pervadentes Lancinatus, cum colica per intervalla rediente, hypochondrio flatibus obpresso, *Cham.* 85, 6.
- per pectus transversum Lancinatus inter singulam respirationem, *Cham.* 88, 5.
- pectoris (sterni) pressorius dolor, Loquela excitandus, *Stram.* 240, 16.
- pectoris inter Menstrua dolor lancinans in respiratione, *Puls.* 228, 6.
- in pectore dolor lancinans inter Motum, *Puls.* 228, 5.
- pectoris constrictio asthmatica Motu exasperata, *Led.* 169, 12.
- pectoris Oppletio, *Ign.* 158, 2.
- pectoris Oppressio, (*Bell.* 43, 17.) (*Verat.* 266, 6.)
- pectoris angustia post Pastum et Plenitudo, tum vel ructus acidi vel soda, tandem alvus cito mollior, *Caps.* 68, 9.
- in pectore Plenitudinis sensus asthmaticus, *Caps.* 65, 24.
- pectoris Pressorius dolor, *Cupr.* 119, 7.
- in pectoris latere dextro Pressorius dolor etiam extra respirationem in inspiratione lancinatus, *Op.* 203, 9.
- in pectore sinistro Pressorius dolor, *Ign.* 152, 17.
- in pectore et intra scapulas dolor Pressorius, (*Bell.* 29, 7.)
- in pectore dolor Pressorio tensivus, *Acon.* 5, 1.
- in pectore Pressorius dolor, parvi spatii, nec motu, nec tactu, nec respiratione auctus, *Arn.* 21, 1.

- pectoris Pressio horizontalis, respirationem suffocans,
 Nux v. 196, 13.
 in pectoris latere Pressorio coarctans dolor, *Acon.* 4, 15.
 pectoris (sterni) Pressorius dolor, loquela excitandus,
 Stram. 240, 16.
 in pectore Pruritus ut a pediculis cum maculis rubris, tu-
 berculis in fronte et miliaribus, *Led.* 170, 17.
 in pectore Pulsatorius dolor, *Caps.* 66, 2.
 in pectore dextro Pulsatorius dolor, *Ign.* 155, 14.
 in pectore sinistro Pulsatorio Punctorius dolor, parvo
 spatio circumscriptus, *Verat.* 260, 4.
 in pectoris latus sinistrum tendens dolor Punctorio forfi-
 cans, *Ign.* 153, 14.
 in pectore Punctio, *Cham.* 88, 3.
 pectoris internus Punctorius dolor, *Mez.* 180, 3.
 pectoris (in ultimis costis) Punctorio lancinans dolor,
 Arn. 21, 6.
 in pectoris latere Punctorius dolor, *Acon.* 2, 6. *Ign.* 152, 18.
 Cham. 88, 3. *Arn.* 21, 5.
 in (pectoris) latere sinistro Punctus, *Ign.* 152, 10. (*Arn.*
 21, 4.)
 in (pectoris) latere dextro Punctus, *Arn.* 21, 5. *Ign.* 152,
 18. *Cham.* 88, 6.
 in pectore Rasioris sensus, screatum provocans, *Nux v.*
 191, 7.
 in pectore Reptatio, *Acon.* 7, 8.
 pectoris Rigiditas et constrictio cum respiratione dif-
 ficiili, (*Op.* 215, 14.)
 pectoris quadam Rigiditate, impedita, interrupta osci-
 tatio, *Ign.* 158, 8.
 in pectore quasi a Scarabaeis reptatio, *Acon.* 7, 8.
 in pectore Siccitatis sensus, (*Stram.* 244, 17.)
 per pectus transversum Spasmodicus sensus, *Puls.* 228, 7.
 in pectore Strictorius dolor, *Nux v.* 196, 18.
 in pectore Strictorius dolor cum anxietate, (*Arn.* 21, 2.)
 in pectore Strictoriae intustractiones, iteratae, *Cham.*
 87, 15.
 in pectoris latere Strictorio (tractorio) lacerans dolor,
 Op. 204, 2.
 in pectore strictorius dolor, *Nux v.* 196, 18.
 in pectoris latere Strictorio lacerans dolor, *Nux v.* 196, 19.
 in pectoris latere Strictorius sensus (inter tussiculam) ad
 collum usque, *Caps.* 66, 9.

- in pectore Strictorius sensus, *Nux v.* 196, 18. *Cham.* 78.
 5. 87, 14.
 in pectore Strictorius sensus ut a refrigeratione, *Cham.*
 78, 5.
 in pectoris alterutra parte dolores Strictorio tensivi, re-
 spiratione aucti, *Puls.* 228, 3.
 pectoris Sudor rubor, (*Arn.* 24, 11.)
 in pectore et capite toto Sudor frigidus emanans, (*Verat.*
 263, 5.)
 pectoris constrictio Suffocatoria, dolorifica maxime in-
 ter experrectionem e somno, *Dig.* 123, 9.
 pectoris sensus constrictorius Tactu tantum dolorificus,
Arn. 21, 3.
 pectoris Tensiva constrictio, *Cocc.* 109, 6.
 in pectus ex abdomine tendens Tensivus dolor, sensus qua-
 si ab intumescientia abdominis, *Caps.* 66, 6.
 in pectore dolor Tensivo pressorius, *Acon.* 5, 1.
 in pectoris latere dextro Tensiva constrictio asthmatica,
Cocc. 109, 6.
 in pectoris alterutra parte dolores Tensivo strictorii respi-
 ratione aucti, *Puls.* 228, 3.
 in pectoris latere ad collum usque Tractorius sensus inter
 tussiculam, *Caps.* 66, 9.
 per pectus Transversum spasmodicus sensus, *Puls.* 228, 7.
 per pectus Transversum lancinatus inter singulam respi-
 rationem, *Cham.* 88, 5.
 pectoris et colli Tumor, (*Bell.* 37, 5.)
 pectoris dolor inter Tussim, *Puls.* 224, 12.
 in pectoris latere strictorius sensus inter Tussiculam, *Caps.*
 66, 9.
 pectoris superioris constrictio et dolor inter Tussi-
 dum, *Cham.* 87, 12.
 in pectoris insina parte irritamentum Tussis, *Mez.* 180, 25.
 in pectore Vulsorius sensus, *Val.* 252, 8.
 ut a pediculis pruritus in pectore cum maculis rubris, mi-
 liaribus et tuberculis in fronte, *Led.* 170, 17.
 in pede (calcaneo) Ardor pruriens ut a pernionibus, *Ign.*
 157, 11.
 pedum Ardor cum pruritu ut in gelatis fieri consuescit,
Cham. 82, 7. *Ign.* 157, 11.
 pedum Ardens calor, *Ign.* 152, 1.
 pedum Ardor et rubor, (*Hyos.* 142, 16.)
 pedum (manuum, genarum) Ardor, (*Caps.* 70, 12.)

- in pedum et manuum articulis Arthriticus dolor, (*Cinch.*
104, 4.)
 pedis Asthenia paralytica, nocturna, cum dolore cruris
 strictorio, *Cham.* 77, 8.
 in pedibus Bullae ad rupturam pronae, serum fundentes,
 (*Bell.* 42, 4.)
 pedum, manuum, capitum Calor sine siti, *Camph.* 50, 4.
 pedum Calor ardens, *Ign.* 152, 1.
 pedum Calidus tumor et rubor, cum dolore tensivo
 urente, inter consistendum lancinante, *Puls.* 250, 4.
 pedum Calor, *Puls.* 250, 3.
 pedum (manuum) Calor vesperi, *Led.* 172, 11.
 pedum Calor, tumor et pruritus indesinens, exedens,
Cocc. 115, 6.
 pedum et manuum Calor et venae tumidae, nec tamen
 brachiorum aut femorum aut faciei, *Rh.* 256, 5.
 pedum et manuum Calor vespertinus, nec tamen cru-
 rum aut brachiorum, *Bell.* 28, 5.
 pedum juncturae inter movendum dolor acutus quasi a
 Contortione, *Cocc.* 113, 7.
 pedum et manuum Contractiones alternantes, (*Stram.*
247, 7.)
 pedum Debilitas tremula, *Caps.* 64, 7. (*Camph.* 48, 7.)
 in pedum Digitis exedens dolor, *Cocc.* 112, 15.
 in pedibus Dilacerans dolor, *Cocc.* 112, 11.
 pedis juncturarum dolor quasi Distortae essent, aut
 Dissecarentur, per vires invalescens, (*Cinch.* 104,
14.)
 in pedibus insimis Dolor, *Hyos.* 152, 19.
 in pedum dorso Dolor inter motum et inter frigus febrile,
Cop. 116, 11.
 in pedum digitis Exedens dolor, *Cocc.* 112, 5.
 pedem Extendere cogens immanis Dolor, (*Bell.* 42, 9.)
 pedes Fessi languor, *Stram.* 239, 7.
 in pedibus dolor Fodiens, *Cocc.* 112, 12.
 in pedum plantis dolor Fodiens, terebrans, *Bell.* 28, 8.
 in pede dextro Forficantes dolores, *Ip.* 164, 12.
 in pedum ossibus Formicatio non narcotica, *Ign.* 158, 12.
 in pedibus Formicatio, *Arn.* 22, 9. *Ign.* 150, 4.
 inde a pedibus sursum Formicatio, *Bell.* 28, 7. *Nux v.*
197, 12.
 pedum juncturarum Frigor, *Camph.* 48, 2.
 pedibus Frigidis caloris per totum corpus sensus venis
 tumidis, sine calore externo, (*Cinch.* 95, 13.)

- pedibus Frigidis et anorexia sapore integro, termina
 quasi a diarrhoea nascitura, *Led.* 171, 5.
 pedibus manibusque Frigidis (fronte calida) cephalal-
 gia constrictoria, *Camph.* 50, 6.
 pedibus, manibus Frigidis, sine horrore, genarum ru-
 bor, meridie post pastum, *Caps.* 70, 11.
 pedibus Frigidissimis, ardor in genis, *Cocc.* 108, 7.
 pedes Frigidi cum facie rubra, tumida, *Bell.* 26, 21.
 pedum Frigidus mador, *Cocc.* 108, 4.
 in pedibus simul et in vertice Frigoris sensus, *Verat.* 254, 4.
 pedum Frigus quasi ab aqua frigida infusa cum tremo-
 re, *Nux v.* 186, 4.
 pedum Frigiditas (frigus) quasi ab aqua frigida circu-
 lante una cum tremore, *Kerat.* 154, 3.
 pedum maxime Frigiditas et tibiarum supra genu usque,
Ign. 150, 2.
 pedum, manuum, genarum Frigiditas gelida, cum calo-
 re ardente frontis, colli, pectoris, *Cham.* 81, 8.
 pedum Frigiditas maxima, *Acris* 16, 2.
 pedum et manuum Frigiditas cum cephalalgia constrictoria, *Camph.* 49, 4.
 pedum Frigiditas, *Cinch.* 92, 4. *Hyos.* 131, 12. *Acris*
 16, 2. *Cupr.* 119, 14. (*Caps.* 70, 11.) *Led.* 171, 5.
 pedum Frigiditas cum congestione sanguinis ad caput
 et facie rubra, tumida, *Bell.* 26, 21.
 pedum Frigidorum tremor, *Verat.* 254, 3.
 in pedibus Frigus, quasi ab aqua frigida infusa cum tre-
 more, *Nux v.* 186, 4.
 pedum Frigus mane, *Nux v.* 186, 7.
 in pedibus maxime Frigus, *Ign.* 150, 1.
 pedum Frigidus sudor, *Cocc.* 108, 4.
 in pedibus Gravitas et stritorius dolor, minus in brachiis,
Puls. 229, 14.
 pedum Gravitas post pastum, *Op.* 202, 18.
 pedum (crurum) Gravitas strictoria, *Bell.* 28, 11.
 cum pedum Horrore et trepidatione subitaneus faciei rubor,
Puls. 219, 9.
 in pedis pollice Ictus singuli, *Arn.* 22, 10.
 pedum Imbecillitas, (*Hyos.* 143, 21.)
 pedum Immobilitas paralytica, *Cocc.* 107, 7.
 pedum Infirmitas, *Nux v.* 187, 10. *Ign.* 150, 14.
 pedum Infirmitas, Instabilitas, (*Nux v.* 200, 13.)
 pedibus Insistere nequit, (*Stram.* 250, 5.)

- pedibus Insistere vix potest ob debilitatem, (*Hyos.* 149,
 14.)
 pedibus Insistere et Incedere detrectat infans, misere
 ejulando, *Cham.* 76, 6.
 pedibus Insistere nequit, ob pedis astheniam paralyti-
 cam et dolorem cruris strictorium, *Cham.* 77, 8.
 ita ut pedibus Insistere non posset, artuum debilitas maxi-
 ma, (*Nux v.* 199, 13.)
 pedum Instabilitas, *Nux v.* 187, 10.
 pedum Instabilitas tremula, *Camph.* 48, 7.
 in pedis Tinctura dolor acutus inter movendum quasi a
 contortione, *Cocc.* 113, 7.
 pedum Iuncturae pruritus, *Cocc.* 113, 8.
 in pedibus dolor Lacerans, lectum tolerare recusantibus,
 Cham. 78, 14.
 in pedis pollice Lancinantes dolores, *Verat.* 261, 1.
 in pede Lancinatus per pollicem, *Arn.* 22, 11.
 in pedis malleolo dolor Lancinans, *Led.* 170, 22.
 pedum dolor inter consistendum Lancinans, *Puls.* 230, 4.
 pedum Lassitudo, *Ign.* 150, 15. *Cham.* 74, 6.
 in pedis metatarso dolor quasi a Luxatione, *Led.* 170, 24.
 pedum Mador frigidus, *Cocc.* 108, 4.
 pedis Malleoli pruritus, *Led.* 170, 15.
 in pedis Malleolo dolor lancinans, *Led.* 170, 22.
 pedum Mane frigus, *Nux v.* 186, 7.
 in pedis Metatarso dolor quasi a luxatione, *Led.* 170, 24.
 in pedis junctura inter Movendum dolor acutus quasi a
 contortione, *Cocc.* 113, 7.
 vix pedes Movere, vix incedere potest coactus, (*Op.* 215, 3.)
 pedum et manuum Narcosis ut a gelu, *Cham.* 77, 14.
 pedum et manuum Narcosis alternans, reiterans, vola-
 tica, *Cocc.* 107, 22.
 in pedibus Narcosis, *Ign.* 150, 5. *Nux v.* 197, 1. (*Cocc.*
 107, 22.)
 in pede Narcoticus stupor, *Op.* 205, 7.
 pedis Nocturna asthenia paralytica cum dolore cruris
 strictorio, *Cham.* 77, 8.
 in pedum Ossibus formicatio non narcotica, *Ign.* 158, 12.
 pedum Paralysis, (*Civich.* 102, 4.)
 pedum Paralytica immobilitas, *Cocc.* 107, 7.
 pedis Paralytica nocturna asthenia cum dolore cruris
 strictorio, *Cham.* 77, 8.

- pedes subito quasi Paralytici, stupor artuum, cum deliquescentia cordis nauseabunda, syncoptica, *Cham.* 77, 5.
 pedum maxime et muscularum omnium Paresis, *Bell.* 26, 5.
 in pedum Plantis dolor fodiens, teribrans, *Bell.* 26, 8.
 in pedum Plantis (a statu) dolor formicanti punctarius et quasi a narcosi, *Puls.* 250, 6.
 in pedis Pollice ictus singuli, *Arn.* 22, 10.
 in pede Pressoirius dolor, *Arn.* 22, 8.
 pedis digitorum dolor ut a Pressura calcei, *Puls.* 250, 11.
 pedum ardor cum Pruritu ut in gelatis fieri consuescit, *Cham.* 82, 7. (*Ign.* 157, 11.)
 in pedum digitis ardor cum Pruritu quasi a gelu, *Nux v.* 197, 19.
 in pede (calcaneo) ardor Pruriens ut a Pernionibus, *Ign.* 157, 11.
 pedum Pruritus vehemens, *Bell.* 26, 6.
 pedum Pruritus indesinens exedens cum calore et tumore, *Cocc.* 113, 6.
 pedis malleoli Pruritus, *Led.* 170, 15.
 pedum juncturae Pruritus, *Cocc.* 113, 8.
 pedum Pustulæ serum faudentes dolore ardente, *Puls.* 229, 15.
 pedibus alternis Quassat terram convulsus, (*Hyos.* 134, 2.)
 in pedibus Reptatio, *Arn.* 22, 9.
 pes quasi Rigidus et tam sensibilis, ut eo incedi non possit, *Op.* 205, 8.
 pedum Rubor et ardor, (*Hyos.* 142, 16.)
 pedum, et natum Rubor, (*Hyos.* 142, 16.)
 pedum Rubor, calor, tumor, cum dolore tensivo urente, inter consistendum lancinante, *Puls.* 230, 11.
 pes tam Sensibilis, ut eo incedi non possit, *Op.* 205, 8.
 in pedibus Strictorius dolor, *Cocc.* 112, 13.
 pedis (eruris) Strictorius dolor cum asthenia paralytica, *Cham.* 77, 8.
 in pedibus Strictorius dolor et gravitas, *Puls.* 229, 14.
 pedum (artuum) Stupor cum deliquescentia cordis nauseabunda, syncoptica, *Cham.* 77, 5.
 in pede Stupor narcoticus, *Op.* 205, 7.
 in pedibus Sudor frigidus, *Cocc.* 108, 4.
 pedum dolor Tensivo urens, inter consistendum lancinans, *Puls.* 230, 4.

- in pedum plantis Terebrans, fodiens dolor, *Bell.* 28, 8.
 pedum Tremor, *Camph.* 48, 5. (*Stram.* 245, 21.)
 pedum frigidorum Tremor, *Verat.* 254, 3.
 pedum Tremula instabilitas, *Camph.* 48, 7.
 pedis alterutris et genuum Tremor, *Nux v.* 187, 15.
 pedum cum Tremore frigiditas (frigus) quasi ab aqua
 frigida circulante, *Verat.* 254, 3.
 pedum debilitas Tremula, *Caps.* 64, 7. (*Camph* 48, 7.)
 pedum cum Tremore frigus quasi ab aqua frigida infu-
 sa, *Nux v.* 186, 4.
 cum pedum Tremore, frigiditate et horrescentia amenor-
 rhoea, *Puls.* 231, 14.
 pedum Trepidatio et horror cum subitaneo faciei rubo-
 re, *Puls.* 219, 9.
 pedum Tumor, (*Cinch.* 103, 5. 12.) *Op.* 205, 9. *Puls.*
 230, 6.
 pedes subito Tumidi, mox detumescentes, *Verat.* 260,
 18.
 pedum Tumor continuus, rubor calidus, cum dolore
 tensivo urente, inter consistendum lancinante, *Puls.*
 230, 4.
 pedum Tumor dolorosus, urina pauca luteo viridis,
 turbida, (*Cinch.* 103, 22.)
 pedum Tumor vesperinus, *Bell.* 28, 10. *Cocc.* 113, 5.
 pedum Tumor pertinax, *Led.* 172, 13.
 pedum Tumor, calor et pruritus indesinens, exedens,
 Cocc. 113, 6.
 pedum et manuum Vespertinus calor, nec tamen cru-
 rum aut brachiorum, *Bell.* 28, 5.
 pedum (manuum) calor Vespere, *Led.* 172, 11.
 pedum tumor Vespertinus, *Bell.* 28, 10. *Cocc.* 113, 5.
 pelle vestitus per aestatem nudo corpore vagatur insa-
 nus per varias terras, (*Hyos.* 137, 9.)
 pendentis hinc inde titubationis sensus, *Ign.* 150, 7.
 Nux v. 185, 3. *Acon.* 1, 6.
 penetrans capitis dolor, *Melamp.* 176, 1.
 in penis glande formicatio et pressio post mictum, *Puls.*
 225, 12.
 in penis glande lancinatio et forficatio, *Acon.* 6, 10.
 in penis glandis posteriori parte pruritus ardens, *Nux v.*
 193, 13.
 in penis glande pruritus, seu punctus pruriens, *Arn.* 19, 11.
 penis inflammatio, (*Canth.* 62, 5.)

- penis lentigo, *Nux v.* 193, 17. (*Canth.* 60, 1.) (*Op.*
 216, 13.) *Cocc.* 114, 4.
 penuria idearum, *Verat.* 262, 12.
 percipiendus tantum tactu parvi spatii dolor simplex,
 Ign. 158, 15.
 perceptionis vis imminuta, intelligentiae hebetudo,
 Cham. 74, 18.
 perceptionis vis imminuta surditate quadam vel per in-
 somnia, *Cham.* 75, 4.
 perdita omnia putantis desperatio, *Ign.* 152, 4.
 periculum sensuum amissionis, (*Hyos.* 148, 8.)
 periculi impavidus, (*Op.* 210, 7.)
 periostii omnium ossium dolor, *Camph.* 49, 10.
 in periostio dolor artuum cum asthenia paralytica, *Cham.*
 77, 9.
 permicans hinc illinc cerebrum lacinatibus obtusis seu
 pressoriis dolor immanis, *Bell.* 29, 1.
 ut in pernionibus ardor pruriens in calcaneo et caetero pe-
 de, *Ign.* 157, 11.
 ut a pernionibus ardor pruriens in digitis pedum, *Nux v.*
 197, 19.
 pernox in toto corpore sensus ingratus, vel quasi a vi-
 gilia longa cum capitis vappiditate ut a crapula,
 Puls. 231, 3.
 perreptans cutem horror, *Verat.* 256, 19.
 pertinacia, *Acon.* 8, 14.
 cum pertinacia morositas taciturna, *Caps.* 65, 13.
 pertinax tensio in abdomine angorem procreans, (*Cinch.*
 102, 21.)
 pertinax reluctatio, *Arn.* 21, 15.
 pertinax pruritus plurium dieruin, *Mez.* 181, 20.
 pertinax taciturnitas, respondere detrectat, (*Cinch.*
 94, 7.)
 perturbata vehementer mente, garrulitas incongruorum,
 (*Bell.* 32, 7.)
 perturbatio capitidis, *Arn.* 17, 6.
 perturbatio mentis, (*Op.* 203, 11.)
 perturbatio sensuum in somnum propensi ut quodam-
 modo vigilans somniare sibi videatur, (*Bell.* 45, 1.)
 perturbationum mentis contrariarum vicissitudines,
 (*Acon.* 12, 6.)
 ut a pervigilio et crapula capitidis dolor, *Puls.* 227, 1.
 pervigilia, (*Hyos.* 139, 16.)

- ex pervigilatione quasi et insomnia torpor corporis et capitatis vappiditas, *Cinch.* 93, 5.
 dum pes sistitur, dolor vibrans, *Arn.* 22, 14.
 pessum dari, annihilari se putat, anxietas, *Puls.* 219, 21.
 petechiarum instar maculae lividae, *Led.* 170, 18. (*Op.*
 208, 8.)
- ob petita negata ejulatus miserabilis, *Cham.* 76, 9.
 phantasia terribilis de morte praesentanea, (*Hyos.* 146,
 10.)
 phantasiae ludibria v. *hallucinatio*.
 phantasiae nocturnae semivigiles, lugubres, *Nux v.*
 187, 18.
 phantasiae graphicis et luculentis visionibus stipata
 agrypnia, *Cham.* 75, 10.
 phantasiae lusus, quo objecta dormitienti solito gran-
 diora jam et crassiora, jam vero minora et gracilio-
 ra justo esse videntur secundum pulsus velocitatem,
Camph. 48, 15.
 phantasiae delirae, terribiles, *Nax v.* 187, 19.
 phantasiae delirae inter coma somnolentum nocturnum
 cum calore sicco, *Puls.* 227, 2.
 phantasiae monstrosae inter somnum capiendum vel
 post experrectionem aliquamdiu vigentes et concus-
 siones terrificae, *Ign.* 155, 19.
 phantasiae variae obversantes, (*Stram.* 243, 4.)
 cum phantasiis aestuans nocturna jactatio in lecto, *Cham.*
 83, 5.
 phantasmata millia animo obversantia, (*Hyos.* 140, 10.)
 phantasticus, insomniosus, comatosus somnus, *Puls.*
 232, 8.
 phantasticus insomniosus somnus, *Cham.* 82, 17.
 in pharynge sensus quasi a siccitate nimia vel aspritudine
 ea, quae a deglubitione oritur et salivae vel potus
 ordinarii deglutitione minuitur et aliquamdiu fuga-
 tur, *Ip.* 163, 6.
 in pharynge dolor, quasi a tumore inter deglutitionem,
Ip. 163, 5.
 in pharynge dolor (simplex) cum tumoris in linguae radi-
 ce, inter deglutitionem dolorosi, sensu, *Cocc.*
 110, 5.
 in pharynge pulsatiq; aliquae, *Cham.* 83, 14.
 in pharynge dolor inter deglutitionem, *Caps.* 68, 4. 5.
 in pharynge dolor strictorius extra deglutitionem, *Caps.*
 68, 5.

- pharyngis paralysis, *Cocc.* 110, 4.
 pharyngis constrictio et quasi strictura, *Mez.* 180, 4.
 phlogoses subitaneae, (*Bell.* 33, 13.)
 phlogosís faciei, nasi, oris, oculi, linguae, (*Verat.*
 267, 9.)
 phrasium et verborum inconcinnna admixtio, inter le-
 gendum, (*Hyos.* 147, 14.)
 phrenesis lethalis, (*Camph.* 56, 3.)
 phrenitis, (*Capr.* 122, 8.)
 phthisica tessis, (*Hyos.* 146, 5.)
 phthisis, (*Puls.* 234, 13.)
 pica, *Cinch.* 99, 4.
 picis cedriæ halitus ex ore, (*Canth.* 62, 7.)
 picis cedriæ sapor in ore, (*Canth.* 59, 6.)
 piget, ocalos et os aperire, cōma vigilans, cum respira-
 tione leni et lenta, *Ign.* 151, 3.
 pila pollicis pedum moilis, tumida, incessu dolorosa,
 Led. 172, 6.
 pilorum et unguinum casus, (*Melamp.* 178, 9.)
 quasi a pinguis vel dulcis esu vomituriens nausea, *Acon.*
 5, 9.
 quasi a pingui nimis carne ingurgitata ventriculo corrupto
 dolor capitis, *Puls.* 220, 16.
 piperatus sensus in lingua, *Mez.* 180, 6.
 piperatus (titillans) sensus in lingua cum salivae alle-
 ctione, *Acon.* 2, 2.
 a pipere quasi sapor in ore, (*Acon.* 11, 4.)
 piperis sensus in fauibus, (*Verat.* 266, 9.)
 pisces sapor, quasi ab aqua putrescente, *Acon.* 5, 11.
 pituita, vide et *mucus*, *mucaginosus*, et *mucosus*,
 cum pituita sedes excrementitiae, *Rh.* 236, 1.
 pituita tenax oris, (*Bell.* 39, 20.) *Caps.* 65, 5.
 pituita tenax in laryngis capite, screatum urgens,
 Cocc. 111, 15.
 pituitae tussi ejectae sapor empyreumaticus, instar jus-
 culi cancerorum vel olei tabaci, *Puls.* 221, 15.
 pituita in ore post somnum, *Bell.* 27, 11.
 quasi a pituita nimia in fauibus anorexia, *Mez.* 180, 5.
 cum pituita sedes excrementitiae, diarrhoeiae, *Rh.* 236, 1.
 a pituita viscosa caput laryngis occupante, screatu abi-
 genda, raucedo, *Cham.* 87, 5.
 quasi a pituita caput laryngis occupante suffocationis paro-
 kysmus, maxiane circa vesperam et inter evigilatio-
 nem e somno, *Cinch.* 92, 10.

- pituita caput laryngis obsidens et vocem raucam, ab-
 sonam, cavau et nimis altam, reddens, *Cinch.* 92, 9.
 ex pituita lutescenti alba constantes sedes, paucō sanguine
 intermisso, *Puls.* 223, 1.
 pituita flava obducta lingua, (*Cinch.* 104, 7.)
 a pituita tenaci in trachea raucitas, *Op.* 205, 3.
 pituitae griseae sedes, *Rh.* 236, 2.
 pituitae salsae screatus, *Nux v.* 190, 23.
 pituitae tenacis catarrhus in bronchiis cum rigiditatis
 omnium articulationum sensu in motus principio
 summo, *Caps.* 70, 5.
 pituitae merae, tenacis, albae sedes, *Melamp.* 176, 13.
 pituitae merae sedes, parvae, *Caps.* 69, 4.
 pituitae sanguinolentae sedes parvae, *Caps.* 69, 2. 3. 5.
 pituitae sedes crebrae et tormina ante singulam sedem,
 Puls. 223, 2.
 pituitae vomitus inter tussim, *Dros.* 128, 18.
 pituitae maxime tenacis vomitus, post biliosum, *Verat.*
 258, 9.
 pituitosa diarrhoea, et debilitans, (*Hyos.* 144, 16.)
 pituitosa urina, (*Canth.* 65, 3.)
 pituitosa, trachealis raucitas, *Op.* 205, 3.
 pituitosum (maxime) os mane, *Cupr.* 118, 6.
 plantae incessu dolorosae quasi ab apostemate vel su-
 gillatione, *Led.* 172, 5.
 in plantae medio quasi ob excrescentiam protuberantem
 dolor, dum insistitur, cum lancinatibus versus su-
 ram, *Puls.* 230, 12.
 cum plantae dolore surdo et strictorio cruris dolore pedum
 asthenia paralytica, nocturna, *Cham.* 77, 8.
 plantarum sudor diutinus calidus, *Led.* 172, 12.
 in plantis (a statu) dolor formicanti puncitorius et quasi
 a narcosi, *Puls.* 230, 6.
 in plantis dolor fodiens, terebrans, *Bell.* 28, 8.
 in plantis (et digitorum apice) lancinatus singuli inter
 quietem, *Puls.* 230, 7.
 in plantis et supra genu lacerans dolor, *Puls.* 230, 8.
 in plantis supra genu et in dorso dolor lacerans, *Puls.*
 230, 16.
 plenitudo, vide et distentio, extensio, expansio, intume-
 scencia, meteorismus, inflatio, tensio.
 plenitudo satra ventriculi vel in crastinum a cibo
 capto, *Cham.* 84, 13.

- plenitudo post pastum et angustia pectoris, tum vel ructus acidi, vel soda, tandem alvus cita, mollior, *Caps. 68, 9.*
- * plenitudo post pastum ad gulam usque diutina, *Cinch. 94, 15.*
- plenitudo post pastum et angor et dolor lacerans dorsi in abdomen tendens, *Cham. 84, 20.*
- * a plenitudine quasi et pondere dolor pressorius tensivus ventriculi et hypochondriorum, *Acon. 4, 13.*
quasi a plenitudine ventriculi et ciborum sapore deleto anorexia, (*Puls. 221, 4.*)
- * a plenitudine quasi abdominis expansio post pastum, *Cinch. 94, 16.*
cum plenitudine, nausea vomitiente et ructibus adscensione escarum vespertina ad colli scrobiculum usque, *Cham. 84, 11.*
- plenitudinis saturo nauseabundae sensus in ventriculo, *Arn. 18, 10.*
- plenitudinis ventriculi sensus, quasi a nimia satietate, *Rh. 237, 9.*
- plenitudinis sensus in pectore asthmaticus, *Caps. 65, 24.*
quasi plenum nimis seu tumidum esset brachium, sensus, *Verat. 260, 6.*
- plethora capitis, *Cinch. 95, 9.* vide et *congestio.*
- plethora organi auditus, *Puls. 220, 18.*
- pleuritica symptomata, (*Verat. 267, 12.*)
- pleuritis, (*Cinch. 101, 10.*)
- ploratoria timiditas, *Bell. 25, 12.*
- ploratum gignens anxietas cum horrore corporis et calore manuum, *Ign. 151, 16.*
- ploratus, ejulatus sine causa maximus cum meticulositate, *Bell. 25, 13.*
- ploratus et cantus alternans, (*Acon. 12, 9.*)
- podagram restituit, *Verat. 262, 5.*
- in pollice et dito indice quasi a confractione dolor, seu qualis remanet post distortionem seu laborem nimum dolor, inter motum percipiendus cum asthenia paralytica, *Cham. 78, 2.*
- pollice erecto, manus in pugnum contractae, (*Stram. 246, 3.*)
- in pollice dolor lancinanti lacerans, *Rh. 236, 18.*
- in pollice pedis ictus singuli, *Arn. 22, 10.*
- pollicis pedis volae dolor surdus, *Puls. 230, 9.*

- pollicis pedis pila mollis, tumida, incessu dolorosa,
Led. 172, 6.
 pollices imprimit intra pugnum, (*Hyos.* 136, 11.)
 pollicis pedum pila molliis, tumida, incessu dolorosa,
Led. 172, 6.
 cum pollicis intorsione, brachiorum convulsiones, *Cocc.*
108, 17.
 in pollicis articulo dolor quasi a luxatione, *Verat.* 260, 12.
 in pollice pedis lancinantes dolores, *Verat.* 261, 1.
 per pollicem pedis lancinatus, *Arn.* 22, 11.
 pollutiones nocturnae, *Cham.* 89, 10.
 pollutionum molimina, *Camph.* 49, 12.
 polymorphae maculae scarlatinosaes, *Bell.* 29, 16.
 pomeridiana febris, frigoris plena, dolore (v. c. dorsi)
 stipata, *Hyos.* 133, 5.
 pomeridiana febris, horripilatio cum tortinibus, tum
 debilitas et somnus cum calore ardente, *Ign.* 156, 14.
 pomeridiana micturitio, *Nux v.* 193, 7.
 pomeridiani borborygmi, *Nux v.* 192, 4.
 pomorum appetentia, *Verat.* 257, 7.
 pondere quasi oppressa inspiratio, exspiratione levi,
Ign. 158, 1.
 a pondere quasi et plenitudine dolor pressorio tensivus
 ventriculi et hypochondriorum, *Acon.* 4, 13.
 a pondere quasi prolabente dolor capitis inter pronatio-
 nem, *Nux v.* 188, 5.
 a pondere quasi prolabente sensus in fronte dum caput
 pronatur, dum vero erectum est, infatuatio, *Nux v.*
185, 9.
 ponderis sensus in abdomen, *Nux v.* 192, 1.
 ponderis sensus in abdomen circa umbilicum, cum an-
 gore, caloris volatili interni sensu et infatuacione
 capitis, *Op.* 203, 2.
 ponderis sensus in abdomen cum anxietate, *Mez.*
179, 13.
 ponderis et oppressionis sensus in ventriculo, (*Cinch.*
100, 12.)
 ponderis sensus in ventriculo, (*Cinch.* 101, 2.)
 poplitis rigiditas et tensio, *Nux v.* 197, 14.
 ia poplitibus sensus, quasi nimis carni essent post sessum
 inter surgendum, *Nux v.* 197, 13.
 in posteriori ventriculi parte dolor strictorius, *Stram.*
240, 10.
 posterioris capitis partis et colli dolor, (*Acon.* 10, 7.)
Pars II.

- posterioris corporis superficie horror calore interno
 siccо et externo faciei et frontis, *Cham.* 82, 1.
 quasi potulenta jugulatura essent sensus in sorbitione,
 (*Hyos.* 138, 10.)
 potulenta ventriculum adgravant inter sitim, *Nux v.*
 191, 23.
 a potulentis ventriculi adgravatio, inter sitim, *Nux v.*
 191, 23.
 potulentis non sedanda siccitas faucium, *Verat.* 257, 5.
 potulentorum et esculentorum fuga, *Cocc.* 110, 11.
 potulentorum anorexia, *Bell.* 26, 13. *Cocc.* 110, 11.
Puls. 218, 7.
 potulentorum, ciborum inappetentia, *Cinch.* 94, 19.
 potulentorum, ciborum, tabaci satietas, sapore integro,
 grato, *Cinch.* 94, 22.
 potulentorum horror, (*Hyos.* 141, 14.)
 potus, vide et *haustus*.
 potu aucta cephalalgia quasi pars cerebri modo hie,
 modo illic tollatur, *Acon.* 4, 4.
 a potu abhorrescentia, *Nux v.* 190, 15. (*Bell.* 26, 13.)
 cum potus denegatione aestus internus, (*Verat.* 265, 3.)
 a potu, cibo dolor in sterno pressorius, *Verat.* 260, 5.
 potu exacerbati dolores lancinanti fodientes, *Melamp.*
 176, 20.
 a potu, cibo obnubilatio capitis, *Cocc.* 107, 15.
 potu frigido exasperatus dentium dolor vulsorio stri-
 ctiorius, *Puls.* 225, 14.
 post potum calidorum, maxime coffeeae, odontalgia, *Cham.*
 79, 11.
 post potum Convulsiones modo, modo inagnitio parentum,
 (*Hyos.* 138, 12.)
 potus deglutitio suffocatoria, (*Bell.* 57, 3.)
 post potum odontalgia, *Cham.* 79, 10. 11. 12. 13.
 post potum et pastum delor dentium strictorius, *Cham.*
 79, 13.
 post potum et pastum ructus, *Nux v.* 190, 20.
 post potum et pastum calor et sudor faciei, *Cham.* 81, 13.
 post potum maxime coffeeae tussicula, *Caps.* 66, 12.
 potum modo desiderat (siti et aestu excruciantia), modo
 repellit exhibitum, (*Bell.* 52, 1.)
 potum desiderat, nec tamen deglutire yalet, (*Hyos.*
 142, 12.)
 potus inappetentia, (*Bell.* 32, 1.)

potus et cibi abhorrescentia cum stupore mentis et subdore frontis et manuum gelido, *Cocc.* 107, 14.

praecipitatio ab alto autochirica, (*Bell.* 45, 14.)

praecipitem se dat in aquam, (*Bell.* 42, 19.)

praecipitatio consilii, *Camph.* 50 1.

quasi praecluderetur via ad rectum sensus in alvo deponenda, *Op.* 205, 11.

quasi praecluderetur via ad urethram sensus in mingendi molimine, *Op.* 205, 12.

praecordia, vide et *hypochondria*.

circa praecordia anxietas magna, (*Bell.* 34, 1.)

circa praecordia ardor (incendium), (*Verat.* 265, 7.)

circa praecordia constrictorius dolor, *Nux v.* 191, 15.

circa praecordia cruciatus diri, (*Bell.* 34, 6.)

circa praecordia flatum incarceratio, *Canth.* 58, 3.

praecordia dextra inflammatia, (*Canth.* 62, 8.)

circa praecordia pressorio strictorius dolor, *Verat.* 258, 16.

circa praecordia pressorius dolor, *Caps.* 68, 15.

circa praecordia pressorio tensivus, quasi a pondere et plenitudine dolor, *Acon.* 4, 13.

circa praecordia spasmus, (*Arn.* 23, 15.)

circa praecordia tensivus dolor quasi a flatibus, *Verat.* 258, 15.

praecordia tumore duro, et dolorifico tensa, (*Acon.* 10, 12.)

praecordiorum anxietas, (*Op.* 213, 9.)

praecordiorum coarctatio, (*Hyos.* 134, 8.)

praeфocatio anhelitus, (*Verat.* 264, 3.)

quasi praefocatoria narium constrictio, (*Melamp.* 177, 13.)

praepostera loquela et scriptio, *Nux v.* 186, 11, (*Cham.* 75, 8.)

in praeputii apice lancinatus, *Cocc.* 111, 8.

praeputii intertrigo, *Verat.* 259, 15.

sub praeputio sensus lancihanti pruriens, *Puls.* 223, 13.

praesentaneae mortis metus, (*Acon.* 10, 4.)

de praesentanea morte timor et querelae, *Acon.* 3, 7, (*Melamp.* 175, 8.) *Dig.* 123, 6.

praesentis doloris augmentum, *Cinch.* 94, 12.

praestrica acies ingenii quasi surditate quadam aut insomniis, *Cham.* 75, 4. *Verat.* 255, 3.

praestriktæ fauces quasi a suffocatione vel apoplexia nascitura, (*Stram.* 247, 10.)

ob praeteritam diu injuriam ejulatus, *Cham.* 76, 8.

in prandio spasmus ventriculi chronicus, *Bell.* 30, 11.

- de premente ventriculum lapide frigido querelae post vomitum et sedes, (*Acon.* 10, 16.)
- a premente quasi et irritante arenae granulo in oculis dolor, (*Cocc.* 109, 10.)
- a premente quasi interno tumore gulæ coarctatio, *Verat.* 257, 2. *Puls.* 225, 6. 9.
- presbyopia, *Nux v.* 189, 4. (*Bell.* 38, 17.) (*Hyos.* 147, 17.)
- presbyopia, non nisi literas maiores legere potuit, (*Bell.* 42, 1.)
- presbyopia chronica, (*Hyos.* 147, 17.)
- pressio in abdomine, *Puls.* 228, 11.
- pressio anxia in Abdomine cum aestuatione, *Mez.* 181, 6.
- pressio in Abdominis superiori parte (epigastrio), *Cocc.* 110, 19.
- pressio in Abdomine quasi a flatibus, *Arn.* 18, 22.
- pressorius dolor in Abdomine, *Val.* 251, 11. *Caps.* 68, 14.
- pressorius dolor in Abdomine hinc inde, *Caps.* 68, 14.
- pressio in Abdomine et scrobiculo post pastum cum meteorismo, *Nux v.* 192, 2.
- pressorio tensivus in Abdomine dolor quasi a flatibus, *Acon.* 5, 4.
- pressio (in Abdomine) aliquot pollices infra umbilicum, ructus afferens, *Nux v.* 191, 21.
- pressorius dolor in Ano, *Arn.* 19, 4. *Cinch.* 97, 16.
- pressorio distensivus dolor in Ano, *Op.* 203, 8.
- pressio et lancinatio in Ano, *Acon.* 4, 10.
- pressio obtusa in Aure interna inter pronationem quasi ab ictu, *Cham.* 79, 1.
- pressorius dolor in Aure, *Caps.* 67, 8. *Arn.* 20, 11.
- pressorio distendens Capitis dolor cum ardore, *Arn.* 20, 2.
- pressorio lancinans Capitis dolor, *Val.* 252, 3. (*Acon.* 3, 12.)
- pressorius Capitis dolor, *Bell.* 27, 11. 28, 19. *Acon.* 8, 2. 3. (*Ip.* 165, 1.) *Ign.* 151, 9. 12. 13. *Dros.* 128, 7. *Verat.* 257, 18. 20.
- pressorius Capitis dolor in lacerantem transiens, *Rh.* 255, 8.
- in pressorium transiens, lancinans Capitis dolor, *Ip.* 165, 14.
- pressorio lancinans dolor Capitis supra orbitas, vomituriens, *Acon.* 3, 13.

- pressorius Capitis dolor in temporibus, interdum cum
 somno profundo, *Ign.* 151, 13. *Caps.* 67, 20.
 pressorius Capitis dolor inter genarum ruborem, relu-
 ctantiam pertinacem et ardorem circa umbilicum,
 Acon. 8, 3.
 pressorius Capitis dolor in pressorio pulsatorium trans-
 iens, *Arn.* 20, 4.
 pressorius Capitis dolor inter genarum ruborem, horri-
 pilationem et lacrymationem, *Acon.* 8, 2.
 pressorius et aliquanfum strictorius dolor Capitis supra
 orbitam, pronatione alta emergens, *Ign.* 156, 10.
 pressorio lacerans Capitis dolor, *Camph.* 49, 1.
 pressorio lancinans dolor in Capite à resumptione ocu-
 lorum, *Caps.* 63, 2.
 pressorius Capitis dolor, quasi cerebrum foras expime-
 retur, *Bell.* 28, 20.
 pressorius Capitis dolor inter evigilandum, *Bell.* 27, 11.
 pressorius Capitis dolor in fronte supra nasi radicem,
 caput deprinere cogens, tumque vomitatio, *Ign.*
 151, 9.
 pressorius Capitis dolor (hemicrania) cum ventriculi
 dolore connexus, *Verat.* 257, 20.
 pressorius Capitis dolor in fronte, *Arn.* 20, 3. *Caps.*
 67, 21.
 pressorio lancinans dolor Capitis in fronte temporibus
 unius lateris, *Cinch.* 96, 14.
 ex pressorio et contritione compositi, interrupti dolores,
 hinc inde in Capite (cerebro) et musculosis corporis
 partibus, *Verat.* 258, 2.
 pressorio pulsatorius Capitis dolor post mere pressorium,
 Arn. 20, 4.
 pressorio pulsatorius Capitis dolor, *Verat.* 257, 17.
 pressorius quadantenus et lancinans, qualis a vomito-
 riis oriri solet, dolor Capitis supra orbitas ad ma-
 xillam superiorem tendens, *Acon.* 3, 12.
 pressorius Capitis dolor post punctionem in pectoris
 latere et pulsationem in scrofula (una angor et
 morositas), *Acon.* 2, 6.
 pressorius obtuse Capitis dolor, mane post somnum,
 Verat. 257, 18.
 pressoriis sive obtusis lancinatis cerebrum hinc inde
 perniciens dolor Capitis immanis, *Bell.* 29, 1.
 pressione externa auctus Capitis dolor, *Camph.* 49, 4.

- pressorio pulsatorius Capitis in fronte dolor post somnum, *Mez.* 180, 14.
- pressorio cocripiens Cardialgia, *Cinch.* 94, 13.
- pressio in hypochondriis et ventriculo a Cibo capto, *Cham.* 81, 13.
- pressorius dolor in sterno a Cibo et potu, *Verat.* 260, 5.
- pressorio tensiva quasi a flatibus Colica, *Acon.* 5, 4.
- pressorius dolor in Collo, *Ign.* 153, 1.
- ex** pressione e Contritione compositi dolores in musculosis corporis partibus, *Verat.* 259, 18.
- pressio in Contusa parte et vulnerata, *Arn.* 22, 16.
- pressorius immaniter dolor sub Costa ultima vera dextri lateris, inclinatione, tussi, respiratione, non vero tussi auctus, *Cocc.* 111, 21.
- pressorio lancingans dolor infra Costas in latere sinistro, *Bell.* 29, 4.
- pressorio pulsatorius Dentium dolor, *Arn.* 20, 18.
- at** **a** pressura calcii Digitorum pedis dolor, *Puls.* 250, 11.
- pressorii hinc inde volatili Dolores, *Caps.* 70, 7.
- pressorio strictorius dolor in Dorso, *Caps.* 69, 16.
- pressoria tensio in infima parte Dorsi, *Caps.* 68, 12.
- pressorius dolor in Dorso sursum, *Puls.* 227, 10.
- pressorius dolor in Epigastrio, *Cocc.* 110, 19. (*Camph.* 48, 13, 17.)
- pressoria tensio in Epigastrio motu augenda, *Caps.* 68, 12.
- pressorius dolor in utraque parte Epigastrii sive hypochondriorum, *Ign.* 153, 4.
- pressorio disruptorius dolor immanis in Femoris et brachii musculosis partibus, *Puls.* 229, 11.
- dum** pressionis sensu Flatibus in Epigastrio restagnantibus angustia pectoris, *Cham.* 84, 21.
- pressorius capitis dolor inter Evigilandum, *Bell.* 27, 11.
- pressorio tensiva a quasi Flatibus colica, *Acon.* 5, 3.
- pressio quasi a Flatibus in abdomine, *Arn.* 18, 22.
- pressorio lancingans dolor in Fronte et temporibus unius lateris, *Cinch.* 96, 14.
- pressio et formicatio in Glande penis post mictum, *Puls.* 223, 12.
- pressorius dolor in Glandulis maxillaribus, *Ign.* 153, 6.
- presso: ius qui Gravitatem mentitur dolor in ventriculo, *Acon.* 4, 11.
- pressorius dolor in Hepatis anteriori parte vel in scrofulculo, *Camph.* 48, 17.

- pressorius in Hepatis regione dolor, respirationem co-
 arctans, tum colica forficans supra umbilicum, *Acon.*
 5, 16.
 pressio pectoris Horizontalis respirationem suffocans,
Nux v. 196, 14.
 pressorio disruptorius dolor immanis in Humeri et fe-
 moris muscolosis partibus, *Puls.* 229, 11.
 pressorius dolor Hypochondrii seu ventriculi, respi-
 rationem angustans maxime post potam Coffeam,
Cham. 85, 4.
 pressio in Hypochondriis et ventriculo a cibo capto,
Cham. 84, 13.
 pressorius dolor in Hypochondriis aliquot horas post
 pastum vel noctu in lecto, *Cocc.* 110, 15.
 pressorius dolor in Hypochondrii sive epigastrii ultra-
 que parte, *Ign.* 153, 4.
 pressorio strictorius in Hypochondriis dolor, *Verat.*
 258, 16.
 pressio in scrobiculo vehemens, ad sternum, Hypochon-
 dria et ossa ilei propagata, *Verat.* 258, 14.
 pressorius dolor in Hypochondriis, *Caps.* 68, 15. *Verat.*
 253, 14.
 pressorius dolor in Hypochondriis qui gravitatem men-
 titur, *Acon.* 4, 12.
 pressorius dolor in Hypochondriis et infra scrobiculum,
Caps. 68, 15.
 pressorio tensivus dolor in Hypochondriis quasi a ple-
 nitudine et pondere, *Acon.* 4, 13.
 pressio in scrobiculo vehemens ad ossa Ilei propagata,
Verat. 258, 14.
 pressio in scrobiculo Inspiratione aucta, *Ign.* 152, 19.
 pressorius in vertebra lumborum quarta maxime post
 Itum, *Puls.* 227, 13.
 pressorius dolor in ventriculo quasi a Lapide frigido,
 (*Acon.* 10, 16.)
 pressorius in ventriculo dolor quasi a Lapide casuro,
Cham. 85, 3.
 pressio in ventriculo quasi a Lapide, *Op.* 203, 1.
 pressorio lancinans dolor in Latere sinistro infrā costas,
(Bell. 29, 4.)
 pressorio coarctans in pectoris Latere dolor, *Acon.*
 4, 15.
 pressorius ad Latus migrans dolor in nasi radice post
 genae calorem evanidum, *Cinch.* 96, 11.

- pressorius immaniter dolor in Latere dextro, inclinazione, tussi, respiratione, non vero tactu auctus,
Cocc. 111, 21.
- presso ius immaniter dolor in Latere pectoris dextro, vel extra respirationem, cum lancinatu in eodem latere inter inspirationem, *Op.* 203, 9.
- pressorius dolor sterni Loquela excitandus, *Stram.* 240, 16.
- presso ius dolor in Lumborum vertebra quarta maxime post itum, *Puls.* 227, 13.
- pressorio tensivus Lumborum vertebrarum dolor, vel quasi a confractione, cum torminibus colico + flatosis, *Acon.* 5, 3.
- pressorius dolor in Maxillaribus glandulis, *Ign.* 155, 6.
- pressorius et lancinans ut a vomitorii capitis dolor in Maxillam superiorem tendens, *Acon.* 5, 12.
- pressorius dolor in scrobiculo Menstrui tempore cum vomituritione, *Caps.* 63, 7.
- cum pressione anxia et tumore scrobiculi Menstruorum suppressio, *Cham.* 86, 8.
- presso in vesica post Mingendi nisum cerebriorem, fere irritum, *Cinch.* 97, 17.
- presso in grande penis et formicatio post Mictum, *Puls.* 225, 12.
- pressorius dolor in vesicae collo post Mictum, *Nux v.* 195, 8.
- pressorio formicans in orificio urethrae post Mictum dolor, *Puls.* 225, 10.
- pressorius in urethra dolor extra Mingendum, *Cinch.* 97, 17.
- pressorius dolor maxime post Motum (itum) in vertebra lumborum quarta, *Puls.* 227, 13.
- pressoria tensio in epigastrio, Motu augenda, *Caps.* 68, 12.
- ex pressione et contritione compositi dolores in Musculosis corporis partibus, *Verat.* 259, 18.
- pressorio disruptorius immanis dolor in femoris et humeri Musculosis partibus, *Puls.* 229, 11.
- pressorius dolor in fronte supra Nasi radicem, caput deprimere cogens, tumque vomituritio, *Ign.* 151, 9.
- pressorius in Nasi radice et ad latus migrans dolor post genae calorem evanidum, *Cinch.* 96, 11.
- pressorius dolor in Oculis, *Caps.* 67, 16.

- pressorius dolor in Oculis, Oculi inflammati, mane pru-
 ralenti, *Cham.* 81, 6.
 pressorius in cantho Oculorum interiori dolor, *Puls.*
 224, 22.
 pressorio lancinans dolor in capite a resumptione Ocu-
 lorum, *Caps.* 80, 2.
 pressio in Oculis quasi ab arenulis, (*Cocc.* 109, 10.)
 Puls. 224, 23. (*Bell.* 43, 10.)
 pressorio lancinans dolor capitinis supra Orbitas, vomi-
 turiens, *Acon.* 5, 13.
 pressorius et aliquantum strictriorius dolor supra Orbitam,
 pronatione alta emergens, *Ign.* 156, 10.
 pressorius et lancinanti vomituriens capitinis dolor supra
 Orbitam in maxillam superiorem tendens, *Acon.*
 3, 12.
 pressorius dolor in Palati velo, *Arn.* 18, 8.
 pressoria quasi siccitas Palpebrarum superiorum, *Acon.*
 7, 18.
 pressio in Parte pridem affecta, contusa, *Arn.* 22, 16.
 pressio in ventriculo post Pastum, *Cinch.* 94, 18.
 pressio in abdomine et scrobiculo post Pastum cum me-
 teorismo, *Nux v.* 192, 2.
 pressorius dolor in sterno post Pastum et potum, *Verat.*
 260, 5.
 pressio in hypochondriis et ventriculo post Pastum,
 Cham. 84, 13.
 pressorio tensivus Pectoris dolor, *Acon.* 5, 1.
 pressorius in Pectore et intra scapulas dolor, (*Bell.* 29, 7.)
 pressorius dolor sinistri Pectoris, *Ign.* 152, 17.
 pressorius dolor Pectoris, *Acn.* 21, 1. *Cupr.* 119, 7.
 pressorius Pectoris (dextri) dolor, parvi spatii, nec
 motu, nec tactu, nec respiratione auctus, *Arn.* 21, 1.
 pressorius dolor in Pectore (sterno), respirationem nou-
 angustans, nec respiratione, nec tactu auctus, *Cham.*
 88, 1.
 pressorius dolor in Pectore (sterno) cum angore, tum
 lacinians dolor in sterno, *Cocc.* 112, 1.
 pressorius dolor in Pectore (sterno) a cibo et potu,
 Verat. 260, 5.
 pressorius dolor Pectoris (sterni) respirationem angu-
 stans, *Cham.* 88, 2.
 pressio in scrobiculo vehemens; ad Pectus (sternum),
 hypochondrium et ossa ilei propagata, *Verat.* 258,
 14.

- pressorio coarctans in Pectoris latere dolor, *Acon.* 4, 15.
 pressorius dolor Pectoris (sterni) loquela excitandus,
 Stram. 240, 16.
 pressio in scrobiculo post somnum, inter inspirandum
 per Pectus (sternum) propagata, *Rh.* 256, 17.
 pressorius Pectoris (sterni) dolor inter palpitationem et
 pupillarum constrictionem, *Mer.* 180, 1.
 pressorius dolor in Pede, *Arn.* 22, 8.
 pressorio tensivus dolor in hypochondriis quasi a Ple-
 nitudine et Pondere, *Acon.* 4, 13.
 pressio et formicatio in Penis glande post mictum, *Puls.*
 223, 12.
 pressorio strictorius circa Praecordia dolor, *Verat.*
 258, 16.
 pressoria proctalgia, *Arn.* 19, 4. *Cinch.* 97, 16.
 pressorius et aliquantum strictorius capitis dolor supra
 orbitam Pronatione alta emergens, *Ign.* 156, 10.
 pressorio lancinans dolor in capite a Respiratione ocu-
 lorum, *Caps.* 63, 2.
 pressorius intra Scapulas dolor, (*Bell.* 29, 7.)
 pressio in Scrobiculo, *Cupr.* 148, 3.
 pressorius dolor in Scrobiculo, *Ign.* 153, 2. *Acris* 16,
 12. *Camph.* 48, 17. (*Stram.* 240, 7.)
 pressorio strictorius in Scrobiculo dolor, qui in pectore
 lacinans, in dorso lacerans sit, *Puls.* 228, 1.
 pressorius dolor infra Scrobiculum, *Caps.* 63, 15.
 pressorius dolor in Scrobiculo aliquot horas post pa-
 ustum vel noctu in lecto, *Cocc.* 110, 15.
 pressio in Scrobiculo inspiratione aucta et in lancia-
 tionem in scrobiculo cito transiens, *Ign.* 152, 19.
 pressorius dolor in Scrobiculo cum vomititione, *Caps.*
 63, 7.
 pressione quadam a Scrobiculo proficiscens asthma suf-
 focatorium, *Camph.* 48, 13.
 pressorius dolor in Scrobiculo vel hepatis anteriori par-
 te, *Camph.* 48, 17.
 pressio aliquot pollices infra Scrobiculum, ructus asse-
 rens, *Nux v.* 191, 21.
 pressio in Scrobiculo vehemens, ad sternum, hypochon-
 dria et ossa ilei propagata, *Verat.* 258, 14.
 pressio in Scrobiculo respirationem paecludens, *Cocc.*
 109, 4.
 pressionis in Scrobiculo crebri accessus, respirationem
 coarctantis, *Hyos.* 152, 12.

- pressio in Scrobiculo post somnum, inter inspirationem
 per sternum propagata, *Rh.* 236, 17.
 pressorius Scrobiculi dolor in angustiam pectoris trans-
 iens, *Acon.* 6, 2.
 pressio in abdomen et Scrobiculo post pastum cum me-
 teorismo, *Nux v.* 192, 2.
 cum pressione anxia et tumore Scrobiculi, menstruorum
 suppressio, abdominis inflatio, dolores quasi ad par-
 tum et hydrops cutaneus, *Cham.* 86, 8.
 pressorius dolor in Scrobiculo menstrui tempore cum
 vomituritione, *Caps.* 68, 7.
 pressorius dolor in Scrobiculo cum vomituritione, *Cups.*
 68, 6.
 presso:ia quasi Siccitas palpebrarum superiorum, *Acon.*
 7, 18.
 pressorius capitis dolor (post Somnum) inter evigilan-
 dum, *Bell.* 27, 11.
 pressorio pulsatoria in fronte post Somnum cephalalgia,
Mez. 180, 14.
 pressorius obtuse dolor capitis post Somnum, *Verat.*
 257, 18.
 pressio in scrobiculo post Somnum, inter inspirationem
 per Sternum propagata, *Rh.* 236, 17.
 pressorius dolor Sterni, loquela excitandus, *Stram.*
 240, 16.
 pressio in scrobiculo vehemens ad Sternum propagata,
Verat. 250, 14.
 pressorius Sterni dolor respirationem angustans, *Cham.*
 88, 2.
 pressorius dolor in Sterno a cibo et potu, *Verat.* 260, 5.
 pressorius dolor e scrobiculo per Sternum propagatus
 inter inspirandum, post somnum, in dolorem quasi
 a verberatione transiens, *Rh.* 236, 17.
 pressorius dolor in Sterno, respirationem non angu-
 stans, nec respiratione, nec tactu auctus, *Cham.*
 88, 1.
 pressorius dolor in Sterni media parte cum angore, tum
 lancinans dolor in Sterno, *Cocc.* 112, 1.
 pressorio tensivus dolor Sterni, *Acon.* 5, 1.
 pressio in Sterno, *Verat.* 260, 3.
 (pressorius) dolor Sterni, *Led.* 169, 15.
 pressorius Sterni dolor inter palpitationem et pupilla-
 rum constrictionem, *Mez.* 180, 1.

- pressorius dolor in Temporibus, *Ign.* 151, 13. *Caps.*
 67, 20.
 pressorio lancinans dolor capitis in fronte et Tempori-
 bus unius lateris, *Cinch.* 96, 14.
 cum pressione anxia et timore scrobiculi menstruorum
 suppressio, *Cham.* 86, 8.
 pressorius dolor in Umbilico, *Hyos.* 132, 13.
 pressorius formicans in orificio Urethrae post mictum
 dolor, *Puls.* 225, 10.
 pressorius in Urethra dolor extra mingendum, *Cinch.*
 97, 17.
 pressorio constrictorius dolor in Utero dolorum ad par-
 tum instar, immanis, subsequente blennorrhagia
 purulenta, erodente, *Ign.* 153, 5.
 pressorius dolor in Velo palati, *Arn.* 18, 8.
 pressio in Ventriculo, (*Hyos.* 144, 4.)
 pressio in Ventriculo post pastum, *Cinch.* 94, 18. *Cham.*
 84, 13.
 pressorio tensivus dolor Ventriculi quasi a plenitudine
 et pondere, *Acon.* 4, 13.
 pressorius in Ventriculo dolor quasi a lapide casuro,
 Cham. 85, 3.
 pressoria hemiceranía cum Ventriculi dolore connexa,
 Verat. 257, 20.
 pressio in Ventriculo quasi a lapide, *Op.* 205, 1. *Nux v.*
 191, 15.
 pressorius dolor Ventriculi aliquot horas post pastum,
 vel noctu in lecto, *Cocc.* 110, 15.
 pressorios, qui gravitatem mentitur, dolor Ventriculi,
 Acon. 4, 11.
 pressio in hypochondriis et Ventriculo a cibo capto,
 Cham. 84, 13.
 pressorius dolor Ventriculi et hypochondrii, respiratio-
 ne angustans maxime post potam Coffeam, *Cham.*
 85, 4.
 pressorius dolor in Vertebra lumborum quarta maxime
 post itum, *Puls.* 227, 13.
 pressorio tensivus Vertebrarum lumborum dolor, *Acon.*
 5, 3.
 pressorius dolor in Vesicae collo post mictum, *Nux v.*
 197, 8.
 pressorio lancinans dolor in Vesicae collo, *Canth.* 57, 3.
 pressio in Vesica post nisum mingendi crebriorem,
 fere irritum, *Cinch.* 97, 17.

- pressorius dolor in fronte, caput deprimere cogens,
 tumque Vomituritio, *Ign.* 151, 9.
 pressorius dolor in scrobiculo menstrui tempore cum
 Vomituritione, *Caps.* 63, 7.
 pressorius quadantes et lancinanti Vomituriens, qua-
 lis a Vomitorii oriri solet capitis dolor supra orbitas,
 in maxillam superiorem tendens, *Acon.* 3, 12.
 pressorio lancinans dolor capitis supra orbitas Vomitu-
 riens, *Acon.* 3, 13.
 pressorius dolor in contusa, Vulnerata parte, *Arn.*
 22, 16.
 priapismus, (*Canth.* 60, 1.)
 priapismus inter somnum, (*Op.* 216, 13.)
 pridem capti cibi vomitus, *Puls.* 222, 6.
 pristinorum dolorum renovatio, *Cinch.* 94, 11.
 pristinorum ulcerum ichoris augmentum, *Canth.* 57, 9.
 pristinorum ulcerum dolor auctus, *Cham.* 89, 4.
 privatus, vide *extinctus, deletus, abolutus.*
 privatio sensuum, (*Bell.* 31, 1.)
 privatio sensuum gustus, odoratus, tactus, (*Op.* 214, 15.)
 ne privetur mente, timor, (*Stram.* 244, 14.)
 processio tarda idearum, *Cinch.* 93, 6. *Cocc.* 106, 9.
 Nux v. 186, 10. *Ip.* 163, 9.
 proclivitas, vide et *propensio, et pronus.*
 proclivitas in terrorem, *Acon.* 2, 5. (*Caps.* 70, 19.)
 Cocc. 108, 14.
 proctalgia, *Cinch.* 97, 16. *Acon.* 4, 9. vide et *anuis.*
 proctalgia lancinans post singulam sedem, *Cham.* 86, 5.
 proctalgia pressoria, *Arn.* 19, 4. *Cinch.* 97, 16.
 proctalgia pressorio distensiva, *Op.* 203, 8.
 proctalgia ardens, *Caps.* 69, 7.
 profanae, amatoriae cantilenae, (*Hyos.* 137, 7.)
 profluviun sanguinis, vide *sanguis, haemorrhagia, hae-*
 moptysis, epistaxis, menorrhagia.
 profluviun alvi, *Val.* 253, 4.
 profluviun urinae, vide et *diuresis, enuresis.*
 profluviun urinae, *Dig.* 124, 7. *Led.* 171, 1. *Puls.*
 223, 6. *Val.* 253, 6. (*Bell.* 36, 13. 43, 11. 46, 5.)
 (*Acon.* 14, 8.) (*Dros.* 130, 4.)
 profluviun urinae copiosius, (*Acon.* 14, 8.)
 profluviun urinae copiosum, (*Hyos.* 145, 12.)
 profluviun languidum urinae, *Cham.* 89, 14.
 profluviun largum urinae, (*Stram.* 248, 13.)
 profundus somnus, *Ign.* 156, 1.

- profundus nimis somnus, *Verat.* 261, 7.
 profusus sudor, (*Stram.* 248, 11.) (*Cinch.* 100, 5.)
 progreditur non nisi titubanter, (*Op.* 214, 11.)
 progressio tarda idearum et interna taciturnitas, *Nux v.*
 186, 10. *Cinch.* 93, 6. *Ip.* 163, 9.
 projectantium sive circa varias propositiones versantium
 idearum turba, *Cinch.* 99, 5.
 projicit tectum straguli, (*Bell.* 46, 19.)
 projicitur in altum corpus trunco flexo spasmis, (*Hyos.*
 154, 4.)
 prolabitur vacillans facile, pede ad minimum offendicu-
 lum impacto, *Ign.* 151, 2.
 ut a prolabente pondere sensus in fronte dum pronatur ca-
 pat, dum vero erectum est, infatuatio, *Nux v.*
 185, 8.
 quasi a prolabente lapide pressorius dolor in ventriculo,
 Cham. 85, 3.
 prolapsurus quasi esset, sensus in capite inter pronatio-
 nem, *Puls.* 217, 8.
 prominentibus oculis, strangulationis, suffocationis ac-
 cessus, *Verat.* 255, 13.
 promota expectoratio et allevata, *Verat.* 259, 17.
 prona ad rixam morositas, *Cham.* 76, 13.
 prona in ulcerationem cutis, *Cham.* 89, 3.
 pronatione excitatus capitidis dolor, *Ign.* 156, 9.
 pronatione trunci magna levatus capitidis dolor, *Mez.*
 180, 15.
 pronatione capitidis alta pacatus occipitis lacerans dolor,
 exasperatus sessu et erectione capitidis, mitigatus
 decubitu in dorso, *Ign.* 151, 8.
 pronatione (et tussi) auctus dolor capitidis vulsorio la-
 cerans, (*Arn.* 20, 9.)
 pronatione auctus capitidis dolor (constrictorius), *Camph.*
 49, 4.
 in pronatione dolor capitidis pressorius, *Puls.* 226, 15.
 pronatione alta emergens dolor supra orbitam dextram
 ad nasi radicem pressorius et aliquantum stritorius,
 Ign. 156, 10.
 prouatione et suffultione ad mensam allevatus capitidis
 dolor in fronte pressorius, *Nux v.* 186, 4.
 inter pronationem sensus in capite quasi homo prolapsurus
 esset, *Puls.* 217, 8.
 inter pronationem dolor in nasi radice, quasi ab apostema-
 te interno, *Puls.* 224, 5.

inter pronationem congestio sanguinis ad caput, *Verat.*

258, 1.

inter pronationem dolorosi dorsi rigiditas, *Caps. 66, 5.*

inter pronationem dorsi dolor, *Caps. 69, 17.*

inter pronationem maxime lancinatus singuli in aure interna, cum animo minima aegre ferente, *Cham. 78, 17.*

inter pronationem pressio obtusa in aure quasi ab ictu, *Cham. 79, 1.*

inter pronationem vertigo, (*Cham. 74, 10.*)

dum pronatur caput scenus in fronte ut a pondere prolabente, dum vero erectum est, infatuatio, *Nux v.* *185, 8.*

inter pronationem capitis dolor quasi a pondere prolabente, *Nux v. 188, 5.*

pronus in abdomen decubitus inter somnum, (*Cocc.* *109, 2.*)

pronus jam in jocum, jam in fletum animus, *Ign.* *156, 8.*

pronus levi de causa in stomachationem animus, alias jocosus, *Caps. 71, 6.* (*Ign. 156, 8.*)

propendulum caput, *Ign. 151, 6.*

propensio, vide et nisus, proclivitas, pronus.

propensio in ructus frustranea, *Bell. 27, 5.*

propensio in terrorem, *Acon. 2, 5.* *Cocc. 103, 14.* *Caps. 70, 19.*

propensio in cantillationem irresistibilis, delirii instar, *Cocc. 114, 3.*

propensio in tremorem, *Cocc. 103, 15.*

propensio in indignationem summa, *Ip. 163, 19.*

propensio in somnum incoercibilis, (*Hyos. 138, 9.*)

propensio in stomachationem summa, *Ip. 163, 19.*

propensio in offenditionem summa, *Acon. 2, 4.*

propensio in palpitationem cordis et tremor, *Acon. 2, 7.*

propensio in decubitus pertinax, *Stram. 239, 8.* *Acon.* *3, 10.*

circa propositiones varias versantium (projectantium) idearum turba, *Cinch. 99, 5.*

proritans tussim laryngis pruritus, *Nua. v. 196, 8.*

non sine proritatione sternachus, *Verat. 258, 3.*

prosternitur in terram subito, (*Hyos. 134, 1.*)

prostratio appetitus, (*Cinch. 102, 8.*) *Led. 170, 12.*

prostratio humi, (*Hyos. 156, 8.*)

prostratio virium, (*Canth. 57, 13.*) (*Cinch. 100, 9.* *102, 7.*) (*Rh. 238, 11.*)

- prostratio virium subita, (*Nux v.* 199, 8.)
 prostratio virium insignis, (*Acon.* 14, 8.)
 prostratus appetitus, vide *anorexia*.
 protensa ex ore et tumida lingua, (*Stram.* 247, 9.)
 protensa interdum brachia et manus, quasi aliquid cap-
 tatura, (*Bell.* 36, 1.)
 protensis brachiis incarvatio digitorum, (*Cinch.* 105, 6.)
 quasi a protuberante excrescentia, dolor, dum insistitur,
 in plantae medio cum lacinatibus versus suram,
 Pds. 230, 12.
 quasi protruderentur dentes, dolor, *Puls.* 225, 16.
 protensio brachiorum, (*Stram.* 245, 1.)
 pruriens dolor in intimo auris recessu, *Caps.* 67, 7.
 pruriens exanthema miliare per calorem etiam interdiu,
 post fricatum urens inter urticulum tuberculorum
 eruptionem, *Verat.* 261, 11.
 pruriens exanthema, (*Stram.* 246, 21.)
 pruriens formicatio in aure, *Nux v.* 195, 13.
 pruriens ardens dolor in ano, *Caps.* 69, 7. 8.
 pruriens maxime vesperi in lecto eruptio cutanea, *Mez.*
 181, 21.
 pruriens ardor ut a gelu in digitis pedum, *Nux v.*
 197, 19.
 pruriens ardor (ut a pernionibus) in calcaneo et caet-
 ro pede, *Ign.* 157, 11.
 non prurientes ulcerati labiorum anguli, *Bell.* 29, 15.
 nec prurientes, nec dolentes nares ulceratae, labiorum an-
 guli ulcerati, *Bell.* 29, 15.
 prurientes in carpo papulae miliares, *Led.* 170, 16.
 prurienti lacinans dolor in aure interna, *Puls.* 226, 3.
 prurienti ardens eruptio miliaris in genu et cruribus,
 Nux v. 197, 17.
 prurienti punctorius in cute dolor, *Puls.* 231, 10. (*Ign.*
 152, 6.) *Op.* 204, 4.
 pruriens punctus in glande penis, *Arn.* 19, 11.
 prurienti ardens dolor ut a gelu in digitii minimi pha-
 lange prima, *Verat.* 260, 11.
 ex pruritu et lancingione compositus hinc inde dolor,
 scalpendo dolorificentior, *Cham.* 88, 7.
 cum pruritu pedum ardor ut in gelatis fieri consuescit,
 Cham. 82, 7.
 ob pruritum in infima bronchiorum sede tussis siccissima,
 Arn. 21, 9.
 pruritus, vide et *titillatio*.

- pruritus, (*Cumph.* 54, 12.)
 pruritus in Ano, *Caps.* 69, 8.
 pruritus Articulorum malleoli, pedum, lumbi, *Led.*
 170, 15.
 pruritus in Aure interna, *Caps.* 67, 7. *Nux v.* 195, 13.
 pruriens et lancinans dolor in Aure interna, *Puls.* 226, 3.
 pruritus nocturnus in Brachio, (*Puls.* 233, 3.)
 pruritus Cutis, *Led.* 170, 14. *Acon.* 7, 10. *Canth.* 58, 5.
 Mez. 181, 20. *Acris* 16, 9. (*Verat.* 261, 8.)
 pruritus, formicatio, desquamatio Cutis, *Acon.* 7, 10.
 pruritus ardens Cutis totius corporis, *Nux v.* 194, 4.
 pruritus punctorius volaticus supra totum corpus in
 Cute, *Led.* 170, 20.
 pruritus ardens Cutis supra totum corpus, *Nux v.* 194, 4.
 pruritus Cutis exedens, *Verat.* 261, *.
 pruritus Cutis totius corporis, *Stram.* 248, 21.
 pruritus Cutis totius corporis et eruptio macularum ru-
 brarum, *Bell.* 36, 9.
 pruritus Cutis pertinax plurium dierum, *Mez.* 181, 20.
 pruritus Cutis hinc inde pungens, *Op.* 204, 4.
 pruritus Cutis, scalpere ad sanguinolentiam usque co-
 gens, (*Hyos.* 141, 13.)
 pruritus punctorius volaticus in Cute totius corporis,
 Led. 170, 20.
 pruritus, punctus in Glande penis, *Arn.* 19, 11.
 pruritus ardens in penis Glande, *Nux v.* 193, 13.
 pruritus in Glande penis, *Arn.* 19, 11.
 pruritus in Glandulis, (*Dig.* 127, 3.)
 pruritus et titillatio in ea parte Laryngis quae colli-
 scrobiculo subjacet, tussin provocans, *Cham.* 87, 10.
 pruritus Laryngis, *Cocc.* 111, 16. *Nux v.* 196, 8.
 pruritus Laryngis tussim proritans, *Nux v.* 196, 8.
 pruritus Lumbi, *Led.* 170, 15.
 pruritus (formicatio) in omnibus Membris, (*Op.* 215, 8.)
 pruritus Narium (ut in gravedine) obturatarum, *Nux*
 v. 196, 3.
 pruritus Narium intolerabilis, (*Nux v.* 200, 16.)
 pruritus in Oculis, *Puls.* 224, 16.
 pruritus ut a pediculis in Pectore, cum maculis rubris,
 et miliaribus, et tuberculis in fronte ut in biboni-
 bus, *Led.* 170, 17.
 pruritus malleoli Pedis, *Led.* 170, 15.
 pruritus Pedum cum ardore ut in gelatis fieri consue-
 cit, *Cham.* 82, 7.

- pruritus exedens indesinens Pedum cum calore et tu-
 more, *Cocc.* 113, 6.
 pruritus Pedum vehemens, *Bell.* 28, 6.
 pruritus juncturae Pedum, *Cocc.* 113, 8.
 pruritus ardens in Penis glande posteriori parte, *Nux v.*
 193, 13.
 pruritus in Penis glande seu punctus pruriens, *Arn.* 19, 11.
 prurienti lancingans dolor sub Praeputio, *Puls.* 223, 13.
 pruritus corporis maxime circa Pudenda, (*Acon.* 14, 3.)
 pruritus circa Pudenda, (*Canth.* 59, 4.)
 pruritus in Scroto, *Nux v.* 193, 14. *Cham.* 86, 10. *Cocc.*
 111, 9.
 pruritus in Scroto ut a pulicibus innumerabilibus maxi-
 me inter quietem, *Ign.* 152, 7.
 pruritus circum Ulcus, dolore lancinganti et mordaci af-
 fectum, *Puls.* 231, 12.
 pruritus in Urethra intra mictum, *Nux v.* 193, 10.
 pruritus et formicatio in Urethra post mictum, *Canth.*
 57, 4.
 pruritus in Urethra extra mictum, (*Mez.* 181, 12.)
 psoadis abscessus, (*Arn.* 22, 4.)
 ptyalismus, vide et saliva et salivatio et sputum.
 ptyalismus, (*Hyos.* 146, 1.) *Stram.* 240, 4. (*Stram.*
 248, 17.)
 cum ptyalismo sitis molestissima, (*Stram.* 248, 1.)
 in pubis regionem convergentia ab utroque latere tormina
 strictorio lacerantia, *Nux v.* 192, 11.
 supra pubis os tormina tractorio lacerantia, *Verat.* 259, 1.
 pudenda, vide et genitalia, vulva, penis.
 circa pudenda maxime pruritus, (*Acon.* 14, 3.) (*Canth.* 59, 4.)
 pudendorum orgasmus, *Cocc.* 114, 4. *Nux v.* 193, 17.
 quasi a puerperio nimis debile esset os sacrum et quasi a
 verberatione dolor in eo mere diurnus, *Nux v.*
 197, 7.
 intra pugnum imprimit pollices, (*Hyos.* 136, 11.)
 in pugnum contractae manus, pollice excluso, (*Stram.*
 246, 3.)
 puliceae maculae in manibus, facie, *Acon.* 8, 22.
 ut a pulicibus innumerabilibus pruritus in scroto, maxime
 inter quietem, *Ign.* 152, 7.
 ut a pulicibus innumerabilibus dolor pruriens punctorius
 in cute, *Puls.* 231, 10. *Ign.* 152, 6. (*Op.* 204, 4.)
 quasi pulmo ad costas adhaeret dolor in pectoris latere
 inter altam inspirationem, *Mez.* 179, 12.

- ex pulmonibus halitus acidus, *Nux v.* 196, 11.
 ex pulmonibus halitus casei putridi, *Mez.* 181, 1.
 ex pulmonibus halitus aliquantum foetidus, *Acon.* 5, 11.
 ex pulmonibus halitus aliquantum foetidus in tussi, *Caps.*
 66, 16.
 pulsatio in abdomen, *Op.* 203, 3. *Ign.* 155, 13.
 pulsatio arteriarum in cerebro dolorosa, *Acris* 16, 7.
 Puls. 220, 13.
 pulsatio arteriarum in omni corporis parte, tactu maxi-
 me percipienda, *Puls.* 231, 9.
 pulsatione arteriarum auctus Capitis dolor, *Ign.*
 151, 14.
 pulsationis arteriarum sensus in scrobiculo, *Puls.*
 228, 2.
 pulsationes aliquae in capite, *Cham.* 80, 20. *Nux v.*
 189, 2.
 pulsatio in pectore dextro, *Ign.* 155, 14.
 pulsationes aliquae in pharynge, *Cham.* 83, 14.
 pulsatio in Sacro osse, *Ign.* 155, 13.
 pulsatio et lacinatus in Scrobiculo, *Dros.* 128, 10.
 pulsatio in Scrobiculo post punctionem in pectoris la-
 tere (una angor et morositas), *Acon.* 2, 6.
 pulsatio in Ventriculo, *Nux v.* 191, 24.
 pulsatorius in Abdomine dolor, (*Ign.* 155, 13. *Op.*
 203, 3.) *Caps.* 66, 2.
 pulsatorius in Aure sensus, dein tinnitus longus, *Cinch.*
 96, 5.
 pulsatorio formicans dolor sub Axilla cum ardoris hinc
 in digitos pergentis sensu, *Cocc.* 112, 17.
 pulsatorius Capitis dolor, *Ign.* 151, 11. *Camph.* 49, 2.
 Rh. 235, 9. *Cham.* 80, 18. 19. 20. *Acris* 16, 7.
 pulsatorius interrupte dolor Capitis, *Verat.* 257, 15.
 pulsatorius Capitis dolor in temporibus, *Caps.* 67, 18.
 pulsatorius per accessus Capitis dolor (hemicrania),
 Cham. 86, 18.
 pulsatorius Capitis dolor supra oculum sinistrum, *Ve-*
 rat. 257, 16.
 pulsatorio pressorius Capitis dolor, *Verat.* 257, 17.
 pulsatorio pressorius Capitis dolor post somnum in
 fronte, *Mez.* 180, 14.
 pulsatorius Capitis dolor in fronte sinistro, *Acon.* 4, 7.
 pulsatorius Capitis dolor in fronte, *Caps.* 67, 19.

- pulsatorius hinc inde minutum Capitis dolor, *Acon.* 4, 6.
 pulsatorio terebrans Capitis dolor, *Caps.* 67, 24.
 pulsatorii volatrici Capitis dolores (hemicrania), *Cham.*
 80, 18.
 pulsatorio lancinans Capitis dolor, ut ab ulcere inter-
 no, per accessus loqui impediens, *Acon.* 4, 5.
 pulsatorio lancinans Capitis dolor, in formicantem ex-
 spirans, *Cocc.* 110, 1.
 pulsatorius Capitis dolor, pulsatio anteriarum in cere-
 bro dolorosa, *Acris* 16, 7.
 in pulsatorio pressorium transiens pressorius Capitis dolor,
Arn. 20, 4.
 pulsatorio pressorius Dentium dolor, *Arn.* 20, 18.
 pulsatorius dolor Dentium, quasi pars Dentium casura
 esset, *Stram.* 241, 1.
 pulsatorio lancinans dolor Dorsi, (*Cinch.* 97, 21.)
 pulsatorius dolor in Fronte, *Caps.* 67, 19.
 pulsatorio punctorius in Pectore sinistro dolor, *Verat.*
 260, 4.
 pulsatorius dolor in Pectore, *Caps.* 66, 2.
 pulsatorius dolor in Temporibus, *Caps.* 67, 18.
 pulsatoria Tormina, (*Ign.* 155, 13.) *Caps.* 66, 2. (*Op.*
 203, 3.)
 pulsatorius in Urethra dolor extra mictum orificio ure-
 thrae aperto, tumido, inflammato, *Cop.* 116, 4.
 pulsu arteriarum auctus capitis dolor, *Ign.* 151, 14.
 inter pulsum magnum et frequenter et calorem cum lecti
 appetentia, sitis aquae, *Nux v.* 194, 15.
 ad pulsuum modulationem murmur in aure, *Puls.* 220, 14.
 ad pulsuum modulationem crepitus in cerebro inter eundum,
Puls. 226, 12.
 pulsus arteriarum in cerebro vehementer dolorosus,
Acris 16, 7.
 pulsus arteriarum auctus, (*Val.* 253, 7.)
 pulsus acceleratus, (*Camph.* 54, 1. 56, 5.)
 pulsus triginta ictibus auctus, (*Op.* 212, 2.)
 pulsus celer, (*Camph.* 55, 13.) (*Op.* 216, 11.)
 pulsus celer, inaequalis, (*Bell.* 31, 3.)
 pulsus celer, intermittens, (*Stram.* 246, 6.)
 pulsus celer, plenus, fortis, (*Hyos.* 139, 10.)
 pulsus celerior, (*Cupr.* 121, 2.)
 pulsus sensim celerior, (*Camph.* 53, 3.)
 pulsus celerior vel sine caloris augmento, (*Camph.*
 55, 7.)

- pulsus celerrimus, (*Camph.* 55, 18.)
 pulsus celer, vehemens durus, (*Op.* 207, 13.)
 pulsus celer, debilis, (*Bell.* 37, 18.)
 pulsus celerrimus, debilissimus, fere tremens, (*Bell.* 31, 17.)
 pulsus citus, (*Arn.* 23, 5.)
 pulsus citissimus, respiratio citissima, et calor ardens
 universalis, *Puls.* 217, 12.
 pulsus debilis, abnormis, (*Hyos.* 143, 16.)
 pulsus debilis, parvus, (*Camph.* 55, 11.)
 pulsus perquam debilis et vix perceptibilis, (*Camph.*
 52, 2.)
 pulsus debilis, tardus, (*Bell.* 32, 13.)
 pulsus deletus, (*Stram.* 246, 12.)
 pulsus deletus, ratione constante, (*Canth.* 60, 20.)
 pulsus fere deleto et sudore frontis frigido, loquela au-
 dax et vividi oculi, (*Acon.* 11, 3.)
 pulsus duo, tres citi, asphyxiis idein tempus durantibus
 interrupti, (*Acon.* 15, 6.)
 pulsus durus, parvus, celer, *Dig.* 124, 11.
 pulsus exilis, celer, (*Stram.* 244, 24.)
 pulsus exilis, debilis, (*Bell.* 55, 14.)
 pulsus evanidus, ratione constante, (*Nux v.* 200, 11.)
 pulsus febriculosus, saepe interceptus, (*Acon.* 10, 15.)
 pulsus fortior, *Op.* 204, 5. (*Hyos.* 139, 3.)
 pulsus frequens debilior naturali, (*Op.* 212, 16.)
 pulsus ejusdem frequentiae, sed minimus, durus, *Cocc.*
 108, 11.
 pulsus tribus ictibus imminentius, (*Camph.* 53, 11.)
 pulsus decem ictibus imminentius (*Camph.* 53, 13. 55, 3.)
 pulsus quatuordecim ictibus lentior, (*Op.* 212, 1.)
 pulsus imperceptibilis, (*Verat.* 269, 1.)
 pulsus lentissimus, pupilla contractissima, *Melamp.*
 175, 4.
 pulsus lentior, (*Camph.* 52, 7.)
 pulsus lentior pluribus ictibus, (*Camph.* 53, 5.)
 pulsus multo lentior, debilior, (*Cinch.* 104, 10.)
 pulsus multo lentior, (*Dig.* 126, 4.)
 pulsus multo lentior, ad dimidium fere, (*Dig.* 126, 3.)
 pulsus latus, *Melamp.* 175, 6. *Op.* 201, 6. (*Op.* 212,
 11.) (*Dig.* 125, 11. 126, 12.)
 pulsus magnus, latus, (*Op.* 207, 1.)
 inter pulsum magnum et frequentem, calorem et sitim aquae,
 lecti appetentia, *Nux v.* 194, 15.
 pulsus magnus, plenus, rarus, *Bell.* 30, 3.

- pulsus magnus, rarus, (*Op.* 205, 4.)
 pulsus major, (*Op.* 215, 5.)
 pulsus minimus, *Melamp.* 176, 17. (*Hyos.* 139, 1.)
 pulsus minimus, celer, *Bell.* 26, 9.
 pulsus minimus, debilis, (*Hyos.* 139, 1.)
 pulsus minimus, intermittens, (*Bell.* 39, 18.)
 pulsus parvus, celer, tandem vix perceptibilis, (*Stram.*
 246, 18.)
 pulsus parvus, citus intermittens, (*Hyos.* 141, 9.)
 pulsus parvus, durus, lentior lentiorque, *Camph.*
 48, 1.
 pulsus vix perceptibilis, (*Stram.* 246, 18.) (*Op.* 215, 13.)
 pulsus plenior, mollior, (*Bell.* 37, 8.)
 pulsus plenus, celer, (*Bell.* 40, 6.) *Camph.* 50, 8.
 pulsus plenus magnus, (*Bell.* 45, 2.)
 pulsus plenus, naturalis tamén velocitatis, (*Cupr.* 121,
 12.)
 pulsus plenus, durus, remittens, (*Mez.* 184, 8.)
 pulsus suppressus, vix perceptibilis, (*Op.* 215, 3.)
 pulsus plenus fortis, (*Bell.* 36, 12.)
 pulsus plenus, irritatus, (*Camph.* 55, 1.)
 pulsus tardior dimidio, *Dig.* 123, 8.
 pulsus tardior, (*Op.* 213, 11.)
 inter pulsum tardiorum et debiliorem pallor et frigiditas ar-
 tuum sudore frigido perfusorum, (*Op.* 213, 19.)
 pulsus tremulus, debilis inaequalis, interdum intermit-
 tens, (*Stram.* 244, 6.)
 pultacea diarrhoea, *Op.* 201, 2.
 pultaceus sapor in ore; gustus imminutus, *Verat.* 257, 3.
 a pulvere quasi viarum aridarum irritatio in naribus inter-
 nis, *Verat.* 257, 12.
 punctio, vide et *lancinans dolor*.
 punctio in gula; cum punctione ardor in gula, *Ip.* 163, 4.
 punctio in pectoris latere (una angor et morositas) tunc
 pulsatio in scrobiculo et cephalalgia pressoria, *Acon.*
 2, 6.
 punctiones, (*Cupr.* 122, 7.)
 post* punctorum in Abdomine infra umbilicum dolorem,
 forficantia tornina in alterutro latere Abdominis,
 Ign. 153, 12.
 punctoriis dolor in Abdomine, *Nux v.* 192, 14. (*Ign.*
 153, 11.)
 punctoriis dolor in Abdominis latere inter respirandum,
 Caps. 66, 8.

- punctorius dolor Abdominis infra umbilicum, *Ign.*
 153, 11.
 punctoria Angina, *Led.* 169, 16. (*Ip.* 163, 4.) (*Stram.*
 239, 13.) (*Acon.* 2, 3. 7, 3.)
 punctorio strictorius dolor in Artubus et Articulationi-
 bus, tactu quasi a contusione dolorosis, *Puls.* 239, 15.
 punctorius dolor in Capite, *Cham.* 80, 16. *Caps.* 67,
 22. (*Hyos.* 131, 6.)
 punctorius dolor Capitis quasi oculi casuri essent, *Cham.*
 80, 17.
 punctorius dolor Capitis in temporibus, *Cocc.* 109, 14.
 punctorii, vagi dolores (externi) Capitis supra orbitas,
Val. 251, 4.
 punctorius dolor Capitis in fronte, tactu exasperandus,
Ip. 164, 3.
 punctorius et lacerans dolor Capitis in temporibus, *Arn.*
 20, 8.
 punctorius magis quam lacerans Capitis dolor, requie-
 pejor, motu pacatior, *Caps.* 67, 22.
 punctorio lancinans Capitis dolor in pressorium trans-
 iens, *Ip.* 165, 14.
 punctorii, vagi dolores in Collo, *Val.* 251, 4.
 (punctorius) volatice dolor (in Corpore) motu excitatus,
 in ardente dolorem terminatus, *Ip.* 163, 20.
 punctus ardens hinc inde in Corpore, *Nux v.* 194, 5.
 punctiones ex omnibus Corporis partibus micantes,
 (*Hyos.* 149, 5.)
 punctorio lancinans sub Costis ultimis dolor, *Arn.* 21, 6.
 punctorius pruritus volaticus in Cute totius corporis,
Led. 170, 20.
 punctorio pruriens sensus in Cute ut a pulicibus innu-
 merabilibus, *Puls.* 231, 10.
 pungens hinc inde pruritus in Cute, *Op.* 294, 4.
 punctorius sensus in Cute, (*Arn.* 23, 9.)
 punctorius dolor in Cute (superficie) totius corporis,
 (*Canth.* 59, 4.) (*Hyos.* 149, 5.)
 punctus innumeri in Cute quasi a pulicu*m* ictibus, ma-
 xime in lecto, *Ign.* 152, 6.
 punctorius et punctorio ardens dolor in Dentibus a re-
 frigerio per aërem liberum vel minimum, *Nux v.*
 186, 6.
 punctorii, vagi dolores in Dentibus, *Val.* 251, 4.
 punctiones ex Digitorum apicibus et omnibus corporis
 partibus micantes, (*Hyos.* 149, 5.)

- punctorio strictorius dolor in *Dorsō*, *Puls.* 227, 7.
 punctoriū dolor in *Dorso*, *Cham.* 78, 8. *Puls.* 227, 11.
 punctoriū dolor in *Ensiformi osse inter respirandum*,
Caps. 66, 8.
 punctus in *Epigastrio*, (*Arn.* 23, 18.)
 punctoriū dolor in *Faucibus*, *Acon.* 7, 3.
 punctus in *Faucibus* ut a setis e fructibus cynosbati,
Acon. 2, 3.
 punctoriū dolor in *Gena*, *Ign.* 152, 11.
 Punctus et pruritus in *Glande penis*, *Arn.* 19, 11.
 punctoriū dolor in *Gula cum ardore*, *Ip.* 163, 4.
 punctoriū dolor in *Gula cum difficultate deglutiendi*,
Stram. 239, 13.
 punctoriū dolor in *Hepatis regione*, *Nux v.* 190, 9.
 punctio in *Latere pectoris*, una *angor et morositas*,
Acon. 2, 6
 punctorio forficans dolor in *Latus pectoris sinistri mi-*
grans, *Ign.* 153, 14.
 punctoriū dolor in *Lateresinistro*, *Ign.* 152, 10. (*Acon.*
 2, 6.) (*Mez.* 180, 3.)
 punctoriū dolor in *Lateres pectoris*, *Acon.* 2, 6. (*Cham.*
 88, 3.) *Ign.* 152, 10. 18. (*Mez.* 180, 3.)
 punctoriū dolor interius in *Latere pectoris*, *Mez.* 180, 3.
 punctoriū dolor in *Latere abdominis inter respiran-*
dum, *Caps.* 66, 8.
 punctoriū dolor in *Latere dextro*, *Arn.* 21, 5. *Ign.*
 21, 5. (*Acon.* 6, 17.)
 punctorio lancinantis doloris *vesiculae supra et infra*
Linguam, *Cham.* 83, 13.
 punctoriū et lancinans dolor in *Manu*, *Led.* 170, 21.
 punctorio lacerans dolor in *Naso*, *Arn.* 20, 14.
 punctorio lacerans dolor in *Nucha*, *Ign.* 153, 15.
 punctorio strictorii dolores in *Nucha, intra scapulas et*
in dorso, *Puls.* 227, 7.
 punctus in *Nucha*, *Ign.* 152, 13.
 punctoriū dolor in *Oculis*, *Nux v.* 195, 7.
 punctoriū, vagi dolores supra *Orbitas*, *Val.* 251, 4.
 punctoriū dolor in *Pectore dextro*, *Ign.* 152, 18.
 punctorio pulsatorius dolor in *Pectore sinistro*, *Verat.*
 260, 4.
 punctoriū dolor in *Pectoris latere*, *Acon.* 2, 6. *Cham.*
 88, 3. *Ign.* 152, 10. *Mez.* 180, 3.

- punctarius dolor in Pectore, *Acon.* 2, 6. 7, 2. *Cham.*
 83, 3.
 punctarius dolor in Pectoris latere dextro, *Arn.* 21, 5.
 punctio in Pectoris latere (una angor et morositas) tuta
 pulsatio in scrobiculo et cephalalgia pressoria, *Acon.*
 2, 6.
 punctorio lancinans dolor (in Pectoris latere) sub co-
 stis ultimus, *Arn.* 21, 6.
 punctorio formicans dolor et quasi a narcosi in Plantis
 a statu, *Puls.* 250, 6.
 punctarius Pruritus volaticus supra totum corpus in
 cute, *Led.* 170, 20.
 punctio in Renibus cum suppressione urinae, (*Acon.*
 10, 13.)
 punctorio strictriori dolores intra Scapulas, *Puls.* 227, 7.
 punctarius dolor intra Scapulas inter respirandum, *Caps.*
 66, 8.
 punctus in Scrobiculo post lancingationem, *Ign.* 152, 9.
 punctorio strictrius dolor intra Scapulas, *Puls.* 227, 7.
 punctorii, vagi dolores in Scrobiculo, *Val.* 251, 4.
 punctarius dolor in Sterno inter respirandum, *Caps.*
 66, 8.
 punctorio lancinans dolor in Testiculo alterutro, *Cocc.*
 111, 11.
 punctoria Tormina, *Nux v.* 192, 14.
 punctoria tormina infra Umbilicum, *Ign.* 157, 11.
 punctorii, vagi dolores in Umbilico, *Val.* 251, 4.
 punctarius dolor in Urethrae orificio statim post mi-
 cimum, *Caps.* 69, 12.
 punctorii dolores quasi Ventriculus acubus transfixus
 esset, et rosiones (post mentem receptam), (*Cupr.*
 122, 9.)
 punctarius dolor in Ventriculo, *Ign.* 152, 12.
 punctarius in Ventriculi regione dolor inter respiran-
 dum, *Caps.* 66, 8.
 pungens hinc inde pruritus in Cute, *Op.* 204, 4.
 pupillis angustis, parum et lente dilatabilibus rigiditas
 frigida totius corporis, *Acon.* 1, 3.
 pupillae constrictae, *Mez.* 179, 1.
 pupillis constrictis palpitatio cum dolore sterni pressorio,
Mez. 179, 1. 180, 1.
 pupillarum constrictio cum inquietudine quadam, *Rh.*
 235, 6.

- pupillae contractae, *Cinch.* 93, 13. *Nux v.* 185, 9.
Camph. 47, 1. *Dros.* 129, 3. *Op.* 204, 11.
 pupillae contractae, aegre dilatabiles, *Bell.* 30, 5.
 pupillae contractio, corporis frigiditate crescens, *Caps.*
 64, 12.
 pupillae contractiores, *Cham.* 76, 3.
 pupilla contractiore, spasticae constrictiones gulæ,
Verat. 255, 16.
 pupillæ ad summam contractionem pronæ, *Verat.*
 254, 6.
 pupillas initio contrahit, *Ign.* 150, 6. *Puls.* 217, 9.
 pupillas maxime contrahens capitis dolor cerebrum ex-
 pressurus, *Bell.* 28, 20.
 pupillæ diductæ, immobiles, (*Bell.* 33, 6.)
 pupillam dilatat, *Puls.* 232, 11.
 pupilla dilatata immobilis, (*Stram.* 250, 6.)
 pupillis dilatatis artuum tremula infirmitas, *Cinch.* 96, 1.
 pupillæ dilatatio cum respiratione lentissima, *Nux v.*
 190, 5.
 pupillis dilatatis frigus supra abdomen et brachia, *Mez.*
 181, 14.
 pupillæ et dilatabilitas expedita, et contractilitas, *Ign.*
 158, 5.
 pupillis dilatabilibus calor in corpore aliquantum auctus,
 venis tumidis, sine siti, *Cinch.* 95, 14.
 pupillæ dilatatio, (*Bell.* 36, 10.) *Stram.* 245, 14. 246,
 22. *Verat.* 261, 6.
 pupillæ dilatatio maxima, *Led.* 169, 6.
 pupillæ dilatatae, *Cinch.* 96, 1. *Bell.* 25, 10. (*Bell.* 37,
 7.) *Op.* 201, 4. *Verat.* 261, 6. *Melamp.* 176, 16.
Acon. 8, 19. *Camph.* 49, 14.
 pupillæ dilatabiliores, *Op.* 205, 5. *Ip.* 165, 10. *Cham.*
 90, 1. *Camph.* 49, 14.
 pupillæ dilatabiliores vi perceptionis et intelligentiae
 redeunte et sopore evanido, *Cham.* 90, 1.
 pupillæ maxime dilatabiles, *Ip.* 165, 16 *Nux v.* 197, 22.
 pupillæ magis dilatabiles quam contractiles, *Ign.* 159, 6.
 pupillæ citissime dilatabiles, citius contractiles, *Cham.*
 90, 2.
 pupillis aegre dilatabilibus et contractilibus intolerantia
 interpellationum maxime post somnum, *Cham.*
 76, 16.
 pupillæ dilatabiliores et magis dilatatae, *Camph.* 49, 14.
Ign. 156, 4.

- pupillae parum dilatabiles, *Ign.* 150, 3.
 pupillae magis dilatabiles quam contractiles, *Ign.* 159, 6.
 pupillae maxime dilatatae, (*Bell.* 35, 17.)
 cum pupillis maxime dilatabilibus inquietudo, *Nux v.* 197,
 22.
 a pupillarum dilatatione scotomia, (*Bell.* 40, 12.)
 cum pupillis facile dilatabilibus strepitus intolerantia, *Ign.*
 156, 3.
 pupillis summe dilatatis, oculi splendidi, (*Bell.* 35, 8.)
 pupillae perquam mobiles, citius tamen contractiles,
Cham. 90, 2.
 pupillae mobiles, magis tamen contractiles, *Cinch.*
 99, 6.
 pupillae citissime mobiles cum anxietate maxima in le-
 cto, non extra, *Cham.* 85, 9.
 pupillarum paralysis continua, (*Stram.* 256, 6.)
 pupillae sursum retortae, oculis apertis, (*Op.* 207, 8.)
 pure quasi conglutinatus et mane tumidus oculus,
Cham. 81, 5.
 purgantibus quae remanet debilitas intestinorum tormi-
 nosa, *Led.* 171, 4.
 quasi a purgantibus flatuosis tormina, *Acon.* 5, 5.
 quasi a purgante tormina, *Op.* 203, 4.
 purgat et postea alvum adstringit, (*Rh.* 238, 2.)
 purgatio, (*Acon.* 14, 5.) *Dig.* 124, 6. (*Dig.* 126, 8.)
 (*Ip.* 168, 2.) *Val.* 251, 9.
 purgatio sanguinea, (*Verat.* 266, 18. 268, 14.)
 purgatio vehemens, (*Dig.* 125, 3.)
 purpura, (*Stram.* 248, 23.)
 purulenta blennorrhagia, *Cop.* 116, 6.
 purulenta, rodens blennorrhagia vulvae, *Ign.* 153, 5.
 purulenta excretio e nare sinistra, (*Puls.* 234, 7.)
 cum purulenta expectoratione tussis mere nocturnae matu-
 tina, *Led.* 170, 3.
 purulentae palpebrae sine dolore, *Led.* 170, 7.
 purulenta palpebrarum conglutinatio, *Dros.* 128, 19.
 purulentae palpebrae sine tumore vel inflammatione,
Led. 170, 8.
 purulenti mane oculi, *Cham.* 81, 4. 5. 6. 7.
 purulentus quasi oculi canthus, *Nux v.* 195, 4. *Cham.*
 81, 4 — 7.
 purulentus mane oculi canthus, *Cham.* 81, 4.
 pus ulcerum in serum mutat, *Arn.* 22, 17.

- pusillanimitas cum hypererethismo et intolerantia stre-
 pitus, *Cinch.* 93, 17.
 pustulae acervatum conglomeratae, dolorificae, *Verat.*
 261, 10.
 pustulae tactu dolentes in collo sub mento, (*Puls.*
 226, 8.)
 pustulae dolentes in narium orificio, *Caps.* 67, 4.
 pustulae latae, rubrae, prurientes per totum corpus,
 (*Acon.* 14, 7.)
 pustulae rubicundae, acri humore repletæ, (*Acon.*
 14, 4.)
 pustulae tuberculosae durae, prurientes per totum
 diem ardenti dolore, rubore circumfusæ, per pres-
 sionem evanido, in artibus, *Cocc.* 113, 9.
 pustulae parvae in buccis, in naso, in nucha, in bra-
 chio, cito purulentæ et crusta tectæ, *Bell.* 29, 14.
 pustulae pedum serum fundentes, ardenti dolore,
 Puls. 229, 15.
 pustularum magnarum nullo humore repletarum eru-
 tio a zona ad genu usque, (*Hyos.* 141, 17.)
 pustulosa, fusca, serpiginosa exanthemata in mento et
 gena, (*Hyos.* 145, 9.)
 putantis se infelicem morositas, *Ip.* 163, 15.)
 putidus, vide et *foetidus*.
 putidus in latere aegroto sudor, (*Nux v.* 194, 16.)
 putrescentis aquæ et mucidae sapor piscosus, *Acon.*
 5, 11. *Caps.* 65, 6.
 putrescere metuit vivo corpore, *Bell.* 26, 1.
 putrida anima, *Rh.* 236, 16. *Puls.* 221, 6. *Acon.* 5, 11.
 Mer. 181, 1. *Caps.* 66, 15.
 putridi saporis screatus; *Cham.* 84, 3.
 putridi casei halitus ex pulmonibus, *Mer.* 181, 1.
 putrido herbaceus sapor in posteriori faucium parte,
 Puls. 221, 5.
 putridus sapor in ore, *Nux v.* 190, 17.
 putridus sapor ingestorum, *Ign.* 154, 12. (*Verat.* 257, 8.)
 quasi a putrida aqua sapor in ore, *Caps.* 65, 6.
 putridus oris halitus mane, (*Puls.* 221, 5.) *Rh.* 236, 6.
 putridus sapor, in ore post somnum, *Rh.* 236, 15.
 putridus sapor instar fumi, *Verat.* 257, 8.
 quasi a pyri austeri esu constrictoris sensus in gula, *Verat.*
 258, 18.
 pyrosis, *Nux v.* 190, 2. *Caps.* 65, 4. 68, 10. (*Arn.*
 23, 12.)

quærantes manus, (*Stram.* 245, 2.)
 quassat alternis pedibus terram, convulsus, (*Hyos.*
 134, 2.)
 querelae de frigore, (*Op.* 210, 20.)
 querelae immōdicae ejulatoriae ob minimā, *Ign.* 152, 3.
 querelae de gravitate et dolore insigni capitisi, (*Hyos.*
 139, 11.)
 querelae et responsio apta cum delirio alternantes,
 (*Bell.* 38, 4.)
 querelae de beneficio sibi illato, (*Hyos.* 133, 14.)
 querelae et timor de morte instanti, *Dig.* 123, 6. *Aeon.*
 3, 7. (*Hyos.* 146, 10.) (*Aeon.* 10, 4.) (*Melamp.*
 175, 8.) (*Nux v.* 190, 7.) (*Bell.* 46, 3.)
 querula morositas, (*Cinch.* 94, 4.)
 querulans de strepitu nimio delirium, *Ign.* 156, 2.
 querulans flebiliter animus cum dolore lancinanti in
 latere dextro, *Acon.* 6, 17.
 querulus animus post atrociter serium, *Cocc.* 106, 7.
 quies, vide et *requies*, *decubitus*, *sessus*.
 quiescere non potest infans, nisi gestatus, *Cham.* 76, 5.
 quiete auctus, motu pacatus capitisi dolor punctoriis
 magis, quam lacerans, *Caps.* 67, 22.
 quiete jacet, sed horret et friget et stragulis multis
 operiri gestit, (*Acon.* 13, 7.)
 (vel inter quietem) strictorio tensivus dolor in nucha,
 Puls. 227, 6.
 (vel inter quietem) strictorio tensivus dolor in suris, *Puls.*
 230, 5.
 vel inter quietem lancinans dolor intra scapulas, *Puls.*
 227, 8.
 inter quietem dolor (simplex?) juncturarum intolerabilis
 motitare artus cogens, *Cinch.* 98, 6.
 vel inter quietem asthma, *Caps.* 66, 5.
 vel inter quietem dolor terebrans in glandulis submaxil-
 laribus, *Puls.* 225, 4.
 inter quietem lancinatus singuli in plantis et digitorum
 apice, *Puls.* 230, 7.
 inter quietem lancinatus singuli in musculis et articulatio-
 ne humeri, *Cocc.* 112, 16.
 inter quietem intolerabilis, ex diffringente, lacerante, et
 lancinante compositus dolor in humeri et cubiti
 articulatione et tubo ossis intermedio, cum gravi-
 tatis sensu et metu brachium movendi, motu ta-
 men mitigatus, *Cocc.* 113, 4.

inter quietem maxime pruritus in seroto ut a pulicibus innumerabilibus, *Ign.* 152, 7.

- quasi radatur cultro, dolor in oculo, (*Puls.* 233, 13.)
supra radicem nasi in fronte dolor pressorius, *Ign.* 151, 9.
 in radicis linguae latere tumor dolorosus, *Cinch.* 96, 16.
 radius exilis urinae, *Camph.* 50, 17. *Cham.* 89, 14.
 ranarum instar ululatus, *Cupr.* 120, 3.
 rarus et uno ictu dolor strictorio lacerans in artuum
 ossium tubis vel tendinibus, *Cham.* 78, 13.
 rara cruris spasmodica contractio cum somno alto,
 stertoroso, (*Stram.* 246, 9.)
 rasio in scrobiculo, *Nux v.* 191, 8.
 rasio scalptoria in faucibus in deglutiendo cessans,
 Nux v. 191, 6.
 rasioris sensus in pectore screatum provocans, *Nux v.*
 191, 7.
 rasioris (aspritudinis) sensus in gula, *Verat.* 256, 23.
 rasioris (aspritudinis) sensus in gula ut post sodam,
 Nux v. 191, 5.
 ratio deficit, *Verat.* 255, 1.
 ratio cum delirio alternans, (*Acon.* 12, 8.)
 rationis status quasi per insomnia, *Verat.* 255, 3.
 Cham. 75, 4.
 ratione constante, pulsus evanidus, (*Nux v.* 200, 11.)
 ratione constante, trismus, (*Nux v.* 200, 15.)
 rauca aspritudo in bronchiis, *Led.* 170, 2.
 raucam et cavam vocem et nimis altam et absonam
 reddens pituita capuflaryngis obsidens, *Cinch.* 92, 9.
 raucedo, *Caps.* 66, 18. *Cham.* 87, 5. 6. 7. (*Op.* 215, 15.)
 Op. 205, 3. (*Acris* 16, 14.) (*Bell.* 45, 6.) *Dros.*
 128, 5.
 raucedo a pituita tenaci in trachea, *Op.* 205, 3.
 raucedo maxima, (*Op.* 215, 17.)
 raucedo aphona, *Puls.* 224, 15. *Dros.* 128, 5.
 raucedo catarrhosa arteriac asperae cum siccitate pal-
 pebrarum, *Cham.* 87, 6.
 raucedo cum faucibus siccissimis, lingua alba, (*Op.*
 213, 21.)
 raucedo a pituita viscida, caput laryngis occupante,
 screatu valido abigenda, *Cham.* 87, 5.
 raucedo (et tussis) ob mucum in superiori tracheae
 parte stridulanten cum dolore in ea laryngis parte,
 ubi mucus tussi abrasus erat, *Cham.* 87, 7.

- raucus ejulatus et miserabilis, *Cinch.* 93, 13.
 de rebus religiosis delirium mite, *Verat.* 235, 2.
 reclinati in dorso caput erigendi impotentia ob verti-
 ginem et scotomiam, *Nux v.* 189, 3.
 reclinatio capitis in latus, *Cinch.* 93, 1c.
 reclinatum inter somnum inquietum caput, *Rh.* 236, 9.
 reclinatum caput, *Op.* 202, 8.
 a recti intestini inertia quae profisciscitur constipatio, al-
 vus non nisi muscularum abdominalium nisu extor-
 queri potest, *Cham.* 85, 13.
 in recto tenesmus, *Ign.* 155, 7.
 ad rectum via quasi paecluderetur sensus in alvo depo-
 nenda, *Op.* 205, 11.
 rectum dorsum et rigidum, *Op.* 202, 10.
 reficiens parum somnus inquietus, *Mez.* 181, 16.
 refrigeratio per aerem liberum vel minimum et odon-
 talgie punctoria et punctorio ardens, *Nux v.* 186, 6.
 quasi a refrigeratione dolor strictiorius in manibus, scapu-
 lis, pectore, *Cham.* 78, 5.
 ut a refrigeratione hemicrania lancinans, *Cham.* 80, 15.
 quasi a refrigeratione tormina, *Op.* 203, 6.
 quasi a refrigerio sensus in aere libero, *Op.* 205, 13.
 per refrigerium vomititio lenis, copiosum salivae afflu-
 xum ciens, *Cocc.* 110, 13.
 quasi refrigerium nasciturum sit, hyperaesthesia aeris cum
 narcosi manuum paralytica frigida et obnubilatione
 capitis, *Cham.* 77, 7.
 in regione hepatis dolor, *Nux v.* 190, 8.
 in regione hepatis dolor punctorius, *Nux v.* 190, 9.
 in regione umbilicali ardor, *Acon.* 7, 1.
 regurgitatio, vide et *eructatio*.
 regurgitatio escarum, quasi evomendae essent, *Puls.*
 221, 20.
 regurgitatio acidi et amari liquoris, *Dros.* 128, 13.
 regurgitatio acidi saporis, *Nux v.* 190, 21.
 regurgitatio amari saporis, *Nux v.* 190, 21.
 regurgitatio amari liquoris, *Puls.* 221, 17. *Ign.* 154, 13.
 Dros. 128, 12.
 regurgitatio ingestorum, *Ign.* 154, 10.
 regurgitatio salsa aquae, *Arn.* 18, 14.
 reciterans, volatica narcosis pedum et manuum, *Cocc.*
 107, 22.
 relaxationis et constrictionis vicissitudines subter hy-
 pochondria, *Nux v.* 191, 14.

- de religiosis rebus delirium, *Verat.* 255, 2.
 reminiscentia citius rediens quam potestas, palpebras
 diducendi, et loquendi, *Cupr.* 119, 16.
- de religiosis rebus delirium mite, *Verat.* 255, 2.
 reluctans, inobediens, taciturna mania; aufugere ten-
 tat, *Dig.* 123, 7.
 reluctantia, *Aceris* 15, 6.
 reluctantia ejulans, *Caps.* 65, 14.
 reluctantia pertinax, *Arn.* 21, 15.
 reluctantia pertinax inter genarum ruborem cum ardore
 circa umbilicum, et dolore capitis pressorio,
Acon. 8, 3.
 reminiscentia factorum ante triennium gestorum, (*Bell.*
 39, 13.)
- in renibus ardor, (*Rh.* 238, 12.)
- in renibus punctio, cum suppressione urinae, (*Acon.*
 10, 13.)
- renovatio dolorum pristinorum, *Cinch.* 94, 11.
 renum dolores, (*Canth.* 61, 15.)
- renum, lumborum dolor maximus, (*Canth.* 62, 17.)
- repentinus, summus angor, *Cocc.* 106, 8.
- reprehendens et parva aegre ferens animus, *Caps.* 65,
 16. vide et *opprobria*, *jurgia*, *convicia*, *injurians*,
moroſitas, *exasperatus*.
- reptans formicatio in aure, *Nux v.* 195, 13.
- reptatio, (*Arn.* 24, 3.)
- reptatio in cute frontis, (*Cinch.* 96, 2.)
- reptatio hinc inde in cute tamquam a musca, *Caps.*
 70, 6.
- reptatio in pectore, *Acon.* 7, 8.
- reptatio in pedibus, *Arn.* 22, 9.
- reptans volutatio in lecto, (*Stram.* 250, 4.)
- quasi reptet vermes in gula sensus, *Puls.* 222, 10.
- requie aucta, motu diminuta trepidatio, *Puls.* 230, 19.
- requie excitatus capitis dolor punctorius magis quam
 lacerans, motu pacatior, *Caps.* 67, 23.
- inter requiem horripilatio, inter motum nulla, *Dros.* 128, 3.
- inter requiem et calorem justum corporis horripilatio; ca-
 lefieri nequit, nec in lecto, *Dros.* 128, 2.
- inter requiem (decubitum) lancinatus in latere, *Puls.* 228, 8.
- inter requiem debilitas, inter motum robur sufficiens,
Cham. 74, 7.
- inter requiem et motum asthma, *Caps.* 65, 23.

neque requiescere ullo modo, neque dormire sinens sensus
 in toto corpore ingratissimus ad desperationem
 summam et impotentiam animi adigens, *Puls.* 231, 1.
 rerum externalium inattentio, *Op.* 202, 5.
 rerum multimodarum, nescit quarum, appetentia,
Cinch. 99, 3.
 respirandi difficultas, (*Ip.* 167, 8.) (*Rh.* 238, 4.)
 respirandi difficultas et anxietas auctior, (*Rh.* 238, 4.)
 inter respirandum punctus intra scapulas, in sternō, latere
 abdominis et circa ventriculum, *Caps.* 66, 8.
 modo respirat, modo ultimum halitum exspirasse videtur,
 vicibus per quadrantem horae quater repetentibus,
Bell. 38, 5.)
 respiratio, vide et *exspiratio, inspiratio, spiritus.*
 respirare Alte cogens angor, *Caps.* 65, 21.
 respiratio Alta, *Dros.* 128, 9.
 respiratio Alta suspirii instar, *Caps.* 65, 22.
 respiratio Alta, gravis, (*Op.* 205, 5.)
 respiratio Alta, lenta, *Camph.* 47, 13.
 respiratio hinc inde Alta suspiriosa cum asthmate, et
 tussicula sicca, *Caps.* 66, 5.
 inter respirationem Altam dolor in pectoris latere, quasi
 pulmo ad costas adhaeret, *Mer.* 179, 12.
 respiratio omnis generis inter somnum Alternans, gra-
 vis, lenis, lenta, brevis, evanida, stertorosa, *Ign.*
 157, 4.
 respiratio Alternans longissima cum brevissima, sibi-
 lans, stertorosa, ad suffocationem usque impedita,
 cum tumore faciei apoplecticō, *Cocc.* 109, 3.
 respiratio Angusta, cito, post formicationem in bron-
 chiis, *Led.* 170, 1.
 respirationem Angustans dolor in sterno pressorius,
Cham. 88, 2.
 respiratio Angusta, *Stram.* 240, 13. *Led.* 169, 12. 13.
Dros. 128, 8.
 respirationem Angustans sensus in pectore constricto-
 rius, non dolorificus, *Arn.* 21, 3.
 respiratio Angusta, dolorosa, *Led.* 169, 13.
 respiratio extra lectum Angusta, intra lectum justa,
Nux v. 196, 12.
 respiratio Angusta, crebra, anxia, (*Op.* 212, 15.)
 respiratio Anhela, aestuatio, indeterminatio, aversa-
 tio negotiorum, *Puls.* 219, 15.

- respiratio cum pulsu Aucta inter somnum, (*Camph.*
 52, 6.)
 respiratio per accessus Brevis cum dolore scrobiculi,
 quasi interne tumidum esset, *Acon.* 6, 3.
 respiratio Brevior sensim, asthmate crescente, sudori-
 bus identidem e corpore erumpentibus, *Nux v.* 194, 12.
 respiratio Brevis, stertorosa, per semiminutum iden-
 tidem Cessans, (*Op.* 207, 9.)
 respiratio Brevissima cum longissima alternans, *Cocc.*
 109, 3.
 respiratio Cessans, ita ut aeger ultimum halitum ex-
 spirasse videatur, cum respiratione alternans, (*Bell.*
 38, 5.)
 respiratio Cita, *Melamp.* 176, 18.
 respiratio Cita post caloris externi intolerabilem sen-
 sum, *Ign.* 157, 2.
 cum respiratione Cita dolor pectoris horizontalis, *Nux v.*
 196, 14.
 respiratio Cita (post anxietatem et nauseam), tum tus-
 sis sicca a nausea oriens, vomitatio, vomitus,
 Nux v. 194, 11.
 respiratio Citissima, pulsus citissimus cum calore ar-
 dente universalis, *Puls.* 217, 12.
 respiratio Citissima vagitosa, *Cupr.* 119, 12.
 cum respiratione Citissima calor universalis, venae tumi-
 dae, sitis nulla, *Camph.* 50, 7.
 respiratio Cita, angusta, post formicationem in bron-
 chiis, *Led.* 170, 1.
 respirationis (respiratorii organi) Constrictio, *Ign.*
 157, 19.
 respiratio Deleta fere, *Camph.* 47, 14. *Verat.* 255, 14.
 respiratio Difficilis, (*Bell.* 31, 5.) (*Hyos.* 136, 21.) vide
 et *Asthma*.
 respiratio Difficilis, lentior, stertorosa, (*Op.* 205, 14.)
 respiratio Difficilis, impedita, (*Op.* 207, 14.)
 respiratio Difficilis cum constrictione et rigiditate pe-
 ctoris, (*Op.* 215, 14.)
 respiratio Difficilis, ad suffocationem usque, (*Cupr.*
 121, 8.)
 respiratio Difficilis rhonchis reciprocis, (*Hyos.* 137, 9.)
 respiratio Difficillima, (*Bell.* 41, 5.)
 (respiratio Difficillima) spiritum summa molestia tra-
 hit, anxius, ore aperto, (*Op.* 213, 15.)
 respiratio Difficilis, angusta, maxime noctu, *Op.* 205, 1

- respiratio Difficilior, *Op.* 205, 11. (*Op.* 206, 14. 207,
 14. 212, 15. 213, 15. 215, 14. 216, 7.) (*B. t.* 45, 9.)
 in respiratione Dolor costarum et sterni, *Caps.* 66, 1.
 respiratio Dolorosa (angusta), *Led.* 169, 13.
 respiratio fere Evanida, (*Comph.* 52, 4.)
 respiratio Gemebunda, lenta, (*Op.* 212, 10.)
 respiratio Gravis, alta, (*Op.* 205, 5.)
 respiratio Gravis, *Stram.* 240, 12.
 respiratio (Gravis) vehemens inter clamorem et ardore-
 rem constantem, cum manuum violenta agitatione,
 (*Hys.* 142, 19.)
 respiratio inordinata, suffocationem minans, (*Op.*
 213, 14.)
 respirationem Intercipiens dolor tactu excitatus scro-
 biculi, *Arn.* 21, 3.
 respirationem Intercipiens anxietas summa, *Verat.*
 256, 2.
 respiratio Intercepta, *Verat.* 255, 14.
 respiratio Intercepta angore, *Verat.* 256, 2.
 respiratio Intercepta per constrictions pectoris sen-
 sum, *Cocc.* 109, 6. 7.
 respiratio Intercepta dolore intra scapulas lancinante
 inter motum, *Puls.* 227, 9.
 respiratio Intercepta per contractionem spasmodicam
 muscularum intercostalium in latus, *Verat.* 255, 18.
 respiratio Intercepta pressione in scrobiculo, *Cocc.*
 109, 4.
 respiratio Intercepta constrictione in epigastrio, *Cocc.*
 109, 5.
 respiratio Intercepta per dolorem in scrobiculo, *Arn.*
 21, 3.
 respiratio Intercepta per dolorem dissidentem, lan-
 cinantem in abdomen ab osse sacro profectum,
 Puls. 227, 15.
 respiratio Intercepta per tortina dissidentia, *Puls.*
 227, 14.
 respiratio Intercepta tussi et fere deleta, *Cupr.* 119, 6.
 respiratio Intercepta tussicula, *Cupr.* 119, 17.
 respiratio Intercepta angore cum sudore frontis calido,
 Acon. 5, 18.
 respiratio Intercepta per nares, maxime inter somnum,
 Acon. 6, 4.
 cum respiratione Leni et Lenta taedium, os et oculos ape-
 riendi, *Ign.* 151, 3.

- respiratio Lenta, *Op.* 201, 7.
 respiratio Lenta, gemebunda, (*Op.* 212, 10.)
 respiratio Lenta, alta, *Camph.* 47, 13.
 respiratio Lentior, difficilis, stertorosa, (*Op.* 205, 14.)
 respiratio Lentissima cum pupilla dilatata, *Nux v.* 190, 5.
 respiratio Longissima cum brevissima alternans, *Cocc.*
 109, 3.
 respiratio Sibilans, *Cinch.* 97, 1.
 respiratio Sibilans, Stertorosa, *Cocc.* 109, 3.
 respiratio Stertorosa, brevis, per semiminutum identi-
 dem cessans, (*Op.* 207, 9.)
 respiratio Stertorosa, (*Op.* 206, 3. 14. (*Ign.* 157, 4.)
 respiratio lentior, difficilis, Stertorosa, (*Op.* 206, 14.)
 respiratio Stridulans, *Ip.* 165, 5. *Cham.* 87, 4. (*Cinch.*
 97, 1. 2.)
 respiratio Suffocatoria, *Cocc.* 109, 3. vide *respiratio*
 intercepta.
 respiratio Suspiriosa, alta, *Caps.* 65, 22. 66, 5.
 respiratio Vehemens cum manuum agitatione, inter cla-
 morem et ardorem constantem, (*Ilyos.* 142, 19.)
 respiratio Violenta, parva, crebra, anxia, (*Bell.* 31, 16.)
 inter respirationem punctus in Abdominis latere, *Caps.* 66, 8.
 respirationem praeccludens dolor in Abdomine dissin-
 dens lancinans ab osse sacro profectus, *Puls.* 227, 15.
 respirationem intercipiens Angor cum sudore frontis
 calido, *Acon.* 5, 18.
 respirationem intercipiens ingens Angor, *Verat.* 256, 2.
 in respiratione Bronchiorum sibilatio, *Cinch.* 97, 1.
 in respiratione Bronchiorum stridulatio, *Ip.* 165. *Cham.*
 87, 4. (*Cinch.* 97, 1.)
 inter respirationem citissimam agonizantem et pulsum citis-
 simum, Calor ardens universalis, *Puls.* 217, 12.
 inter respirationem citissimam Calor universalis, venae tu-
 midiae, sitis nulla, *Camph.* 50, 7.
 respirationem praeccludens pectoris Constrictio, *Ign.*
 157, 19.
 respirationem praeccludens Constrictio in Epigastrio,
 Cocc. 109, 5.
 in respiratione dolor Costarum sterni, *Caps.* 66, 1.
 respirationem coartans dolor in Hepatis regione pres-
 sorius, *Acon.* 5, 16.
 respirationem angustans dolor Hypochondrii maxime
 post coffeeae potum, *Cham.* 85, 4.

- inter respirationem dolor lacerans in Hypochondriis, *Cupr.*
113, 11.
- respirationem intercipiens contractio muscularum Inter-
costalium in latus, *Verat.* 255, 18.
- respiratione auctus Laryngis dolor lacerans, *Ign.* 154, 1.
- inter respirationem altam dolor in Latere pectoris, quasi
pulmo ad costas adhaereret, *Mez.* 179, 12.
- respiratione auctus dolor in Latere dextro (sub costa
ultima vera) immaniter pressorius, *Cocc.* 111, 21.
- vel extra respirationem lancinatus in sinistro Latere abdo-
minis, *Op.* 203, 10.
- vel extra respirationem dolor pressorius in Latere pectoris
dextro, inter inspirationem lancinans, *Op.* 203, 9.
- respirationem coarctans dextri Lateris pectoris tensiva
constrictio, *Cocc.* 109, 6.
- inter respirationem punctus in Latere abdominis, *Caps.*
66, 8.
- inter respirationem per Naros sibilus, (*Cinch.* 105, 3.)
- inter respirationem dolor in Pectore quasi a vivo animali
intus tumultuante, *Led.* 170, 4.
- respirationis (Pectoris) constrictio, *Ign.* 157, 19.
- respirationem coarctans Pectoris tensiva constrictio,
Cocc. 109, 6.
- respirationem angustans sensus in Pectore constricto-
rius, *Arn.* 21, 3. *Caps.* 66, 3.
- inter respirationem altam dolor in Pectoris latere, quasi
pulmo ad costas adhaereret, *Mez.* 179, 12.
- respiratione auctus dolor Pectoris strictorio tensivus,
Puls. 228, 3.
- in respiratione dolor Pectoris lancinans inter menstrua,
Puls. 228, 6.
- cum respiratione difficii Pectoris constrictio et rigiditas,
(*Op.* 215, 14.)
- inter respirationem singulam lancinatio per transversum Pe-
ctus, *Cham.* 38, 5.
- extra respirationem dolor pressorius in Pectoris latere dex-
tro, inter respirationem lancinans, *Op.* 203, 9.
- cum respiratione cita dolor Pectoris horizontalis, *Nux v.*
196, 14.
- respirationis Praefocatio, (*Verat.* 264, 3.)
- respirationem paecludens Pressio in scrobiculo, *Cocc.*
109, 4.
- respirationem paecludens dolor intra Scapulas lanci-
nans inter motum, *Puls.* 227, 9.

- respirationem praecludens pressio in Scrobiculo, *Cocc.*
 109, 4
 respirationem coaretantis pressionis in Scrobiculo cre-
 bri accessus, *Hyos.* 152, 12.
 respirationem praecludens dolor tactu excitatus in Scro-
 biculo, *Arn.* 21, 3.
 inter respirationem Sibilus per nares, (*Cinch.* 105, 3.)
 inter respirationem dolor in Sterno mere diurnus quasi pe-
 cius nimis curtum esset, *Nux v.* 196, 15.
 respiratio, maxime inspiratio Sibilans, Stertorosa ad
 suffocationem usque impedita, longissima cum bre-
 vissima (interdum cessante) alternans, cum faciei
 tumore apoplectico, *Cocc.* 109, 3.
 respirationem angustans dolor Sterni pressorius, *Cham.*
 88, 2.
 in respiratione dolor Sterni, costarum, *Caps.* 66, 1.
 respirationem Suffocans dolor pectoris pressorius hori-
 zontalis, *Nux v.* 196, 13.
 respirationem praecludentia Tormina dissidenti lan-
 cinantia post lancinationem in osse sacro, *Puls.* 227,
 15
 respirationem praecludentia Tormina dissidentia, *Puls.* 227, 14.
 respirationem intercipiens et fere delens Tussis, *Cupr.*
 119, 6.
 respirationem intercipiens Tussicula, *Cupr.* 119, 17.
 respirationem angustans dolor Ventriculi et hypochon-
 drii pressorius, maxime post coffeae potum, *Cham.*
 85, 4.
 inter respirationem dolor quasi a Vivo animali intus tumul-
 tuante, *Led.* 170, 4.
 respondet apposite inter stuporem et insensibilitatem,
 (Op. 207, 11. 214, 14.)
 modo respondet juste et queritur, modo delirat, (*Bell.* 38, 4.)
 respondere taedet, vox haeret, *Puls.* 218, 14.
 respondet alteri, quem non agnovit, et colloquitur, col-
 loquii tamen immemor postquam ad se rediit,
 (*Stram.* 250, 12.)
 respondere detrectat taciturnitas pertinax, (*Cinch.* 94, 7.)
 ut responsi nec quidquam ipsi extorqueri posset, sopor et
 stupor, (*Op.* 216, 15.)
 responsio apta et querelae cum delirio alternantes, (*Bell.*
 38, 4.)

- responsiones aptae existentiae suaee parum concii, (*Op.* 214, 14.)
 respuens oblate, efflagitans varia inquietudo lacrymabunda, *Cham.* 76, 11.
 restagnantibus cum pressionis sensu in epigastrio flatibus, angustia pectoris et ventriculi dolor quasi a soda nascitura, postea ardor in spina dorsi, *Cham.* 84, 21.
 restagnatio et adscensio flatuum ad hypochondria, *Nux v.* 191, 19. *Cham.* 85, 1. *Cocc.* 114, 10.
 restricta alvi excretio, *Op.* 204, 16. vide constipatio, et alvus.
 a respiratione oculorum vertiginis species, quasi casurus esset, vel quasi saltaret, *Puls.* 217, 6.
 a respiratione oculorum dolor capitinis pressorio lacinans, *Caps.* 68, 2.
 retentio, vide et suppressio, et constipatio, epischesis, ischuria.
 retentio urinæ, (*Canth.* 60, 19.)
 retentio urinae dolorifica, (*Canth.* 61, 7.)
 retortis bulbis oculi in somno hic semiclausus, ille aperitus morientium instar, *Conch.* 93, 11.
 retortae sursum pupillæ, oculis apertis, (*Op.* 207, 8.)
 retractationi obnoxia et minus correcta elocutio et scriptio, *Nux v.* 136, 11.
 in retracto testiculo dolores lacinantes, *Bell.* 28, 1.
 modo retrahit se timide, modo violenter dilacerat obvia, (*Bell.* 36, 18.)
 revulsi oculi, *Verat.* 255, 8.
 revulsum os, (*Acon.* 11, 12.)
 revulsum oblique caput, versus humerum, *Camph.* 47, 11.
 rhagade fissum labii inferioris medium et sanguinolentum, *Cham.* 83, 10.
 rheuma motu percipiendum intra scapulas ad os sacrum usque, *Dros.* 129, 10.
 rheumaticus, vide et lacerans, et strictorius et arthriticus.
 rheumatica nuchae rigiditas, *Melamp.* 176, 2. (*Ign.* 153, 10.)
 rheumatica nuchae rigiditas, maxime inter moyendum, vertiginem acciens, *Verat.* 257, 14.
 rheumatici dolores, (*Hyo.* 146, 3.) (*Stram.* 248, 20.)
 rheumatici dolores in extremitatibus, *Val.* 252, 5.

- rheumatici, volatichi dolores, motu excitandi, in artibus, nucha, dorso, scapulis, manibus, *Caps.* 70, 4.
 rheumatici dolores in nucha, colli motu tantum percipiendi, *Acon.* 6, 7. *Verat.* 257, 14.
 rheumatici dolores intra scapulas, *Camph.* 49, 11.
 rheumatici dolores in scapulis, *Val.* 252, 4.
 rheumatici dolores intra scapulas per motum sensibiles, *Verat.* 260, 12.
 rheumatici, lacerantes, volatichi dolores maxime inter motum, *Led.* 171, 9.
 rheumatico lancinans dolor in omnibus musculis maxime intra scapulas, *Camph.* 49, 11.
 rheumaticus dolor a nucha ad os sacrum, maxime inter alvum deponendam, *Verat.* 260, 13.
 rheumaticus dolor in nucha, colli motu tantum percipiendus, *Acon.* 6, 7.
 rheumatismi, (*Cinch.* 100, 10.)
 rhonchis reciprocis, respiratio difficultis, (*Hyos.* 134, 9.)
 ridet, (*Stram.* 250, 3.)
 ridiculi gestus, ebriorum more, (*Hyos.* 137, 3.)
 ridiculi gestus, corpus obviorum palpat, nunc sedet, nunc circuit caligans, jam lotricis, jam pecuniam numerantis, jam vero bibentis speciem prae se fert, (*Bell.* 32, 16.)
 rigescientia manuum, (*Hyos.* 144, 8.)
 riget tota veluti tetano, (*Hyos.* 136, 16.)
 rigiditas, vide et immobilitas et tensio.
 rigida immobilitas corporis, *Puls.* 231, 7.
 rigiditas universalis volatrica, *Cham.* 88, 10.
 rigidiae quasi essent dolor omnium Articulationum inter motum, *Cham.* 88, 11.
 rigiditas dolorosa Articulationum, *Cocc.* 108, 2.
 rigiditatis omnium Articulationum sensus in motus principio summus, motu continuato levatus, cum pituitae tenacis catarrho, *Caps.* 70, 5.
 rigiditas Artuum, una cum vulsionibus, *Nux v.* 193, 20.
 rigiditas Artuum, (*Melamp.* 177, 2.) *Nux v.* 193, 20, 21. *Ign.* 153, 7. *Cham.* 88, 10. 11. (77, 6.)
 rigiditas Artuum sub specie lassitudinis, *Bell.* 26, 4.
 rigiditas Artuum singularis cum tensione, (*Nux v.* 198, 2.)
 rigiditas stuporifica Brachiorum dum manus aliquid capessit, *Cham.* 77, 6.

- rigidum jam Corpus, jam artus motibus maxime singularibus flexi, (*Bell.* 38, 3.)
 rigiditas omnium fere Corporis partium, (*Nux v.* 198, 7.)
 rigiditas totius Corporis, (*Bell.* 45, 15.)
 rigiditas totius Corporis frigida, oculis apertis, horridis, gena altera rubra calida, altera pallida, frigida,
 Acon. 1, 3.
 rigiditas Crurum matutina, dolorosa, *Led.* 171, 14.
 rigiditas Dorsi instar asseris, et dolerosa, *Puls.* 227, 12.
 rigiditas Dorsi inter pronationem dolorosi, *Caps.* 66, 5.
 rigidum, rectum Dorsum, *Op.* 202, 10.
 rigiditas Dorsi et lumborum dolorosa post sessum, *Led.*
 171, 15.
 rigiditas Dorsi et scapularum dolorosa inter motum,
 Led. 171, 8.
 rigiditas Genu et lumborum dolorifica inter motum,
 Ign. 153, 8.
 rigiditas Genu inter movendum dolorosi, *Rh.* 237, 5.
 rigiditas Genuum, *Nux v.* 197, 14. *Led.* 171, 12.
 rigiditas singularis Genuum cum tensione, (*Nux v.*
 198, 2.)
 rigiditas, diminuta mobilitas Iuncturarum, *Nux v.*
 193, 19.
 rigiditas Lumborum et genu dolorifica inter motum,
 Ign. 153, 8.
 rigiditas Lumborum et dorsi dolorosa post sessum, *Led.*
 171, 15.
 rigiditas et narcosis Manuum paralytica, frigida, cum
 obnubilatione capitis et aëris hyperesthesia, quasi
 refrigerium nasciturum sit, *Cham.* 77, 7.
 quasi a rigiditate, Membrorum omnium spasmus tonicus,
 Ign. 153, 7.
 rigiditas Membrorum, *Ign.* 153, 7. *Nux v.* 193, 20. 21.
 (*Nux v.* 198, 2. 7.) *Cham.* (77, 6.) 88, 10. 11.
 (*Melamp.* 177, 2.)
 rigiditas Nuchae, *Ign.* 153, 10. *Melamp.* 176, 2.
 rigiditatis sensus in Nucha, motu tantum sensibilis,
 Caps. 69, 14.
 rigiditas Nuchae rheumaticae, *Melamp.* 176, 2.
 rigiditas Nuchae rheumatica, motu vertiginem acciens,
 Verat. 257, 14.
 rigiditas et constrictio Pectoris, respiratio difficilis,
 (*Op.* 215, 14.)

- rigiditate Pectoris quadam impedita crebra oscitatio,
Ign. 158, 8.
 rigiditas Penis, *Nux v.* 195, 17.
 rigidum, gelidum corpus, (*Op.* 207, 4.)
 rigidus Pes et tam sensibilis, ut eo incidi non possit,
Op. 205, 8.
 rigiditas et tensio Poplitis, *Nux v.* 197, 14.
 rigiditas Scapularum et dorsi dolorosa inter motum,
Led. 171, 8.
 rigores, vide *horror*, *horripilatio*, (*frigus*).
 risus, (*Stram.* 250, 3. 9.)
 risus involuntarius, (*Ign.* 160, 9.)
 risus sardonius, (*Bell.* 38, 12. 39, 14.)
 rixae, *Acris* 15, 5. *Ign.* 156, 7. *Hyos.* 133, 2.
 rixae, contumeliae, tumultus, (*Hyos.* 136, 23.)
 rixae cum scurrili mania alternantes, *Acon.* 2, 9.
 ad rixam prona morositas, *Cham.* (76, 12.) 76, 13.
 ad rixam pronus animus, *Cham.* 76, 12.
 rixosa mussitatio fletui intermitista, *Puls.* 220, 2.
 (rixosa) altercans mania, (*Hyos.* 146, 13.)
 robur sufficiens inter motum, inter requiem debilitas,
Cham. 74, 7.
 rosiones et punctorii dolores in ventriculo, (*Capr.*
 122, 9.)
 rotationes aliquae convulsivae brachiorum, *Camph.*
 48, 8.
 ruber pectoris sudor, (*Arn.* 24, 11.)
 rubicunda cinabarini coloris totius corporis cutis in-
 flammata, (*Hyos.* 142, 18.)
 rubor Auriculae alterutrius, *Ign.* 157, 6.
 rubor Auriculae et genae alterutrius et hoc nondum
 penitus evanido, frigus in cute totius corporis,
Cinch. 95, 11.
 rubor Auricularum, *Cinch.* 95, 10. *Camph.* 50, 2.
 rubor Auricularum, genarum, *Cinch.* 95, 10.
 rubor et calor Capitis solius, *Bell.* 26, 22.
 rubor, tumor, calor Auris externae, *Puls.* 221, 1.
 rubor, ardor et tumor totius Corporis, (*Bell.* 43, 3.)
 rubor totius Corporis cum pulsu celeri, (*Bell.* 40, 24.)
 rubor et ardor Corporis totius, (*Hyos.* 142, 18.)
 rubor et tumor Corporis totius, (*Bell.* 40, 15.)
 rubor Cutis universae, (*Bell.* 38, 7. 40, 15. 24. 43, 3.)
 rubor et calor Externus, sine calore interno, *Ign.* 157,

- rubor et calor Faciei cum siti, *Cocc.* 111, 17.
 rubor et calor Faciei volaticus, (*Cinch.* 102, 17.)
 rubor et calor Faciei, *Dros.* 129, 15. *Hyos.* 132, 23.
 rubor Faciei, *Stram.* 240, 17. (*Stram.* 245, 16. 249, 4.)
Bell. 26, 21. *Cocc.* 111, 17. (*Hyos.* 134, 13.)
 (*Cupr.* 121, 11.)
 rubor et tumor Faciei, (*Op.* 212, 9.) (*Cinch.* 103, 21.)
Bell. 26, 21. (*Bell.* 32, 3. 33, 7.) (*Stram.* 247, 4.)
 rubor et tumor Faciei, pedibus frigidis, *Bell.* 26, 21.
 inter ruborem et tumorem Faciei, oculi retorti, (*Bell.* 40,
 20.)
 rubor Faciei vespertinus cum horrore, *Ign.* 156, 13.
 rubor Faciei subitaneus cum horrore pedum et trepidatione, *Puls.* 219, 9.
 rubor et tumor Faciei, genarum, labiorum, (*Stram.*
 247, 4.)
 rubra profunde et tumida Facies, (*Bell.* 36, 7.)
 rubor et sudor Faciei solius, *Bell.* 26, 22. 23.
 rubor Genarum, *Cinch.* 95, 10. *Caps.* 70, 10. *Camph.*
 50, 2. (*Bell.* 40, 9.)
 rubor Genarum, auricularum, *Cinch.* 95, 10.
 inter ruborem Genarum scurrilitas, caloris sensus universalis et capitidis dolor inter movendum oculos sursum et ad latus, *Acon.* 7, 20.
 inter ruborem Genarum et calorem in capite horripilatio per totum corpus cum sapore integro, *Acon.* 8, 1.
 inter ruborem Genarum horripilatio et lacrymatio cum cephalgia pressoria, *Acon.* 8, 2.
 inter ruborem Genarum reluctantia pertinax, ardor circa umbilicum et pressorius dolor in capite, *Acon.* 8, 3.
 rubor Genae alterutrius, *Ign.* 157, 6. *Arn.* 19, 19.
Cham. 81, 15.
 rubor Genae alterius cum distensione abdominis, post pastum et siccitate et amaro re faucium sine siti vesperi, *Ign.* 154, 15.
 rubor Genarum sine siti, *Nux v.* 189, 14.
 rubor in Gena alterutra, corpore caeterum non calido, *Arn.* 19, 19.
 rubor Genarum sine calore interno, *Cham.* 81, 15.
 rubor et calor magnus Genarum, (*Bell.* 41, 1.)
 rubor et calor Genae et auriculae alterutrius et hoc non dum penitus evanido, frigus in cute totius corporis, *Cinch.* 95, 11.

- rubor Genarum, manibus pedibusque frigidis, sine hor-
 rore, meridie post pastum, *Caps.* 70, 11.
 rubor Genarum et calor capitidis internus cum frigore
 totius corporis, *Nux v.* 189, 17.
 rubor Natiū et pedum, (*Hyos.* 142, 16.)
 rubro colore Objecta, (*Hyos.* 149, 3.)
 rubri Oculi et splendentes, (*Hyos.* 141, 3.)
 rubor et tumor Palpebrarum, (*Puls.* 234, 8.)
 rubor Pedum et natū, (*Hyos.* 142, 16.)
 rubor, tumor, calor Pedum, cum dolore tensivo, uren-
 te, inter consistendum lancinante, *Puls.* 250, 4.
 rubra subinde Urina, *Puls.* 223, 8.
 sine rubore ardor externus totius corporis, (*Hyos.* 142, 17.)
 sine ructibus praeviis vomitus, (*Cham.* 84, 18.)
 cum ructibus horror, *Ip.* 162, 3.
 cum ructibus et nausea vomitidente vespertina quasi ad-
 scensio escarum ad scrobiculum colli usque, *Cham.*
 84, 11.
 ructus, *Cocc.* 110, 12. (*Op.* 215, 20.)
 ructus acidi vel soda post pastum, tandem alvus cita
 mollior, *Caps.* 63, 9.
 ructus acidi, *Ign.* 154, 16. 155; 1.
 ructus amari, *Aru.* 18, 13. *Verat.* 258, 7.
 ructus crebri sapore ingestorum, *Puls.* 221, 16.
 ructus creberrii, *Nux v.* 190, 19.
 ructus, eructatio contentorum ventriculi, *Camph.*
 50, 19.
 ructus hepatico-sulphurei, *Arn.* 18, 13.
 ructus inanes, *Arn.* 18, 12. *Verat.* 258, 6.
 ructus post potum et pastum, *Nux v.* 190, 20.
 ructus post pastum acidi vel sodae, tandem alvus cita
 mollior, *Caps.* 63, 9.
 ructus afferens pressio aliquot uncias infra scrobicu-
 lum, *Nux v.* 191, 21.
 ructuum molimen frustraneum, *Bell.* 27, 6. *Acon.* 5, 10.
 in ructus propensio frustranea, *Bell.* 27, 5.
 ructuosus singultus, ex ructu et singultu compositus
 spasmus, *Bell.* 27, 4.
 rugitus abdominis, *Melamp.* 176, 10. vide et *borbo-*
rygmi.
 rumpi quasi vellet abdomen, tornina atrocia, (*Hyos.*
 147, 11.)

rursum versum quasi aliquid traheretur, sensus spasmodicus magis quam dolorosus in musculis, scapulis, dorso, artubus, *Nux v.* 193, 23.

ad sacrum os usque intra scapulas rheuma motu percipientium, *Dros.* 129, 10.

sacri ossis articulationis dolor paralyticus et quasi a contusione post sessum inter motum, *Verat.* 260, 19.

sacri ossis dolor maxime nocturnus, *Cham.* 85, 6.

sacri ossis dolor intolerabilis quasi a crampo vel contritione aut verberatione, inter motum levissimum clamores subitaneos extorquens, *Cinch.* 93, 5.

sacri ossis cum vertebris lumborum articulationis dolor, quasi a confractione, *Acon.* 5, 2.

in sacro osse dolor, *Nux v.* 197, 6.

in sacro osse dolor quasi a confractione cum torninibus forficanti lacerantibus, *Cham.* 85, 7.

in sacro osse dolor constrictorius, *Melamp.* 176, 7.

in sacro osse ad occiput, hemicranium sinistrum et maxilla sinistra usque dolor lacerans, maxime vesperi, tum genae tumidae ardentes et oculi inflammati, *Led.* 172, 4.

a sacro osse tendens dolor lancinans in abdomen, qui tum fit dissidenti lancinans, respirationem praeccludens, *Puls.* 227, 15.

in sacro osse et abdomine lancinans dolor, respirationem praeccludens, *Puls.* 227, 14.

in sacro osse pulsatio, *Ign.* 155, 13.

in sacro osse per femora tendentes dolores spurii strictorio paralytici in uterus irruentes, *Cham.* 77, 10.

in sacro osse dolor strictorius, *Stram.* 241, 2.

in sacro osse quasi a verberatione dolor mere diurnus et quasi pars nimis debilis esset ut a puerperio, *Nux v.* 197, 7.

ad sacrum os usque, a nucha dolor rheumaticus, maxime inter alvum deponendam, *Verat.* 260, 13.

ad sacrum os usque, inde a nucha dolor quasi a contusione in dorso, *Acon.* 6, 6.

saeviens capitidis dolor et ferox, *Led.* 169, 9.

- quasi a sale culinari mordax sensus in oculis, *Nux v.* 189, 6.
Canth. 57, 11.
 sales, facetiae, *Cocc.* 114, 2.
 salinus sapor, *Cinch.* 95, 3. *Hyos.* 132, 5.
 saliva sanguinea, *Nux v.* 195, 14.
 saliva tenax, *Caps.* 65, 5.
 cum saliva affluxu in ore panis fusci cerealis nausea, *Nux v.* 190, 14.
 saliva aquae copiosus effluxus cum vomititione per tussim excitata, *Mez.* 180, 25.
 saliva aquae effluxus ex ore cum colica, *Led.* 170, 13.
 saliva aquae copiosus effluxus, *Led.* 170, 13. *Verat.* 258, 11. *Puls.* 222, 1. *Ip.* 163, 2. *Dros.* 128, 11.
 cum saliva affluxu copioso vomituriens nausea ab umbilico adscendens, *Val.* 251, 2.
 saliva copiosus affluxus, *Nux v.* 190, 22. vide et *ptyalismus*, et *screatus*.
 saliva copiosus affluxus per aliquot horas, *Ip.* 163, 2.
 cum saliva affluxu in ore vomituriens nausea, *Cham.* 84, 16.
 cum saliva affluxu dolores lancinantes in lingua, (*Acon.* 14, 1.)
 saliva affluxum copiosum ciens vomititio (a frigore) lenis, *Cocc.* 110, 13.
 cum saliva allctione sensus in linguae radice, piperis instar titillans, *Acon.* 2, 2.
 saliva gustus incongruus, (*Bell.* 45, 5.)
 saliva profluvi multum, (*Verat.* 267, 20.)
 saliva sapor acidus, *Ign.* 155, 2.
 saliva sapor salsus, *Hyos.* 132, 5.
 saliva sputum crebrum, *Ign.* 154, 6.
 salivalium ductuum ostii excoriatio, *Bell.* 28, 14.
 salivalium ductuum quasi excoriatio, *Acon.* 9, 2.
 salivalium ductuum ostii tumor dolorosus, *Ign.* 154, 5.
 salivatio, (*Bell.* 28, 13.) *Dig.* 124, 3. (*Dig.* 125, 10. 126, 2.) (*Op.* 208, 9-209, 15.) *Caps.* 67, 5. *Cham.* 83, 17. *Hyos.* 132, 4. (*Hyos.* 145, 17.) *Melamp.* 176, 9. *Puls.* 221, 20. (*Puls.* 253, 12.) *Stram.* 240, 4. (*Verat.* 267, 19.) vide et *ptyalismus*.
 cum salivatione, dentium dolor hinc illinc micans frigidæ aquæ admotione mox exasperatus, *Cham.* 79, 8.
 cum salivatione, gingivarum, linguae et oris interni exulceratio, (*Dig.* 125, 4.)
 salivatio continua cum vomititione, *Puls.* 222, 1.
 salsa aquæ regurgitatio, *Arn.* 18, 14.

- salsa pituitae screatus, *Nux v.* 190, 23.
 salsus salivae sapor, *Hyos.* 132, 5.
 saltantis instar morionis gesticulationes absurdæ,
 (*Hyos.* 137, 6.)
 quasi saltaret, vertiginis species ab oculorum resupinatio-
 ne, *Puls.* 217, 6.
 saltatio, (*Hyos.* 141, 4.) (*Stram.* 243, 7.)
 sanæ mentis et insaniae vicissitudines, (*Stram.* 245, 10.)
 sanguillua ulcera, *Puls.* 231, 11.
 sanguillua labia et fissa, *Ign.* 152, 15.
 sanguilluum et fissum rhagade labii inferioris medium,
 Cham. 83, 10.
 sanguilluxus, vide *haemorrhagia*, *haemorrhœa*, *haemo-*
 ptysis, *menorrhagia*.
 sanguine intermistæ pituitosæ sedes crebrae, *Caps.*
 69, 2. 3. 5.
 sanguine paucò intermistæ sedes pituitosæ, *Puls.*
 223, 1.
 sanguine tinctus vomitus biliosus, (*Camph.* 53, 2.)
 sanguine turgida, inflata facies, (*Stram.* 244, 4.) (*Nux*
 v. 200, 8.)
 sanguine turgidum cerebrum, *Cinch.* 95, 9. *Ign.* 151,
 8. 10. 156, 11. 12. *Dros.* 129, 14. *Camph.* 50, 3.
 sanguine atro intermisto pituitæ tenacis diarrhoea
 cum torminibus dissidentibus et contorquentibus
 circa umbilicum; post sedem singulam sitis, post
 haustus singulos horror, *Caps.* 69, 3.
 sanguine quasi turgeret, capitîs gravitas (ut sit in pro-
 natione alta) cum dolore lacerante in occipite, qui
 mitior fit inter decubitum in dorso, exasperatus
 erectione trunci et sessu in lecto, maxime vero pa-
 catus alta pronatione capitîs inter sessum, *Ign.*
 151, 8.
 sanguinea dejectiones alvinae et violentæ, (*Verat.*
 266, 18.)
 sanguinea diarrhoea, (*Verat.* 268, 14.)
 sanguinea excrements alvina, *Nux v.* 193, 4.
 sanguinea purgatio, (*Verat.* 266, 18. 268, 14.)
 sanguinea muci spississimi coryza, *Mez.* 180, 23.
 sanguinea coryza, *Mez.* 180, 23. *Canth.* 57, 10.
 sanguineus mictus, (*Canth.* 62, 10.)
 sanguinea tussis, *Acon.* 7, 12. *Puls.* 224, 10.
 sanguinea saliva, *Nux v.* 195, 14.
 sanguinem exagitat; febris, (*Cop.* 117, 1.)

- sanguinis cursum accelerat febris auctior, (*Rh.* 238, 3.)
 quasi a sanguinis ebullitione Agrypnia, *Puls.* 219, 4.
 sanguinis congestio ad Auditus organon, *Puls.* 220, 18.
 sanguinis congestio ad Caput, *Camph.* 50, 3. *Ign.* 151,
 8. 10. 156, 11. 12. (*Stram.* 250, 7.) *Cinch.* 95, 9.
Bell. 26, 21. (*Nux v.* 200, 8.) *Dros.* 129, 14. (*Bell.*
 46, 8.)
 sanguinis congestio ad caput inter pronationem, *Verat.*
 258, 1.
 sanguinis congestio ad caput, frons calida, artibus fri-
 gidis, *Cinch.* 95, 9.
 sanguinis congestio ad caput insignis, (*Camph.* 52, 12.)
 sanguinis Circulatio aucta, (*Hyos.* 141, 15.)
 sanguinis congestio ad Cor, *Cham.* 75, 17.
 sanguinis cursus quasi in extremitatibus interceptus
 esset, sensatio, (*Acon.* 12, 17.)
 sanguinis meri excretio per anum, (*Canth.* 59, 13.)
 sanguinis excretio cum excrementis alvinis, *Nux v.*
 193, 4.
 sanguinis mictio, (*Cop.* 117, 7.) *Mez.* 181, 10. (*Canth.*
 59, 12. 14. 61, 3.)
 sanguinis mictus copiosus, (*Canth.* 59, 3. 60, 12.)
 sanguinis e naribus effluxus cum gravedine, *Puls.*
 224, 7.
 sanguinis diapedesis ex oculo et steatomate, *Nux v.*
 193, 10.
 sanguinis ebullitio et nausea, ambo post cibum captum
 evanida, *Cinch.* 95, 6.
 sanguinus vomitus, *Nux v.* 192, 8.
 sanguinolenta spuma ante os, (*Bell.* 35, 3.)
 sanguinolentae sedes parvae, *Caps.* 69, 2. 3. 5.
 sanguinolenta urina, (*Canth.* 59, 10.)
 sanguinolenta urina, parum grunosa, (*Canth.* 63, 2.)
 sanguinolentus narium mucus, *Nux v.* 196, 5. *Caps.*
 67, 3.
 sanguinolentus vomitus, (*Verat.* 263, 3.) (*Mez.* 182, 11.)
 sanguis grumosus ex ano secedens, *Stram.* 242, 1.
 sanguis loco seminis excretus, (*Canth.* 61, 6.)
 sanguis menstrualis grumosis et magnis frustis secedens,
Stram. 242, 2.
 sanguis per unguium rimas transsudat ob tormenta im-
 mania, (*Verat.* 264, 15.)
 non sapit grata quo vescitur, quamvis appetat cibos, *Puls.*
 218, 10.

- sapor Acidus, *Ign.* 154, 16. 155, 2. *Cham.* 84, 4. *Op.*
201.
 sapor Acidus panis, *Cham.* 84, 5. *Bell.* 27, 10.
 sapor Acidus saliva, *Ign.* 155, 2.
 saporis Acidi regurgitatio, *Nux v.* 190, 21.
 sapore Alieno praedita anima foetida (inter tussim),
Caps. 66, 15.
 sapor Amarus, (*Cinch.* 104, 2.)
 sapor primo Amarus, dein Acidus cum ructibus acidis,
Ign. 154, 16.
 sapor Amarus ingestorum, *Ign.* 154, 12. (*Puls.* 221, 12.)
 sapor Amarus cerevisiae, *Ign.* 154, 12. *Mer.* 181, 3.
 sapor Amarus post vomitum, *Puls.* 221, 18.
 saporis Amari regurgitatio, *Nux v.* 190, 21.
 sapor Amarus cum appetentia citri acidi, *Puls.* 221, 11.
 sapor Amarus, Biliosus maxime post cibum captum,
Puls. 221, 12. (*Ign.* 154, 13. 15.)
 cum sapore Bilioso in ore vomititudo, *Verat.* 258, 8.
 sapor Carnis deletus, *Puls.* 221, 9.
 sapor Cerevisiae amarus, *Ign.* 154, 12.
 sapor Cerevisiae amarus, *Mer.* 181, 3.
 sapor Cerevisiae putridus, *Ign.* 154, 12.
 sapor Ciborum imminutus, *Acris* 16, 11. *Puls.* 221, 8.
 sapor Ciborum deletus, *Dros.* 128, 14.
 sapor ut a Corruptis in ventriculo alimentis, *Ign.* 154,
11. *Puls.* 221, 19. 20.
 sapore non Corrupto anorexia quasi a fastidio cibi,
Cham. 84, 10.
 sapor Cupreus in ore, *Cocc.* 110, 9.
 sapor Deletus, (*Bell.* 38, 18.)
 sapor Deletus carnis, *Puls.* 221, 9.
 sapor fere Deletus, insulsus, *Op.* 204, 14.
 * sapore Deleto ciborum et ventriculi plenitudine anore-
xia, (*Puls.* 221, 4.)
 sapor Deletus escarum, *Dros.* 128, 14.
 sapor Deletus escarum et appetitus deletus, *Cham.*
84, 8.
 sapor Dulcis in ore, *Cupr.* 118, 10.
 sapor Empyrevmaticus in ore, *Puls.* 221, 14.
 sapor Empyrevmaticus pituitae tussi ejectae, instar
jusculi cancerorum vel olei tabaci, *Puls.* 221, 15.
 sapor Esculentorum omnium amarus, tum frigus cum
sudore frigido, *Puls.* 221, 10.
 sapor Esculentorum omnium imminutus, *Puls.* 221, 8.

- sapor Fatuus in ore, cum lassitudine omnium membrorum, et sensu in ventriculo quasi ab inedia longa et quasi a vacuo, (*Ign.* 155, 6.)
- sapor Fatuus, piscosus, quasi aquae mucidae, in putrescentiam inclinantis, *Acon.* 5, 11.
- sapor Fatuus, insulsus, *Caps.* 65, 4. *Ip.* 162, 9. *Op.* 204, 14. *Acon.* 5, 11. *Verat.* 257, 3. 4.
- sapor Fatuus in ore cum fame canina, *Cinch.* 94, 14.
- sapor Fatuus in ore, *Ip.* 162, 10.
- sapor Fimi instar putridus, *Verat.* 257, 8.
- sapore Grato, integro, satietas ciborum, potulentorum, tabaci, *Cinch.* 94, 22.
- sapor Gratus nullus ciborum, *Cham.* 84, 9.
- sapor Herbaceus, nauseosus in faucibus, quasi foliorum dauci, *Nux v.* 190, 16.
- sapor Herbaceus putridus in posteriori faucium parte, *Puls.* 221, 5.
- sapor Imminutus esculentorum omnium, *Puls.* 221, 8.
- sapor Imminutus escarum, *Acris* 16, 11.
- sapor Inconcinnus saliva, (*Bell.* 45, 5.)
- sapor in ore ut ab Inedia longa, *Cocc.* 110, 10.
- cum sapore Ingestorum ructus crebri, *Puls.* 221, 16.
- sapor Ingestorum, maxime cerevisiae amarus vel putridus, *Ign.* 154, 12.
- sapor Insulsus et fere deletus, *Op.* 204, 14.
- sapor Insulsus, Insipidus, *Verat.* 257, 4.
- sapor Insulsus, postea soda, *Caps.* 65, 4.
- sapor Integer cum anorexia, *Hyos.* 132, 2. *Led.* 171, 5. *Puls.* 221, 3.
- sapore Integro calor universalis, venis tumidis, siti nulla, *Camph.* 50, 7.
- sapore Integro, grato, satietas ciborum, potulentorum, tabaci, *Cinch.* 94, 22.
- sapore Integro anorexia, pedes frigidi et tormina quasi a diarrhoea nascitura, *Led.* 171, 5.
- sapore Integro anorexia quasi a fastidio cibi, *Cham.* 84, 10.
- sapore Integro, anorexia ciborum, *Cinch.* 94, 20.
- sapore Integro horripilatio totius corporis inter capititis dolorem et ruborem genarum, *Acon.* 8, 1.
- sapor Mucaginosus, *Cham.* 84, 1.
- sapor quasi a Mucida aqua, *Acon.* 5, 11.
- sapor Nauseosus, lingua pura, *Bell.* 27, 9.

- sapor Nauseosus, herbaceus quasi foliorum dauci in fauicibus, *Nux v.* 190, 16.
 sapor Panis acidus, *Cham.* 84, 5. *Bell.* 27, 10. (*Cinch.* 95, 2.)
 sapor Picis cedrini in ore, (*Canth.* 59, 6.)
 sapor quasi a Pipere, *Acon.* 2, 2. (*Acon.* II, 4.) *Mez.* 180, 6.
 sapor Piscosus quasi aquae mucidae, putrescentis, *Acon.* 5, 11.
 sapor Pultaceus in ore, gustus imminutus, *Verat.* 257, 3.
 sapor Putridae (stagnantis) aquae, *Caps.* 65, 6. *Acon.* 5, 11.
 saporis Putridi screatus, *Cham.* 84, 3.
 sapor Putridus, *Ign.* 154, 12.
 sapor Putridus, herbaceus in posteriori faucium parte, *Puls.* 221, 5.
 sapor Putridus ingestorum, *Ign.* 154, 12. (*Verat.* 257, 8.)
 sapor Putridus cerevisiae, *Ign.* 154, 12.
 sapor Putridus instar fimi, *Verat.* 257, 8.
 sapor Putridus post somnum, *Rh.* 236, 15.
 sapor Putridus in ore, *Nux v.* 190, 17.
 cum sapore ingestorum Ructus crebri, *Puls.* 221, 16.
 sapor Salinus, *Cinch.* 95, 3. *Hyos.* 132, 5.
 sapor Salsus salivae, *Hyos.* 132, 5.
 sapor Terreus cum Vomituritione, *Puls.* 221, 13.
 sapor amarus post Vomitum, *Puls.* 221, 18.
 cum sapore bilioso in ore Vomituritio, *Verat.* 258, 8.
 sardonius risus, (*Bell.* 38, 12. 39, 14.)
 satietas escarum, potulentorum et tabaci, sapore integrando, grato, *Cinch.* 94, 22.
 a satietate quasi nimia sensus plenitudinis in ventriculo, *Rh.* 237, 9.
 a satietate quasi nimia anorexia, *Rh.* 237, 8.
 satura plenitudo ventriculi post cibum captum vel in crastinum diem, *Cham.* 84, 14.
 saturo nauseabundae plenitudinis in ventriculo sensus, *Arn.* 18, 10.
 scabiei species, *Verat.* 261, 9.
 scalpendo dolorificentior ex pruritu et lancinatione compositus dolor, *Cham.* 88, 7.
 a scalpente pedibus ave susurrus in auribus, obturamento quasi oppilatis, *Cham.* 79, 2.

- scalpere ad sanguinolentiam usque cogens pruritus,
 (*Hyos.* 141, 13.)
 scalptoria rasio in faucibus inter deglutitionem cessans,
 Nux v. 191, 6.
 circa scapulas Ardor, (*Verat.* 266, 10.)
 intra scapulas Dolores, (*Cupr.* 120, 8.)
 in scapulis gravitas, *Cocc.* 111, 20.
 in scapulis a dextra ad sinistram Lacinatus, *Cocc.* 113, 1.
 versus scapulam dolor dorsi Lacinanti stritorius cum vo-
 mitu nocturno, *Puls.* 222, 13.
 intra scapulas Lancinans dolor vel inter quietem, *Puls.*
 227, 8.
 intra scapulas Lancinans inter motum dolor, respirationem
 praecludens, *Puls.* 227, 9.
 intra scapulas Lancinanti rheumaticus dolor, *Camph.*
 49, 11.
 scapulae dolor Osteocopus quasi a contritione, *Cinch.*
 98, 3.
 intra scapulas et in pectore dolor Pressorius, (*Bell.* 29, 7.)
 intra scapulas Punctus inter respirandum, *Caps.* 66, 8.
 intra scapulas Punctorio strictorii dolores, *Puls.* 227, 7.
 intra scapulas ad os sacrum usque Rheuina motu percipien-
 dum, *Dros.* 129, 10.
 intra scapulas Rheumatico lancinans dolor, *Camph.* 49, 11.
 in scapulis Rheumatici dolores, *Val.* 252, 4.
 in scapulis Rheumatici dolores volatici, motu excitandi,
 Caps. 70, 4.
 intra scapulas Rheumatici dolores inter motum sensibiles,
 Verat. 260, 13.
 in scapulis Strictorii dolores ut a refrigeratione, *Cham.*
 78, 5.
 intra scapulas Strictorio punctorii dolores, *Puls.* 227, 7.
 versus scapulam dolor dorsi Strictorio lancinans cum vomi-
 tu nocturno, *Puls.* 222, 13.
 in scapulae, dorsi, (artuum) musculis sensus quasi ali-
 quid rusum versus Traheretur, spasmodicus ma-
 gis, quam dolorosus, *Nux v.* 193, 23.
 scapulis sursum deorsum Tractis, abdominis et late-
 rum constrictio, (*Cinch.* 105, 4.)
 ad scapulas usque inde a sterno quasi a Verberatione diur-
 nus cum lacinatione et asthmate, *Nux v.* 196, 17.
 quasi a scarabaeis formicatio in spina dorsi, *Acon.* 7, 9.
 scarlatina objecta visa, (*Hyos.* 149, 3.)
 scarlatinae polymorphae maculae, *Bell.* 29, 16.

scintillae in visu, *Valer.* 251, 5. (*Op.* 203, 13.)
 scintillatio in visu, *Cham.* 81, 12.
 scirrhosa durities glandularum mammae, *Cham.* 89, 7.
 scorbuticus ventris dolor, (*Cinch.* 102, 5.)
 scotomia, vide et *visus*, et *amblyopia*, et *amaurosis*, et
 occoecatio, *cocitas*, *caligo*, *objecta*.
 scotomia, (*Dig.* 126, 10.) (*Hyos.* 137, 1. 143, 5. 147,
 13.) (*Op.* 203, 6.)
 scotomia, quasi velamen ante oculos, (*Hyos.* 149, 8.)
 scotomia syncopodes et tremor artuum cum sudore
 magno faciei et calore corporis subitaneo, *Puls.*
 219, 8.
 cum scotomia vertigo, *Nux v.* 185, 5.
 scotomia vel visus obtenebratio cum vomititione et
 pallore, *Puls.* 220, 6.
 scotomia a palpebrarum dilatatione, (*Bell.* 40, 12.)
 eb scotomiam et vertiginem impotentia caput erigendi in
 dorso reclinati, *Nux v.* 189, 3.
 scotomiae lateralis sensus dum oculi in rem albam fi-
 guntur, *Cham.* 75, 7.
 scotomica lucis intolerantia matutina, *Nux v.* 187, 3.
 scotomicus et multiplex visus objectorum, (*Bell.* 36, 11.)
 screat, mordet, dilacerat obvia, (*Bell.* 36, 17.)
 screatum provocans sensus rasionis in pectore, *Nux v.*
 191, 7.
 screata valido abigenda raucitas a pituita viscida caput
 laryngis occupante, *Cham.* 87, 5.
 screatum urgens pituita in laryngis capite, *Cocc.*
 III, 15.
 screatus putridi saporis, *Cham.* 84, 3.
 screatus salsa pituitae, *Nux v.* 190, 23.
 inter screatum dolor bronchiorum et laryngis, *Camph.*
 50, 11.
 scriptio et eloentio praepostera, *Nux v.* 186, 11.
 scriptionis amor, *Cinch.* 99, 1.
 circa scrobiculum Angor, (*Cinch.* 102, 13.)
 circa scrobiculum Angustatio, maxime post pastum, (*Cinch.*
 102, 16.)
 in scrobiculo Arteriarum pulsuum sensus, *Puls.* 223, 2.
 scrobicalum Dolorosum quando tangitur, vel respira-
 tionem praeccludens, *Arn.* 21, 3.
 scrobiculi Dolorosi tactu, *Expansio*, *Nux v.* 191, 22.
 in scrobiculo primo Lancinatio, dein punctus, *Ign.*
 152, 9.

- scrobiculi Lancinatio post pressionem, inspiratione
auctam, *Ign.* 152, 19.
- in scrobiculo Lancinatus et pulsatio, *Dros.* 128, 10.
- circa scrobiculum angustatio maxime post Pastum, (*Cinch.*
102, 16.)
- in scrobiculo et abdomine post Pastum pressio cum meteo-
rismo, *Nux v.* 192, 2.
- in scrobiculo Pressio, *Ign.* 153, 2. (*Stram.* 240, 7.) *Acris*
16, 11. *Cupr.* 118, 3. *Camph.* 48, 17.
- infra scrobiculum dolor Pressorius, *Caps.* 68, 15. *Nux v.*
191, 21.
- infra scrobicum Pressio; ructus afferens, *Nux v.* 191, 21.
- in scrobiculo dolor Pressorius, *Camph.* 48, 17.
- in scrobiculo Pressio respirationem paecludens, *Cocc.*
109, 4.
- scrobiculi dolor Pressorius in angustiam pectoris trans-
iens, *Acon.* 6, 2.
- in scrobiculo Pressio vehemens ad sternum, hypochondria
et ossa ilei propagata, *Verat.* 258, 14.
- a scrobiculo epigastrico Pressione quadam proficiscens asth-
ma suffocatorium, *Camph.* 48, 13.
- in scrobiculo Pressio post somnum, *Rh.* 256, 17.
- in scrobiculo dolor Pressorio strictorius mane, qui paulo
post in latus migrans lancinans fit et in dorso la-
cerans, *Puls.* 228, 1.
- in scrobiculo Pressio, inspiratione aucta, et in lancinatio-
nem cito transiens, cum angustia pectoris, *Ign.*
152, 19.
- in scrobiculo Pressorius dolor cum vomituritione, *Caps.*
68, 6.
- in scrobiculo Pressorius dolor menstrui tempore cum vo-
mituritione, *Caps.* 68, 7.
- in scrobiculo Pressorius dolor aliquot horas post pastum
vel noctu in lecto, *Cocc.* 110, 15.
- in scrobiculo Pressionis, respirationem coarctantis crebri
accessus, *Hyos.* 132, 12.
- in scrobiculo Pressio post pastum cum meteorismo, *Nux v.*
192, 2.
- in scrobiculo tumor et Pressio anxia, expansio abdominalis,
dolores quasi ad partum et hydrops cutaneus cum
menstruorum suppressione, *Cham.* 86, 8.
- in scrobiculo Pulsuum arteriarum sensus, *Puls.* 228, 2.
- in scrobiculo Pulsatio, *Acon.* 2, 6.
- in scrobiculo Pulsatio et lancinatus, *Dros.* 128, 10.

- in scrobiculo dolores Punctorii, vagi, *Val.* 25¹, 4.
 in scrobiculo Punctus post lancinationem, *Ign.* 152, 9.
 in scrobiculo Rasio, *Nux v.* 191, 8.
 in scrobiculo dolor Strictorio pressorius, qui paulo post
 in latus migrans lancinans fit et in dorso lacerans,
 Puls. 223, 1.
 scrobiculum Tactu dolorosum, respiratio tunc paeclusa,
 Arn. 21, 3.
 scrobiculi expansio Tactu dolorosi, *Nux v.* 191, 22.
 in scrobiculi vicinia dolor Tactu tantum percipiendus ut a
 vulnere interno, *Ign.* 153, 14.
 scrobiculum si Tangitur, dolore affectum, respiratio-
 nem paecludente, *Arn.* 21, 3.
 inter scrobiculum et umbilicum Tensio pressoria, *Caps.* 68,
 12.
 scrobiculi, quasi interne Tumidum esset, dolor, cum
 anorexia et respiratione, per accessus, brevi, *Acon.*
 6, 3.
 in scrobiculo Tumor et pressio anxia, expansio abdominis,
 dolores quasi ad partum et hydrops cutaneus cum
 menstruorum suppressione, *Cham.* 86, 8.
 in scrobiculi vicinia dolor ut a Vulnere interno, tactu tan-
 tum percipiendus, *Ign.* 153, 14.
 ad scrobiculum Colli quasi adscendent escae vesperi cum
 plenitudine, nausea vomituriente et ructibus, *Cham.*
 84, 11.
 ad scrobiculum Colli usque pertingens raucedo, *Met.*
 180, 9.
 circa scrobiculum Colli asthma strangulatorium cum irri-
 tatione ad tussim continua, *Cham.* 87, 11.
 scrotri frigiditas, impotentia virilis, *Caps.* 64, 13.
 in scroto lancinatus singuli, *Arn.* 19, 12.
 in scroto pruritus, *Nux v.* 193, 14. *Cocc.* 111, 9. *Cham.*
 86, 10.
 in scroto pruritus ut a pulicibus innumerabilibus, maxime
 inter quietem, *Ign.* 152, 7.
 scrotri tumor, (*Canth.* 61, 5.)
 scrupulosus animus, *Ip.* 165, 15.
 scrupulose valetudinem aliorum curat, de sua valetudi-
 ne parum solitus, *Cocc.* 106, 12.
 cum scurrili mania alteruantes rixae, *Acon.* 2, 9.
 scurrilitas, *Bell.* 29, 2.
 scurrilitas, genae rubrae, caloris sensus universalis et
 capitis dolor inter oculorum motum, *Acon.* 7, 20.

- secans dolor in calcaneo inter lecti calorem, *Puls.* 230, 13.
 secantes hinc inde dolores, (*Arn.* 24, 6.)
 secantes, lacerantes, terebrantes dolores in oculo, (*Puls.*
 234, 5.)
 sedendi, standi impotentia, (*Hys.* 142, 15.)
 sedes, vide et excrementa, diarrhoea, alvus, ecoprosis.
 sedes Acres, *Puls.* 223, 5.
 sedes Albae, *Acon.* 5, 13. *Puls.* 222, 18.
 sedes Albae, merae, tenacis pituitae, *Melamp.* 176, 13.
 sedes ex mera pituita Albo lutescente cum paucō san-
 guine intermixto constantes, *Puls.* 223, 1.
 sedes citrinae, (*Ip.* 165, 11.)
 sedes diarrhoiae excrementitiae cum pituita, *Rh.* 236, 1.
 sedes dysentericae strigentosae, (*Canth.* 62, 11.)
 sedes molles, diarrhoea, *Cocc.* 111, 4.
 sedes molliores, parvae, tenesmodae, *Acon.* 5, 7.
 sedes mucosae, *Ign.* 159, 7. (*Cham.* 86, 3, 4.)
 sedes, parvae, molles, crebrae, *Mel.* 181, 7.
 sedes primo virides, dein mucosae, *Puls.* 222, 17.
 sedes naturales, cacaturitio, *Hys.* 132, 18.
 sedes parvae, crebrae, tenesmodae, pituitae interdum
 sanguineae, *Caps.* 69, 2.
 sedes citae, crebrae, molliores, *Verat.* 259, 5.
 sedes ex mera pituita lutescenti alba cum paucō san-
 guine intermixto constantes, *Puls.* 223, 1.
 sedes parvae, pituitae sanguinolenta, *Caps.* 69, 5, 2, 3.
 sedes crebrae ex pituita constantes, cum torminibus
 ante singulam sedem, *Puls.* 223, 2.
 sedes pituitae griseae, *Rh.* 236, 2.
 sedes pituitae merae, tenacis, albae, *Melamp.* 176, 13.
 sedes excrementitiae cum pituita, *Rh.* 236, 1.
 sedes parvae pituitae merae, *Caps.* 69, 4.
 sedes pituitae tenacis, interdum atro sanguine intermi-
 stae, torminibus dissidenti contorquentibus, *Caps.*
 69, 3.
 sedes porraceo virides, (*Ip.* 165, 11.)
 post sedes singulas sitis, post haustus singulos horror, *Caps.*
 69, 3.
 post sedes singulas proctalgia lancinans, *Cham.* 86, 5.
 sedes parvae, molles, crebrae, *Mel.* 181, 7.
 sedes parvas, celeres involuntariae, *Bell.* 28, 3.
 sedes involuntariae, *Acon.* 2, 15.
 sedes involuntariae intersomnum, *Arn.* 22, 19.
 sedes citae, crebrae, molliores, *Verat.* 259, 5.

- sedes crebriores, (*Hyos.* 137, 4.)
 sedes virides, (*Bell.* 43, 12.) *Ip.* 165, 11. *Puls.* 222, 17.
 post sedes et vomitum querelae crebrae quasi de lapide fri-
 gido ventriculum premente. (*Acon.* 10, 16.)
 ante et inter sedes tormina, alvo deposita cessantia, *Rh.*
 235, 10.
 ante et post sedem tormina, *Op.* 205, 10.
 in sedendo et decumbendo dolor simplex juncturarum,
 Cinch. 98, 6.
 dum sedet somnolentia diurna, dum decubit insomnia vi-
 gil, *Cham.* 75, 3.
 sedet in lecto immobilis, statuae instar, (*Hyos.* 135, 8.)
 sedulitas inquieta, *Caps.* 70, 18.
 de sedulo perficiendis laboribus diurnis insomnia, *Nux v.*
 187, 22.
 segnis ad quaevis morositas hypochondriaca, *Arn.* 17,
 15.
 segnities taciturna, *Rh.* 235, 5.
 semiarticulata et atrocia verba, (*Bell.* 39, 4.)
 semiclausis palpebris dormiturio, (*Op.* 205, 10.)
 semiclauso (clauso) oculo hoc, illo aperto coma vigilans,
 Verat. 255, 9.
 semiclausus ille, hic apertus oculus in somno cum iri-
 de retorta, morientium instar, *Cinch.* 93, 11.
 seminis humani consistentia et colore blennorrhoea
 ardentis doloris maxime statim post mictionem,
 Puls. 223, 17.
 seminis loco sanguis excretus, (*Canth.* 61, 6.)
 semivigiles, nocturnae, lugubres phantasiae, *Nux v.*
 187, 18.
 sensatio quasi objecta nimis lucida essent, *Camph.* 49,
 13.
 sensatio quasi tumida esset facies, (*Acon.* 12, 14.)
 sensatio quasi sanguinis cursus in extremitatibus inter-
 ceptus esset, (*Acon.* 12, 17.)
 erga sensations subtiliores et sensum modestiae stupiditas,
 (*Op.* 210, 5.)
 tam sensibilis et rigidus pes, ut eo incedi non possit, *Op.*
 205, 8.
 sensibilis dolorifice cutis et horror cum cute anserina,
 Camph. 47, 6.
 sensibles per motum dolores rheumatici intra scapulas,
 Verat. 260, 13.

- sensibiles inter colli motum dolores rheumatici in nucha,** *Acon.* 6, 7. *Verat.* 257, 14.
sensibilitas dolorosa in abdomine, tactu excitanda,
Puls. 252, 12.
sensibilitas dolorosa in naribus quasi a pulvere viarum aridarum, *Verat.* 257, 12.
sensibilitas dolorosa in maribus ut in epistaxi instante,
Ign. 151, 10.
sensibilitas dolorosa oris interni partium, *Ip.* 162, 13.
sensibilitas dolorosa hypogastrii a tactu, *Acon.* 6, 15.
sensibilitatis diminutio, *Op.* 202, 2.
sensibus orbus, (*Bell.* 46, 21.)
sensibus omnibus orbatus, (*Ilyos.* 135, 6.)
sensorii conturbatio, vide mentis perturbatio, hallucinatio, fatuitas, amentia, dementia, mania, furor.
sensorii nimia teneritudo et hyperesthesia, ita ut offendatur per visus, olfactus, gustus, auditus objecta,
Cinch. 93, 18.
sensum eorum quae legit, assequi non potest, nullius rei vera notitia, capitis perturbatio, (*Op.* 217, 8.)
sensus aboliti, deglutitione illaesa, (*Stram.* 246, 7.)
sensus aboliti, *Camph.* 47, 8.
sensus (visus, auditus) aboliti, (*Stram.* 243, 13.)
sensuum abolitio, (*Camph.* 53, 17.)
cum sensuum abolitione momentanea, gyratio vertiginosa cerebri, *Nux v.* 185, 4.
sensuum et motuum voluntariorum abolitio, deglutitione tamen illaesa, (*Stram.* 246, 7.)
sensuum gustus, olfactus, tactus privatio, quoad objecta externa, sui vero corporis frigiditatem sentit,
(Op. 214, 15.)
sensuum amissionis periculum, (*Hyos.* 148, 8.)
sensus evanidi omnes, *Cupr.* 119, 11.
sensus hebetes omnes, (*Op.* 211, 13.)
per sensuum omnium objecta offendio ob nimium sensorii teneritudinem et hyperesthesiam, *Cinch.* 93, 18.
sensus cruris fere deletus, (*Op.* 216, 6.)
sensuum extinctio deglutitione illaesa, (*Stram.* 246, 7.)
sensus fere deletus, (*Verat.* 268, 8.)
sensuum privatio, (*Bell.* 31, 1.)
sensus imminuti, (*Op.* 211, 13.)
sensus omnes acutiores, *Cupr.* 70, 2.
sensuum objecta exasperant et offendunt animum ob sensorii nimiam teneritudinem et hyperesthesiam,
Cinch. 93, 18.

- sensuum perturbatio in somnum prona; quodammodo
vigilans somniare sibi videtur, (*Bell.* 45, 1.)
- sensuum internorum torpor, (*Hyos.* 145, 8.)
- sensus Abdominis distentionis, *Op.* 202, 20. vide *Ab-*
domen.
- sensus in Abdomine quasi ab alvo constipata, *Verat.*
261, 12.
- sensus ponderis in Abdomine, *Nux v.* 192, 1.
- sensus in Abdomine quasi ab expansione summa, *Stram.*
239, 15. *Val.* 251, 13.
- sensus expansionis Abdominis quasi a plenitudine post
cibum captum, *Cinch.* 94, 16.
- sensus in Abdomine quasi ab expansione summa suffo-
catorius, *Caps.* 66, 7.
- sensus Abdominis expansionis et tensionis summae sen-
sus, *Ip.* 164, 6.
- sensus in Abdomine quasi ab exenteratione et vacuo,
Puls. 218, 12.
- sensus Adstrictorius in faucibus quasi ab austoris, *Acon.*
1, 9.
- sensus Adstrictorius in ventriculo quasi ab austoris,
Acon. 2, 1.
- sensus in Aere libero quasi a refrigerio, *Op.* 205, 13.
- sensus in Alvo deponenda quasi a syncope nascitura,
Verat. 256, 4.
- sensus in molimine ad Alvum deponendam, quasi via
ad rectum praecluderetur, *Op.* 205, 11.
- sensus Ardoris, (*Verat.* 268, 3.)
- sensus Ardoris in ventriculo, (*Cupr.* 121, 17)
- sensus Ardoris et formicationis totum corpus sensim
occupans, maxime brachia et crura, (*Acon.* 12, 15.)
- sensus Ardoris et formicatio in lingua et maxillis ita ut
dentes vacillare videantur, (*Acon.* 12, 13.)
- sensus Aspritudinis (rasionis) in gula, *Nux v.* 191, 5.
Ip. 163, 6. *Verat.* 256, 23.
- sensus Atoniae et vacui in ventriculo, *Ip.* 162, 9.
- sensus corrugationis quasi ab Austeris in palato, *Arn.*
19, 16.
- sensus quasi nimis plenum seu tumidum esset Brachium,
Verat. 260, 6.
- sensus in Buccis sursum deorsum micans indolorificus,
Caps. 70, 13.
- ob sensum Caloris externi, stragulorum intolerantia, *Cham.*
82, 16.

- sensus Caloris, sine calore externo et sine siti, *Cham.* 82, 11.
- sensus Caloris externi sine calore externo, *Cham.* 82, 10.
- sensus intolerabilis Caloris externi, tum respiratio cito, *Ign.* 157, 2.
- sensus Caloris interni sine calore externo (angor quem calor aëris excitare solet), *Arn.* 10, 17.
- sensus Caloris interni cum horripilatione mixtus postea calor ardens universalis, pulsus citissimus, respiratio citissima, agonizans, *Puls.* 217, 12.
- sensus Caloris interni siccii, calor externus siccus maxime frontis et faciei, cum horrore posterioris superfici corporis (brachiorum dorsi), *Cham.* 82, 1.
- sensus quasi Calor et ignis per oculos micaret, *Cham.* 81, 11.
- sensus Caloris per totum corpus, venis tumidis, sine calore externo sensibili, pedibus frigidis, (*Cinch.* 95, 13.)
- sensus Caloris nocturnus sine siti, *Puls.* 219, 5.
- sensus Caloris in ore et ventriculo, (*Camph.* 56, 4.)
- sensus Caloris primo in manibus, dein in toto corpore, in pectore adeo, sine calore externo sensibili, *Acon.* 7, 19.
- sensus Caloris volateli frigori in cubiculo calido vespertino intermisus, *Puls.* 218, 5.
- sensus Caloris universalis sine siti, *Bh.* 236, 4.
- sensus Caloris universalis inter genarum ruborem, scurilitas et capitis dolor inter movendum oculos, *Acon.* 7, 20.
- sensus Caloris faciei cum horrore corporis reliqui, *Nux v.* 189, 18.
- sensus Caloris auxii volateli, *Ign.* 157, 1.
- sensus in Capite quasi a vacuo, *Ign.* 151, 4. (*Nux v.* 187, 23.)
- sensus in Capite, quasi prolapsurus esset, inter pronationem, *Puls.* 217, 8.
- sensus in Capite (cerebro) quasi a vacuo et inanitione, *Nux v.* 187, 23.
- sensus in Capite (calido) quasi a sudore erupturo cum horrore artuum et abdominis, *Camph.* 49, 5.
- sensus distentionis in Capite (fronte), *Caps.* 67, 25, 26.
- sensus titubationis in Capite (cerebro), *Nux v.* 185, 3.

- sensus vertiginosus in Capite (Cerebro) hinc illinc trahens, *Nux v.* 185, 6.
- sensus quasi Cerebrum fissum esset, *Nux v.* 189, 1.
- sensus in Cerebro quasi a vacuo et inanitione, *Nux v.* 187, 23.
- sensus in Cerebro quasi ab aqua fluctuante, (*Bell.* 44, 16.)
- sensus Circumgyrationis, vertigo, (*Op.* 214, 7.)
- sensus Circumvolutionis in pectore et tum calor in facie, *Stram.* 240, 14.
- sensus in abdomine quasi ab alvo Constipata, *Verat.* 261, 15.
- sensus Constrictionis vehemens per totum corpus, *Nux v.* 193, 22.
- sensus Constrictorius in pectore tactu scrobiculi tantum dolorificus et respirationem praecludens, *Arn.* 21, 3.
- sensus Constrictorius in naribus, *Melamp.* 177, 13.
- sensus Contorquens, strictorius in testiculis, *Ip.* 166, 2.
- sensus in ossibus quasi Contrita essent, *Verat.* 260, 2.
- sensus quasi a Convalescentia e morbo gravi, *Acon.* 8, 8.
- sensus deliquescentiae in Cordis regione, *Cham.* 77, 1.
- sensus Corrugationis in palato quasi ab austoris, *Arn.* 19, 16.
- sensus quasi a Corrupto ventriculo, *Puls.* 221, 19.
- sensus Crepitans in temporibus, fronte, naso, *Acon.* 4, 8.
- sensus quasi a narcosi nascitura in Cruribus, *Cham.* 77, 12.
- sensus in poplitibus, quasi nimis Curti essent, post sessum inter surgendum, *Nux v.* 197, 13.
- sensus Deliquescentiae in cordis regione, *Cham.* 77, 1.
- sensus vibrans tinniens in Dentibus cum vacillatione et dolore quasi casuri essent, maxime in mordendo, *Hyos.* 132, 8.
- sensus Depressorius in vertice, *Cupr.* 118, 8.
- sensus Distentionis abdominis ad rupturam usque, suffocationem minitans, *Caps.* 66, 7.
- sensus Distentionis abdominis, *Op.* 202, 20. vide abdomen.
- sensus Distentionis in fronte, *Caps.* 67, 25. 26.
- sensus Distentionis ventriculi, *Op.* 202, 20.
- sensus Ebrietatis post pastum, *Puls.* 217, 7.
- sensus quasi ab Epistomio in gula, extra deglutitionem percipiendus, *Ign.* 154, 4.
- sensus Excoriationis in ore interno, *Stram.* 241, 16.

- sensus quasi ab Excoriatione linguae, *Arn.* 18, 16.
 sensus quasi ab Exenteratione et vacuo sensus in abdo-
 mine, *Puls.* 218, 12.
 sensus quasi ab Expansione et onere, *Melamp.* 176, 3.
 sensus quasi ab Expansione summa in abdomine, *Stram.*
 239, 15. *Val.* 251, 13.
 sensus Expansionis abdominis quasi a plenitudine post
 cibum captum, *Cinch.* 94, 16.
 sensus quasi ab Expansione summa suffocatorius in ab-
 domine, *Caps.* 66, 7.
 sensus quasi sanguinis cursus in Extremitatibus inter-
 ceptus esset, (*Acon.* 12, 17.)
 sensus Exulcerationis narium, *Arn.* 20, 13.
 sensus caloris Faciei cum horrore corporis reliqui, *Nux*
 v. 189, 12.
 sensus quasi a formicis innumerabilibus Faciem obrep-
 tantibus, (*Nux v.* 200, 17.)
 sensus piperis in faucibus, (*Verat.* 266, 9.)
 sensus in Faucibus mordax, *Hyos.* 132, 6.
 sensus siccitatis ingentis in Faucibus, (*Stram.* 244, 16.)
 sensus adstrictorius in Faucibus quasi ab austerioris,
 Acon. 1, 9.
 sensus quasi a verberatione in Femoribus volaticus,
 Cham. 89, 1.
 sensus vulsorius in Femore, *Arn.* 22, 3.
 sensus lassitudinis Femorum, *Rh.* 255, 3.
 sensus Fimi Foetoris, *Verat.* 257, 9.
 sensus Formicans in vertice, ut in narcosi obtusus,
 mistus cum depressionis sensu a vertice deorsum et
 quodam stupore, *Cupr.* 118, 7.
 sensus Formicationis et ardoris sensim totum corpus
 occupans, maxime brachia et crura, (*Acon.* 12, 15.)
 sensus quasi a Formicis innumerabilibus faciem obrep-
 tantibus, (*Nux v.* 200, 17.)
 sensus Frigiditatis in humero sine frigiditate, *Coec.*
 107, 16.
 sensus quasi ab aqua Frigida in ventriculo, *Caps.* 65, 1.
 sensus Frigiditatis in ventriculo, *Cinch.* 95, 15.
 sensus Frigoris in vertice et simul in pedibus, *Verat.*
 254, 4.
 sensus distensionis in Fronte, *Caps.* 65, 1.
 sensus in Fronte quasi a pondere prolabente dum caput
 pronatur, *Nux v.* 185, 8.

- sensus modo Gelatae aquae modo ignis volatice per venas micantis, (*Op.* 211, 16.)
- sensus in Genis, quasi a tumore magno, (*Acon.* 12, 14.)
- sensus quasi vermes reptet in Gula, *Puls.* 222, 10.
- sensus rasionis in Gula, *Nux v.* 191, 5. *Verat.* 256, 23.
- sensus quasi a tumore modo inferne modo superne sedente in Gula, *Puls.* 225, 9. *Verat.* 257, 2.
- sensus quasi ab epistomio in Gula, extra deglutitionem percipiendus, *Ign.* 154, 4.
- sensus frigiditatis in Humero sine frigiditate, *Cocc.* 107, 16.
- sensus modo Ignis volatice, modo aquae gelatae per venas micantis, (*Op.* 211, 16.)
- sensus quasi Ignis et calor per oculos micaret cum scintillatione in visu, *Cham.* 81, 11.
- sensus quasi ab Inanitione et vacuo cerebri, *Nux v.* 187, 23. *Ign.* 151, 4.
- sensus quasi ab Inanitione et vacuo in ventriculo, *Ign.* 155, 6.
- sensus in ventriculo ut ab Inedia longa, *Cocc.* 110, 16. (*Ign.* 155, 6.)
- sensus Ingratissimus in toto corpore ad desperationem suum et impotentiam animi adigens, neque dormire, neque requiescere ullo modo sinens, *Puls.* 231, 1.
- sensus in ventriculo quasi a nimia Ingurgitatione escarum, *Puls.* 221, 20.
- sensus quasi ab Intumescentia abdominis, *Caps.* 66, 6.
- sensus in Labiis mordax, *Ip.* 162, 14.
- ex sensu constrictorio titillante in Laryngis tractu, tussis, *Ip.* 165, 6.
- sensus Lassitudinis femorum, *Rh.* 235, 3.
- sensus in Latere abdominis sinistro quasi a tumore pressorio ex ventriculo cibis onusto, (*Led.* 171, 7.)
- sensus in Latere pectoris ad collum usque tractorius inter tussiculum, *Caps.* 66, 9.
- sensus in Libero aere quasi a refrigerio, *Op.* 205, 13.
- sensus piperatus titillans in Lingua, *Acon.* 2, 2.
- sensus ardoris et fornicatio in Lingua et maxillis ita ut dentes vacillare viderentur, (*Acon.* 12, 13.)
- sensus siccitatis ingentis in Lingua, (*Stram.* 244, 16.)
- sensus quasi ab excoriatione Linguae, *Arn.* 18, 16,
- sensus piperatus in Lingua, *Mez.* 180, 6.
- sensus mordax in Lingua, *Arn.* 18, 15.

- sensus in Linguae ima parte et velo palati, salivam concitans, quasi ab esu Marchantiae vel Dracunculi, *Ip.* 162, 12.
- sensus mordax in Linguae margine, *Ip.* 163, 1.
- sensus tumoris in Linguae radice inter deglutitionem dolorosi cum pharyngis dolore, *Cocc.* 110, 5.
- sensus mordacitatis in Linguae posteriori parte et velo palatino cum stupore mentis laetitiae expertis et alieno a somno, *Cham.* 83, 12.
- sensus quasi a Liquore in medullam spinalem vi injecto, (*Arn.* 23, 20.)
- sensus caloris primo in Manibus dein in toto corpore, sine calore externo sensibili, *Acon.* 7, 19.
- sensus ardoris et formicatio in lingua et Maxillis ita ut dentes vacillare videantur, (*Acon.* 12, 13.)
- sensus quasi Micaret calor et ignis per oculos cum scintillatione in visu, *Cham.* 81, 11.
- sensus Micantis per venas modo ignis volatigi modo aquae gelatae, (*Op.* 211, 16.)
- sensus sursum deorsum Micans indolorificus in buccis ardentibus, *Caps.* 70, 13.
- sensus in molimine Mingendi quasi via ad urethram paecluderetur, *Op.* 205, 12.
- sensus quasi a convalescentia e Morbo gravi, *Acon.* 8, 8.
- sensus Mordacitatis insignis in linguae posteriori parte et velo palatino, *Cham.* 83, 12.
- sensus Mordax in faucibus, *Hyos.* 152, 6.
- sensus Mordax in lingua, *Arn.* 18, 15.
- sensus Mordax salivam concitans quasi ab esu Marchantiae vel Dracunculi in velo palati et linguae ima parte, *Ip.* 162, 13.
- sensus Mordax in linguae margine, *Ip.* 163, 1.
- sensus Mordax in oculis, quasi a sale culinari insperso, *Nux v.* 189, 6. *Canth.* 57, 11.
- sensus Mordicans in ventriculo, (*Stram.* 249, 2.)
- sensus rigiditatis dolorosus in nucha Motu tantum sensibilis, *Caps.* 69, 14.
- sensus in Musculis (scapularum, dorsi, artuum) quasi aliquid rursum versum traheretur, spasmodicus magis quam dolorosus, *Nux v.* 193, 23.
- sensus quasi a Narcosi nascitura in cruribus, *Cham.* 77, 12.
- sensus in Naribus constrictorius, (*Melamp.* 177, 13.)

- sensus in Naribus strangulatorius, (*Melamp.* 177, 13.)
Caps. 65, 19.
 sensus in Naribus quasi ab ulcere, *Verat.* 257, 13.
 sensus Narium exulcerationis, *Arn.* 20, 13.
 sensus siccitatis Narium internarum, quasi a pulvere
 viarum aridarum, *Verat.* 257, 12.
 sensus Nauseabundae saturae plenitudinis in ventricu-
 lo, *Arn.* 18, 10.
 sensus tremulus in Nervis omnibus et membris, (*Op.*
 211, 15.)
 sensus Nocturnus caloris sine siti, *Puls.* 219, 5.
 sensus rigiditatis in Nucha dolorosus motu tantum sen-
 sibilis, *Caps.* 69, 14.
 sensus vulsorius in Nucha, *Caps.* 69, 13.
 sensus obturatiois aurium et susurrus, quasi avis pe-
 dibus scalpat et radat, *Cham.* 79, 2.
 sensus quasi ignis et calor per Oculos micaret cum
 scintillatione in visu, *Cham.* 81, 11.
 sensus in Oculis mordax, quasi a sale culinari insperso,
 Nux v. 189, 6. *Canth.* 57, 11.
 sensus in Oculis matutinus, quasi a corpore alieno pre-
 mente, *Puls.* 224, 23.
 sensus quasi ab Onere et expansione, *Melamp.* 176, 3.
 sensus Oppressionis et ponderis in ventriculo, (*Cinch.*
 100, 12.)
 sensus excoriationis in Ore interno, *Stram.* 241, 16.
 sensus in Ossibus quasi contrita essent, *Verat.* 260, 2.
 sensus corrugationis in Palato quasi ab austerioris, *Arn.*
 59, 16.
 sensus mordacitatis in Palati velo, *Cham.* 83, 12.
 sensus Palpebrarum siccitatis, *Verat.* 256, 17.
 sensus Paralyzans in malleolo manus sinistrae et dolor
 quasi a distortione, *Ign.* 159, 3.
 sensus constrictorius Pectoris, tactu serobiculi tantum
 dolorificus et respirationem paecludens, *Arn.* 21, 3.
 sensus rasioris in Pectore, screatum provocans, *Nux v.*
 191, 7.
 sensus siccitatis in Pectore, (*Stram.* 244, 17.)
 sensus spasmodicus per Pectus transversum, *Puls.*
 228, 7.
 sensus tractorius in Pectoris latere ad collum usque in-
 ter tussiculam, *Caps.* 66, 9.
 sensus vulsorius in Pectore, *Val.* 252, 8.
 sensus plenitudinis in Pectore asthmaticus, *Caps.* 65, 24.

- sensus circumvolutionis in Pectore et tum calor in facie, *Stram.* 240, 14.
 sensus caloris in Pectore sine calore externo sensibili, *Acon.* 7, 19.
 sensus frigoris in Pedibus et simul in vertice, *Verat.* 254, 4.
 sensus in Pharynge aspritudinis et siccitatis quae a deglutitione oritur, salivae deglutitione minuenda, *Ip.* 163, 6.
 sensus Piperatus in lingua, *Acon.* 2, 2.
 sensus Piperis in fauibus, (*Verat.* 266, 9.)
 sensus Plenitudinis in pectore asthmaticus, *Caps.* 63, 24.
 sensus Plenitudinis in ventriculo saturo nauseabundae, *Arn.* 18, 10.
 sensus Plenitudinis in ventriculo, *Arn.* 18, 10. *Rh.* 237, 9.
 sensus quasi nimis Plenum seu tumidum esset brachium, *Verat.* 260, 6.
 sensus Ponderis in abdomen, *Nux v.* 192, 1.
 sensus quasi a Pondere in ventriculo, *Acon.* 4, 13.
 sensus Ponderis et oppressionis in ventriculo, (*Cinch.* 100, 12)
 sensus in Poplitibus quasi nimis curti essent, post sessum inter surgendum, *Nux v.* 197, 13.
 sensus in capite, quasi Prolapsurus esset inter Pronationem, *Puls.* 217, 8.
 sensus Prurienti Puncitorius in cute quasi a pulicibus innumerabilibus, *Puls.* 231, 10.
 sensus quasi a Pulvere viarum aridarum in naribus, *Verat.* 257, 12.
 sensus Rasioris (aspritudinis) in gula, *Nux v.* 191, 5. *Verat.* 256, 23.
 sensus Rasioris in pectore, screatum provocans, *Nux v.* 191, 7.
 sensus quasi a Refrigerio in aëre libero, *Op.* 205, 13.
 sensus quasi Reptet vermis in gula, (*Puls.* 222, 10.)
 sensus Rigiditatis in nucha dolorosus, motu tantum, *Caps.* 69, 14.
 sensus Rigiditatis omnium articulationum et dolor simplex in motu principio summus, inter motum continuatum mitigatus cum pituitae tenacis catarrho in bronchiis, *Caps.* 70, 5.

- sensus ut a Sale culinari oculis insperso, mordax,
Canth. 57, 11. *Nux v.* 189, 6.
 sensus quasi Sanguinis cursus in extremitatibus intercep-
 tatus esset, (*Acon.* 12, 17.)
 sensus Saturo nauseabundae plenitudinis in ventriculo,
Arn. 18, 10.
 sensus Scotomiae lateralis dum oculi in rem albam fi-
 guntur, *Cham.* 75, 7.
 sensus in Scrobiculo quando tangitur, dolorificus, *Arn.*
 21, 3.
 sensus pulsuum arteriarum in Scrobiculo, *Puls.* 228, 2.
 sensus Siccitatis narum internarum quasi a pulvere
 viarum aridarum, *Verat.* 257, 12.
 sensus Siccitatis linguae cum siti aquae, anorexia, ca-
 lore volatico, sudore faciei et palpitatione cordis,
 fame canina subsequens, *Cham.* 82, 13.
 sensus Siccitatis ingentis in lingua et faucibus, (*Stram.*
 244, 16.)
 sensus caloris interni Siccii, calor externus siccus, ma-
 xime frontis et faciei, cum horrore posterioris su-
 perficie corporis, *Cham.* 82, 1.
 sensus Siccitatis nimiae in pharynge et aspritudine ea
 quae a deglubitione oritur, saliva deglutitione mi-
 nuenda, *Ip.* 163, 6.
 sensus Siccitatis in pectore, (*Stram.* 244, 17.)
 sensus Siccitatis palpebrarum, *Verat.* 256, 17.
 sensus Spasmodicus per pectus transversum, *Puls.*
 228, 7.
 sensus quasi a liquore in Spinalem medullam vi in-
 jecto, (*Arn.* 23, 20.)
 sensus Strangulatorius in naribus, (*Melamp.* 177, 13.)
 sensus Strictorius in Testiculis, *Cinch.* 97, 18. *Verat.*
 259, 14. *Ip.* 166, 2.
 ex sensu Strictorio titillante in laryngis tractu tussis, *Ip.*
 163, 6.
 sensus in capite (calido) quasi a Sudore erupturo, cum
 horrore artuum et abdominis, *Camph.* 49, 5.
 sensus quasi a Sudore erupturo, *Ign.* 157, 1.
 sensus quasi a Syncope nascitura ante alvum deponen-
 dam, *Verat.* 256, 4.
 sensus constrictorius pectoris Tactu scrobiculi tantum
 dolorificus, *Arn.* 21, 3.
 sensus Titubationis hinc inde pendens, *Ign.* 150, 7.
Nux v. 185, 3. *Acon.* 1, 6.

- sensus indolorifice Tractorius hinc inde in cerebro,
Nux v. 188, 7.
- sensus Tractorius in pectoris latere ad collum usque
 inter tussiculam, *Caps.* 66, 9.
- sensus Tractorius ab extremitatibus inferioribus ad um-
 bilicum usque, tum in umbilico convolutio seu
 depsatio, *Nux v.* 192, 6.
- sensus in musculis quasi aliquid rursum versum Tra-
 heretur, spasmodicus, *Nux v.* 193, 23.
- sensus quasi a Tremore, *Caps.* 65, 1.
- sensus Tremulus in membris et nervis omnibus, (*Op.*
 211, 15.)
- sensus Tumoris dolorosi in linguae radice, *Cocc.* 110, 5.
- sensus quasi nimis Tumidum esset brachium, *Verat.*
 260, 6.
- sensus quasi a Tumore in gula, *Puls.* 225, 9. *Verat.*
 257, 2.
- sensus quasi a Tumore magno in genis, (*Acon.* 12, 14.)
- sensus in naribus quasi ab Ulcere, *Verat.* 257, 13.
Arn. 20, 13.
- sensus in mingendi molimine quasi via ad Urethram
 praecluderetur, *Op.* 203, 12.
- sensus quasi a Vacuo et inanitione in capite, *Ign.* 151,
 4. (*Nux v.* 187, 23.)
- sensus Vacui et atoniae in ventriculo, *Ip.* 162, 9.
- sensus quasi a Vacuo et exenteratione in abdomine
 sensus, *Puls.* 218, 12.
- sensus quasi a Vacuo et inanitione in Ventriculo, *Ign.*
 155, 6.
- sensus Vacui et vappiditas in ventriculo, *Cinch.* 93, 16.
- sensus in Velo palati et linguae ima parte, salivam
 concitans quasi ab esu Marchantiae vel Draeun-
 culi, *Ip.* 162, 13.
- sensus mordacitatis in Velo palatino, *Cham.* 83, 12.
- sensus per Venas micantis modo ignis volatice, modo
 aquae gelatae, (*Op.* 211, 16.)
- sensus quasi Venae omnes frigescerent, (*Acon.* 11, 9.)
- sensus ardoris in Ventriculo, (*Cupr.* 121, 17.)
- sensus in Ventriculo ut ab inedia longa, *Cocc.* 110, 16.
- sensus in Ventriculo ut ab inedia longa, quasi a vacuo
 cum sapore fatuo in ore et lassitudine omnium mem-
 brorum, (*Ign.* 155, 6.)
- sensus frigiditatis in Ventriculo, *Cinch.* 93, 15.
- sensus quasi ab aqua frigida in Ventriculo, *Caps.* 65, 1.

- sensus quasi a Ventriculo corrupto, *Puls.* 221, 19.
 sensus quasi a pondere in Ventriculo, *Acon.* 4, 13.
 sensus in Ventriculo quasi a nimia ingurgitatione escatrum, quasi evomendae essent, *Puls.* 221, 20.
 sensus plenitudinis in Ventriculo, *Arn.* 18, 10. *Rh.* 257, 9.
 sensus mordicans in Ventriculo, (*Stram.* 249, 2.)
 sensus distentionis Ventriculi, *Op.* 202, 20.
 sensus adstrictorius in Ventriculo quasi ab austerioris, *Acon.* 2, 1.
 sensus in Ventriculo plenitudinis saturo nauseabundae, *Arn.* 18, 10.
 sensus vacui et vappiditatis in Ventriculo, *Cinch.* 93, 16.
 (sensus et) irritabilitas Ventriculi delecta, (*Bell.* 53, 10.)
 sensus quasi a Verberatione in femore volaticus, *Cham.* 89, 1.
 sensus quasi Vermis reptet in gula, *Puls.* 222, 10.
 sensus frigoris in Vertice et simul in pedibus, *Verat.* 254, 4.
 sensus in Vertice depressorius, *Cupr.* 118, 8.
 sensus in Vertice fornicans cum depressione, *Cupr.* 118, 7.
 sensus Vertiginosus in cerebro hinc illinc trahens, *Nux v.* 185, 6.
 sensus Vibrans timuiens in dentibus cum vacillatione et dolore, quasi casuri essent, maxime in mordendo, *Hyos.* 132, 8.
 sensus ingratus pernox ut a Vigilia longa in toto corpore cum capitibz vappiditate ut a crapula, *Puls.* 231, 3.
 sensus Vulsorius in femore, *Arn.* 22, 3.
 sensus Vulsorius in nucha, *Caps.* 69, 13.
 sensus Vulsorius in pectore, *Val.* 252, 7.
 quasi separata esset caro ab ossibus dolor in femorum musculis, *Dros.* 129, 11.
 serenitatis animi curarum expertis et animi morosi vivissitudines, *Op.* 204, 20.
 serenitas animi, corporis vigor, (*Hyos.* 145, 3.)
 series idearum lexez progrediens, *Ip.* 163, 9. *Cinch.* 93, 6. *Nux v.* 186, 10
 serius, de valetudine sua parum sollicitus, valetudinem aliorum scrupulose curat, *Cocc.* 106, 12.
 seriae, altae cogitationes, animo aequo composito, *Cham.* 89, 15.

- serius atrociter animus, tum querulus, *Cocc.* 106, 7.
 serosae bullae et doloriscae in pedibus, (*Bell.* 42, 4.)
 serosae bullae doloriscae in sterno, (*Bell.* 42, 11.)
 serpiginosa, fusca, pustulosa exanthemata in miento et
 gena, (*Ilyos.* 145, 9.)
 serum efflum foetens ex oculis inflammati, *Led.* 172,
 17.
 serum fundentes pustulae in pede, dolore ardente, *Puls.*
 229, 15.
 in serum et ichorem mutat ulcerum pus, *Arn.* 22, 17.
 sessu et decubitu aucta trepidatio, motu diminuta, *Puls.*
 230, 19.
 in sessu dolor femoris muscularum posteriorum, quasi a
 contusione, *Cinch.* 98, 2.
 in sessu somnolentia. in decubitu insomnia, *Cham.* 75, 3.
 in sessu et decubitu dolor juncturarum, artus motitare co-
 gens, *Cinch.* 98, 6.
 a sessu dolor simplex in glutaeis quasi a contusione, *Puls.*
 229, 13.
 post sessum asthenia paralytica in cruribus et femoribus,
 Acon. 3, 1.
 post sessum lumbago, *Led.* 171, 15, 16.
 post sessum dolorosa rigiditas dorsi, lumbi, *Led.* 171, 15.
 post sessum inter motum dolor paralyticus et quasi a contu-
 sione articulationum genu et ossis sacri, *Verat.* 260,
 19.
 post sessum inter surgendum sensus quasi nimis curtiessent
 poplitcs, *Nux v.* 197, 13.
 inter sessum dolor lacerans in musculis extensoribus, *Verat.*
 261, 2.
 inter sessum blateratio delira, nocturna, vigil, *Cham.* 82,
 12.
 post sessum inter eundum dolor tensivus genuum et calcis,
 Led. 171, 13.
 post sessum inter eundum dolor tensivus surarum, *Led.*
 171, 10.
 quasi a setis e fructibus cynosbati punctus in faucibus,
 Acon. 2, 3.
 sibilans, stertorosa inspiratio, ad suffocationem usque
 impedita, longissima cum brevissima (interdum ces-
 sante) alternans, cum faciei tumore apoplectico,
 Cocc. 109, 3.
 sibilatio bronchiorum in respiratione, *Cinch.* 97, 1. (*Jp.*
 165, 5.) (*Cham.* 87, 4.)

- sibilatio stertorosa inter somnum, *Cinch.* 97, 2.
 sibilus tinniens in aure, *Nux v.* 195, 12.
 cum sibilo per nares respiratio, (*Cinch.* 105, 3.)
 sibilus stertorosus per nares et suffocationis nasalis accessus inter somnum, *Caps.* 65, 19.
 sicca, calida cutis, (*Op.* 215, 11.)
 sicca labia, siti torrida, *Arn.* 19, 14.
 sicca lingua et munda, (*Hyos.* 141, 10.)
 sicca tussicula post decubitum vesperi, *Caps.* 66, 17.
 sicca tussicula, *Hyos.* 152, 11.
 sicca tussis, *Mez.* 180, 24.
 sicca, valida tussis inter somnum, *Cham.* 87, 9.
 cum siccissimis faucibus et lingua alba, raucedo, (*Op.* 213,
 21.)
 siccissima tussis ob pruritum in insima bronchiorum
 sede, *Arn.* 21, 9.
 siccitas faucium, *Stram.* 239, 10. (*Stram.* 244, 16.)
 Cocc. 110, 8. (*Verat.* 257, 5.)
 siccitas faucium insignis, (*Bell.* 45, 16.)
 siccitas faucium (sine siti), *Caps.* 65, 3. (*Ign.* 154, 15.)
 siccitas faucium et amaror, sine siti, cum distensione
 abdominis post pastum et genae alterius rubore,
 vesperi, *Ign.* 184, 15.
 siccitas fauciam, oris, *Caps.* 65, 3. *Cocc.* 110, 8. (*Op.*
 213, 21.)
 siccitas faucium potulentis non sedanda, *Verat.* 257, 5.
 siccitas (et ardor) Labiorum et Linguae corii adusti in-
 star, (*Hyos.* 147, 2)
 siccitatis linguae sensus cum siti aquae, anorexia, ca-
 lore volatico, sudore faciei et palpitatione cordis,
 fame canina subsequia, *Cham.* 82, 13.
 siccitatis ingentis in lingua et faucibus sensus, (*Stram.*
 244, 16.)
 siccitas linguae, *Cham.* 82, 15. (*Stram.* 244, 16.)
 siccitas linguae cum siti inextinguibili, *Cham.* 82, 15.
 siccitas in naribus, *Hyos.* 132, 10. (*Bell.* 46, 3.)
 siccitatis narium internarum sensus, quasi a pulvere
 viarum aridarum, *Verat.* 257, 12.
 siccitas oculorum et sensus matutinus quasi a corpore
 alieno premente, *Puls.* 224, 23.
 siccitas oculorum, *Puls.* 224, 23. (*Bell.* 46, 3.)
 siccitas oesophagi, (*Bell.* 46, 3.)
 siccitas in ore, faucibus, naso, per quatuor horas,
 (*Bell.* 40, 3.)

- siccitas oris, (*Cinch.* 103, 14.) (*Hyos.* 149, 11.) (*Bell.* 41, 16. 46, 3.) *Caps.* 65, 3.
 siccitas oris, faucium, *Cocc.* 110, 8. (*Op.* 214, 6.)
 siccitas oris vix delenda, (*Bell.* 40, 1.)
 siccitas oris ut verba vix proferre possit, (*Op.* 214, 6.)
 siccitas oris cum siti, (*Bell.* 36, 5.)
 siccitas oris et amaror sine siti cum distentione abdominis et genae alterius rubore post pastum, *Ign.* 154, 15.
 siccitas oris, quasi cutis faucium a materia mordicante et acri degluberetur, (*Bell.* 58, 13.)
 siccitas palpebrarum, *Ip.* 165, 13. *Puls.* 224, 21. *Cham.* 81, 3. *Cocc.* 109, 12.
 siccitas palpebrarum summa, *Verat.* 256, 13.
 siccitatis palpebrarum sensus, *Verat.* 256, 17.
 siccitas palpebrarum marginis utriusque summa, *Cham.* 81, 3.
 siccitas palpebrarum maxime post somnum, *Verat.* 256, 14.
 siccitas palpebrarum cum raucedine catarrhosa asperae arteriae, *Cham.* 87, 6.
 siccitas palpebrarum superiorum quasi pressoria, *Acon.* 7, 18.
 siccitas palpebrarum cum somnolentia, *Ip.* 165, 12.
 siccitatis pectoris sensus, (*Stram.* 244, 17.)
 ut a siccitate nimia sensus in pharynge et aspritudine ea, quae a deglubitione oritur et salivae vel potus ordinarii deglutitione minuitur et fugatur, *Ip.* 165, 6.
 a sicco quasi pulvere viarum aridarum irritatio in naribus, *Verat.* 257, 12.
 siccus calor internus cum horrore, *Cham.* 82, 1.
 siccus calor nocturnus cum comate* somnolento phantasiis deliris, *Puls.* 227, 2.
 siccus calor internus cum frigore totius corporis (calidis auriculis et fronte), *Acon.* 1, 2.
 signa digestionis impeditae et debilis, *Ign.* 154, 9.
 simplex dolor parvi spatii, tactu tantum percipiendus, *Ign.* 158, 15.
 simplex dolor seu quasi a confractione omnium Articulationum, inter motum maxime, cum asthenia artuum, sine tamen lassitudine completa, *Cham.* 77, 11.
 simplex dolor omnium Articulationum inter movendum, *Rh.* 237, 3. *Cham.* 88, 17.

- simplex dolor omnium Artuum, *Mez.* 180, 20.
 simplex, parvi spatii dolor in Costa, tactu quidem, sed
 nec tussi nec respiratione exasperandus, *Caps.* 69,
 18.
 simplex dolor Faucium motu partium et deglutitione
 auctus, *Cham.* 83, 15.
 simplex dolor quasi a contusione in Glutaeis (a sessu),
 Puls. 229, 13.
 simplex dolor Iuncturarum in sedendo et decumbendo,
 Cinch. 98, 6.
 simplex dolor Iuncturarum quasi rigidae essent et dif-
 fringerentur, *Cham.* 88, 11.
 simplex dolor in Pharynge, *Cocc.* 110, 5.
 simplex dolor in Testiculis, sive is, qui post conqua-
 sationem restat, *Acon.* 6, 9.
 simplicis doloris Tormina, *Mez.* 181, 5. *Op.* 205, 7.
 singulae vulsiones brachiorum, *Op.* 204, 18. (*Op.* 205,
 13.)
 singuli lancinatus in pectore, *Rh.* 257, 1. *Cham.* 88, 4.
 singuli, volatichi lancinatus in hemicranio dextro, *Cham.*
 80, 13.
 singuli, volatichi lancinatus in pectore, *Cham.* 88, 4.
 singultus, *Verat.* 256, 21. (*Dig.* 125, 8.) (*Stram.* 249,
 13.) (*Cocc.* 115, 2.) (*Cupr.* 119, 15. (*Hyos.* 146, 6.)
 (*Melamp.* 177, 7.) (*Stram.* 248, 19.) (*Verat.* 265, 4.
 266, 14. 267, 23.)
 singultus convulsivus, brachia et totum corpus concu-
 tiens, (*Mez.* 180, 21.)
 singultus convulsivus, (*Op.* 209, 5.)
 singultus creber, *Nux v.* 190, 18.
 singultus ructuosus, *Bell.* 27, 4.
 cum sistitur pes, dolor vibrans, *Arn.* 22, 14.
 inter situm potulenta ventriculum aggravant, *Nux v.* 191, 23.
 sitis, (*Melamp.* 177, 6.) (*Mez.* 182, 8.) *Dros.* 129, 13.
 sitis anxia, (*Bell.* 31, 11.)
 sitis aucta, (*Bell.* 37, 1.)
 sitis dira, (*Verat.* 267, 14.)
 sitis indelebilis, (*Hyos.* 143, 3.)
 sitis inextinguibilis, lingua sicca, *Cham.* 82, 15.
 sitis intensa, (*Stram.* 248, 16.) *Bell.* 30, 7.
 sitis intolerabilis, (*Hyos.* 139, 15.)
 cum siti magna, sine appetentia caloris, sine fuga aëris li-
 beri et sine calore subsequi, frigiditas maxima,
 Mez. 179, 8.

- sitis molesta post vomitum, (*Acon.* 13, 17.)
 sitis molestissima, (*Bell.* 33, 3.)
 sitis molestissima cum ptyalismo, (*Stram.* 248, 1.)
 sitis vehemens. (*Nux v.* 199, 5.)
 sitis vespertina et expurgiscentia nocturna cum dolore,
 Cham. 82, 14.
 sitis cum calore, (*Op.* 208, 15.)
 sitis cum calore et rubore faciei, *Cocc.* 111, 17.
 sitis et calor faciei cum dolore in fronte punctorio, sub-
 latione oculorum aucto, *Arn.* 20, 6.
 siti torrida et sicca labia, *Arn.* 19, 14.
 sitis cum siccitate oris, (*Bell.* 56, 5.)
 sitis cum calore magno, (*Acon.* 13, 14.)
 sitis sine calore externo pupillis parum dilatabilibus,
 Arn. 19, 15.
 sitis post singulam sedem pituitae tenacis vel atro san-
 guine intermixtae cum torminibus dissidenti con-
 torquentibus, *Caps.* 69, 3.
 sitis inter justam corporis temperaturam et tamen potu-
 lenta ventriculum adgravant, *Nux v.* 191, 23.
 sitis inter frigus, *Op.* 201, 9.
 sitis cum frigido faciei sudore, *Cinch.* 92, 5.
 sitis vespertina et expurgiscentia nocturna cum dolore,
 Cham. 82, 14.
 sitis tantum Aquosorum cum frigore febrili, *Mez.* 179,
 10.
 sitis Aquae cum calore inter lecti appetentiam et pulsu
 magni, frequente, *Nux v.* 194, 15.
 sitis Aquae cum calore horripilationi juncto, *Caps.*
 70, 3.
 sitis Aquae et sudores volatili crebri faciei et volarum
 manuum, *Cham.* 82, 2.
 sitis Aquae cum sensu siccitatis linguae, anorexia, ca-
 lore volatili, sudore faciei et palpitatione cordis,
 fame canina subsequens, *Cham.* 82, 13.
 sitis Aquae nocturna cum calore capitis interno, post
 horripilationem, *Led.* 172, 17.
 sitis immanis Aquae frigidae, (*Bell.* 37, 11.)
 sitis Aquae vespertina, *Puls.* 232, 9.
 sitis frigidorum, maxime Cerevisiae, *Cocc.* 111, 18.
 sitis Cerevisiae post angustiam ex calore et horrorem
 praegressum, *Nux v.* 189, 14.
 sitis Cerevisiae cum frigore, *Nux v.* 189, 15.

- sitis intensissima maxime Cerevisiae et lingua albida
 post calorem evanidum, *Puls.* 232, 10.
- sitis Frigidorum, maxime cerevisiae, *Cocc.* 111, 18.
- sitis absentia, *Caps.* 65, 7. *Bell.* 26, 13. *Ip.* 162, 11.
Puls. 218, 7. vide et *adipsia*, et *potulentorum anorexia*.
- siti ardente et aestu excruciata potum modo desiderat,
 modo repellit exhibitum, (*Bell.* 32, 1.)
- sine siti calor universalis, venae tumidae, respiratione ci-
 tissima, *Camph.* 50, 7.
- sine siti caloris universalis sensus, *Rh.* 236, 4.
- sine siti caloris nocturni sensus, *Puls.* 219, 5.
- sine siti calor et sudor universalis, *Stram.* 241, 6.
- sine siti et sine calore externo, caloris sensus, *Cham.* 82, 11.
- sine siti calor capitinis, manuum, pedum, *Camph.* 50, 5.
- sine siti, venis tumidis, calor in toto corpore aliquantum
 auctus, pupillis dilatabilibus, *Cinch.* 95, 14.
- sine siti calor in toto corpore aliquantum auctus, venae tu-
 midac, pupillae dilatatae, *Cinch.* 95, 14.
- sine siti aestus internus, (*Verat.* 265, 3.)
- sine siti calor universalis, *Led.* 172, 14.
- sine siti genae rubrae, calidae, *Nux v.* 189, 13.
- sine siti oris siccitas, *Caps.* 65, 3.
- sine siti oris siccitas et amaror cum distentione abdominis
 post pastum et genae alterius rubore, vesperi, *Ign.*
 154, 15.
- sine siti calor internus ad caput adscendens, *Ign.* 156, 12.
- sine siti calor internus, ab hora in horam auctus, cum pulsu
 pleno; tum agrypnia, *Nux v.* 194, 8.
- sine siti calor externus universalis, *Led.* 172, 14.
- soda, *Caps.* 65, 4. 68, 10. *Nux v.* 190, 2. (*Arn.* 23,
 12.)
- quasi a soda nascitura dolor ventriculi, cum angustia pecto-
 ris quasi a flatibus cum pressionis sensu in epiga-
 strio restagnantibus, postea ardor in spina dorsi,
Cham. 84, 21.
- post sodam qualis remanet asperitatis et rasioris sensus in
 gula, *Nux v.* 191, 5.
- soda post pastum, *Caps.* 68, 9.
- soda post saporem insulsum in ore, *Caps.* 65, 4.
- solemnia inepte facta, ferociae intermista, vestitu in-
 concinno, (*Hyos.* 137, 11.)
- solicita nimis et anxia cura ob minima, *Cinch.* 94, 3.

- solicitus parum de sua valetudine, aliorum valetudinem scrupulose curat, *Cocc.* 106, 12.
 sollicita nimis circumspectio, *Cinch.* 94, 2.
 solicitudine plenus (curiosus) animus, *Ip.* 165, 15.
 solicitudo taciturna in semet versa, *Nux v.* 190, 3.
 a solida esca et spissiore (carne, pane) vomitatio, *Puls.*
 222, 7.
 soliloqua blateratio, (*Hyos.* 142, 2.)
 somnus, (*Hyos.* 139, 13.) (*Stram.* 250, 11.)
 somniare sibi videtur vigilans quodammodo sensum
 perturbatio, in somnum prona, (*Bell.* 45, 1.)
 somnifera virtus, (*Rh.* 238, 7.)
 somni expers sopor cum exspiratione cita et cephalalgia
 frontis lacerante, vomitativa, *Cham.* 74, 17.
 inter somnum Aestuatio, concussions, ejulatus, blatera-
 tio, *Cham.* 83, 4.
 in somno Agitatio, *Puls.* 232, 5.
 inter somnum Agitatio, blateratio, pavor concussorius,
 Acon. 6, 5.
 somnus Agitatorius, comatosus, inquietus, *Puls.* 232, 1.
 somnus Altus, (*Hyos.* 136, 13.)
 somnus Altus cum rubore genarum, frigore corporis et
 calore capitis interno, *Nux v.* 189, 17.
 somnus Altus, stertorosus cum contractione spasmodi-
 ca cruris rara, (*Stram.* 246, 9.)
 somnus Altus nimis, (*Verat.* 261, 7.)
 somnus Altus, longus post vomitum, (*Bell.* 37, 15.)
 inter somnum Alvi involuntaria exoneratio, *Arn.* 22, 19.
 somnum capturi et oculos claudentis Angor intolerabi-
 lis, (*Op.* 213, 10. 215, 6.)
 somnus Angore impeditus, *Bell.* 26, 17.
 somnus ob Angorem horribilis, (*Op.* 215, 6.)
 somnus Angore terribili impeditus, *Cocc.* 108, 20.
 somnus molestus insomniis gravibus, vel evigilantem
 Angentibus de impedimentis removendis, *Cinch.*
 97, 5.
 somnus Anxious, insomniis vexatus tristissimis, ita ut
 sommolentus in perpetuo delirio versari videretur,
 (*Op.* 212, 14.)
 somnus Anxious, insomniis obrutus, (*Op.* 213, 24.)
 inter somnum Blateratio, agitatio, pavor concussorius,
 Acon. 6, 5.
 somnus Blateratione, ejulatu, aestuatione, concussio-
 nibus interruptus, *Cham.* 83, 4.

- in somno Blateratio cum calore magno, (*Stram.* 247, 3.)
 inter somnum Blateratio, *Puls.* 232, 3.
 inter somnum Brachia pone caput porrecta, *Verat.* 256, 16.
 somnus pomeridianus cum Calore corporis ardente,
 post horripilationem cum torminibus et debilita-
 tem, *Ign.* 156, 19.
 somnum Capere non potest dormituriens, (*Op.* 213, 10.
 215, 6.) (*Cinch.* 97, 6.) (*Bell.* 26, 17.) (*Cocc.* 108,
 20. 109, 1.)
 somno auctus Capitis dolor, *Cocc.* 113, 12.
 somnum Capturi et oculos clandentis angor intolerabili-
 lis, (*Op.* 215, 6.)
 somnum Capturi pavor concussorius, *Bell.* 26, 19.
 somnum Capturi dolores et osteocopi, tactu excitandi,
 et subtile, *Caps.* 68, 1.
 somni Captatio frustranea, (*Bell.* 31, 12.)
 inter somnum Caput reclinatum, *Rh.* 236, 9.
 inter somnum supra Caput protensa manus, *Rh.* 236, 11.
 e somno evigilatio spontanea cum Clamore, (*Hyo.*
 142, 14.)
 somnus Clamoribus interruptus, *Caps.* 65, 18. *Cham.*
 83, 3. 4. *Cinch.* 97, 4. 7.
 in somno Clamor de cane atro, feli, *Puls.* 232, 4.
 inter somnum Clamor miserabilis, *Op.* 202, 12.
 somnus nimis protractus, statim Comatosus, palpebris
 clausis, phantasticus, insomniosus, *Puls.* 232, 8.
 somnus Comatosus, inquietus, agitatorius, *Puls.*
 232, 1.
 somni Comatosi species, palpebris semiclanis, bulbis
 retortis, ore plus minus aperto, inspiratione ster-
 torosa, *Op.* 202, 6.
 inter somnum Concussiones, terrores, *Arn.* 22, 18. *Puls.*
 232, 6.
 inter somnum Concussiones ad morsuram linguae usque,
 Mez. 181, 19.
 somnus Concussionibus, aestuatione, ejulatu, blatera-
 tione interruptus, *Cham.* 83, 4.
 inter somnum pavor Concussorius, agitatio, blateratio,
 Acon. 6, 5.
 somnium capturi Concussiones terrifcae ob phantasias
 monstrosas, vel post experreptionem aliquamdiu
 vigentes, *Ign.* 155, 19.
 somnium capturi Concussorius pavor, *Bell.* 26, 19.
 somnium impeditentes Concussiones, *Verat.* 255, 10.

- somnum impediens Constrictorius ventriculi dolor,
Cocc. 108, 22.
- in somno maxime Crampoide, subiti, immanes dolores,
 partem dolentem incurvare cogentes, *Bell.* 27, 14.
- inter somnum Decubitus pronus in abdomine, (*Cocc.*
 109, 2.)
- somnus cum Deliriis perpetuis, (*Op.* 212, 14.)
- inter somnum vesperi Delirium, ambulatio in lecto, oculis clausis, taciturna inter calorem corporis magnum, *Rh.* 236, 10.
- somnus Ejulatiorius, inquietus, capite reclinato, *Rh.* 236, 9.
- somnus stertorosus, Ejulatorius, infantum, *Cinch.* 97, 4.
- somnus Ejulatorius, *Cinch.* 83, 3. *Ip.* 163, 8. *Cham.* 83, 3. 4.
- in somno Ejulatio suspiriosa, *Nux v.* 187, 20.
- inter somnum Ejulatus, *Cham.* 83, 3.
- somnus concussionibus, aestuacione, Ejulatu, blateratione interruptus, *Cham.* 83, 4.
- ex somno Excitatur sponte, cum clamore, (*Hyos.* 142, 14.)
- ex somno Evigilatio crebra, *Cocc.* 108, 21. vide et *agrypnia*.
- inter somnum Excrementorum secessus involuntarius, *Arn.* 22, 19.
- somnum capturi Expavescientia, *Cinch.* 97, 6.
- ex somno Expergefactio cum amaurosi, (*Bell.* 37, 16.)
- ex somno Expergiscenti cephalalgia pressoria, *Bell.* 27, 11.
- ex somno Expergiscenti cephalalgia in vertice obtuse pressoria, *Verat.* 257, 18.
- ex somno Expergiscenti capitis infatuatio, quasi se ipsum non nosceret, (*Caps.* 64, 2.)
- ex somno Expergiscenti succussio et delirium de apibus abigendis, *Puls.* 232, 7.
- ex somno Expergiscenti dolor capitinis in fronte pressorio pulsatorius, *Mez.* 180, 14.
- ex somno Expergiscenti languor cordis, (*Op.* 216, 5.)
- ex somno Expergiscenti constrictio pectoris dolorifica, suffocatoria, considere cogens, *Dig.* 123, 9.
- ex somno Expergiscenti extensio artuum convulsiva momentanea, *Bell.* 29, 10.
- ex somno Expergiscenti anxietas nocturna, quasi crimen commisisset, *Puls.* 218, 19.
- ex somno Expergiscenti gravitas corporis, *Rh.* 236, 12.
- ex somno Expergiscenti halitus ex ore foetidus, *Rh.* 236, 16.

- ex somno Expergiscendi intolerantia interpellationum, pulsillis aegre dilatabilibus et contractilibus, *Cham.* 76, 16.
- ex somno Expergiscendi lacerans dolor in manuum maloleo, *Ign.* 155, 11.
- ex somno Expergiscendi morositas maxima, *Mez.* 181, 18.
- ex somno Expergiscendi languor cordis, (*Op.* 216, 5.)
- ex somno Expergiscendi morositas, taedium cessant, *Caps.* 65, 20.
- ex somno Expergiscendi morositas summa, mordet adstantes, (*Bell.* 40, 3.)
- ex somno Expergiscendi nausea vomituriens, (*Op.* 216, 9.)
- ex somno Expergiscendi os internum muco foetido obductum, *Rh.* 236, 14.
- ex somno Expergiscendi linguae motus impeditus, (*Op.* 214, 5.)
- ex somno Expergiscendi palpebrae materia purulenta conglutinatae, *Rh.* 236, 13.
- ex somno Expergiscendi palpebrae siccae, dolentes quasi ab attritu, rigidae, conglutinatae, *Verat.* 256, 4.
- ex somno Expergiscendi palpebrae conglutinatae, ut in lippitudine sicca, *Cham.* 81, 7.
- ex somno Expergiscendi, pressio in scrobiculo, inter inspirandum per sternum propagata, inque dolorem quasi a verberatione transiens, *Rh.* 236, 17.
- ex somno Expergiscendi impotentia virilis, (*Op.* 216, 14.)
- ex somno Expergiscendi sapor putridus, *Rh.* 236, 15.
- ex somno Expergiscendi et circa vesperam suffocationis paroxysmus quasi a pituita caput laryngis occupante, *Cinch.* 92, 10.
- ex somno Expergiscendi tussis, cava, sicca, *Ign.* 157, 15.
- ex somno Expergiscendi et post decubitum impossibilitas incendi ob dolorem quasi a contritione intollerabilem in femoris capite, *Acon.* 2, 18.
- somnus Gemebundus, suspiriosus, inquietus, (*Op.* 216, 8.)
- inter somnum Gemitus singuli cum sudore frontis calido, viscido, *Cham.* 82, 5.
- inter somnum Gemitus vagitosi, *Op.* 202, 11.
- quasi e somno altissimo expperfecti Gravitas totius corporis, *Rh.* 235, 2.

- somnus Horribilis, oculis clausis amens sibi esse videatur, (*Op.* 215, 6.)
- somnus Immodicus, (*Hyos.* 136, 5.)
- somnus Impeditus angore, *Bell.* 26, 17. *Cocc.* 108, 20.
Op. 213, 10. 24.
- somnus Impeditus dolore ventriculi constrictorio, *Cocc.* 108, 22.
- somnus Incipiente vulsiones singulae membrorum, *Cham.* 75, 13.
- somnus Inquietus, gemebundus, suspiriosus, (*Op.* 216, 3.)
- somnus Inquietus, ejulatorius, capite reclinato, *Rh.* 236, 9.
- somnus Inquietus, parum resiciens, *Mez.* 181, 16.
- somnus Inquietus, comatosus, agitatorius, *Puls.* 232, 1.
- somnus Insomniis plenus, *Cinch.* 97, 5. 7. *Caps.* 65, 17.
Op. 202, 13. *Puls.* 232, 2.
- somnus Insomniis luculentis plenus, *Cham.* 83, 1.
- somnus Insomniis gravibus vel evigilantem angentibus, *Cinch.* 97, 5.
- somnus turbulentus, plenus Insomniis, vociferationibus, *Cinch.* 97, 7.
- somnus turbulentus et Insomniis gravis, (*Op.* 214, 4.)
- somnus Insomniosus, *Caps.* 65, 17. *Puls.* 232, 2.
- somnus Insomniosus, phantasticus, *Cham.* 82, 17.
- somnus nimis protractus, statim comatosus (palpebris clausis), phantasticus, Insomniosus, *Puls.* 232, 8.
- somnus Insomniis tristissimis vexatus, anxius, ita ut somnolentus in perpetuo delirio versari videretur, (*Op.* 212, 14.)
- somnus molestus Insomniis gravibus (vel evigilantem angentibus) de Impedimentis removendis, *Cinch.* 97, 5.
- somnus cum Inspiratione, sibilo stertoroso, per nares stipata, et suffocationis nasalis accessibus, *Caps.* 65, 19.
- somnus cum Inspiratione stertorosa, *Ign.* 157, 3. *Rh.* 236, 8. *Op.* 202, 6. (*Cinch.* 97, 2. 3.) *Cham.* 83, 7.
- in somno stertor in exspiratione et Inspiratione, *Camph.* 50, 12.
- inter somnum Inspiratio stertorosa, citior quam exspiratio, *Cham.* 83, 8.
- inter somnum maxime intercepta per nares Inspiratio, *Aeon.* 6, 4. *Caps.* 65, 19.

- somnus Levior, *Acon.* 8, 10.
 somnus tam Levis ut minima exaudiantur, *Ign.* 157, 5.
 somnus altus, Longus post vomitum, (*Bell.* 37, 15.)
 somnus Longus, (*Stram.* 243, 12.)
 somnus (Longus) trium dierum, (*Hyos.* 135, 15.)
 somnus (Longus) duorum dierum, (*Hyos.* 136, 19.)
 somnus Longus, profundus, (*Hyos.* 143, 7.)
 inter somnum Manus supra caput protensae, *Rh.* 236, 11.
 inter somnum Mictio involuntaria, (*Cham.* 86, 17.) *Arn.*
 22, 19.
 inter somnum per Nares intercepta inspiratio, *Acon.* 6, 4.
 somnus cum sibilo per Nares et suffocationis accessibus, *Caps.* 65, 19.
 inter somnum Nausea vomituriens emergens, sine vomitu, cum appetitu integro vel panis fusci, *Puls.* 222, 5.
 in somno Oculus ille seniclausus, hic apertus, cum iride retorta morientium instar, *Cinch.* 93, 11.
 somnus post Oscitationem, (*Camph.* 53, 6.)
 in somno Palpebrae conglutinatae, *Verat.* 256, 15.
 post somnum Palpebræ siccae, *Verat.* 256, 14.
 somnus cum Pavoribus quasi ob casum ab alto, *Caps.*
 65, 18.
 somnum capturi Pavor concussorius, *Bell.* 26, 14.
 inter somnum Pavor concussorius, agitatio, blateratio, *Acon.* 6, 5.
 in somno Pavor, (*Cocc.* 109, 1.) (*Verat.* 255, 10.) (*Arn.* 22, 18.) *Puls.* 232, 6. *Caps.* 65, 18. *Acon.* 6, 5.
 (*Bell.* 26, 14.) (*Op.* 216, 3.)
 somnus Phantasticus, insomniosus, *Cham.* 82, 17.
 somnus nimis protractus, statim comatosus, Phantasticus, insomniosus, *Puls.* 232, 8.
 somnus Placidus profundus, (*Hyos.* 145, 2.)
 somnus Pomeridianus, cum calore ardente, post horripilationem cum torminibus et debilitatem, *Ign.* 156, 14.
 inter somnum Priapismus, (*Op.* 216, 13.)
 somnus Profundus, placidus, (*Hyos.* 145, 2.)
 somnus Profundus, (*Bell.* 34, 14.) *Ign.* 156, 1. (*Verat.* 261, 7. (*Nux v.* 189, 17.)
 somnus Profundus, longus, (*Hyos.* 143, 7.)
 somnus Profundus 24 horarum, (*Bell.* 42, 16.)
 somnus Profundus, statim post vomitum, (*Bell.* 37, 15.)
 inter somnum Pronus in abdomen decubitus, *Cocc.* 109, 2.

- in somnum Prona perturbatio sensuum somniare sibi videtur, et si quodammodo vigilans, (*Bell.* 45, 1.)
- in somnum Prospensio incoercibilis, (*Hyos.* 138, 9.)
- somnus Protractus nimis, comatosus, phantasticus, insomniosus, *Puls.* 232, 8.
- somnus cum Pulsu et Respiratione auctis, (*Camph.* 52, 6.)
- somnus Quietus, (*Stram.* 248, 10.) (*Acon.* 13, 4.) (*Hyos.* 145, 2.) (*Bell.* 43, 7.)
- inter somnum Reclinatum caput, *Rh.* 236, 9.
- somnus parum Reficiens inter sudorem universalem, (*Op.* 214, 1.)
- inter somnum alternans Respiratio omnis generis, brevis, lenta, gravis, lenis, evanida, stertorosa, *Ign.* 157, 4.
- inter somnum Secessus excrementorum involuntarius, *Arn.* 22, 19.
- inter somnum Sibilatio stertorosa, *Cinch.* 97, 2.
- somnus cum Sibilo per nares et suffocationis accessibus, *Caps.* 65, 19.
- somnus, somnolentia, *Acon.* 3, 11.
- somni expers Sopor, coma vigil, impotentia oculos aperiendi cum exspiratione cito, *Cham.* 74, 17.
- in somno Stertor in exspiratione et inspiratione, *Camph.* 59, 12.
- inter somnum Stertorosa inspiratio, *Rh.* 236, 8. *Ign.* 157, 3.
- Op.* 202, 6. *Cinch.* 97, 2. 4. *Cham.* 83, 7. 8.
- inter somnum Stertorosa sibilatio, *Cinch.* 97, 2.
- somnus Stertorosus post genae dextrae ruborem et pupillas contractas, *Cham.* 81, 8.
- somnus Stertorosus, *Cinch.* 97, 2. 4.
- somnus Stertorosus, ejulatorius infantum, *Cinch.* 97, 4.
- inter somnum alternans omnis generis respiratio, brevis, lenta, gravis, lenis, evanida, Stertorosa, *Ign.* 157, 4.
- inter somnum Stridor dentium cum tussi, *Bell.* 29, 9.
- a somno alienus et laetitiae expers Stupor mentis, *Cham.* 74, 16.
- e somno Succusoria experrectio et delirium de apibus abigendis, *Puls.* 232, 7.
- somnus Succussionibus terrorificis interruptus, (*Op.* 216, 3.)
- inter somnum Succussions ad morsuram linguae usque, *Mez.* 181, 19.

- somnum impedientes Successiones, *Verat.* 255, 10.
 inter somnum parum sufficientem Sudor universalis, (*Op.*
 214, 1.)
 inter somnum Sudor maxime capitisi, *Cham.* 82, 6.
 inter somnum Sudor, (*Bell.* 40, 19.)
 somnus cum sibilo per nares et Suffocationis accessibus,
Caps. 65, 19.
 in somno ejulatio Suspiriosa, *Nux v.* 187, 21.
 somnus inquietus, gemebundus, Suspiriosus, (*Op.*
 216, 8.)
 post somnum cessant Taedium et morositas, *Caps.* 65, 20.
 inter somnum succussio, Terror, *Puls.* 252, 6.
 inter somnum Terrores, concussions, *Arn.* 22, 18. (*Caps.*
 65, 18.)
 somnus crebris Terroribus et vigiliis interruptus, *Cocc.*
 109, 1.
 in somno Terror, *Verat.* 255, 10. *Arn.* 22, 18.
 somnus Tranquilles, (*Stram.* 248, 10.) (*Acon.* 13, 9.)
 (*Bell.* 43, 7.)
 somnus Tranquillus inter convulsionum mitigationem,
(Stram. 247, 11.)
 somnus Turbatus, (*Cinch.* 100, 6.)
 somnus Turbulentus, plenus insomniis, vociferationi-
 bus, (*Cinch.* 97, 7.)
 somnus Turbulentus, *Cinch.* 97, 7. *Ip.* 163, 8. *Stram.*
 241, 8. (*Stram.* 248, 9.)
 somnus Turbulentus, ejulatorius, *Ip.* 163, 8.
 inter somnum Tussis valida cum stridore dentium, *Bell.*
 29, 9.
 inter somnum Tussis (nocturna), *Arn.* 21, 10.
 inter somnum Tussis valida, sicca, *Cham.* 87, 9.
 in somno Vagitosi gemitus, *Op.* 202, 11.
 inter somnum Vagitus, *Cham.* 83, 2.
 somnum impediens Ventriculi constrictorius dolor,
Cocc. 108, 22.
 somnus crebris Vigiliis et terroribus interruptus, *Cocc.*
 109, 1.
 somnus Vociferationibus, et insomniis plenus, turbu-
 lentus, *Cinch.* 97, 7.
 somnus altus longus statim post Vomitum, (*Bell.* 37, 15.)
 in somno Vulsiones singulae artuum et totius corporis,
Puls. 230, 16.

- somno incipiente Vulsiones singulae membrorum, *Cham.*
 75, 13. Ign. 155, 18.
 quasi somnolenta murmurat, (*Bell. 32, 18.*)
 somnolentia, *Bell. 26, 18. Ip. 165, 7. Acon. 5, 11.*
 Rh. 236, 7. (Op. 205, 10.) vide et sopor et dormituritio et coma.
 somnolentia maxima, *Cham. 75, 2.*
 somnolentia turbulenta, (*Bell. 53, 14.*)
 somnolentia cum succussionibus somnum impedientibus, postea motus febres, *Verat. 255, 10.*
 somnolentia post intelligentiae hebetudinem, *Cham.*
 75, 2.
 somnolentia, palpebras aperiendi impotentia, (*Hyos.*
 138, 6.)
 somnolentia cum siccitate palpebrarum, *Ip. 165, 12.*
 somnolentia continua, diurna, albuginea icterodes, nau-
 sea vel minos ingratorum etiam absentium, laboris
 fuga, *Cinch. 95, 4.*
 somnolentia cum horrore singularum partium non qui-
 dem frigidorum, *Cham. 75, 4.*
 somnolentia diurna, *Mez. 181, 15.*
 somnolentia diurna dum sedet, dum decumbit insomnia
 vigil, *Cham. 75, 3.*
 somnolentia, somnus, *Acon. 5, 11.*
 somnolentus in perpetuo delirio versari videtur, (*Op.*
 212, 14.)
 sonori borborygmi matutini, *Nux v. 192, 3.*
 sum sonora et valida exspiratione asthma, *Acon. 6, 1.*
 sonus surdus continuus aurium, lipothymia subsequens,
 (*Acon. 15, 2.*)
 sopor, vide et coma, et somnolentia, et dormituritio.
 sopor, *Cocc. 108, 18. Dig. 124, 1. Verat. 262, 10.*
 (*Ign. 151, 3. Bell. 38, 10. 44, 11. (Hyos. 141, 19.)*
 (*Camph. 53, 22.*)
 sopor, coma vigilans, *Verat. 262, 10.*
 sopore evanido et vi perceptionis et intelligentiae rede-
 unte, pupillae dilatabiliores, *Cham. 90, 1.*
 sopor fatalis, (*Acon. 15, 18.*)
 sopor profundissimus cum subsultu tendinum, facie
 pallida, frigida, manibus frigidis et pulsu duro,
 parvo, celeri, (*Bell. 33, 11.*)
 sopor profundissimus, *Bell. 30, 10.*
 sopor cum pulsu exili, debili, inaequali, (*Bell. 36, 3*)

sopor et stupor talis ut nec quidquam responsi ipsi extorqueri posset, (*Op.* 216, 15.)
 sopor somni expers cum exspiratione cito et cephalalgia frontis lacerante, vomituritiva, *Cham.* 74, 17.
 sopore suppressus jacet; coma, (*Op.* 215, 7.)
 inter soporem emergens nausea vomituriens sine vomitu, cum appetitu integro vel panis fusi, *Puls.* 222, 5.
 soporifera, nauseabunda, fodientia tormina dysenterica, *Arn.* 19, 1.
 soporosa febris, cum vulsionibus artuum et capitis, *Cham.* 75, 14.
 soporosus affectus, (*Bell.* 32, 11.)
 in sorbitione sensus, quasi potulenta jugulatura essent, (*Hyos.* 138, 10.)
 spasmus, vide et vulsio, convulsio, coarctatio, constrictio, crampus, tensio, tentigo.
 spasmi, (*Melamp.* 178, 3.) (*Camph.* 54, 7.) (*Dig.* 127, 1.)
 (*Hyos.* 148, 6.) (*Ign.* 160, 7.)
 spasmi, convulsiones, (*Melamp.* 177, 11.)
 spasmi abdominis, (*Nux v.* 198, 10.)
 spasmi oculorum, (*Bell.* 43, 14.)
 spasmi continui oculorum, manuum, (*Bell.* 35, 7.)
 spasmi abdominalium musculorum, quasi a vivo animali intus tumultuante, *Hyos.* 132, 16.
 spasmi dirissimi in primis flectentium musculorum, (*Bell.* 32, 9.)
 spasni, inquietudo, delirium reiterant circa vespertinam horam septimam, (*Bell.* 43, 6.)
 spasmis flectuntur artus et trunco flexo corpus in altum proicitur, (*Hyos.* 134, 4.)
 ex spasio aut paralysi oesophagi indeglutitio, *Cocc.* 110, 4.
 spasmoidicus dolor (post pandiculationem) in artibus, maxime in genu, *Nux v.* 187, 7.
 spasmoidicum Asthma, (*Op.* 216, 7.)
 spasmoidica corporis in latus tractio, mente constante, *Nux v.* 192, 7.
 spasmoidica gulae constrictio, (*Dig.* 125, 7.)
 spasmoidica contractio musculorum intercostalium in latus, respiratione intercepta, *Verat.* 255, 18.
 spasmoidiae vomituritiones post paroxysmos epilepticos et asthmaticos, subsequa intermissione brevi, (*Cupr.* 121, 4.)
 spasmoidiae digitorum contractiones cum laceranti artuum dolore, *Cham.* 78, 10.

- spasmodicus sensus per pectus transversum, *Puls.* 228, 7.
 spasmodicus magis quam dolorosus sensus quasi aliquid
 rursum versum traheretur, in musculis scapulae,
 dorsi, artuum, *Nux v.* 193, 23.
 cum spasmodicis terminibus vomititiones, (*Cupr.* 121, 6.)
 spasmus, (*Verat.* 265, 10.)
 spasmus corpus in latus trahens, tum vomitus et alyi
 et urinae exoneratio involuntaria citissima, mente
 constante, *Nux v.* 192, 7.
 spasmus cynicus, (*Ign.* 160, 9.)
 spasmus circa praecordia, (*Arn.* 23, 15.)
 spasmus ventriculi, (*Bell.* 44, 4.)
 spasmus cranius ventriculi, (*Bell.* 37, 14.)
 spasmus ventriculi in prandio, *Bell.* 30, 11.
 spasmus tonicus omnium membrorum, quasi a rigiditate,
 Ign. 153, 7.
 spastici artuum motus, (*Bell.* 31, 6.)
 spasticae constrictiones gulæ, pupilla contractiore,
 Verat. 255, 16.
 spasticae constrictiones gulæ, strangulatio, (*Verat.*
 265, 14.)
 spatii parvi dolor strictorius in dorso tactu exasperan-
 dus, *Stram.* 241, 11.
 spatii parvi dolor simplex tactu percipiendus, *Ign.*
 158, 15.
 specie mors quatuor dierum, (*Bell.* 41, 4.)
 sub specie lassitudinis rigiditas artuum, *Bell.* 26, 4.
 species dolorum spuriorum, *Puls.* 228, 14. 16.
 spei abjectio, *Arn.* 17, 19. *Cocc.* 106, 4. 5. *Ign.* 152, 4.
 Puls. 251, 1. *Stram.* 239, 4. *Cp.* 201, 13. 14. (*Op.*
 211, 8.) (*Bell.* 35, 12.) *Verat.* 256, 7. (*Hyos.*
 138, 7.) *Melamp.* 175, 7. *Cinch.* 94, 10.
 spei abjectio, animus desperans, *Verat.* 256, 7.
 per spermatica vasa in testiculos penetrantes dolores stri-
 ctorii, et strictorio tensivi, testiculis alte pendentibus,
 Puls. 228, 15.
 per spermaticum funiculum ex abdomen penetrans inter-
 tussim dolor lancinans, *Verat.* 259, 10.
 spes erecta statim post vomitum, (*Acon.* 10, 6.)
 spes erecta cum desperatione de vita alternans, (*Acon.*
 12, 7.)
 in spina dorsi formicatio, ut a scarabaeis, *Acon.* 7, 9.

- in spinae dorsi ardor post angustiam pectoris quasi a flatibus in epigastrio restagnantibus cum ventriculi dolore quasi a soda nascitura, *Cham.* 84, 21.
- in spinae dorsalis medio strictorius dolor, *Stram.* 240, 11.
- in spinae dorsalis medio strictorius dolor cum dolore strictorio pone ventriculum, *Stram.* 240, 10.
- in spinalem medullam quasi vi injecti liquidi sensus, (*Arn.* 23, 20.)
- spiritus attractio summe gravis ac difficilis, (*Verat.* 263, 2.)
- spiritum summa molestia trahit anxius, ore aperto, (*Op.* 213, 15.)
- a spissiore et solidiore cibo (carne, pane) vomituritio, *Puls.* 222, 7.
- spississimi muci sanguinea coryza, *Mez.* 180, 23.
- splendentes oculi, (*Stram.* 245, 15.)
- splendentes oculi et horridi, (*Nux v.* 200, 9.)
- splendentes oculi et prominentes, (*Cupr.* 120, 5.)
- splendentes oculi et rubri, (*Hyos.* 141, 3.)
- splendor objectorum auctus, (*Nux v.* 200, 18.)
- spuma oris, *Verat.* 255, 7. *Camph.* 47, 16. (*Hyos.* 134, 5.)
- spuma ante os, (*Op.* 209, 15.)
- spuma sanguinolenta ante os, (*Bell.* 55, 5.)
- cum spumante ore furor, (*Camph.* 53, 19.)
- spuriorum dolorum species, *Puls.* 228, 14. 16. *Ign.* 153, 5.
- spurii dolores in uterum irruentes cum micturitione cereberrima, *Cham.* 86, 7.
- spuriorum dolorum species ab osse sacro per femora tendentes strictorio paralyticci, *Cham.* 77, 10.
- sputum crebrum saliva, *Ign.* 154, 6.
- standi, sedendi potentia, (*Hyos.* 142, 15.)
- statio dolorosa, *Arn.* 22, 6.
- in statu dolor lancinans erythematis pedum, *Puls.* 230, 4.
- in statu dolor in plantae medio, quasi ab excrescentia protuberante cum lacinatibus versus suram, *Puls.* 230, 12.
- a statu dolor formicanti punctoriis et quasi a narcosi in plantis, *Puls.* 230, 6.
- statuae instar sedet immobilis in lecto, (*Hyos.* 135, 8.)
- status, gressus vacillans, *Acon.* 2, 13.
- status mentis exaltatus, *Verat.* 262, 6.
- status rationis quasi per insomnia, *Verat.* 255, 3.

stellae instar nimbo stipata candelae flamma, *Puls.* 220,
10.

- ubi Stenonis ductus exit, excoriatio in buccis, *Bell.* 28, 14.
- in sterno bullae serosae dolorificae, (*Bell.* 42, 11.)
- sterni dolor, *Led.* 169, 15.
- sterni dolor in respiratione, *Caps.* 66, 1.
- sterni dolor in tussi, *Cinch.* 97, 8.
- in sterno dolor ardens ad os usque, *Cham.* 87, 3.
- sterni dolor constrictorius, (*Acon.* 4, 14.) *Op.* 205, 2.
Cocc. 109, 7. (*Nux v.* 195, 16.)
- sterni (et dorsi) dolor constrictorius inter motum percipiendas, *Op.* 205, 2.
- in sterni maxime superiori parte constrictio pectoris asthmatica, *Cocc.* 109, 7.
- in sterno dolor mere diurnus in respirando, quasi pectus nimis curtum esset, *Nux v.* 195, 15.
- in sterno dolor dissindens post decubitum, *Stram.* 240,
15.
- in sterno lancinans dolor post pressorium, *Cocc.* 112, 1.
- e sterno ad latus dextrum nicans lancinatus post singulam exspirationem, *Cham.* 88, 6.
- sterni dolor pressorius cum palpitatione et pupillis constrictis, *Mez.* 180, 1.
- in sterno pressorius dolor, respirationem angustans, *Cham.* 88, 2.
- in sterno pressorius dolor, respirationem non angustans,
nec respiratione, nec tactu auctus, *Cham.* 88, 1.
- in sterno pressorius dolor a cibo et potu, *Verat.* 260, 5.
- in sterno pressorius dolor, *Verat.* 260, 3.
- sterni (pectoris) dolor pressorius loquela excitandus,
Stram. 240, 16.
- ad sternum (hypochondria et ossa ilei) propagata pressio in scrobiculo vehemens, *Verat.* 253, 14.
- in sterni media parte primo pressorius cum angore, deinde lancinans dolor, *Cocc.* 112, 1.
- in sterno pressorio tensivus dolor, *Acon.* 5, 1.
- in sterno punctus inter respirandum, *Caps.* 66, 8.
- in sterno strictorio tensivus dolor, *Puls.* 228, 4.
- in sterni ima parte titillatio ad tussim sicciam, *Verat.* 254, 1.
- in sterno inter inspirationem post somnum primo pressorius, dein quasi a verberatione dolor, *Rh.* 236, 17.
- in sterno dolor quasi a verberatione post somnum, *Rh.* 236, 17.

- a sterno ad scapulas dolor quasi a verberatione cum lanciatione et asthmatice mere diurnus, *Nux v.* 196, 17.
 sternutatio, *Acon.* 7, 14. *Cinch.* 93, 1. *Cocc.* 111, 13.
 Puls. 223, 19. *Arn.* 21, 8. (*Melamp.* 178, 2.)
 sternutationes fortes, frequentissimae, (*Verat.* 265, 8.)
 sternutatio paroxysmum febrilem incipiens, *Cinch.*
 93, 2.
 sternutatio dolorosa et tussis, manu pectus fulcire co-
 gens, *Dros.* 129, 2.
 a sternutatione (et tussi) dolor micans hinc illinc, *Caps.*
 66, 14.
 stertor, (*Op.* 206, 3.)
 stertor in bronchiis, (*Bell.* 31, 4.)
 stertor in somno in exspiratione et inspiratione, *Camph.*
 50, 12.
 stertorosa apoplexia, (*Hyos.* 141, 7.)
 stertorosa exspiratio, (*Acon.* 6, 1.)
 stertorosa, difficilis, lentior respiratio, (*Op.* 206, 14.)
 stertorosa, brevis per semiminutum identidem cessans
 respiratio, (*Op.* 207, 9.)
 stertorosa inspiratio inter somnum, *Ign.* 157, 3. *Rh.*
 236, 8. *Op.* 202, 6. *Cinch.* 97, 2. 3.) *Cham.* 83,
 7. 8.
 stertorosa inspiratio ore aperto, *Op.* 202, 6.
 stertoroso sibilo per nares stipata (inter somnum) in-
 spiratio, *Caps.* 65, 19.
 stertoroso sibilans respiratio, *Cocc.* 109, 3.
 stertorosa sibilatio inter somnum, *Cinch.* 97, 2.
 stertorosus, somnus, *Cinch.* 97, 4. (*Stram.* 246, 9.)
 stertorosus somnus post genae dextrae ruborem et pu-
 pillas contractas, *Cham.* 81, 8.
 stertorosus, altus somnus cum contractione spasmatica
 cruris rara, (*Stram.* 246, 9.)
 stigmatum et macularum rubrarum eruptio cum pruritu,
 (*Bell.* 36, 9.)
 stillicidium naris alterutrius copiosum, obturatae ut in
 gravedine, *Nux v.* 196, 2.
 stillicidium sanguinis e naribus cum gravedine, *Puls.*
 224, 7.
 stillicidium urinae cruentae, (*Canth.* 59, 10.)
 stillicidium urinae parcum, *Cop.* 116, 2.
 stillicidium sanguinis ex steatoitate oculi, *Nux v.* 195,
 10.
 stimulus veneris auctus, (*Camph.* 54, 10.)

- stimulus ad haemorrhoides, (*Melamp.* 177, 14.)
 stomachatio, vide et *stomachus* et *ira*.
 stomachatio ob strepitum minimum, *Ip.* 163, 18.
stomachatio, indignatio, irascentia, animus exasperatus, *Cinch.* 94, 8.
 in stomachationem propensio summa, *Ip.* 163, 19.
 in stomachationem levi de causa pronus, alias jocosus animus, *Caps.* 70, 6.
 stomachi ardor (pyrosis), *Nux v.* 191, 3.
 stomachi dolor, (*Acon.* 10, 2.)
 stomachi dolor, delirio evanido, (*Acon.* 10, 9.)
 stomachi et intestinorum cruciatus, (*Verat.* 267, 3.)
 stomachus ingens, *Nux v.* 186, 17.
 stomachi irritabilitas, haec illa facile in malam partem vertit, *Cocc.* 114, 7.
 stomachus brevis et taedium, *Ign.* 156, 5.
 stomachus non sine proritatione, *Verat.* 258, 3.
 ad stomachuni usque inde a lingua ardor, (*Mcz.* 183, 10.)
 stragulum, vide et *lectus*.
 straguli tectum projicit, (*Bell.* 46, 19.)
 stragulis apprime obvolvi gestit inter calorem et si vel digitum minimum e lecto emittit, dolorum redditu excruciat, *Stram.* 241, 7.
 stragulis multis operiri gestit, friget et horret, sed quiete jacet, (*Acon.* 13, 7.)
 cum stragulorum intolerantia sudor, *Led.* 172, 10.
 stragulorum intolerantia ob calorem inde natum, *Led.* 172, 9.
 stragulorum intolerantia ob caloris externi sensum, *Cham.* 82, 16.
 quasi strangulati hospites in suffocationis periculo versabantur, (*Verat.* 264, 4)
 strangulatio, vide et *suffocatio* et *respiratio*, et *asthma*.
 strangulatio colli quasi apoplectica, (*Stram.* 247, 10.)
 strangulationis accessus, *Verat.* 255, 13.
 strangulationis, suffocationis accessus, oculis prominentibus, *Verat.* 255, 13.
 strangulatio, constrictiones spasticae gulae, (*Verat.* 205, 14.)
 strangulatio faucium, (*Melamp.* 177, 10.) (*Verat.* 267, 2.)
 strangulatio circa gulae, (*Verat.* 265, 5. 14.)
 strangulationis ob narium constrictione accessus, *Caps.* 65, 19.
 strangulationis sensus in naribus, *Melamp.* 177, 13.

- strangulatorium asthma circa scrobiculum colli cum irritatione continua ad tussim sicciam, *Cham.* 87, 11.**
stranguria, (Camph. 52, 9.) (*Canth.* 63, 4.)
strepera deglutitio, *Arn.* 18, 8.
**strepitus impatientia, *Nux v.* 186, 15. *Ign.* 156, 2.
Ip. 163, 18.**
strepitus intolerabilitas cum hypererethismo et pusilla-ninitate, *Cinch.* 93, 17.
strepitus intolerantia maxima, *Acon.* 2, 8.
strepitus intolerantia cum pupillis dilatabilioribus, *Ign.* 156, 3.
de strepitu nimio conquestio delirans, *Ign.* 156, 2.
ob strepitem minimum stomachatio, *Ip.* 163, 18.
strictorius, vide et *lacerans*, *rheumaticus*, *arthriticus*.
**strictorius in Abdomine dolor, *Cocc.* 111, 1. *Led.* 171,
 2. *Cham.* 85, 7.**
strictorius in Abdomine dolor a latere sinistro supra umbilicum, *Nux v.* 192, 12.
strictorii et strictorio-tensivii ex Abdomine per vasa spermatica in testiculos tendentes dolores, testiculis alte pendentibus, *Puls.* 223, 15.
strictorius in Abdomine dolor ab utroque latere in pubis regiom convergens. *Nux v.* 192, 11.
strictorius dolor in Abdomine in femoribus et artubus cum menstruatione aucta, *Stram.* 242, 3.
**strictorio lacerans dolor in Abdomine, *Nux v.* 192, 10.
 (*Cocc.* 111, 1.)**
strictorio lacerans dolor in infimo Abdomine supra os pubis, *Verat.* 259, 1.
strictorio tensivus dolor in Abdomine, ritu dolorum spuriorum ad partum, *Puls.* 223, 14.
strictorius dolor in Artibus sinistri lateris, *Cocc.* 112, 6.
strictorius dolor in Artibus, *Verat.* 259, 19.
strictorius et fere paralyticus dolor in Artibus, *Canth.* 57, 6.
a strictorio Artuum et totius corporis dolore trepidatio, *Puls.* 231, 2.
strictorio lacerans, rarus et uno ictu dolor in Artuum ossium tubis vel tendinibus, *Cham.* 78, 13.
strictorio lacerans dolor modo in uno, modo in altero Artu cum frigiditate et frigore, *Puls.* 230, 14.
strictorius dolor in femoribus et Artibus cum menstruatione aucta, *Stram.* 241, 3.

- strictorio punctorius dolor in Artibus et maxime Articulationibus, tactu quasi a contusione dolorosis, *Puls.* 230, 15.
- strictorio pulsorius dolor, quasi a laqueo, in Artuum musculis, non in juncturis, *Puls.* 231, 4.
- strictorius dolor in Brachiis, *Ign.* 155, 12. *Nux v.* 196, 23. *Puls.* 229, 5.
- strictorius dolor in Brachiis internis ad Carpum usque, *Puls.* 229, 7.
- strictorii dolores in Brachiis ab humero ad Carpum usque, parvis sed repetitis accessibus, *Puls.* 229, 5.
- strictorius dolor et gravitas in pedibus, minus in Brachiis, *Puls.* 229, 14.
- strictorius dolor in Capite, *Nux v.* 188, 10. 12. 13.
- strictorius dolor Capitis, oculo uno lacrymante, *Puls.* 224, 19.
- strictorius Capitis dolor cum gravitatis et formicationis sensu in cerebro, frigore et auditus et visus abolitione, *Puls.* 220, 12.
- strictorius Capitis dolor primo in temporibus, tum in fronte, tum in occipite, *Nux v.* 188, 13.
- strictorio tensivus Capitis dolor in fronte supra orbitas oculorum apertione auctus, *Puls.* 226, 11.
- strictorio distendens et obnubilans Capitis dolor, *Rh.* 235, 7.
- strictorius motus in fronte (Capite) ad nasi radicem usque, *Nux v.* 188, 11.
- strictorius aliquantum sed magis pressorius Capitis dolor supra orbitam dextram ad nasi radicem usque, pronatione alta emergens, *Ign.* 156, 10.
- strictorio lacerans dolor in Capite, *Nux v.* 188, 10.
- strictorio lacerans Capitis dolor (hemicrania), *Cham.* 80, 9.
- strictorius dolor in Carpo, *Cham.* 78, 3.
- strictorii doloris in brachiis ab humero ad Carpum usque, parvis sed repetitis accessibus, *Puls.* 229, 5.
- strictorius dolor in brachiis internis ad Carpum usque, *Puls.* 229, 7.
- strictorius dolor in pectoris latere (inter tussiculam) ad Collum usque, *Caps.* 66, 9.
- strictorio lacerantes dolores hinc inde in toto Corpore repetitis sed parvis accessibus, *Puls.* 229, 3.
- strictorius dolor in Costis, *Nux v.* 196, 19.

- cum strictorio Cruris dolore asthenia pedis paralytica, nocturna, *Cham.* 77, 8.
 strictoria Crurum gravitas, *Bell.* 23, 11.
 strictorio paralyticus dolor supra et infra Cubiti articulum, (*Caps.* 69, 19.)
 strictorio paralyticus dolor in Cubito et manibus, *Cham.* 77, 13.
 strictorio lancinans dolor in osse Cubiti motu excitandus, *Acon.* 6, 8.
 strictorius dolor in Dentibus, *Cham.* 79, 7. 13. 80, 1.
 strictorius Dentium dolor (in Gingivis), *Caps.* 67, 14.
 strictorius Dentis dolor, nec tactu, nec pastu auctus, *Caps.* 67, 15.
 strictorius Dentium (elongatorum) dolor incerti loci, inter cibandum evanidus, maxime nocturnus, *Cham.* 80, 1.
 strictorius Dentium dolor post potum et pastum, *Cham.* 79, 13.
 strictorio vulsorius Dentium dolor, potu frigido exacerbatus, *Puls.* 225, 14.
 strictorii (lacerantes) dolores (Dentium) in maxilla inferiori, *Puls.* 225, 13.
 strictorius dolor (Dentium) in maxilla inferiori antrorum versus, *Cham.* 79, 7.
 strictorio lacerans (Dentium) dolor in maxillis, *Nux v.* 195, 21.
 strictorius dolor in Digitis, *Cocc.* 112, 14.
 strictorio (lancinans) in Dorso dolor parvi spatii, vel tactu dolorosi, *Stram.* 241, 11.
 strictorio lacerantes dolores in Dorso et epigastro, *Stram.* 240, 9.
 strictorio punctorii dolores in nucha, intra scapulas et in Dorso, *Puls.* 227, 7.
 strictorio lancinans dolor Dorsi versus scapulam cum vomitu nocturno, *Puls.* 222, 13.
 strictorio pressorius dolor in Dorso, *Caps.* 69, 16.
 strictorio lacerans dolor in Dorso, *Op.* 204, 3. *Nux v.* 197, 3.
 strictorius dolor in Dorsalis spinae medio, *Stram.* 240, 11.
 strictorius dolor in Dorsalis spinae medio cum dolore strictorio in posteriori ventriculi parte, *Stram.* 240, 10.

- strictorius dolor in Dorso, Caps. 69, 15.** *Nux v. 197, 2.*
Cham. 78, 6. Cocc. 112, 10. Val. 252, 6.
- strictorio lacerantes dolores in dorso et Epigastrio,**
Stram. 240, 9.
- strictorius dolor in palato versus Fauces, Cham. 80, 7.**
- strictorius dolor in Femoribus, Stram. 241, 3.**
- strictorius dolor in Femoribus, artubus et abdomine,**
cum menstruatione aucta, Stram. 241, 3.
- strictorio paralytici dolores spurii ab osse sacro per Fe-**
mora tendentes, in uterum irruentes, Cham. 77,
10.
- strictorius dolor in ossis Femoris tubo ante termina dis-**
scindentia, Cop. 116, 12.
- strictoria cephalalgia primo in temporibus, tum in Fron-**
te, tum in occipite, Nux v. 188, 13.
- strictorius dolor in Fronte, Caps. 67, 27.**
- strictorius motus in Fronte ad nasi radicem usque,**
Nux v. 188, 11.
- strictorio lacerans dolor in Genu ad malleolos usque,**
Cham. 78, 4.
- strictoria odontalgia in Gingivis, Caps. 67, 14.**
- strictorius a Glandulis submaxillaribus in maxillas ten-**
dens dolor, tum glandularum istarum tumor, Ign.
154, 3.
- strictorius in Glandulis submaxillaribus dolor, Ign.
*154, 2.***
- strictoria crurum Gravitas, Bell. 28, 11.**
- strictorius dolor et Gravitas in pedibus, minus in bra-**
chiis, Puls. 229, 14.
- strictorio lacerans Hemicrania, Cham. 80, 9.**
- strictorio pressorius in Hypochondriis dolor, Verat.**
258, 16.
- strictorio tensivus in Hypochondriis dolor, Acon. 4,**
13.
- strictorii dolores in brachiis ab Humero ad carpum us-**
que, parvis sed repetitis accessibus, Puls. 229, 5.
- strictorius dolor in Humeri capite, Nux v. 196, 22.**
- strictorius (tractorius) in Intestinis dolor, Cocc.**
111, 1.
- strictorius dolor in Intestinis, Cocc. 111, 1. Nux v.**
192, 10.) (Led. 171, 2.) (Cham. 85, 7.)
- strictoriae iteratae Intustractiones in pectore, Cham.**
87, 15.

- strictorio vulsorius dolor quasi a Laqueo in artuum
 musculis non in Juncturis, *Puls.* 231, 4.
 strictorius dolor in Latere pectoris (inter tussiculum)
 ad collum usque, *Caps.* 66, 9.
 strictoria tormina a Latere sinistro supra umbilicum,
 Nux v. 192, 12.
 strictorio lacerantia tormina ab utroque Latere in pu-
 bis regionem convergentia, *Nux v.* 192, 11.
 strictorio lacerans dolor in pectoris Latere, *Op.* 204, 2.
 strictorio tensivus dolor in Lumbis, *Puls.* 229, 1.
 strictorio lacerans dolor in genu ad Malleolos usque,
 Cham. 78, 4.
 strictorio lacerans dolor in nodo duro sub Mamuae pa-
 pula, *Cham.* 89, 8.
 strictorius dolor in Manibus, ut a refrigeratione, *Cham.*
 78, 5.
 strictorio paralyticus dolor in cubito et Manibus, *Cham.*
 77, 13.
 strictorio tensivus dolor in glandulis Maxillaribus vel
 inter quietem, *Puls.* 225, 5.
 strictorio lacerans dolor in Maxillis, *Nux v.* 195, 21.
 (strictorii) lacerantes dolores in Maxilla inferiori, *Puls.*
 225, 13.
 strictorius dolor in glandulis Maxillaribus (post pres-
 sorium), *Ign.* 154, 2.
 strictorius dolor in Maxilla inferiori, antrorum ver-
 sus, *Cham.* 79, 7.
 strictorius in omnibus Membris dolor, (*Bell.* 29, 5.)
 strictorius Motus in fronte ad nasi radicem usque,
 Nux v. 188, 11.
 strictorio tensivus a Motu Musculorum faciei dolor in
 oculo inflammato, *Puls.* 224, 24.
 strictorio lancinans dolor in osse cubiti Motu excitan-
 dus, *Acon.* 6, 8.
 stricorio vulsorius dolor quasi a laqueo in artuum
 Musculis, non in juncturis, *Puls.* 231, 4.
 strictorius motus in fronte ad Nasi radicem usque, *Nux*
 v. 188, 11.
 strictorius incerti loci dentium dolor maxime Noctur-
 nus, *Cham.* 80, 1.
 strictorio punctorii dolores in Nucha intra scapulas et
 -in dorso, *Puls.* 227, 7.
 strictorio tensivus dolor in Nucha, *Puls.* 227, 6.
 strictorius dolor in Nucha, *Nux v.* 196, 20,

- strictorio distendens et Obnubilans capitis dolor, *Rh.*
 233, 7.
 strictorius capitis dolor in Occipite, *Nux v.* 183, 13.
 strictorio tensivus a motu muscularum faciei dolor in
 Oculo inflammatu, *Puls.* 224, 24.
 cum strictoriis doloribus quasi in Ossibus, artuum paraly-
 tica immobilitas, *Cocc.* 107, 6.
 strictorio lacerans rarus et uno ictu dolor in artuum
 Ossium tubis vel tendinibus, *Cham.* 78, 13.
 strictorius dolor in Palato versus fauces, *Cham.* 80, 1.
 strictorio lacerans dolor in Palpebris, *Nux v.* 195, 11.
 strictorio Paralyticus dolor in cubito et manibus, *Cham.*
 77, 13.
 strictorio Paralytici dolores spurii ab osse sacro per fe-
 mora tendentes, in uterum irventes, *Cham.* 77, 10.
 strictorio paralyticus dolor supra et infra cubiti arti-
 culum, (*Caps.* 69, 19.)
 strictorius et fere Paralyticus dolor in artubus, *Canth.*
 57, 6.
 strictorius dentium dolor post Pastum et potum, *Cham.*
 79, 13.
 strictoriae iteratae intustractiones in Pectore, *Cham.*
 87, 15.
 strictorius dolor in Pectore (costis), *Nux v.* 196, 19.
 strictorius dolor in Pectoris latere (inter tussiculam)
 ad collum usque, *Caps.* 66, 9.
 strictorius dolor in Pectore, *Nux v.* 196, 18. *Cham.*
 78, 5.
 strictorius dolor in Pectore ut a refrigeratione, *Cham.*
 78, 5.
 strictorio tensivi dolores in Pectore per respirationem
 aucti, *Puls.* 228, 3.
 strictorius dolor, cum anxietate, in Pectore, (*Arn.*
 21, 2.)
 strictorio lacerans dolor in Pectoris latere, *Op.* 204, 2.
 strictorius dolor in Pedibus, *Cocc.* 112, 13.
 strictoria Pedum (crurum) gravitas, *Bell.* 28, 11.
 cum strictorio cruris dolore, asthenia Pedis paralytica no-
 cturna, *Cham.* 77, 8.
 strictorius dolor et gravitas in Pedibus minus in bra-
 chiis, *Puls.* 229, 14.
 strictorius dolor in Pharynge extra deglutitionem,
 Caps. 68, 5.

- strictorius dentium dolor post Potum et pastum, *Cham.*
79, 13.
- strictorio pressorius dolor circa Praecordia, *Verat.*
258, 16.
- strictorius aliquantum sed magis pressorius dolor supra
 orbitam dextram, Pronatione alta emergens, *Ign.*
156, 10.
- strictoria termina ab utroque latere in Pubis regionem
 convergentia, *Nux v. 192, 11.*
- strictorio lacerans in infimo abdomen supra os Pubis
 dolor, *Verat. 259, 1.*
- strictorio tensivus dolor in glandulis submaxillaribus
 (vel inter Quietem), *Puls. 225, 5.*
- strictorio tensivi dolores in pectore per Respirationem
 aucti, *Puls. 228, 3.*
- strictorio paralytici dolores spurii ab osse Sacro per fe-
 mora tendentes et in uterus irruentes, *Cham.*
77, 10.
- strictorius dolor in osse Sacro, *Stram. 241, 2.*
- strictorio punctorii dolores intra Scapulas, *Puls. 227, 7.*
- strictorio lancinans dolor dorsi versus Scapulam cum
 vomitu nocturno, *Puls. 222, 13.*
- strictorius dolor in Scapulis, ut a refrigeratione, *Cham.*
78, 5.
- strictorii et strictorio tensivi ex abdomen per vasa
 Spermatica in testiculos tendentes dolores, *Puls.*
228, 15.
- strictorius dolor in Spinae dorsalis medio, *Stram.*
240, 11.
- strictorio paralytici dolores Spurii ab osse sacro per fe-
 mora tendentes et in uterus irruentes, *Cham.*
77, 10.
- strictorio tensivus dolor in abdomen, ritu dolorum
 Spuriorum ad partum, *Puls. 228, 14.*
- strictorio tensivus dolor in Sterno, *Puls. 228, 4.*
- strictorius in Submaxillaribus glandulis dolor, *Ign.*
154, 2.
- strictorius dolor a Submaxillaribus glandulis in maxil-
 las tendens, tum glandularum istarum tumor, *Ign.*
154, 3.
- strictorio tensivus dolor in Suris, *Puls. 230, 5.*
- strictoria cephalalgia in Temporibus, *Nux v. 188, 13.*
- strictorio lacerans rarus et uno ictu dolor in Tendini-
 bus, *Cham. 78, 13.*

- strictorio Tensivus in oculo in oculo inflammato a motu muscularum faciei inter nares exulceratas, *Puls.* 224, 24.
- strictorio Tensivus capitis dolor in fronte supra orbitas, oculorum apertione auctus, *Puls.* 226, 11.
- strictorio Tensivus dolor in nucha, *Puls.* 227, 6.
- strictorius, contorquens sensus in Testiculis, *Ip.* 166, 2.
- strictorius sensus in Testiculis, *Verat.* 259, 14. *Cinch.* 97, 18. *Cocc.* 111, 12. *Ip.* 166, 2.
- strictorii et strictorio tensivi dolores, ex abdomen per vasa spermatica in Testiculos irruentes, Testiculis alte pendentibus, *Puls.* 228, 15.
- strictoria Tormina, *Cocc.* 111, 1. *Led.* 171, 2. *Cham.* 85, 7.
- strictoria a latere sinistro Tormina supra umbilicum, *Nux v.* 192, 12.
- strictorio tensiva Tormina ritu dolorum spuriorum ad partum, *Puls.* 228, 14.
- strictoria Tormina et dolor strictorius in femoribus et artibus cum menstruatione aucta, *Stram.* 242, 3.
- strictorio lacerantia Tormina, *Nux v.* 192, 10, 11. *Cocc.* 111, 1.
- strictorius dolor in Ulcere, in margine ulceris lancinans, *Merz.* 181, 23.
- strictoria tormina a latere sinistro supra Umbilicum, *Nux v.* 192, 12.
- strictorio paralytici dolores spurii ab osse sacro per femora tendentes et in Uterum irruentes, *Cham.* 77, 13.
- strictorius dolor in Ventriculi posteriori parte, *Stram.* 240, 10.
- strictura quasi pharyngis, *Merz.* 180, 4.
- stridor dentium, (*Stram.* 244, 3. 245, 22.)
- cum stridore dentium, tussis valida inter somnum, *Bell.* 29, 9.
- cum stridore dentium et convulsionibus furor, (*Bell.* 33, 5.) ob stridulante in supra tracheae parte mucum tussis et raucedo, *Cham.* 87, 7.
- stridulatio bronchiorum in respiratione, *Cinch.* 97, 1. *Cham.* 87, 4. *Ip.* 165, 5.
- strigmentosae, dysentericae sedes, (*Canth.* 62, 11.)
- stupet adstantes, oculis lacryma suffusis, nec tamen scit, quid agatur, nec agnoscit obvios, (*Op.* 210, 15.)

- stupidi, languidi, fixi oculi, emorientis instar, (*Op.* 207, 12.)
 stupida obmutuit, (*Hyos.* 135, 11.)
 stupiditas, vide et *stupor mentis*, *fatuitas*, *obnubilatio capitis*, *ebrietas*.
 stupiditas, (*Hyos.* 135, 1.) (*Stram.* 245, 7. 249, 7.)
Cham. 76, 1. *Bell.* 34, 3. (*Op.* 210, 2.)
 stupiditas post lacercentia tormenta et jactationem immaterialis, *Cham.* 78, 1.
 stupiditas cum vertigine, *Cham.* 74, 14.
 stupiditas erga sensationes subtiliores et sensum modestiae, (*Op.* 210, 5.)
 stupidus animus erga objecta indifferens, (*Op.* 207, 2.)
 stupor, vide et *narcosis*, et *formicatio*, et *paresis*, et *paralysis*.
 stupor, (*Bell.* 34, 7.) (*Hyos.* 143, 10.) (*Op.* 211, 10.)
 stupor, *obnubilatio*, (*Hyos.* 142, 6.)
 stupor artuum, pedes quasi paralyticci, deliquescentia cordis syncopica, nauseabunda, *Cham.* 77, 5.
 stupor et sopor talis ut nec quidquam responsi ipsi extorqueri posset, (*Op.* 216, 15.)
 stupor brachiorum et frigus, *Acon.* I, 5.
 stupor cerebri, (*Nux v.* 200, 1.)
 stupor omnium fere Corporis partium, (*Nux v.* 198, 8.)
 stupor dormituriens, (*Op.* 205, 2.)
 stupor in verbis et factis obvius, (*Hyos.* 136, 22.)
 stupor linguae, (*Melamp.* 177, 5.)
 stupor manuum dolorificus, (*Hyos.* 135, 10.)
 stupor manuum alternatim, *Cocc.* 107, 21.
 stupor membrorum, *Cinch.* 93, 3. (*Nux v.* 198, 8.)
Cham. 77, 5.
 stuporem membrorum inducens frigiditas totius corporis, (*Op.* 215, 1.)
 stupor mentis, vide et *dementia*, *amentia*, *stupiditas*, *ebrietas*, *fatuitas*, *infatuatio capitis*, *obnubilatio capitis*.
 stupor mentis, *Bell.* 25, 4. (*Bell.* 40, 11. 42, 17.) (*Hyos.* 149, 6.)
 stupor mentis totalis, (*Hyos.* 149, 6.)
 stupor mentis laetitiae expertis dormituriens, a somno tamen alienus, *Cham.* 74, 16.
 stupor et insensibilitas et tamen apposite respondet, (*Op.* 207, 11.)
 stupor mentis motu excitatus, *Puls.* 220, 5.

- stupor mentis cum sudore frontis et manuum gelido, et
 abhorrescentia potus et cibi, *Cocc.* 107, 14.
 stupor mentis cum vertigine, *Bell.* 25, 5. *Cham.* 74, 14.
 stupor muscularum, gressus fere impossibilis, (*Op.*
 215, 4.)
 stupor narcoticus in pede, *Op.* 205, 7.
 stupor paralyti similis in brachio et crure sinistro, ita
 ut vix manum summam movere possit, (*Acon.* II, 7.)
 stuporifica brachiorum rigiditas dum manus aliquid ca-
 pessit, *Cham.* 77, 9.
 stuporifica cephalaea, *Led.* 169, 10.
 stuporificus artuum dolor, *Led.* 171, 17.
 cum stuporis sensu dolor lacerans cum formicatione in bra-
 chio ad digitos usque, *Cham.* 78, 1.
 subfrigidus mador, (*Hyos.* 144, 12.)
 subitaneus, vide et *volaticus*.
 subitaneus calor corporis cum faciei sudore magno tre-
 more artuum et scotomia syncopode, *Puls.* 219, 8.
 subitanei caloris insultus per totum corpus, *Ign.* 157, 8.
 subitaneus rubor faciei cum pedum horrore et trepidatione, *Puls.* 219, 9.
 a sublatione brachii dolor humeri, *Puls.* 229, 9. *Led.*
 170, 23.
 sublatione oculorum in fronte dolor auctus punctorius
 cum faciei rubore et siti, *Arn.* 20, 6.
 sublationem oculorum impediens dolor frontis, cere-
 brum expressurus, *Bell.* 28, 20.
 submaxillares glandulae quasi in fauibus prominenter
 et ab excoriatione dolerent dolor inter deglutiendum,
Puls. 225, 6.
 in submaxillaribus glandulis dolor lancinans, *Mez.* 180, 12.
 in submaxillaribus glandulis dolor, *Puls.* 225, 3. *Cinch.*
 96, 18. *Ign.* 153, 6. 154, 2. 3.
 eb submaxillarium glandularum tumorem et dolorem angi-
 nosa indeglutitio, *Cinch.* 96, 18.
 cum submaxillaribus glandulis correspondens odontalgia,
Camph. 49, 9.
 in submaxillaribus glandulis dolor pressorius, *Ign.* 153, 6.
 in submaxillaribus glandulis dolor pressorius cum difficul-
 tate deglutiendi, *Stram.* 259, 14.
 a submaxillaribus glandulis in maxillas tendens dolor stri-
 ctorius, tum glandularum istarum tumor, *Ign.*
 154, 3.

- in submaxillaribus glandulis dolor strictorio tensivus, *Puls.*
225, 5.
 submaxillarium glandularum tumor, *Ign.* 154, 3.
 in submaxillaribus glandulis dolor strictorius, *Ign.* 154, 2.
 in submaxillaribus glandulis dolor terebrans vel inter quie-
 tem partium, *Puls.* 225, 4.
 submissa vox, impotentia clara voce loquendi, *Ign.*
150, 12.
 subsistunt cibi in colli scrobiculo vesperi, *Cham.* 84, 11.
 cum subsultibus tendinum sopor profundissimus, (*Bell.*
53, 11.)
 -subsultus tendinum, (*Acon.* 12, 16) (*Hyos.* 139, 2.)
 erga subtiliores sensationes et sensum modestiae stupiditas,
 (*Op.* 210, 5.)
 subtilis dolor et exedens nervi dentis, *Op.* 204, 1.
 succussio, terror inter somnum, *Puls.* 232, 6.
 cum succussione convulsiva tremor, *Bell.* 26, 10. (*Hyos.*
158, 16.)
 succussions, vide *concussiones*.
 succussions somnum impedientes, *Verat.* 255, 10.
 succussions inter somnum ad morsuram linguae usque,
Mez. 181, 19.
 cum succussionibus quasi a terrore coma vigilans oculis hoc
 aperto, illo clauso, semiclauso, *Verat.* 255, 9.
 cum succussionibus terrificis somnum impedientibus som-
 nolentia, postea febriles motus, *Verat.* 255, 10.
 succussions quasi electricae cum dolore subsequo genu
 et cubiti quasi a contusione, *Verat.* 262, 4.
 succussions quasi electricae, *Verat.* 262, 4. (*Arn.*
25, 16.)
 succussionibus terrorificis interruptus somnus, (*Op.*
216, 3.)
 successoria experrectio, cum delirio de apibus abigen-
 dis, *Puls.* 232, 7.
 sudantis corporis agitatio, (*Bell.* 32, 5.)
 sudor, vide et *diaphoresis*, mador.
 sudor, *Melamp.* 176, 19. *Acris* 16, 8. *Cocc.* 114, 9.
 (*Valer.* 253, 9.) (*Mez.* 182, 3.) (*Arn.* 24, 7.) (*Bell.*
36, 19.) (*Camph.* 56, 7.)
 sudores, (*Dros.* 130, 3.)
 sudor, calor, *Melamp.* 176, 19.
 sudores validi, (*Nux v.* 199, 1.)
 sudor post anxietatem ingentem, *Nux v.* 194, 10. 13.
 sudor cum stragulorum intolerantia, *Led.* 172, 10.

- quasi a sudore erupturo sensus in capite, cum horrore artuum et abdominis, *Camph.* 49, 5.
- quasi a sudore erupturo sensus, *Ign.* 157, 1.
- quasi a sudore erupturo horripilatio, *Puls.* 218, 3.
- sudor nocturnus Adustionem olens, *Bell.* 30, 9.
- sudor post Anxietatem ingentem, *Nux v.* 194, 10. 13.
- sudor et calor circa Aurem externam, *Puls.* 221, 2.
- cum sudore frontis calido Angor respirationem intercipiens, *Acon.* 5, 18.
- sudor Calidus plantarum et volarum diutinus, *Led.* 172, 12.
- sudor Calidus frontis et volae manus, *Camph.* 50, 9.
- cum sudore frontis Calido angor respirationem intercipiens, *Acon.* 5, 18.
- sudor et Calor faciei post pastum et potum, *Cham.* 81, 13.
- sudor et Calor maximus universalis sine siti, *Stram.* 241, 6.
- sine sudore Calor, *Puls.* 218, 4.
- sudor, Calor, *Melamp.* 176, 19.
- sudor Capillitii et dorsi nocturnus, *Led.* 172, 17.
- sudor Capillorum, *Cinch.* 92, 6.
- sudor frigidus in Capite toto et thorace emanans, (*Verat.* 263, 5.)
- sudor maxime Capitis inter dormiendum, *Cham.* 82, 6.
- quasi a sudore erupturo sensus in Capite cum horrore artuum et abdominis, *Camph.* 49, 5.
- sudor Colli, faciei, manuum, *Cham.* 82, 3.
- sudor Copiosus, (*Hyos.* 139, 12. 145, 1.) (Rh. 238, 1.) (*Val.* 253, 8.)
- sudor Copiosus, frigidus manuum, *Bell.* 27, 2.
- sudor per totum corpus, *Ign.* 158, 4. (*Op.* 204, 13. (*Op.* 212, 17.) (*Acon.* 14, 2.) (*Cocc.* 114, 9.) (*Stram.* 241, 6. (*Hyos.* 141, 16.) (*Cinch.* 100, 5.) (*Bell.* 37, 10.)
- sudor Corporis totius inter somnum parum reficientem, (*Op.* 214, 1.)
- sudor Corporis totius gelidus, (*Verat.* 263, 6.)
- sudores identidem e Corpore erumpentes inter anxietatem et respirationem sensim breviorem, *Nux v.* 194, 12.
- sudores Crebri, volatili faciei et volarum cum siti aquae, *Cham.* 82, 2.

- sudor universalis maxime Crurum et femorum, (*Hyos.*
 141, 16.)
 sudor Diutinus, calidus plantarum et volarum, *Led.*
 172, 12.
 sudor maxime capitis inter Dormiendum, *Cham.* 32, 6.
 sudor Dorsi et nuchae motu levissimo excitatus, *Cinch.*
 95, 15.
 sudor Dorsi et capillitii nocturnus, *Led.* 172, 17.
 sudor Egelidus nasi et oris, *Rh.* 236, 6.
 quasi a sudore Erupturo horripilatio, *Puls.* 218, 3.
 quasi a sudore Erupturo sensus, *Ign.* 157, 1.
 quasi a sudore Erupturo sensus in capite cum horrore artuum
 et abdominis, *Camph.* 49, 5.
 sudor Faciei, et calor volaticus cum siccitatis linguae
 sensu, siti aquae, anorexia et palpitatione cordis,
 fame cauina subsequens, *Cham.* 82, 13.
 sudores Faciei et volarum manuum crebri volatrici cum
 siti aquae, *Cham.* 82, 2.
 sudor Faciei frigidus et horripilatio cum dolore adstri-
 ctorio in maxillis ut ab acidis, *Puls.* 225, 17.
 sudor Faciei frigidus cum siti, *Cinch.* 92, 5.
 sudor Faciei, colli, manuum, *Cham.* 82, 3.
 sudor Faciei solius, *Bell.* 26, 23.
 sudor in Faciei latere dextro, *Puls.* 219, 13.
 sudor et rubor Faciei solius, *Bell.* 26, 22.
 sudor et calor Faciei post pastum et potum, *Cham.* 81,
 13.
 sudor Faciei egelidus maxime nasi et oris, *Rh.* 236, 6.
 sudor universalis maxime Femorum et crurum, (*Hyos.*
 141, 16.)
 sudor Foetidus in latere aegroto, (*Nux v.* 194, 16.)
 sudor Foetidus, magnus, nocturnus, (*Puls.* 233, 8.)
 sudor Frigidus, *Verat.* 255, 11. (*Verat.* 265, 19. 268,
 19.) (*Nux v.* 199, 10.) *Camph.* 48, 6. (*Dig.*
 126, 13.)
 sudor Frigidus faciei cum siti, *Cinch.* 95, 5.
 sudor Frigidus in capite toto et thorace emanans, (*Ver.*
 263, 5.)
 sudor Frigidus capititis, (*Camph.* 55, 9.)
 sudor Frigidus per totum corpus, *Cinch.* 92, 3.
 sudor Frigidus manuum copiosus, *Bell.* 27, 21.
 sudor Frigidus volae manus, *Acon.* 8, 6.
 sudores Frigidi, (*Ign.* 160, 5. 12.) (*Melamp.* 177, 9.)

- sudore Frigido perfusorum artuum frigiditas et pallor
 inter pulsum tardum et debilem, (*Op. 213, 19.*)
 sudor Frigidus manuum tum hujus, tum illius alterna-
 tim, *Cocc. 108, 3.*
 cum sudore Frigido et frigore, sapor amarus esculentorum
 omnium, *Puls. 221, 10.*
 sudor Frigidus pedum, *Cocc. 108, 4.*
 sudor Frigidissimus, (*Verat. 268, 6.*)
 sudor Frigidus volarum, corpore juste calido, *Cham.*
 73, 5.
 cum sudore Frigido, dolor cessans, (*Nux v. 200, 12.*)
 sudor Frigidus maxime Frontis, *Verat. 255, 12.*
 sudor Frigidus Frontis et manuum cum stupore mentis
 et abhorrentia potus et cibi, *Cocc. 107, 14.*
 sudor Frigidus Frontis, (*Acon. 11, 3.*) *Op. 201, 12.*
 sudor Frigidus Frontis, inter loquacem audacem et vi-
 vidis oculis, (*Acon. 11, 4.*)
 cum sudore Frigido Frontis calor internus, (*Caps. 70, 9.*)
 cum sudore Frontis calido angor respirationem intercipiens,
 Acon. 5, 18.
 sudor Frontis post calorem mere internum ex angore
 natum, *Nux v. 194, 7.*
 cum sudore Frontis calido, viscido et ore aliquantum aper-
 to, inspiratio stertorosa inter somnum, citior quam
 exspiratio, *Cham. 83, 8.*
 cum sudore Frontis viscido gemitus singuli inter somnum,
 Cham. 82, 5.
 sudor calidus Frontis et volae manus, *Camph. 50, 9.*
 sudor Gelidus totius corporis, (*Verat. 268, 6.*)
 quasi a sudore erupturo Horripilatio, *Puls. 218, 3.*
 inter sudorem Horripilatio febrilis, *Acon. 8, 4.*
 quasi a sudore erupturo sensus in capite cum Horrore ar-
 tuum et abdominis, *Camph. 49, 5.*
 cum sudore Immani, ejulati et aestuatione cordis oppressio,
 Cham. 70, 4.
 cum sudore Immani synocha exlex, (*Cinch. 103, 9.*)
 sudor Languidus universalis a minimo corporis motu,
 Cocc. 108, 6.
 sudor Languidus, *Acon. 9, 5.*
 sudor Largus, (*Op. 208, 1.*)
 sudor Largior, (*Ign. 161, 6.*) (*Stram. 243, 11.*)
 sudor foetidus in Latere aegroto, (*Nux v. 194, 16.*)
 sudor foetidus in Latere, (*Nux v. 195, 1.*)
 sudor in Latere dextro corporis, *Puls. 231, 5.*

- sudor in Latere sinistro corporis, *Puls.* 231, 6.
 sudor Lenis universalis, *Acon.* 8, 5.
 sudor Lenis interdum, (*Op.* 215, 12.)
 sudor Lenis nocturnus, *Canth.* 58, 6.
 post sudorem Lenem universalem volae manus frigido humidae, *Acon.* 8, 6.
 sudor Lenis, *Acon.* 8, 5.
 sudor (Longus) duorum dierum, *Nux v.* 194, 14.
 sudor Magnus, *Bell.* 30, 8. (*Bell.* 46, 4.) *Acris* 16, 8.
 (*Hyos.* 140, 17. 143, 22.)
 sudores volatichi cerebri faciei et solarum Manuum cum
 siti aquae, *Cham.* 82, 2.
 sudores frigidus Manuum copiosus, *Bell.* 27, 2.
 sudor frigidus Manuum et frontis cum stupore mentis
 et abhorrescentia potus et cibi, *Cocc.* 107, 14.
 sudor frigidus volae Manus, *Acon.* 8, 6.
 sudor frigidus Manuum tum huius, tum illius alterna-
 tim, *Cocc.* 108, 3.
 sudor solarum Manus et plantarum diutinus, *Led.* 172,
 12.
 sudor Manuum, colli, faciei, *Cham.* 82, 3.
 sudor frigidus solarum Manus, corpore juste calido,
 Cham. 73, 5.
 sudor calidus frontis et volae Manus, *Camph.* 50, 9.
 sudor Mitis post horripilationem in tergo, sine calore
 intermedio, *Caps.* 64, 10.
 sudor Mitis universalis, *Puls.* 219, 12.
 sudore Miti, calor magnus, pulsus celer, mollis,
 (*Stram.* 247, 12.)
 sudor Modicus cum calore leni, (*Acon.* 13, 8.)
 sudor universalis languidus a minimo Motu corporis,
 Cocc. 103, 6.
 sudor nuchae et dorsi Motu levissimo corporis excita-
 tus, *Cinch.* 95, 15.
 sudor Nasi et oris egelidus, *Rh.* 236, 6.
 sudor Nocturnus adustionem olens, *Bell.* 30, 9.
 sudor Nocturnus, foetidus, magnus, (*Puls.* 235, 8)
 sudor Nocturnus, *Dros.* 129, 16.
 sudor lenis Nocturnus, *Canth.* 58, 6.
 sudor validus Nocturnus, (*Capr.* 121, 19)
 sudor Nocturnus dorsi et capillitii, *Led.* 172, 17.
 sudor, saepè Nocte sequenti, (*Ip.* 168, 3.)
 sudor Nuchae et dorsi motu levissimo corporis excita-
 tus, *Cinch.* 95, 15.

- sudor immanis cum Oppressione cordis, ejulatu et aestuacione, *Cham.* 70, 4.
 sudor Oris et nasi egelidus, *Rh.* 236, 6.
 sudor et calor faciei post Pastum et potum, *Cham.* 81, 13.
 sudor Pectoris ruber, (*Arn.* 24, 11.)
 sudor frigidus in Pectore et capite toto emanans, (*Verat.* 263, 5.)
 sudor frigidus Pedum, *Cocc.* 108, 4.
 sudor volarum et Plantarum diutinus, calidus, *Led.* 172, 12.
 sudor saepe Profusus, (*Stram.* 248, 11.)
 sudor Profusus inter et post anxietatem ingentem, *Nux v.* 194, 13.
 sudor Profusus, (*Cinch.* 100, 5.) (*Op.* 212, 12.)
 sudor Putidus in latere aegroto, (*Nux v.* 194, 16.)
 sudor Sanguinolentus in unguibus, (*Verat.* 264, 15.)
 sudor et calor maximus universalis Sine siti, *Stram.* 241, 6.
 sudores volatici crebri faciei et volarum manuum cum Siti aquae, *Cham.* 82, 2.
 sudor frigidus faciei cum Siti, *Cinch.* 92, 5.
 sudor inter Somnum, (*Bell.* 40, 19.)
 sudor cum Stragulorum intolerantia, *Led.* 172, 10.
 sudor sanguinolentus in Unguis, (*Verat.* 264, 5.)
 sudor et calor Universalis sine siti, *Stram.* 241, 6.
 sudor Universalis cum dolore capitinis quasi a clavo per tempora transfixo, languore subsequuo, *Arn.* 20, 7.
 sudor Universalis languidus a minimo corporis motu, *Cocc.* 108, 6.
 sudor lenis Universalis, *Acon.* 8, 5.
 sudor mitis Universalis, *Puls.* 219, 12.
 sudor frigidus Universalis, *Cinch.* 92, 3.
 sudor Universalis, *Ign.* 153, 4. *Op.* 204, 13.
 sudor Universalis calidus, *Camph.* 50, 10.
 sudor Universalis, maxime femorum et erurum, (*Hyos.* 141, 16.)
 sudor Vehemens, *Acris* 16, 8. *Bell.* 30, 8. (*Stram.* 248, 11.)
 cum sudore frontis Viscido gemitus singuli inter somnum, *Cham.* 82, 5.
 sudores volatici crebri faciei et Volarum manuum cum siti aquae, *Cham.* 82, 2.
 sudor frigidus Volae manus, *Acon.* 3, 6.

- sudor Volarum et plantarum diutinus, calidus, *Led.* 172,
 12.
 sudor frigidus Volarum, corpore juste calido, *Cham.*
 73, 5.
 sudor calidus frontis et Volae manus, *Camph.* 50, 9.
 suffocans respirationem pressio pectoris horizontalis,
 Nux v. 196, 13.
 quasi a suffocatione vel apoplexia nascitura, fauces praestriatae, (*Stram.* 247, 10.)
 ad suffocationem fere respiratio difficilis pectus angustum, asthmatis paroxysmi, (*Cupr.* 121, 8.)
 suffocationem minantis distentionis abdominis sensus,
 Caps. 66, 7.
 suffocationem minans respiratio inordinata, (*Op.* 215,
 14.)
 ad suffocationem usque impedita respiratio, maxime inspiratio, longissima cum brevissima alternans sibilans, stertorosa, cum faciei tumore apoplectico, *Cocc.*
 109, 3.
 cum suffocationis metu, anxietates, (*Acon.* 13, 12.)
 suffocationis nasalis accessibus (inter somnum) stipata inspiratio, *Caps.* 65, 19.
 suffocationis paroxysmus, quasi a pituita caput laryngis occupante, maxime circa vesperam et inter evigilationem e somno, *Cinch.* 92, 10.
 suffocationis, strangulationis accessus, oculis prominentibus, *Verat.* 255, 13.
 in suffocationis periculo quasi strangulati hospites versabantur, (*Verat.* 264, 4.)
 cum suffocationis sensu, inflatio oesophagi, (*Verat.* 266, 13.)
 suffocatoria cardialgiae, (*Cinch.* 103, 11.)
 suffocatoria deglutitio potus, (*Bell.* 37, 3.)
 suffocatoria respiratio, *Cocc.* 109, 3.
 suffocatoria constrictio pectoris, et dolorifica, maxime inter experationem e somno, *Dig.* 123, 9.
 suffocatoria tussis, *Ip.* 165, 7.
 suffocatoriis asthmatis paroxysmi breves, (*Cinch.* 104,
 16.)
 suffocatorium asthma pressione quadam a scrobiculo epigastrio proficiscens, *Camph.* 48, 13.
 suffocatoriis respirationis stertor, *Cocc.* 109, 3.
 suisocatura quasi essent potulentia, sensus in sorbitione,
 (*Hyes.* 138, 10.)

- quasi a sugillatione et apostemate dolor plantarum inter
 gressum, *Led.* 172, 5.
 sugillationes extremitatum dolorosae, *Acon.* 8, 22.
 sui non conscientia, (*Op.* 210, 1.)
 supercilium rectum tactu dolorosum, *Nux v.* 195, 9.
 superficie totius corporis inflammatio. (*Bell.* 38, 7.)
 superficie posterioris corporis horror cum calore inter-
 no sicco et externo faciei et frontis, *Cham.* 82, 1.
 in superiori abdominis parte pressio, *Cocc.* 110, 10.
 superioris maxillae dolor, *Op.* 203, 13.
 superiorum palpebrarum siccitas quasi pressoria, *Acon.*
 7, 18.
 suppressae evacuationes omnes, *Verat.* 261, 13. *Stram.*
 239, 9. *Bell.* 26, 14. (*Nux v.* 200, 21.)
 suppressio alvi, *Bell.* 26, 14. vide *constipatio* et *alvus*.
 suppressio excretionum lotii et alvi plurium horarum,
 (*Stram.* 245, 11.)
 suppressio menstrui cum scrobiculi tumore et pressione
 anxia, tumore abdominis, doloribus quasi ad par-
 tum et hydropem cutaneo, *Cham.* 86, 8.
 suppressio urinae, (*Ilyos.* 141, 12.) (*Bell.* 40, 7.)
 suppressio urinae guttatum prostillantis, (*Bell.* 33, 16.)
 cum suppressione urinae, punctio in renibus, (*Acon.* 10,
 13.)
 suppuratione insigni subsequi, gangraena et tumor
 partis, (*Acon.* 13, 15.)
 surae tensivus dolor post sessum inter eundum, *Led.*
 171, 10.
 in sura dolor crampoïdes tensivus inter motum, *Cham.* 88,
 13.
 versus suram lancinatus dum insistitur, cum dolore in plan-
 tae medio quasi ob ex crescentiam ibi protuberan-
 tem, *Puls.* 230, 12.
 surarum crampus, *Verat.* 260, 17. (*Verat.* 265, 20.
 267, 6.) *Cham.* 88, 12.
 surarum tensio, *Nux v.* 197, 18. (*Puls.* 230, 5.)
 surarum crampoïdes dolores, *Cham.* 88, 13.
 surditas aliquialis, (*Cinch.* 100, 1.)
 inter surgendum post sessum sensus, quasi nimis curti es-
 sent popliteis, *Nux v.* 197, 13.
 in suris strictriori tensivi dolores, *Puls.* 230, 5.
 in suris tensivus dolor inter motum, *Cocc.* 113, 1.
 in suris tensio, *Nux v.* 197, 18.

- quasi per surditatem quandam hebetata ingenii scies, *Cham.*
75, 4.
 cum surdo plantae dolore et strictorio croris, pedum asthenia paralytica, nocturna, *Cham. 77, 8.*
 surdus dolor in vola pollicis pedis, *Puls. 230, 9.*
 surdus sonus continuus aurium lipothymia subsequā,
(Acon. 13, 2.)
 sursum versi oculi, (*Bell. 40, 20.*) (*Acon. 12, 1. 13, 1.*)
 sursum versi oculorum bulbi, *Camph. 47, 12.*
 sursum deorsum eruptio flatuum, *Acris 16, 4.*
 suspensus quasi esset in aëre, hallucinatio, (*Op. 214, 9.*)
 suspicio injuriari se putantis, *Cham. 76, 14.*
 suspiria, (*Bell. 46, 22.*)
 suspiria aestuaria, *Verat. 256, 6.*
 suspiria in tripodium soluta, (*Bell. 33, 17.*)
 suspirii instar alta respiratio, *Caps. 65, 22. 66, 5.*
 suspiriosa ejulatio in somno, *Nux v. 187, 21.*
 suspiriosa morositas, *Cinch. 94, 5.*
 suspiriosa respiratio, *Caps. 65, 22. 66, 5.*
 suspiriosus angor, *Verat. 256, 5.*
 suspiriosus, gemebundus, inquietus somnus, (*Op. 216,*
8.)
 sustentare caput nequit, *Puls. 226, 10.*
 susurrus et surdus sonus continuus aurium, lipothymia
 subsequā, (*Acon. 13, 2.*)
 susurrus aurium, *Verat. 256, 11. Arn. 20, 12. Cinch.*
96, 6. (Op. 215, 18.) (Bell. 45, 7.) (Acon. 13, 2.)
 susurros in aure quasi ab aqua strepente, *Cham. 79, 3.*
 susurru in aure quasi ab ave pedibus scalpente, *Cham.*
79, 2.
 susurus in auribus quasi a vento procelloso, vel campanis, *Led. 170, 5.*
 susurus quasi a vento procelloso cum dolore laceranti
 lancinante in auro, (*Acris 15, 9.*)
 symptomata maxime augentur tabaci fumo, *Cocc. 113,*
13.
 symptomata summe augentur aere frigido, maxime capitis dolor, *Cocc. 108, 10.*
 symptomata aucta a coffeea, *Cocc. 114, 1.*
 symptomata aucta a coffeeae potu et tabaci fumo, *Ign.*
158, 17.
 symptomata catarrhi, *Acon. 7, 14.*
 symptomata omnia, maxime capitis dolor, augentur
 potu, cibo, somno, loquela, *Cocc. 113, 12.*

symptomata coryzae, *Acon.* 7, 14.
 symptomata hypochondriaca, (*Cinch.* 102, 22.)
 symptomata loquela aucta, *Cocc.* 113, 12.
 symptomata pejora ab emesi artificiali, (*Acon.* 12, 18.)
 Arn. 18, 7.
 symptomata pleuritica, (*Verat.* 267, 12.)
 syncope, vide et *asphyxia* et *lipothymia*.
 syncope, *Acon.* 2, 14. *Nux v.* 187, 11. (*Cocc.* 115, 5.)
 (*Dig.* 127, 2.) (*Camph.* 52, 1.)
 quasi a syncope nascitura sensus ante alvum deponendam
 in abdomine infimo, *Verat.* 256, 4.
 ut a syncope nascitura vomituriens nausea, *Cham.* 77, 3.
 syncopae iteratae, (*Hyos.* 140, 4.)
 ad syncopen accedens debilitas et lassitudo maxima, *Cham.*
 74, 5.
 syncopes species, deliquescentia cordis nauseabunda,
 pedes quasi paralytici, stupor artuum, *Cham.* 77, 5.
 syncopes metus, (*Verat.* 267, 1.)
 syncopes accessus, morbosa debilitate subsequa cum
 nausea ciborum et ictero, *Nux v.* 190, 10.
 syncopes praecursor surdus continuus sonus in auribus,
 (*Acon.* 13, 2.)
 syncopodes scotomia, cum tremore, faciei sudore et
 calore subito corporis, *Puls.* 219, 8.
 syncopodes vertigo, *Cham.* 74, 12. *Mez.* 179, 5.
 syncopodis vertiginis accessus breves, *Cham.* 74, 11.
 syncoptica vertigo, *Mez.* 179, 5.
 syncopticus virium lapsus, *Acris* 15, 11.
 synocha, synochus, vide et *febris*.
 synochus, *Val.* 251, 10.
 synocha exlex cum sudore immani, (*Cinch.* 105, 9.)
 quasi synochi delirium, (*Hyos.* 143, 15.)
 synochus erysipelacea, *Bell.* 30, 1.

- a Tabaci fumo abhorrescentia, *Nux v.* 190, 15.
 tabaci fumo hausto maxime augentur symptomata,
 Cocc. 113, 13.
- a tabaci fumo aucta symptomata, *Ign.* 158, 17.
 tabaci (ciborum, potulentorum) satietas, *Cinch.* 94, 22.
 taciturna morositas, *Arn.* 18, 1.
 taciturna et contentatrix morositas, *Ip.* 163, 13.
 taciturna, inobediens, reluctantans mania; aufugere ten-
 tat, *Dig.* 123, 7.

- tacitura morositas cum pertinacia, *Caps.* 63, 13.
 tacitura segnities, *Rh.* 235, 5.
 tacitura sollicitudo in semet versa, *Nux v.* 190, 3.
 tacitura, *Verat.* 255, 4. *Caps.* 63, 4. *Ign.* 150, 10.
 tacitura adiaphora, indolens, *Op.* 202, 3. *Rh.*
 235, 4.
 tacitura interna, *Hyos.* 131, 7.
 tacitura interna, idearum progressio tarda, *Nux v.*
 186, 10.
 tacitura pertinax, respondere detrectat, (*Cinch.*
 94, 7.)
 tacitura sibi relict, irritati vero convicia, *Verat.*
 258, 5.
 cum taciturnitate vitae taedium et mortis desiderium, *Mez.*
 179, 3.
 post tactum Abdominis, micturitio, *Acon.* 6, 14.
 tactu tantum et motu percipiendus dolor Abdomina-
 lium muscularum quasi a contusione, *Nux v.* 193, 1.
 tactu dolorosum Abdomen, *Nux v.* 193, 2.
 tactu excitanda dolorifica Abdominis sensibilitas, *Puls.*
 232, 12.
 tactu tantum dolentes Apostematis instar tumores in
 calotta, nucha, collo, *Puls.* 226, 7.
 tactu maxime percipienda pulsatio Arteriarum in omni
 corporis parte, *Puls.* 231, 9.
 vel tactu dolorosi Artus omnes quasi a verberatione,
Dros. 129, 9.
 tactu exasperandus dolor Artuum, *Cocc.* 112, 7.
 tactu dolorifici Artuum musculi, *Cocc.* 112, 5.
 tactu dolorosi quasi a contusione Artus et totum cor-
 pus, *Led.* 172, 3.
 tactu quasi a contusione dolorosi Artus et maxime Ar-
 ticulationes, dolore strictorio punctorio affecti,
Puls. 230, 15.
 tactu dolentes apostematis instar tumores in Calotta,
Puls. 226, 7.
 tactu aggravatus dolor continuus in Calotta, *Nux v.*
 195, 2.
 tactu auctus Capitis dolor, *Camph.* 49, 4.
 tactu exasperandus dolor Capitis integumentorum,
Nux v. 188, 6.
 tactu exasperandus dolor lacerans Capitis (in fronte),
Ip. 164, 11.

- tactu exasperandus dolor punctorius Capitis (in fronte),
Ip. 164, 3.
- tactu tantum dolentes apostematis instar tumores in
 Collo, (*Puls. 226, 9.*)
- tactu exasperandus dolor Constrictorius regionis hy-
 pochondriacae, tussim reprimens, *Dros. 129, 12.*
- tactu tantum (scrobiculi) dolorificus et respirationem
 praeccludens sensus Constrictorius in pectore, *Arn.*
 21, 3.
- a tactu et inter motum dolor in brachii radio quasi a Con-
 tortione, *Cocc. 113, 3.*
- tactu recrudescentes modo manuum modo pedum Con-
 tractiones, (*Stram. 247, 7.*)
- tactu dolorosi quasi a Contusione artus et totum cor-
 pus, *Led. 172, 3.*
- tactu quasi a Contusione dolorosi artus et maxime ar-
 ticulationes, *Puls. 230, 15.*
- tactu tantum et motu percipiendus dolor abdominalium
 muscularum, quasi a Contusione, *Nux v. 193, 1.*
- tactu maxime excitanda deliria et Convulsiones, debili-
 tate mox subsequa, (*Stram. 247, 8.*)
- tactu modo, non tussi, nec respiratione auctus dolor
 in Costa simplex parvi spatii, *Capi. 69, 18.*
- tactu dolorificum Cranium, *Mez. 180, 17.*
- tactu dolorosi tumores subcutanei, non inflammati su-
 pra Cubiti flexuram, *Puls. 229, 10.*
- tactu tantum dolorosum tuberculum sub Cute in ma-
 xillae inferioris superficie externa, *Nux v. 195, 19.*
- tactu maxime excitanda Deliria et convulsiones debili-
 tate mox subsequa, (*Stram. 247, 8.*)
- tactu exasperandus Dentium dolor pressorio pulsato-
 riis, *Arn. 20, 18.*
- tactu dolorosa macula in Dorso, *Stram. 241, 14.*
- tactu exasperandus dolor (launicanti?) strictorius in
 Dorso parvi spatii, *Stram. 241, 11.*
- tactu excitandus osteocopus in Facie dolor, *Caps. 68, 1.*
- tactu exasperandus dolor lacerans in Fronte, *Ip.*
 164, 11.
- tactu exasperandus punctorius in Fronte dolor, *Ip.*
 164, 3.
- inter tactum Hyperesthesia ulceris cum formicatione et
 dolore mordaci et ardente nocturno, *Cham. 89, 6.*
- inter tactum dolor quasi a contusione in Hypochondriis,
 inter respirationem dolor lacerans, *Cupr. 118, 11.*

- tactu exasperandus dolor constrictorius in Hypochondriis, tussim reprimens, *Dros.* 129, 12.
 tactu dolorificentiora Hypochondria tensa, (*Op.*
 213, 13.)
 tactu dolorosum inflatum Hypogastrium, (*Hyos.*
 141, 11.)
 tactu dolorifice sensibile Hypogastrium, *Acon.* 6, 15.
 tactu exasperandus dolor Lacerans in fronte, *Ip.* 164, 4.
 tactu maxime percipiendus dolor Lancinans et calor in
 tumoribus glandularum frigidis, *Cocc.* 113, 11.
 tactu et per se dolorosa Macula in dorso, *Stram.*
 241, 14.
 tactu dolorosus sub Mamuae papula nodus durus,
Cham. 89, 8.
 tactu recrudescentes modo Mannum modo pedum con-
 tractiones, (*Stram.* 247, 7.)
 tactu tantum dolorosum tuberculum sub cute in Ma-
 xillae inferioris superficie externa, *Nux v.* 195, 19.
 post tactum abdominis Micturito, *Acon.* 6, 14.
 tactu dolorosus sub papula mammae Nodus durus,
Cham. 89, 8.
 tactu tantum dolentes apostematis instar tumores in
 Nucha, *Puls.* 226, 9.
 tactu excitandus Osteocopus in facie dolor, *Caps.* 68, 1.
 tactu tantum (scrobiculi) dolorificus et respirationem
 praecludens sensus constrictorius in pectore, *Arn.*
 21, 3.
 tactu recrudescentes modo manuum, modo Pedum
 contractiones, (*Stram.* 247, 7.)
 tactu exasperanda odontalgia Pressorio pulsatoria,
Arn. 20, 18.
 tactu maxime percipienda Pulsatio arteriarum in omni
 corporis parte, *Puls.* 231, 9.
 tactu exasperandus Punctarius in fronte dolor, *Ip.*
 164, 3.
 tactu dolorosarum in collo sub mento Pustularum ex-
 anthema, (*Puls.* 226, 8.)
 tactu excitandus in Scrobiculo dolor, respirationem
 praecludens, *Arn.* 21, 3.
 tactu dolorosi Scrobiculi expansio, *Nux v.* 191, 22.
 tactu tantum in Scrobiculi vicini percipiendus dolor
 ut a vulnere interno, *Ign.* 158, 14.
 tactu tamen percipiendus parvi spatii Simplex dolor,
Ign. 158, 15.

D d

Pars. II.

- tactu tantum auctus dolor Simplex in costa, *Caps.*
69, 18.
 tactu tantum dolorosum rectum Supercilium, *Nux v.*
195, 9.
 tactu tantum dolorosum Tuberculum sub cute in ma-
xillae inferioris superficie externa, *Nux v.* 195, 19.
 tactu tantum dolorosus quasi ab apostemate Tumor
muchaë utrinque ad collì latus, *Puls.* 226, 9.
 tactu dolorosi Tumores subcutanei, non inflammati
supra cubiti flexuram, *Puls.* 229, 10.
 tactu maxime percipiendus dolor lancinans et calor in
Tumoribus frigidis, *Cocc.* 113, 11.
 tactu tantum dolentes apostematis instar Tumores in
calotta, *Puls.* 226, 7.
 inter tactum hyperesthesia Ulceris cum formicatione et
dolore mordaci et ardente, nocturno, *Cham.* 89, 6.
 tactu tantum in scrobiculi vicinia percipiendus dolor
ut a Vulnere interno, *Igr.* 158, 14.
 tactus sensus jactura vellicationem non aegre fert,
(*Hyos.* 139, 3.)
 tactus sensus privatio, quoad objecta externa sui ta-
men corporis frigiditatem sentit, (*Op.* 214, 15.)
 tactus sensus privatio, (*Op.* 214, 15.)
 tactus sensu quasi careret brachium, stupor in eo et
dolor laceranti formicans ad digitos usque, *Cham.*
78, 1.
 taedet negotiorum, *Arn.* 17, 17.
 taedet omnium rerum, *Puls.* 218, 16.
 taedet respondere, vox haeret, *Puls.* 218, 14.
 nil nisi taediosa et ingrata cogitat, *Mez.* 179, 4.
 taedium, vide et fuga, et fastidium, abhorrescentia, im-
patientia, intolerantia.
 taedium, morositas, *Caps.* 65, 12.
 taedium, morositas post somnum cessant, *Caps.* 65, 20.
 taedium et stomachus brevis, *Ign.* 156, 5.
 taedium, fastidium omnium rerum, *Puls.* 218, 16.
 taedium vitae et mortis desiderium cum taciturnitate,
Mez. 179, 3.
 tarda idearum progressio, *Nux v.* 186, 10. *Cinch.*
93, 6. *Ip.* 163, 9.
 tardus corporis motus, *Verat.* 262, 13. *Op.* 202, 19.
 tardus, vacillans motus, *Qp.* 202, 19.
 tectum straguli projicit, (*Bell.* 46, 19.)
 temeraria ferocitas, (*Op.* 210, 8.)

- temperati caloris et frigiditatis vicissitudines, *Op.* 203, 4.
 temperatura justa corporis, sitis et tamen potulenta ventriculum aggravant, *Nux v.* 191, 23.
 temporum dolor, *Cinch.* 96, 12, 14.
 in temporibus crepitans sensus, *Acon.* 4, 8.
 tempora quasi distendens cephalalgia, *Ign.* 151, 12.
 in temporibus (inter motum) dolor, quasi cranium disrumperetur, *Caps.* 67, 17.
 in temporibus dolor, ut in gravedine, *Cinch.* 96, 12.
 in temporibus alterutribus lacerans hemicrania, *Cham.* 80, 10.
 per tempora penetrans dolor capitis lacerans et lancinans, *Cham.* 80, 12.
 in temporibus pressio, interdum cum somno profundo, *Ign.* 151, 13.
 in temporibus dolor pressorius, *Caps.* 67, 20.
 in temporibus et fronte unius lateris pressorio lancinans dolor, *Cinch.* 96, 14.
 in temporibus pressorius dolor cum obnubilatione capitis ut a crapula, *Acon.* 4, 1.
 in temporibus dolor pulsatorius, *Caps.* 67, 18.
 in temporibus punctoriis dolor, *Cocc.* 109, 14.
 in temporibus punctorio lacerans dolor, *Arn.* 20, 8.
 in temporibus prinitio, tum in fronte, tum in occipite dolor stritorius (tractorius), *Nux v.* 195, 19.
 in temporum musculis vulsiones singulæ, *Op.* 204, 17.
 temula vacillatio ebrii instar, (*Stram.* 244, 12.)
 temulentia, vide et ebrietas, vacillatio, titubatio, vertigo.
 temulentia, (*Valer.* 253, 1.) (*Hyos.* 135, 5. 137, 13.)
 quasi temulentus vacillare videtur, vertigo, (*Stram.* 243, 2.)
 temulentia, ebrietas, vapiditas capitis, *Led.* 169, 5.
 temulentia effraena, (*Led.* 174, 1.)
 tenax pituita salivae, *Caps.* 65, 5. *Arn.* 18, 11. *Cupr.* 118, 6. *Bell.* 27, 21. (*Bell.* 39, 20.) *Cham.* 84, 2.
 in tendinibus artuum dolor stritorio lacerans uno ictu et rarus, *Cham.* 78, 13.
 tendonum subsultus, (*Acon.* 12, 16.) (*Hyos.* 139, 2.)
 cum tendonum subsultibus sopor profundissimus, facie palida, frigida, manibus frigidis, (*Bell.* 33, 11.)
 tendonum cubiti flexorum dolor tensivus in brachii flexione, (*Puls.* 229, 4. 8.)

- in tendinibus vulsio cum debilitate magna junciturarum maxime genuum et malleolorum, ita ut vix incedere posset, (*Acon.* 12, 16.)
- teneritudo nimia sensorii et hyperaesthesia; offendunt animum visus, olfactus, auditus, gustus objecta, *Cinch.* 93, 18.
- tenesmodae (albae) molliores, parvae sedes, *Acon.* 5, 7.
- tenesmodae sedes pituitae sanguinolentae, *Caps.* 69, 2.
- tenesmi species, sive invitatio crebra ad alvum dependendam, quasi diarrhoea eruptura esset, *Puls.* 223, 4.
- sum tenesimo summo et ani ardore et pruritu, excrementsa liquida, spumosa, (*Op.* 214, 2.)
- tenesimus ani, *Arn.* 19, 3. *Caps.* 69, 6. (72, 1.)
- tenesmus in recto, non in ano, *Ign.* 155, 7.
- tenesmus vesicae urinariae, *Acon.* 6, 12. 13. 14. *Arn.* 19, 9. *Caps.* 69, 9. *Camph.* 50, 16. *Puls.* 223, 7. (*Bell.* 40, 5.) (*Nux v.* 193, 7.) *Cham.* 86, 7. 16. *Cinch.* 97, 17. (*Canth.* 57, 1. 61, 5. 9.) *Cop.* 116, 1.
- tensio, vide et rigiditas, et expansio, inflatio, turgescencia, intumescentia, tumor, meteorismus, distentio, extensio.
- tensivi dolores, (*Cinch.* 101, 14.)
- tensio pertinax in Abdomine, angorem procreans, (*Cinch.* 102, 21.)
- tensio pressoria Abdominis, epigastricae regionis, motu augenda, una cum tensione pressoria in infra parte dorsi, *Caps.* 68, 11.
- tensio in Abdomine et inquietudo, quasi alvus constituta esset, *Verat.* 261, 15.
- tensionis Abdominis sensus post cibum captum, *Ign.* 154, 14.
- tensivus dolor ex Abdomine in pectus tendens, sensus quasi ab intumescentia abdominalis, *Caps.* 66, 6.
- tensio Artuum, *Nux v.* 193, 21. (*Verat.* 264, 10.)
- tensio Artuum cum rigiditate singulari, (*Nux v.* 198, 2.)
- tensivus Capitis dolor, (*Ip.* 163, 2.)
- tensionis in Cruribus sensus supra genu usque, cum gravitate crurum, *Ign.* 153, 9.
- tensio pressoria in infima parte Dorsi, *Caps.* 68, 12.
- tensio cum laceranti dolore in Dorso, *Cham.* 78, 7.
- tensio Genuum cum rigiditate, (*Nux v.* 198, 2.)
- tensio Genuum, *Nux v.* 197, 14. *Caps.* 70, 2.
- tensorius dolor in Genu, *Caps.* 70, 1.

- tensio Penis, *Nux v.* 193, 17.
 tensio Poplitis, rigiditas, *Nux v.* 197, 14.
 tensio in Suris, *Nux v.* 197, 18.
 tensivo pressorius Abdominis dolor, *Acon.* 5, 4.
 tensivus dolor in Brachio pridem laeso cum livore et
 lacinatu, (*Bell.* 36, 6.)
 tensivus dolor Calcis et genuum post sessum inter eun-
 dum, *Led.* 171, 13.
 tensivo strictorius Capitis dolor in fronte supra orbi-
 tas oculorum apertione auctus, *Puls.* 226, 11.
 tensivus dolor Capitis, *Ip.* 165, 2.
 tensivo pressoria Colica quasi a flatibus, *Acon.* 5, 4.
 tensivus tendinum flexorum Cubiti dolor in brachii fle-
 xione, *Puls.* 229, 4. 8.
 tensivus dolor in femore quasi nimis Curto, *Nux v.*
 197, 10.
 tensivus in femorum medio transversus dolor in adscen-
 sione, quasi nimis Curta essent, *Hyos.* 132, 20.
 tensivo lacerans dolor in Dorso, *Cham.* 78, 7.
 tensivi et ardentis doloris Epulis dentis canini gingi-
 vae, *Nux v.* 195, 20.
 tensivus dolor Femore, quasi nimis curto, *Nux v.*
 197, 10.
 tensivus in Femorum medio transversus dolor in ad-
 scensione, quasi nimis curta essent, *Hyos.* 132, 20.
 tensivo pressoria colica quasi a Flatibus, *Acon.* 5, 4.
 tensivus in hypochondriis dolor, quasi a Flatibus,
 Verat. 258, 15.
 tensivus et lacinians dolor inter eundum, Genuum do-
 lor, *Led.* 171, 11.
 tensivus dolor Genuum et calcis post sessum inter
 eundum, *Led.* 171, 13.
 tensorius dolor in Genu, *Caps.* 70, 1.
 tensivo ardens in Gingiva dentis canini dolor, *Nux v.*
 195, 20.
 tensivus in Glandulis inguinis dolor, *Mez.* 181, 13.
 tensivus in Hypochondriis dolor, quasi a flatibus,
 Verat. 258, 15.
 tensivo pressorius (quasi a pondere et plenitudine)
 Hypochondriorum dolor, *Acon.* 4, 13.
 tensivo pressorius vertebrarum Lumborum dolor quasi
 a confractione, cum doloribus colico flatuosis con-
 nexus, *Acon.* 5, 3.
 tensivo strictorius dolor in Nucha, *Puls.* 227, 6.

- tensivo strictorius dolor in Oculo inflaminato, a mota
 muscularum faciei - inter nares exulceratas, *Puls.*
 224, 23.
 tensivus dolor in Pectus ex abdomen tendens, sensus
 quasi ab intumescentia abdominis, *Caps.* 66, 6.
 tensivo pressorius Pectoris dolor, *Acon.* 5, 1.
 tensivo strictorius in Pectoris alterutra parte, dolor,
 per respirationem auctus, *Puls.* 228, 3.
 tensiva constrictio Pectoris, respirationem coartans,
Cocc. 109, 6.
 tensio Poplitis et rigiditas, *Nux v.* 197, 14.
 tensivo strictorius in Sterno dolor, *Puls.* 228, 4.
 tensivo pressorius Sterni dolor, *Acon.* 5, 1.
 tensivus dolor in Suris inter motum, *Cocc.* 113, 1.
 tensivo crampoides dolor in Sura inter motum, *Cham.*
 88, 13.
 tensivus Surarum dolor post sessum inter eundum,
Led. 171, 10.
 tensio in Suris, *Nux v.* 197, 18.
 tensivus Tendinum flexorum cubiti dolor in brachii
 flexione, (*Puls.* 229, 4. 8.)
 tensivo pressorius (quasi a pondere et plenitudine)
 Ventriculi dolor, *Acon.* 4, 13.
 tensorius dolor in Ventriculo, *Nux v.* 191, 18.
 tensum circa costas abdomen, (*Bell.* 37, 18.)
 tentigo diurna, *Nux v.* 193, 17.
 tenuis urinæ radius (vesicæ vis imminuta), *Cham.*
 89, 14.
 terebrans, fodiens dolor in plantis pedum, *Bell.* 28, 8.
 terebrans dolor in glandulis, *Bell.* 28, 18.
 terebrans dolor in glandulis submaxillaribus vel inter
 quietem, *Puls.* 225, 4.
 terebrantes, secantes, lacerantes dolores summi in
 oculo; (*Puls.* 234, 5.)
 terebranti pulsatorius in capite dolor, *Caps.* 67, 24.
 in terram prostratio subita, (*Hyos.* 134, 1.)
 terram alternis quassat pedibus convulsus, (*Hyos.*
 134, 2.)
 terreus sapor cum vomituritione, *Puls.* 221, 13.
 terribiles, delirae phantasiae, *Nux v.* 187, 19.
 terribilia insomnia, *Mez.* 181, 17. *Nux v.* 187, 20.
 terrificae visiones, *Nux v.* 187, 16. (*Op.* 208, 14.)

- terrificae concussions et phantasiae monstrosae inter
 capiendum somnum vel post expperceptionem ali-
 quamdiu vigentes, *Ign.* 155, 19.
 terrifica insomnia, (*Hyos.* 140, 9.)
 terror, vide et *pavor*, et *concussio*, *succussio*, *vulsiones*,
expavescientia.
 terror in somno, *Verat.* 255, 10.
 terror, *succussio* inter somnum, *Puls.* 232, 6.
 a terrore quasi concussions, (*Hyos.* 139, 6.)
 in terrorem proclivitas, *Acon.* 2, 5. *Cocc.* 108, 14. (*Caps.*
 70, 19.)
 in terrorem propensio summa, *Acon.* 2, 5.
 terrores, concussions inter somnum, *Arn.* 22, 18.
 terroribus crebris et vigiliis interruptus somnus, *Cocc.*
 109, 1.
 terrorificis succussionibus interruptus somnus, (*Op.*
 216, 3.)
 in testiculis dolor simplex, sive is, qui post conquassa-
 tionem restat, *Acon.* 6, 9.
 in testiculis calor, *Nux v.* 193, 15.
 in testiculis strictorius dolor, *Cinch.* 97, 18. *Cocc.* III,
 12. *Verat.* 259, 14. *Ip.* 166, 2.
 in testiculis lancinans dolor, *Nux v.* 193, 16.
 in testiculis contorquens, strictorius sensus, *Ip.* 166, 2.
 in testiculo retracto dolores lancinantes, *Bell.* 28, 1.
 in testiculo alterutro lancinanti punctorius dolor, *Cocc.*
 III, 11.
 in testiculos per vasa spermatica ex abdomen penetrantes
 dolores strictorii, et strictorio tensivi, testiculis
 alte pendentibus, *Puls.* 228, 15.
 tetani species, dorsum rectum, rigidum, *Op.* 202, 10.
 veluti tetano tota riget, (*Hyos.* 136, 16.)
 tetanus, (*Op.* 212, 6.).
 tibiae, vide *pedes et crura*.
 in tibia bullae aqueae ad rupturam pronae, (*Bell.* 42, 4.)
 in tibiae corpore dolor lacerans, (*Bell.* 28, 9.)
 tibiarum frigiditas supra genu usque, *Ign.* 150, 2.
 timens de cane atro, de patibulo meticulositas, *Bell.*
 25, 14.
 timida amentia aufugere conantis, (*Cupr.* 120, 4.)
 timida diffidentia, *Bell.* 25, 11.
 modo timide se retrahit, modo violenter captat obvia, (*Bell.*
 36, 18.)

- timiditas, diffidentia sui, omnia perdita putantis, *Ign.*
 152, 4.
 timiditas lacrymatoria, *Bell.* 25, 12.
 timor, vide et metus, meticulositas, pavor, expavescentia.
 timor de morte instante, (*Bell.* 46, 13.)
 timor de morte praesentanea, *Acon.* 3, 7. (*Acon.* 10, 4.)
 Dig. 123, 6. (*Bell.* 46, 13.) (*Hyos.* 146, 10.)
 (*Melamp.* 175, 8.)
 timor mortis, *Nux v.* 190, 6.
 timor ne vacillet, *Acon.* 3, 4.
 timor ne cadat, (*Stram.* 244, 13.)
 timor ne mente privetur, (*Stram.* 244, 14.)
 tinniens sibilus in aure, *Nux v.* 195, 12.
 tinniens vibratio in dentibus, et vacillatio, *Hyos.* 132, 7.
 tinnitus sibilans aurium, *Nux v.* 195, 12.
 tinnitus aurium oscillans, quasi a pulsatione baculi fer-
 rei, *Puls.* 220, 15.
 tinnitus in aure acutus, *Puls.* 220, 17.
 tinnitus longus post pulsatorium in aure sensum, *Cinch.*
 96, 5.
 tinnitus aurium, *Ign.* 159, 5. *Cham.* 79, 4. *Puls.* 220,
 16. (*Camph.* 54, 2.)
 titillanti pipératus sensus in lingua, *Acon.* 2, 2.
 ex titillanti constrictorio sensu in tractu tracheae tussis,
 Ip. 165, 6.
 titillatio in ima bronchiorum regione sine expectoratio-
 ne, *Verat.* 262, 2.
 titillatio in larynge et tussicula sicca post decubitum
 vésperi, *Caps.* 66, 17.
 titillatio et pruritus continuus in superiore parte laryn-
 gis, quae colli scrobiculo subjacet, tussim siccam
 proritans, *Cham.* 87, 10.
 titillatio in naribus gravedinosa, *Caps.* 67, 2. *Ign.* 157,
 12.
 titillatio in infima bronchiorum sede tussifera expecto-
 ratione levi, *Verat.* 259, 17.
 titillatio in ima bronchiorum parte, sine expectoratio-
 ne, *Verat.* 202, 2.
 titillatio continua in naribus, *Puls.* 223, 18.
 titillatio in larynge, *Nux v.* 196, 8. *Cocc.* 111, 16.
 Ip. 165, 6. *Caps.* 66, 17. *Cham.* 87, 10. *Verat.*
 254, 1.
 titillatio (irritatio) in suprema laryngis parte tussifera,
 Ip. 165, 6.

- ob titillationem in ima sterni parte tussis sicca, *Verat.*
254, 1.
 titubatio, vide et *vacillatio* et *instabilitas*.
 titubans vertigo, (*Bell. 41, 15.*)
 titubans vertigo quasi ab ebrietate, cum calore capitinis
 interno et pallore faciei, naturaliter calidae, maxi-
 me vesperi, *Puls. 217, 1.*
 titubatio, (*Bell. 33, 15.*) (*Op. 209, 17. 213, 16.*)
 titubatio linguae, (*Op. 209, 1.*)
 titubatio, progredi non potest nisi titubanter, (*Op.*
214, 11.)
 titubatio a latere ad latus, *Caps. 64, 3.*
 titubationis hinc inde pendentis sensus, *Ign. 150, 7.*
Nux v. 185, 3. Acon. 1, 6.
 titubationis hinc inde sensus, vertiginis species, *Ign.*
150, 7.
 tonicus spasmodus omnium membrorum quasi a rigidita-
 te, *Ign. 153, 7.*
 tophi et nodi duri dolentes in articulationibus, *Led.*
172, 7.
 tormenta tanta, ut sanguis per unguium rimas transu-
 daret, (*Verat. 264, 15.*)
 tormina, (*Hyos. 138, 11. 144, 5. 147, 4.*) *Melamp.*
176, 11. (*Melamp. 177, 4.*) (*Stram. 248, 18.*) (*Bell.*
43, 13.) *Canth. 58, 2.* (*Canth. 60, 5. 61, 14.*)
(Cupr. 120, 6.) vide et *abdomen, epigastrum, hypo-*
gastrium, intestina.
 tormina ventris, (*Bell. 34, 5.*) (*Hyos. 145, 15.*)
 tormina et inflatio abdominis, (*Rh. 238, 8.*)
 tormina Anxia, (*Arn. 23, 3.*)
 tormina cum Ardore, (*Cop. 217, 4.*)
 tormina Atrocia, (*Verat. 264, 15.*)
 tormina, molestia in abdomen quasi a Constipatione,
Cham. 85, 10.
 tormina Colica, pressorio tensiva quasi a flatibus,
Acon. 5, 4.
 torminum instar Constrictorius dolor a latere utroque
 sub costis ultimis, *Ign. 153, 3.*
 tormina Constrictoria infra umbilicum cum abdominis
 intumescentiae sensu quae truncum incurvare co-
 gunt, *Bell. 27, 13.*
 tormina circa umbilicum Contorquentia, dissidentia,
Caps. 69, 3.

- tormina Contortoria, *Dros.* 129, 7.
 tormina quasi ab intestinis Contritis et debilitate eorum,
 quae post purgantia remanere solet, *Led.* 171, 3.
 cum torminibus quasi ab intestinorum Contritione, Contusione
 et cephalalgia, conspirans vomiturio, *Cocc.*
 110, 20.
 tormina quasi a Contusione, *Op.* 203, 7.
 tormina Correptoria et forficantia cum diarrhoea, *Dros.*
 129, 5.
 tormina quasi a Diarrhoea nascitura ab umbilico ad
 anum usque, anorexia sapore integro, pedibus fri-
 gidis, *Led.* 171, 5.
 tormina Dilacerantia, *Cocc.* 111, 2. (*Op.* 211, 17.)
 torminibus circa umbilicum Disscidentibus et contor-
 quentibus diarrhoea pituitae tenacis, interdum atro
 sanguine intermisitae, post singulam sedem sitis,
 post haustus singulos horror, *Caps.* 69, 3.
 tormina Disscidentia, (*Dros.* 129, 6.) *Verat.* 259, 2.
 Hyos. 132, 14.
 tormina Disscidentia cum vomituritione, (*Nux v.*
 192, 9.)
 tormina Disscidentia in infimo abdome, *Hyos.* 132,
 15.
 cum torminibus Disscidentibus diarrhoea aquea, *Cham.*
 86, 2.
 cum torminibus Disscidentibus diarrhoea, *Puls.* 223, 3.
 tormina Disscidentia respiratione in praecudentia, cum
 dolore in osse sacro et abdome lancinante, *Puls.*
 227, 14.
 tormina Disscidentia, truncum incurvare cogentia ante
 et inter sedes albas diarrhoicas, *Cop.* 116, 8.
 tormina Disscidentia circa umbilicum una cum horro-
 re, *Ip.* 164, 9.
 tormina Disscidentia quasi cultris, *Verat.* 258, 17.
 tormina Disscidentia lancinantia, respiratione in praecuden-
 tia ex dolore lancinante in osse sacro profe-
 cta, *Puls.* 227, 15.
 tormina maxime Diurna, (*Mez.* 183, 14. 184, 5.)
 tormina quasi a Dysenteria, *Led.* 171, 3.
 tormina Dysenterica, in infimis ossium illum recessi-
 bus ab utraque parte fodientia, nauseabunda, sopor-
 ifera, *Arn.* 19, 1.
 tormina Ecceprotica, *Cinch.* 97, 13.

tormina, quasi pressio a Flatibus, *Arn.* 18, 22.

tormina quasi a Flatibus in hypogastrio, *Caps.* 69, 1.

tormina Flatuosa, *Acon.* 5, 5. *Caps.* 69, 1, 2.

tormina colica, quasi a Flatibus, pressorio tensiva, *Acon.* 5, 4.

post tormina in hypogastrio Flatuosa parum dolorosa sedes parvae, crebrae, pituitae interdum sanguine atro intermistae tenesmodae, *Caps.* 69, 2.

tormina Flatuosa in hypogastrio, tenesmodae, *Caps.* 69, 2.

tormina Flatuosa, quasi a Flatosis purgantibus in ima parte abdominis, *Acon.* 5, 5.

tormina Fodientia, dysenterica, *Arn.* 19, 1.

tormina Forficantia, *Ign.* 153, 13. *Nux v.* 192, 13. *Val.* 251, 12.

tormina (Forficantia) supra umbilici regionem, *Acon.* 5, 16.

tormina Forficanti lacinantia, *Cinch.* 97, 10.

tormina, Forficanti lacerantia in pectus tendentia, *Nux v.* 192, 5.

tormina Forficanti correptoria cum diarrhoea, *Dros.* 129, 5.

tormina Forficantia in ipsa umbilici regione, vomitum procreantia, dolore dein in pectoris latus sinistrum migrante forficanti punctorio, *Ign.* 153, 14.

tormina Forficantia, truncum incurvantia, cum diarrhoeae molimine irrito, et vomitu subsequenti, *Bell.* 27, 15.

tormina Forficanti lacerantia in umbilico et infra, ab utroque latere, cum dolore ossis sacri, quasi a confractione, *Cham.* 85, 8.

tormina Forficantia in ipsa umbilici regione, *Ign.* 153, 14.

tormina Forficanti pressoria cum flatuum incarcerazione, *Caps.* 68, 13.

tormina Forficantia in alterutro latere abdominis post tormina punctoria infra umbilicum, *Ign.* 153, 12.

tormina Forficantia in alterutro Hypochondrio, *Ip.* 164, 8.

tormina Gravia, (*Canth.* 60, 13.)

tormina cum Haemorrhagia ex ano, *Led.* 171, 6.

tormina cum Horrore, *Cinch.* 97, 12. *Ip.* 164, 9. *Ign.* 156, 14.

- cum torminibus Horripilatio pomeridiana, tum debilitas et somnus cum calore ardente, *Ign.* 156, 14.
- tormina in Hypogastrio flatuosa, tenesmodea, *Caps.* 69, 2.
- tormina in Hypogastrio supra os pubis strictorio lacerantia, *Verat.* 259, 1.
- tormina Ineffabilia in ventre, (*Cinch.* 101, 13.)
- tormina Lacerantia, (*Puls.* 234, 1.) *Ign.* 155, 8. *Cham.* 76, 1. *Mez.* 181, 4.
- tormina Lacerantia cum jactatione quasi moribundi, *Cham.* 76, 1.
- tormina Lacerantia supra umbilicum, *Arn.* 18, 23. *Ip.* 164, 10.
- tormina Lacerantia, quasi umbilicum evulsura sint, *Stram.* 240, 8.
- tormina Laceranti forficantia in pectus tendentia, *Nux v.* 192, 5.
- tormina Laceranti forficantia in umbilico et infra, ab utroque latere cum dolore ossis sacri quasi a confractione, *Cham.* 85, 7.
- tormina Laceranti strictoria, *Nux v.* 192, 10. *Cocc.* 114, 1.
- tormina Laceranti strictoria in hypogastrio supra os pubis, *Verat.* 259, 1.
- tormina Lancinanti forficantia, *Cinch.* 97, 10.
- tormina volatice Lancinantia, (*Cinch.* 97, 10.)
- tormina Lancinanti dissidentia respirationem praecedentia, post dolorem in osse sacro lancinante, *Puls.* 227, 15.
- tormina imi ventris Lancinantia, (*Verat.* 266, 7.)
- tormina Nauseabunda, *Arn.* 19, 1. (*Nux v.* 192, 9.) *Ign.* 153, 14. *Cocc.* 110, 20. (*Cupr.* 121, 6.)
- tormina in Pectus tendentia, *Nux v.* 192, 5.
- tormina Pressoria, cum aestuatione anxia, *Mez.* 181, 6.
- tormina Pressoria, *Val.* 251, 11.
- tormina quasi Pressio a flatibus, *Arn.* 18, 22.
- tormina colica Pressorio tensiva, quasi a flatibus, *Acon.* 5, 4.
- tormina Pressorio forficantia cum flatuum incarceratione, *Caps.* 68, 13.
- tormina ab utroque latere in Pubis regionem convergentia, strictoria, *Nux v.* 192, 11.

- tormina supra os Pubis in hypogastrio strictorio lace-
 rantia, *Verat.* 259, 1.
 tormina Pulsatoria, (*Ign.* 155, 13.) *Caps.* 66, 2. (*Op.*
 203, 3.)
 tormina Punctoria, *Nux v.* 192, 14.
 tormina Punctoria infra umbilicum, *Ign.* 153, 11.
 tormina quasi a debilitate intestinorum, quae post Pur-
 gantia remanet, *Led.* 172, 4.
 tormina quasi a Purgante, *Op.* 203, 4.
 tormina quasi a Purgantibus flatuosis, *Acon.* 5, 5.
 tormina quasi a Refrigeratione, *Op.* 203, 6.
 de tormibus quasi ilea Rumpantur, clamores, pugnis in
 latera infixis, (*Hyos.* 147, 11.)
 tormina ante et post Sedem, *Op.* 205, 10.
 tormina ante singulas Sedes ex pituita constantes, cre-
 bras, *Puls.* 223, 2.
 tormina ante et inter Sedes, alvo deposita cessantia, *Rh.*
 235, 10.
 tormina Simplicis doloris quasi a contusione, *Op.* 203, 7.
 tormina (Simplicis doloris), (*Mez.* 181, 5.) *Op.* 203, 7.
 tormina Strictoria, *Cocc.* 111, 1. *Led.* 171, 2. *Cham.*
 85, 7.
 tormina Strictoria a latere sinistro supra umbilicum,
 Nux v. 192, 12.
 tormina Strictoria ab utroque latere in pubis regionem
 convergentia, *Nux v.* 192, 11.
 tormina Strictoria et dolores strictorii in femoribus et
 artibus, cum menstruatione aucta, *Stram.* 242, 3.
 tormina Strictorio lacerantia, *Nux v.* 192, 10. (*Cocc.*
 111, 1.)
 tormina Strictorio lacerantia in hypogastrio supra os
 pubis, *Verat.* 259, 1.
 tormina Strictorio Tensiva ritu dolorum ad partum,
 Puls. 228, 14.
 tormina Tenesmodea, flatuosa in hypogastrio, *Caps.*
 69, 2.
 tormina Tensivo pressoria quasi a flatibus, *Acon.* 5, 4.
 tormina Tractoria (strictoria), *Cocc.* 111, 1.
 tormina circa Umbilicum cum horrore, *Cinch.* 97, 12.
 Ip. 164, 9. (*Ign.* 156, 14.)
 tormina forficantia in ipsa Umbilici regione, *Ign.* 153,
 14.
 tormina in Umbilico et infra forficanti lacerantia, *Cham.*
 85, 7.

- cum torminibus spasmodicis in abdomine vomituritiones,
 (*Capr.* 121, 6.)
 sine torminibus diarrhoea, *Canth.* 58, 1.
 torminosa diarrhoea, mere albo mucosa, *Cham.* 86, 3.
 torminosa diarrhoea, *Cham.* 86, 4. (*Caps.* 69, 3.)
 torminosa diarrhoea pituitae tenacis interdum atro san-
 guine intermixta, *Caps.* 69, 3.
 torminosa ecoprosis, *Cinch.* 97, 13.
 torminosus surde meteorismus, *Verat.* 261, 15.
 torminosus in abdomine dolor, qualem in constipazione
 alvi exoneratio gignit, *Cham.* 85, 10.
 torminum et abdominis duritiae et tumoris parvi acces-
 sus, (*Cinch.* 104, 15.)
 torpefacit membra omnia, *Dros.* 128, 4.
 torpor, (*Hyos.* 138, 5.) (*Op.* 213, 5.)
 torpor artuum, (*Melamp.* 177, 2.) (*Stram.* 245, 5.)
 torpor flacciditas, (*Op.* 210, 10.)
 torpor pulsu fere deleto, (*Stram.* 245, 5.)
 torpor paralyticus artuum, *Melamp.* 175, 4. *Val.* 251,
 15. *Acris* 15, 10.
 torpor omnium membrorum, *Nux v.* 194, 2.
 torpor corporis et vapiditas capitidis qualis ex pervaigila-
 tione et insomnia, *Cinch.* 93, 5.
 torpor sensuum internorum, (*Hyos.* 145, 8.)
 torrida siti et sicca labia, *Arn.* 19, 14.
 torvo vultu obvios intuetur, (*Hyos.* 135, 12.)
 torvus adspectus, (*Hyos.* 135, 6.)
 torvus vultus, (*Bell.* 39, 1.)
 per totum corpus ardor, *Nux v.* 194, 6.
 per totum corpus caloris subitanei accessus, *Ign.* 157, 8.
 trachea, vide et *larynx* et *bronchia*.
 in trachea dolor, ubi mucus abrasus fuerat, *Cham.* 87, 7.
 tracheae in tussi dolor, *Cinch.* 97, 8.
 a tracheae pituita tenaci raucitas, *Op.* 205, 3.
 tracheae et bronchiorum dolor, maxime inter tussim,
 Camph. 50, 11.
 tractio corporis in latus spasmodica, mente constante,
 Nux v. 192, 7.
 tractoria (strictoria) tormina, *Cocc.* 111, 1.
 tractorius dolor, vide *strictorius*.
 tractorius dolor in dorso, *Caps.* 69, 15.
 tractorio lacerans dolor in pectoris latere, *Op.* 204, 2.
 tractorio lacerans dolor per minuta in infimo abdomine
 maxime supra os pubis, *Verat.* 259, 1.

- tractorio lacerans dolor in dorso, *Op.* 204, 3.
 tractorius et fere paralyticus dolor in artibus, *Canth.*
 57, 6.
 tractorius sensus ab extremitatibus artuum ad umbili-
 cum usque, ubi tum convolutio seu depsatio, *Nux*
v. 192, 6.
 tractorius sensus in pectoris latere ad collum usque in-
 ter tussiculam, *Caps.* 66, 9.
 tractorius (indolorifice) motus hinc inde in cerebro,
Nux v. 188, 7.
 trahens hinc illinc capitinis dolor, *Cinch.* 96, 9.
 trahens hinc illinc sensus in cerebro vertiginosus, *Nux*
v. 185, 6.
 quasi traheretur aliquid rursum versum sensus magis spas-
 modicus quam dolorosus in musculis scapularum,
 artuum, dorsi, *Nux v.* 193, 23.
 tranquillitas mentis, (*Op.* 209, 7.)
 transiens in lacerantem cephalaea pressoria, *Rh.* 235, 8.
 transiens in pressorium dolor capitinis lancinans, *Ip.* 165,
 14.
 per transversum pectus lancinatio inter singulam respi-
 rationem, *Cham.* 88, 5.
 transversus tensivus dolor in femorum medio, quasi
 nimis curta essent in adscensione, *Hyos.* 132, 20.
 trementia crura, (*Verat.* 268, 11.)
 tremor, *Nux v.* 187, 14. *Arn.* 17, 5. (*Arn.* 24, 1.)
Acon. 2, 7. (*Camph.* 53, 21.) *Acet.* 15, 3. (*Op.*
 211, 3.) (*Bell.* 41, 10. 41, 14. 46, 14.)
 tremore quasi sensus cum frigore ventriculi et sensu qua-
 si ab aqua frigida, *Caps.* 65, 1.
 tremor, propensio in palpitationem summa, *Acon.*
 2, 7.
 tremor plurium horarum, *Ign.* 155, 16.
 tremor, inquietudo, (*Op.* 211, 3.)
 tremor unius membra, *Stram.* 240, 22.
 tremor plurium membrorum, *Stram.* 240, 22.
 tremor in omnibus membris, *Cocc.* 108, 13.
 tremores, (*Stram.* 244, 1.)
 tremor universalis, *Cocc.* 108, 13. *Verat.* 256, 10. *Stram.*
 240, 22. *Ign.* 160, 3. (*Camph.* 54, 11.)
 tremor cum frigiditate pedum quasi ab aqua frigida
 circulante, *Verat.* 254, 3.
 tremorem propensio, *Cocc.* 108, 15.
 tremula auxetas, vide et *trepidatio*.

- tremula Anxietas, quasi mors instaret, *Puls.* 220, 1.
 tremula Anxietas requie, decubitu, sessu aucta, motu diminuta, *Puls.* 230, 19.
 tremula Anxietas cum palpitatione, *Cham.* 75, 16.
 tremoris sensus anxius in Artibus, *Puls.* 230, 19.
 tremula Artuum infirmitas, pupillis dilatatis, *Cinch.* 96, 1.
 cum tremore Calor, (*Camph.* 54, 3.)
 tremulae Capitis Convulsiones, *Cocc.* 108, 16.
 cum tremore et Convulsionibus pavoris Concussiones, (*Hyos.* 138, 16.)
 tremor cum Convulsiva Concussione, *Bell.* 26, 10.
 tremor Corporis totius, (*Camph.* 54, 11.) (*Ign.* 160, 3.)
Verat. 256, 10.
 tremula Crurum debilitas, *Caps.* 64, 7.
 trementia Crura, (*Verat.* 268, 11.)
 tremula Crurum gravitas, *Bell.* 26, 11.
 tremula Crurum instabilitas, *Camph.* 48, 7.
 tremor in Dorso, *Cocc.* 108, 12.
 tremula Expavescentia, *Cham.* 75, 15.
 cum tremore Frigoris sensus, aliquot minutarum intervallo recurrens, calore parvo subsequo, sine sudore, *Puls.* 218, 4.
 tremor Genuum et pedis alterutrius, *Nux v.* 187, 15.
 tremor ex Horrore, *Caps.* 65, 2.
 tremor Labiorum, (*Stram.* 245, 21.)
 tremor Linguae, (*Bell.* 38, 11.)
 tremor Manuum, *Acris* 15, 4. (*Stram.* 245, 21.)
 tremulus sensus in Membris omnibus et Nervis, (*Op.* 211, 15.)
 tremor unius, plurium Membrorum, *Stram.* 240, 22.
 cum tremore et convulsionibus Pavoris concussions, (*Hyos.* 138, 16.)
 tremor Pedum, *Camph.* 48, 5. (*Stram.* 245, 21.)
 tremor Pedum frigidorum, *Verat.* 254, 3.
 tremula Pedum instabilitas, *Camph.* 48, 7.
 tremula in Pedibus debilitas, *Caps.* 64, 7.
 tremor Pedis alterutrius et genuum, *Nux v.* 187, 15.
 tremor Pedum, frigiditas et horrescentia cum amenorrhoea, *Puls.* 231, 14.
 cum tremore Pedum frigus quasi ab aqua frigida infusa, *Nux v.* 186, 4.
 tremor Universalis, (*Camph.* 54, 11.) (*Nux v.* 199, 14.)

trepidatio a strictorio dolore in artibus et toto corpore,
 Puls. 231, 2.
 trepidatio requie aucta, motu diminuta, Puls. 230, 19.
 cum trepidatione et horrore pedum subitaneus faciei rubor,
 Puls. 219, 9.
 in tripudium soluta suspiria, (Bell. 33, 17.)
 trismus, Verat. 255, 17. (Stram. 246, 2.) (Nux v.
 200, 15.) (Bell. 32, 17. 33, 8.) (Op. 205, 6. 207, 5.)
 Camph. 47, 10.
 trismus, ratione constante, (Nux v. 200, 15.)
 trismus, labiis occlusis, (Stram. 246, 2.)
 tristissimis cogitationibus immersa mens, offensae haer-
 rent alta mente repostae, Cocc. 106, 11.
 tristitia, vide et moeror et animus abjectus, animus de-
 missus, desperatio, spei abjectio.
 tristitia, (Stram. 246, 10.) (Hyos. 138, 7.)
 tristitia, animus demissus, (Hyos. 138, 7.)
 trunci et artuum frigiditas maxima, (Stram. 244, 23.)
 trunci incurvatio arcus instar, (Op. 211, 16.)
 trunko incurvato sedere cogentia tormina, forficantia,
 Bell. 27, 15.
 quae truncum incurvare et inclinare cogunt tormina con-
 strictoria, Bell. 27, 13.
 trunko flexo corpus in altum projicitur spasmis, (Hyos.
 134, 4.)
 inter trunci erectionem ardor in cerebro, Melamp. 176, 1.
 in tuba Eustachiana frigor, Cocc. 109, 9.
 in tubis ossium artuum uno ictu et rarus dolor strictorio
 lacerans, Cham. 78, 13.
 tubercula frigida, chronica, dolorifica, Bell. 30, 13.
 tubercula in fronte ut in bibonibus, Led. 170, 17.
 tubercula parva, furunculorum instar, in femore, buc-
 cis, doloris punctorio lancinantia, Nux v. 195, 18.
 tuberculorum urticarium exanthema, urens post frica-
 tum miliaris eruptionis prurientis, Verat. 261, 11.
 tuberculosae pustulae et durae, nullo humore refertae,
 rubore circumfusae, pruriens ardentia dolore in ar-
 tubus, metacarpo et dorso phalangum digitorum,
 Cocc. 115, 9.
 tuberculum in maxillae inferioris superficie externa
 sub cute, tactu tantum dolorosum, Nux v. 195, 19.
 tumor, vide et oedema, meteorismus, inflatio, distentio,
 extensio, expansio, intumescentia.
 tumor, (Hyos. 135, 9.)

- tumores'gangraenosi, *Bell.* 30, 1.
 tumor unius, plurium membrorum, *Stram.* 240, 22
 tumores parvi furunculorum instar, *Nux v.* 195, 18.
 tumores inflammatorii, *Bell.* 30, 1.
 tumores frigidi, chronici, dolorifici, *Bell.* 30, 13.
 tumidum, durum Abdomen, *Cham.* 86, 1.
 tumor Abdominis et scrofuliculi, pressio anxia in scrofule, menstrui suppressio, dolores quasi ad partum et hydrops cutaneus, *Cham.* 86, 8.
 tumidum Abdomen, (*Op.* 205, 7.) (*Bell.* 44, 3.)
 tumidum Abdomen, nec tamen durum, nec dolorosum, (*Stram.* 247, 6.) (*Bell.* 35, 11.)
 tumor Abdominis, non durus, *Stram.* 239, 16. (*Stram.* 247, 6.)
 tumes Abdominis et duritiei, et dolorum parvi accessus, (*Cinch.* 104, 15.)
 tumor Abdominis, (*Cinch.* 102, 14.)
 tumor Abdominis, quasi hydropticum esset, (*Acon.* 10, 11.)
 tumidum Abdomen circa costas, (*Bell.* 37, 18.)
 tumor Apoplecticus faciei, *Cocc.* 109, 3.
 tumor nuchae, utrinque ad colli latus, tactu ut ab Apostemate dolens, *Puls.* 226, 9.
 tumor Artuum, (*Cinch.* 102, 15.) (*Stram.* 240, 22.)
 tumor, rubor, calor Auris externae, *Puls.* 221, 1.
 tumor parvus instar glandulae ad Auris tragum, *Puls.* 225, 8.
 tumor Brachii, (*Mer.* 184, 2.)
 tumidum quasi esset Brachium, sensus, *Verat.* 260, 6.
 tumores tactu tantum apostematis instar dolorosi in Calotta, *Puls.* 226, 7.
 in tumoribus frigidis Calorem excitat et lancinantem dolorem, certe si tanguntur, *Cocc.* 113, 11.
 tumidum Caput, (*Nux v.* 200, 8.) (*Cupr.* 121, 10.)
 tumor Capitis, (*Bell.* 41, 12.)
 tumor utrinque ad Colli latus, tactu ut ab apostemate dolens, *Puls.* 226, 9.
 tumor Colli, (*Bell.* 37, 5.)
 tumores in Collo tactu tantum dolorosi apostematis instar, *Puls.* 226, 9.
 tumor Corporis totius cum rubore, (*Bell.* 40, 15.)
 tumor Corporis, (*Cupr.* 122, 3.)
 tumor, rubor et ardor totius Corporis, (*Bell.* 43, 3.)
 tumor erysipelaceus totius Corporis, (*Cinch.* 163, 19.)

- tumidum circa Costas abdomen, (*Bell.* 37, 18.)
 tumores nou inflammati, subcutanei, tactu dolorosi su-
 pra Cubiti flexuram, *Puls.* 229, 10.
 tumor ostii Ductuum salivalium dolorosus, *Ign.* 154, 5.
 tumor et rubor Faciei. (*Cinch.* 103, 21.) *Bell.* 26, 21.
 (*Bell.* 32, 3. 33, 7.) (*Stram.* 244, 4.)
 tumidae Faciei venae, (*Op.* 209, 14.)
 tumor Faciei, (*Op.* 215, 10.) (*Stram.* 247, 4. 249, 9.
 14.) (*Dig.* 127, 8.) *Bell.* 42, 2. (*Mez.* 184, 3.)
 tumor Faciei, maxime labiorum, sine rubore, (*Bell.*
 42, 2.)
 tumor Faciei apoplecticus, *Cocc.* 109, 3.
 tumor Faciei, genis labiisque praerubris, (*Stram.*
 247, 4.)
 inter tumorem et ruborem Faciei oculi retorti, (*Bell.* 40, 20.)
 tumida quasi esset Facies sensatio, (*Acon.* 12, 14.)
 tumida, rubra Facies, (*Hyos.* 149, 9.) (*Op.* 212, 9.)
 tumida et profunde rubra Facies, *Bell.* 36, 7.
 tumida et praerubra Facies, (*Nux v.* 200, 8.)
 tumor Faciei, maxime labiorum, sine calore, (*Bell.*
 42, 2.)
 tumor Faciei, oculorum, linguae, (*Stram.* 249, 9.)
 tumor Faciei, Frontis, *Acon.* 8, 7.
 tumor Faciei magnus et calor, (*Bell.* 40, 14.)
 tumores Frigidi, dolorosi, *Bell.* 30, 8.
 tumores dolorosi in Fronte, *Nux v.* 195, 3. (*Melamp.*
 176, 6.)
 tumores parvi in cute (Frontis) dolorifici quasi ab
 ictu, *Melamp.* 176, 6.
 tumor et ardor Genarum cum oculis rubris, inflamma-
 tis, *Led.* 172, 4.
 tumor Genae, *Caps.* 70, 12.
 quasi a tumore magno in Genis sensus, (*Acon.* 12, 14.)
 cum tumore Genae dolor lacerans in maxilla ad aurem per-
 tinens, *Cham.* 79, 5.
 cum tumore Genae odontalgia, *Cham.* 80, 3.
 tumor et rubor Genarum, (*Bell.* 40, 12.)
 tumores dolorosi in Genu, *Nux v.* 197, 16.
 tumor Genium et dolor inter eundum tensivus et lan-
 cinans, *Led.* 171, 11.
 tumor Gingivae, *Caps.* 67, 12. *Cham.* 80, 6. *Cocc.* 110, 3.
 tumor Gingivae et labiorum, (*Cinch.* 103, 20.)
 tumor Gingivae in regione dentis cariosi, *Cocc.* 110, 3.
 tumores Glandularum, *Arn.* 20, 16.

- tumor Glandularum inguinalium, *Stram.* 240, 7.
 in tumoribus Glandularum frigidis lacinans dolor, certe
 si tangentur, *Cocc.* 113, 11.
 tumores Glandularum in nucha cum obnubilatione ca-
 pitis, *Bell.* 25, 6.
 tumor Glandularum maxillarium, *Cinch.* 96, 18. *Ign.*
 154, 3.
 tumor Glandularum submaxillarium post strictorium in
 iis dolorem, *Ign.* 154, 3.
 in tumoribus Glandularum duris lacerans dolor, *Cocc.*
 113, 10.
 in tumoribus Glandularum frigidis calorem et dolorem lan-
 cinantem excitat, certe quando tanguntur, *Cocc.*
 113, 11.
 a tumore quasi premente coarctatio Gulæ, *Ign.* 154, 4.
 Verat. 257, 2. (*Puls.* 225, 6. 9.)
 tumor Labiorum et gingivæ, (*Cinch.* 105, 20.)
 tumor Labii, *Caps.* 67, 10.
 tumoris in Linguae radice inter deglutitionem dolorosi
 sensus cum pharyngis dolore, *Cocc.* 110, 5.
 tumor dolorosus in Linguae radicis latere, *Cinch.* 96, 16.
 tumor parvus, non dolorosus in medio Linguae cor-
 pore, *Dros.* 129, 18.
 tumor Linguae protensa, (*Stram.* 247, 9.)
 tumor Linguae, oculorum, faciei, (*Stram.* 249, 9.)
 tumor in Lingua, (*Melamp.* 177, 3.)
 tumor Manuum, (*Hyos.* 144, 9.)
 tumor Maxillarium glandularum post strictorium in iis
 dolorem, *Ign.* 154, 3.
 tumor Nasi, *Arn.* 29, 15.
 tumor Nuchæ utrinque ad colli latus, tactus ut ab apo-
 steme dolens, *Puls.* 226, 9.
 tumor Oculorum, (*Stram.* 247, 5. 249, 9.)
 tumidus mane Oculus et pure conglutinatus, *Cham.*
 81, 5.
 tumore clausi Oculi, bulbis motitatis quaquaversum pu-
 pillis summe dilatatis, (*Stram.* 247, 5.)
 tumor et rubor Palpebrarum, (*Puls.* 234, 8.)
 tumor Parotidis, *Cocc.* 110, 7.
 tumor Parotidis sinistrae, (*Hyos.* 145, 11.)
 tumor Partis et gangraena, suppuratione insigni subse-
 qua, (*Acon.* 13, 15.)
 tumor Pectoris, (*Bell.* 37, 5.)

- tumor Pedum, (*Cinch.* 103, 5. 17.) *Op.* 205, 9. *Puls.*
 230, 3.
 tumor Pedum dolorosus, urina pauca, luteo viridi, turbida, (*Cinch.* 103, 22.)
 tumor Pedum pertinax, *Led.* 172, 13.
 tumor Pedum subitaneus, *Verat.* 260, 18.
 tumor Pedum vespertinus, *Bell.* 28, 19. *Cocc.* 113, 5.
 tumor, calor, pruritus Pedum, *Cocc.* 113, 6.
 tumor ruber et calidus Pedum cum dolore tensivo urente, inter statum lancinante, *Puls.* 230, 4.
 quasi a tumore in Pharynge dolor inter deglutitionem, *Ip.*
 163, 5.
 tumore duro et doloroso Praecordia tensa, (*Acon.* 10,
 12.)
 tumor dolorosus in ostio ductuum Salivalium, *Ign.*
 154, 5.
 tumidum quasi esset interne Scrobiculum, dolor, cum
 anorexia et respiratione per accessus brevi, *Acon.*
 6, 3.
 tumor et pressio anxia Scrobiculi, cum abdominis ex-
 pansiōne, menstrui suppressione, doloribus quasi
 ad partum et hydrope cutaneo, *Cham.* 86, 8.
 tumor Scroti, (*Canth.* 61, 5.)
 tumor Subitaneus, *Melamp.* 176, 5.
 tumor Uteri cervicis, (*Canth.* 60, 4.)
 tumor Uvulae et Veli palati sine dolore, *Cinch.* 96, 19.
 tumor Ventris, quasi hydropicus esset, (*Acon.* 10, 11.
 12, 5.)
 tumor Ventris, (*Stram.* 249, 8.)
 tumens rubet Vultus, reliquo corpore pallido, (*Bell.*
 32, 3.)
 tumor Vulvae cum leucorrhœa lactea, *Puls.* 223, 14.
 quasi a tumultuante intus animali vivo dolor in pectore in-
 ter respirationem, *Led.* 170, 4.
 tumultus, rixae, contumeliae, (*Hyos.* 136, 23.)
 turba idearum projectantium, *Cinch.* 99, 5.
 turbatio capititis, (*Op.* 216, 2.)
 turbatio capititis, vera notitia nullius rei, eorum quae
 legit sensum assequi non potest, (*Op.* 214, 8.)
 turbatus somnus, (*Cinch.* 100, 6.)
 turbulentus somnus, *Cinch.* 97, 7. *Ip.* 163, 3. *Stram.*
 241, 8.
 turbulentus, ejulatorius somnus, *Ip.* 163, 8.

- turbulentus somnus, plenus insomniis et vociferationibus, *Cinch.* 97, 7.
 (turbulentus somnus, plenus insomniis) ejulatorius, capite reclinato, *Rh.* 256, 9.
 turbulentus somnus et deliriis et agitationibus interrumpens, (*Op.* 212, 14.)
 turgentes oculi, (*Acon.* 12, 3.)
 turgida sanguine et inflata facies, (*Stram.* 247, 4)
 turgidum sanguine caput, *Ign.* 151, 8. 10. 156, 11. 12.
Camph. 50, 3. *Cinch.* 95, 9. *Dros.* 129, 14.
 tussifera titillatio in infima bronchiorum regione, expectoratione levi, *Verat.* 259, 17.
 tussifera vociferatio infantum, cum morositate et jactatione, *Arn.* 21, 14.
 tussis, *Cocc.* 111, 16. *Puls.* 224, 8. *Cupr.* 119, 5.
Dros. 128, 15.
 tussicula cerebra, *Caps.* 66, 11.
 tussis dolorosa, *Caps.* 66, 13. *Cinch.* 97, 8. *Cham.* 87, 7. 12.
 tussicula, *Acon.* 7, 11. *Melamp.* 175, 11.
 tussicula creberrima, *Caps.* 66, 10.
 tussicula lancinatum in pectoris latere exasperans, cum asthmate continuo, *Arn.* 21, 7.
 tussis indesinens per horas, *Cupr.* 119, 18.
 inter tussim lancinatus ex Abdomine per funiculum spermaticum micans, *Verat.* 259, 10.
 inter tussim Anima foetida, sapore alieno praedita, *Caps.* 66, 15.
 ad tussim siccam irritatio continua cum Asthmate strangulatorio circa scrobiculum colli, *Cham.* 87, 11.
 tussis ob titillationem in infima Bronchiorum regione, *Verat.* 254, 1.
 inter tussim maxime dolor Bronchiorum et tracheae, *Camph.* 50, 11.
 tussis siccissima ob pruritum in infima Bronchiorum sede, *Arn.* 21, 9.
 tussis ex sensu constrictorio titillante a supra larynge ad infima Bronchia tendente, *Ip.* 165, 6.
 tussi auctus et pronatione dolor Capitis vulsorio lacerans, (*Arn.* 20, 9.)
 inter tussim dolor Capitis, quasi cranium disrumperetur, *Nux v.* 196, 9.
 tussis Cava, siccissima, *Op.* 201, 3.

tussis Cava, sicca inter expurgescendum e somno, *Ign.*

157, 15.

tussicula maxime post Coffeae potum, *Caps.* 66, 12.

tussis Convulsiva, sicca, (*Hyos.* 146, 4)

tussis cum Coryza, *Bell.* 29, 8.

tussi auctus in Costa ultima vera dextri lateris dolor
immaniter pressorius, *Cocc.* 111, 21.

tussicula sicca post Decubitum vesperi, *Caps.* 66, 17.

tussis inter Deglutitionem, (*Op.* 205, 9.)

inter tussiendum lancinatus in Dorso, *Puls.* 224, 14.

in tussi dolor Epigastrii quasi a contusione, *Nux v.* 196,

13.

tussis nocturna cum Expectoratione purulenta, *Led.*

170, 3.

tussis cum Expectoratione, *Puls.* 224, 9.

tussis cum Expectoratione levi, *Verat.* 259, 17.

tussis sicca, cava inter Expergescendum e somno, *Ign.*

157, 15.

in tussi Halitus ex pulmonibus aliquantum Foetidus, *Caps.*
66, 16.

in tussi anima Foetida, sapore alieno praedita, *Caps.* 66, 15.

tussis vehemens nocturna cum Haemoptysi, *Led.* 172,

15.

tussis vehemens cum Haemoptysi sanguinis dilute rubri,
Led. 172, 16.

a tussi dolor Humeri, *Puls.* 224, 13.

tussis impossibilis, nisi manus acrobiculo imponatur, ob
constrictorum in Hypochondriis dolorem, *Dros.*

129, 12.

tussis in Infantibus post vagitum, *Arn.* 21, 13.

tussifera vociferatio Infantum, cum morositate et jacta-
tione, *Arn.* 21, 14.

inter tussim Lancinans dolor ex abdomen per funiculum
spermaticum penetrans, *Verat.* 259, 10.

tussis nocturna Lancinatum in latere gignens, *Puls.*

224, 11.

tussicula Lancinatum in pectoris latere exasperans, cum
asthmate continuo, *Arn.* 24, 7.

inter tussim Lancinatus in dorso, *Puls.* 224, 14.

tussi auctus Laryngis lacerans dolor, *Ign.* 154, 1.

tussis ex sensu constrictio titillante a supra Larynge
in infima bronchia tendente, *Ip.* 165, 6.

tussim proritans pruritus Laryngis, *Nux v.* 196, 8.

- tussis ob mucum in supra Laryngis parte stridulante, cum dolore in ea parte, ubi mucus abrasus fuerat, *Cham.* 87, 7.
- ad tussim irritatio in supra Laryngis parte, *Cocc.* 111, 16.
- tussis nocturna lancinatum in Latere gignens, *Puls.* 224, 11.
- inter tussiculam dolor in Latere pectoris ad collum usque strictorius, *Caps.* 66, 9.
- tussi auctus in Latere dextro dolor immaniter pressoris, *Cocc.* 111, 21.
- tussis Matutina cum expectoratione purulenta, *Led.* 170, 3.
- a tussi dolor Micans hinc illinc, *Caps.* 66, 14.
- tussis ob Mucum in superiori tracheae parte stridulante et raucedo, cum dolore in eo loco ubi mucus tussi abrasus fuerat, *Cham.* 87, 7.
- tussis sicca a Nausea oriens cum vomituritione et vomitu, *Nux v.* 194, 11.
- tussis vehemens Nocturna cum haemoptysi, *Led.* 172, 15.
- tussis mere Nocturna, matutina cum expectoratione purulenta, *Led.* 170, 3.
- tussis Nocturna, *Nux v.* 196, 7. *Dros.* 128, 16.
- tussis Nocturna inter somnum, *Arn.* 21, 10.
- tussis Nocturna lancinatum in latere gignens, *Puls.* 224, 11.
- tussis post Pastum invalescens, *Op.* 205, 14.
- inter tussiculam dolor in Pectoris latere ad collum usque strictorius, *Caps.* 66, 9.
- tussis manu Pectus fulcire cogens cum sternutatione dolorosa, *Dros.* 129, 2.
- tussis irritatione in ima parte Pectoris excitata, necessans nisi vomituritione et effluxu salivae ex ore copioso, *Mez.* 180, 25.
- inter tussim dolor Pectoris, *Puls.* 224, 12.
- inter tussim dolor Pectoris superioris constricti, *Cham.* 87, 12.
- tussis Phthisica, (*Hyos.* 146, 5.)
- tussi ejectae Pituitae sapor empyrevmaticus instar juseuli cancerorum vel olei tabaci, *Puls.* 221, 15.
- tussis maxime post Potum coffeae, *Caps.* 66, 12.
- tussim proritana Pruritus laryngis, *Nux v.* 196, 8.

inter tussim intercepta Respiratio et fere deleta, *Cupr.*

119, 6.

tussis Sanguinea, *Puls.* 224, 10. (*Led.* 172, 15.) *Aeon.*

7, 12.

tussicula Sicca, *Hyos.* 132, 11.

tussicula Sicca, cum asthmate vel inter quietem, rigitatem dorsi inter pronationem et respiratione hinc inde alta, suspiriosa, *Caps.* 66, 5.

tussicula Sicca, crebra, *Caps.* 66, 11.

tussis Sicca quater, quinques de die, *Cham.* 87, 8.

tussis Sicca, *Mez.* 180, 24.

tussis Sicca convulsiva, (*Hyos.* 146, 4.)

tussis Sicca ob titillationem in ima sterni parte, *Verat.*

254, 1.

tussis Sicca ob pruritum et titillationem continuam in ea parte tracheae, quae scrobitulo colli subjacet, *Cham.* 87, 10.

tussis Siccissima ob pruritum in insima sede bronchiorum, *Arn.* 21, 9.

tussis Siccissima, cava, *Op.* 201, 3.

tussis Sicca a nausea oriens, cum vomititione et vomitu, *Nux v.* 194, 11.

ad tussim Siccum irritatio continua cum asthmate strangulatorio circa scrobitulum colli, *Cham.* 87, 11.

tussicula Sicca post decubitum vesperi, *Caps.* 66, 17.

tussis Sicca valida inter Somnum, *Cham.* 87, 9.

tussis Sicca, cava inter expurgescendum e Somno, *Ign.*

157, 15.

tussis valida inter Somnum cum stridore dentium, *Bell.*

29, 9.

inter tussim per funiculum Spermaticum ex abdomine micans dolor lancinans, *Verat.* 259, 10.

tussis sicca ob titillationem in ima Sterni parte, *Verat.*

254, 1.

in tussi dolor Sterni, *Cinch.* 97, 8. (*Cham.* 87, 7, 12.)

tussis Suffocatoria, *Ip.* 165, 7. (*Cham.* 87, 11.)

tussicula sicca ob Titillationem in ima sterni parte,

Verat. 254, 1.

in tussi dolor Tracheae, *Cinch.* 97, 8. (*Cham.* 87, 7.)

inter tussim maxime dolor Tracheae et bronchiorum, *Camph.*

50, 11.

tussis sicca ob pruritum et titillationem in ea Tracheae parte, quae scrobitulo colli subjacet, *Cham.* 87, 7.

- inter tussiculam Tractorius sensus in pectoris latere ad colum usque, *Caps.* 66, 9.
 tussis post Vagitum in infantibus, *Arn.* 21, 13.
 tussicula sicca post decubitum Vesperi, *Caps.* 66, 17.
 tussifera Vociferatio infantum, *Arn.* 21, 14.
 tussis indesinens Vomitum provocans, *Mez.* 180, 26.
 inter tussim Vomituritio, *Dros.* 128, 17.
 tussis sicca a nausea oriens cum Vomituritione et Vomitu, *Nux v.* 194, 11.
 inter tussim Vomitus aquae, pituitae, escarum, *Dros.* 128, 17.
 tussis irritatione in ima pectoris parte excitata, nec cessans nisi Vomituritione et effluxu salivae ex ore copioso, (*Mez.* 180, 25.)
 tussis Vomitum creans, *Arn.* 21, 12.
 tympanites, (*Cinch.* 103, 8.)
 versus tympanum auris in tuba Eustachii fragor inter oscillationem vehementem, *Cocc.* 109, 9.

Ulcus, vide et *apostema* et *vulnus*.

ulceratio, vide et *excoriatio*, *fissurae*, *intertrigo*.

ulcera, si quae sunt, sanguiflua, *Puls.* 231, 11.

ulcera interna, (*Bell.* 43, 18.)

ulceratae nares, non pruriens, nec dolentes, *Bell.* 29, 15.

ulcerati labiorum et narium anguli, non pruriens, *Bell.* 29, 15.

in ulcerationem prona cutis, *Cham.* 89, 3.

in ulcere dolor ardens et mordax nocturnus cum formicatione et hyperesthesia inter tactum, *Cham.* 89, 6.

in ulcere ardor, *Ign.* 152, 2.

in ulcere cum calore lancinanti pruriens dolor, *Cinch.* 98, 9.

in ulcere dolor fodienti diruens, *Cinch.* 98, 8.

in ulcere dolor lacerans, *Canth.* 57, 7.

in ulcere dolores lancinantes, vesperi maxime, *Mez.* 181, 22.

in ulcere dolor lancinans, mordax, circum circa pruritus, *Puls.* 231, 12.

in ulcere dolor lancinans et vulsorius, *Cham.* 89, 5.

ex ulcere pedum effluvium auctum, *Canth.* 57, 9.

in ulcere strictorius dolor, in ulceris margine lancinatus, *Mez.* 181, 23.

- ab ulcere quasi interno cephalalgia lancinanti pulsatoria,
per accessus loqui impediens, *Acon.* 4, 5.
- ab ulcere quasi interno in nasi radice dolor inter pronationem, *Puls.* 224, 5.
- ab ulcere quasi sensus in naribus, *Verat.* 257, 13.
- in ulceribus dolor auctus, *Cham.* 89, 4. (*Canth.* 57, 7.)
ulcerosa cutis, *Cham.* 89, 3.
- ulcerum pristinorum ichor auctus, *Canth.* 57, 9.
- ulcerum pus in serum, in ichorem mutat, *Arn.* 22, 17.
- ulcus labiorum ruptum, (*Bell.* 42, 3.)
- ululatus quasi ranarum, (*Cupr.* 120, 3.)
- in umbilicali regione ardor et punctus, *Acon.* 7, 1.
- circa umbilicum ardor, cum dolore capitis pressorio, genera-
rum rubore et reluctantia pertinaci, *Acon.* 8, 3.
- in umbilico convolutio seu depsatio, *Nux v.* 192, 6.
- infra umbilicum constrictorius dolor, truncum incurvare
cogens, *Bell.* 27, 13.
- circa umbilicum tormina dissidentia et contorquentia cum
sedibus pituitae tenacis vel atro sanguine mistae,
Caps. 63, 3.
- circa umbilicum dolor dissindens cum horrore, *Jp.* 164, 9.
- in umbilico et infra ab utroque latere tormina forficantia
lacerantia cum dolore ossis sacri, quasi a confractione, *Cham.* 85, 7.
- supra umbilici regionem colica forficans post dolorem in re-
gione hepatis pressorium, respirationem coartan-
tem, *Acon.* 5, 16.
- in umbilici ipsa regione tormina forficantia, dolore dein
in pectoris latus sinistrum migrante forficanti pun-
ctorio, cum horrore dorsi, *Igu.* 153, 14.
- circa umbilicum sensus globi, superna petentis, inque ver-
tice et accipite auram quandam frigidam diffundentis,
(*Acon.* 11, 6.)
- umbilici intropressio, (*Arn.* 23, 19.)
- umbilicum quasi evulsurus dolor lacerans, dein in pectus
tendens, *Stram.* 240, 8.
- supra umbilicum tormina lacerantia, *Jp.* 164, 10. *Arn.* 18.
23.
- ab umbilico adscendens nausea vomituriens, affluxum sali-
vae copiosum ciens, *Val.* 251, 2.
- in umbilico pressio, *Hyos.* 132, 13.
- infra umbilicum pressio in abdomine ructus afferens, *Nux v.*
191, 21.

- infra umbilicum punctus in abdomen, postea forficantia termina, *Ign.* 153, 12.
- infra umbilicum punctus in abdomen, *Ign.* 153, 11.
- in umbilico dolores punctorii, vagi, *Val.* 251, 4.
- supra umbilicum termina strictoria a latere sinistro, *Nux v.* 192, 12.
- circa umbilicum termina cum horrore, *Cinch.* 97, 12.
- ad umbilicum usque inde ab extremitatibus sensus tractrios, non dolorosus, et tum in umbilico convolutio et depstatio, *Nux v.* 192, 6.
- ungues nigri, (*Cinch.* 102, 3.)
- unguium casos, (*Melamp.* 178, 9.)
- per unguis rimas sanguis transsudat, ob tormenta immamina, (*Verat.* 264, 15.)
- urentis doloris vesiculae in lingua et gingivis, *Mez.* 180, 7.
- urens tuberculorum urticalium eruptio post fricatum exanthematis miliaris, per calorem etiam interdiu prurientis, *Verat.* 261, 11.
- in urethra ardor inter mingendum, *Cop.* 116, 3.
- ex urethra secessus materiae foetidae, aquosae, (*Puls.* 253, 10.)
- urethrae blennorrhagia, *Mez.* 181, 11. *Nux v.* 193, 18.
(*Caps.* 72, 3.)
- circa urethrae bulbum glocitatio, *Cinch.* 97, 19.
- in urethra pruritus extra mictum, (*Mez.* 181, 12.)
- in urethra formicatio et pruritus post mictum, *Canth.* 57, 4.
- in urethra pruritus inter mictum, *Nux v.* 193, 10.
- in urethra dolor pulsatorius extra mictum, *Cop.* 116, 4.
- in urethra lacinatus, *Arn.* 19, 10.
- in urethra mordax dolor inter mictum, *Canth.* 57, 5.
- ad urethram via quasi praecluderetur sensus in mingendi molimine, *Op.* 205, 12.
- in urethrae orificio post mictum dolor pressorio formicans, *Puls.* 223, 10.
- urethrae orificium apertum, tumidum, inflamatum, *Cop.* 116, 4.
- urethrae orificium quasi a vulnere dolorosum, *Nux v.* 193, 12. *Cop.* 116, 5.
- in urethra dolor pressorius extra mingendum, *Cinch.* 97, 17.
- in urethrae orificio dolor lancinans extra mictum, *Caps.* 69, 11.

- in urethrae orificio dolor punctorius statim post mictum,
Caps. 69, 12.
 urina, vide et *lotium*, et *mictus*, et *vesica urinaria*, et
diuresis, et *enuresis*, et *dysuria*, et *ischuria*.
 urinae acredo, *Verat.* 259, 13.
 urina albida, *Bell.* 27, 16.
 urina aquæa, *Cocc.* IIII, 6. *Ign.* 158, 6.
 urinae ardor, *Cham.* 86, 14. *Camph.* 50, 14. *Caps.* 69,
 10. (*Canth.* 60, 2. 3. 61, 2.) *Acon.* 8, 21. *Mez.*
 181, 9. *Rh.* 237, 7. *Verat.* 259, 12.
 urinae ardor molestus, (*Puls.* 233, 9.)
 urinae ardor tantus, ut sine cruciatu et ejulatu ne gut-
 tulam quidem urinae (sanguinolentæ) emittere pos-
 set, (*Canth.* 62, 20.)
 urinae ardor continuus, (*Canth.* 59, 11.)
 urina citrini coloris cum sedimento multo, (*Op.* 213, 18.)
 urinae cruentum stillicidium, (*Canth.* 59, 10.)
 urinae maxima difficultas, (*Canth.* 62, 4.)
 urinae epischesis, (*Hyos.* 141, 12.) * (*Bell.* 40, 7.)
 urinae epischesis guttatum prostillantis, (*Bell.* 38, 16.)
 urinae foetidae viscidae, turbidae sine sedimento se-
 cessus copiosus, (*Cupr.* 121, 18.)
 urinae suppressio, *Bell.* 26, 14. (*Bell.* 40, 7.) (*Stram.*
 245, 11.) (*Hyos.* 141, 12.)
 cum urinae suppressione, punctio in renibus, (*Acon.* 10, 13.)
 urinae radius exilis, *Cham.* 89, 14. *Camph.* 50, 17.
 urinae profluvium languidum, *Cham.* 89, 14.
 urinae profluvium copiosum, (*Hyos.* 145, 12.)
 urinae incontinentia, *Bell.* 28, 4. *Acon.* 2, 16. *Arn.*
 22, 19. *Cham.* 86, 17. (*Bell.* 55, 16 36, 2. 4.) *Dig.*
 124, 12. vide et *mictus involuntarius*.
 urinae profluvium, *Dig.* 124, 7. *Led.* 171, 1. *Puls.*
 223, 6. (*Stram.* 248, 13.) (*Dros.* 130, 4.) (*Bell.*
 36, 13. 43, 11. 46, 5.) (*Acon.* 14, 8.) *Val.* 253, 6.
 urinae plus mictus quam potum est, (*Arn.* 24, 8.)
 urinae pallidae, tenuis, aquosae, copiosae mictus fre-
 quens, (*Bell.* 52, 6.)
 urinae fluxus niunius, (*Bell.* 40, 11.)
 urina pauca, luteo viridis, turbida, cum tumore pe-
 dum doloroso, (*Cinch.* 103, 22.)
 urinae profluvium auctum, (*Hyos.* 145, 12.)
 urinae profluvium copiosius, (*Acon.* 14, 8.)

- urinae et alvi citissima involuntaria excretio post vomitum et corporis in alterutrum latus tractionem spasmodicam, *Nux v.* 192, 7.
 urina fusca, *Puls.* 223, 9.
 urina pituitosa, (*Canth.* 63, 3.)
 urinae retentio dolorosa, (*Canth.* 61, 7.)
 urinae stillicidium parcum, *Cop.* 116, 2.
 urinae retentio, (*Canth.* 60, 19.)
 urina subinde rubra, *Puls.* 223, 8.
 urina rubra, pauca, *Ip.* 165, 3.
 urina rubra, *Camph.* 50, 15. (*Camph.* 55, 14.)
 urina rubra, excrementa alba, *Acon.* 5, 14.
 urina sanguinolenta, (*Canth.* 59, 10.)
 urina sanguinolenta, parum grumosa, (*Canth.* 63, 2.)
 urina turbida, (*Cinch.* 104, 6.)
 urina turbida, luteo viridis cum tumore pedum doloroso, (*Cinch.* 103, 22.)
 urticalium tuberculorum eruptio urens post fricatum exanthematis miliaris prurientis, *Verat.* 261, 11.
 uteri cervicis tumor, (*Canth.* 60, 4.)
 uteri haemorrhagia, *Stram.* 242, 2. 3. *Cop.* 116, 10.
 uteri haemorrhagia vel in decrepitis, *Cham.* 89, 13.
 uteri haemorrhagia cum doloribus strictoriis abdominis, femorum, artuum, *Stram.* 242, 3.
 in uteri sinistra parte dolores constrictorii quasi ad partum, *Puls.* 223, 16.
 in utero dolores constrictorio pressorii, dolorum ad partum instar cum blennorrhagia purulenta, erodente subsequā, *Ign.* 153, 5.
 in uterum impetus quasi per dolores ad partum cum micturitione creberrima, *Cham.* 86, 7. (*Puls.* 223, 14. 16.)
 uvulae et veli palati tumor sine dolore, *Cinch.* 96, 19.

- vacillatio, vide et titubatio et instabilitas.
 vacillans, tardus motus corporis, *Op.* 202, 19.
 vacillans gressus, *Verat.* 254, 9.
 vacillans gressus cum metu labendi, (*Nux v.* 198, 3.)
 vacillans status, gressus, *Acon.* 2, 13.
 quasi vacillaret hinc inde temulentus, vertigo, (*Stram.* 243, 2.)
 vacillatio, casus, ad minimum offendiculum impingit et prolabitur, *Ign.* 151, 2.

- vacillatio, (*Bell.* 38, 15.) (*Hyos.* 143, 11.) (*Op.* 210, 18.)
 vacillatio consilii, indeterminatio summa, *Puls.* 218, 13.
 vacillatio temula ebrii instar, (*Stram.* 244, 12.)
 ne vacillet timor, *Acon.* 3, 4.
 vacillantium dentium dolor, *Ign.* 158, 11.
 vacillatio dentium, *Cham.* 80, 2. *Arn.* 20, 17. *Camph.*
 51, 5. *Nux v.* 195, 15. *Verat.* 257, 11. *Op.* 203,
 11. *Cocc.* 110, 3.
 vacillatio dentium, et sensus tinniens et vibrans,
 Hyos. 152, 7.
 vacillatio, elongatio dentium, non dolorosa, *Arn.*
 20, 17.
 vacillatio dentium cum odontalgia, *Cinch.* 96, 4.
 vacillatio mentis, (*Stram.* 243, 3.)
 quasi vacillent dentes in maxillis sensatio, (*Acon.* 12, 13.)
 vacillatio oculorum, *Cupr.* 119, 9.
 vacui et atoniae sensus in ventriculo, *Ip.* 162, 9.
 vacui et vappiditatis sensus in ventriculo, *Cinch.* 93, 16.
 quasi a vacuo et exenteratione sensus in abdome, *Puls.*
 218, 12.
 quasi a vacuo et inanitione sensus in ventriculo, cum sa-
 pore fatuo in ore et lassitudine omnium membro-
 rum, *Ign.* 155, 6.
 quasi a vacuo et inanitione in cerebro sensus, *Nux v.*
 187, 23.
 quasi a vacuo sensus in capite, *Ign.* 151, 4.
 vagae ideae, (*Op.* 214, 13.)
 vagi, lancinantes dolores in lingua cum saliva affluxu,
 (*Acon.* 14, 1.)
 vagabunda insania, (*Hyos.* 155, 13. 137, 9.)
 vagabunda iusania per varias terras, nudo corpore, per
 aestatem pelle vestito, (*Hyos.* 137, 9.)
 vagitosa citissima respiratio, *Cupr.* 119, 12.
 vagitosi gemitus inter somnum, *Op.* 202, 11.
 post vagitum in infantibus, tussis, *Arn.* 21, 13.
 vagitus inter somnum, *Cham.* 83, 2.
 valet omnino non bene; aegrotatio, *Cinch.* 93, 9.
 valetudinem aliorum scrupulose curat, de sua parum
 sollicitus, *Cocc.* 106, 12.
 cum valida expiratione et sonora, asthma, *Acon.* 6, 1.
 valida tussis inter somnum cum stridore dentium, *Bell.*
 29, 9.
 valida et sicca tussis per somnum, *Cham.* 87, 9.

- vappiditas capitis et torpor corporis qualis ex pervigilatione et insomnia, *Cinch.* 93, 5.
- vappiditas capitis, ebrietas, tenuientia, *Led.* 169, 5.
- vappiditas, et sensus vacui in ventriculo, *Cinch.* 93, 16.
- cum vappiditate capitis ut a crapula sensus ingratus in toto corpore pernox quasi a vigilia longa, *Puls.* 231, 3.
- varia efflagitans importuno modo et fletu animus, *Rh.* 236, 3.
- varia efflagitans, oblata negligens inquietudo lacrymbunda, *Cham.* 76, 10.
- varia modo fastidiens, modo appetens morositas, *Arn.* 18, 2.
- de variis frustrationibus moeror lacrymatorius, *Dig.* 125, 5.
- variorum appetentia, *Arn.* 18, 2. (*Cinch.* 99, 3.)
- variolarum confluentium instar pustulæ majores acer-
vatim erumpentes, rubrae, sero multo repletae,
squamis deciduae, a zona ad genu usque, (*Hyos.*
141, 17.)
- quasi velamen ante oculos, scotomia, (*Hyos.* 149, 8.)
- vellicationem non aegre fert, tactus sensus abolitus,
(*Hyos.* 139, 3.)
- in velo palatino (anginoso) pressorius dolor, *Arn.* 18, 8.
- in velo palatino ardor, *Cocc.* 110, 5.
- in velo palatino lancinans dolor ad aurem usque, *Ign.*
152, 16.
- in velo palati et linguae ima parte sensus salivam conci-
tans, quasi ab esu marchantiae vel dracunculi, *Ip.*
162, 12.
- in velo palatino lancinatus, *Camph.* 49, 7.
- in velo palatino et linguae posteriori parte mordacitatis
insignis sensus, *Cham.* 83, 12.
- in velo palati et uvula tumor sine dolore, *Cinch.* 96, 19.
- velox blateratio rerum insanarum, (*Bell.* 43, 4.)
- quasi venae omnes frigescerent, sensus, (*Acon.* II, 9.)
- venae inflatae totius corporis, (*Hyos.* 141, 2.)
- venarum distentio, (*Hyos.* 146, 12.)
- venae tumidae, caloris externi intolerantia, *Puls.*
219, 2.
- venae tumidae, *Camph.* 50, 7.
- venae tumidae faciei, (*Op.* 209, 14.)
- venae tumidae et calor in manibus pedibusque, bra-
chiis, femoribus et facie frigidis, *Rh.* 236, 5.
- per venas quasi micantis modo ignis volatichi, modo aquæ
gelatae sensus, (*Op.* 211, 16.)

venis tumidis calor in toto corpore, aliquantum auctus,
 sine siti, pupillis dilatabilibus, *Cinch.* 95, 14.
 venis tumidis caloris per totum corpus sensus, sine ca-
 lore externo, pedibus frigidis, (*Cinch.* 95, 13.)
 de veneficio sibi illato quarelæ, (*Hyos.* 138, 14.)
 in venerea re frigiditas, (*Op.* 211, 5.)
 venereum virus ex cancro praeputii in glandulas ingui-
 nis transferre et bubonem excitare videtur, (*Puls.*
 223, 11.)
 de veneris appetentia, *Cinch.* 99, 2. *Arn.* 22, 20. (*Op.*
 204, 9.) *Cocc.* 114, 4. *Cham.* 89, 9.
 in veneris appetentia imminuta, *Acon.* 2, 12.
 veneris oestrus, (*Camph.* 54, 9.)
 veneris stimulus auctus, (*Camph.* 54, 10.)
 a vento aucti dolores, *Puls.* 225, 11.
 a vento quasi procelloso vel a campanis susurrus in auri-
 bus, *Led.* 170, 5.
 a vento quasi procelloso susurrus in auribus cum dolore
 laceranti lancinante, (*Acris* 15, 9.)
 in ventriculo Adstrictorius seesus, quasi ab Austeris,
 Acon. 2, 1.
 ventriculi vehementes Affectiones, (*Nux v.* 198, 9.)
 ventriculum Aggravant potulenta, *Nux v.* 191, 23.
 ventriculi Ardor, *Ign.* 155, 5. (*Camph.* 52, 10.)
 in ventriculo Ardor, (*Hyos.* 139, 14.)
 a ventriculo ad os usque Ardor, post jentaculum, *Caps.*
 68, 10.
 circa ventriculum Ardor, (*Bell.* 32, 19.)
 in ventriculo Ardoris sensus, (*Cupr.* 121, 17.)
 a ventriculo quasi proficiscens Asthma, *Caps.* 65, 25.
 in ventriculo sensus vacui et Atoniae, *Ip.* 162, 9.
 in ventriculo et ore Caloris sensus, (*Camph.* 56, 4.)
 ventriculi dolor (Cardialgicus), *Arn.* 18, 18. *Camph.*
 48, 16.
 in ventriculo post Cibum captum pressio, *Cinch.* 94, 17.
 Cham. 84, 13.
 ventriculi post Cibum captum plenitudo satura vel in
 crastinum diem, *Cham.* 84, 14.
 ventriculi Constrictio, *Nux v.* 191, 12, 17.
 ventriculi dolor Constrictorius, intolerabilis, agoni-
 zans, (*Op.* 216, 12.)
 ventriculi Constrictorius dolor somnum impediens,
 Cocc. 108, 22.

- ventriculi Constrictorius dolor, *Nux v.* 191, 12. 17.
Cocc. 110, 18. (*Acon.* 2, 1.)
 ventriculi Cententorum eructatio, *Camph.* 50, 19.
 ventriculi Corrodens dolor, (*Canth.* 60, 21.)
 quasi a ventriculo Corrupto sensus, *Puls.* 221, 19. 20.
 quasi a ventriculo carne nimis pingui ingurgitata Corrupto
 dolor capitisi, *Puls.* 226, 16.
 quasi in ventriculo Corruptorum alimentorum sapor in ore,
 Ign. 154, 11.
 ventriculi Crampus, (*Bell.* 57, 14.)
 ventriculi Debilitas, *Op.* 205, 6. (*Cupr.* 120, 7.)
 ventriculi Distentionis sensus, *Op.* 202, 20.
 ventriculi dolor, vide *Cardialgin.*
 in ventriculo Dolor ingratus, (*Arn.* 25, 10.)
 cum ventriculi Dolore connexa pressoria hemicrania, *Verat.*
 257, 20.
 ventriculi Dolor, *Camph.* 48, 16. (*Canth.* 60, 16.)
 ventriculi Dolores, (*Canth.* 61, 13.)
 ventriculi Dolor vehemens, (*Canth.* 61, 11.)
 ventriculi Dolores atroces, (*Cupr.* 120, 1.)
 ventriculi Dolores immanes, (*Cupr.* 122, 5.)
 ventriculi et epigastrii Dolor per longum tempus, (*Nux*
 v. 206, 22.)
 in ventriculo Exedens dolor ut in fame canina, *Puls.*
 218, 9.
 ventriculi Exulceratio, (*Dig.* 125, 1.)
 in ventriculo sensus Frigiditatis, *Cinch.* 93, 14.
 ventriculi Frigus, quasi ab aqua frida, *Caps.* 65, 1.
 in ventriculo Gravitas quasi pressoria, *Acon.* 4, 11.
 cum ventriculi dolore connexa Hemicrania pressoria, *Verat.*
 257, 20.
 a ventriculo ad os usque ardor post Ientaculum, *Caps.*
 68, 10.
 ventriculi Imbecillitas, (*Hyos.* 144, 3.)
 in ventriculo quasi ab Inanitione et vacuo sensus, *Ign.*
 155, 6.
 in ventriculo sensus ut ab Inedia longa, *Cocc.* 110, 16. *Ign.*
 155, 6.
 in ventriculo sensus ut ab Inedia longa, quasi a vacuo,
 cum sapore fatuo et lassitudine omnium membro-
 rum, *Ign.* 155, 6.
 ventriculi Inflammatio, (*Bell.* 44, 1.) (*Hyos.* 146, 16.)
 (*Mez.* 183, 4. 184, 6.)
 in ventriculo Ingratus dolor, (*Arn.* 25, 10.)

- in ventriculo sensus quasi a nimia Ingurgitatione escarum, *Puls.* 221, 20.
 circa ventriculum Inversio, obvolutio, *Nux v.* 191, 13.
 ventriculi Irritabilitas deleta, (*Bell.* 33, 10.)
 ventriculi Labefactatio, *Valer.* 253, 5.
 in ventriculo Lacerans dolor, *Nux v.* 191, 9, 10.
 in ventriculo Lancinantes volatice dolores, (*Cinch.* 97, 11.)
 de venciculum premente Lapide frigido, post vomitum
 et sedes querelae, (*Acon.* 10, 6.)
 in ventriculo dolor pressorius quasi a Lapide casuro,
Cham. 85, 3.
 in ventriculo pressio quasi a Lapide, *Op.* 203, 1. *Nux v.*
 191, 25.
 in ventriculo Mordicans sensus, (*Stram.* 249, 2.)
 in ventriculo sensus plenitudinis saturo Nauseabundae,
Arn. 18, 10.
 circa ventriculum inversio, Obvolutio, *Nux v.* 191, 13.
 in ventriculo Oppressionis et ponderis sensus, (*Cinch.*
 100, 12.)
 a ventriculo ad Os usque ardor post jentaculum, *Caps.*
 68, 10.
 in ventriculo pressio post Pastum, *Cinch.* 94, 17. *Cham.*
 84, 13.
 ventriculi spasmus inter Pastum (in prandio) diuturnus, *Bell.* 30, 11.
 a ventriculo ad os usque ardor post Pastum (jentaculum),
Caps. 68, 10.
 ventriculi post Pastum Plenitudo satura vel in crastinum diem et vomiturio, *Cham.* 84, 14.
 quasi a ventriculi Plenitudine et ciborum sapore deleto anorexia, (*Puls.* 221, 4.)
 ventriculi Plenitudinis sensus, *Rh.* 237, 9. *Arn.* 18, 10.
 ventrieuli Plenitudo quasi a nimia satietate, *Rh.* 237, 9.
 in ventriculo sensus Plenitudinis saturo nauseabundae,
Arn. 18, 10.
 ventriculi dolor pressorio tensivus quasi a Plenitudine et
 Pondere, *Acon.* 4, 13.
 in ventriculo Ponderis et oppressionis sensus, (*Cinch.*
 100, 12.)
 in ventriculo Ponderis sensus, (*Cinch.* 101, 2.) (*Op.*
 202, 20.)
 ventriculi aggravatio a Potulentis, inter sitim, *Nux v.*
 191, 23.
 ventriculi spasmus in Prandio diuturnus, *Bell.* 30, 11.

- de ventriculum Premente lapide frigido, post vomitum et
 sedes querelae, (*Acon.* 10, 16.)
 in ventriculo Pressorius dolor aliquot horas post pastum
 vel noctu in lecto, *Cocc.* 110, 15.
 in ventriculo dolor Pressorius quasi lapide casuro, *Cham.*
 85, 3.
 in ventriculo Pressio, (*Hyos.* 144, 4.)
 in ventriculo a cibo capto Pressio, *Cham.* 84, 13.
 quasi a ventriculo cibis onusto sensus tumoris pressorii in
 latere abdominis sinistro, (*Led.* 171, 7.)
 in ventriculo gravitas quasi Pressoria, *Acon.* 4, 11.
 in ventriculo Pressio quasi a lapide, *Op.* 203, 1. *Nux v.*
 191, 25.
 ventriculi dolor Pressorio tensivus quasi a pondere et
 plenitudine, *Acon.* 4, 13.
 in ventriculo Pressio post pastum, *Cinch.* 94, 18.
 ventriculi et hypochondrii Pressorius dolor, respiratio-
 nem angustans, maxime post potam coffeam, *Cham.*
 85, 4.
 in ventriculo Pulsatio, *Nux v.* 191, 24.
 in ventriculi regione inter respirandum Punctorius dolor,
 Caps. 66, 8.
 in ventriculo Punctus, *Ign.* 152, 12. (*Cinch.* 97, 11.)
 in ventriculo sensus plenitudinis Saturo nauseabundae,
 Arn. 18, 10.
 in ventriculo plenitudo Satura vel in crastinum diem a ci-
 bo capto, *Cham.* 84, 14.
 ventriculi dolor quasi a Soda nascitura, cum angustia
 pectoris quasi a flatibus, cum pressionis sensu in
 epigastrio restagnantibus; postea ardor in spina
 dorsi, *Cham.* 84, 21.
 ventriculi Spasmus, (*Bell.* 37, 14. 44, 4.)
 ventriculi Spasmus in prandio diuturnus, *Bell.* 30, 11.
 in ventriculi posteriori parte Strictorius dolor cum dolore
 strictorio dorsi, *Stram.* 240, 10.
 in ventriculo Tensorius dolor, *Nux v.* 191, 18.
 ventriculi dolor Tensivo pressorius quasi a pondere et
 plenitudine, *Acon* 4, 13.
 in ventriculo sensus Vacui et atoniae, *Ip.* 162, 9.
 in ventriculo quasi à Vacuo et inanitione sensus, *Ign.*
 155, 6.
 in ventriculo sensus Vappiditatis et Vacui, *Cinch.* 93, 16.
 ventris molestiae, (*Rh.* 253, 6.)
 ventris murmura, (*Stram.* 244, 7.)

- ventris dolor scorbuticus, (*Cinch.* 102, 5.)
 ventris totius dolor, (*Canth.* 62, 18.)
 ventris tumor, quasi hydropicus esset, (*Acon.* 10, 11.
 12, 5.)
 ventris tumor, (*Stram.* 249, 8.)
 verba, vide et *voce*, *loquela*.
 verba atrocia, semiarticulata, (*Bell.* 39, 4.)
 verborum inconcinna commutatio, (*Cham.* 75, 8.)
 verba non cohaerentia, (*Hyos.* 135, 2.)
 ut verba vix proferre possit, siccitas oris, (*Op.* 214, 6.)
 verborum et phrasium inconcinna admistio inter legen-
 dum, (*Hyos.* 147, 14.)
 verbera, violentia, (*Hyos.* 136, 24.)
 verbera, furor, (*Hyos.* 138, 2.)
 verberatio, vide et *contritio*, et *contusio*, et *conftractio*,
 et *ictus*.
 quasi a verberatione Abdominalium muscularum dolor,
 Cham. 89, 2.
 quasi a verberatione seu contritione dolor Abdominis, *Cocc.*
 110, 20.
 quasi a verberatione dolorosi Artus omnes vel tactu, *Dros.*
 129, 9.
 quasi a verberatione dolor Dorsi, *Stram.* 241, 13.
 quasi a verberatione dolor Dorsi et genu inter motum levissimum percipiendus, *Cinch.* 98, 4.
 quasi a verberatione sensus volatibus in Femoribus, *Cham.*
 89, 1.
 quasi a verberatione dolor Genu (et dorsi) inter motum le-
 vissimum, *Cinch.* 98, 4.
 quasi a verberatione dolor Genuum mere diurnus, *Nux v.*
 197, 15.
 quasi a verberatione dolor Humeri, *Stram.* 241, 13.
 quasi a verberatione seu contritione dolor Iuncturarum,
 Cinch. 98, 3.
 quasi a verberatione dolor omnium Membrorum, *Nux v.*
 194, 1.
 quasi a verberatione vel contritione aut crampo dolor ossis
 Sacri intolerabilis inter motum levissimum, clamores
 subitaneos extorquens, *Cinch.* 98, 5.
 quasi a verberatione dolor mere diurnus in asse Sacro, et
 quasi pars nimiris debilis esset ut a puerperio, *Nux v.*
 197, 7.
 quasi a verberatione dolor in Sterno, *Rh.* 236, 17.

- quasi a verberatione dolor mere diurnus a Sterno ad Scapulas cum lancingatione et asthmate inter motum et quietem, *Nux v.* 196, 17.
- verborum inconcinna commutatio, balbuties, *Cham.* 75, 8.
- nes verbum proferre, nec artus movere potest; lapsus vi-
rium insignis, (*Cupr.* 121, 13.)
- vermes quasi reptet in gula, sensus, *Puls.* 222, 10.
- quasi a verminatione; effluxus salivae aqueae copiosus,
Verat. 258, 11.
- versa in semet sollicitudo taciturna, *Nux v.* 190, 3.
- versi sursum oculi, (*Bell.* 40, 20.)
- versificationes, (*Ityos.* 137, 8.)
- versio aegroti in gyrum, (*Bell.* 39, 15.)
- quo se vertat, nescit; anxietas, *Puls.* 219, 20.
- in vertebrarum colli juncturarum dolor, *Nux v.* 196, 21.
- in vertebra lumborum quarta dolor pressorius maxime post
itum, *Puls.* 227, 13.
- vertebrarum lumbi cum osse sacro articulationis dolor
quasi a confractione, *Acon.* 5, 2.
- vertebrarum lumborum dolor pressorio tensivus quasi a
confractione, cum colica flatuosa connexus, *Acon.*
5, 3.
- ad vertebrae lumbares concentrati dolores colicales, dilace-
rantes, strictorii, *Cocc.* 111, 2. 3.
- ad vertebrae lumbares usque constrictorius dolor circum hy-
pochondria, *Camph.* 48, 13.
- in vertice capitis dolor obtuse pressorius mane post som-
num, *Verat.* 257, 18.
- ad verticem (a nucha) confluens cephalalgia, *Melamp.* 175,
12.
- in vertice depressorius sensus, *Cupr.* 118, 8.
- in vertice sensus frigoris et simul in pedibus, *Verat.* 254, 4.
- in vertice formicationis sensus cum depressione, *Cupr.*
118, 7.
- in vertice (externe) formicatio, *Arn.* 20, 10.
- in vertice lacerans continuus dolor, cum nausea vomitu-
riente in pectore, deliquescentia cordis, et infirmi-
tate loquela organi, *Nux v.* 188, 8.
- in vertice et fronte dolor lancinans, *Mez.* 180, 16.
- vertigo, vide et titubatio.
- vertigo, (*Arn.* 17, 3.) *Verat.* 254, 5. (*Op.* 208, 10.
216, 1.) (*Rh.* 238, 13.) (*Stram.* 244, 10.) (*Verat.*
264, 7. 267, 22.) *Hyos.* 131, 13. (*Hyos.* 136, 7.)

139, 17. 140, 3. 143, 4. 145, 7. 147, 1.) (*Ign.* 160,
2. 11.) (*Nux v.* 199, 15. 200, 20.) (*Dig.* 126, 9.
127, 7.) (*Cupr.* 119, 2.) (*Cinch.* 102, 9.) (*Canth.*
59, 9.) (*Bell.* 40, 10. 46, 15.) (*Acris* 15, 2.) (*Acon.*
12, 19.) (*Camph.* 53, 14. 54, 6.)

vertigo (fatalis), (*Canth.* 62, 14.)

vertigo; circumgyrationis sensus, (*Op.* 214, 7.)

vertigo summa, (*Hyos.* 143, 8.) (*Verat.* 265, 15.)

vertigo, ut quasi temulentus vacillare hinc inde vide-
atur, (*Stram.* 243, 2.)

vertigines, (*Hyos.* 137, 4. 140, 6. 148, 1.) (*Mez.* 185, 6.)
(*St. am.* 246, 15.) (*Acon.* 11, 10.) (*Cupr.* 122, 6.)

vertigines volaticae, (*Camph.* 55, 6.)

vertiginosa oculorum obtenebratio, pulsu immutato,
(*Acon.* 10, 3.)

vertigo diutina, (*Cocc.* 107, 10.)

vertiginis accessus, ebrietas, calor, (*Puls.* 217, 5.)

vertigo, labi continuo visus, (*Hyos.* 149, 15.) (*Puls.*
217, 3.)

vertigo quasi ab ebrietate, (*Puls.* 217, 2.)

vertigo titubans quasi ab ebrietate, cum calore capitis
interno et pallore faciei naturaliter calidae, maxime
vesperi, (*Puls.* 217, 1.)

vertigo a cibo capto, (*Cham.* 84, 12.)

vertigo ingens, (*Hyos.* 143, 8.)

vertiginis species (ab oculorum respiratione) quasi ca-
surus esset, vel quasi saltaret, (*Puls.* 217, 6.)

vertiginis species sensus titubationis hinc inde, (*Ign.*
150, 7.)

vertigo capessere rem posse non putat, (*Puls.* 217, 4.)

vertigo, consistere recte non posse putat, (*Puls.* 217, 3.)

vertiginis accessus quasi cerebrum in gyrum verteretur
cum sensuum abolitione, (*Nux v.* 185, 4.)

vertiginosum caput et obnubilatum, (*Op.* 206, 1.)

vertigo post coffeam potam, (*Cham.* 79, 11.)

vertiginis cum stupore mentis accessus, (*Bell.* 25, 5.)

vertigo maxime inter loquendum, (*Cham.* 74, 9.)

vertigo per sex horas, (*Cocc.* 107, 10.)

(vertigo) circumgyratio et gravitas capitis, (*Verat.* 264,
11.)

vertiginis syncopalis accessus breves, (*Cham.* 74, 11.)

vertigo syncopodes, (*Cham.* 74, 12.) (*Mez.* 179, 5.)

vertigo, titubatio a latere ad latus, (*Caps.* 64, 3.) (*Acon.*
1, 6.)

- vertiginem acciens inter movendum muchae rheumatica
 rigiditas, *Verat.* 257, 14.
 vertiginosa, ebriosa, matutina gravitas capitis, *Nux v.*
 185, 7.
 vertigo per intervalla rediens, (*Camph.* 53, 7.)
 vertigo matutina, (*Cham.* 74, 13.)
 vertigo, titubationis in cerebro hinc inde pendentissens-
 sus, *Acon.* 1, 6.
 vertigo, sensus in cerebro hinc illinc trahens, *Nux v.*
 185, 6.
 vertigo cum scotomia, *Nux v.* 185, 5.
 ob vertiginem et scotomiam caput erigendi impotentia, in
 dorso reclinati, *Nux v.* 189, 3.
 vertigo titubans, (*Bell.* 41, 14.)
 vertigo inter eundum, (*Ip.* 162, 7.)
 vertigo, loquela excitata, *Cham.* 74, 9.
 vertigo et fatuitas motu excitata, *Puls.* 220, 5.
 vertigo pronatione excitata, (*Cham.* 74, 10.)
 cum vertigine stupor mentis, *Bell.* 25, 5. *Cham.* 74, 14.
 vertit in malam partem facile haec illa, irritabilitas sto-
 machi, *Cocc.* 114, 7.
 vesania, vide et dementia, amentia, insanias, delirium,
 mania, alienatio mentis, perturbatio mentis, stupor
 mentis.
 vesana patrat, tunica m dilacerat, lapides e terra eruit,
 quibus obvios feriat, (*Bell.* 42, 18.)
 vesania, fatuitas, (*Hyos.* 142, 1.)
 inter vescendum redit appetitus (post anorexiā), *Cinch.*
 94, 21.
 vesicae ardor, (*Canth.* 60, 3. 15.) (*Rh.* 238, 12.)
 vesicae cruciatus atrox, (*Canth.* 60, 11.)
 vesicae urinariae dolor inter eundum, *Acon.* 6, 11.
 vesicae dolor, (*Canth.* 62, 3.)
 vesicae urinariae excoriatio diutina, (*Canth.* 59, 2.)
 vesicae urinariae sphincteris paralysis, (*Bell.* 39, 9.)
 vide et *incontinentia urinæ*.
 vesicae urinariae tenesmus, *Acon.* 6, 12, 13, 14. *Arn.*
 19, 9. vide *tenesmus*.
 in vesica pressio post nisum mingendi fere frustraneum,
 crebriorem, *Cinch.* 97, 17.
 in vesicae collo inter mictum dolor ardens et lacerans,
 Nux v. 193, 11.
 vesicae colli inflammatio, (*Dig.* 125, 5.)
 in vesicae collo lancinatus extra mictum, *Cham.* 86, 13.

- in vesicae collo dolor ante mictum, *Nux v.* 193, 9.
 in vesicae collo dolor pressorio lancinans, *Canth.* 57, 3.
 in vesicae collo pressio post mictum, *Nux v.* 193, 8.
 in vesicae collo ardor, *Camph.* 50, 14. *Caps.* 69, 10. *Ver.*
 259, 12. (*Canth.* 60, 3. 15.) (*Rh.* 258, 12.)
 in vesicae collo ardor inter mictum, *Cham.* 86, 14.
 in vesicae collo ardor extra mictum, *Acon.* 3, 21.
 vesicae vis imminuta, urinae radius tenuis, *Cham.* 89, 14.
 vesicae paralysis, *Hyos.* 133, 4.
 vesicae paralysis volatrica, *Acon.* 2, 16.
 vesicae tenesmus, vide *tenesmus*.
 vesiculae ardenti urentes in lingua et gingivis, *Mez.*
 180, 7.
 vesicularum et macularum gangraenosarum in artibus
 inferioribus copiosa eruptio, (*Hyos.* 139, 20.)
 vesiculae punctorio lancinantis dolbris supra et infra
 linguam, *Cham.* 83, 13.
 vesiculae in brachio, pure dein refertae et squamis de-
 ciduae, (*Puls.* 233, 5.)
 vesiculae in lingua dolentes, *Nux v.* 191, 1.
 circa vesperam maxime dentium in gingivis dolor punctorio
 exedens lecti calore exasperatus, denudatione et aë-
 ris frigidi afflato leuitur, somno vespertino deletur,
 Puls. 226, 1.
 circa vesperam maxime et inter evigilationem e somno suf-
 focationis paroxysmus quasi a pituita caput laryn-
 gis occupante, *Cinch.* 92, 10.
 circa vesperam in cubiculo calido frigus, seu frigiditatis sen-
 sus, caloris volatrici sensu intermisto, *Puls.* 218, 5.
 vesperi maxime vertigo titubans quasi ab ebrietate cum
 calore capitis interno et pallore faciei naturaliter
 calidae, *Puls.* 217, 1.
 vesperi ardor in genis, una cum horroris accessibus
 volaticis, *Cham.* 81, 14.
 vesperi calor pedum et manuum, *Led.* 172, 11.
 vesperi post decubitum titillatio in larynge et tussicula
 sicca, *Caps* 66, 17.
 vesperi dolor lacerans in osse sacro, capite, maxillis;
 tum genae tumidae ardentes et oculi inflammati,
 Led. 172, 4.
 vesperi escae ad scrobiculum colli usque adscendunt,
 ibique subsistunt, cum plenitudine, nausea vomiti-
 turiente et ructibus, *Cham.* 84, 11.

- vesperi distentio abdominis post pastum cum genae alteries rubore et siccitate et amarore fauci sine siti, *Ign.* 154, 15.
 vesperi maxime frigus, *Arn.* 17, 2.
 vesperi minor lassitudo quam mane, *Nux v.* 137, 8.
Caps. 64, 6.
 vesperi maxime et in lecto pruriens eruptio cutanea, *Mez.* 181, 21.
 vesperi maxime dolor lancinans in ulcere, *Mez.* 181, 22.
 vespertina aquae sitis, *Puls.* 232, 9.
 vespertina sitis et expurgiscentia nocturna cum dolore, *Cham.* 82, 14.
 vespertinus faciei rubor cum horrore, *Ign.* 156, 13.
 vespertinum maxime frigus, *Arn.* 17, 2.
 vespertina horripilatio, *Caps.* 64, 10. *Led.* 172, 17.
 circa vespertinam horam septimam reiterant symptomata, inquietudo, spasmi, delirium, (*Bell.* 43, 6.)
 vespertinus capitidis dolor ut a gravedine, *Puls.* 227, 2.
 vespertini accessus dolorum lacerantium, *Cham.* 78, 12.
 vespertino somno deletus dentium dolor, *Puls.* 226, 1.
 inter vespertinos dolores, frigus, *Puls.* 226, 2.
 vespertinus pedum et manuum dolor fodiens et terebrans, *Bell.* 28, 8.
 vespertinus escarum vomitus, tum amaror oris et obtusi dentes, *Puls.* 222, 11.
 vespertinus dentium dolor, per digitum aquae frigidae intinctum paulisper sedandus, *Cham.* 79, 9.
 vespertinus horror in dorso, *Cocc.* 107, 19.
 vespertinum frigus sine cute anserina, *Puls.* 218, 6.
 vespertinus pedum tumor, *Bell.* 28, 10.
 ita ut vestimenta abjici debeant, palpitatio et anxietas ingens, *Puls.* 218, 17.
 vestitu inconcinno, facta inepte solemnia ferociae intermista, (*Hyos.* 137, 11.)
 vestitus inconcinnus, (*Melamp.* 175, 10.)
 veternosa desidia, (*Cinch.* 102, 19.)
 vibrans dolor omnium membrorum, dum corpus concutitur in rheda et dum pes sistitur, *Arn.* 22, 14.
 vibrantes palpebrae, clausae, *Capr.* 119, 10.
 vibranti tinniens sensus in dentibus, et vacillatio, *Hyos.* 132, 7.
 vicissitudines caloris temperati et frigiditatis, *Op.* 205, 4.

- vicissitudines crebrae volaticeae caloris universalis siccii,
 tum et horroris et frigiditatis, torminibus latenter
 forficantibus subsequis, *Melamp.* 176, 12.
 vicissitudines animi morosi et animi serenitatis, cura-
 rum expertis, *Op.* 204, 20.
 vicissitudines mentis sanae et insaniae, (*Stram.* 245, 10.)
 vicissitudines constrictionis et relaxationis subter hy-
 pochondria, *Nux v.* 191, 14.
 vicissitudines mentis perturbationum contrariarum, (*Ac.*
 12, 6.)
 vigil coma, vel sopor somni expers, impotentia oculos
 asperiendi, cum exspiratione cita, *Cham.* 74, 17.
 vigil, delira, nocturna blateratio inter sessum, *Cham.*
 82, 12.
 vigilet an dormiat ignorans hallucinatio, (*Bell.* 44, 18.)
 vigilans quodammodo, somniare sibi videtur in somnum
 prona perturbatio sensuum, (*Bell.* 45, 1.)
 vigilans coma, *Op.* 202, 7. *Verat.* 262, 10. *Hyos.* 131,
 8. (*Hyos.* 134, 11.)
 vigilans coma invincibile, *Cocc.* 108, 19.
 quasi a vigilia longa sensus ingratus in toto corpore pernox
 cum capit is vappiditate ut a crapula, *Puls.* 231, 3.
 vigiliae, (*Camph.* 55, 16.)
 vigiliae aliquot dierum, (*Bell.* 34, 13.)
 vigiliis crebris et terroribus interruptus somnus, *Cocc.*
 109, 1.
 vigor corporis, animi serenitas, (*Hyos.* 145, 3.)
 vilipendens omnia, morositas et optans ut et alii omnia
 Hocci pendant, *Ip.* 163, 14.
 vinculo quasi cerebrum constringens, capit is dolor,
 Cocc. 109, 13.
 violentarum manuum illatio, (*Hyos.* 137, 16.)
 violentia, verbera, (*Hyos.* 136, 24.)
 vires inter motum, languor inter quietem, *Cham.* 74, 7.
 viribus cassus collabitur, *Verat.* 254, 10. *Melamp.* 175, 4.
 virides sedes, (*Bell.* 43, 12.) (*Ip.* 165, 11.) *Puls.* 222, 17.
 viridis bilis vomitus, (*Acon.* 11, 5.)
 viridis bilis, viridis muci vomitus, (*Verat.* 267, 8.)
 viridis, tandem mucosa diarrhoea, *Puls.* 222, 17.
 vel viridis, vel luteus objectorum color, (*Dig.* 126, 11.)
 viridis vomitus, (*Op.* 205, 8.)
 virilis impotentia, (*Camph.* 54, 8.) (*Hyos.* 148, 9.)
 (*Op.* 210, 12.)
 virilis impotentia, frigiditas scroti, *Caps.* 64, 13.

- virilis impotentia e somno expergefacto, (*Op.* 216, 14.)
 virilis impotentia diutina, (*Hyos.* 148, 9.)
 virium animi debilitas, (*Op.* 213, 7.)
 virium collapsus, infirmitas, (*Op.* 210, 11.)
 virium dejectio, (*Canth.* 60, 8.)
 virium lapsus, *Canth.* 57, 13. *Verat.* 254, 11. *Dig.*
 123, 2. (*Bell.* 33, 19.) (*Op.* 208, 12. 210, 11.)
 vide et debilitas, languor, infirmitas, lassitudo, tor-
 por.
 virium lapsus summus, (*Mez.* 183, 13.)
 virium lapsus syncopticus, *Acris* 15, 11.
 virium lapsus insignis, (*Hyos.* 147, 6.)
 virium lapsus insignis, cum oscitatione et pandicula-
 tione, (*Camph.* 53, 13.)
 virium lapsus insignis, nec artus movere, nec verbum
 proferre potest, (*Cupr.* 121, 13.)
 virium prostratio, (*Nux v.* 199, 8.) *Canth.* 57, 13.
 (*Cinch.* 100, 9. 102, 6.) (*Rh.* 238, 11.)
 virium prostratio subita, (*Nux v.* 199, 8.)
 virus venereum ex cancro praeputii in glandulas ingui-
 nis transferre et bubonem excitare videtur, (*Puls.*
 223, 11.)
 vis vitalis languida, *Cocc.* 107, 2.
 vis perceptionis imminuta, intelligentiae hebetudo,
 Cham. 74, 18.
 vis perceptionis imminuta quasi surditate quadam aut
 insomniis, vigilibus, *Cham.* 75, 4.
 viscerum abdominis inquietudine, morosa inquietudo,
 Nux v. 190, 1.
 visiones terrilicae, *Nux v.* 187, 16. (*Op.* 208, 14.)
 visionibus luculentis et graphicis phantasiae, et ango-
 ris accessibus stipata agrypnia, *Cham.* 76, 10.
 visus, *vide et objecta, et amblyopia, amaurosis, presbyo-*
 pia, myopia.
 visus abolitio syncopodes cum sudore faciei, tremore
 et calore subito corporis, *Puls.* 219, 8.
 visus abolitus, (*Stram.* 243, 13.) (*Verat.* 266, 3.)
 visus acutus, *Acon.* 8, 15.
 visus et auditus abolitio cum cephalalgia strictoria et
 gravitatis et formicationis sensu in cerebro, tum-
 que frigus, *Puls.* 220, 12.
 visus confusio, color objectorum vel viridis, vel lu-
 teus, (*Dig.* 126, 11.)
 visus debilitas, (*Hyos.* 144, 13.)

- visus duplex, *Puls.* 220, 11.
 visus objecta quasi animata et currentia, (*Hyos.* 147, 15.)
 visus hallucinatio, candelae unius flamma minor, alterius major videtur, quamquam candelae sint pares,
 Hyos. 131, 10.
 visus hallucinans, in lectione libri nil nisi margo candidus, nigris literarum areis circumfusus, (*Bell.* 45, 3.)
 visus depravatus, literas formicarum discurrentium instar, animatas opinantis, (*Hyos.* 147, 15.)
 visus varie vitiatus, (*Stram.* 248, 3.)
 visus hebetudo, *Cocc.* 107, 12. *Puls.* 220, 6 — 10.
 (*Stram.* 248, 4.)
 visus imminutio, (*Hyos.* 139, 19.)
 in visu caligo, (*Acon.* 12, 20.)
 in visu muscae volitantes, *Acon.* I, 8. *Cocc.* 107, 11. *Cinch.*
 93, 8.
 in visu nebulae ante oculos, (*Bell.* 44, 15.)
 visus obnubilatio brevis, *Puls.* 220, 7.
 visus obnubilatio, (*Puls.* 234, 9.)
 visus obnubilatio per aliquot dies repetens, *Puls.* 220, 8.
 visus obtenebratio cum vomituritione et pallore, *Puls.*
 220, 6.
 visus obtenebratio, (*Cupr.* 120, 10.) (*Dig.* 127, 6.)
 (*Hyos.* 147, 4.)
 visus objecta colore rubro, *Hyos.* 149, 3.
 visus objectorum multiplex et scotomicus, (*Bell.*
 36, 11.)
 visus vitium, nimbo candelae flamma stipata videtur
 stellae instar, *Puls.* 220, 10.
 in visu scintillae, *Val.* 251, 5. (*Op.* 208, 13.) *Cham.* 81, 12.
 in visu sensatio, quasi objecta plus solito lucida essent,
 Camph. 49, 13.
 vitae desperatio, *Melamp.* 175, 7.
 vita desperatio cum spe erecta alternans, (*Acon.* 12, 7.)
 vitae taedium et mortis desiderium cum taciturnitate,
 Mer. 179, 3.
 vitalis vis languida, *Cocc.* 107, 2.
 vitia aliorum conquirens, magni faciens animus, *Caps.*
 65, 16. *Verat.* 258, 4.
 vituperans, opprobrians summa morositas, *Ign.* 156, 6.
 vituperium, *Ign.* 156, 6. *Verat.* 258, 4. *Ip.* 163, 14.
 viva imaginatio, *Acon.* 8, 17.
 viva memoria, *Acon.* 8, 16.
 vivida mens, (*Op.* 204, 8.)

- vividus et contentus animus, (*Op.* 204, 7.)
 quasi a vivo animali intus tumultuante dolor in pectore
 inter respirationem, *Led.* 170, 4.
 quasi a vivo animali intus tumultuante Spasmi abdominali-
 lum muscularum, *Hyos.* 132, 16.
 voces, vide et *verba*.
 voce clara loquendi impotentia, *Ign.* 150, 12.
 vocem impedit summus angor, *Ign.* 150, 11.
 vocem submittens dolor capitidis cerebrum exprimere
 gestiens, *Bell.* 28, 20.
 vocem raucam, absonam, cavam et nimis altam red-
 dens pituita caput laryngis obsidens, *Cinch.* 92, 9.
 voces absentium exaudire opinantis hallucinatio, *Cham.*
 75, 9.
 vocibus obscoenissimis intermistae objurgationes zelo-
 typicae, *Nux v.* 186, 18.
 vociferatio, vide et *clamor*, *ejulatus*, *vagitus*.
 vociferatio tussifera infantum, *Arn.* 21, 14.
 vociferationibus, insomniis plenus, turbulentus som-
 nus, *Cinch.* 97, 7.
 in vola bullae aquae ad rupturam pronae, (*Bell.* 42, 4.)
 volae manus frigido humidae, *Acon.* 8, 6.
 volae manus sudor frigidus, *Acon.* 8, 6.
 volae manus et frontis sudor calidus, *Camph.* 50, 9.
 in vola pollicis pedis dolor surdus, *Puls.* 230, 9.
 volarum sudor calidus, diutinus, *Led.* 172, 12.
 volarum sudor frigidus, corpore juste calido, *Cham.*
 73, 5.
 volarum manuum et faciei sudores volatice crebri cum
 siti aquae, *Cham.* 82, 2.
 volaticus calor et rubor faciei, (*Cinch.* 102, 17.)
 volatrica catalepsis, *Stram.* 240, 6.
 volitantes muscae in visu, *Cinch.* 93, 8.
 quasi volitaret, aut in aëre suspensus esset et omnia cir-
 cumverterentur, hallucinatio, (*Op.* 214, 9.)
 voluntatis vis minimo abigenda nutu, (*Op.* 209, 6.)
 voluptate effusus animus, vide *eextasis*.
 erga voluptatem et dolorem indifferentia, (*Op.* 210, 4.)
 voluntatio reptans in lecto, (*Stram.* 250, 4.)
 vomendi conatus, (*Nux v.* 199, 12.)
 vomendi nitus irritus, *Arn.* 18, 3. *Bell.* 27, 7. (*Bell.*
 33, 4.)
 vomitio, (*Verat.* 268, 1.)
 vomitiones, (*Cinch.* 100, 2.)

- a vomitoriis qualis oriri solet capitis dolor lancinans vomituriens, vel pressorio lancinans supra orbitas ad maxillam superiorem tendens, *Acon.* 3, 12.
- vomituriens capitis dolor obtusus, *Camph.* 50, 5.
- vomituriens capitis dolor, *Cocc.* 110, 20. *Camph.* 50, 5.
Caps. 68, 2. *Acon.* 3, 12. 13. *Ign.* 151, 9. *Cham.* 74, 17. *Ip.* 164, 17. *Nux v.* 188, 8.
- vomituriens dolor, quasi a contusione, capitis ossium ad linguae radicem usque, *Ip.* 164, 17.
- vomituriens capitis dolor lacinanti pressorius supra orbitas, *Acon.* 3, 13.
- vomituriens, lacerans cephalalgia frontis cum sopore somni experie et exspiratione cito, *Cham.* 74, 17.
- vomituriens nausea, *Acon.* 5, 8. 9. *Rh.* 235, 11. *Cupr.* 118, 4.
- vomituriens nausea post evigilationem, (*Op.* 216, 9.)
- vomituriens nausea, matutina, *Cham.* 77, 4.
- vomituriens nausea cum salivae in ore affluxu, *Cham.* 84, 15.
- vomituriens nausea ut a syncope nascitura, *Cham.* 77, 3.
- vomituriens nausea ab umbilico sensim adscendens affluxum salivae copiosum ciens, *Val.* 251, 2.
- vomituriens nausea, quasi ab esu nauseosi cuiusdam, vel piuguis, vel dulcis, *Acon.* 5, 9.
- vomituriens nausea, sine vomitu, appetitu integro cum menstruorum suppressione, *Puls.* 222, 4.
- vomituriens nausea ad fauces usque tendens, *Puls.* 222, 9.
- vomituriens nausea primo in scrobiculo, tum sub sternno, denique in faucibus sine salivae concitatione, *Acon.* 5, 8.
- vomituriens nausea cum sensu ingrato ad gulam adscendente, *Puls.* 222, 8.
- vomituriens nausea, inter soporem vel somnum emergens, cum appetitu integro vel panis fisci, *Puls.* 222, 5.
- cum vomituriente nausea et ructibus vespertina quasi adscensio escarum ad scrobiculum colli usque, *Cham.* 84, 11.

- cum vomitidente nausea, deliquescentia cordis et infirmitate loquelae organi, dolor lacerans in oculis, fronte et vertice continuus, *Nux v.* 188, 8.
 vomitienti saturae plenitudinibus sensus in ventriculo, *Arn.* 18, 10.
 vomitientes in hypochondriis borborygmi, *Puls.* 222, 15.
 vomititio, vide et *nausea*.
 vomititio, (*Siram.* 249, 15.) (*Puls.* 233, 6.) (*Cupr.* 121, 16.) (*Hyos.* 132, 3.) (*Melamp.* 176, 14.) (*Verat.* 258, 8.) (*Val.* 251, 7.) (*Caps.* 68, 8.)
 vomititiones crebrae, *Cocc.* 110, 14.
 vomititiones, (*Camph.* 55, 5.)
 vomititio, *nausea*, (*Arn.* 23, 6.)
 vomititio cum salivatione continua, *Puls.* 272, 1.
 vomititio post cephalalgiam depressoriam, *Ign.* 151, 9.
 vomititio cum sopore bilioso in ore, *Verat.* 258, 8.
 vomititio cum sapore terreo in ore, *Puls.* 221, 13.
 vomititio iranis, *Arn.* 18, 3. *Bell.* 27, 7. *Ign.* 154, 7.
 vomititio per refrigerium, *Cocc.* 110, 13.
 vomititio post plenitudinem saturam ventriculi a cibo capto, *Cham.* 84, 14.
 vomititio iterata, *Cocc.* 110, 14.
 vomititio longa, (*Op.* 207, 6.)
 vomititio cum borboryginis in hypochondrio, *Puls.* 222, 15.
 cum vomititione dolor pressorius in scrobiculo, *Caps.* 68, 6.
 cum vomititione dolor pressorius in scrobiculo menstrui tempore, *Caps.* 68, 7.
 vomititio post dolorem in fronte supra nasi radicem pressorium, qui caput deprimere cogit, *Ign.* 151, 9.
 vomititio et effluxus salivae aqueae tussi excitata, *Mer.* 180, 25.
 vomititio inter tussim, *Dros.* 128, 17.
 cum vomititione pressorius in scrobiculo dolor, tempore menstrui, *Caps.* 68, 7.
 cum vomititione termina dissidentia, (*Nux v.* 192, 9.)

vomituritiones vehementes, (*Arn.* 24, 13.)
 vomituritiones cum torminibus spasmodicis, (*Cupr.*
 121, 6.)
 vomituritiones spasmodicae post paroxysmos epilepti-
 cos et asthmaticos, subsequā intermissione brevi,
 (*Cupr.* 121, 9.)
 cum vomituritione et pallore obtenebratio visus, *Puls.*
 220, 6.
 vomituritio cum cephalalgia et dolore intestinorum
 quasi a contritione et contusione conspirans, *Cocc.*
 110, 20.
 vomituritio post pressorium in fronte dolorem, *Ign.*
 151, 9.
 vomituritio a cibo solidō et spissiore (carne, pane),
Puls. 222, 7.
 vomituritio a refrigerio excitata, lenis, copiosum sa-
 livae affluxum ciens, *Cocc.* 110, 13. (*Puls.* 222, 1.)
 vomituritio et vomitus, post anxietatem, nauseam, re-
 spirationem citam, et tussim siccā a nausea orien-
 tem, *Nux v.* 194, 11.
 vomituritio, vomitus, *Cinch.* 95, 5. *Ip.* 163, 3.
 vomitus, *Val.* 251, 8. (*Val.* 253, 3.) (*Arn.* 24, 9.)
 (*Cinch.* 101, 8.) *Dig.* 124, 5. (*Cham.* 91, 3.) (*Hyos.*
 135, 14. 136, 12. 18. 137; 14. 142, 4. 145, 15.)
 (*Ip.* 168, 1.) (*Melamp.* 178, 6.) (*Mez.* 182, 6. 183,
 3. 11.) (*Nux v.* 198, 13.) (*Verat.* 264, 5. 265, 9.
 268, 1.)
 vomitu mox cessans anxietas dira, (*Melamp.* 178, 5.)
 sine vomitu nausea vomituriens intolerabilis, *Puls.* 222, 3.
 sine vomitu nausea vomituriens, appetitu integro cum
 menstruorum suppressione, *Puls.* 222, 4.
 post vomitum amaror in ore, *Puls.* 221, 17.
 vomitus cum anxietate, (*Acon.* 10, 5.)
 vomitus aquae, escarum, pituitac inter tussim, *Dros.*
 128, 18.
 post vomitum ardor in gula, *Puls.* 222, 14.
 post vomitum artificialem, symptomata pejora, (*Acon.* 12,
 18.) (*Arn.* 18, 7.)
 vomitus et alvi et urinac involuntaria excretio citissi-
 ma post spasmodicam corporis in alterutrum latus
 tractionem, *Nux v.* 192, 7.

- vomitus assiduus, (*Gauth.* 60, 6.)
 qui post vomitum usu venit dolor in medio cerebri, depressione palpebrarum emergens, *Nux v.* 188, 1.
 post vomitum statim somnus altus plurium horarum, (*Bell.* 37, 15.)
 vomitus primo bilis ac pituitae, tum nigrae bilis, postremo sanguinis, (*Verat.* 263, 3.)
 vomitus biliosus post levem motum vel in lecto erectio-
 nem, *Stram.* 240, 3.
 vomitus biliosus sanguine tinctus, (*Camph.* 53, 2.)
 vomitus biliosorum, (*Acon.* II, 5.)
 vomitus brevis biliosorum, *Puls.* 222, 12.
 vomitus primo biliosus, dein pituitae maxime tenacis;
 horror semper ante vomitum, *Verat.* 258, 9.
 vomitus bilis merae vehemens, (*Cupr.* 121, 5.)
 vomitus bilis viridis, (*Acon.* II, 5.) (*Verat.* 267, 8.)
 vomitus cibi pridiem capti, *Puls.* 222, 6.
 vomitus ciborum indigestorum ante plures horas co-
 mestorum, (*Bell.* 31, 13.)
 vomitus escarum inter tussim, *Dros.* 128, 13.
 vomitus escarum vespertinus, tum amaror oris et dentes
 obtusi, *Puls.* 222, 11.
 vomitus continuus, (*Cinch.* 101, 17.)
 vomitus crebri, (*Hyos.* 137, 2.)
 vomitus cruentus fatalis, (*Mez.* 182, 11.)
 vomitus enormis, (*Dig.* 125, 6.) (*Mez.* 183, 9.) (*Verat.*
 263, 7. 267, 5.)
 vomitus ferox, (*Verat.* 268, 10.)
 ante vomitum semper horror supra totum corpus, *Verat.*
 258, 10.
 vomitus horrendi, (*Verat.* 264, 12.)
 vomitus ingens, (*Dig.* 125, 2.) (*Nux v.* 199, 4.)
 vomitus longus, (*Dig.* 126, 7.)
 vomitus muci viridis, bilis viridis, (*Verat.* 267, 8.)
 vomitus niger, (*Verat.* 269, 3.)
 vomitus niger, sanguinolentus, (*Verat.* 263, 3.)
 vomitus nocturnus cum dolore dorsi lacinanti stricto-
 rie versus scapulam, *Puls.* 222, 13.

- vomitus pituitae maxime tenacis, post biliosum, *Verat.*
 258, 9.
 vomitus pituitoso biliosus, (*Bell.* 40, 2.)
 vomitus pituitae inter tussim, *Dros.* 128, 18.
 vomitus identidem recurrens, violentus, *Cupr.* 118, 5.
 post vomitus et sedes querelae crebrae de lapide frigido
 ventriculum premente, (*Acon.* 10, 16.)
 vomitus sine ructibus praeviis, (*Cham.* 84, 18.)
 vomitus sanguinis, *Nux v.* 192, 8. (*Mez.* 182, 11.)
 vomitum procreantia tormina forficantia, dolore dein
 in pectoris sinistri latus migrante forficanti pun-
 cto, *Ign.* 153, 14.
 vomitum creans tussis, *Arn.* 21, 12.
 vomitus, siti molesta subsequa, (*Acon.* 13, 17.)
 vomitus et statim somnus profundus, (*Bell.* 37, 15.)
 post vomitum statim spes erecta, (*Acon.* 10, 6.)
 vomitus subsequens post molimina diarrhoeae irrita et
 tormina forficantia, trunco incurvato sedere co-
 gentia, *Bell.* 27, 15.
 vomitus post frustraneum alvum exonerandi molimen,
Bell. 27, 12.
 vomitus ex torminibus forficantibus, *Ign.* 153, 14.
 vomitum procreans tussis indesinens, *Mez.* 180, 26.
 vomitus vehemens, (*Mez.* 184, 7.)
 vomitus vehemens bilis merae, (*Cupr.* 121, 5.)
 post vomitum vespertinum escarum, amaror in ore et
 dentes obtusi, *Puls.* 222, 11.
 vomitus violentus recurrens saepe, *Cupr.* 118, 5.
 vomitus violentus, (*Cupr.* 122, 1.)
 vomitus violentissimi, (*Verat.* 266, 17.)
 vomitus viridis, (*Op.* 205, 8.)
 vomitus viridis muci, viridis bilis, (*Verat.* 267, 8.)
 vomitus, vomituritio, *Cinch.* 95, 5.
 vomituritiva tormina, *Arn.* 19, 1. *Ign.* 153, 14.
 votis et desideriis ignotis agitatus animus, *Ip.* 165, 15.
 (*Cinch.* 99, 3.)
 vox deficiens, (*Verat.* 268, 18.)

- vox haerens, mador frigidus frontis, pulsus lentissimus pupilla contractissima, *Melamp.* 175, 4.
- vox haeret, taedet responderē, *Puls.* 218, 14.
- vox impedita, (*Hyos.* 149, 10.)
- vox submissa, impotentia clara voce loquendi, *Ign.* 150, 12.
- in vulnerata parte aut contusa formicatio, *Arn.* 22, 16.
- vulneratum quasi esset cerebrum, cephalalgia, motu minimo capitis, meditatione et loquela augenda, *Cinch.* 96, 13.
- in valnere dolor fodienti diruens dolor, *Cinch.* 98, 8.
- in vulnere lancinanti pruriens dolor cum calore, *Cinch.* 98, 9.
- ut a vulnere interno dolor in regione scrobiculi tactu tantum percipiendus, *Ign.* 158, 14.
- quasi a vulnere cerebri cephalalgia inter motum, *Cinch.* 96, 13.
- quasi a vulnere interno capitis dolor, *Camph.* 49, 3.
- quasi a vulnere dolor in gingivis, *Puls.* 225, 16.
- quasi a vulnere dolor in cantho oculorum, *Nux v.* 195, 5.
- quasi a vulnere asperitas linguae apicis, *Ign.* 157, 18.
- quasi a vulnere dolor in urethrae orificio, *Cop.* 116, 5. *Nux v.* 193, 12.
- vulsio in tendinibus cum debilitate magna juncturarum, maxime genu et malleolorum, ita ut vix incedere posset, (*Acon.* 12, 16.)
- vulsiones convulsivae singulae incipiente somno, *Cham.* 75, 12.
- vulsio et palpitatio in musculis abdominis et artuum, *Nux v.* 192, 16.
- cum vulsionibus singulis Artuum, febris soporosa matutina, *Cham.* 75, 14.
- cum vulsionibus singulis Artuum inferiorum quasi paralytica immobilitas, *Ign.* 150, 13.
- vulsiones siugulæ in Artibus et toto corpore in somno, *Puls.* 230, 16.
- vulsiones in Artibus, palpebris, *Cham.* 75, 13.
- vulsiones Artuum uno ictu, *Ign.* 155, 17.

- vulsiones Artuum (membrorum) uno ietu incipiente somno, *Cham.* 75, 13. *Ign.* 155, 18.
 cum vulsionibus rigiditas Artuum, *Nux v.* 193, 20.
 vulsorio strictorius quasi a laqueo dolor in Artuum musculis, non in juncturis, *Puls.* 231, 4.
 vulsorio strictorius dentium dolor, potu frigido exasperatus, *Puls.* 225, 14.
 vulsiones in Auribus, *Puls.* 226, 6.
 vulsoriae lacerationes singulae per aures, *Puls.* 226, 5.
 vulsiones singulae in brachiis, *Op.* 204, 18.
 vulsiones singulae brachiorum, (*Op.* 205, 13.)
 vulsorio lacerans capitis dolor, pronatione et tussi acutus, (*Arn.* 20, 9.)
 vulsorius sensus in femore, *Arn.* 22, 3.
 vulsorius sensus in nucha, *Caps.* 69, 13.
 vulsorius sensus in pectore, *Val.* 252, 7.
 vulsiones singulae in temporum musculis, *Op.* 204, 17.
 vulsorius dolor et lancinans in ulcere, *Cham.* 89, 5.
 vultu torvo obvios intuetur, (*Hyos.* 135, 12.)
 vultus, vide et *facies* et *genae*.
 vultus atrox, musculi voluntarie et involuntarie ad furem concitati, (*Bell.* 36, 15.)
 vultus conturbatus, (*Bell.* 35, 13.)
 vultus inquietus, (*Bell.* 35, 9.)
 vultus lividus, (*Hyos.* 141, 1.)
 vultus pallor, (*Camph.* 53, 10.)
 vultus rubet tumens, reliquo corpore pallido, (*Bell.* 32, 3.)
 vultus torvus, (*Bell.* 39, 1.)
 vulvae blennorrhagia, *Mez.* 181, 11. *Cocc.* III, 8. *Acon.* 14, 6. (*Nux v.* 193, 18.)
 vulvae blennorrhagia copiosa tenax flavescens, (*Acon.* 14, 6.)
 vulvae blennorrhagia flava, mordicans, *Cham.* 86, 9.

vulvae blennorrhagia purulenta, erodens, post constrictorio pressorium dolorem in utero, *Ign.* 153, 5.
vulvae tumor cum leucorrhœa lactea, *Puls.* 223, 14.

Zelotypia, *Hyos.* 133, 1.

zelotypicae objurgationes, obscenissimis vocibus intermistae, *Nux v.* 186, 18.

Errata Partis prima e.

Pag. 6 linea 9 loco horum lege harum.

— 7 — 5 — dierae l. diaetae.

— 8 — 28 — ect. l. ect. sugillationes extremitatum dolores.

— 26 — 12 — tremula l. tremula; instabilitas genu.

— 48 — 9 — rotationes. l. rotationes; convulsio abdominis, totius corporis.

— 50 — 7 — cerebri l. cerebri, pedibus manibusque frigidis, fronte calida,

— 66 — 2 — pectore l. pectore et abdomen hinc inde.

— 69 — 3 — torminosa l. dolorosa.

— 75 — 2 — maxima l. maxima post intelligentiae hebetudinem.

— 77 — 24 — artuum l. articulationum.

— 77 — 25 — simplex l. simplex, seu quasi a contusione.

— 80 — 14 — in pectus tendens l. per vices repetens.

— 82 — 7 — manus l. manus, cum siti aquae.

— 83 — 16 — fissum l. fissum, sanguifluum.

— 85 — 19 — globum l. globum, dein in pectus tendens.

— 86 — 10 — nascitura l. nascitura, cum pupillis contractioribus.

— 90 — 11 — rediente l. redeunte.

— 93 — 8 — corporis l. corporis, cum hypererethismo.

— 97 — 24 — frustraneum l. frustraneum; pressorius in urethra dolor extra mictum.

— 98 — 28 — dolorem l. dolorem cum calore.

— 108 — 24 — invincibilis l. invincibile.

— 129 — 12 — percipiendus l. percipientum.

— 131 — 11 — occipite l. occipite, maxime ab aere frigido.

— 152 — 10 — libus l. libus, maxime inter quietem.

— 153 — 5 — seu l. sive.

— 153 — 27 — punctoria l. punctorio.

— 155 — 12 — sacro l. sacro, in abdomen.

— 158 — 10 — interrupta l. interrupta rigiditate pectoris quadam.

— 163 — 4 — gula l. gula; puntio in gula cum ardore.

— 172 — 24 — vehementi l. vehementi, nocturna.

— 180 — 14 — pulsatorius l. pulsatorius post somnum.

— 194 — 7 — corpus l. corpus, maxime in pectore.

— 194 — 11 — cum siti l. sine siti.

— 194 — 14 — causans l. gignens.

- Pag. 197 linea 23 loco genu lege genu et cruribus.
- 210 — 24 — mortuus l. frusto.
 - 219 — 4 — causans l. gignens.
 - 219 — 9 — subitus l. subitus corporis.
 - 220 — 2 — animi l. animi; missitatio rixosa fletui intermisita.
 - 220 — 5 — evanidae l. evanidae; capitis infatuatio et quasi a contritione dolor in fronte.
 - 226 — 12 — calotta l. calotta tactu.
 - 232 — 12 — vespertinus l. vespertina.
 - 237 — 10 — anoxenia l. anorexia, quasi a nimia satieta.
 - 240 — 29 — tem l. tem longam.
 - 240 — 32 — dilacerantibus l. dilacerante.
 - 240 — 33 — tumor l. tremor
 - 241 — 22 — imminentia l. imminentia; febris diurna, matutina.
 - 260 — 11 — digitis l. digitis, manibus.
-

Errata Partis secundae.

Per totam partem secundam (absui longe a typographo) uncini semicirculares () fere omnes, debebant esse angulati [].