



Theses inaugurales argumenti chirurgici

<https://hdl.handle.net/1874/295844>

5

II

THESES INAUGURALES

ARGUMENTI CHIRURGICI.

THE HISTORY OF THE
CITY OF BOSTON

FROM THE FOUNDATION OF THE CITY
TO THE PRESENT TIME

BY
NATHANIEL BENTLEY

IN TWO VOLUMES.

VOLUME THE FIRST.

BOSTON: PUBLISHED BY
D. D. LITTLE, JUNIOR & COMPANY,

128 NASSAU ST. N. Y.

1855.

NEW YORK: PUBLISHED BY
D. D. LITTLE, JUNIOR & COMPANY,

128 NASSAU ST. N. Y.

THESES INAUGURALES
ARGUMENTI CHIRURGICI,

QUAS,

ANNUENTE SUMMO NUMINE,

EX AUCTORITATE RECTORIS MAGNIFICI

GOZEWINI JANI LONCQ, CORN. JAN. FIL.,

MED. BURT. ET PROF. ORD.,

AMPLISSIMI SENATUS ACADEMICI CONSENSU,

ET

NOBILISSIMAE FACULTATIS MEDICAE DECRETO,

Pro Gradu Doctoratus,

SUMMISQUE IN

CHIRURGIA HONORIBUS AC PRIVILEGIIS,

IN ACADEMIA RHENO-TRAJECTINA

RITE ET LEGITIME CONSEQUENDIS,

DEFENDET

GERARDUS PETRUS VAN TIENHOVEN,

e pago de Werken,

MED. ET ART. OBST. DOCTOR.

A. D. XII M. MAJI A. MDCCCLXII, HORA VIII DIMIDIATA.

AMSTELODAMI,

D. B. C E N T E N.

MDCCCLXII.

THE HISTORY OF THE
CITY OF BOSTON

BY SAMUEL JOHNSON

IN TWO VOLUMES

THE SECOND VOLUME

CONTAINING THE HISTORY OF THE
CITY OF BOSTON FROM 1700 TO 1780

AND THE HISTORY OF THE
CITY OF BOSTON FROM 1780 TO 1800

BY SAMUEL JOHNSON

IN TWO VOLUMES

THE SECOND VOLUME

CONTAINING THE HISTORY OF THE
CITY OF BOSTON FROM 1700 TO 1780

AND THE HISTORY OF THE
CITY OF BOSTON FROM 1780 TO 1800

BY SAMUEL JOHNSON

IN TWO VOLUMES

THE SECOND VOLUME

CONTAINING THE HISTORY OF THE
CITY OF BOSTON FROM 1700 TO 1780

AND THE HISTORY OF THE
CITY OF BOSTON FROM 1780 TO 1800

T H E S E S.

I.

Peccant saepe chirurgi iudicium aegrotantis sequendo.

II.

Exstirpatis tumoribus, promta vulneris glutinatio semper tentari debet.

III.

In ulceribus atonicis longae durationis internus opii usus commendari meretur.

IV.

Neurotomia subcutanea rejicienda est.

V.

Vehementibus doloribus amputationem secutis, resectio nervi novae amputationi praeferranda est.

VI.

Acupressura, quae dicitur, arteriarum, qualem nuper Simpson commendavit, imitationem non meretur.

VII.

Alopecia syphilitica negari nequit.

VIII.

Ad cephalaeatomatis ortum explicandum non sufficit pressio cranii.

IX.

In keratocono irididesis non semper praeferri meretur iridectomiae.

X.

Iridodialysis artificialis evitari debet.

XI.

Ad operationem entropii methodus Pagenstecheri commendanda est.

XII.

In intussusceptione, quae dicitur, laparotomia non improbanda est.

XIII.

Spondylarthrocace dignosci potest etiam absenti abscessu per congestionem, quem vocant.

XIV.

Quodsi aër venas majores intraverit, paralysis cordis dextri non est causa mortis primaria.

XV.

Ad cystotomiam in pueris sectio alta commendanda.

XVI.

Ad amputationem penis instrumentum quod Chassaig nac "écraseur" appellavit, idoneum est.

XVII.

Catheter apud feminam applicetur oculo adhibito.

XVIII.

Quodsi hydrops ovarii paracentesin requirit, acus triquetrae tenues adhiberi debent.

XIX.

Arthrocaecae chronica sicca naturae inflammatoriae est.

XX.

Corpuscula mobilia genu quam optime curantur adhibitis „serres-fines,” quae dicuntur.