





Quaestiones argumenti chirurgici


<https://hdl.handle.net/1874/303842>




Doctrina Miscell.

Quarto No. 192.









QUAESTIONES
ARGUMENTI CHIRURGICI.

RIJKSUNIVERSITEIT UTRECHT



1620 7569

QUAESTIONES ARGUMENTI CHIRURGICI,

QUAS,

ANNUENTE SUMMO NUMINE,

EX AUCTORITATE RECTORIS MAGNIFICI,

LUDOVICI CHRISTIANI VAN GOUDOEVER,

MED., CHIR. ET ART. OBST. DOCT. ET PROF. EXTRAORD.,

NEC NON

AMPLISSIMI SENATUS ACADEMICI CONSENSU

ET

NOBILISSIMAE FACULTATIS MEDICAE DECRETO,

Pro Gradu Doctoratus

SUMMISQUE IN

ARTE CHIRURGICA HONORIBUS AC PRIVILEGIIS,

IN ACADEMIA RHENO-TRAJECTINA,

RITE ET LEGITIME CONSEQUENDIS,

DEFENDET

JOHANNES VAN DER BEKE CALLENFELS,

Flessinganus,

MEDICINAE ET ARTIS OBSTETRICIAE DOCTOR.

A. D. IV M. APRILIS ANNI MDCCCLVII, HORA VI.



TRAJECTI AD RHENUM,
APUD KEMINK ET FILIUM.

MDCCCLVII.

1. Callenfels, J. vander Reke. Buaesth. chirurg.
2. Compe, L. Th. Buaesth. obstetr.
3. Holperbeek, J. F. Studia historica de sortis divisione. Anst., 1857.
4. Maitland, P. A. F. Buaesth. obstetr.
5. Dupont, F. J. De sterilitate mulierum Fraj. ad Rhov., 1857.
6. Holster, B. J. Theses chirurg.
7. Schooren, J. B. M. Theses jur. inaug.
8. Hock, J. B. van ^{pignos} id.
9. Koorders, D. De theologiam inter atque anthropologiam in ecclesiae christianae doctrinal.
10. Roker, F. C. J. Inquisitio in indolem et historiam bonorum viciniorum in Belgio.
11. Glechman, J. G. Theses jur. inaug.
12. Trelleyn, H. De invloed der Zenarren op de oogontsteking.
13. Tonge van Beek en Donk, J. J. F. de. Bydrage tot de geschiedenis van den Raad en Leen, hove van Brabant en Landen van Overmaas (1595-1795.) Utr., 1857.
14. Peeken, C. J. van. Theses obstetr.
15. Gunning, G. H. Disquisitiones de motu sanguinis ejusque stasi.
16. Elobb van Antsel, Adr. De fructuum perceptione.
17. Verloren, J. P. Nominae quæstiones juris Romani ac hodierni.
18. Falck, A. R. Theses jur. inaug.
19. Tonge, J. F. de ^{xx} id.
20. Helylidij, C. J. De modo procedandi Sulripamensi in causis criminalibus, cum veteri tam morisimo.
21. Havel, J. G. M. Theses obstetr.
22. Richelle, O. A. J. id.

23. Pompe, L. Th. Theses chirurg.
24. Janssen, C. Th. id.
25. Driehuizen, A. H. C. van. Theses obstetr.
26. Dupont, F. J. id.
27. Roelvink, L. Theses jur. mag.
28. Fengst, G. N. Fran. id.
29. Raten, J. W. L. id.
30. Berasma, J. J. De Commissariis
 politiciis sive Delegatis summum
 Imperii ad Synodus Ecclesiae
 Reformatae in nostra patria.
31. Wageninge, A. J. van. Theses obstetr.
32. Verloren, P. Theses jur. mag.
33. Quertenmont, J. G. de. id.
34. 't Hooft, J. A. id.
35. Hall, Will. van. id.
36. Delyer, A. H. Theses chirurg.
37. Sandberg, E. Theses jur. mag.
38. Poll, H. H. van de. id.
39. Richelle, O. J. Opdrach.
40. Hattenvijl, G. H. van. id.
41. Thyrm, S. P. M. Alberdingk. Tek.
 oor oog en Aar. Caspiodorus Cura
 en Tijds. reur. Bladft., 1858.

T H E S S.

I.

Erysipelas is a peculiar unhealthy form of inflammation, which may attack various tissues, but which, wherever situated, exhibits certain characters, that distinguish it from ordinary inflammation.

D R U I T T.

II.

Unum tantum datur virus syphiliticum.

III.

Ulcus, quod dicitur *chanke*, non semper primum est syphilidis symptomata.

IV.

Recte SEITZ conjunctivitidem, a Doct. VON GRAEFE diphtheriticam dictam, blennorrhoeam ichoroso-purulentam appellat.

V.

Amputatio continuo post laesionem externam serotinae praferenda.

VI.

Errant, qui putent vulnus a cane rabido inflictum semper esse exsecandum atque urendum, etiamsi longum jam tempus praeterlapsum sit.

VII.

Si dubites, num hernia incarcerata sit, operatio instituenda.

VIII.

Ulcera chronica sunt sananda.

IX.

De gastrotomia valet illud: “melius anceps remedium quam nullum.”

X.

In fracturis complicatis fasciae e gypso paratae rejiciendae sunt.

XI.

Cruribus incurvatis fulcimenta ferrea non sunt adhibenda.

XII.

Trepanatio tum solum in censem venit, ubi signa pressionis cerebri per fragmentum ossis adsunt.

XIII.

Minus recte DRUITT de operatione cataractae per depressionem: "It is a clumsy and violent operation."

XIV.

Compressio arteriae ad sanandum aneurysma optimum est artis praesidium.

XV.

Syphilisatio, quam vocant, reprobanda est.

XVI.

Minus recte BLACKBURN: “Excision is advisable
“in the shoulder and elbow; it is admissible, though
“of doubtful utility, in the ankle: and it is inad-
“missible, except under very peculiar circumstances,
“in the wrist, hip and knee.”

XVII.

Minus recte VINCENT de fracturis claviculae: “Ban-
“dages do little good commonly, and are not re-
“quired, if the patient keeps his bed.”

