



Quaestiones argumenti chirurgici

<https://hdl.handle.net/1874/313417>

8

QUAESTIONES
ARGUMENTI CHIRURGICI,

QUAS,

ANNUENTE SUMMO NUMINE,

EX AUCTORITATE RECTORIS MAGNIFICI

HENRICI EGBERTI VINKE,

THEOL. DOCT. ET PROF. ORD.,

NEC NON

AMPLISSIMI SENATUS ACADEMICI CONSENSU

ET

NOBILISSIMAE FACULTATIS MEDICAE DECRETO,

Pro Gradu Doctoratus

SUMMISQUE IN

ARTE CHIRURGICA HONORIBUS AC PRIVILEGIIS

IN ACADEMIA RHENO-TRAJECTINA

RITE ET LEGITIME CONSEQUENDIS,

ERUDITORUM EXAMINI SUBMITTIT

HENRICUS GUILIELMUS ANTONIUS PETERS,

MED. ET ART. OBST. DOCTOR.

A. D. XI M. MAJI A. MDCCCLIV, HORA VII.

Trajecti ad Rhenum,

APUD J. DE KRUIJFF.

MDCCCLIV.

THE UNIVERSITY OF CHICAGO

PHYSICS DEPARTMENT

REPORT OF THE PHYSICS DEPARTMENT

FOR THE YEAR 1900-1901

BY THE PHYSICS DEPARTMENT

CHICAGO, ILL., 1901

PRINTED BY THE UNIVERSITY OF CHICAGO PRESS

CHICAGO, ILL., 1901

CHICAGO, ILL., 1901

CHICAGO, ILL., 1901

CHICAGO, ILL., 1901

TYPIS MANDAVERUNT P. MUNTENDAM ET FILIUS.

THESES.

I.

Methodus curandi aneurysmata per injectionem, quam commendavit Pravaz, est rejicienda.

II.

Operatio labii leporini primo ætatis anno, si nulla contraindicatio, est instituenda.

III.

In ruptura perinæi, durante partu orta, raro operatio est indicata.

IV.

Periculosa epistaxis optime sistitur stupa e gummi elastico parata.

V.

Quies partis affectæ optimum sæpe remedium ad sananda ulcera vetusta.

VI.

Episiorraphia prolapsum uteri pro tempore quidem tollit, non tamen radicale remedium dici meretur.

VII.

Pessaria e gummi elastico (caoutchouc vulcanisé) parata optima sunt.

VIII.

Non nimis cito amputatio instituenda.

IX.

Errant, qui credunt, in primo stadio coxarthrocaces extremitatem affectam primo longiorem, deinde breviorum esse quam sanam.

X.

Fasciae amylaceae non in omni fractura conveniunt.

XI.

Venaesectionem instituire mox post cerebri commotionem valde periculosum.

XII.

In instituenda venaesectione phlebotomo elastico lanceola est præferenda.

XIII.

In fungo medullari nunquam, in carcinomate raro operatio est indicata.

XIV.

Trepanatio cranii non restringi debet ad casus, in quibus cerebralia symptomata jam adsunt.

XV.

Scroti punctio et humoris stimulantis injectio, sano teste, omnibus cæteris methodis ad curandam hydrocelen præstat.

XVI.

Quo citius herniotomia instituitur, eo felicior ple-
rumque eventus.

XVII.

Chirurgia a medicina interna et ab arte obstetricia
sejungi nequit.

