Markham's masterpiece revived : containing all knowledge belonging to the smith, farrier or horse-leach, touching the curing all diseases in horses : drawn ... from approved experience and ... practice of the best horse-marshals ... : divided into two books the I. containing all cures physical; the II. all cures chirurgical ...

Universiteit Utrecht

https://hdl.handle.net/1874/33996

Shomas Challis his Book 1913

BIBLIOTHEEK DIERGENEESKUNDE UTRECHT

The Mind or Meaning of the FRONTISPIECE.

The Figure 1. a complete Horfeman flows, That Rides, Keeps, Cures, and all perfections knows. The 2. Diet; the 3. Letting Blood, Beft Balm of Balms, for inward Griefs moft good: The 4. Wounds, Galls, and Sores doth firmly Cure; The 5. helps Natures Marks; 6. doth procure Help for the Sinews Griefs, as Slip or Strain, Knock or Convulfion, all are helpt again. The 7. wholfom Drink; the 8. doth take Blood from the Mouth, which fudden Death doth flake. The 9. flews the Horfe-Caudle or the Mafb, Good as the beft, yet fome Fools count it Trafh. The 10. flews Fury in untamed things, The only Fountain whence Difeafes fprings.



MARKHAM's MASTER-PIECE REVIVED:

Containing all Knowledge belonging to the Smith, Farrier or Horfe-Leach, touching the Curing

DISEASES HORSES;

DRAWN With great pains from approved Experience and the Publick Practice of the best Horse-Marshals in Christendom.

Divided into Two Books.

The I. containing all Cures Physical; The II. all Cures Chirurgical:

TOGETHER WITH The Nature, Use and Quality of every SIMPLE mentioned through the whole WORK.

Now the Eleventh time Printed, Corrected and Augmented with above Thirty new Chapters and Forty new Medicins heretofore never Publisht: All which in the Authors Life-time were concealed for his own Benefit, being the most exact Work that ever was Published of this Nature.

To which is added by way of APPENDIX, The Country-Man's Care for his other CATTEL, CONTAINING The exacteft Receipts for Curing all DISEASES in Oxen, Cows, Sheep, Hogs, Goats, and all fmaller Cattel. Never before made Publick.

LONDON: Printed by Andrew Clark for Thomas Paffenger at the Three Bibles on the middle of London-Bridge. 1675.

mine I an either O T realion or lintate The RIGHT HONOURABLE, and my NOBLE LORD,

ence coyone benefinite, or fleen goin

Sir Robert Dormer, daid

BARONET,

Baron Dormer of Wing, Viscount Ascot, Earl of Carnarvan, and Master of His Majefties Hawks.

SIR,



Ver fince I came to ferve your Country in Military Occasions, 1 accounted my felf your Servant, and to that end have made strong Intimation : But Multa cadent, many haps hinder hopes: now left to mine own Power, I could not find any thing that could so well exprels

The Epistle Dedicatory.

pressme to your Lordship, or them you what I am, either in Affection or Virtue, as the Dedication of this Book, which contains me amply and fully adorned with the best of mine own Feathers. And how oever it may appear to your Honour with an old Countenance, both becaufe my Self, the Title, and much of the matter is old, yet let me give assurance unto your Noble Goodness, that there is that newnels of Truth, Art, and approved Experience, which unto this day bath not been discovered : in any other Author. It is more (my Noble Lord) than fifty years agon, fince I began to fail in this Ocean, and to discover the fruitful Traffick of this needful Art: Nor have I in the interim of Time been a Truant, but with my best means and abilities have pursued it (as near as I could) unto the height

The Epistle Dedicatory.

beight of Perfection, and doubtless (much bonoured Sir) I have not loft all my labour, what I have gained I bave here now newly inferted, and Jend it in all Humility to kils your Lordships hand; not as a material thing worthy your Study, but as a poor virtue that needs your Defence, And bowfoever, I dare not let it forth as a Present worthy your acceptance, yet be pleased to make it such by your Favour, which can make mean deserving appear to be of greatest merit. This Obligation now offered unto your Worthy band, is the free offering of my Love, Service and Affection; and in a word of my Jelf, who am as well as my Work devoted to be ever yours. This Book is but the external Pledge which doth demonstrate the inward. Obligation of my Heart, fince what I (a) am,

The Epistle Dedicatory.

am, Art, Soul and Affection is only Yours, and defire to be fo effeemed in all my Actions, especially in this Work. If it arrive with as good Success, as I transport it with sincere Devotion, no doubt but the Work will gain lustre, and my self shall find that satisfaction which shall make me ever acknowledge my self,

Your Honours humble devoted Servant, 19 9

thy hand, is the free offering of the

Conves Service and Alfabelone and

a word of my felf, who and an well as any Work devoted to be ever rouse this Bool is but the external Process

MALD doub demonfirate the matand

Obligation of my Heart, face what

(3)

GERVASE MARKHAM.

most approved, and to be the west of those which A N ADMONITION TO THE READER,

Tr-the Reader.

LORIDOPE _ LEVE LORDE TO DE CONTENT ON

Which I would with him to Read, before he peruse the BOOK.



WO Errors (gentle Reader), have been laid to my charge in the first Publication of this Book, as namely, a mistaking in the Table of Additions wanting Direction : And the great Multiplicity or heaping together of many Medicins

for one Grief, without distinguishing their goodness, or foretelling the Practitioner, on which to rely for his best Profit and Affurance.

The first was but a venial escape in the Printer, and may be forgotten, inalmuch as it is in this Impreffion fully amended. For the fecond, which is the Multiplicity of Medicines, I have for thy fatisfaction, to all those Medicins which of mine

(2 2)

own

To the Reader.

own knowledge I have found to be certain and most approved, and to be the best of those which are coupled with it; I have in the Margin, and over against the Medicin placed this Mark

As also to every new Addition, and new Chapter, (never before published) I have in the beginning of the Chapter placed this 2.

And for thy better furtherance in this Work, I have likewife in the Table, to all the new Additions (which are the very Excellencies of all my knowledge) placed this Mark allo

And this I have done for two Reasons :

First, to make this Work which was one of my first, and entituled my $\mathcal{M} A \ S \ T \ E \cdot R \cdot P \ I \ E \ C \ E$, a true $\mathcal{M} A \ S \ T \ E \cdot R \cdot P \ I \ E \ C \ E$, in every part, that other stola Pieces and Pamphlets Christened in my name, and Printed without my knowledge or assistance, with twice so many Falshoods as Pages, may be known to be both Bastards and Abortive; mistaking an Ounce for half an Ounce, three Hand-stals for two, too much of one Simple and too little of another, of which whosever maketh trial, will, without he hath had some knowledge already, indanger his Horse; and therefore I have given many men notice my self of it, because they have taken one thing for another.

half Malapheiry of Medicines, I have for the mo-

To the Reader.

And that the bumbasted Title, and the illiterate and absurd Epistles, were neither the one nor the other of my Invention : For I must most ingenuously confess, that, but to this Book and my first, I was never to happy as to be made a God-Father.

And laftly, to with all those which are abufed by falle and imperfect Printings, to come to this Book for Correction, which is a Cabinet that contains all, and more than others firuggle for. I can give the Reader no better a Reason to perfuade him to read my Book, than to shew him the real use of Horses well managed, according to the Rules of Horses well managed, according to the Rules of Horsemanship; he is fit for Feats of Arms, and Triumphs in War; and a great pity it is, that such an excellent Beast should any way miscarry for want of knowing his natural Difeafes, and the Cure thereof.

I have now made the Souldier and all others, Mafters of Art in the Cures of their Horfes, if Farriers be failing to advife and confider with them : For it is a Knowledge fit for a Gentleman, both in Peace and War, to be able to cure the Difeafes incident to his Horfes; for other Countries do love all Experiments, and to be feen generally in all generous Practices, whereof Horfemanfhip is one of the chiefeft. Which Work I will juftifie upon my Reputation to have been tried by me, and hath wrought good effect; having thefe fifty years been a Practitioner in the fame, and

To the Reader.

and did never think to have disclosed these Secrets that now I have, which Time and my Industry hath brought to light; and because old Age groweth upon me, and that the Grave will be never awhis the better, I thought therefore to divulge them to the World, rather than to have hid them in Oblivion; defiring the Reader to give God the Glory, and me but only Thanks and good Wishes. So I reft, Thine,

stream heaten in a statistic she tas and

the first of the second s

whe Different interior and the start

sell another a

the Rules of Pression when the is ff for setting

I have now made the Souldier and affectings

The : The set of the s

will justice upon num Lanne as a cash blan bir

サイロー さってんごう いうひとしていたいのの デートする

to love all to make a top to be to a

and Langer a ter Real lo on

The AUTHORS NAMES, From whom any thing in this Work, is Collected, being the best Farriers.

These are Publick.

Xenophon Rusticus Vegetius Pelagonius Camerarius Apollonius Gresson Grilli Horati o Gloria de Caballi

Libal Stevens Wickerns La Brove Martin Senior Albiterio Vinet Clifford Maskal Markham.

These are Private,

Martin janior Webb Dallidoun fenior Dallidoun junior Ausbourn Stanley Smith Dowfing

Day Barns Mayfield Lupman Goodfoon Parfray White

Lib. I.

Markham's Master-Piece.

C. Cares E. Mical.

T

FIRST BOOK

All Cures Phyfical, or fuch Infirmities, as, being inward, crave the Administration of Phyfick, and are called in Horse-Leach-crast, Horsefickneffes.

CHAP. I.

Of the natural Composition of Horses Bodies.



Ouching the true composition of a Horses body, you shall understand, that it is (as the body of Man) compounded of thirteen several things; that is to say, seven natural, and fix not natural: The seven natural, are Elements, Temperaments, Humours, Members, Powers or Vertues, Altions or Operations, and Spirits; all which be called natural, because the natural Perfection and excellency of every

10

fenfible body doth wholly depend upon them, and hath his moving no longer than they have power of working. The fix, which are not natural, be the Ayr, Meat and Drink, Motion and Reft, Sleep and Watch, Emptinefs and Fulnefs, and the Affetts or Motions of the mind; and these are called not natural, because as (being rightly and in due order applied) they preferve, suffain, and fortifie the body;

2

to being mifgoverned, or uled in any exceffe, or diforder, they are the only corrupt deftroyers of the whole body: and of the ethirteen fimples which compound the Fabrick, or whole frame of the body, I intend to speak severally.

Lib. I.

CHAP. II.

Of the four Elements, their Vertues and Operations.

F Irst, for the Exposition of the word Element, you shall understand, that it is the primary or first beginning of all things, being of it felf pure, uncorrupt, and simple; all things teing first made thereof, and all things at the last being resolved into the same again. It is also in its own nature to bright, clear, and without contraction of impurity, that it is not able to be differend by any sensible eye whatfoever. Lastly, it is the least part or *Atome* of that thing which is made or proceedeth from it.

Now of these Elements which are the usual first movers, or beginners of all moving things, there are only four in number, that is to say, Fire, Ayr, Water, and Earth; meaning not that Fire, Ayr, Water, and Earth, which is visible here with us beneath, and which, through the groffenels thereof, is both palpable and to be discerned; but those which are mounted alost, and through their purity invisible and concealed from us, (for the other are compounded bodies, and not simple.) And of these perfect and distinct Elements you shall know, that the Fire is the highest, as being fixed or joyned next unto the Moon, being hot and dry, yet naturally exceeding, or being most predominant, or ruling in heat.

The Ayr is placed next unto Fire, and is naturally light and hot ; yet his predominant or chief quality is moift.

The Water is joy ned unto the Ayre; the disposition thereof being heavy and moist; but his predominant or chief quality only cold.

Laftly, the Earth, adjoyned to the Water, is the loweft; and it is most heavy and cold; but the predominant or chief quality thereof is only drinels.

Now for the vertues, properties, and operations of these four Elements, you shall understand, that first the Fire, by means of his hear, moveth matter to generation, and stirreth up warmth in all living things;

3

Lib. I.

things ; it is that which the Philosophers call Heterogenes, which is in the mixt bodies to separate things of divers kinds one from another, and also to joyn things of like kinds together, which they likewife call Homogenea. For by vertue of the Fire, the bones of Horfes are separated from the flesh, the flesh from the finews, the finews from the veins, the veins from the arteries, the heart from the liver, the liver from the spleen, and so forth, in such fort as we see the divers parts of the fuel we burn, by the vertue of the fire and heat to be separated, and divided one from another, as the vapour from the Imoke, the Imoke from the flame, and the flame from the afhes. And as in these things, so in many other things, as in the trial of Metals, and such like, where the fire by vertue of his heat separateth body from body, that is, meral from metal, and corruption from incorruption, gathering and knitting together every thing of one and the felf fame kind. Befides, the vertue of the Fire, is to ripen, order, and digeft things raw and undigefted, mingling the dry with the moift, and opening the pores, that the Air being fomewhat more folid and grols, may enter into the body : And laftly, it breaketh and moderateth the coldness of the Water and the Earth, so that it may not diftemper or confound the body.

Touching the vertue and operation of the Air, you shall understand, that by the moiftness therof, it maketh the matter apt to receive shape, either natural, or accidental, and by the help and affistance of the Fire, bringeth the powers and influences of the Heavens and Stars into the inferiour bodies, making the mixt bodies not only subtil and penetrable, but also light and mounting, to the end they may neither be too gross, nor too heavy. Secondly, the Air through his moistnels cooleth the burning heat of the Heart, Liver, and Intrails, as we daily fee by the office of the Lights and Lungs, which like a pair of bellows draweth uncessantly fresh air unto the Heart and inward members. And albeit, the Aire doth not feem to the fense of the outward eyes, to be any thing neer so moift as the Water, yet according to the opinions, both of our Books and best Physicians, it is by much the moifter, which is well proved, (fay they) by the abundant flux it containeth, which flux spreadeth it self so farre abroad in the Body, that it filleth every empty part and corner thereof, with the special Properties and Characters of moistnels, and by that Reason, is much harder to be kept within his own bounds, B 2 than

4

Lib. I.

than the water is. Laftly, as the Water was altered by God from his first natural place, for the better profit both of Man and Beast; even so the Air, according to School-mens opinions, was not left altogether in his first natural disposition, left being over-moyst it should so confound and sufficient all Sense, that neither Man nor Beast should be able to Breath or Live.

Now for the Vertue and Operation of the Water, it is to be noted, that through the Coldnels thereof, it conglutinateth and bindeth in mixt Bodies, both parts and members together, which be of divers kinds; as bones with fleth and finews, fleth with finews and bones, and finews with bones and fleth. Even as for a familiar Example, we fee in the time of any great Frost, the ftrength of the Cold how it bindeth things of divers kinds together, bringing into one maffe or fubftance, both Water, Dirt, Stones, Straws, Sticks and Leaves: The Water alfo with its Coldnels, doth temper and cool the inflammation and heat of the Fire, gathering together those things, which otherwise the violent Heat would disperse and fcatter abroad.

Laftly, for the vertue and operation of the Earth, it is through his drinels in mixt bodies, fo to harden and fix them together, that they may retain their thapes, which otherwife by the power of the Air and Water, would be fo foluble and loofe, that they could not hold together : as we may fee in Paft, Wax, and fuch like, which whilft it is moift, will receive no print, but being once hardned, it retaineth any form that is preft into it. And here is to be noted, that according to the opinion of Hippocrates, when any fenfible body dyeth, not only every quality, but every substance and part makes his return to the Element from whence it came ; as heat to the Fire, moistnels to the Air, coldnels to the Water, and drinels to the Earth. And thus briefly you fee, that of these four common Elements, or common beginners of things ; the Fire being hor, feparateth ; the Air being moift, (hapeth; he Water being cold, bindeth; and the Earth being dry hardneth and retaineth. The use that you are to make of this knowledge, over and befides the comprision of a natural body, is, that when you find any fickness, or infirmity, which proceedeth from the Fire, as Inflammations of the body, or fuch like, that then you apply fimples of the nature of the Air or Water, which may moiften and cool the violence of the hear. If the infirmity proceed from

5

Lib. 1.

from the Air, as Flux of blood, or too much moifture, then you (hall apply fimples of the nature of the Fire or Earth, whole heat and drinefs may difperfe and harden fuch moifture. If the difeafe fpring from the Water, as Colds, Rheumes, Apoplexies, and fuch like; then you (hall feek fimples of the nature of the Fire and Air; that through the heat of the one, and the moift lightness of the other, all fuch cold, großs and folid humours may be dispersed. But if the difeafe proceed from the earth, as Manginess and Leprofie, or their like, that are dry and hardned infections, then you (hall feek fimples of the nature of the Fire only, whole heat may diffolve and loosen those ill knit, dry, and hard humours.

Thus you see, too much heat is abated by coldness and moistness; too much moistness by heat and driness; too much coldness by heat and moistness; too much driness by heat only.

Thus much of these four common Elements, which begin all things living and unliving, sensible and unsensible; yet of sensible things, which live and have blood, there be other more neer Elements, or beginnings, which are called proper Elements, or generation; as the ingendring feed, and mensfrual blood, from whence every Beast taketh his first shape and beginning; and yet those proper beginnings have their whole dependency and hanging upon the qualities of the first common beginningsalready spoken of, which is moist, dry, hot and cold, for without them they are nothing, nor can do any thing.

CHAP. III.

Of Temperaments, and their several kinds, and bow far every way they extend in Horses.

These Temperaments, or Temperatures, which are the second thing in a Horses composition, do spring from the Commixture of the four Elements, and are nine in number, whereof eight are unequal, and the ninth is equal. Of the eight unequal, four are simple, and those be hot, cold, moift, and dry, which Physicians call the first Qualities; and of these, the first two be Active, and the other two Pathive : the other four are compound, and they be hot and raoist, hot and dry, cold and moift, cold and dry. Now the equal Temperament is divided

6

Lib. I.

divided into two, an Universal and a Special. The equal Temperament Universal, is, when the four Elements are in an equal proportion, generally divided through the whole Body, Nature injoying no more from the one, than from the other. The equal Temperament Especial, is, when the Elements are proportioned according as every kind doth most properly require, be it either Plant or Beaft : In Plants, when every Plant hath that commixture of Elements, which are proper to its kind, the hot Plant being hot, the cold being cold, or c. Whereas contrariwife, to have a hot Plant cold, or a cold hot, to have Rue cold, or Sorrel hot, were a falle and unequal commixture of Elements. So likewife of Beafts, that Horfe, that Dogg, that Swine is faid to have his due Temperament, when he is of fuch temperature as is most proper unto his kind, which only is best difcerned by his Actions, or Motions. As thus, the Horle is known to be hot and moift by his Lightness, Swiftness, Valiantness, and long Life, and allo to be of a temperate nature, in that he is eafily Tamed, Docible, Obedient and Familiar with the Man. And fo longas either Horfe, or any other thing, continueth in the Mediocrity and Excellency of his proper Temperament, fo long as we may truly judge him of a good temper and disposition; but if there be any over flow of qualities, or excefs in his Humours, as either heat, coldnels, moifinels, or drinels, then we fay, he is either a hot Cholerick Horfe, a cold Dull Horle, a dry Mischievous Horle, or a moist Cowardly Horse, according to the over flow of that quality which reigneth in him.

Again, every Horfe is faid to have his due Temperament, according to his Age, and the Country wherein he is bred, and fometimes according to the time of the year wherein he Liveth. And thus a Horfe in his foal-age, which is, till he be fix years old, is naturally hot and moift; in his middle age, which is till twelve, more hot and dry than moift; and in his old age, which is paft zighteen, more cold and dry, than either hot or moift. So likewife, the Horfes which are bred in Southern parts, as either in Spain, Babbary, or Greece, are naturally more hot than those which are bred either in the feventeen Lands, Germany, or England; neither is there any Horfe, which is in good flate of body, that is fo hot in the Spring-time of the year, as in the Summer, nor fo cold in the Summer, as in Winter. All which observations are with most curious diligence to be observed of every Horfe-leach, when he goeth about to cure any ficknels; for unlefs

7

unless he confider their natures and temperatures, and every other circumftance already declared, he shall right foon be deceived in the administration of his Physick. Therefore, I earnessly defire every Farrier, before he give any drench or potion, first to inquire the kind, race, and disposition of the Horse, next his age, then the Country, and lastly, the time of the year : and so according to the truth thereof, to mix his receipts.

Lib. I.

It is moft expedient allo, for every Horfe-leach to confider the fecond qualities, which are fo called, becaufe they take their beginnings from the first qualities already declared; of which fecond qualities fome be called palpable, or to be touched, as thefe, foftnefs, hardnefs, fimoothnefs, roughnefs, toughnefs, bricklenefs, lightnefs, heavinefs, thinnefs, thicknefs, fmallnefs, groffenefs, and fuch other like. Some again are not palpable, as thofe which appertain to hearing, feeing, and fmelling, as noyfes, colours, odours, and fuch like; and by obferving well the fecond qualities, he shall with much cafe know whether the Horfe be difposed to any ficknefs or not, as shall be more largly declared hereafter in every particular Chapter.

CHAP. IV.

Of Humours, and to what end they ferve.

Ow concerning Humours, which are the third composers of a Horles body, and to likewife of every other beaft allo ; you shall understand that they are four in number, that is to say, Blood, Flegm, Choler, and Melancholy. As touching Blood, it is in its nature uncorrupted, and therefore hot and moift, and sweet in taste, as participating of the Elements Fire and Air. Flegm is cold and moift, and either sweet, or wallowish without any taste at all, as participating of the Elements Water and Air ; Choler is hot and dry, and bitter in tafte, as participating of the Elements Fire and Earth. Melancholy is cold and dry, and in tafte fowre and heavy, as participating of the Elements Water and Earth : fo that thefe four Humours by their qualities, are every way allied unto the Elements. For to speak briefly, and according to the manner of Physicians, Blood is of the nature of the Air, in being most predominant therein ; Flegm of the nature of water, Choler of the nature of Fire, and Melancholy

8

Lib. I.

Melancholy of the nature of the Earth. And albeit these Humours are fymbolized or mixt through every part of the body, ver every one of them aboundeth more in one part than in another, and have their places of refidence, absolute, and particular to themselves ; as Blood about the heart; Flegm in the brain; Choler in the liver : and Melancholy in the spleen. Now as these Humours do more or less abound, or have greater or lesser foveraignty in the Horse, fois the Beaft naturally better or worfe coloured, qualified, or difposed. as thus. That Horfe in whom Blood hath the greatest predominance, and may be called a Horfe fanguine, is bright, bay of colour, and in disposition pleasant, nimble, and of temperate or moderate motion. That Horfe in whom Flegm hath the greatest dominion, and may be called a flegmatick Horfe, is for the most part of a milky white colour, and to confequently flow, dull, and heavy. If Choler bear the greateft rule in his conftitution, then is his colour commonly a bright Sorrel, and by that means of disposition hot, fiery, and of little ftrength. Laftly, if the Earth have gotten power above the other Elements, fo that he may be called a Melancholy Horfe, then his colour is commonly a Moule dunn, and his disposition cowardly, faint, and flothfull. But becaufe thefe particularities are properly appertaining to the Complexions of Horfes, of which we thall have caufe to fpeak more largly hereafter, I will not ftand upon any greater relations ; only I give you thus much in Conclusion : to underftand that every one of these afore-faid Humours hath his proper use and end, whereunto it ferveth, as thus. Blood ferveth more properly to nourish the body. Flegm giveth motion to the joynts. Melancholy begetteth an Appetite or Longing to his meat. Now during the time that these Humours do posses their natural qualities, so long they are wholfome, and be called by their fimple names, without Gloffe or Addition: but if by any milchance they be difordered or corrupted, then they are unwholfome, and are no longer called by their fimple names, but have other Epithetons annexed unto them, as Melancholy blood, Salt flegm, Cholor adult or burnt Choler, and fretting Melanchely, whereof proceedeth many peftilent and dangerous dileafes, as shall be at large declared hereafter. And thus much for the flate of Humours.

9

CHAP. V.

Lib. I.

Of Members, and their feveral kinds.

TOuching Members, which are the fourth main inftrument in this great fabrick of a Horles body, they are by School men divided into two parts : The first is called Similaria, which is like, semblable, or one and the same thing: The other is called Inframental, and are contrary to the first.

Members alike, are those, which being separated, or distributed into parts, yet every part thereof is alike in substance to the whole, neither altering in definition, appellation, or nature; as flath, bone, finew, and fuch like : for flesh being cu. or incifed into many parts, yet is every part fill flesh, so reputed, and so called, as well as when it was in combination altogether; and as of this, to likewife may it be faid of bones, finews, and the like.

Now for Members Instrumental, they be those which being made of parts lemblable, and divided into parts, yet the parts are not alike, neither have all one name with the whole ; as the head, legg, foot, and fuch like : for every part of the head is not called the head, nor every part of the legg the legg, but have other appellations, as the brow, the temples, the knee, the feet-lock, &cc. Now these Infrumental members, in doing of their offices and duties, are of much more perfection than the Semblable members: wherefore Schoolmen have made amongst these Instrumental members, four Soveraigns or Princes above the reft ; that is, the Brain, the Heart, the Liver, and the Stones ; of which the first three are the prefervers of the fingular body, and the fourth of the whole kind : the first three giving motion and agitation to the body, the fourth generation and increase to succeeding ages.

Now from these principal members, like branches from a wellgrown Tree, do fpring other members, which do them fervice : as from the Brain springeth finews, whole office is feeling, from the Heart arteries, whole office is sprightliness and lively hood ; from the Liver veins, whole office is warmth and ftrength; and from the Stones the feed-veffels, whole office is procreation and increase. Now foralmuch as from these do likewise proceed a World of other mem-

bers.

TO

Lib. I.

bers, as Tendons, Ligaments, Lungs, Spleens, Guts, and fuch like; all which, in as much as the knowledge of them doth more properly belong to the office of the Chirurgion, than to the Phyfician, (though most neceffary to both) I am here to advertise every fludious Reader, that when he shall have occasion to meddle with any member about a Horse, that he turn to the second Book of this Volume, which treatesth only of Chirurgery, and there he shall not only find every member and lineament in a Horse, but also the true Anatomy so lively demonstrated, that there shall be nothing wanting to the perfecting of his understanding. And thus much in this place of Members.

CHAP. VI.

Of Powers, and how a Horfes body is governed by them.

Powers, which by fome are called Vertues, or principal faculties, and do govern and controle both the body of man and beaft, and have the fifth place in this work, are in number three, that is, the power Animal, the power Vital, and the power Natural. The power Animal, is a vertue incident to the Brain, which through the Sinews coming like little conduit pipes from the Brain, diffributeth feeling and moving to all the parts of the body. The power Vital is a versue belonging to the Heart, which doth give Life and Spirit to all the body by means of the Arteries ; which proceeding from the Heart, which is the chief fountain of natural hear, carry in their little chanels over the whole body, that ayr and (piritual blood which makes it full of lightness and alacrity. The power Natural is a vertue belonging to the Liver, which gives nourithment unto all the body, and to every part thereof, by means of the Veins, which do likewife proceed from the Liver, like greater conduits, carrying the blood from the Liver, which is the fountain of blood, into every part of the body. Befides, the power Natural containeth four other vertues, that is, the vertue Attractive, which draweth food, meat to fuftain the body ; the vertue Retentive, by which it retaineth and keepeth the food received ; the vertue Digeftive, whereby it concocteth and digefteth the lame ; and laftly, the vertue Expulsive, by which it expelleth excrements and superfluities. Thus these Powers

Lib. I.

Of Cures Physical.

Powers or Vertues being of no lefs validity than you perceive by this difcourfe, it is the part and duty of every good Horfe-leach, to have a more carefull and vigilant respect unto them; for if any of them fail, the Horfe cannot live. Therefore, whenfoever you fee that either your Horfe refufeth his food, or that he cannot retain and keep his food, but caffeth it up again; or that he doth not digeft his food, but keeps it corruptly in his flomack; or that he cannot avoid hus excrements in a natural manner, but holds it burning in his body, take them for moft certain figns of mortal fickness: And thus much of Powers or Vertues.

CHAP. VII.

Of Actions or Operations, and whereto they belong.

A Stouching Altions, or Operations, which are the fixth column or pillar which doth uphold this natural body of which we treat, they are not only belonging, but even derived from the three powers immediatly fooken of in the former Chapter, as thus : The action and operation of the power Animal, is to different, to move, and to feel. Horfes differen by means of the vertue Imaginative, Difconrfative, and Memorative, whereof the first is placed in the forehead, the fecond in the middle of the brain, and the third in the hinder part of the head. All which are comprehended under the power Animal. Horfes move by means of the vertue motive, whole action and Operation is to reftrain, or let flack the finews, whereby every Member hath his moving. And Horfes feeling is by means of the vertue Sensitive, whole action or Operation is bufied in the five Senfes, as to See, Hear, Smell, Taft, and Touch, and all these Actions fpring from the Power Animal.

The Action or Operation of the Power Vital, is to reftrain and loofen the Heart, and the Arteries which proceed from the Heart, which Action, whether it be hurt or diffurbed in a Horfes Body, is eafily known of every good Farrier, or Horfe-Marshal, by the unequal beating of his pulse; that is to say, of the Arteries, which come down from the Heart to the infides of both his fore Leggs, a little below the Knuckles of his Shoulders, and likwise crois both the Temples of his Head, a little higher than his Eyes. And if any man

C 2

be

FI

12

Lib. I.

be fo fimple, to imagine that the thickness of the Horles skin shall be an impediment to the feeling of this Motion; ket him Remember, that as a Horlesskin is thicker than a Mans, so also are his Arteries greater, and beat with more violence, and so consequently be felt without any great difficulty.

The Actions or Operations of the Power Natural, are to Ingender, to Encreafe, to Nourifh, to defire with Appetite, to Attract, to Change, to Digeft, to Retain, and to Expell, and many other of like kind. These Actions therefore are carefully to be looked unto by every Farrier, to the intent that he may Learn by them, not only the whole efface of a Horfes Body, but allo what particular Member thereof is evil affected, as thus: if either in your Horfe you find much Forgetfulnefs, Unnimblenefs of his Limbs, or Dulnefs upon Correction, it is a fign of ficknefs in the Brain, and that the Power Animal is evil affected. If you find that his Pulfes do beat extraordinary flow, or much too faft, it is a figne that his Heart is grieved, and his Power Vital evil affected; but if you find that he doth confume, pine away, and lofeth his ftomack, it is a fign that his Liver is perplexed, all his inward parts out of frame, and his Power Natural evil affected.

Now you shall again understand, that of Actions, some be Voluntary, some not Voluntary.

The Voluntary Actions be those, which a Horse may either further or hinder, flay or let, when themselves please, as the moving of the Leggs: for they may go, stand, or lye down at their own pleasure.

The Actions not Voluntary, are those, which depend not upon the will of any Beaft, but be done of their own accord, and naturally, as the moving of the Heart, and of the Arteries, and the passage of the Blood; the first, whereof beateth Sleeping and Waking; and the other hath his course every minute. And thus much of the Actions and Operations.

CHAP. VIII.

Of Spirits, and in what part of the Horfes Body they remain.

S Pirits, which is the feventh natural Builder of this natural Work, are to be underftood, to be that fine, pure, clear, and aery fubftance, which is ingendred of the fineft part of the Blood, whereby the

Lib. 1.

Of Cures Phylical.

the vertue of every principal Member may vifit all the other parts of the Body, making them to do their duties, according to the rules of Nature. Now of spirits, according to the Opinions of some Phyficians, there are but two kinds, that is, the Spirit Animal, and the Spirit Vital: The Spirit Animal is that which giveth power of feeling and moving to a Horse, and hath his refting place in the Brain, from whence through the Sinews, it is dispersed into all other parts of the Body: and it is ingendred of the Vital Spirit, being more vehemently wrought and laboured, and partly of continual breaching: Even so it is partly preferved by the Cam'e of the Brain, which doth hourly water and nourith it.

The Spirit Vital is contained in the Heart, from whence it floweth into every part of the Body, being the chief caule of all natural hear; and it is preferved and nourifhed both by breathing and blood.

To thefe two Spirits, there be some Farriers, both Italians and French, which add a third Spirit, and call it the Spirit Natural, saying, it hath his refidence in the Liver, and the Veins, but the two former are of such Power, and have such Superiority, that the Body cannot live without them, nor have any being at all : Wherefore, it is the Office of the Farrier continually, in all his Medicines, to have either some comfortable Simple, which may maintain and keep the Spirits in their full strength, lively-hood and vertue. And thus much touching Spirits, and those seven natural things which compact a natural Body.

CHAP. IX.

Of the fix things not Natural, how they Profit, and how they Hurt

H Aving spoken of the Natural things, whereof a Horses Body is Compounded, it is needfull now that we speak something of the other fix which be not Natural, so farr forth as they concern the Office of the Farrier, and no further; for with other matters we have not to do. The first thing then which is not Natural, yet preserveth a Horses Body in good state, is the Air, which being pure, sharp, clear, and piercing, giveth great life and nourisfiment to a Horse but being contrary, that is, gross, thick, and full of putrifaction, it cannot choose but alter the good Habit of his Body, and breed in him many

Lib. I.

many Infimities: Therefore, every Farrier, shall have great respect to the Air wherein a Horse either Liveth, or was bred in, as if a Horse that was bred in a Hot Air, come to live in a Cold, and through the exchange grow fick, the Farrier, shall by warm Diet, close House, and Moderate cloathing, bring his Nature to a stronger acquaintance: Also when a Horse exceedeth in any of the four qualities, that is, in Heat, Moistnels, Coldnels, or Deinels, it is best for him to live in that Air which is contrary to that quality, wherein he exceedeth. Lastly, in many Diseases, the change of the Air is most wholesome, as shall be thewed at large in the particular Diseases.

For the Meat and Drink of a Horfe, which is the fecond thing not Natural in a Horfes Composition, it is not to be doubted, but whilft it is fweet, clean and good, as Bread well made and Baked, dry Oats, dry Beans, dry Peafe, fweet Hay, fweet Straw, or thort Grafs, folong it nourifheth and preferveth the Horfes Body: But if it be fuffy, raw, corrupt and unclean, or if he ear Tares, Fitches, Rye, or Barly, then muft he needs be unfound, and full of infirmities: Therefore the *Farrier* thall be carefull to keep him from all fuch Food, as breeds naughty evil Blood. As for his water, the more pure it is, the better ; and the more muddy, thick, and pleafant, fo much the more unhealthfull.

Now for this Moving and Reft, that is, either his Travel or Standing full, which is the third thing not natural in a Horfes compofition, doubtlefs they be great prefervers of a Horfes health; for as moderate Exerciles diffolve grols Humours, ingender Apperite, and add ftrength unto the Limbs, fo likewife indifferent Reft caufeth Digeftion, comforteth the Sinews, and maketh the Heart cheerfull againft infuing Labour. But on the contrary part, immoderate Travel or Exercifes, when a Horfe is Ridden beyond his ftrength, breede h many dangerous and mortal fickneffes, as the Foundring in the Body, the Confumption in the Langs and Liver, molten Greafe, and luch like, befides the piffing of Blood, Manginefs, Farby, and luch like : All which inward Difeates crave frong Purgets and the outward Sharp and Correding Medicines. Immoderate Reft, which is, when a Horle doth fland long full without any Exercise, Feeding foul and grofly, is as great an enemy to a Horles health as the other: for it congregateth and bindeth together all forts of ill Humours, breeds corruption in the Blood, rottennefs in the Flefh, and

Lib. ci.I

Of Cures Physical.

IS

and generally as many Difeafes as any ill Diet whatfoever.

The Sleep or Watch of a Horfe, (which is the fourth thing in our Composition) is so necessary a comfort to a Horse, that he cannot live without it : it is the greatest mover of Digestion ; and so confequently gives comfort to the whole Body. For whilft the Horfe fleeps, the powers Animal do take their reft, which otherwise would be over-Wearied, and neither able to difcharge their Duties, nor to continue their Actions and Operations, which is the giving of feeling and moving only : and whilft a Horfe doth fleep, the powers Natural have more liberty to do their Work, in concocting the Mear, and comforting the Body, in fo much as I account fleep to be the only quieting of the Senfes, ordained by Nature to ingender ftrength. Sleep is begotten by sweer, fatry and gross Vapours, (and not by their contraries) which are railed from the Heart to the Brain ; with the Coldness of which Brain, those Vapours being congealed and thickned together, do ftop the pipes of the Senfitive Spirits, to as they can not refort to the Inftruments of the Senfes, to give the Body feeling and moving, whereby the Body at that time is deprived of those Motions. And according as those Vapours do more or less fill the pipes, lois the Horfes fleep more or lefs found and undiffurbed; but when this fleep shall at any time grow into excess, and you shall perceive a Horfe to fleep beyond both Nature and Cuftom , then you shall know that fuch fleep commeth from an evil Habit of the Body, and is a fign either of a Lethargy, and a numbrels of the Spirits, or elle that he hath fome inward grief and pain in his Limbs when he ftandeth ; which being eafed by lying, makes him cover a continual reft and fleeping. Now for the Watch of a Horfe, becaufe it is the meer contrary to fleep, there needs little to be faid more than this ; that as the excels of the one (heweth the want of the other, fo the natural wanting of either, thews the evil state of a Horfes body, and gives the Farriers warning to expect enfuing ficknels,

Now for Emptinels and Fulnels. (which is the fifth not natural Compositor) forasimuch as it is only an adding to, and a taking away; fome Farriers have held Opinion, that all Physick belonging to a Horse body, confisseth in them two only; and truly, I am of this mind, that whose ver can take away Corruption, and add Perfection, shall without doubt ever keep an able and substantial Body. But to our purpose, of this Fulnels there are two forts, the one fulnels

16

fulnels by excels of Humours, the other fulnels by excels of Meat : either of which perturbing the Spirits, are the grounds of fickness. Again, excels of Humours are of two kinds, the one an equal encrease of all manner of Humours gathered together, and the other particular excels, either of too much Melancholy Flegm, or other Watrich Humours whatloever, the first being termed an abundance of Humours, the latter an excels of evil Jayce or Nutriment. Lastly, there is fulnels in quantity, and fulnefs in quality. Fulnefs in quantity, is, when a Horfe is full of Blood, or any other fimple Humour. Fulnels in quality, is, when any of thole Humours are too hot, or too cold, too grofs, or too thin. Now for Emptinefs, as all Dileales of Fulnefs must be cured by it only, fo all D feales of Emptinels must be healed by Fulnels, as by taking of Blood, by Purge, Fristion, Scarrification. Boxing, Sweating, Bathing, and a World of fuch like, as thall be very largely let forth hereafter, in it's proper place.

Laftly, touching the affections of a Horfes mind, you shall underfland, that to far forth as the Senfitive Soul doth ftretch, fo far they have sense and feeling of Affections, as namely, to Love, to Hate, to be Angry, to Rejoyce, to be Sorry, and to Fear : For all which there needs no great Apology, fith, we have it in daily Experience : as who feeth not the love of fome Horfes to their Keepers, their hate to Strangers, their angers in their Sights, their joyes in their Prides and Wooings, their forrows in their Sickneffes, and their fears unto their Riders: now these Affections, fith many times they are the grounds of ftrange Motions in the Body; therefore, they ought carefully to be looked unto by the Farrier, and that the Horfe be not overpreffed with any of them; especially fear and hatred, the first whereof compelleth the Blood and Spirits to fly to the inward parts, and to leave the outward without fense or feeling; and the latter makes him to be unquier, fierce, and raging ; both together breed diftemperature in a Horle, and thole diffemperatures ingender mortal fickneffes. And thus much for thefe fix things, being held not Natural to a Horfes Composition.

Lib. I.

Lib.dr.

Story and Tal

Of Cures Physicial.

CHAP. X.

Of Horfes Complexions.

HAving spoken of those thirteen Natural and not Natural things, whereof a Horses Body is compounded, we will now in a fomewhat more particular manner speak of the Complexions of Horfes, which is one of the most necessary Faces that a Farrier can behold, both for the judging of a Horfes Infirmities, and allo for the true compounding of his Medicines for every Difeate: Therefore you shall first understand, that by the Colour of the Horse, you shall ever judge his Gomplexion: For, look which of the Elements is moft predominant in him, from that Element we draw his Complexion, as thus. If he participate more of the Fire than of any of the other Elements, then we hold him to be a Cholerick Horfe, and his Colour is either a bright Sorrel, a soal Black without any white, or an Iron gray unchangeable, that is, fuch a Gray as neither will ever turn a Dable gray, a White, or a Flea-bitten, and these Horses are of Nature Light, Het, Fiery, and feldome of any great ftrength; these Horses are much subject to pestilent Feavers, Yellows, and Inflammations of the Liver. Therefore every Farrier shall be carefull in his composing of any Medicine for such a Horse, to purge Choler, yet very moderately, and not with any extraordinary firength in the Potion or Drench ; because, the Horse being in his best firength, not reputed ftrong, should you apply any violent thing colum, that little ftrength being abated, there were great danger in the confounding of the whole Body.

If the Horfe participate more of the Air, than of the other Elements, then he is of a Sanguine Complexion, and his Colour is either a bright Bay, or a dark Bay, which hath neither skouling Countenance, mayly Mouth, nor white Flank, or a white Flea bitten, white lyard like Silver, or Black with a white Star, white Rach, or white Foot. These Hortes are of Na: ure *Pleafant*, Nimble, Free, and of good Ssrength. The Difeafes to them most incident, is Confumption of the Liver, Leprofie, Glanders, or any Difeafe that is infectious. They are of a good throng Constitution, and may endure through in their Medicines, especially any thing that cooleth the Blood.

If

Lib. I.

If the Horle participate more of the Water, than of the other Elements, then is he of a Flegmatick Complexion, and his Colour is either milk-white, a yellow Dun, Kite-glend, or a Pydeb all, in whom there is an equal mixture of Colours, that is as much white as of the other Colour. O herwife, if the Bay, the Black, or the Dun exceed the White, he is faid to be of that Complexion of which the Colour is greateft. These Horles are of Nature flow, and apt to lose flesh: The D seafes which are m R incident unto them, are Colds, Headach, Rheames, Staggers, and such like. They are able to indure the reasonable strength of any Medicine, because the abundance of Flegm which is in them, sufficient both Nature, and the potion to work upon: All cold simples are to them exceeding hurtfull, so are also they which are violently hot in the third Degree: the fulf, because it bindeth too soon; the latter, because it disperses too fuddenly, therefore soft a moderate mean are the best.

If the H rie participate more of the Earth, than of the other Elements, then he is of a Melancholy complexion, and his Colour a Moufe-dunn, Ruffet, Chefnut, Afry, gräy, dark B y, with m rily Mouth, Red or White flank, or a Reddiff Bay, having long while Hair like Geats Hair, growing on his Leggs. Thefe Horfes are of Nature heavy, and faint-hearted; The Difeafes to them most incident, are Inflammations in the Spleen, Frenzie, Dropfie, and fuch like. They are commonly of better fittength, than they will fuffer to appear by the r Actions, and are able to endure the fittength of any reafonable Medicine: all Cicatrizing and Dry fimples are hurtfull unto them; the Cold and Moiff are the most profitable.

Having thus thewed you thele four Complexions, Cholerick, Sangaine, Flegmatick, and Melancholy, together with their qualities and firengths, you thall underftand now, that amongft Farriers there is another Complexion, or fifth Conflitution, which is called the Composition or mixture of Complexions: That is, whenfoever a Horfe doth participate of all the four Elements equally, and in due proportion, none being greater or leffer than another, and this Complexion of all other is the beft, and most perfect, and the Horfe which is of this Complexion, is ever of one of these Colours; that is to fay, either a fair Brown bay, Dabled, or not dabled, a Dable gray, a Black full of Silver hair, or a fair Roan Red or Black. and these Horfes are of Nature most excellent, most Temperate, S.rongest, Gentleft, and

Lib. L.

and most Healthfull: though they may have any Discase, yet are they naturally inclined to no Discase: But what infirmity sover falleth unto them, is meerly accidental, and not through any over-Row of natural distemperature. All Medicines must be compounded for them, according to the nature of the fickness, and the time of their languithment: For if the fickness be young, and new bred, then they are able to receive any well composed Receipt; but if it be old, and the inward Powers and Faculties feebled, then you must be carefull to help Nature, by adding to every Medicine of what nature soever, fome *fimple* of Comfort, that, as ill Humours be cleansed, for ftrength may full be repaired and maintained. And thus much for Complexions.

CHAP. XI.

Of Inward fickness, the causes and several kinds thereof.

S Ich I have already paffed over all those things which have a natural and perfect working in a Horse Body, and do maintain, uphold, and preferve the same in good state and health, except accidentally they be encountered and crossed by some Excess, either in Diet or in exercise: it shall now be meet, that we begin to speak of the things which be contrary and against Nature, which are all those things, whereby at any time the healthfull offate of the Horses Body is any way impeached : and they be three in number; that is the Causes, the Sickness, and the Accidents which follow every fickness.

Now the Caufes of ficknels are all unnatural affects, and evil difpofitions, which going before, do as it were by Violence, bring ficknels after them : and of these Caufes there be two forts, fome Internal, fome External : The Internal be those which breed within the Body of the Horfe, as evil Humours, evil Obstructions, and evil Juyce. External are they which communicate with the outward parts of the Body, as Heat, Cold, Worms, and fuch like, of which I shall speak more in the second Book : And for fo much, as I intend at the beginning of every particular Discase, to shew the cause of that Difease, I will at this time speak no more of that fubiest.

Now for fickness it felt, which is any thing that is contrary to Nature, it is divided into three general kinds: the first, an Evil Tem-

Deratures

20

Lib. T.

perature, the fecond, an Evil frate and Composition; and the third, a losening or Dividing of an Onity. Now of these two latter, I intend not to freak in this place, because they appertain to Chirurgery, which I referve for the fecond Book : But for the first kind, which is an Evil Temperature, it istaken two-fold, that is, either simple or compound. Simple, When one quality only doth abound, or exceed, as to be too fibility too dry? Compound, when more qualinites than one de grow into excess, as for a Horse to be too hor, and too dry, or too cold, and too moist. Again, ficknesses are faid fome to be long, as Consumptions, Glanders, and such like, which linger and wear a Horse away by small degrees; Some short, as the Staggers, Yellows, Anticor, and such like, which as soon as they be perceived, so soon they be mortal.

Now of Inward fickneffes, fome do occupy all the whole Body, fome but particular parts: those which occupy the whole Body, are *Feavers*, the *Peffilence*, *Convulfions*, and fuch like: those which occupy Parts or Members, are Colds which annoy the Head; Surfeits which perplex the fibmack: and fo likewise all Outward infitmities, proper to every particular Member, as *Splents* upon the leggs, *Spavens* on the Hoofs, *Pearls* in the eyes, and fuch like; as shall be amply thewed hereafter, with their feveral Cures. And thus much for fickness, and the feveral kinds thereof.

rates and the first of A H A P. XII. It was a series of

Stan

Of the figns of fickness, and of what nabure it confifteth.

The figns and faces, by which ficknels is differned, are many, and almost numberle's: yet in the beft fort, that I may, I will fnew you fuch, and so many, as shall amply ferve for any Mans understanding. Know then first that there be, according to the Rules in Phyfick ; four especial wayes to judge of inward and outward infimities. First, by accidents, as by the shape, number, quantity, and place of the Member grieved : for if it carry not his true proportion, or be more or lessin number or quantity, or out of his proper place, then questionless to differ to Hot, too Cold, too Moilf, or too Dry. Thirdly, when any Member of the Body is hindered from doing his Office ;

Lib. 1.

Of Cures Phylical.

Office ; as when the Eye cannot fee, or the Foot cannot tread. And fourthly, by Excrements, as by his Dung or Urine. But forafmuch, as in the speculation of these qualities, many of the ignorant fort may be either Amazed, Distract, or Deceived, and that my Defire is to give an absolute facisfaction to all forts of people, I will briefly, and plainly thew you the most undeceiveable figns of all forts of inward fickneffer, as thus: If a Horfe be flower in labour, or Duller to the *Spurr* than he hash been accustomed; If he be shorter Breathed; if his Ears hange down more than they were wont; If his Hair be more flaring; If his Flank, be more than usually hollow; If he burn betwixt his Ears, or about his Pasterns; If in Travel his flomack fail him, or his Mouth, that in labour was usually wont to be Foaming, become dry; all these are most apparent figns of inward Sicknefs.

When a Horfe holdech down his Head, which was wont to be of cheerfull Countenance, it is a figne either of a *Feaver*, *Head-ach*, or elfe *Foundring* in the *Body*.

If a Horle be dimm of light, which was clear fighted, it is a fign either of Head-ach, the Staggers, or Sore eyes.

When a Horle turneth his Head back-ward to the place grieved, if it be to the *Right fide*, it is a fign of *Obstructions* in the *Liver* : but if he turn it down to his Belly, then it is a fign either of *Cholick*, *Bots*, or *Worms*.

When a Horse hath water running from his mouth, it is a sign of the Staggers, or wet Congh.

If a Horfes breath ftinks, or foul matter inues from his Noftrils, it is a fign of an Ulcer in the Nofe or Head; but if the matter be white; then it is a fign of *Glanders*; if the matter be black, then it is a fign of the mourning of the *Chine*; but if the matter be yellow, then it betokens the Confumption of the *Liver*; but if he caft little lumps out of his mouth, then it betokens the Confumption or rottennels of the *Langs*.

If a Horses Body and Breath be hot, it is a sign of a Fever, and heat of the stomack; if therewithall he forsake his meat, it is a sign of Inflammation in his Liver, and either of dry or moist Tellows.

If the Temple of a Horfes Head be very hollow, it is a fign either of the Strangle, or old Age.

Shortnefs of Breath, and a beating Flanck, is a fign either of a Feaver, or the Strangle, but if the paffage of the throat be ftopped, it

is a fign the film of the Lungs is broken, and the Spleen croubled, or elle broken-Winded.

Lib. I.

If any thing lie on both fides the Fore-head, which may be felt beat, it is a fign of the Staggers.

It there be any thing swelling about the Ears, it is a fign of the Pole evil: swelling under the Ear, is a fign of the Vives; and swelling in the Mouth, a fign either of Canker, Flaps, Lampaffe.

Swelling under the Throat, is a fign of the Glanders; and fwelling about the Tongue roots, a fign of the Strangle: But if there be about the Tongue roots, nothing but little fmall knots, like wax kernels, then it is a fign but of Cold only.

Swelling on the Left fide, is a fign of a fick Spleen. Swelling in the Belly and Legs, a fign of the Dropfie, and Iwelling in the Flanck, of Cholick only.

To Cough, or to Offer to Cough, is a fign either of the Glanders, or the Mourning of the Chine, of a Feather in the Wealand, of the wet or dry Cough, of the Film broken, of the dry Malady, of a Confumption, or of Foundring in the Body.

Staggering is a fign either of a *Feaver*, of the Staggers, or of Swaying in the Neck : but if he flagger or role behind only, then it is a fign either of Foundring in the Body, or of pain in the Kidneys.

Trembling is a fign of a *Feaver*, or of a Foundring in the Body : and here is to be noted, that a Horfe which trembleth after the Drinking of cold Water, hath during that time of Trembling, a very certain fit of an Ague; and if any *Farrier* or other, will but observe it, he shall find that the Horse, after he hath done Trembling, will burn and glow in as great extremity, at least an hour and a half after ; and fome Horses after their burning, will sweat also.

The Hollownels of a Horles back is a fign of a dry Malady, or the Dropfie.

Hair-staring is a fign either of a cold Stomack, or of Foundring in the Body, but generally of a Cold, or want of Cloaths.

If a Horfe stale with much pain, it is a fign either of Foundring in the Body, the wind *Cholick*, or the Stone; and if the Urine which comes from him be yellow, it is a fign of the Glanders, but if it be blackish and thick, it is a fign of a pain in the Kidneys.

Leannels and Gauntinels, is a fign of Hide-bound, or of a Confumption, of the dry Malady, of Foundring in the Body, Inflammation,

mation of the Liver, the Yellows, Cholick, or Worms.

Lb. 1.

Laxativenels, or loofenels of the Body, is a fign of a Hot Liver.

Coftivenels in the Body, is a fign of Dry Yellows, or of Difeales in the Gaul.

If a Horfes Dung stink, it is a sign of a Hot Liver; if it have no smell, then of a Cold Liver; but if it be undigested, then either of a Consumption, or of a Dry Malady.

If a Horle go fliff, it is a fign either of Wrinching, Hipping, Stifling, or Foundring either in Body or legs: if he go Crouching behind, and Siffbefore, then the grief is in his fore-Legs, but if he go only Weak behind, then is the grief in his hinder Leggs only.

If a Horfe defire extraordinarily to lye down on his right fide, it is a fign of Heat in the Livr. If on the left fide, then of a D feafed Spien If he be oft up and down, finding no reft, then it is a fign of Bors, Worms, Cholick, or Griping in the Belly: if when he is down, he fpreads himfelf abroad, it thews the Dropfie; if he groan when he is down, it thews either a fick Spleen, m off Yellows, Cholick, Bots, or film broken; if he be not able to rife when he is down, then either mortal Weaknefs, or Found ing in the Body or Legs.

To be troubled withmuch Wind, is a fign either of grief in the Spleen, or lols of much Blood.

If a Horfe forfake his Meat, it is a fign ei her of a Feaver, Headach, Strangle, Staggers, Confumption, or dry Malady, Anticor, Foundering in the Body. a hot and confumed liver, moift Yellowes, Cholick, or the Worms; but if when he forfakes his Provender, he doth as it were Chavel, or Chaw a little Hay, and in his Chawing doth make a certain tharp Nofe in his Mouth, as if his Tongue could not well part from the Roof without a kind of Chanking, it is then a certain fign that the Horfe is troubled with the falling of the Pallee of the Mouth, a Difeafe which only commeth by over-much Travelling, or too fore a Burthen.

If a Horse defire to eat much, and drink little, it is a fign of a Cold Liver; but if he defire to drink much, and cat little, it is then a fign either of a Fever, rotten Lungs, heat in the Stomack, heat in the Liver y or the dry Yellows.

If a Horle both Eat and Drink with an extraordinary greedinels, it is a fign of Rotten Lungs, or a Difeated Spleen.

Lazy heavy going, Contrary to true Nature, is a fign either of a Fever,

24

Lib. I.

Fever, Sick-Spleen, Yellows, or elle Obstructions of the Liver.

If a Horse strike with his foot at his Belly, it is a sign of the Cholick: but if when he striketh, he fisk with his Taile also, then it is either Bots, or rough Worms.

If a Horfe be Scabby, and Ulcerous all over his Body, and about his Neck, it is a fign of the Mangy: if it be an Ulcer full of Knots, creeping alongft a Vein, it is the Farcy: if fpreading abroad only in one place, it is a Canker: if the Ulcer be hollow and crooked, it is a Fiftula: but if it be a fpungy Wart, full of Blood, it is then an Anbury

If a Horles Tongue hang out, and be fwoln, it is a fign of the Strangle.

To Conclude, if a Horfe in health beat fhort, thick, and fast in the flanck, it is a fign of *ficknefs* in the Lungs and Lights, which we call *Becken-winded*, with a World of other fuch like figns and tokens, as thall be more amply declared in every particular Chapter.

CHAP. XIII.;

General Observations in the Phylicking of Horses.

A Feer you can by these Signs and Characters, judge and approve either the health or ficknels of a Horle, it is then necessary, that you learn fome General Rules and observations which belong to the phylicking of a Horle; left that either by your Rashnels, Unskilfulnefs, or Uncleannefs, in what you go about to do, you commit errours more groffe than the Medicine, you administer hath power to do good. Know then fift, that when loever you go about to give your Horle any inward Potion or Drench, you must full take very carefull heed, that your Drink be no more than Milk warm? for there is nothing more mortal to a Horfe, than the fealding of his flomack. Next, you must be very carefull that you give the Drench eafily and gently, left in making too much haft, the Drink pais into his Weland or Wind Pipe, and fo force him to an extreme Coughing. and almost fufficate him; which if it do you must then let his Head loofe, and walk him up and down till the paffion be paft. Laftly, you (hall observe, in giving a Drench, to draw out the Horses Tongue before you put in the Horn, and then prefently let it loofe again : for char

that will compel him to fwallow whether he will or no. And this is principally to be ufed, when you give your Horfe Pills, as Butter and Garlick, Butter and Sanders, or Butter and Saven : Alfo, every Drench will work the better, the longer you keep the fick Horfe fafting, both before and after his Medicine ; wherein is likewife to be Obferved, that moderate Exercise, (as gently Walking, or Trotting up and down, according to the horfes ftrength, after his Drench received) is moft wholesome, and maketh the Medicines work a great deal the better.

Lib. I.

You shall likewise Observe, if you horses such as Feaver, to mix alwayes your simples either with warm Water, with Honey, or with Oyl; but if the Disease be Coughs, Rheums, or any thing that proceedeth of Cold causes then you shall mix your simples with good Ale, or Wine; and if your Horse be brought low and weak with schness, then you shall mix your simples with Milk and Eggs.

You thall also Observe, that in Blood-letting, you must take but half so much from a young Colt, as from an old horse, and but the fourth part from a yearling Foal: also in setting Blood, you must carefully regard the Age and Strength of your Horse, taking more or less according to his Ability of Body. Lastly, letting of Blood is either to Divert *fickness*, and preferve Health, or to Refress, and bad Humours.

Observe before you let your Horse Blood; first moderately to chafe, or exercise him: then let him take reft a day before his letting Blood, and three days after, not forgetting that April and Ottober are the two principal Seasons of the year for that purpose, except urgent occasion be ministred.

Obferve, whenfoever you Rake your Horfe with your hand, (which is to draw his Ordure out of his Fundament when he cannot Dung) that then, first you anoint all your hands with Sallet Oyl, or Butter: the like you must ever do when you put up any Suppofitary; but when you administer any Glister, you shall then but anoint the Glister-pipe only. Many other Obfervations there are, which be more particular, and those you shall find annexed to the feveral Cures of every Difease. Thus much then of these general Obfervations.

E

CHAP!

26

CHAP. XIV.

Lib. T.

Of the Urine, and Excrements of a Horfe.

A Feer you have made your Memory accquainted with the Signs and Observations before specified, and so in the end find a Horse, which by the demonstration of some of these Signs, appeareth most certainly to be fick and Diseased : My advice is then, (if conveniently you may, and that the violence of the Sickness do not urge the contrary) that before you administer any thing unto him, in any case you see his Urine, from which Urine you shall reap these Knowledges.

Finft, if the Urine of a Horfe be of a pale, whitifh, yellow colour like unto Amber, and therewishall fomewhat ftrong finelling, and not very clear, then you shall be affured that the Horfe is in good state of Body, Strong and Healthfull; but if it be extraordinary White, as it were Creamy, then it is a fign the Horfe hath weak Reins, and is subject to the Stone, and the stopping of the Kidneys.

If the Urine of a Horfe be somewhat high-Coloured, Bright and Clear like Lamber, and not like Amber, or like a Cup of strong March Beer; then it theweth the Horfe hath Inflammation in his Blood, and that he hash either a Fever, or elfe some great Surfeit; but if it be Red like Blood, then is his Inflammation more great, and his Surfeit is only an over-heat taken by over-Riding; infomuch, that if present remedy be not applied, either by Scouring, or other healthfull Physick, the Horse cannot chuse but fall into some mortal fickness.

If the Urine of a Horfe be of a pale Greenish Colour, thick and flimy, it is a fign of a weak Back, and Confumption of the Seed.

Lastly, if the Horses Urine be high-Coloured, yet therewithall Cloudy, and full of blackness, then it is a fign that the Horses sickness is Martal, and hardly to be preferved by any Physick; but if the Blackness and Cloudiness of the Urine do not remain, (as it were) bound up together in one Body, but is broken and disperied, shewing many Clouds in one Water, then it is a fign that the Violence of the fickness departeth away, and there is great hope, by good Government that the Horse will recover his Health as at the beginning.

27

Now for the Excrements or Dung of a Horfe, which is no lefs worthy of Note than the Urine; you fhall first understand, that if his Dung be ever of Alliance with his Food, I mean either in part or whole Coloured like unto that he eateth, as thus for Example. If your Horfe go at Grafs, his Dung will ever be green, and the brighter fuch Greennefs is, and being in a mean between Hardness and Sofrness, the founder and in more perfect Eftate the Horfe ftandeth ; but if the Greenneis be bright, yet the Ordure fo foluble and loofe, that it cometh from the Horfe like Water, then you shall understand, that either the Horfe hath eaten up some Feather, or else he hath an inward Coldness both in his Stomack and Bowels.

Lib. I.

If a Horfes Dung be of a reasonable thickness, neither too Coffive nor to Soluble, yet the Greenness inclined to some Blackness, it is a fign that the Horse hath a hot Stomack, and is easily subject either to the Yellows or Staggers.

If the Horfes Dung be in round hard Pellets, and of a Blackifh green Colour, like the Dung of a Sheep, or a Deer, then it is without fail, that the Horfe hath had fome great Surfeit, either by over Riding, or by ill Food, or elfe is certainly poffeft either of the Yellows, or Feaver, or Foundring in the Body.

Now if your Horfe be fed only upon Straw, then its Colour will be of a high-Coloured Yellow, rather Coffive than Soluble, and the Grain thereof Long, and not well Couched together : And all these be good figns of great Healthfulnels ; but if the Colour be inclined to Redness, or if it be exceeding Dry without moisture, or if it be Thin, like the Dung of an Oxe or Cow, they all be apparent figns of inward fickness; but if the Redness turn to Blackness, and that his Ordure doth lofe the ftrength of its Smelling, then it is a great Sign of Death and Mortality.

If your Horfe be fed with Hay and Provender, then your perfect and found Dung will be of a Brown yellow Colour, the Grain somewhat long, yet moist and well fixt together ; but if the Brownness turn to Redness, it is a fign of diftemperature; and if it turn to Blackneis, then of Death. Now for the imell of this Dung, you must understand, that the more Provender you give, the greater will be the fmell, and the lefs Provender the lefs fmell.

Lastly, if you feed your Horse only upon Provender, as Bread, Oars, and fuch like, then the Dung which thews a perfect and a E 2 found

Lib. I.

found Body, will be of a pale yellow Colour, like coarfe Honey, firm, like a thick Salve, having within it when you tread upon it or break it little white Grains, like thofe which are in Sope; or if the Dung be harder, like the ordinary Ordure of a Man, it is not amife: For both be figns of health and ftrength; and if the Dung look Red, then it is a fign that the Horfe hath taken fome inward Heat, and his Stomack and Bowels do reft ftill inflamed.

If his Dung be Brown and flimy, or if it fhine and look greafic, it is a fign that he hath had fome of his inward Greafe molten, and that it refteth and putrifieth in his Body; but if with his Dung, you fee him voyd great clods and lumps of Greafe, then you may be affured that his Greafe was molten, but Nature hath overcome Infirmity, and the worft Danger is paft already; but if the Dung be matter undigefted, fo that you may either perceive therein whole Corns, or whole bits of Bread, it is a fign the Horfe hath either and a late Surfeit, or is entring into a Mortal Confumption. Laftly, if his Dung be Black, or have loft the *Smell*, it is an apparent fign of Death. And thus much for Urine and Excrements, and the feveral knowledges attained by them.

CHAP. XV.

Of Feavers in General, and the divers kinds thereof.

T Hat Horfes have Feavers, and those Feavers of divers and fundry Natures, there is nothing more certain, as by flrict Observation may daily be perceived, especially when we use either much Travel, or disorderly Diet: for questionless from these two and none other Heads, do spring most Feavers whatsoever. But first, that I may give you an account what a Horse Feaver is, you shall know that it is an unnatural and immoderate Heat, which proceeding first from the Heart, dispersent it felf not only through all the Arteries, but even the Veins of a Horse Body, and thereby hindreth all the Actions and wholeseme Motions of the same. Now of Feavers, some *Farriers* make three forts: The first, those which breed in the Spirits, being inflamed and set on fire beyond the ordinary course of Nature = The scond, those which breed in theHumours, being likewise diftermpered by Heat : And the third, those which breed in the firm parts of

29

Lib. I.

of the Body, and are continually hor. Now I for your better Memory, will divide them only into two parts, that is to fay, Ordinary, and Extraordinary. The Ordinary Feavers, are all those which are bred either in the Spirits, or in the Humours : as namely, Quotidians, Tertians, Quartans, Feavers continual, Feavers helick, Feavers in Autumn, Summer or Winter. And the Feavers Extraordinary, are all those which are bred in the firm parts of the Body, and are ever hot, as Pestilent Feavers, and the Plague, which are ever accompanied with Olcers; and the Feaver accidental, which proceedeth from the anguish and pain of some mortal Wound.

Now for the cause, from whence these Feavers do proceed, you shall understand, that all these which I call Ordinary Feavers, do generally fpring either from furfeit by extreme Labour, or fome furfeit by naughty meat, as Ram Peafe, Ram Fitches, Ram Oats, Mouldy and Unwhollome Bread, and fuch like : Sometimes they do proceed from the extreme Violence and heat of the Sun Beams, when Travailing with diforderly haft, in the extremest heat of the Day, those two heats mixed together, Labour, and the Sun, there cannot chuse but be bred in the Horse lome Mortal inflammation ; and for mine own part, I have feen Horfes fall down Dead in the High-way : For whofe Deaths, I could find no Realon more than their Labour, and the heat of the Sun. Feavers sometimes spring from a contrary caule, as from extreme Cold, in this manner : When a Horfe in the Winter-time hath been Travelled fore all the Day, and is brought into the house hot, if after his blood and inward powers are fetled and cooled, you then prefently, or the fame Nighe give him cold Water as much as he will Drink, you shall see him out of hand fall unto an extreme Quaking, and from that quaking into a violent Burning, with all other diftemperatures of a Feaver.

Now for Extraordinary Feavers, they ever proceed either from Corruption of Blood, or from Infection of the Air ; and albeit thefe Feavers are not ufually known unto our Farriers, yet they are as common as the former ; only the Violence of them is lo great, and the Poylon fo ftrong, that they ever carry with them fome other Mortal ficknefs, as namely, the Staggers, Tellows, Anticor, and fuchlike, which never are, but a Peftilent Feaver ever goeth before them : And they, like the Marks of the Plague, are feldome feen till the Cures be defperate; and then the unskilfull Farrier, neither noting, nor knowing,

20

knowing, it be did nor, the effects of the Feaver, doth ever mil-call the name of the Horfes infirmity, and taking the leffer for the greater, fails many times to do the good Office and Cure which he intenderh.

Now the figns to know the Feaver, be thefe : Firft he will ever hold down his Head, he will quake and tremble ; but when his trembling is paft, then will his Body burn, and his Breath be hor, he will Breath faft, and his Flank will bear, he will Reel, he will forfake his Meat, his Eyes will be fwoln and closed up, yet therewithall much Watering; his Fleih will as it were fall from his Bones, and his Stones will hang down low ; he will oft ly down and rife up again : as his defire will be to Drink ; yet at no time drink much, neither will he at any time fleer.

Now for the general Cure of thelegeneral Featurs, you thall understand, that some Farriers use to let the Horse blood in the Face, Temples, and Palate of the Mouth, and the first day to give him no Meat, but warm Drink only, by a littleat a time : and after the fineft Grals, or fineft Hey wet in Water, keeping him Warm, and often wallking him up and down in a temperate Air, and giving him good ftore of Litter, then when he begins to mend, to feed him with Barly fodden, huskt and beaten ; as you do Wheat before you make Furmety. And this Cure is not amils ; for it agreeth with the Antient experience of the Italians : but in our English Horses, (through the Clime, as I suppole) it often faileth.

The best Cure therefore that I have found, is, as foon as you perceive him to begin to fhake, to give him the yolks of three or four Eggs, beaten with leven or eight spoonfulls of Aqua-vita to Drink, and then chafe him up and down till his thaking be paft, and then fet him up close and warm, and with many Cloaths make him fweat an hour: Let his Food be Oats, very well dried and lifted, and once a day, some wash'd in Ale. If his shaking fit be past, before you perceive his fickness, you shall only give him a pint of Muskadine, and an ounce of Sugar-candy beaten to powder, and brewed together to Drink, and fo let him reft, feeding him by little and little, as aforelaid, and giving him no Water but luch as is warm : and this Order you thall observe at the beginning of every fit, if you can note them, or elfe every Morning, if his fickness hath no ccafing. CHAP.

Lib. I.

Lib. 1.

Of Cures Phylical.

31

CHAP. XVI.

Of the Quotidian, or every dates Fever, and the Cure.

THe Quotidian, or every daies Fever, is that which takes a Horfe, and holdeth him with one fit once every day; and will at first appear some what Violent, but seldom or never endureth long, if the Farrier have any Diferenion. It proceedeth most commonly from extreme Riding, either after water, or a full ftomack ; and then fuddenly, after his Hear, being thruft into a Stable, and neither ftopt nor rubbed, a suddain Coldness to that suddain Heat, begets a thaking, and to confequently, the effect of a Fever.

The figns to know it, sre Watrish and Blood-Chotten Eyes, fhort, and hor Breathing, Panting, Loathing of his Mear, and Stiffnels in his Limbs; but above thefe, to know it is a Quotidian, you shall obferve, that these figns, together with the fickness, will not last above fix or eight hours in one day, and then he will be cheerful and in health again, till very near the fame hour of the next day, at what time his fit will begin again. And here is to be noted, that the more it altereth the hours, the more hope there is of his health ; as if it takes him at leven of the Clock of the one day, and at three of the Clock of the other, and fo forth. The Cure is, you thall only during his firsgive him nothing but a Iweer Main made of Malt and Water, being lukewarm, and walk him gently up and down in a remperate Air : then as foon as his fit is paft, you thall tet him up, and rub his Body and Leggs exceedingly; then four hours after you shall give him this Drink : Take of strong Ale a quart, and boyl therein half a handfull of Worm-wood, of long Pepper and Grains two Oances, of the best Treacle two Ounces, and of the Powder of dryed Rue one Ounce: Now when a third part of the Ale is confumed, take it from the fire and firain it, then put therein three Ounces of Sugarcandy beaten to Powder ; then when it is lake warm, give it him with a Horn to Drink. Do this twice at the leaft, or thrice if his fi:s > continue, and there is no doubt but he will Recover. I . yebbau ! werdach, yet in his war stateg as not in apparently Violent and a mach longer Consimuence i for it great care and help be note parte in the

AN HID RUE a CHIPTER of a year, fome har where and for a while

32 2

CHAP. XVII.

Lib. I

Of the Tertian Feaver.

THe Tertian Feaver, is that which commeth every other day, holding the Horfe with one fick day, and one found : it is not fo Violent as the Quotidian, but much longer Lafting ; it happeneth ofteft in the Spring time of the year, when Blood begins to encreale, and most commonly to Coles and young horses. It proceeds of the lame caules that the Quotidian doth, and fometimes of Ranknefs, and ill Blood. The figns to know it, are all the figns formerly spoken of, and this is the chiefeft, that the Horfe will be apparently fick as it were on the Monday, then apparently well on the Tuefday, and fick on the Wednelday following. This Feaver is never lean. but it beginneth with fhaking. The Cure thereof, is, as foon as you perecive the horfe to beign to thake, you thall take a certain Herb, or rather a Weed called Stonescrop, and bruifing it in a Motter, take fome four spoonfull of the juyce thereof, and infuse it in a quart of ftrong Ale, and give it the Horfe to Drink : then walk him gently up and down in some temperate Air for an hour, then fet him up, and with the help of Cloaths put him into a fweat for an other hour, then cool him ; and in any wife, till his fits leave him, let him Drink no Cold Water, and let his Provender be the oldeft and drieft Oats you can get, only upon his good daies before his fits come, keep him very long fafting and empty.

CHAP. XVIII.

crossin O ow Of the Quartan Feaver.

the annual of the

The Quartan Feaver, is that which some Farriers call a third daies sickness, as thus: If his fits begin on the Monday, he will be well on the Tuesday and Wednesday, and fick again on the Thursday. It proceeds from the same Caules that the Tertian Feaverdoth, yet in his working is not so apparently Violent, but of much longer Continuance : for if great care and help be not, these Feavers will last some a quarter of a year, some half a year, and some a whole verter.

Lib. r. Of Cures Phylical.

year. There needs no other fign to know it, then the coming and going of the fire, as hath been declared already. And for the Cure, it is the felf fame which is defcribed in the former Chapter, for the Tertlan Feaver : only it his fits do not leave him at the first taking of the Medicine, you thall then give it him again the fecond tirae, but not above thrice at the most in any wife.

CHAP. XIX.

Of the Feaver Continual.

He Feaver continual, is that which continueth without any intermiffion, and it is most dangerous and violent : for there is in it the effects of all the former Feavers, every one taking place as the ocher endech : as the Quotidian beginning, is perfued by a Tertian, and a Tertian by a Quartan, and thole two fupply fo many hours till the Quotidian doth begin again. This kind of Continual Feaver, most often springeth from some inflammation or Violent heat ingendred in the Principal Members about the Heart : and the figns thereof are want of Reft, and falling away of the Flefh, befide certain Inflammations or fwellings, which will appear about his Withers and Flanks. The Cure is, first to purge his Head by Ineefing, the manner whereof you shall find in a particular Chapter hereafter : which done, you shall give him this Drink, take of Jermander two Ounces of Gum Tragacant, and dried Roses, of each half an Ounce, beat them into fine Powder, and put them into a quart of Ale, adding thereunto, of Oyl-Olive two Ounces, and as much Honey; and when it is lukewarm, give it the Horfe to Drink : then walk him a little space, and after set him up Close and Warm, keep him from Cold water, and let his Provender bedry Oats.

CHAP. XX. Deserve includes

of the Hottick Feaver. in 10 9mil and go 130

THe Heffick, Feaver in Horles, is a dangerous and mortal Feaver, serma Ferverer the solid the brain ton hallter me being in a Horle the first Original breeder of a Confumption; it is a certain Hot and Dry Humour; which runneth between the

Skin

Bart att an Lat att 28

Land Vise at the start

34

Profil So

TODAS O CANARA

S cin and the Flefh, proceeding from a fick Stomack, which having been scalded with hor D ink., (as those ill D eted Running Horfes be, which feed upon much Spice, or those which take hot Drenches upon every foolifh and flight occasion) hath almost clean loft the power of Digeftion : It fometimes happens to those Horses which Men too carefully teaching to Drink Beer and Wine, do fo continually apply them thereunto, that in the end they become fubject to this ficknels. The fight to know it ; the Horfe will never eat with any appente, and when you draw out his Tongne, you shall find it raw, and almost fealded ; his Fleih will be loofe and Flaggy, and his Body subject to a continual Trembling. The Cure is, first walh his Tongue either with the firrup of Mulberries, or with Allom, Running water, Sage and Woodbind Leaves boyled together, then give him fasting in a morning this Drink ; Take of Aloes one Ounce, of Garlick half an Onnce, of Licoras and Annifeeds of each a Dram, beaten to powder, and let him drink it with a quart of white Wine, luke-warm, and made iweet with Sugar candy or Honey : let him drink no Drink, but warm maines of Malt and Water, and let his meat be sweet Hay, or green Corn blades : and ever after his Medicine, let him be chafed a little, kept falting two or three hours, and stand warm and well cloached.

CHAP. XXI.

Of the Feaver taken in Autumn, or the fall of the Leaf.

A LL these Feavers before spoken of, do for the most part, commonly happen to Horses in the Spring me of the year.by reafour that the new Blood is ever apress to be inflamed : yet not virthflanding, we find by Experience, that Feavers will fometimes come at the fall of the Leaf, which we call Autumn, and they are of a longer continuance than the other. The figns are none other but such as I have already declared : For they are the same Peavers, only altering the time of the year. If therefore your Horse do chance to catch a Feaver at the fall of the Leaf, you shall let him Blood on his Neck-vein, and in the Pelareof his Mouth, and you shall give him to drink the same drink which is formerly set down for the Feaver continual, and there is no doubt of his Recovery.

CHAP.

Lib. I.

Lib. I.

CHAP. XXII.

Of the Feaver taken in the Summer-feason.

Feaver taken in the Summer scafon, is the worft of all Ordinary Feavers whatfoever, especially all fuch as are taken in the Dog dayes, because accord ng to the opinion of Farriers, all accidents are then m ft furious : the especial figns of this Feaver are, that his Arteries will beat moft palpa ly, and wherefoever he ftaleth, there you thall perceive he theddeth his Seed alfo. The Cure, according to the Antients, is to let him Blood in the great Vein which he hath on his hinder Haunch, alm four inches beneath h's Fandament ; but for mine own pare becaufe that Vein is not eafily found by every ignorant Smith, and that many rimes by mift sking, they may cut the Artery, instead of the Vein, I hold it fully is good to let him Blood on the Neck-vein, which done, give him this D ink two hours and a half after ; take the juyce of a handfell of Purflane, and mix it with Gun-Tiagacant, Ann feeds, and Damask R feleaves beaten to Powder ; then put them into a quart of S rong Ale, made fweer either with Sugar-candy, or Honey, and fail not to give him this Drink three mornings together, keep the Horfe warm during his Sicknefs.

CHAP. XXIII.

Of the Feaver taken in the Winter-feafon.

Feaver taken in the Winter, is not fo dangerous to the Life of a Horfe, as the Feaver before mentioned ; yet it is a Feaver which will continue long, and ask great Circumspection in the Cure: the caules thereof, are the fame which are formerly defcribed ; and the figns are no other than hath been already declared. Touching the Cure, it is thus: you thall fin ft purge his Head by making him Ineeze, that done, you shall let him Blood both in the Neck and the Palate of the Mouth, and then two hours and a half at er give him this Drink. Take of Rue three Ounces, of round Pepper half an Ounce, of Bay-berries, and the feed of Smallage, each half an Ounce, F 9

boyl

Lib. I.

boyl these in White Wine, and give it him to Drink luke-warm. O.her Farriers use to take a pint of new Milk, and to put therein two Ounces of Sallet. Oyl, of Saffron one seruple, and of Myrth two seruples, of the seed of Smallage a spoonful, and to make him drink it lukewarm; but the Horse which taketh this Drink, must be good in strength, for if he be brought low, it is somewhat too strong.

36

The Antient Italians did use for this Feaver, to give this Drink : Take of Ariftolochia half an Ounce, of Gentian, of Hyflop, Wormwood, of Southern-wort, of each half an Ounce, of dry fat Figs three Ounces, of the feed of Smallage an Ounce and a half, of Rue half an handfull, boyl them all with running water in a clean Vefiel, till almost half be consumed; then when it begins to thicken, take it from the fire, ftrain it, and give it the Horfe luke-warm. Now there are not any of these Drinks but are sufficient for the Cure ; but the first is best. Now for his Diet, be fure to keep him fasting long before his fits come, and let his drink be only warm mathes of Malt and Water. Now if you perceive that his fits continue, and bring the Horfe to any weakness, you shall then to comfort and quicken the natural heat of the Horfe, rub and chafe all his Body over, either in the Sun, or by some fost Fire, with some wholsome Friction, of which Frictions you shall find choice in a particular Chapter hereafter following, together with their feveral natures and ufes.

CHAP. XXIV.

Of the Feaver which cometh by Surfeit of meat only.

The Feaver which cometh by Surfeit of meat only, without either Diforder in Travelor Corruption of Blood, is known by these figns: the Horfe will heave and beat upon his Back, his breach will be Short, Hor, and Dry, and his Wind he will draw only at his Nose with great Violence. The Cure therefore is, you shall let him Blood in his Neck, under his Eyes, and in the palate of his Mouth, you shall also purge his Head by making him sneeds, then keep him with very thin Diet, that is, let him fast for more than half of the day, and let him not drink above once in four and twenty hours, and that drink to be warm Water: you shall also once or twice chase his Body with a wholsome Friction; and if, during his Cure, he

Lib. I.

he chance to grow Coffive, you shall caufe him to be raked, and afterward give him either a Suppositary, or a Clifter, of both which, and of their several natures, you shall read sufficiently in a Chapter following.

CHAP. XXV.

Of Feavers extraordinary, and first of Pestilent Feavers.

TE find by many Antient Italian Writers, that both the Romans, and others their Countrymen, have by experience found many Horses subject to this Pestilent Feaver, which is a most contagious and pestiferous Disease, almost incurable; and for mine own part, I have feen it in many Colts and young Horfes. Surely it proceedeth, as I judge, either from great Corruption of Blood, or from Infection of the Air. The figns thereof be, the Horfe will hold down his Head, forfake his Mear, fhed much water at his Eyes; and many times have fwellings or Ulcers rifing a little below his Ear roots. The Cure is, first you shall not fail to let him Blood in the Neckvein : then two or three hours after you shall give him a Clister : then make him this Plaister: Take of Squilla five Ounces, of Elder, of Caftoreum, of Multardieed, and of Euforbium, of each two Ounces; diffolve the same in the juice of Daffodill and Sage, and lay it all about the Temples of his Head, and between his Ears : then give him to drink for three or four dayestogether, every Morning, two Ounces of the best Treacle dissolved in a pint of good Muskadine.

The Italians use to give him divers Mornings, a pound of the Juice of Elder. roots, or instead of his Hay, a good quantity of that Herb which is called Venus hair; but if the time of the year be fuch, that they cannot have it green, then they boyl it in water and frain it, and give it him to Drink, but I hold the first Drink, to be most fufficient, his Diet being thin, and his keeping Warm.

subscieve 1 Desviews breaked in a summer fite marked in

LA SING

South southing and the south and a submer of the second vertice CHAP. and a Brop and Michaeley then aiked more as Michaeles and

Lib. I.

CHAP. XXVI.

Of the Plague or Peftilence in Horses, of some called the Gargill or Marrain.

His Pestilence, Murrain, or Garg II in Horses, is a contagious and most infectious Difeale, proceeding either from furfeit of Hear, Cold, Labour, or Hunger, or any other thing breeding Corrupt Humours in a Horles Body, as the holding too long of his Urine, drinking when he is hor, or feeding upon grofs, foul, and Corrupt Foods, as in low Grounds, after Floods, when the Grafs is unpurged, and fuch like. Sometimes it (prings from fome Evil influence of the Planets, corrupting the Plants and truits of the Earth, and Cattel coo fomerimes, and from divers other fuch like Caufes; but how foever, when the Difeafe beginneth, certain it is, that it is moft infectious, and if there be not care and prevention uled, of Multitudes it will not leave one. Not any of the Antient Italian Fairiers, nor any of our English Farriers that I have met with, do or can thew me any fign or token to know this D feate, more then that one or two muft firft Dye, and then by their Deaths I muft adjudge and prevent what will follow ; but they are m flaken : For this Dicale is as eafily kn wn by outward figns, as any Diteale whatfoever ; as namely, the Hosfe will begin to lowr and hang down his Head ; and within two or three daysafter fuch lowring, you thall fee him begin to fwell under his Ear roots, or under the roots of his Tongue, and . that fwelling w Il run univerfally over . Il one fide of his Face, being very extreme hard and great. Moreover, all his Lips, M u.h, and Whites of his Eyes will be exceeding yellow, and his Breath will be ftrong, and flink exceedingly.

The Cure of this Diteale, according to the manner of the Italians and French men, is, first to separate the found from the fick, even a far d stance from that Air where the fick Breatheth; then let him Blood in the Neck veins, and give every one severally to drink, two spoonfall of the powder of Dispente, brewed in a pint of strong Sacks of the composition of which Dispente, and of the particular Vertues thereof, you shall read in a Chapter following. It you cannot readily get this, Dispente, you may then take a pint of Muskadine, and diffolve

Lib. r.

diffolve into it two Ounces of the best Treacle, and it will serve the turn. Questionless these Medicines are both exceeding goods for they are great Preservatives against all infections.

Now that which I have found far to exceed them, and to be most Excellent, not only for this Plague amongst Horses, but for the Plague or Murrain, (of some called the Mountains-evil) amongst Beasts, is this; Take a good quantity of old Urine, and mix therewishal a good quantity of Hens Dung, fur them well together till the Dung be dissolved: then with a Horn give to every Horse or Beast a pint thereof lukewarm. This have I seen help hundreds.

CHAP. XXVII.

Of the Feaver accidental, coming by fome Wound received.

F a Horfe (hall receive any grievous and fore wound, either by ftroke or thruft, by which any of the Vital Powers are let or hindred, certain it is, that the pain and anguith of fuch Wounds will bring a Horfe to a hot Feaver, and then his Life is in great danger : Befides, a Horfe being naturally (ubject to moift D ftillations in his throat, there will many times tile therein great Swellings and Ulcers, through the pain whereof, a Horfe will fall into a burning Ague.

The figns whereof are, that he will covet much to drink, but cannot drink, and his fleth will fall away in much extraordinary fathion.

The Cure, befides the remedies before mentioned, is, to let him Blood under his Ears, and in the Mouth: And then to take a fine Mancher, and cutting it in flices, fleep it in Muskadine, and compell him to fwallow them: It shall also be good, if once in three dayes you fleep your Manchet in Sallet Oyl, and make him eat it. As for his drink, let it be only warm Mathes of Malt and Water, which if he cannot drink, you thall then give it him with an Horn. And thus much touching Feavers both ordinary and extraordinary.

40

G

Lib. 1.

CHAP, XXVIII.

One general, certain, and approved Cure for all the Feauers and Sickneffes formerly rehearfed, never yet difelofed from the Authors breaft.

I Have in the former Chapters fhewed you the Names, Diverficies, Natures, Signs, and ordinary Cures for all forts of Feavers whatfoever: Now becaufe I know the Ignorance of fome fo great, that they cannot differn; the Sloth of others fuch, that they will not indeavour to differn; and the Folly of many fo peevifh, that they will miftake what they may differn: I will thew you here one general, certain, and approved Medicine, for all Feavers of what Nature or Vio'ence foever:

When therefore at any time you thall find by any of the Signs former'y rehearfed, that your Horfe droopeth, you thall prefently let him Blood in the Neck-vein, and let him bleed well, then three Mornings together after (the Horfe being fafting) give him half an Ounce of the Powder called *Diapente*, (the Composition whereof you thall find in a particular Chapter, together with the Vertues,) and this *Diapente* you shall brew in a pint of Muskadine, and fo give it the Horfe to drink with an Horn: then let him be Ridden or Walked abroad for an hout; after he cometh in, give him any meat whatfoever that he will ear. At noon give him a fweet Math-In the Evening perfume his Head with a fweet perfume: The Composition whereof you thall find in a particular Chapter; at Night rub all his Limbs well with hard Wisps, and his Head and nape of the Neck with a coarfe harden Rubber, then feed as aforefaid. And thus do 3 dayes together, and without doubt health will come fuddainly.

CHAP. XXIX.

Of the Diseases in the Head.

-115:5

A S a Horfes Head is composed of many parts, fo are those many parts subject to many and sundry grievances, as namely, the Panicles or thin Skins, which cleave to the Bones, and do cover the whole

Lib. I.

Of Cures Phylical.

. 41

whole Brain, are subject to Head-ach, Meagrim, D z nels, and A mazes; the whole Brain it felf is properly fubject to breed the Frenfie, Madnefs, Sleeping evil, the taking and forgetfulnefs. And here is to be noted, that many Farriers, and those of approved good skill, have ftrongly held Opinions, that Hories have very hele, or no Brains at all : And my felf for mine own part, being carried away with their Censures, did at last, upon good Consideration, cut up the Heads of divers Horfes, some Dead, some in Dying, and could never find any Liquid or thin Brain, as in other Beafts, but only a very thick, ftrong, tough, and thining fubftance, folid and firm, like a tough jelly, which I ever held to be only a Panicle, and fo refolved with others, that a Horse had no Brain : but after, upon further Discourse with Men of better Learning, I had this Refolution given me : That a Horfe being a Beaft of extraordinary ftrength and ability, made even to endure the worft of all extremities, either by fore Labour, or heavy Burthen, that Nature in his Creation had endowed him with Members answerable to such Vigour : As namely, that his Brain was not liquid and moift, as subject to fleet, or to be diftempered with every mall diforder, but tough and hard, even unpenetrable, and not to be piere'd by any realonable motion. And for the Panicles, they thewed me those thin skins over and besides that great substance : so that by experience I faw, and now know, that a Horfe hath both Brain and a Panicle, and in them two are bred the Difeafes before mentioned. Now in the Ventricles, or Cels of the Brain, and in those Conduits by which the lively Spirits give feeling and motion to the Body, there to breed the Turnfick, or Sturdy, the Staggers, the falling evill, the Night mare, the Apoplexie, the Palfie and Convulfion, or Cramp, the Catharre, or Rheum, and lafty the Glanders. And thus much of the Head in general.

CHAP. XXX.

Of Head-ach, or pain in the Head.

He Head-ach is a pain that cometh either of some Inward caule, or of some Cholerick Humor gathered together in the Panicles of the Brain, or else of some extreme Heat or Cold, or of some suddaia Blow, or of some noisome Savour. The figns are, the hanging

42

hanging down of the Horles Head and Ears, dropping of his Urine, dimnels of fight, fwoln and watrish Eyes. The Cure according to the opinion of some of our English Farriers, is to let him Blood in the Eye-veins, and to Iquirt warm Water into his Noftrils ; and for that day give him no meat ; the next Morning fasting, give him warm Water, and fome Grafs : at night give him Barley and Firches mixt together, and fo keep him warm till he be found : But this Cure I do not fancy. The beft help is, fift to make him inecz by Furning him, then let him Blood in the Palate of the Mouth, and keep him fasting at the least twelve hours after : then pour into his Noftills Wine, wherein hath been lodden Euphorbium and Franchiscenfe, and after feed him and keep his Head warm.

CHAP. XXXI.

Of the Frenzy, and Madnefs in a Horfe.

He Madnels of a Horfe, by the moft antient and beft appproved Farriers, is divided into four Paffions: The fuff is, when fome naughty Blood doth ftrike the Paniele of the Brain but in one part only, it prefently makes the Horfe dull both of mind and fights and you thall know it by this fign, the Horfe will rurn round like a Beaft that is troubled with the Sturdy : the Reason being, becaule the outfide of the Head is grieved only. The fecond is, when the Poylon of fuch Blood doth infect the middle part of the Brain : Then the Horle becometh Frantick, leaping against Walls or any thing The third is, when that Blood filleth the veins of the ftomack, and infectech as well the Heart as the Brain : then he is faid to be mad. But the fourth and last is, when that Blood infecteth not only the Brain and Heart, but even the Panicles allo, and then is he faid to be flark Mad, which you thall know by his Biting at every Man which comes near him, by his gnawing of the Manger and the Walls about him. And laftly, by tearing his own skin in pieces.

Now for the Cure, you shall cause him to be let Blood in all the lower parts of his Body, to draw the Blood from his Head ; 25 namely, on the Shackle-veins, the Spur-veins, the Plat-veins, and the Thigh-veins, and you shall let him Blood abundantly, then give him this Drink : take the Root of wild Cucumber, and where that cannos

Lib. I.

Lib. r.

cannot be gotten, take a handfull of Rue or Mints, and a handfull of black Elleborus, and boyl then in ftrong Red Wine, and give it lukewarm to the Horfe in a Horn.

Some use to give Mans Dung with Wine, three Mornings together: and allo to rubt his Body over with a Friction at least twice a day, and not to fail to give him moderate Exercise.

Others use to pierce the skin of his Head with a hot Iron, to let out the ill Humours.

Others as the most certain of all Medicines, use to Geld him of both, or one Stone at the least, but I like it not for mine own part.

The Cure I have ever used for this grief, was either to make him fwallow down hard Hens Dung, or else give him to drink, the Root of Virga Paftoris stamped in Water, and for his ordering during the Cure, I would have his stable quier, but not close, and his food only warm Masses of Malt and Water, yet but a very little at one time, for the thinness Dury to best.

CHAP. XXXII.

Of the Sleeping Evil, or Lethargy in a Horfe.

THe Sleeping Evil, is an infirmity which make tha Horfe to fleep continually, depriving him thereby, both of Memory, Appetice, and all Alacrity of Spirit. It is most incident to White and Dun Horfes, because it proceedeth only from Flegm, cold and grofs, which moiftneth the Brain too much, caufeth heavinels and fleep: there needs no other fign more than his fleeping only. The Cure is, to keep him waking whether he will or no, with great noifes and affright; then let him Blood in the Neck, and the Palate of the Mouth, and give him to drink Water luke warm, wherein hach been boyled Camomil, Mother worr, Whear, Bran, Salt, and Vineger : you (hall also perfume his Head, and make him sneeze, and anoint the Pelate of his Mouth with Honey and Muftard mixt together : It shall not be amils, if with the ordinary Water which he drinketh, you mix either Parfley feed, or Fennel feed, for that will provoke Urine: you shall also bath his Leggs, and stop his Hoofs with Bran, Salt, and Vineger boyled together, and applied as hot as may be, and his Stable would be lightlome and full of noile:

CHAP.

44

Lib. J.

CHAP. XXXIII.

Of a Horfe that is taken, or of Shrow-running.

Hole Horles are supposed by Farriers to be taken, or as some call it, Planet-ftrook, which are deprived of feeling or of mo ving, not being able to ftir any Member, but remain in the fame form as they were at their time of taking. Some hold it proceeding of Choler and Flegm, when they are fuperabundantly mixt together, or of Melancholy Blood, which being a cold dry Humour, doth opprefs and ficken the hinder part of the Brain, Other antient Farriers hold, it cometh of some extreme cold, or extreme heat, or raw digestion, ftril ing into the empty Veins fuddenly : or elfe of extreme Hunger cauled by long fafting. The figns thereof are numbnefs, and want of motion before spoken of : 'As for he caule, it is diverse, for fult you must note, whether it come of cold or heat : If it come of Cold, you thall know it by the fluffing and poze in the Head, which is ever joyned with the Difease : if of Heat, by the hotnels of his Breath, and clear fetching of his Wind. Now if it proceed from Cold, you shall give him to drink one Ounce of Laferpitium mixt with Sallet Oyl and Muskadine luke-warm : if it proceed of Heat, you tha I give him one Oance of Laferpitium with Water and Hony luke-warm : but if it proceed of Crudicy, or any raw digeftion, then you thall help him by fafting : and if it proceed of Fafting, then you shall heal him by fecding him often with good Meat, as with wholefome Bread, and dry oats;yet buta little at a time, that he may ever eat with a good flomach.

Now for the French Farriers, as Monfieur Horace and thereft, who call this Difeafe Surprise, they hold, it cometh only from Cold caufes, following Hot accidents, and they ule for their Cure to let him blood on the Breaft veins, and then put him into a fweat, either by Ex. reife, or multiplicity of Cloaths, but many Cloaths are better, becaufe the Horfe is not capable of Labour. and fometimes they will bury him all fave his Head in an old Dunghill, till through the Heat thereof his Limbs receive fuch feeling, that he begins to ftruggle out of the fame. All which Cures are nor much amifs: Yet in mine Opinion, this is the beft, cafit ft, and fureft way: Finft, to let him blood in the Neck and Breaft, then to anoint all

45

Lib. 1.

a marvell and

his Body with Oyl Petroleum, then give him this drink. Take of Malmfey three pints, and mix it with a quartern of Sugar, Cinamon, and Cloves, and let him drink it lake-warm, then take old rotten werlitter, and for want thereof, wet Hay, and with Cloaths, Surfingles and Cords, swaddle all his whole Body over with the same of a good thickness, and renew it once in three days till he be whole; let his Stable be Warm, his Exercise moderate, and if he grow Coflive, let him first be raked, and after give him either a Cl fter, or a Suppositary, according to his strength. There is also another kind of taking, and that is, when a H rife is Planet ftrook, or ftricken with Thunder : but it is utterly incurable, and therefore I will omit to speak further of it. The last kind of taking is when a Horle is Shrow. run, that when a Horfelieth fleeping, there is a certain venemous field-Moufe called a Shrow, whofe Head is extraordinary long, 1 ke a Swines Head, and her Feet shorter of the one fide than the other. This Moule if the happen to run over any of the Limbs of the Horfe, presently the Horse 'ofern the use of that Limb the ran over, and if the run over his Body, he commonly lofeth the use of his hinder loins: and these accidents having been often found unexpected, common Farriers have held the Horfe to be taken, or Planet-ftrook. As for the Cure thereof, the best is to leek out a Brier, which groweth at both ends, and take the Horse or Beast that is thus vexed, and draw him under the same, and it is a present remedy. For mine own parc, I have heard much, both of the Infirmity, and of the Cure, but I have had no Experience of i, but only in one young Foal, which being fudden'y Lame, was as fuddenly helped, to my mach Contentment.

C H A P. XXXIV.

Of the Staggers:

The Staggers is a dizzy madnels of the Brain, proceeding from corrupt Blood, or groß, tough at d heavy Humours, which opprefs and make fick the Brain, and from when e proceededh a vaporous Spirit, diff. lved by a weak heat which troubleth all the whole Head; it is almost of all Difeates the most common, yet very mortal and dangerous; it commeth many times from furfeit of Meat, furfeit of Travel, or from corruption of Blood. The figns to know it is Dimaels

.46

Lib. I.

Dimnels of fight, fwoln and watrith Eyes, a moift Mouth, ftaggering and reeling of the Horle, and beating of his Head against the walls, or thrufting it into his Litter. The Cure is divers : for almost every Smith hath a feveral Medicine, yet thefe which I fhall rehearfe, are the most approved. The antient Farriers, both Italians and French, use to let the Horse blood in the Temple-veins, end then with a Knife make an hole an inch long over-thwart his Fore-head, underneath his Fore-top, and raifing the skin up with a Corner, fome two or three inches about, ftop the hollownefs with a tent dipt in Turpentine and Hogs greale molten together ; but some of our Smiths finding this Cure fail, except the Difease be very young, use to ftop the hollownefs with Dock roots. Others with a Clove or two of Garlick. Others use for this Difease to take Selladine, and ftamping it to flop it into his Ears, and fo tye up his Ears, or flich the tips of his Ears together, that he may not fhake the Medicine out. Others ule to mix Salt and Water together thick, and to put it into his Ears. Others use to mix Ground fill and Aqua-vitæ together, and to put that into his Ears. Others use to take Garlick, Rue, and Bay Salt, and beat them grofly, then mix Vinegar with them, and put it into the . Horfes Ears, then wet Wool or Tow in the Medicine, and Rop that in his Ears alto : let the Medicine reft fo four and twenty Hours, and if he for (kae his Meat, walh his Tongue with Vineger, and it will recover his ftomack. Others ule first to perfume the Horfes Head, to make him incese, then to take half a handful of Selladine, and as much Herb-of-grace, three or four Cloves of Garlick, and a little Bay Salt, and flamp them together : then mix therewith two or three spoonfuls of Vinegar or Verjuyce, and thrust it hard into the Horses Ears: then tye up his Ears with a foft inkle ftring, that no Air may come in, and let this Medicine remain the space of a Day and a Night: then let him Blood in the Neck-vein, and give him a comfortable Drench, of which Drenches you thall find great plenty, together wich their ufes, in a Chapter following. There be fome Smiths which only take Rue and Salladine, of each a like quantity, and ftamping them with white Salt, thruft it into the Horfe Ear, and it Others take an Ounce and a half of the Oyl of bitter Alhelpeth. monds, two drams of Oxe-gall, an half penny in black Ellebor ftam. ped, and five drams of the grains of Cafforeum, Vineger, and Verjuyce, feeth them altogether till the Vinegar be confumed, then ftrain them,

Lib. 1.

them, and put it into the Horles Ears. All these Medicines have been divers times approved to be fingular good, and for mine own Part, I have found great effects in them : Yet that which I have found at all times most Excellent, is, if the Disease be young and early taken, (that is, before the Horfe be grown into an extremity of Weaknefs) to take only Verjuice and Bay Salt, and mixing them well together, to ftop it into the Horles Ears. But if the Disease be old, and the Horse brought to a desperate state of mortality, then you shall take Affafetida, and having diffolved it in Vinegar, warm it upon a Chafingdifh of Coals, and with round balls of Tow, Ruff it hard into the horfes Ears, and fo bind them up for four and twenty hours, after which time give him a comfortable drink. Now whereas some Smiths do use to stamp Aqua-vita and Garlick together, and ftop that into his Ears: I for may part, think it too ftrong, except the Horle be in great luft, and full of fleth, which if he be, doubtless it may do well enough: only for a general Rule you must oblerve, ever to let the Horfe blood in the Neck-vein, two or three Mornings together, and every time to great abundance of Blood from him.

CHAP. XXXV.

Of the Falling Evil.

T'His Falling Evil, or as the Italians call it, this Malcadneo, is nothing elfe but that which we call in Men the Falling ficknefs, in Beafts the Falling evil: for it doth for a certain Seafon, deprive them of all tenfe whatfoever. It is a Difeafe not commonly incident to our English Races, but amongs the Italian, Spanish, and French Horfes, many times found,

Now confidering that the most of our best English Stables are furnished even with some horses of these Countries, I think it good to write something touching the Disease. It proceeds from cold and gross Flegm, gathered together in the Fore-part of the Head, betwixt the Panicle and the Brain, which being by any hot Vapour disperst over the whole Biain, it doth instantly case this falling. There be others which suppose that it is governed by the Moon; and that by a certain course thereof, both horses and other Beasts do fall, and

47

48

Lib. I.

as it were die for a small time. The fign to bnow the Disease, is, the horfe will fall suddainly, both through the Refolution of his Members, and the Diftention of his Sinews, all his Body will quake and quiver, and they will foam much at their Mouths, yet when you think them past all hope of Life, they will still start up fuddenly and fall to their Mear. Now if you will know whether these fits will come often, or bue feldome, you shall feel the Griffle betwixt his Nostrils, and if it be Cold, he will oft; but if it be Warm, he will fall seldome. The Cure is, you shall first let him Blood in the Neckvein, taking good flore of Blood a way : then within four or five dayes after, you thall let him Blood on his Temple-veins, and on his Eye-veins: then anoint all his Body over with a comfortable Friction, then bathe his Head and Ears with Oyl de Bay, liquid pitch and tar mixt together, and of the same put some into his Ears: then make him a Cap or Biggin of Canveale, quilted with Wool to keep his Head warm : then give him a purgation or fcouring, of which you thall find plenty in a Chapter hereafter : VOU thall allo force him to fneeze: but if the Difcale notwithstanding continue ftill, you shall then with a hot Iron pierce the skin of his Fore Head in divers places, and after anoint it with sweet Butter, for thereby you shall draw out the gross Humours which do oppres the Brain, and in any wife during the time that he remaineth in Phyfick, let his Stable be kept exceeding warm, and his Dyet thin.

CHAP. XXXVI.

Of the Night-mare.

T His Difeafe which we call the Night mare, is an infirmity which only troubleth the horse in the Night-feafon, flopping the drawing of his Breath, in such Violent for, that with the flruggling and flriving he will be driven into a great swear and faintnefs: It Proceedeth, according to the opinion of antient Farriers, from a continnual Crudity, or raw Digestion of the flomack, from whence gross Vapours alcending up into the Head, do not only oppress the Brain, but all the Sensitive parts also. Now for my part, I rather hold it an infirmity of the Stomack and inward Bowels, which being cloyed with much Glut and Fat, doth in the Night-feason so hinder

Lib. I.

the Spirits and Powers from doing their Natural Office, that the Beaft having, as it were, his Breach ftrangled, doth with an unnatural Aruggling in his fleep, put his Body into an extreme fwear, and with that Paffion is brought to much faintness; of which I have had much and continualExperience, not only in Horles, exceeding fat, and newly taken from the Grafs, but especially from such horses as are either fatted upon Eddish Grass, which in some Countries is called after Mathes; or fuch as are taken up fat in the Winter-seafon. The figns to know this Disease, is, that in the Morning when you come early to your horfe, you thall find him all of a great fwear, and his Body fomething panting; or perhaps you thall but only find him fweat in his flanks, upon his Neck, and at the Roots of his Ears : either of both are figns of this fickness, especially if at Night when you litter him, if you find that he is dry of his Body, and giveth no outward fign of inward fickness. Now there be fome that will Object against me, and fay, that this Infirmity is not the Night-mare, but an ordinary Infirmity ingendred by inperfluity of Cold, Groß, and unwholfome Food, got in the Winter-fealon; which nature, through the help of warm Cloaths, and a warm house, expells in this manner, in the Night-season. To this Objection I answer, that if they do difallow this ficknels to be the Night-mare, that then without Contradiction, there is no fuch Difease as the Night-mare at all, and that it is but only a Name without any substance or consequence; but forasmuch as this fickness is not only very usual, but allo carrieth with it all the effects and attributs afcribed unto the Night-mare, and that it is as yet a Disease unnamed, I do not think I can give it a more proper term than to call it the Night-mare. The Cure whereof is, every Morning and Evening, both before and after his water, to Bive the Horfe some moderate Exercise, as to make him go at least a mile and more for his water ; and after he is Watered, to Gallop him gently on the hand a good space : then when he is brought into the house, and well Rubbed, to give him his Provender, (being Oars) and to mix therewith a handfull, or better, of Hempleed; only in this Cure you must be carefull, that your Exercile do not enforce him to Sweat, nor shall you have need to use it longer, than you find that he sweateth much in the Night-season. This Exercise and Medicine will not only Cure this infirmity, but also any Cold that is newly gotten whatfoever.

CHAP,

Lib. I

CHAP. XXXVII.

Of the Apoplexie, or Palfie.

Hele Palfies or Apoplexies which happen unto Horles, are of two forts : the one general, the other particular. The general Palfie is, when a horfe is deprived of all fence, and moving, generally over his whole Body, which is feldome or never found out by our Farriers : because the mortality and suddennels of Death which perfues the Difeste, rakes from them, all Notes and Observations of the Infirmity : and indeed, for the general Palfie, there is no Cure, and therefore there heeds no Defeription of fign or cute. For this part cular Pallie, that is, when a horle is deprived but of some part or member of his Body, and most commonly it is but the Neck only, as both my felf and others have found by daily Experience. This Difeale proceedeth from fournels of food, or from fen-feeding, which breedeth grofs and tough Humours, which joyned with Crudities" and raw Digeftions, oppress the Brain violently altogether : it also commeth many times by means of fome Blow or Wound given upon the Temples of the Head. The figns to know the Difeafe are, the gathering together of his Body, going crookedly, and not ftraight forward, but feldome, and holding his Neck awry without motion : yet never forfaking his Provender or Meat, but eating it with greedinefs, and much flavering. The Cure is to, let him Blood on his Neck-vein, and Temple-vein, on the contrary fide to that way he wryeth : then annoint all his Neck over with the Oyl Petrolium, and with wet Hay Ropes Iwaddle all his Neck over, even from his Breaft to his Ears, but having before (plented his Neck ftrait with fplents of Wood, made ftrong, fmogth, and flat for the purpole : then for three Mornings together, give him a pint of old Muskadine, with two spoonfull of this Powder to drink. Take of Opopanax two Ounces, of Storax three Ounces, of Gentian three Ounces, of Manna Succary three Ounces, of Myrrh one fcruple, and of long Pepper two scruples, beat all these into fine powder.

Now there be some Farriers, which for this Disease use to draw the Horses neck on the contrary fide with a hot Iron, even from the Neck to the Shoulder, and on the Temple of his Head of that fide also,

51

Lib. I.

alfo, a long strike, and on the other a little Star in this mainner +, and from his Reins to his middle Back, small lines in this manner

But I that know this ficknels proceedeth from the Brain and Sinews, cannot conceive how any help (hould come from burning of the skin, that is drawn up and ftraightned : And therefore I would with every Farrier to forbear this tormenting, unleis he apparently fee, that the skin it felf through diflike and weaknels, is fhrunk allo, and then the Cure is not amils.

CHAP. XXXVIII.

Of the general Cramps, or Convulsion of finews.

Hele general Cramps, or Convultion of finews, are most forcible Contractions, or drawings together of the finews, and mulcles: and they happen sometimes generally into many parts of the Body, forntimes particularly, as but into one Member and no more: When they are generally difperft in horfes, they proceed commonly from some wound, wherein a finew is half cut and no more, and so there rnnneth a general Contraction over the whole Body by degrees. When they are particular, as but in one Member, then they proceed either from Cold windy caufes, or from the want of Blood. For the general Contraction which commeth by a wound, you thall read the Cure thereof in the Book of Chirurgery following, where the finew being cut in two pieces, the Contraction cealeth. For this particular, where but one Member is grieved, you shall know it by thefe figns : the Member will be flark and fliff, infomuch that neither the Bcaft, nor any Man will be able to bow it: the finews will be hard like flicks, and the horfe being down, is not able to rife during the time of the Contraction, he will also halt extremely whilft the fit is upon him, and presently go well again, as it were in one moment. The Cure is, to chafe the member exceedingly, either with Linfeed Oyl, Sheeps foot Oyl, or Neats foot Oyl, and during the time of his chafing, to hold up the contrary Foot that he may ftand upon the Limb which is most pained. There is also another Cramp or Convultion of finews, which doth extnd into the Neck and Reins of the Horfes back, and to almost universal over the horfes H 2 whole

52

Lib. I.

whole Body ; It proceeds ever, entier from fome extreme Cold, as by turning a Horfe fuddainly out of a warm Stable, and warm Cloaths, into the piercing rage of the Cold Winter, or by the loss of Blood, whereby great Windinels entreth into the Veins, and fo benummeth the finews : or elfe by too much Phyficking and Drenching of a Horfe, whereby the natural Heat is much Weakned or Dried. The figns of this Convultion be, his Head and Neck will fland awry, his Eats upright, and his Eyes hollow, his mouth will be clung up that he cannot Ear, and his Back will rife up in the midft like the Back of a Camel; the Cure hereof is, with great ftore of warm woollen Cloaths, as Blankets, and Coverlids, fome folded double about his Body, and some girded all over from his Head to his Tail, to force him into a fweat ; but if the Cloaths will not force him to fweat, then you shall either fold all his Body over with Hot wet Horfe Litter, or elfe bury him all fave the Head in a Dunghill or Mixon; then when he hath fweat an hour or two, and is moderately cooled, you thall annoint him all over with this Oyntment, (holding hot Barrs of Iron over him, to make the Oyntment fink into his Body :) Take of Hoggs-greate one pound, of Turpentine a quarter of a pound, of Pepper beaten into powder half a dram, of old oyl Olives one pound ; boyl all thefe together ; and ufe it being made warm. There be other Farriers which use this Oyntment : Take of new Wax one pound, of Turpentine four Ounces, of Oyl de Bay as much, Opoponax two Ounces, of Deers fuer, and of Oyl of Styrax of each three Ounces, melt all these together, and use it warm.

There be others which ule, after his fweat, nothing but Oyl of Copreffe, or of Spike, and Oyl de Bay mixt together, and with it annoint his Body over. After this Unction thus applied, you shall take twenty grains of long Pepper beaten into fine Powder, of Cedar two Ounces, of Nitre one Ounce, of Laferpitiam as much as a Bean, and mingle all these together with a Gallon of white Wine, and give him a quart thereof to drink every Morning for four dayes. Now for his Diet and Order, let his Food be warm Mashes, and the finest Hay, his Stable exceeding Warm, and his Exercise gentle walking abroad in his Cloaths, once every day about High-noon.

CHAP.

53

Lib. 1.

CHAP. XXXIX,

Of the Cold or Poze in the Head.

THE Cold or Poze in a Horfes Head is gotten by divers suddain and unfeen means, according to the Temper and Conflicution of the Hor fes Body, infomuch, that the best keeper whatfoever cannot fometimes warrant his Horfe from that Infirmity. Now according as this Cold is old or new, great or small, and according to the abundance of Humours which abound in the head, and as those Humours are of thickness or thinness, so is the Disease and the danger thereof greater or leffer, ftronger or weaker. For you thall underfland, that if the Horfe have but only a cold that is newly taken, the figns are, he will have many Knots like Wax Kernels between his Chaules about the Boots of his Tongue; his Head will be fomewhat heavy, and from his Noftrils will run a certain clear Water; but if about his Tongue roots be any great Swelling or Inflammation like a mighty botch or bile, then it is the ftrangle ; but if from his Noftrils do iffue any thick, flinking or corrupt Matter, then it is the Glanders, of both which we shall speak hereafter in their proper places. Now for this ordinary Cold, which is ordinarily taken, (the figns whereof, befides his much Coughing, are before declared) you (hall underfland, that for the Cure being very eafie, it is helped fundry ways : Some Cure it only by purging his Head with pils of Butter and Gare lick, the manner whereof you shall find in the Chapter of Purgations. Other Farriers Cure it with purging his Head with Fumes, and forcing him to Neele, the manner whereof is in the Chapter of Neezing; which done, you fhall give him to drink Water wherein hath been fodden Fenngreek, Wheat-meal, and Annifeeds; and then to trot him up and down half an hour after. Others ufe to give him Neezing powder, blown up into his Noftrils; and then this drink : take a pint of Malmley, and the whites and yolks of four or five Eggs, a head of Garlick bruiled small, Pepper and Cynamon, and Nutmeggs, of each a like quantity beaten to fine powder, and a pretty quantity of sweet Butter, miz them together, and give it lukewarm with a Horn three daies together :-- then keep him fasting at least two hours after. Others use to let the Horse blood in the Vein under

54

and a

Lib. I.

under his Tail, and to rub all his Mouth over with a bunch of Sage bound to a flicks end, and then to mix with his Provender the tender crops of black Berries; but I take this Medicine to be fitteft for fuch Horfes, who with the cold Rhume are troubled with pain in their Chaps, and not with fluifing in their Head.

Now albeit none of these Medicines are faultworth, yet some for mine own part, I have ever found to be most Excellent for these flight colds, moderate Exercise, both before and after a Horses water, in such fort as is declared in the Chapter of the Night-mare, without any other Fuming or Drenching, except I found the Cold to be more than ordinary,' and that for want of heed-taking it was like to grow to fome Ulcer about the Ro ts of the Tongue. In this Cafe, I would for one time and no more, give the horfe a pint of Sack, and half a pint of Saller Oyl made luke-warm, and well brewed with good ftore of Sugar candy, to drink in the Morning fasting, and then exercife him moderately thereupon, without putting him into any fweat, and it hath never failed to work the effects I withed in ample fort, without hindring me at any time of my Travail or Journey, but if you cannot conveniently come by this Medicine, and you muft notwithstanding Travail your Horfe, then take a spoonfull of Tarr, and folding it in a fine Cloath, fix or tye it fast to the Mouth of your Bit, or Snaffell, and fo Travail your horfe therewith, and it will take his cold clean away. But yet it will a little abate and leffen his ftomack.

CHAP. XL.

How certainly to take away any Cold, Poze, or Ratling in the Head; how Violent focuer, without giving any inward Medicine.

IF your Horfe have taken any extreme Cold, or Poze in his Head, and being matcht either to Hunt, or to run for any great Wager, the day is fo near that you dare not give him any inward Drench, without which, none of our Farriers know how to Cure any Cold; you fhall then, or at any other time, (for there is no Medicine in the World more Soveraign) take as much fweet Butter as a big Wallnut, and with the powder of Brimftone finely beaten and fearft, work them either with your Knife, or a Splatter together, till the Butter be

Lib. I.

Of Cures Phylical.

55

be brought to a high Cold-Colour; then take two clean Goosefeather, the longeft in all the Wing, and fift at the quils ends, with a Needle, fasten two long Threds : Then with your Salve annoine all the Feathers clean over ; which done, in the dry powder of Brimfton role them over and over; then putting the Feathers ends foremost, open the Horses Nostrils, and thrust them up into his head : then take the threds which are at the quils-ends, and fasten them on the top of the Horses Head : which done, Ride him abroad for an hour or two, ayring him in this manner Morning and Evening, and when you bring him into the Stable, after he hath flood tied up a Pretty Seafon, untie the Threds, and draw out the Feathers, and wiping them very dry, lay them up till you have next Occafion to ule them. This Cure of all others is most certain, and taketh away any stopping in the Head how extreme foever.

CHAP. XLI.

The Perfection and left of all Medicines for Poze or Cold.

TAke (if you can get it) an Ounce of the fine and pure passe of Elicampane, which hath the ftrings at the Roots taken from it, or for want thereof, an Ounce of the Conferve of Elicampane, and diffolve it in a pint and a half of Sack, and fo give it the Horfe with a Horn in the Morning fasting, and then Ride him half an hour after it, and let him fast two hours more, then feed him as at Ordinary times: and thus do for two or three Mornings together.

CHAP. XLII.

Of a Horfe that is Hide-bound.

His Difease which we call Hide bound, is, when a horses skin cleaveth lo hard to his Ribbs and Back, that you cannot with your Hand pull up or loofen the one from the other. It proceedeth fometimes from poverty and ill keeping, fometimes from furfeit of over-Riding; especially if when he is extreme hor, he be suffered to ftand long in the Rain or wer-Weather : and laftly, it proceedeth from a corrupt drinels of the Blood, which wanting his natural courfe,

56

Lib. I.

course, forceth his skin to fhrink up, and cleave to the Bones. The figns, belides the cleaving of his skin, is, leannels of Body, gauntnels of Belly, and the ftanding up of the Ridge-bone of his Back: 10 drieth up the Entrails, torments the Body, and makes his Dung and if he be not remedied, Manginels will fink extraordinarily : presently follow after it. The Cure of it is divers, according to the apinion of divers Work-men : the most antient Farriers did ufe to let him Blood on the Spur-veins, of both fides his Belly, fomewhat toward his flank, which done, they gave him this Drink : Take of white-Wine, or ftrong Alea quart, and add thereunto three O ances of Sallet Oyl, of Cumin one Ounce, of Annifeeds two Ounces, of Liceras two Ounces, beaten all into fine powder, and give it him luke-warm with a Horn; when he hath Drunk, let one chafe his Back, from the Huckle-bone upward, for the space of an hour or more : then let him in a warm Stable, with good ftore of Litter; then fold about his Body a thick Blanket, loaked in Water, and wrung, then over it a dry Blanket, then gird them both faft, and ftop the furfingle about with great Wilps, for the wet Blanket will put him into a great Heat, and for want of a wet Blanket, if you fold his Body in wet Hay, 'it will do thelike, and loofen his skin; this you fhall do the space of a Week, during which time he shall drink no Cold water.

There be other Farriers, which before they lay on the wet Blanket, will annoint all the horfes Body over with Wine and Sallet Oyl, and furely it is good allo. There be others which for this Dileale, use to let the Horse blood in the Neck, then bathe his fides with warm Water, wherein hath been fodden Bay Leaves : then annoint h m all over with the Oyl of Rue or Camomile, holding a hot Iron over him to make the Oyl fink into his skin, then give him this Drink : Take of Carrets, Rue, Wild Mint, of each an Ounce and a half, of Worm-wood two Ounces ; dry them, and beat them to powder, then give two spoonfulls thereof in a pint of Malmley. There be other Farriers, which take Fenugreek, Turmerick, Annifeeding Bayes, Licoras, and Camin, of each a like quantity, dry them, and beat them to powder, and give the Horfe two fpoonfull thereof with a quart of Ale or Beer luke-warm : Use this at least three Mornings together, and it will not only help the Difeafe, but if it be formerly uled, it will prevent the comming thereof : This Drink is also good for

Lib. I.

Of Cures Phylical.

57

ders :

for a Cold. Now although every one of these Medicines are very good, yet for mine own part, I have found this which followeth to exceed them all.

First, let him Blood in the Neck-vein, then give him this Drink. Take two handfulls of Selladine, if it be in the Summer, the Leaves and Stalks will ferve, but if it be in Winter, take Leaves, Stalk, Roots, and all, chop them imall, then take a handfull of Wormwood, and a handfull of Rue, chop them likewife, put all thefe into three quarts of ftrong Ale or Beer, and boyl them till it come to a quare ; then take it from the fire, and strain it till you have left no mo fture in the Herbs ; then dissolve it in three Oances of the best Treakle, and give it the Horie luke-warm to Drink: then for a Week together, once a day, rub all the Horfes Body over with Oyl and Beer, or Butter and beer, against the Hair, and feed him with warm Mathes of Malt and Water, and for his Provender, let him have Barley sodden till it be ready to break, provided that you keep it not untill it fowr.

CHAP. XLIII.

Of the Glanders.

Ouching this Difease which we call the Glanders, My Masters, the old Farriers and I, are at much difference : for some of them do hold Opinion, that it is an inflummation of the Kirnels, which lie on each fide of the Throat, underneath the Roots of the Tongue, neer the swallowing place ; and their Reason is, that because thole Kirnels are called of the Italians, Glandula, that thence we borrow this Word Glanders; adding moreover, that a Horle which is troubled with this Difeale, hath great Kirnels underneath his Jaws, cafie to be felt, paining him fo, that he cannot Eat, or fwallow any any thing. Others fay, it is a swelling upon the Jaw Bones, great and hard, which being inflamed, doth putrifie and rot. But both these Opinions I hold in part Erroneous : for although our old Farriers might (according to the cuftom of our Nation, which loveth imitation of Strangers) borrow this Word Glanders from the Italian Glandule ; yet these inflammations under the Chaps of the Tongue Roots, is that Difease which we call the Strangle, and not the Glan-

ders; and whereas they would call the Strangle, the Quinfie, or Squin.noy, there is no luch matter, neither hath a Horfe any luch Difeafe, except they will call the Vives by that name, which is far more fitter for the application.

Lib. I.

Now for the Glanders, you thall underftand, that it is a Running Impostume, ingendred either by Cold, or by Famine, or by long Thisft, or by Eating corrupt and musty Meat, or by being kept in Unfavory Places, or is taken by flanding with infected Horfes. is a gathering together of moift and corrupt Humours, which runneth at the Nofe; or may be faid to be a flux of Rheum, which if fueth fometimes at one, fometimes at both the Noffrils : the caule being, the Wideness of the passage, to that the Cold liberally entring into the Brain, bindeth and crusheth it in luch manner, that it maketh the Humonrs there to diffill; which defcending to the Spiritual parts, and poffeffing them, in the end fufficates the Horfe, either by their abundance, or killed him by corrupting the principal parts ; of elfe by congealing there by littlerand little, over-runneth the natural heat. Now that Diffillation, that by cold cometh from the Brain, and breedeth this Glanders, is of three forts. The firft is a Cold, which maketh indigeft Humours to pals from the Brain, which come h by ta" king off theSaddle fuddenly when theHorfe is hot, or by letting him Drink before he be inwardly cooled, or before his body be dried This D.ft.llation commonly is flimy matter that fmells nor, and 15 eafie to be Cured ; for it is no inward Ulcer, but only abundance of Humour, the fubftance whereof is Grofs and White. The fecond is a great Cold ingendred and congealed, caufing Humours fomething thin and flimy, of the Colour of Marrow, or the White of an Egg this defcendeth to the Throat, and lyeth there till it be difcharged through the Nostrils. The third is by long continuance thicker, and therefore harder to be Cured; if the Colour thereof be yellow likes Bean, then is the Glanders most desperate, and lyeth also in his Throat: , but if it be a brown or darkift yellow, then commonly a Feaver will accompany the Dileale, To these three Diffillations, there is commonly added a fourth, which is, when the matter which comes from his Nole, is Dark, Thin, and Reddifh, likelittle fparks of blood ; but then it is not faid to be the Glanders, but the Mourning of the Chine, which is a Difeafe, for the most part held incurable. It is therefore moft necessary for every good Farrier, when he Chall

Lib. I.

Of Cures Phylical.

59

shall take this Cure in hand, to confider well the matter which iffueth from the Horfes Nole : For if the Humour be clear and transparent, lo that it may be seen through, then it is not greatly hurtful, or of much moment. If it be White it is worle, yet with much eale Cured. If it be Yellow, separate him from the sound Horses, for he is infectious, yet to be Cured : If that Yellow be mixed with Blood, it is with much difficulty helped, or if the matter be like unto Saffron, the Horfe is hardly to be faved. He must also confider whether the matter flink, or have loft the fmell ; The first is the fign of a Ulcer, the latter of Death : also whether he Cougheth with straightness in his Cheft or no; for that also is a fign of an inward Ulcer, and that the Difeafe is past Cure. Now for the Cure of these three Diftillations, which are all that make up a compleat Glanders, you (hall understand, that when the Glanders is of the first fort, it is cafily helped by moderate Exercise, and warm Keeping : but if it be of the second fort, you shall give him warm Mashes of Malt and Water, and perfume his Head well, and purge it by Sneezing; and into his Mashes you shall put Fennel seed bruised. Ochers will take a pint of white-Wine, and a handfull of Soot, a quart of Milk, and two Heads of Garlick bruifed ; brew them together, and give it the Horle to Drink. Others will take a pottle of Urine, a handfull of Bay Salt, and a good quantity of Brown Sugar-candy, boylit to a quart; then add Licoras and Aniseeds beaten to fine powder, and give it luke-warm to Drink. Others will take Lard, or Swines Grease and boyl it in Water : then take the Fat from the Water, and mingle it with a little Oyl Olive, and a good quantity of Urine, and half as much white-Wine, give a quart of this luke warm to drink. Others use to give of Ale a quart, of grated bread one Ounce and an half, the yolks of two Eggs, of Ginger, Saffron, Cloves, Cinamon, Nutmegs, Cardamomum, Spikenard or Lavender, Galingal, and Honey, of each a pretty quantity, mix these together, and give it to Drink, Now if the Diffillation be of the third fort, which is the worft of the three, you thall take half a pound of Swines Blood, and mele it at the fire, add to it a pound of the juice of Beets, with three Ounces of Enforbium finely beaten; and when it hath boyled a little, take it from the fire, and add another Ounce of Enforbium to it : Keep this Oyntment, and anoint therewith two very long Feathers, or little Rode, lapt with Linnen about, and so anointed, put them into

Lib. I.

into his Noftrils, and after rubbing them up and down, tye them to the Nofe band of the Bridle, and walk him abroad : Do thus three daies together, and it will either absolutely Cure him, or at leaft take away the Eye fore. Others ule to take a quart of Ale, an half penny. worth of long Pepper, a little Brimfton:, a penny-worth of Galingal, two penny-worth of Spignard of Spain, two penny-weight of Saffron brayed, with two Ounces of Butter boyled in the Ale: When it is luke-warm, caft the Horfe, and holding up his Head, power it equally into his Noftrils; then holding his Noftrils close, nil his Eyes stare, and that he sweat; which done, give him Bayes and Ale to Drink : then let him rife, and fet him up warm; feeding him with warm Grains and Salt, or with fweet Mathes; but the best is, if the Weather be warm, to let him run abroad at Grass. Other Farriers use to diffolve in Vinegar three drams of Mustardleed, and as much Enforblum ; then to give him one dram at his Noftril every day before he Drink. Others ule to take of Myrrh, Iris, Illyrica, feeds of Smallage, Aristolochia, of each three Ounces, Salniter, Brimstone, of each five Ounces, Bayes two Ounces, Saffron one Ounce; make this into powder, and when you give it, give part in pills, made with Pafte and Wine, and part by the Noftrils with ftrong Ale : do this for the space of three daies at the leaft. Others ule to take of Malmley a pint, of ftrong Ale a pint, of Aquavira four fpoonfuls, and brew them together, with a pretty quantity of Anifeeds, Licoras, Elicampane Roots, long Pepper, Garlick, and three or four new laid Eggs, and a little Butter ; give this luke-warm to Drink ; then Walk him abroad, and fet him up warm ; do this every other day for a Week toge her. Others ule to take flale Urine that hath flood three or four daies, and ten Garlick heads, and feething them together, give it the Horfe to Drink. Others ule to take Swines greafe well Clarified, and as much Oyl de Bay as a Walnut, and give it the Horle to Drink, with fair Water luke warm.

60

But better than all these it is, to take of Elicampane, Anniseeds, and Licoras, of each one punny-worth, boyl them in threes pint of Ale or Beer till one pint be confumed, then add unto it a quarter of a pint of Sollet Oyl, and give it him to Drink luke-warm, then with a quilblow Exforbium up into h s Noffrils, and within three daies after, take of Mustard four spoonfull, Vi egar a pint, Batter three Ounces, boyl them together, then add thereunto half an Ounce of Pepper,

61

à

Lib. 1.

Pepper, and give it the Horfe luke-warm to Drink; use this Medicine a fortnight. Others use to take a handfull of pill'd Garlick, and boyl it in a quart of Milk till a pint be Confumed, then add thereto two Ounces of fweet Butter, and a pint of strong Ale: flir them well together, and give it the Horfe fasting to Drink luke-warm; which done, Ride him a little up and down, and use this the space of nine daies.

Thus I have p'ainly thewed you the Opinion and Practice of all the beft *Farriers* both of this Kingdom and of others, and they be all very good and effectual ; yet for mine own part, that which I have found ever the beft in my practice, is, if the Difeafe be of the fuff or 6 cond fort, to give the Horfe to Drink fafting every Morning for a fort night together, a pint of ftrong Ale, and five (poonfull of the Oyl of Oats, the making of which Oyl, you thal read in a particular Chapter following; but if the Difeafe be of the third fort, which is most desperate, you thall then take of Tanners Oufe a pint, and of new Milk a pint, and of Oyl Olive half a pint, and the quantity of a Head of Garlick bruifed, and a little Turmerick, mix these well together, and give it the Horfe to Drink : Do this thrice in one fortnight, and it will help, if any help be to be had.

CHAP. XLIV.

Two most certain and lately found out Medicines, which will without all fail Cure any Glanders, though our Farriers hold it impossible.

I your Horfes Cold be come to the worft Glanders, which is a continual Running at the Nofe, and hath run by the space of divers. Months, so that your *Parriers* can do you no good ; shall then take better then two handfull of the white Cankerous mole which grows upon an old Oken pale, and boyl it in two quarts of Milk, till one quart be almost confumed ; then strain ir, and squeeze the mole well, which done, give it the Horfe luke-warm to Drink : then take the Gool feathers, Brimstone, and Butter, in such manner as is set down in the new Additions for the Cold, or Poze in a Horfes Head, (pag-55.) and having put them up into his Nostrils, Ride him forth an hour or two gently, and after he is come home, draw forth the Feathers, and keep his Body warm. This Diseafe you shall understand, cometh

62

Lib. I.

cometh not suddenly, but grows out of long process of time; so likewise the Cure must not be expected to be done in a moment, but with much leisure; therefore you must continue your Medicine as your leisure will serve, either every day, or at least thrice a week, if it be for four or five Meneths together, and be assured in the end it will vield your defire.

Now the fecond certain and well approved Medicine is, to take Elicampane Roots, and boyl them in Milk till they be foft, that you may bruife them to Pap : Then with a Horn give them to the Horfe, together with the Milk luke-warm, being no more then will make the Roots Liquid : then having annointed your Goofe-feathers, put them up into his Noftrils, and Ride him forth, as is before thewed.

CHAP. XLV.

Of the Mourning of the Chine.

T His Dileale which we call the Momening of the Chine, or as fome rupt Diffullation from the Brain, of which we have fpoken in the Chapter before, hewing from whence it proceeds, and the figns thereof: to mit, that the Corrupt matter which iffueth from his Noftrils will be Dark, Thin, and Reddifh, with little ftreaks of Blood in itit is supposed by some Farriers, that this Disease is a foul Confumption of the Liver, and I do not derogate from that Opinion: For I have found the Liver wasted in those Horses which I have opened upon this Disease: And this Confumption proceeds from a Cold, which after grows to a Poze, then to a Glanders, and laftly to this Mourning of the Chine.

The Cure whereof, according to the Opinion of the oldeft Farriers, is, to take clear Water, and that Honey which is called Hydromel, a quart, and put thereunto three Ounces of Sallet Oyl, and pour it into his Noftrils each Morning, the fpace of three daies; and if that help not, then give him to drink every day, or once in two daies at the leaft, a quart of old Wine, mingled with fome of the foveraign Medicine called Tetrapharm scum, which is to be had almost of every Apothecary. Others ule to take Garlick, Houflick, and Chervil, and

62

Lib. 1.

and ftamping them together, thrust it up into the Horles Nostrils. Others use to let the Horse fast all Night, then take a pint and a half of Milk, three heads of Garlick pild and ftamped, boyl them to the half, and give it to Horfe, some at the Mouth and some at the Nofe: then gallop him a quarter of a Mile, then reft him; then gallop him half a Mile, then reft him again: thus do twice or thrice together, then fet him up warm, and give him no Water till it be Highnoon ; then give him a fweet Math: Ule this Cure at least three daies together. Others use to take half a perk of Oats, and boyl them in running-water till half be confumed, then put them into a Bagg, and lay them very hot upon the Navel place of his Back, and there let it lie thirty hours, using thus to do three or four times at the least. Others use to take Worm-wood, Peuced inum, and Centory, of each a like quantity : boyl them in Wine, then frain them, and pour thereof many times into his Noftrils, especially into that which most runneth. Others use to take Hare-hound, Licoras, and Anileeds, beaten to powder ; then with fweet Batter to make pils thereof, and to give them fasting to the Horfe. Ochers use to take Wheat-flower, Anileeds, and Licoras ftamped in a Morter, five or fix Cloves of Garlick bruiled ; mix all these together, and make a paste of them ; then make it into pills as big as Wall-nuts, and taking out the Horles Tongue, caft the Balls down the Horfes throat three or four at a time, then give him two new laid Eggs the's and all after them.

Now after all thefe, the beft and moft approved Medicine, is, to take as much of the middle green bark of an Elder Tree growing on the Water fide, as will fill a realonable Veffel, putting thereunto as mach running water as the Veffel will hold, and let it boyl till half. be confumed, and then fill up the Veffel again with Water, continuing to to do three times one after another ; and at the laft time, when the one half is confumed, take it from the fire, and ftrain it exceedingly through a linnen Cloath ; then to that Decoction, add at leaft a full third part of the Oyl of Oars, or for want of that, of Oyl Olive, or of Hoggs greafe, or fweet Butter ; and being warmed again, take a quart thereof, and give it the Horfe to drink, one Hornfull at his Mouth, and another at his Noftrils, effecially that which eafteth out the matter. And in any cafe, let the Horfe be Fafting when he taketh this Medicine; for it not only Cureth this, but any ficknefs

64

Lib. 1.

fickness proceeding from Cold whatsoever. It shall be also good to use to his Body some wholsome Friction, and to his Head some wholsome Bath, of which Baths you shall read more hereafter in a Chapter following. For his Diet, his meat would be sodden Barley, and sweet Hay, and his Drink warm Water, or Mashes: but if it be in the Summer-scason, then it is best to let him run at Grass only.

CHAP. XLVI.

A most Rare and Certain approved Medicine, to Cure any High running Glanders, called the Mourning of the Chine, held of all Men incurable.

This Difeafe, to my Knowledge, there is not any Smith or Farrier in this Kingdom, can tell how to Cure; for it comes not to the Extremity, till the Horfe have run at his Nofe a year or more; and have at the Roots of his Tongue, a hard Lump gathered, which will not be diffolved. Now for mine own part, tris well known I have Cured many with this Medicine only. Take of Aarlpigmentum and Tuffilaginis beaten into fine Powder, of each of them four Drams: then beating them with fine Turpentine, bring them into a pafte, then make of it little Cakes or Trotches, as broad as a groat, and dry them: This done, lay about two or three of them on a Chafing-difh of Coals, and cover them with a Tunnel, fo that the fmoak may come out only at the end thereof, and to without any lofs afcend up into the Horfes' Head through his Noftrils, then Ride the Horfe till he begin to lweat; do this once every Morning before water, till the Running beftopt, which will be in a very fhort fpace, confidering the greatnefs of the Difeafe.

CHAP. XLVII.

Of the Cough.

Coughing is a Motion of the Lungs, raifed naturally from his Expulsive power, to caft out the huitfull caufe, as Neezing is the Motion of the Brain. Now of Coughs, there be fome outward, and

65

Lib. I.

and some inward : those are faid to be outward, which proceed of outward caufes, as when a Horfe doth Eat or Drink too greedily, fo that his Meat goeth the wrong way, or when he licketh up a Feather, or eatech dufty or tharp-bearded ftraw, and fuch like, which tickling his Throat, caufeth him to Cough ; those which are said to be inward, are either wet or dry, of which we thall speak more hereafter. Now of these outward Coughs, they may proceed from the Corruption of the Air, which if it do, you (hall give him half an Ounce of Diapente in a pint of Sack, and it willhelp. It may also proceed from duft, and then you must walk it down by powring into his Noftrils Ale and Oyl mingled together. It may come by cating tharp and fowre things ; and then you must put down his Throat pills of fweet Butter, whole fofenels will help him. proceed from some little or flight taken Cold, and then you shall It may take the whites and yolks of two Eggs, three Oances of Saller-Oyl, two handfull of Bean flower, one Oance of Fenngreek, mix them with a pint of old Malmfey, and give it the Horle to drink three daies together: or elle take Tarr and fresh Butter, mix them together, and give pils thereof to the Horfe four tiraes in feven daies : that is, the first, the third, the fifth, and the leventh day. There be others which ule to take a Gallon of fair water, and make it ready to feeth; then put thereto a peck of ground Male, with two handfull of Box leaves chopt small, and a little Groundsell, mix them altogether, and give him every Morning and Evening a pint for a Week together. If to the Boxleaves you add Oats and Bettony, it is not amils, lo you keep the Horle warm. O.hers ule to give the Horle a pint of Swines Blood warm. Others use to boyl in a Gallon of water one pound of Fenugreek, then ftraining it, give the water Morning and Evening by a pint at a time to drink, then drying his Fenngreek give it the Horfe with his Proyender. Ochers ufe for all manner of Coughs to take a quartern of white Currants, and as much Clarified Honey, two Ounces of fweet Marjoram, with old frechGreale, and a Head of Garlick; melt that which is to be molten, and pun that which is to be beaten ; mix them together, and give the Horfe a pint thereof, better than three Mornings toge her. thers use to give the Horse the gut of a young Pullet dipt in Honey, and being warm; and certainly, there is not any of these Medicines but are most foveraign and well approved. Now whereas fome K Parriers

66

Lib. I.

Farriers use to thrust down the Throat of the Horse a Willowwand, rolled about with a Linnen cloath, and annointed all over with Hony, (I for my part) do not like it; for it both torments the Horse, more then there is occasion, and doth but only go about to take away that which is gone in the ftruggling, before the Medicine can be used: for it is only for a Cough, which cometh by a Feather, or some such the matter.

CHAP. XLVIII.

Of the inward, or Wet Cough.

T Oaching inward Coughs, which are gotten and ingendred by Colds and Rhumes of long continuance, being not only dangerous, but sometimes mortal, you shall understand, that they are divided into two kinds, the one Wet, the other Dry; the Wet Cold proceedeth from Cold caufestaken after great heat ; which heat diffolving Humours, those Humours being again congealed, do presently caufe Obstructions and Scopping of the longs. Now the figns to know this wet Cough, is, the Horfe will ever after his Coughing, caft out either water or matter out of his Noftrils, or champ or chaw with his Teeth the thic's matter which he casterh out of his Throat, as you shall easily perceive, if you heedfully note him ; he will also Cough often without intermifion, and when he Cougheth, he will not much bow down his Head, nor abstain from his Meat : and when he Drinketh, you shall see some of his Water to issue out of his Nostrils. The Cure is, first to keep him exceeding warm ; then forasmuch as it proceedeth of Cold caufes, you shall give him hot Drinks, and Spices, as Sack, or ftrong Ale brewed with Cinamon, Ginger, Cloves, Treacle, long Pepper, and either Swines Greafe, Saller Oyl, or fwelt Butter; for you thall know, that all Cold caufes are Cured with Medicines that open and warm; and the hot with fuch as cleanic and Cool. Some ule to take a pretty quantity of Benjamine, and the yol of an Egg, which being well mixt together, and put into an Egg-shell cast all down into the Horfes throat, and then moderat ly Ride him up and down for more than a quarter of an hour: and do this three or four Mornings together. O.hers use to 1 cep him Warm, and then to give him this Drink. Take of Barley one peck

67

Lib. I.

and boyl it in two or three Gallons of running Water, till the Barley buift, together with bruifed Licoras, Annifeeds, and Raifons, of each a pound ; then strain it, and to that Liquor put of Honey a pint, and a quartern of Sugar-candy, and keep it close in a pot to serve the Horfe therewich four feveral Mornings, and caft not away the Barley, nor the reft of the ftrainings, but make it hot every day to perfume the Horse withall in a close Bag ; and if he eat of it, it is so much the better : and after this, you shall give the Horse some moderate Exercife; and for his Dyer, let him drink no cold water till his Cough abate, and as it leffeneth, fo let the Water be the lefs warmed.

Now for mine own part, though all these Receits be exceeding good, and very well approved, yet in this Cafe, thus hath been, and ever thall be my Practice; if I found either by the Heavinefs of the Horfes Head, or by the Ratling of his Noftrils, that the Cough proceeded most from the stoping of his Head, I would only give him four or five Mornings together, three or four good round pils of Butter and Garlick, (well knodden together) fafting, then Ride him moderately an hour after ; but if I found that the fickness remained in the Cheft or Breaft of the Horfe, then I would give him twice in four daies a pint of Sack, half a pint of Saller Oyl, and two Ounces of Sugar-candy well brewed together, and made luke-warm, and then Ride him half an hour after, and fee him up warm, fuffering him to drink no cold water till his Cough begin to abate and leave

But for all Wet Coughs, frettized and broken Lungs, putrified and rotten Lungs, or any fuch moift Difeafe, fee the new Additions for the Mourning of the Chine, and it is a certain Cure.

CHAP. XLIX.

Of the Dry Congh.

THis Difease which we call the Dry Cough, is a gross and tough Humour, cleaving hard to the hollow places of the Lungs, which ftoppeth the Wind-pipes, fo that the Horfe can hardly draw his Breach. It doth proceed by ill Government, from the Rhume, with diffulleth from the Head, falleth down to the Breaft, and there inforceth inforceth

Lib: I.

inforceth the Horfe to Arive to caft it out.

The especial signs to know it, is, by eating Hot Meats, as Bread that is spiced, Straw dry, Hay, or such like, his extremity of Coughing will increase ; by cating Cold and moift meats, as Grass, Sorager Grains, and fuch like, it will abate and be the lefs : he cougheth feldome, yet when he Cougheth, he Cougheth Violently, long time together, and Deily, with a hollow found from his Cheft : he allo boweth his Head down to the ground, and forfaketh his meat whilf he Cougheth, yet never cafteth forth any thing either at his Mouth or Noftr'ls.

This Cough is most dangerous, and not being taken in time, 15 incurable .: for it will grow to the Purfick or Broken-winded at together. The Cure, according to the opinion of the antient Far riere, is, that foralmuch as it proceedeth from Hot Humours, there fore you shall perfume his Head with Cold simples, as Camomiles Mellilot, Licoras, dried Red Rofes and Campbire boyled in waters and the fume made to pafs up into his Mouth and Noftrils.

Others ule to take a Clole Earthen pot, and to put therein three pints of the ftrongeftVinegar, and four Eggs, thells and all unbroken, and four Heads of Garlick clean pilled and bruiled, and fer the pot being very close covered in a warm Dunghill, or a Horses Mixin, and there let it stand 24. hours, then take it forth and open it, and take out the Eggs which will be as foft as filk, and lay them by untill you have strained the Vinegar and Garlick through a linnen Cloath then put to that Liquor a qu'rtern of Honey, and half a quartern of Sugar candy, and two Ounces of Licoras, and two Ounces of An nileed beaten all into fine powder, and then the Horfe having fafted all the night, early in the Morning about feven or eight a clock, apen the Horles mouch with a Drench flaff and a Cord, and first caft down his Throat one of the Eggs, and then prefently pour after it a Horn full of the afore faid Drink, being made luke-warm : then caft in another Egg, and another Horn full: and thus do till he hath fwallowed up all the Eggs, or three at the leaft; then Bridle him and Cover him warmer than he was before, and fer him up in the Stable, tying him to the bare Rack for the space of two hours: then unbridle him, and give him either fome Oats, Hay, or Grass yet in any cafe give him no Hay; untill it hath been fomewhat Sprinkled with water : for there is no greater enemy to a dry Cough

69

Lib. F.

than dry Hay, dry Straw, or Chaff; then let him have cold water the space of nine dayes. Now if you chance the first Morning to leave an Egg untaken, you shall not fail to give it him, and the remainder of the Drink the Morning following. If you find by this practice that the Cough weareth not away, you shall then purge his Head with Pils, of which you shall read in the Chapter of Purgations: after his Pils received, you shall let him fast three hours, standing warm cloathed and littered in the Stable; you shall also now and then give him a warm Mash, and once a day trot him moderately abroad.

There be other Farriers which for this dry Congh take only the Herb called Lyons foot, Ladies mantle, Spurge, and Smallage, of each a like quantity, feeth them in a quart of old Wine, or a quart of running Water till fome part be confumed, and give it the Horfe to drink; if inftead of the herbs themfelves, you give the juyce of the herbs in Wine, it is good. There be others which take a good quantity of white Currants, and as much Honey, two Ounces of Marjoram, one Ounce of Penirial, with five pounds of fresh Greafe, and nine Heads of Garlick; beat that which is to be beaten, and melt the reft; give this in four or five days like pils dipt in Honey. Others ufe to take Myrrh, Opoponax, Iris, Ilerica, and Galbanum, of each two Ounces, of red Storax three Ounces, of Turpentine four Ounces, of Henbane half an Ounce, of Opism half an Ounce, bear them to fine powder, and give two or three spoonfull with a pint of Old Wine, or a quart of Ale.

Others use to take forty grains of Pepper, sour or five Roots of Raddish, four Heads of Garlick, and five Ounces of Sweet Butter; framp them all well together, and give every day a Ball of it to the Horse for a Week together, making him fast two hours after his taking of it: and surely it is a most Excellent approved Medicine for any old over grown Cold, or Cough. Other Farriers use to take of Oyl de Bay, and sweet Butter, of each half a pound, Garlick one pound, beat it together unpilled, and being well beaten with a peffle of Wood, add your Oyl and Butter unto it: then having made it into Balls, with a little Wheat-flower, give your Horse every Morning for a Week and more, three or four Balls as bigg as Walnuts, keeping him fasting after from meat three hours, and from drink till it be night, provided that shill his Drink be warm, and his Meat, if it possible.

70

Et.

Lib. I.

possible may be, Grafs, or Hay sprinkled with water: as for his Provender, it would be Oats and Fenugreek sprinkled among it. Now if you perceive that at a fort-nights end, his Cough doth nothing at all abate, you shall then for another Week give him again the same Physick and Dyet; but truly for mine own part, I have never found it to fail in any Horse whatsoever; yet I will with all Farriers not to be too busie with these inward Medicines, except they be well affured that the Cold hath been long, and that the Cough is dangerous.

CHAP. L.

Two Excellent true and well approved Medicines for any Cold, dry Congh, (hortnefs of Breath, purfinefs or Broken-winded.

The first is, take of Tarre three spoonfull, of sweet Butter as much, beat and work them well together with the fine powder of Licoras, Anniseds, and Sugar-candy, till it be brought to a hard passe: then make it in three round Balls, and put into each Ball four or five Cloves of Garlick, and signer them to the Horse, and warm him with Riding both before and after he hath received the pils, and be affored that he be fasting when he takes it, and fast at least two hours after he hath taken it.

The fecond is, take of the white fat or lard of Bacon, a piece four fingers long, and almost two fingers thick both waies; then with, your Knife making many holes into it, ftop it with as many Cloves of garlick as you can conveniently get into it, then rowling it in the powder of Licoras, Annifeeds, Sugar-candy and Brimstone, all equally mixt together, give it your Horse fasting in a Morning at least twice a. Week continually, and Ride him after it, and be fure that all the Hay he eats be finely fprinkled with water,

a wear worth a first Winds offer a three all so

C HAP.

Lib. 1.

Of Cures Physical.

71

CHAP. LI.

The beft of all other Medicines for a Dry Cough, never before mentioned, nor revealed.

Ake of the Sirrup of Colts-foot two Ounces, of the powder of Elicampane, of Annifeeds, and of Licoras, of each half an Ounce, of Sugar-candy divided into two parts, two Ounces, then with fweet Butter work the Sirrup and the powders, and one part of the Sugar-candy into a fliff pafte, and thereof make Pils or fmall Balls, and role them in the other part of the Sugar-candy, and fo give it to the Horfe fafting, and exercise him gently an hour after it : and thus do for divers Moraings till you find amendment.

CHAP. LII.

Of the Frettized, Broken, and Rotten Lungs.

Oughs do many times proceed from the Corruption and Pu-trifaction of the Lungs, gotten either by fome extreme Cold, Running or Leaping, or by over-greedy Drinking after great thirst; because the Lungs being inclosed in a very thin film, they are therefore the much looner broken; and if luch a Breach be made, without inftant Cure, they begin to Inflame and Apostume, Oppressing and Sickning the whole Lunges. Now the figns to know this Difeafe, is, the Horfes flanks will beat when he Cougheth, and the flower they bear, the more old and dangerous is the Difease : he will also draw his wind thort, and by little at once : he will groan much, be fearfull and loath to Cough ; and often turn his Head to the place Brieved : To conclude, he will never Cough but he will bring up fomething which he will champ in his Mouth after. The Cure is, give him two or three Ounces of Hoggs-greafe, and two or three spoonfull of Dispense brewed in a quart of Berly water, wherein Currants have been fodden. Other Farriers use to take a pound of Licoras, and being scraped and fliced, to steep it in a quart of water four and twenty hours ; then to ftrain it, then to boyl three or four Ounces of Currants in it, and to give it the Horfe.

72

1 to

Lib. I.

Horle to drink, and keep him fafting three or four hours after. There be other Farriers which use to take of *Fenngreek* and linseed, of each half a pound, of Gum-Dragant, of Mastick, of Myrrh, of Sugar, of Fitch-flower, of each one Ounce; let all these be beaten into fine powder, & then infused one whole night in a good quantity of warm water, and the next day give him a quart of this luke-warm, putting thereto two. O ances of the Oyl of Roses, and this you must do many dayes together: and if the Discale be new, it will certainly heal; if it be never so old it will assuredly ease him, but in any case let him drink no cold water: And for his food, Grass is the most Excellent.

Others use (and it is the best Cure) to take of Malmsey a pint, of Honey three spoonfull, mix them together, then take of Myrrb, of Saffron, of Cassia and Cinamon, of each a like quantity, beat them to a fine powder, and give two spoonful thereof in the Wine to drink, do this at least a fortnight together, and it is certain it will help these freetrized and broken Lungs, but for the putrified and rotten Lungs, we will speak more in this next Chapter.

CHAP. LIII.

Of the Putrified and Rotten Lungs.

This Difeafe of Rotten and Exulcerate Lungs, you thall know by thefe figns: he will Cough off and vehemently, and ever in his Coughing he will caft little Reddifh lumps out of his mouth, he will decay much in his fleth, and yet eat his meat with more greedinefs than when he was found: and when he Cougheth, he will cough with more eafe and clearnefs, than if his Lungs were but only broken. The Cure whereof, according to the practice of our ordinary English Farriers, is, to give the Hotfe divers Mornings together a pint of flrong Vinegar warm, or elfe as much of mans Urine, with half fo much Hoggs greafe brewed warm togther.

But the more antient Farriers take a good quantity of the juyce of Purflain mixt with the Oyl of Roles, adding thereunto a little Tr agacanthum, which hath before been laid to fleep in Goats milk, or for want thereof in Barley, or Oaten milk strained from the Corn, and give him a pint thereof every Morning for seven days together. This Medicine is but only to Ripen and Break the impostume, which you

Lib. I.

you thall know if it harh done, becaufe when the fore is broaken, his Breath will flink exceedingly: Then thall you give him the other feven dayes this Drink. Take of the Root called Coffus, two O inces, and of Caffia, or Cinamon, three Ouncesbeaten into fine powder, and a few Raifins, and give it him to drink, with a pint of Malmley. Othersule to take of Frankincenfe and Ariftologia, of each two Ounces beaten into fine powder, and give the Horle two or three fpoonfuls thereof with a pint of Malmley. Others take of unburnt Brimftone two Ounces, of Ariftolochia one Ounce and a half beaten to Powder, and give it the Hotfe with a pint of Malmley.

CHAP. LIV.

Of (hortness of Breath, or Pursiness.

This Difeafe of thort Breath or Purfinels, may come two feveral ways, that is, Naturally, or Accidentally: Naturally, as by the Braightness of his Conduits, which convey his Breach, when they want liberty to carry his Breath freely, or being cloyed up with fat, force Stoppings and Obstructions in his Wind-pipe, and thereby make his Lungs labour and work painfully. Accidentally, as by hafty running after Drinking, or upon full Stomach, by which Humours are compelled to descend down into the Throat and Lungs, and there ftoppeth the paffage of the Breath. The figns of this Difeafe are continual panting and heaving of his Body without any Coughing, great heat of Breath at his Noftrils, and a squeezing or drawing in of his Nofe when he Breatheth; befides a covering to hold out his Head whilft he fetcheth his Wind. The Cure, according to the opinion of some of our best Farriers, is, to give him in his Provender, the Kirnels of Grapes, for they both fat and purge; and you must give them plentifully. The warm Blood of a sucking Pigg is excellent good alfo. Ocher Farriers ule to take Venus-hair, Ireos, Ash-keys, Licoras, Fenugreek, and Raifins, of each a dram and a half; Pepper, Almonds, Borage, Nettle-seed, Aristolochia, and Colloquintida, of each two drams; Algaritium one dram and a half, Honey two pound, diffolve them with water, wherein Licoras hath been fodden, and give him one pint every Morning for three or four Mornings. Others use to take Molline, or Long worr, and make a powder there-

L

of.

74

1

Lib. I.

of, and give two spoonfuls thereof with a pint of running water, or else powder of Gentain, in the fore-said manner, and do it for divers Mornings.

Others use to take of Nutmegs, Cloves, Galingal, grains of Paradise, of each three drams, Caraway seed, and Fenugreek, a little greater quantity, as much Saffron, and half an Ounce of Licoras; beat them all into fine powder, then put two or three spoonfuls thereof to a pint of Whire-wine, and the yolks of four Eggs, and give it the Horse to Drink; then tye his Head up high to the Rack for an hour after.: that done, either Ride him, or Walk him up and down gently, and keep him fasting four or five hours after at the least: the nextday turn him to Grass, and he will do well. There be others which use to let the Horse blood in the Neck vein, and then give him this Drink: Take of Wine and Oyl, of each a pint, of Frankincense half an Ounce, and of the juyce of Hare hound half a pint; mix them well together and give them to Drink.

Others use to give him only somewhat more than a pint of Honey, Hoggs-Grease and Butter molten together, and let him Drink is luke-warm. Eggs made soft in Vinegar, as is thewed in the Chapser of the dry Cough, is Excellent for this shortness of Breath, so you give the Eggs increasing, that is, the first day one, the second day three, and the third five : and withall, to pour a little Oyl and Wine into his Nostrils is very good also. There be other Farriers which use take a Snake, and cut off her Head and Tail, and then take out the Guts and Entrails, boyl the rest in Water till the Bone part from the Flesh: Then cast the Bone away, and give every third day of this Decoction more than a pint, till you have spent three Snakes : and this is Excellent good for the dry Cough also.

Now the last and beft Medicine for this (hormels of Breath, (for inde d in this Cale I do not affect much Phylicking) is only to rake Anniteed, Licoras, and Sugar-candy, all beaten into very fine powder, and take four (poonfuls thereof, and brew it well with a pint of white-wine, and half a pint of Sallet-Oy!: and use this ever after your Horses travail, and a day before he is travailed.

Men har she want the amile the

CHAP.

75

Lib. I.

CHAP. LV.

Of the Broken winded, or Pur fick Hurfe.

THis Difeafe of Broken-winded, I have ever fince I fuft began to know eicher Horfe or Horfe-leach craft, very much disputed with my felf: and for many years did conftantly hold (as I ftill do) that in truth there is no fuch Difeafe; only in this I found by daily Experience, that by over-hafty or fudden running of a fat Horfe (or other) presently after his Water, or by long standing in the Stable with no Exercise and foul Food, that thereby gross and thick Humours may be drawn down into the Horfes Body fo abundantly, that cleaving hard unto the hollow places of his Lungs, and Ropping up the Wind pipes, the Wind may be fo kept in, that it may only have his refort backward, and not upward, filling the Guts, and taking from the Body great part of his ftrength and lively-hood : which if from the Corruption of our eld Inventions, we call Broken-winded, then I must needs confess, that I have seen many Broken-winded Horfes. The figns of which Difeafe are thefe, much and Violent beating of his Flanks, especially drawing up of his Belly upward, great opening and raifing of his Noftrils, and a continual fwift going to and fro of his Tuel : befides, it is ever accompanied with a Dry and Hollow Cough. The Cure, I must needs fay in fo great an Extremity, (for it is the worft of all the evils of the Lungs, which are before (poken of) is most desperate, but the preservations and helps both to continue the Horles Health and his daily Service, are very many, as namely, (according to the opinion of the antient Farriers) to purge your Horse by giving him this Drink. Take of Maidenbair, Ireos, Afb, Licoras, Fenugreek, Ba/nis, of each half an Ounce, of Cardanum, Pepper, bitter Almonds, Borage, of each two Ounces, of Nettle-feed, and of Aristolochia, of each two Ounces, boyl chem altogether in a sufficient quantity of water, and in that Decoction diffolve half an Ounce of Agarick, and two Ounces of Colloquintida, together with two pound of Honey, and give him a pint and a half of this at a time, for at least a Week together ; and if this Medicine chance at any time to prove too thick, you shall make it thin with Water, wherein Licoras hath been fodden ; and fome Farriers alfo L 2 befides

76

Lib. I.

befides this Medicine, will wich a hot Iron draw the Flanks of the Horfe to reftrain their beating, and flit the Horfes Noftrils to give the wint more liberty, but I do not affect either the one or the other : The beft Diet for a Horfe in this cafe, is Grafs in Summer, and Hay fprinkled with water in Winter, There be other Farriers, which for this Infirmity hold, that to give the Horle three or four daies to" gether fodden Wheat, and now and then a quart of new fweet Wine, or other good Wine, mixt with Licoras water, is a certain remedy. There be other Farriers, which for this Difease the Guts of a Hedge-hog, and hang them in a warm Oven till they be dry, fo that a man may make powder of them : Then give your Horfe two of three (poonfull thereof with a pint of Wine or ftrong Ale: then the reft mixt with Annifeeds, Licorss, and fweet Butter, and make round Balls or Pils thereof, and give the Horfe two or three after his and so let him fast at least two hoursafter. Now when Diink: at any time you give him any Provender, be fure to wash it in Alt or Beer ; then take Cumin, Annifeeds, Licoras, and Sentuary, of each a just quantity, make them being mixt togther into fine powders and ftrew two spoonfulls thereof upon the provender being wet. This Phyfick must be used for a formight at the least. Others use to take of Cloves and Nutmegs three drams, of Galingale and Cardamomum three drams, of Soor, of Bay-feeds, and Cumin, of each three drams, and make them into fine powder, and put it into white Wine being well tempered with a little Saffron : then put to lo many yolks of Eggs as may countervail the other quantity: then mix them with water wherein Licorashath been fodden, making it fo thin that the Horfe may drink it, and after he hath drunk the quantity of a pint and a half of this drink, tye up his Head to the Rack, and let him so stand at least an hour after, that the drink may delcend into his Guts, then walk him gently abroad, that the Medicine may work a and in any Cale give him no water for the space of four and twenty hours after : The next Morning give him some Grass to eat, and the branches of Willow or Sallow, which will cool the Heat of the Potion.

Now there be other Farriers which take of Pances, Longsmorin Maiden-bair, the crops of Nettles, Cardans Benedictus, herb Fluctus, the roots of Dragons bruiled, the roots of Elicampane bruiled, of Water-henap, of Penirial, of Light-wort, of Angelica, of each of chele

Lib. I.

these a good handfull, or so many of these as you can conveniently get: bruise them, and lay them all Night in two or three Gallons of water, and give it a boyl in the Morning, and let the Horse drink thereof as much luke-warm as he will, then after this Drink, give him a pretty quantity of sodden Wheat; use this Diet for a Week or more at the least: and then if the Season be fit, put him to Grass. This Cure is of great Reputation, and thought to help when all other fail: for mine own part, I with every man to judge it by the practice.

There be others, which only for nine or ten dayes together, will Bive their Horle water, wherein Licoras hath been fodden, mixt with Wine, and hold it a most foveraign help.

There be others, which will only give new Milk from the Cow : but I defpair of that Cure, becaufe Milk being only Flegmatick, Flegm is the only fubftance of this Difeafe. Other Farriers use to keep the Horfe fasting four and twenty hours, then take a quart of Ale, a quarter of an Onnce of Fenugreek, half a quarter of Bayes, of the green Bark of Elder Trees, of Sugar candy, of water Creffes, of red Mints, of red Fennel, or Haw Tree leaves, and of Primrose leaves, of each half anOunce, the Whites of fix Eggs; beat thele in a morter, and feeth them in the Ale, give it him to drink, then let him fast after it two hours: then give him Meat and Provender enough, yet but a little drink. Others use to give him wet Hay, and moderate Travail : then take twenty Eggs, fleep them in Vinegar four and twenty hours, giving the Horfe two every Morning, and after the Eggs are spent, a pottle of new Milk from the Cow.

Now there be other Farriers, which only will diffolve in Vinegar fifteen Eggs, and give the Horfe the fift day three, the fecond day five, and the third day feven, and hold it a good help. Others will take an Ounce of Frankincenfe, two Ounces of Brimftone, and mix it with a pint of Wine, and half a pint of Honey. Others will take Sal niter, burnt with the powder of pitch, and give it with the fame quantity of Wine and Honey. Others will only give Sal-nitermingled with his meat, provided always, that in every Cure you keep your Horfe from Cold and Labour, and daily chafe his Head with Oyl and Wine. But of this, look in the laft new Additions for the dry Congh, noted thus

CHAP.

-78

Lib. I.

CHAP.

CHAP. LVI.

Of the dry Malady or Confumption.

This Difeafe of the dry Malady, or as the Antient Farriers term it, a general Confumption, is nothing but a meer Exulceration of the lungs, proceeding from a Cankerous fretting and gnawing Humour ingendred by Cold and Surfeit, which defeending from the Head, fickneth and corrodeth the Lungs. Some of our ignorant Farriers will call it the Mourning of the Chine, but they are thus farforth deceived, that the Mourning of the Chine doth ever caft fome filthy matter from the Nofe, and the dry Malady never cafteth forth any thing.

The figns to know this dry Malady or Confumption, are thefe: His flefh, and ftrong eftate of Body will confume and wafte away, tht Belly will be gaunt, his back-bone hid, and his Skin fo ftretched or fhrunk up, that if you ftrike on him with your hand, it will found hollow like a Tabor: his Hair will hardly thed, and either he will utterly deny his Meat, or the meat he eateth will not Digeft, profper, or breed any flefh on his Body; he will offer to Cough, but cannot, except in a faint manner, as though he had eaten fmall Bones; and truly, according to the Opinion of others, fo I find by mine own practice of fifty years, that it is incurable, yet that a Horfe may be long preferved to do much fervice, I have found it by thefe helps: Firft to purge his Head with fuch Fumes and Pils as are good for the Glanders, which you may find in the Chapter of Purgations, then give him Cole-worts fmall chopt with his Provender, and now and then the Blood of a fucking Pig warm.

There be other well Experienced Men, that inftead of the Blood, will give either the juyce of Leeks mixt with Oyl and Wine, or elfe Wine and Frankincen/e, or Sallet Oyl and the juyce of Rue mixt together: But in my conceit, the beft Cure, is, to purge his Body clean with comfortable and gentle purges, and then to be fuffered to run at Grafs, both for a Winter and a Summer, and there is no queftion, but he muft neceffarily end or mend, for languith long he cannot. Lib. 1.

Of Cures Physical.

CHAP. LVII.

Of the Consumption of the flesh.

His Difease which we call the Consumption of the flesh, is an unnatural or general diflike, or falling away of the whole Body, (or, as we term it) the walting of the fleih, which proceedeth from divers grounds : as namely, from inward Surfeits, either by naughty Food, or ill Diet, or from unclean, moift, and flinking Lodging, but especially from diforderly Labour, as by taking great and fuddain Colds after Violent heat, or fuch like ; all which procure the wafting or falling away of the flesh. The figns whereof are these : first, an unnatural and causeless Leanness, a dry and hard Skin cleaving fast to his fides, want of Stomach or Appetite to his Meat, a falling away of his Fillets, and a general Confumption both of his Buttocks and Shoulders: the Cure whereof, according to the Antients, is, to take a Sheeps Head unflaied, and boyl it in a Gallon and a half of Ale, or running Water untill the Fleth be confumed from the Bones ; then Arain it through a Cloath, and put thereto of Sugar half a pound, of Cinamon one Ounce, of conferve of Roles, of Barberies, and of Cherries, of each one Ounce ; mingle them together, and give the Horfe every Morning a quart thereof luke-warm, till two Sheeps Heads be (pent; and after every time he Drinketh, let him be gently Walked or Ridden up and down according to his ftrength, that is, if the Weather be Warm, abroad, if it be Cold and Windy, then in the Stable, or fome close House, suffering him neither to Eat nor Drink for two hours after his Medicine: and from Cold water you shall keep him the space of fifteen dayes. Now for his ordinary Food or Provender, you (hall repute that best which he eateth best, what foever it be ; and that you shall Bive him by little and little, and not any grofs or great quantity at once, becaufe the abundance and glut of Food taketh away both the Appetite and Nutriment which should proceed from wholfome Feeding.

80

CHAP. LVIII.

Lib. I.

How to make a lean Horfe fat.

B Efides this General Confumption of a Horfes flesh, which for the most part, or altogether, proceedeth from fickness; there is alto another Confumption, or want of flefh, which proceedeth from Nefhnels, Tendernels, Freencls of Spirit, and the Climate under which the Horfe is bred : as namely, when a Horfe that is bred in a warm Climate, comesto live in a Cold; or when a Horfe that is bred upon a fruitfull and rich Soil, comes to live in a Barren and dry place. In any of these Cases, the Horse will be lean without any apparent fign of Grief or Disease, which to recover, there be many Receipts and Medicines, as namely : The antient Farriers did ale when a Horfe either grew lean without Sickness or Wound, or any known Distemperature, to take a quarter of a peck of Beaus, and boyl them in two Gallons of water till they fwell or butft, then to mix with them a peck of Wheat Bran, and lo to give it the Horfe in manner of a Mash, or instead of Provender: for it will fat fuddainly. Others, and especially the Italians, will take Cole-worts, and having fodden them, mix them with Wheat Bran, and Salt, and give them inflead of Provender. There be others which take the fatty Decoction of three Tortoyle being well soden, (their Heads, Tails, Bones, and Feet being rejected) and giving it the Horfe, suppole it fatteth suddainly : or if you mix the flesh of the Tortoyle so sodden with your Horles Provender, that is good alfo. But as the fimples are Fralian, and not English, so I for mine own part, refer the use rather to them than to my Country-men. There be others which ule to fat up their Horles, by giving them a certain Grain which we There be call Bock, in the fame manner as we give Oats or Peafe. others, which to fat a Horfe will give him only parched Wheat, and a little Wine mixed with his water, and amongst his ordinary Provender alwayes some Wheat Bran; and be exceeding carefull that the Horle be clean Dreft, well Rubbed, and foft Littered ; for without such clean Keeping, there is no Meat will injoy, or do good upon him; and also when he is fedd, it must be by little at once, and not surfeited. There be other Farriers, which to feed up a lean Horle,

Lib. I.

Of Cures Phylical.

will take Sage, Savin, Bay-berries, Earth nuts, Bears greale, to drink with a quart of Wine. Others will give the Entrails of a Barbell or Tench with white Wine. Others will give new hot Draff, and new Bran, and twenty hard roafted Eggs, the fhells being pulled off, then bruife them, and then put thereto a pretty quantity of Salt, then mix all together, and give a good quantity thereof to the Horfe at Morn, Noon, and at Evening for his Provender; and once a day (which will be at High-noon) give him a quart or three pints of ftrong Ale, and when the Horfe beginneth to be Glutted upon this meat, then give him dried Oats: if he be Glutted upon that then give him Bread, if he leave his Bread, give him Malr, or any Grain that he will eat with a good Appetite, observing ever to keep the Horse very warm, and with this Diet in fourteen dayes the leanest Horfe will be made exceeding fat. There be other Farriers which to make a Horle fat, will take a quarter of Wine, and half an Ounce of Brim-Itone finely beaten with a raw Egg, and a penny weight of the Powder of Myrrh; mix all together, and give it the Horle to drink many Mornings together. Others will take three-leaved Grafs, half green, and half dry, and give it the Horfe instead of Hay, by little at once, and it will fat fuddainly, only it will breed much rank blood. Other Farriers use to take two penny worth of Pepper, and as much Saffron, Annileeds and Turmerick, a penny worth of longe Pepper, two penny worth of Treacle, a penny worth of Licokas, a good quantity of Penirial, and Archangel : give the Horle these with the yolks of Eggs in Milk to drink. Others use to take Wheat made clean, and fod with Salt and Lard dried in the Sun, and Sive it twice a day before each Watering. Others ftrong Ale, Myrrh, Sallet Oyl, and twenty grains of white Pepper, and inftead of the Ale, you may take the Decoction, that is, the water wherein Sage and Rhue hath been fodden, it will foon make the Horfe fat. Others take fodden Beans well bruifed and fprinkled with Salt, adding to the water four times fo much Bean flower, or Wheat bran, and Bive that to the Horfe, and it will fat him fuddainly. Wine mixe with the Blood of a fucking Pigg, madeluke-warm, or Wine with the juyce of Feather-feaw, or an Ounce of Sulphur, and a penny weight of Myrth well made into Powder, together with a new laid Egg, will raife up a Horfe that languisheth. Barley dried, or Barley boyled till it burft, either will fatten a Horfe.

But

82

Lib. I.

But the balt way of fatting a Horfe, (for most of the wayes before 1 prescribed are not to breed fat that will continue) is, fuft to give your Horse three Mornings together a pint of sweet Wine, and two spoonfull of Diapente brewed together : for that Drink will take away all inf. ftion and fickness from the inward parts : then to feed him well with Provender at least four times a day, that is, after his water in the M. rning, after his water at Noon, after his water in the Evening, and after his water at 9 of the Clock at Night. Now you shall not let his Provender be all of one fort, but every meal, it may be, changed, as thus: if in the Morning you give him Oats, at Noon likewife you shall give him Bread, at Evening Beans or Pease mixt with Wheat Bran, at Night fodden Barley, &c. and ever observe, of what Food he eatteh beft, of that let him have the greateft plenty, and there is no queftion but he will in fhort space grow far, sound, and full of Spirit, without either miflike or ficknels.

CHAP. LIX.

I be Mirrowr and Master of all Medicines, teaching how to make the leanest and unsoundest Horses that may be, fat, sound, and sis either for Market or Travail, in the space of fourteen dayes.

F your Horse be full of all the inward Diseases that may be, and brought to that diflike and poverty that you are desperate of his Life, you shall take of Annifeeds, of Cumin-feeds, of Fenugreek, of Carthamus, of Elicampane, of the flower of Brimfton, of brown Sugar-candy, of each of these two Ounces beaten and searst to a very fine powder, then take an Ounce of the juyce of Licoras, and diffolve it in halt a pint of White-wine, then take three Ounces of the Sirrup of Colts-foot, of Sallet-Oyl, and of life Honey, of each half a pint, then mix all this with the former Powders, and with as much Wheat flower as will bind and knit them altogether, work them into a fliff paste, and make thereof Balls as bigg as French Walnuts, Hulls and all, and fo keep them in a close Gally-pot, and when you have occasion to use them, take one and annoint it with sweet Butter, and give it the Horfe in the manner of a Pill, and Ridehim a little after ir, then feed and water him as at other times, and thus do (if it be to Prevent

Lib. I. Of Cures Phylical.

prevent fickness) for three or four Mornings together.

But if it be to take away infirmity, as Glanders, &c. then ule it at least a Week or more.

82

can

But if to take away Molten-greafe, then inftantly after his hear, and in his heat.

But if it be to fatten a Horfe, then ule it at least a fort-night : now as you give them thus in the manner of a pill, fo you may give them diffolved in fweet Wine, Ale, or Beer.

Lastly, if it be to fatten a Horse, then you shall take the second Balls: that is to lay, of Wheat-meal fix pound, or as Phylicians Write, Quantum sufficit, of Anniseeds two Ounces, of Cumin seeds fix drams, of Carthamus one dram and a half, of Fenugreek leeds one Ounce two drams, of Brimstone one Ounce and a half, of Saller Oylone pint two Ounces, of Honey one pound and a half, of White Wine four pints: This must be made into paste, the hard Simples being pounded into Powder, and finely fearft, and then well kneaded together, and fo made into Balls as big as a Mans fift, and then every Morning and Evening when you would water your Horfe, diffolve into his Cold water one of these Balls, by lathering and chafing the fame in the water, and then give it him to drink. The Horfe it may be will be coy at the first to drink, but it is no matter, let him fast till he take it : fot before two Balls be spent, he will refuse all waters for this only. This is the Medicine above all Medicines, and is truly the beft fcouring that can be given to any Horfe whatfoever : for befides his wonderfull Feeding, it clenfeth the Body from all bad Humours whatloever.

CHAP. LX.

Of the Breast-pain, or pain in the Breast.

Hough most of our Farriers are not curious to understand this Difease, because it is not so common as others: yet both my self and others find it is a Disease very apt to breed, and to indanger the Horfe with Death. The Italians call it Grannezza dipetto, and it proceedeth from the superfluity of Blood and other gross Humours, which being diffolved by fome extreme and diforderly heat, reforterh downward to the Breast, and paineth the Horse extremely that he

Lib. I.

can hardly go. The figns are, a ftiff ftaggering, and weak going with his Fore-leggs, and he can very hardly, or not at all bow down his Head to the ground, either to Eat or drink, and will groan much when he doth either the one or the other. The Cure is fiff to bathe all his Breaft, and fore-booths with the Oyl of Peter, and if that do not help him within three or four daies, then to let him Blood on both his Breaft-veins in the ordinary place, and then put in a Rowel either of Hair, Cork, Horn, or Leather, of all which, and the manner of Rowelling, you thall read in a more particular Chapter hereafter in the Book of *Chirurgery*.

Now there be other *Farriers*, which for this fick nefs, will first give the Horfe an inward Drench, as namely, a pint of fweet Wine, and two fpoonfull of Diapente, then bathe all his Breast and Legs with Wine and Oyl mingled together, and in some ten or twelve daies it will take away the grief.

CHAP. LXI.

Of the fishnefs of the Heart, called the Anticor.

THis fickness of the Heart, which by the antient Farriers is called Anticor, as much as to fay, againft or contrary to the Heart, is a dangerous and mortal fickness, proceeding from the great abun" dance of Blood which is bred by too Curious and proud Keeping, where the Horfe harh much meat, and little or no Labour, as for the most part your Geldings of price have, which running all the Suna" mer at Grafs, do nothing but gather their own food, and fuch like, where the Masters too much love and tenderness, is the means to bring the Horle to his Death, as we find daily in our practice : when fuch naughry and corrupt Blood is gathered, it reforteth to the inward parts, and fo fuffocateth his Heart. The figns whereof are, the Horfe will many times have a small swelling rife at the bottom of the Breast, which swelling will increase and rife upward even to the top of the Neck of the Horfe, and then moft affuredly it kills the Horfe: he will also hang his Head either down to the Manger, of down to the Ground, forfaking his Food, and groaning with much painfulnels. This Difeafe is of many an ignorant Smith taken fome Is times for the Yellows, and fometimes for the Staggers, but you shall know.

84.

T

85

Lib. 1.

know that it is not by these Observations: First, neither about the whites of his Eyes, nor the infides of his Lips shall you perceive any apparent Yellows, and so then it cannot be the Yellows, nor will he have any great swelling about his Eyes, nor dizzines in his Head, before he be at the point of Death; and so consequently it cannot be the Staggers. The Cure whereof is two-fold: the first a Prevention, or preservative before the Discase come; the second a Remedy after the Discase is apparent.

For the Prevention, or Preservative, you shall observe, that if your Horfe live idly, either at Grafs or in the Stable, and withall grow very Fat, which Fatnels is never uncompanied with Corruptnels, that then you fail not to let him Blood in the Neck-vein before you turn him to Grass, or before you put him to feed in the Stable ; and likewise let him Blood two or three Moneths after, when you see he is fed, and at each time of letting Blood, you must make your quantity according to the goodnels of the Blood : for if the Blood be black and thick, which is a fign of Inflammation and Corruption, You thall take the more : if it be pure red, and thin, which is a figu of Strength and Healthfulnels, you shall take little or none at all. There be others which use for this Prevention, to give the Horse a Scouring, or purgation of Malmley, Oyl, and Sugar-candy, the making and use whereof you shall read in the Chapter of Purgations, and this would be given immediately when you put your Horfe to feed, and as foon as you lee his skin full I woln with farnels.

Now for the Remedy, when this Difeafe thall be apparent ; you thall let him Blood on both his Platveins, or if the Smiths skill will not extend to far, then you thall let the Horfe blood on the Neckvein, and that he bleed abundantly: then you thall give him this Drink. Take a quart of malmicy, and put thereunto half a quartern of Sugar, and two Ounces of Cinamon beaten to powder and being made warm give it the Horfe to drink : then keep him very warm in the Stable, fluffing him round about with toft Wilps very clofe, especially about the Stomach, left the wind do annoy him : and let his ordinary Drink be warm Mathes of Malt and Water, and his Food only that, whatfoever it be, which he cateth with the beft Stomach.

86

Lib. 1,

places with a Fleam or Launcer, that the corruption may iffue forth, then annoint it with Hogs-greafe made warm : For that will either expell it, or bring it to a Head, effectially if the fwelling be kept exceeding warm. There be other Farriers which for this Difeafe ufero let the Horfe blood as is aforefaid, and then to give him a quart of Malmfey, well brewed with three fpoonfull of the powder called Diapente, and if the Swelling arife, to lay thereunto nothing but Hay well fodden in old Urine, and then keep the fame Dier as is aforefaid. Others ufe after the letting of Blood, to give the Horfe no Drink, but only ten or twelve fpoonfulls of that water which is called Doctor Stephens Water, and is not unknown to any Apothecary : and then for the reft of the Cure to proceed in all things as is before fpecified, and queffionlefs I have feen ftrange effects of this practice,

CHAP. LXII.

Of tyred Horfes.

S Ince we are thus far proceeded into the inward and vital parts of a Horfes body, it is not amils to fpeak fomething of the Tyring of Horfes; and of the remedies for the fame, becaule when a Horfe's truly tyred (as by over extreme Labour) it is queftionlefs that all his Vital parts are made fick and feebled. For to tell you in more plainnefs what tyring is, it is when a Horfe by extreme and unceffant Labour, hath all his inward and vital Powers which fhould accompany and rejoice the Heart, expelled and driven outward to the outward parts, and lefs deferving Members, leaving the Heart forlow and fick, infomuch that a General and Cold faintnefs (preadeth over the whole Body, and weakneth it, in fuch fort that it can indure no further Travail, till those lively Hears, Faculties and Powers be brought unto their natural and true places back again, and made to give comfort to the Heart whom their lofs fickned.

Now for the tyring of Horles, though in truth it proceedeth from no other caufe but this before fpoken, yet in as much as in our comraon and vulgar fpeech, we fay every Horfe that giveth over his Labour is tyred, you fhall understand, that fuch giving over may proceed from four Caufes: the first, from inward fickness: the second, from

87

Lib. 1.

from fome Wound received either of Body or Limbs: the third, from dulnefs of Spirit, Cowardlinefs, or Reflinefs; and the fourth from most extreme Labour and Travail, which is true tyrednefs indeed. Now for the first; which is inward ficknefs, you shall look into the general figns of every Difease, and if you find any of those figns to be apparent, you shall straight conclude upon that Difease, and taking away the cause thereof, have no doubt but the effect of his Tyring will vanish with the same: for the scond, which is by some wound received, as by cutting or differembring the Sinews, Ligaments, Muscles, or by straining or flooming any bone or joynt, or by pricking in thooing, or striking Nail, Iron, Stub or Thorn into the fole of the Horse foot, and such like,

Sith, the first is apparent to the Eye, by dif-joyning the skin, the other by Halting, you shall take a survey of your Horse, and finding any of them apparent, look what the grief is, repair to the latter part of this Book, which treaterl. of Chirurgery, and finding it there, ule the means prescribed, and the tyring will eafily be Cured. Now for the third, which is dulnels of Spirit, Cowardnels or Restinels, you thall find them by these figns : If he have no apparent fign either of inward ficknels, or outward grief, neither sweateth much, nor theweth any great alteration of countenance, Yet notwithstanding tyreth, and refuseth reasonable Labour, then such tyring proceedeth trom dulnels of Spirit ; but if after indifferent long Travail the Horfe Tyre, and then the man descending from his back, the Horse run or trot away, as though he were not tyred, the Man then mounting again, the Horfe utterly refuse to go forward, such tyring proceedeth from Cowardlines; but if a Horse within one, two, or three miles Riding, being temperately ufed, and being neither put to any trial of hisftrength, nor, as it were, fcarcely warmed, if he in his beft ftrength refuse Labour, and Tyre, it proceedeth only from Restinels and ill Conditions. Then for the Cure of any of all these, proceeding from Dulnels, Fearfulnels, and Unwillingnels, you shall take ordinary Window-glass, and beat it into fine powder: Then take up the skin of each fide the Spur-vein between your Finger and your Thumb, and with a fine Naul or Bodkin, make divers small holes through his skin, then rub Glass powder very hard into those holes ; which done, mount his Back, and do but offer to touch his fide with your Heels, and be fure, if he have Life in him, he will go forward, the greatest fear .

88

Lib. I.

fear being that he will ftill but go too fast : but after your journey is ended, and you alighted, you must not fail, (because this powder of Glass will corrode and rot his fides) to annoint both the fore places with the powder of Jet and Turpentine mixt together, for that will draw out the Venom, and heal his fides again. There be others which use when a Horse is tyred thus through dull Cowardlines of Refliness, to thrust a burning Brand or Iron into his Buttocks, or to bring bottles of blazing Straw about his Ears, there is neither of the Cures but is exceeding good.

But for the true tyred Horfe, which tyreth through a natural faint nels, drawn from exceeding Labour, the figns to know it, being long Travel, much Sweat, and willingness of Course during his ftrength the Cure thereof, according to the opinion of fome Farriers, is to pour oyl and Vinegar into his Noftrils, and to give him the drink of Sheeps heads, mentioned in the Chapter of the Confumption of the flefhs being the \$7 Chapter of this Book, and to bath his Leggs with a Comfortable bach, of which you shall find choice in the Chapter of Baths or elfe charge them with this charge : Take of Bole-armony, and of Wheat-flower, of each half a pound, & a little Rozen beaten into fine powder, and a quart of ftrong Vinegar, mingle them well together, and cover all his Leggs there with, and if it be in the Summer, turn him ro Grass, and he will recover his weariness. Ochersule to take a flice of freshBeef, having steeped it in Vinegar, lap it about your Bit or Snattles and having made it fast with a Threed, Ride your Horse there with and he will hardly tyre: yet after your journey is ended, be fure to give your Horfe reft, much warmth, & good feeding, that is, warm Mathes, and ftore of Provender, or elfe he will be the worfe whilft he livethe

Now if it be fo that your Horfe tyre in fuch a place as the necefficy of your occafions are to be preferred before the value of your Horfe, and that you muft feek unnatural means to controle Nature : In this cafe you fhall take (where the powder of Glafs before fpoken of cannot be had) three or four round pibble Stones, and put them into one of his Ears, and then tye the Ear that the ftones fall not out, and the noife of those ftones will make the Horfe go after he is utterly tyred; but if that fail, you shall with aKnife make a hole in the flap of the Horfes Ear, and thruft a long rough flick, full of nicks, through the fame; and ever as the Horfe flacks his pace, fo faw and free the flick up and down in the hole, and befure whilft he hath any Life he will not leave going.

Lib. 1. Of Cures Phylical.

Many other torments there are which be needlefs to Rehearfe, only this is my most general advice, if at any time you tyre your Horle, to take of old Urine a quart, of Sale-peter three Oances, boyl them well together, and bath all the Horles four legs in the fame, and without question it will bring to the finews their natural strength and nimbleness; and for other defects, warm and good keeping will Cure them.

And although fome of our Northern Farriers do hold, that Oaten dough will prevent tyring, yet I have not approved it fo, becaufe I could never get any Horfe that would eat it, the dough will fo flick and clam in the Horfes mouth: therefore I hold the Cures, already recited, to be fully fufficient. But for further fatisfaction ule thefe, which I referved for mine own privacy.

Take a quart of ftrong Ale, and put thereto half an Ounce of the Powder of Elicampane, and brew them well together, and give it the Horfe with an Horn.

Take a bunch of *Penerial*, and tye it to the mouth of your bit or fnaffle, and it will preferve a Horfe from tyring. Now if all these fail, then take off your Horfes Saddle, and rub his back all over very hard with the herb called *Arfemart*, and lay *Arfemart* under his Saddle, and so Ride him.

CHAP. LXIII.

Of the Diseases of the Stomack, and first of the Loathing of Meat.

His Difeafe of the Loathing of Meat, is taken two wayes; the one a forfaking of Meat, as when a Horfes mouth, either through the inflammation of his flomach, doth break out into Bliffers, or fuch like Venemous fores; or when he hath the Lampaís, Giggs, Woolfs teeth, and fuch like. The Cure of all, which you thall readily find in the fecond part of this Book, which treateth of Chirurgery: the other a diflike of his meat through the intemperature of his Stomach, being either too hot, as proceeding either from ranknefs of Blood, or extremity of Travail, as you may perceive by daily experience, when a Horfe is fet up in his Stable very hot, and meat inftantly given him, it is all things to nothing, but he will loath and refufe it. Hence it comes, that I do ever hate the Noon-tide N

Lib. I.

baieing of horles, becaufe Mens journeys commonly crave hafte, the Horfe cannot take fuch a natural cooling as he ought before his meat, and thereby breeds much ficknels and difeale : for meat given prefently after Travail when a horfe is hor, is the Mother of all infirmity : or elfe it proceede h from the intemperature of the Stomach, being too Cold, as being cauled by fome natural defect. Now if it proceed from heat only, which you shall know either by his fudden loathing of his Meat, or the extreme heat of his Mouth and Breach : Then to cool his Stemach again, you shall either wash his Tongue with Vinegar, or give him to drink Cold water mingled with Oyl and Vinegar. There be other Farriers which use to give this Drink: take of Milk and Wine of each one pint, and put thereunto of Mel Rofatum three Ounces, and having walhed his mouth with Vinegar and Salt, give him the drink luke-warm with a Horn. But if the loathing of his meat proceed from the coldness of his ftomach, which only is known by the flanding up and flaring of the hair, Then by the opinion of the antient Farriers, you shall give him Wine and Oyl mixt together divers Mornings to drink : but others of our late Farriers give Wine, Oyl, Rue, and Sage boyl'd together by a quart at a time to drink. Others to the former Compound will add white Pepper and Myrrh. Others use to give the horse Onions pill'd and O.hers ule chopt, and Rocket feed boyled and bruifed in Wine. to mix Wine with the blood of a Sow Pigg. Now to conclude, for the general forfaking or loathing of meat, proceeding either from hot or cold caufes in the Stomach, there is nothing better than the green blades of Corn, (efpecially Wheat) being given in a good quantity, and that the time of the year lerve for the gathering thereof. Others infletd thereof, will give the Horfe fweet Wine and the feeds of Gith m'xt together, or elfe fweet Wine and Garlick well peel'd and ftampt, being a long time brewed together. .

CHAP. LXIIII.

Of the casting out of the Horses drink.

He antient Farriers, especially the Italians, constantly do assimithat a horse may have such a Palsy, proceeding from the Coldness of his stomach, that may make him unable to retain and keep his

Lib. 1. Of Cures Physical.

his drink, but that many times he will vomit and caft it up again : For mine own part, from other caules, as from cold in the Head, where the Rhume bindeth about the Roots and Kirnels of the Tongue, hath as it were ftrangled and made ftraight the paffages to the ftomach: There I have many times feen a horfe caft his water that he drank, in very abundant fort back again through his Noftrils, and iometimes ftrive with great carneftnessto drink, but could not at all. The figns of both (from which caule foever it proceed) is only the cafting up of his Drink or Water, and the Cure thereof is only to Bive him Cordial and warm drinks, as is Malmfey, Cinamon, Annifeeds, and Cloves, well brewed and mixt together, and to annoine his Breaft, and under his Shoulders, with either the Oyl of Cy-Prefs, Oyl of Spike, or the Oyl of Pepper, and to purge his Head with fumes or pills, fuch as will force him to fneeze, of which you may lee ftore in a Chapter following : for fuch fumigations joyning with these hot Oyls, will soon diffolve the Humours.

CHAP. LXV.

Of Surfeiting with glut of Provender.

Here is not any Difeafe more eafily procured, nor more dangerous to the life of a horfe, than the Surfeit which is taken by the glut of Provender, it commeth moft commonly by keeping the Horfe extreme tharp and hungry, as either by long Travail, or long funding empty: and then in the height of Greedinefs, giving him fuch fuper-at undance of meat, that his ftomach wanting ftrength to digeft it, all the whole Body is driven into an infinite great pain and extremity. The figas are great weaknefs and feeblenefs in the horfes limbs, to that he can hardly ftand, but lieth down ofr, and being Bots.

The Cure thereof, according to the common practice of our common Farriers, is, to take half a penny worth of black Sope, and a quart of new Milk, and as much sweet Butter as Sope, and having on a Chafing-difh and Coals, mix them together, and give it the Horse to Drink : this will cleanse the horses stomach, and bring it to it's strength again.

Buc

92

Lib. 1.

But the antient Farriers did ufe firft, to let the horfe blood in the Neck-vein, (becaule every Surfeit breeds diftemperature in the blood) then trot the Horfe up and down an hour and more, and if he cannot ftale, draw out his Yard, and wash it with white Wine made luke-warm, and thruft into his yard either a Clove of Garlick, or a little Oyl of Camomile, with a piece of small Wax Candle. If he car not Dung, firft with your hand rake his Fundament, and then give him a Clifter, of which you shall read hereafter: When his Clifter is received, you shall Walk him up and down till he have emptied his Belly, then set him up, and keep him hungry the space of two or three dayes, observing ever to sprinkle the Hay he careth with a little water, and let his Drink be warm Water and Bran made mash-wife: After he hath drunk the Drink, let him eat the Bran if he please, but from other Provender keep him still fasting, at the least ten dayes.

There be other Farriers, that in this cafe, use only to take a quart of Beer or Ale, and two penny-worth of Sallet-Oyl, and as much Dragon Water, a penny-worth of Treacle, and make all these warm upon the coals, then put in an Ounce of Cinamon, Anniseds, and Cloves, all beaten together, and so give it the Horse luke-warm to drink.

All thefe receits are exceeding good, yet for mine own part, and many of the beft Fartiers confirm the fame, that there is nothing bet ter for this Difeafe than moderate Exercise, much Fasting, and once in four or five days a pint of fweet Wine, with two spoonfull of the powder of Diapente.

buen of man state C. H. A. P. LXVI. to conside a state

Of Foundring in the Body, being a surfeit got either by Meat, Drink, or Labour.

T His Dileafe of Foundring in the Body, is of all Surfeits the moft vile, most dangerous, and most incident to horse that are daily Travailed; it proceedeth according to the opinion of some Farriers, from eating of much Provender suddenly after Labour; the Horse, being then, as it were, panting hor, (as we may daily see unskilful Horse-men do at this day) whereby the meat which the Horse eaterly.

Lib. T.

not being digested, breedeth evill and gross Humours, which by little and little forcad themfelves thorough the Members, do at length oppress and almost confound the whole Body, absolutely taking away from him all his strength, infomuch that he can neither go nor bow his joynts, nor being laid, is able to rife again : Besides, it taketh away from him his Inftrumental powers, as the office both of Urine and Excrements, which cannot be performed but with extreme pain. There be other Farriers, and to their opinion I rather lean, that sup-Pole it proceedeth from fuffering the Horle to drink too much in his Travail, being very hot, whereby the Greafe being fuddainly cooled, it doth clap about, and fuffocate the inward parts with fuch a loathfome fulnels, that without speedy evacuation, there can be no hope but of Death only. Now whereas fome Farriers do hold, that this Foundring in the Body, fhould be no other than the Foundring in the leggs, because it is (fay they) a melting and diffolution of evil Humours which refore down-ward, they are much deceived : For it is not, as they hold, a diffolution of Humours, but rather a binding together of Corporal and Subfrancial evils, which by an unnatural accident doth corment the Heart: Now for the hold which they take of the name of Foundring, as if in were drawn from the French Word Fundu, fignifying melting, truly I think it was rather the ignorance of our old Farriers, which knew not how to intitle the Difeale, than any coherence it hath with the name it beareth ? Por mine own part, am of opinion, that this Difease which we call Foundering in the body, doth not only proceed from the causes aforefaid, but also and most oftest by Inddani walking Horfes in the Winter-lealon, when they are extreme fat and hot with instant Travail, where the cold Vapour of the water firiking into the Body, doth not only aftonish the inward and vital parts, but also freezeth up the skin, and maketh the Blood to lofe his office. Now the fights to perceive this Dileale are, holding down of his Head, Ratingrup of his Hair, Coughing, Staggering behind, riembling after Water, diflike of his Mear, Leannels, Stiff going, Difability to rife when he is down : And to conclude, which is the chiefeft fign of all other, his Belly will be clung up to his Backy and his Backrifing up likes Camel.

The Cure, according to the opinion of the Farriers, is, first, to rake his Fundament, and then to give him a Cliffer: which done, and that the Horfes belly is emptied, then take of Malmfey a quart, of

94

Lib. I.

of Sugar half a quattern, of Cinamon half an ounce, of Licotas, and Annifeeds, of each two fpoonfull beaten into fine powder; which being put into the Malmfey, warm them together at the fire, fo that the Hony may be molten, then give it the horfe luke-warm to Drink: which done, walk him up and down either in the warm Stable, or fome warm Road the fpace of an hour, then let him fland on the Bit fafting two hours more, only let him be warm Cloathed, Stopt, and Littered, and when you give him Hay, let it be fprinkled with Water, and let his Provender be very clean fifted from duft, and given by a little at once; and let his Drink be warm Malhes of Male and Water. Now when you fee him recover and get a little ftrength, you fhall then let him blood in the Neck-vein, and once a day perfume him with Frankincenfe to make him neefe, and ule to give him Exercise abroad when the weather is warm, and in the Houle when the weather is ftormy.

Now there be other Farriers which use for this Discale, to take a half penny worth of Garlick, two penny worth of the powder of Pepper, two penny worth of the powder of Ginger, two penny worth of Grains bruiled, and put all these into a pottle of strong Ale, and give it the Horle to drink by a quart as a time, dieting and ordering him as afore faid; and when he getreth strength, eicher let him blood in the Neck-vein, or the Spur-veins, or on both : to Conclude, there is no Drink nor Dyet which is comfortable, but it is most foveraign and good for this infirmity.

CHAP. LXVII.

Of the greedy Worm, or bungry evil in Horfes.

T His hungry evil is a Difeafe more common, than found out by our Farriers, becaufe the molt of our Horfe Mafters being of great ignorance, hold it a fpecial vertue to fee a Horfe eat eagerly, whereas indeed this over hafty and greedy eating, is more rather an infirmity and fickness of the inward parts; and this Difeafe is none other than an infatiate and greedy eating, contrary to Nature and cld Cuftoin, and for the molt part, it followeth fome extreme great Emptines, or want of natural Food, the beaft being even at the pinch, and ready to be chap faln. There be fome Farriers which (uppole

Lib. 1.

Carlos Association

Of Cures Phylical.

95

fuppofe that it proceedeth from fome extreme Cold outwardly taken by Travelling in Cold and Barren places, as in the Froft and Snow, where the outward Cold maketh the ftomach cold, whereby all the inward powers are weakned. The figns are only an alteration or change in the Horfes feeding, having loft all temperance, and inatching and chopping at his Meat, as if he would devour the Manger : The Cure, according to the opinion of fome Farriers, is, fift to comfort his flomach by giving him great flices of White bread toafted at the fire, and steeped in Muskadine, or elfe Bread untoassted, and steeped in Wine, and then to let him drink Wheat flower and Wine brewed together. There be others which use to Knead fliff Cakes of Wheatflower and Wine, and to feed the Horfe there with. Others ufe to make him bread of Pinetrce nurs and Wine mingled together, or elle common Earth and Wine mingled together. But for mine own part, I hold nothing better than moderatly feeding the Horfe many times in the day with wholesome Bean bread, well Baked, or Oars we'l dried and fifted.

CHAP. LXVIII.

Of the Difeases of the Liver in General, and first of the Inflammation thereof.

Here is no queftion but the Liver of a Horle is fubject to as many Diseales, as eicher the Liver of a Man or any other Creature, only through the ignorance of our common Farriers, (who make all inward Difeases one ficknes) the true grounds and causes not being looked into, the infirmity is let pals, and many times poyloned with falle potions; but true it is, that the Liver fomerimes by the intemperatenels thereof, as being either too hot or too cold, too moilt, or too dry, or fometimes by means of evil Humours, as Choler, or Flegm over flowing in the fame, Heat ingendring Choler, and Coldness Flegm, the Liver is subject to many ficknesses, & is diversly pained, as by Inflammations, Apoltumation, or Ulcer, or by Obftructions, Stoppings, or hard Knobs : or laftly, by the Confumption of the whole fubstance thereof. The figns to know if the Dileafe Proceed from Hot caufes, is leannels of Body, the loathing of Meat, voiding Dung of a ftrong Scent, great Thirft, and looluels of Belly. The

Lib. I.

CHAP.

The figns to know if the Difease proceed from cold causes, is good face of Body, appetite of Meat, dung not Stinking, no Thirft, and the Belly neither loole nor coffive. Now to proceed to the particular Dileafes of the Liver, and firft of the Inflammation, you shall underftand that it commeth by means that the Blood through the abundance, thinnefs, boyling heat, or tharpnels thereof, or through the Violence of some outward cause, breaketh out of the Veins, and floweth into the Body or Substance of the Liver ; and to being difposeft of his proper Veffels, doth immediately putrific, and is inflamed, corrupting to much of the flefhy fubftance of the Liver, as is either touched or imbrued with the lame, whence it commeth, that for the most part, the hollow fide of the Liver is first confumed, yea, fometimes the full fide alfo: This Inflammation by a natural heat is fometimes turned to Putrifaction, and then it is called an Apoftumation : which when either by the ftrength of Nature or art, it doth break and run, then it is called an Ulcer, or filthy fore. Now the figns of an Inflammation on the hollow fide of the Liver (which is the least hurtfull) is loathing of Meat, great Thirst, loofenis of Belly, and a continual unwillingness to lye on the left fide ; but if the Inflammation be on the full fide of the Liver, then the figns be fhort Breathing, a dry Cough, much Pain, when you handle the Horfe about the Wind-pipe, and an unwillingnesstolye on the right fide. The figns of Apoflumation is great hear, long fetching of breath, and a continual looking to his fide. The figns of Ulceration, is continual coldnels, flarting up the hair, and much feeblenels and fainting, becaufe the filthy matter cafting evil Vapours abroad, doth many times corrupt the Heart and occasion Death. Now for the Cure of thele Inflammations, fome Fairiers use to take a quart of Ale, an Ounce of Myrrh, an Ounce of Frankincenfe, and brewing them well together, give it the Horse divers mornings to drink. Others ule to take three Ounces of the feeds of Smallage, and three Ounces of Hylop, and as much Southerwort, and boyl them well in Oyl and Wine mingled together, and give the Horfe to drink; keep the Horle warm, and let him neither drink cold water, nor eat dry dufty Hay. The state of the state of the

97

ALC: NO

Lib. I.

CHAP. LXIX.

Of Obstructins, Stoppings, or hard Knobs on the Liver.

Hele Obflyuctions or Stoppings of a Horles Liver, do come muft commonly by Travelling or Labour on a full ftomach, whereby the meat not being perfectly digefted, breedeth großs and tough Humours, which Humours by the extremity of Travel, are violently driven into the fmall Veins, through which the Liver ought to receive Bood Nutriment, and fo by that means breedeth Obstructions and Stoppings. Now from these Obstructions, (when they have continued any long time) especially if the Humours be Cholerick, breedeth many times hard Knobs on the Liver, which Knobs maketh the Horfe continually lye on his right fide, and never on the left, because if he should lye on the left fide, the weight of the Knob would oppress the Stomach, and even ficken all the Vital parts in

The figns of these Obstructions or Stoppings, are Heavinels of Countenance, Diftention or Swelling, great Dalnels and Sloath in the Horfe when he beginneth his Travail, and a continual looking back to his thort Ribs, where remaineth his greateft pain and corment. Now the Cure thereof, is, to feeth continually in the water which he drinketh, Agrimony, Familory, Camomil, Wormwood, Licoras, Annifeeds, Smallage, Parfley, Spiknard, Gentian, Succory, Endive and Lupins, the Vertues whereof are most comfortable to the Liver. But foralmuch as the most part of our English Farriers are very fimple Smiths, whole Capacities are unable to dive into these several diffinctions, and that this Work (or Master-piece) is intended for the weakeft Brain whatloever : You thall underftand, that there be certain general figns to know when the Liver of a Horfe is grieved with any grief, of what Nature or Condition foever it be; and folikewife general Receits to Cure all the griefs, without diffin-Builhing or knowing their Natures : You thall know then if a Horfe have any grief or pain in his Liver by thefe figns. First, by a loathing of his Meaty; next, by the waffing of his Flefh, drinels of his Mouth, and roughness of his Tongue, and great swelling thereof, and refusing to lyeon the fide grieved: And laftly, a continual looking backward. Now

Lib. J.

Now the general Cures for the ficknefs of the Liver, is, according to the opinion of the antient Farriers, to give the Horfe Aldes diffolved in fweet Wine, for it both purgeth and comforteth the Liver. Others ufe to give him to drink Ireos flampt and mixt with Wine and Water together, or inflead of I.cos, to give him Calamint, called of the Latins Polimonia. Others give Savery with Oyl and Wine mixt together. Others ufe Liver-wort and Agrimony with Wine and Oyl. Others ufe comfortable Frictions, and to fteep his Provender in warm Water, and to mix with his Provender a little Nitrum, not forgetting to let him fland warm, and lye foft : But tha which is generally praifed above all Medicines, is, to give the Horfe a Woolfs Liver beaten to powder, and mixt either with Wine, Water, Oyl, or any other Medicine.

Now for a conclusion of thisChapter, if theFarriers skill be fo good, that he can diffinguish the Nature of each feveral infirmity about the Liver; then I would have him for to underfland, that for Inflammations (which are the first beginners of all Difeafes) would be used fimples that mollifie and disperse Humours, as be these, Linfeed, Fenugreek, Camomil, Annifeeds, Mellilot, and such likes to which mollifying fimples, would be ever added fome fimples that are aftringent or bin ling, as are these Red Rose leaves, Bramble leaves, Worm-wood, Plaintain, Myrrh, Maftick, Storax, and such like, Now for Apostumes, they are to be ripened and voided, and Ulcers must be cleanted and scoured down ward, either by Excrement or Urine, and therefore the use of such fimples as provoke either the one or the other, (of which you shall find plenty in other Chapters) is most neceffary.

CHAP. LXX.

Of the Consumption of the Liver.

O F the Confumption of the Liver, I have fpoken fomething in the Chapter of the Mourning of the Chine: yet becaufe amongft our best Farriers it is diverfly taken. I will thew you their diverse pinions. First, fome hold it commeth only from fudden cold after heat, taken either by drinking or ftanding ftill. Others hold it commeth of any Humour, especially of Cholerick matter, field

Lib. I.

fhed throughout the whole fubftance of the Liver, which totting by leafurable degrees, doth in the end corrupt and confound all the fubflance of the Liver, proceeding, as they think, from corrupt Meats, and fweet Drinks. And the laft thinketh it commeth by extreme heat gotten in Travail, which inflaming the Blood, doth afterward Putrifie, corrupt, and exulcerate the whole substance of the Liver : because the Liver is spungious like the Lungs, therefore the Cure of this Dileale is held desperate; yet it bringeth no speedy or sudden Diah, but a wasting and lingring infirmity: For the Liver being corrupted, digeftion is taken away, and fo the Body for want of good Nutriment, doth in time confume. The figns of this Difeafe is a loathing of Meat, and a firetching forth of the Horles Body at length as heftandeth, he will feldome or never lye down, his Breath will flink marveloufly, and he will continually caft exceeding foul marter, either at one Noftril, or at both, according as one fide, or both fides of the Liver is confumed ; and on that fide which he cafteth, he will ever have betwixt his neather jawes, about the middest of them, a hard Knob or Kirnel about the bignels of a Walnut. Now the prefervative of this Difeale, (for in truth it is incurable) is, ac-Cording to the opinion of fome Farriers, to take half a pint of Malmfey, and as much of the blood of a young Pigg, and to give it the Horfe luke-warm to drink. Other Farriers use to give the Horse no other Food for the space of three dayes, than warm Worr, and Oats baked in an Oven, being lure that the Horfe be kept fafting the first Night before he receive his Medicine. Others suppose, that if into the Wort which he drinketh, you do put every Morning two or three fpoonfull of the powder made of Agrimony, red Rofe leaves, Saccarum Rofaceum, Diarchadon Abbaris, Difantelon, Licoras, and of the Liver of a Woolf, that is more excellent. Others hold that this Powder given with Goats milk luke-warm, is very good. Others hold that Malmsey, and the juyce of Fetherfew given to drink is alfo good.

Others use (and hold it equal with the best) to take an Ounce of Sulphur Vive beaten into fine powder, and a penny weight of Myrth beaten to fine powder, mix them together with a new laid Egge, and give them to drink with half a pint of Malmsey; use this divers times, and keep the Horse fasting, yet separate him from other horser, for this Difease is infectious.

CHAP,

Lib. I.

CHAP. LXXI.

Of the Difeases of the Gall.

A S is the Liver, even so the Gall of a Horse is subject to divers and many Infirmities, as to Obstructions, according to the opinion of old Farriers: from whence floweth the fulnels and empt nefs of the Bladder, and Stone in the Gall. And thefe Ob-Aractions do chance two feveral wayes : Finft, when the paffage by which Choler thould pass from the Liver unto the Bladder of the Gall, as unto his proper Receptacle, is flopped ; and fo the Bladder o' the Gall remainsth empty : for you are to underftand, that the Gall is none other thing than a long, flender, little greenish Bladder, fixed underneath the Liver, which doth receive all the Cholerick bitter moifture, which would otherwife offend not only the Liven but the whole Body allo- Now if the paffage of this neceffary Velfel be ftopped, there cannot chufe but follow many infirmities, 25 either Vomiting, the Lax, the Bloody-flux, or the Yellows.

Secondly, when the way whereby fuch Choler fould iffue forth of the Bladder of the Gal', down into the Guts and Excrements, closed up, and so superaboundeth with too much Choler; from whence ipringeth dulnefs of Spirit, Suffocating, Be'ching, Heat, Thirft, and disposition to rage and fury; and truly to any Bealt chere is not a more dangerous Difeale, than the over flowing of the But our latter experience findeth that a Horie hath no Gall Gall : at all ; but that filthy and corrupt matter is wafted and fpent, er ther by Sweat, Exercife, or elfe dothturn to infirmity. The figusof both these kinds of Evils, or O'oftructions, are yellownels of the Skim infected with yellow Jaundife, and a continual C flivenels of the Body: and the Cures of them are, according to the moft antient Farriers, to give the Horfe Milk, and great flore of Saffron, boyled together, or instead of Milk, to give Ale, Saffron, and Annifeeds mixt together. But there be other Farriers, with whom I more do agree, which hold, that Selladine Roots and Leaves chopt and bruiled, and boyled in Beer; or for want of Selladine, Rue, or Herbot grace, and given the Horle luke-warm to Drink, is most for veraign. Now

T 00.

Lib. 1.

Now for the Stone in the Gall, which is of a blackith Colou; it comme from the Obstruction of the Conduits of the Bladder, whereby the Choler being too long kept in, becommeth dry, and fo converteth first into Gravel, and after into a folid and hard Stone, of which both the figns and the Cures are those last before Rehearfed.

CHAP. LXXII.

Of all such Difeases as are incident to the Spleen.

He Spleen is a Long, Narrow, Flat, Spungy fubftance, of a pale flethy Colour, joyning with the Liver and the Gall, it is the Receptacle of Melancholy, and the Dregs of the Blood, and is as fubject to Infirmity, as any inward Member what/oever, as to Inflammations, Obftructions, Knobs, and Swellings; it is through the Sponginefs, apt to fuck in all manner of filth, and to dilate and ipread the fame over the whole Body: The appearance thereof is on the left fide under the flort Ribs, where you thall perceive fome fmall Swelling, which fwelling gives great grief to the Midriff, especially after a full Stomach, taking away much more of the Horfes Digetion than his Appetite, and being fuffered to continue, it makes faint the Heart, and grows in the end to a hard Knob, or ftony Subftance.

This Diseale, or Diseases of the Spleen, are incident to Horses moft in the Summer, proceeding from the Surfeit, or greedy eating of green Meats. The figns of which Difeafes are thefe, Heavinels, Dulnefs, pain on the Left fide, and hard Swellings, fhort Breath, much Groaning, and an over hafty defire to his Mear. The Cure, according to the opinion of our best Farriers, is, to make the Horse Iweat either by Labour or Cloaths, then to give him to drink a quart of White-Wine, wherein hath been boyled the leaves of Tamarisk bruiled, and a good quantity of Cumin feed beaten to powder, and Bive it luke-warm. Ochers ule, after the Horle hath sweat, to pour inco his left Noffril every day, the juyce of Myrabolans, mixt with Wine and Water, to the quantity of a pint. O.hers take Cuminleed and Honey of each fix Qunces, of Lacerpitium as much as a Bean, of Vinegara pint, and put all thefe into three quarts of water, and let it fland fo all Night, and give the Horfe a guart thereof next Morning,

102

Lib. I.

Morning, having 'afted all night. Others make the Horfe to drink of Garlick, Nitrum, Hare-hound, and Worm-wood fodden in fharp Wine, and to bathe all the Horfes left fide with warm water, and to rub it hard. There be others which use to Cauterize or Scarrific the Horfes left fide with a hot Iron; but it is barbarous and vile, and carrieth no judgment in the practice.

CHAP. LXXIII.

Of the Yellows or Jaundife.

S before I faid, from the Obstructions or Over-flowings of the Gall and Spleen, doth fpring this Difeafe which our common Smiths call the Yellows, and our better Farriers the Jaundile ; and you shall understand, that of this Yellows or Jaundise, there are two kinds, the first an over flowing of Choler, preceeding from the fick nels of the Gall, and it is called fimply the Yellows, or yellow Taundile ; becaufe the outward parts of the Body, as Eyes, Skin Mouth, infide of the Lips, and the like, are dried and coloured Yellow: the other an Over-flowing of Melancholy, proceeding frem the fickness of the Spleen, and is called the black Yellows, or Black Jaundife, becaufe all the outward parts are black. Now both these Jaundife, or Yellows, have their beginnings from the evilsof the Liver; the yellow Jaundife, when the Liver by inflammation hath all his Blood converted into Choler, and fo over-whelms the Body: and the black Jaundife, when some Obstructions in the Liver-vein, which goeth to the Spleen, hindreth the Spleen from doing his Office, and receiving the dregs of Blood from the Liver? or elfe when the Spleen is fur-charged with fuch dregs of Blood, and fo theddeth them back again into the Veins.

Now although this diffinction of the black Jaundife, or black Yellows, will appear ftrange unto our common Farriers, yet it is most certain, that a henfeever a Horfe dyeth of the Yellows, he dyeth only of the black Yellows: for when it commeth unto the cafe of Mortality, then are all the inward powers converted to Blackneis, and the Yellow substance is clean Mastred; but whilst the matter is Yellow, so long the Horfes Body is in good state of recovery. Belides, these Yellows do ever follow one the other, and the leffer hath no some former than the state of the the state of the st

Lib. 1.

fooner got preheminence, but the greater perfueshim; of all the inward Difeafes in a Horfes Body, that is moft common, ofmeft in practice, and yet moft mortal, if it be not early prevented. The figns of this Difeafe of yellow Jaundife, are yellownefs of his Eyes, Noftiils, infide of the Lips, the Skin, the Yard, and the Urine: his Ears and his Flank will fweat, and he will Groan when he lyeth down, and he will not only be faint, but utterly forfake his Meat alfo. The Cures which are at this day in practice for this Difeafe, are infinite, and a World of them corrupt and poyfonous: Every Smith almost making a Medicine of his own invention, God knows weak, and to little purpose, but for the best Receits which at this day are used by any good Farriers whatfoever, I will deliver you the whole Catalogue.

Finst, for the Antient Farriers, both Italian and French, they did use to take of Tyme and Cumin, of each like quantity, and stamping them together, to mingle it with Wine, Hony, and Water; and then to let him Blood in the Pisterns.

But now the Farriers of latter dayes ule, first to let the Horfe blood in the Neck-vein, fuffering him to bleed, till you perceive the Blood to grow pure, then to give him this Drink : Take of white-Wine or Ale a quart, and put thereunto Safforn, and Turmerick, of each half an Ounce, and the juyce that is wrung out of a great handfull of Selladine, and being luke warm, give it the Horfe to Drink, then keep him warm the space of three or four dayes, giving him Warm Water with a little Bran in it. Others use after the Horse is let blood in the Neck-vein, First to Rake him, then to give him a Suppositary made of Salt, Honey, and Marjoram, and then give him to drink half an Ounce of Myrrh diffolved in a quart of Wine or Ale. Others use to give after Blood-letting, only cold Water and Nitrum mixt together. There be others, which after Blood-letting, will only ftop his Ears with Selladine, and then bind them fast up, and let him have no Exercise for twelve hours after. Others ule, after the letting him Blood, to give him a Clifter, then to take Saffron, and Turmerick, and mixing them with a quart of Milk, give it him to drink luke-warm. Others ule to let the Horfe blood in the third barr of the Roof of his Mouth, with a sharp Knife, and after he hath bled well, to take a half penny worth of English Saffron, and a penny-worth of Turmerick, and a new laid Egg, with the shell and

211

Lib. I.

200

all small broken, and mix it in a quart of stale Ale or Beer, and so fee him up warm.

Othersule to take after Blood letting, of Turmerick, and Saffronalike quantity, and two or three Cloves, and fix fpoonfull of Vinegar and Verjuyce, and to put into each Ear of the Horfe, three fpoonfulls thereof, and then ftop his Ears with black Wool, and fo tye them up for feven or eight dayes after. Others take long Pepper, Grains, Turmerick, and Licoras, all beaten into fine powder, then brew them with a quart of ftrong Beer or Ale, and give it the Horfe to drink. Others use after taking and Blood-letting, to take the juyce of Ivyleaves, and mingling it with Wire, to squirt it into the Horfes Noftrils, and to let him Drink only cold Water mixt with Nitrum, and let his Food be Grafs, or new Hay sprinkled with Water.

Thus you have feen, I dare well affirm, all the beft practices which are at this day known for this Difeafe, and where they all fail, there is no hope of Cure, (as the old Farriers affirm) yet let methus far further inform you, This Difeafe of the Yellows or Jaundife, if the Kceper and Mafter be not a great deal the more skilfull and carefull, will fteal upon you unawares, and (as I have often feen) when you are in the midft of your Journey, remote and diftant far from any Town that can give you fuccour, it may be your Horfe will fall down under you, and if you fhould let him reft till you fetch him fuccour, queftionk fshe will be Dead.

In this extremity you have no help, but to draw out a fharp pointed Knife, Dagger, or Rapier for a need, and as near as you can, opening the Horles mouth, firike him Blood about the third bar of the Roof of his Mouth, and fo letting him eat and fwallow his own Blood a good while, then taife him up, and be fure he will go as frefh as ever he did: But after you come to a place of reft, then be fure to Blood him, and give him ha'f as Ounce of the powder of Diapente in a pint of Muskadine well brewed together, and thus do three or four Mornings together, and let him be fafting before, and faft two hours after; and after the Potion give him a little moderate Exercise, or e'fe there will a worfe fit come upon him.

Now to conclude for the black Jaundile, which of some Farriers is called the dry Yellows, though for mine own part I hold it to be incurable; yet there be other Farriers which are of a contrary Hamour, and prescribe this Physick for the Cure thereof: Finft, to give

105

1

Lib. I.

the Horle a Cliffer made of Oyl, Water, Milk, and Nitrum, after his Fundament is raked, then to pour the Decoction of Mallows mingled with fweer Wine in his Nofti Is, and let his Meat be Grafs or Hay sprinkled with water, and a little Nitre, and his Provender dried Oats : He must reft from Labour, and be often Rubbed. Now there be other Farriers, which for this Discale would only have the Horfe drink the Decoction of wild Coleworts fodden in Wine ; the effects of all which I only refer to Experience.

CHAP. LXXIIII.

Of the Dropfie, or evil habit of the Body.

Hereas we have spoken before of the Confumption of the Flesh, which proceedeth from Surfeits, ill Lodging, Labour, Colds, Heats, and fuch like : you thall also now understand, that there is another Drinels or Confumption of the fleth, which hath no apparent caufe or ground, and is called of Farriers a Drophe, or evil habit of the Body, which is molt apparently feen, when the Horfe by diflike doth lofe his true natural Colour, and when Baynefs turns to Dunnels, Blacknefs to Duskishnefs, and Whitnefs to Ashinefs, and when he lefeth his Spirit, Strength, and Alacrity. Now this commeth not from the want of Nutriment, but from the want of good Nutriment, in that the Blood is corrupted either with Flegm, Choler, or Melancholy, comming (according to the opinion of our beff Farriers) either from the Spleen, or the weaknefs of the Stomach or Liver, caufing naughty Digeftion.

Others think it commeth from Foul Feeding, or much Idlenes, but for mine own part, albeit I have had as much tryal of this Difeale, as any one Man, and that it becommeth not me to controle men of approved judgment; yet this I date averr, that I never faw this D feafe of the evil Habit, or evil Colour of the Body, fpring from any other grounds, than either Diforderly and Wild Riding, or from Hunger, or barren Woody Keeping. Betwixt it and the Dropfie, there is imall or no difference. For the Dropfie being divided into three kinds, this is the first thereof, as namely, an universal (welling of the Body, but especially the Leggs, through the abundance of war lying between the skin and the fleth. The fecond, a fwelling in

106

Lib. 1.

in the covering or bottom of his Belly, as if the Horfe were with foal which is only a watrifh Humour abiding betwixt the skin and the rim: And the third, a fwelling in the fame place by the like Humours, abideth betwixt the great bag and the Kell.

The common figns of this Difeafe, are thorenefs of Breath (welling of the Body or Leggs, loss of the Horses natural Colour, no appetite unto Meat, and a continual Thirst ; his Back, Buttocks, and Flanks will be dry, and thrunk up to their Bones ; his Veins will be hid that you cannot fee them, and wherefoever you shall prefs your finger any thing hard against his Body, there you shall leave the print be when hind you, and the fleth will not rife of a good fpace after : he lyeth down he will spread out his Limbs, and not draw them round together, and his hair will fhed with the fmalleft rubbing There be other Farriers which make but only two Dropfies, that is a wet Dropfie, and a windy Dropfie, but being examined, they are all one with those recited, have all the same Signs and the same Cure, which according to the antient Parriers is in this fort: firthe let him be warm covered with many Cloaths, and either by Exercife, or otherwise drive him into a sweat; then ler his Back and Body be rubbed against the hair, and let his Food be for the most part, Colt worts, Smallage, and Elming Boughs, or whatfoever elfe will keep his Body foluble or provoke Urine: when you want this Food, let him eat Grafs, or Hay fprinkled with water, and fometimes you may give him a kind of Pulfe called Ciche, fteeped a day and a night in Water, and then taken out and layd fo, as the Water may drop away.

There be other Farriers which only would have the Horfe to drink Parfley ftampt and mixt with Wine, or elfe the Root of the herb called Panax ftampt and mixt with Wine. Now whereas fome Farriers advife to flit the Belly a ftandfull behind the Navel, that the Wind and Water may leifurely iffue forth, of mine own Know ledge, I know the Cure to be moft vile; nor can it be done, but to the utter fpoil and Killing of the Horfe: for a Horfe is a Beaft, and wanting knowledge of his own good, will never be dreft bac by Violence, and that Violence will bring down his Kell, fo as it will never be recovered. Now for thefe Dropfies in the Belly, alchough I have thewed you the Signs and the Cures, yet they are Rare to be found, and more Rare to be Cured; but for the other Dropfies which is the fwelling of the Legs, and the lofs of the Colour of the hait

Lib. 1. Of Cures Physical.

hair, it is very ordinary and in hourly practice : the best Cure whereof, that ever I found amongst the Farriers, is this.

107

Take of ftroug Ale a Gallon, and fet it on the fire, and then skum off the White froth which rifeth, then take a handfull of Wormwood with ftalks, and put them into the Ale, and let them boyl till it be come almost to a quart: then take it off, and ftrain it exceedingly, then diffolve into it three Ounces of the best Treacle, and put in also an Ounce and a half of long Pepper and Grains beaten to very fine powder a then brew them all together till it be no more but lukewarm, and fo give it the Horfe to drink; the next day let him blood on the Neck-vein, and annoint his Forelegs with train Oyl, and so turn him into good Grafs, and fear not his Recovery.

CHAP. LXXV.

Of the Difeases in the Guts of a Horse, and first of the Cholick.

Horses Guts are subject unto many and sundry infirmities : as namely, to the wind Cholick, fre. t ng of the Belly, Coffivenefs, Laxe, Bloody-flux, and Worms of divers kinds. Now for the Cholick, it is a grievous and tormenting pain in the great Gut or Bas, which, because it is very large and spacious, and full of empty places, it is the more apt to receive divers offenfive matters, which do breed divers infirmities, especially Wind, which finding no ready Paffage out, maketh the Body, as it were, fwell, and offendeth both the Romach and other inward Members. This Difease doth not fo much appear in the Stable, as abroad in Travail, and the figns are these i the Horse will often offer to stale, but cannot; he will strike at his Belly with his hinder foot, and many times ftamp; he will forfake his Mear, and towards his Flank you (hall fee his Belly appear more full than ordinary, and he will defire to lye down and Wallow. The Cure thereof, according to the most antient Farriers, is, only to give him a Cliffer made either of Wild Cucumbers, or elfe of Hens-dung, Nitrum, and ftrong Vinegar, the manner whereof you shall fee in the Chapter of Cliffers, and after the Cliffer labour him.

Others use to give the Horse the Urine of a child to drink, or a Clifter of Sope and Salt water. Others use to give him five drams of P 2 Myrrh

Of Cures P byfical.

Lib. 1.

CHAP

Myrth in good wine, and then Gallop him gently thereupon. thers ute to give him Smallage and Pa fley with his Provender, and then to Iravail h m till he fweat. But for my own part, I hold it beft to take a quart of Malmfey, of Cloves, Pepper, Cinamon, of each half an Oan c.of Sugar half a quartern, and give it the Horfe laktr warm, and then Ride him at leaft an hour after; but before you Ride him, annoint all his Flanks with Oyl-de bay, or Oyl of Spike Now if whilft you Ride him he will not Dung, you thall then Rake him, and if need be, enforce him to Dung, by thrufting into his Fun fament a pill'd O nion Jugged Crofs-wayes, that the tickling of the Juyce may inforce Ordure: and by no means, for four or five dayes let him drink no Cold water, nor eat any Grafs or green Corn, but keep him upon who efome dry Meat in a warm Stable.

CHAP. LXXVI.

Of the Belly-ake, or Fretting in the Belly.

DEfides the Cholick; there is also another grievous pain in the Belly, which Farriers call the Belly-ake, or Fretting in the Belly; and it proceedeth either from eating of Green Pulle, when it grows on the ground, or raw undried Peale, Beans, or Oats, or elle when tharp fretting Hamours, or Inflammations, or abundance of groß matter is gotten between the great Gut and the Panicle. figns are much Wallowing, g eat Groaning, and often ftriking at his Belly, and Gnawing upon the Manger. The Cure, according to the opinion of some Farriers, is, first to annoint your hand with Sallets Oyl, Butter or greafe, and then thrufting it in at the Hories Fundament, pull out as much Dung as you can reach, which is called raking a Horfe : then give him a Clifter of water and Salt mist together, or inftca l thereof, give him a Suppository of Honey and Salt, and then give him to Drink the powder of Centuary and worm wood brewd with a quart of Malmfey. Others use only to give the Horfe a Suppository of New-caffle Sope, and for mine own part, hold it only the beft.

Lib. 1.

Of Cures Phylical.

CHAP. LXXVII.

Of the Costiweness, or Belly-bound.

Oflivenels, or Belly bound, is, when a Horfe is lo bound in his Belly, that he cannot Dang ; it is a D.leale of all other meft incident to Running Horles, which are kept in a dry and hot Dyet. Now my Masters, the great Farriers, affirm, that it proceedeth from Gint of Provender, or over-much Feeding, and Reft; or from wind, Brols Hamours, or Cold, caufing Ooft ustions, and Stoppings in the Gats ; but I suppose (and imagine that all the best Keepers of Hunting or Running Horles will confent with me) that it rather proceeds from much Falling, whereby the Gut wanting fresh substance to fill it, doth out of its own great Heat, bake and dry up the little which it containeth ; For it is a certain Rule, that nothing can overflow before it be full. Or elle it may proceed from eating too much dry and hot Bood, which fucking up the flegm and moilture of the Body, leaves not fufficient whereby it may be digefted; however, it is a dangerous informiny, and is the beginning of many other evils. The figns are only abstimence from the office of Nature, (I mean Danging) which is moft uf sal in all Beafts. The Cure whereof, according to the opinion of the An ientest Farriers, is, to take the water wherein Mallowes have been long boyled, to the quantity of a quart, and put thereto half a pint of Oyl, or infleed thereof, half a Pint of Butter very fweet, and one Ounce of Benedicte Laxaru, and Pour that into h's Fundament Clifterwife: then with a ftring fafter his Tail hard to his Tuel, and then trot the Horfe up and down a Factty while, that the Medicine may work to much the better ; then het his Tailloole, and fuffer him to void all that is in his Belly ; then bring him into the Stable, and having flood a while, give him a little well-clarified Honey to drink; then cover him and keep him warm, and let his Drink for three or four dayes be nothing but fweet warm. Mashes of Malt and water. Oher Farriers ale to take eleven leaves of Lorrel, and stamping them in a Mortar, give it the Horse to drink with one quart of good ftrong Ale.

Others use to take an Ounce of Brimstone finely beaten to powder, and mixing it with Spurge, to give it the Horse in a Masaro drink.

Lib. 1.

drink. Now for mine own part, I could wifh you, if the Difeafe be not very extremely Violent, only but to rake the Horfes Fundament, and then to Gallop him in his Cloaths till he fweat, and then give him a handfull or two of clean Rye, and a little Brimftone mixt with it: for Brimftone being given with Provender at any time, will fcoure: but if the Difeafe be Raging and Violent, take a quarter of a pound of white Sope, a handfull of Spurge, and a handfull of Hemp-feed, bray them very well together, and give it the Horfe to drink with a quart of Ale luke-warm, then let him Faft, and Exercife him more than half an hour after; and be fure to keep him very warm, and let his Drink be only warm Mafhes. A World of other fcouring Receits there be: but you fhall find them more at large in the Chapter of Purgations, Clifters, and Suppofitories.

CHAP. LXXVIII.

Of the Lax, or too much Scouring of Horfes.

He Lax, or open flux of a Horfes body, is a dangerous Difeale, and quickly bringeth a Horfe to great weaknels and faintnels? It proceedeth fomtimes from the abundance of Cholerick Humours, descending from the Liver or Gall down into the Guts : fometimes by drinking over-much cold water immediately after his Provenders fometimes by fuddain Travelling upon a full ftomach before his Meat be digefted; fometimes by hafty Running or Gallopping presently after Water; and sometimes by licking up a Feather, of cating Hens-dung : there is no Difease that taketh more fore upon a Horle in a fhort time than this, and yet, fith Nature her felf in this Difease seemeth to be a Physician to the Horsesbody, Iwould not wifh any Farrier to go about too fuddenly to ftop it ; but if you find that by the continuance, Nature both loleth her own ftrengths and the Horfe the good effate of his Body, then you shall feck remedy, and the Cure thereof, according to the opinion of antient Farriers, is this : Take of Bean flower, and Bole-Armeny, of each a quartern, mix them together in a quart of Red Wine, and give it the Horfe luke-warm to drink, and let him be kept very warm, and have much reft:alfo let the water that he drinketh be luke-warm, and mixt with Bean flower ; yet by no means let him drink above once in

IIO

TII

Lib. 1.

in four and twenty hours, and then not to his full fatisfaction. Others take a pint of Red wine, the powder of one Nutmeg, hall an Ounce of Cinamon,& as much of theRind of a Pomegranat,& mixing them tcgether, give it the horfe luke-warm to drink, & let him not drink any otherDrink, except it be once in four and twenty hours, half a Horfes draught of warm water mixt with Bean-flower. Others take a halfpeny worth of Allom beaten into fine powder, & Bole-Armeny beaten fmall, and a quart of good Milk, mingle them together till the Milk be all on a Curd, and then give it the Horfe to drink, observing the Dyer before rehearled : But if this Difeale (hall happen to a fucking Foal, as commonly it will, and I my felf have feen many that for want of Experience have perifhed thereby, you shall then only give it a pint of ftrong Verges to drink, and it is a present remedy. For the Foal only feeding upon Milk, and that Milk avoiding in as liquid form as it was received, the Verges will curdle it, and fo make it avoid in a. Broffer and more tougher fubftance.

CHAP. LXXIX.

Of the Bloody-flix in Horfes.

T is not to be doubted, but that a Horfe may have the Bloody= J. Flix, for in my Experience I have feen it, befides the confirmation of all my Masters, the old Farriers. Now of the Bloody-flix they make divers kinds, for fometimes the fat of the flimy filth which is avoided, is fprinkled with a little Blood ; fometimes the Excrements 15 warrich Blood, like the Water wherein Bloody fleth hath been washed ; sometimes Blood mixed with Melancholy, and sometirnes pure Blood: but all thefe proceeding from one Head, which is the Exulceration of the Gut, they may all very well be helped by one Cure. Yet that you may know whether the Exulceration bein the inward small Guts, or in the outward great Gut, you shall obferve if the Matter and Blood be perfectly mixt together, then it is the inner (mall Guts ; but if they be not mixed, but come out feverally, the Blood moft commonly following the Matter, then it is in the thick outward Guts. Now this Bloody flix commeth most commonly of some tharp Humours, ingendring either by naughty raw Food, or unreasonable Travel, which Humours being violently driven.

TI2

Lib. I.

driven, and having pafled through many Crooked and Narrow wayes, do cleave to the Guts, and with their heat and tharpness free them and caule Exulcerations and grievous pain. Sometimes this Bloody fl x may come from extreme Cold, extreme Heat, or extreme Morfinels, or through the Violence of lome extreme Scouring formerly given, wherein fome poylonous fimple, as Siomony, Stibium, or fuch I ke, may be applied in too great a quantity ; or it may come from the weaknels of the Liver, or other Members, which ferve for Digeftion. The fign of this Difeafe, is only the avoiding Blood with his Excremente, or Blocd instead of Excrements: And the Cure, ac" cording to the opinion of the antient Farriers, is to take Saffron one Ounce, of Myrth two Ounces, of Southern-wood three Ounces, of Parfley one Ounce, of Rue three Ounces, of Spittle-wort, and Hyflop, of each two Ounces, of Caffia, which is like Cinamon, one Ounce, let all these be beaten into fine powder, and mingled with Chalk and ftrong Vinegar wrought into a pafte, of which pafte make little Cakes, and dry them in the fhadow, and being dried diffolve some of them in a pint and a half of Barley-milk, or for want thereof, in that juyce which is called Crimor Prifame, and give it the Horfe to Drink : for it not only Cureth the Bloody-flix, but being given with a quart of warm Water, it healeth all grief and pain either in the Belly or Bladder, which commeth for want of staling.

Now for mine own part, I have ever uled for the Bloody-flix, but this Medicine only. Take of Red Wine three pints, half a handfull of the Herb called Burla Paftoris, or Shephards purfe, and as much Tanners bark taken out of the Fat and dried, boyl them in the Wine till fomewhat more than a pint be confumed, and then flraining it very hard, give it the Horfe luke-warm to drink, if you do add unto it a little Cinamon It is not amils. There be other Farriers which use to diffolve in a pint of Red Wine, four Ounces of the conferve of S ows, and give it the Horfe to Drink : but either of the other Medicines are fully fufficient.

CHAP. LXXX.

Of the falling down of a Horfes Fundament.

Orfes sometimes, by means of the Diseale formerly spoken of, which is the Bloody-flix, and sometimes by a natural weaknels in the inward Bowels, comming through the Relolution of the Mufcles, ferving to draw up the Fundament, will many times have their Fundaments fall down in great length, bith to the much pain of the Horfe, and great loathfomenels to the beholders. Now the refolution or falling down, may come partly by over-much ftraining to Dung when a Horle is coffive, and parily by over-great moilture, as it happens in young Children : for, than a Horfe, no Creature hath a moifter Body. Now the figns are apparent, hanging down of the Fundament, and the Cure is this, First, you shall look whether the Fundament be inflamed, that is, whether it be much sweld or no, if it be not inflamed, then you shall annoint it with Oyl of Roles warmed on a Chafing-dilh and coals, or for want of fuch Oyl, you (hall wash it with warm Red Wine, but if it be inflamed, then you thall bath it well with a foft fpunge, dipt in the decoction of Mallows, Camomill, Linfeed, and Fenugreck, and also you shall annoint it well with Oyl of Camomill and Dillmingled together, to affwage the Swelling: and then with a gentle hand, and warm Linnen cloaths, thruft it fair and foftly up into histrue place; that done, bathe all the Tuel with Red Wine, wherein hath been fodden Acatium, Galls, Achorn Cups, and the paring of Quinces: Then throw upon it either the powder of Bole-Armonick, or of Frankincenfs, or Sanguis Draconis, Myrth, Acatium, or fuch like, and then give him to drink the dry Pils of Pomegranats beaten to powder, either with Wine or warm water, and be fure to keep the Horle very warm, and in his Body neither too foluble or loofe, nor too coffive or hard bound, but of a mean and foft temper, for the extremity of cither is hurtfull. a set of comparison internation of the original and the set of the set of

113

CHAP

Tib. I.

CHAP. LXXXI.

Of the Bots, Truncheons, and Worms in a Horfes Body.

M Y Mafters, the old antient Farriers, are of opinion, that the Guts of a Horfe do breed three forts of Worms, that is to fay, little fhort Worms with great red Heads, and long fmall white Tails, which we call Bots: fhort and thick Worms all of a bignels like a mans Finger, which we call Truncheons, and great long worms as big as a Mans finger, and at the left fix inches in length, which we call by the fimple name of Worms only.

Now in mine own Experience, and all other Mens, I find a fourth fort, which is of a middle fize, and are red and fiery, with thick, fhort, fharp Heads, and are called poylonous red Worms, and are of all other most poylonous and dangerous, for they will alcend up even to the throat of the Horse, and will choak and kill him, and fometimes they will eat through his stomach, and so confound him.

Now for mine own part, I am of opinion, that the first which are Bots, are not bred in the Guts but in the Stomach only, because having cut up many Horses, I never could yet find any one Bot in the Guts, yet great flore of both the other Worms, nor ever cut up the flomach of a Horle, but I found great abundance of Bots, and neither of the other Worms : whence I am confidently opinionated, that Bots are ever bred in the Stomach, and both the other forts of Worms in the Guts: Truth it is, that all three do proceed from one felf fame caufe, which is a Raw, Grofs, and Flegmatick matter, apt to putrifaction? and ingendred by foul and naughty Feeding; and as they proceed from one self cause, so have they all one Sign, and all one Cure. The figns then are, the Horfe will forfake his Meat, and not fland upon his Leggs, but wallow and tumble, and beat his Belly with his feet, and lometimes the pain will be fo extreme, that he will beat his Head against the ground, and truly, the Violence of the Red-worms are wonderfull, for I have seen Horles whole ftomach have been caren quite through with them, fo that the Meat which they eat, could not abide in their ftomach, but fell upon the swallowing into the Body, making the Body fwell like a Tun, and fo have died with huge cor ment. Now the Cure according to the antienteft Farriers is, to take a quarr

114

115

Lib. I.

a quart of fweet Milk, of Honey a quartern, and give it him lukewarm; then walk him up and down for the fpace of an hour after, and fo let him reft for that day, with as little Meat and Drink as may be: and by no means fuffer him to lye down. Then the next day when the Horfe is fafting, take of Rue a handfall, of Savin as much, and being well ftampt, put thereunto a little Brimftone, and a littleSoot of a Chimney beaten into fine powder, put all thefe things together in a quart of worr, or new Ale, and there let them lye in fleep the fpace of an hour or two; then ftrain it hard through a fair cloath, him abroad the fpace of an hour, then fer him up, and let him ftand on the Bittme or three hours after, and then give him a little Hay.

on the Bit two or three hours after, and then give him a little Hay. On the Bit two or three hours after, and then give him a little Hay. Other antient Farriers use only to give the Horse for this Disease, the warm Guts of a new flain Hen or Chicken, being thrust down the Horse throat, and sure it is passing good, especially if a little Sale be mixed with them: and this must be done three Mornings together fasting, keeping the Horse from Drinking three or four hours after. Others use to take three Ounces of the Roots of Caphers, beor elfe a pint of Milk, and a spoonfull of Sope given the Horse to Others use to bind about the Snaffle or bit, mans Dung new made, and to Ride him therewith.

Others take of Gentian, Alocs, and Savin, of each half an Ounce, and brew them together with Honey and ftrong Ale. Others use to Southers wort, or elfe Worm-wood, and the tops of Broom small hopt, and mix it with the Horses Provender. Others use to give the dete to give the Horse Worm, Elder-berries solden in Milk. Others and mix with Bay-Salt. Others put hot Embers in Water, and the round Balls of Honey, and the fine powder of Chalk, and putake, especially for the long Worms, a half-penny worth of Fenuake, of Anniseeds a quarter of a pound, a half-penny worth of and mixer of Bringftone, bear them into a quart of a solution of Bringftone, bear them into a quart

Lib. L

of Ale, and give it the Horle fafting luke-warm to drink : then Ride him an hour after, then fet him up warm four and twenty hours after. Others ule, elpecially for the Trancheons, to take two (poorfull of the powder of Worm wood, finely learft, and put it in a pint of good Malmfey, and after it is brewed a while, let it ftand and foak all night, and then give it the Horle in the morning fafting then keep him without meat or drink four hours after. Othersule to give the Horle to drink, two fpoonfull of Worm feed, and as much Brimftone, as powder of Savin, with a quart of Malmley, Alt, or Beer. Others ule to take as much black Sope as a Walnut, and as nuch Brimftone beaten to pawder, and a head or two of Garlick pill'd and bruifed, and put into a quart of good Ale, and give it the Horle luke-warm to drink.

This Medicine may allo be admin flied to a Mare great with Foal if the be troubled with the Bots or other Worms, fo that the black Sope be left out, for it is a Violent purger, and may kill the Foal in the Mares belly; yet for mine own part, I nevel give any inward Physical Medicines to a Mare great with Foals but if I find her troubled with Worms, as is cafe to be done by the flinking of her Breach, by the fliminels of her Mouth, and by the greatents of the Worm-veins under her Lips, then prefently 1 do nothing but let her Blocd in the Roof or Palate of her Mouth, and make her eather own Blood ; for that I know will both kill wormes and help melt inward Maladies. But leaving Mares with Foals us return again unto Horfes. There be other Farriers which nie take a handfull of new Hens-dung, and a quart of stale Ale, and bray them well together ; then take a handfull of Bay Salt, and put two Eggs to it, and having mixt them all well together, give it the Hat to drink. O hersule to take half a penny-worth of Saffron, and be much Allum, and mix them with a pint of Milk, and give it he Horfe to drink : or elle give him green Willow, and green Reed to eat. Others ule (and think it the beft of all other Medicines) to take the Guts of a young Hen or Pigeon, and roul it in a little black Sope, then in Bay Salt, and to force it down the Horfes throat. thers use (especially for the Truncheons) to let the Horse drink Hers dung, Mint, Sage, and Rhue, with Beer or Ale, and to lot him blood in the Noffrils. To conclude, except you fee the Horfe very much gained, you shall need to give him nothing but Rozen and Brimftone - mist

Lib. 1. Of Cures Phylical.

mixt together, and blended with his Provender, having care that you ever give it Fasting, and long before the Horse do Drink.

117

Laffly, and as the chief of all Medicines for all manner of Worms, take as much Precipitate as will lye on a filver two-pence, and work it with as much Butter as a French Walnut, then lapit in another piece of Butter as big as a Hens egg, 'and fo give it the Horfe fafting in the manner of a Pill. Ride him a little after it, and give him no water that Night, and let him faft two hours, then feed as at other times.

CHAP. LXXXII.

Of the pain in a Horfes Kidneys.

Here is no queffion, but the fame Infirmities which do belong unto the Liver or Spleen of a Horfe, do alfo belong unto the Kidneys, as Inflammations, Obftructions, A pofthumes, and Ulcers ; and truly, in opening of Horfes, I have found the Kidney fomerimes wafted, which I imputed to fome matter of inflammation : I have likewife found much Gravel, which was only through Obftructions ; and I have feen the Kidneys as black as ink, which could not come without an Ulcerous Apoftumation. But forafmuch as a Horfe is a Beaft, who cannot tell the manner of his pain, nor we fo heedfull as we might have been, to obferve the Symptom of every grief, we are infore d to conclude all under one Name, which is the pain in the Kidneys, gotten either by fome great firain in Leading, or by fome great burthen Bearing.

The figns are, the Harfe will go Roling and Staggering behind, his Urine will be blackith and thick, and his Stones (if he have any) will be fhrunk up into his Body; if he have not, you thall perceive the theath of his yard to be drawn backward, and the great Vein which runneth up the fide of his Thigh, called the Kidney vein, will flack and beat continually. The Cure, according to the opinion of the Antient Farriers, is, first to bathe his Back and Loins with Oyl, Wine, and Nitrum, warmed together, and after he is bathed, cover him with warm Cloaths, and let him stand in Litter up to the Belly, then give him to driak water wherein hath been fodden Dill, Fennel, Annifeeds, Smallage, Parsley, Spikenard, Myrrh, and

811

Caffia, or as many as you can conveniently get of these fimples. The next Morning fasting, give him to drink a quart of Ews milk, or for want thereof, half so much Sallet-Oyl, and Deers suet molten toget ther: or if you can get it, the Root of Daffodill boyled in Wine, and let his Provender be dried Oats; and in his Diet keep him at bout ten daies, and he will Recover.

CHAP. LXXXIII.

Of the Difeafes belonging to the Bladder or Urine, and first of the Strangary.

A Ccording to the determinate opinion of all the beft and Antienteft Horfe-Leaches, the Bladder of a Horfe is fubject to three dangerous Difeafes, as first, the Strangury, or Strangullion; the fecond, the Pain-pifs, and the third the Stone, or Piffuppreft. Now for the first, which is the Strangury, or Strangullion, it is, when the Horfe is provoked to stale often, and avoideth nothing but a few drops; it commeth without doubt, either by the heat and sharpnefs of Urine, caufed either by great Travail, or by starp and hor Meats and drinks, or elfe by the Exulceration of the Bladder, or by means of fome Aposthume in the Liver and Kidneys, which Aposthume being broken, the matter reforteth down into the Bladder, and with the starpnefs thereof caufeth a continual provocation of piss. The signs are (as I faid before) a continual defire to piss, yet avoiding northing but a few drops, and those with such pain, that he will whisks wry, and beat his Tail as he pisset.

The Cure whereof is, to bathe the Horfes hinder Loins with warm water, and then take Bread and Bay-berries, and temper them to gether with May Butter, and give him two or three Balls thereof down his throat three daies together.

Others ufe, (and I have ever found it the beft) to take a quart of new Milk, and a quartern of Sugar, and brewing them well togethers give it the Horfe to drink fix Mornings together, observing to keep the Horfe from all sharp meats, as Mow burnt Hay, Bran, and such I ke.

CHAP.

Lib. I,

Lib. I.

Of Cures Phylical.

H A P. LXXXIIII.

Of the Pain-pifs, or Ptfling with pain.

T His Difeafe of Pain-pifs, is, when a Horfe cannot pifs but with great pain and labour, and doth proceed fometimes from the weakness of the Bladder, and the Cold intemperance thereof; and fometimes through the abundance of Flegm and gross Humours, Ropping the neck of the Bladder. The figus whereof are, the Horfe will freetch himself out as though he would ftale, and thruft out his yard a little, and with the pain clap his Tail betwixt his thighs to his Belly, and having ftood so a good while, in the end he will ftale a good quantity.

The Cure whereof, according to the opinion of some Farriers, is, to take the juyce of Leeks, fweet Wine, and Oyl, and mingling them rogether, to pour it into his right Noftril, and walk him a little up and down upon it: or elfe to give him to drink Smallage feed, or elfe the Roots of wild Fennel fodden with Wine. Others use to put fine sharp Onions clean pill'd, and a little bruised, into his Fundament, and then to chafe him immediatly upon it, either by Riding him, or Running him in a Mans hand: or elle to take the fcraping of the inward parts of the Horles own Hoofs, beaten into Powder, and mingled with Wine, and pour it into his right Noffril, and then Ride him upon it. Others use to lead the Horfe to Sheep coars, or Sheep-pens, where great flore of Sheep are wonted, and making the Horle to imell of the Dung, and Pils of the Sheep, it will provoke him to ftale prefently. Others use so give the Horfe white Dogs dung dried and mingled with Ammoniacum, Salt, and Wine to drink : or elfe Hogs dung only with Wine, or the dregs of Horle pils and Wine.

CHAP ...

Lib. I.

CHAP. LXXXV.

Of the Stone, or Pifs Supprest in a Horse.

He Stone, or Pils-fuppreft in a Horfe, is, when a Horfe would fain stale, but cannot at all, and therefore may well be called the suppression of the Urine. It proceedeth according to the opinions of my Mafters, the old Farriers, fometimes from the weakness of the Bladder, when the water Conduit is ftopped with groß Humours, or with matter delcending from the Liver, or from lome Inflammation or hard Knobs growing at the mouth of the Conduit, or for that the finews of the Bladder are numbed, fo as the Bladder is without feeling : or it may come by keeping a Ho. fe in Long Travail, and not fuffring him to stale ; but most commonly and often it commeth from Obstructions in the Kidneys, where, by the caules aforelaid, a certain Red Gravel being bred, and falling down into the Conduits, by mixture of Flegm and other gross Humours, is there brought to be a hard Stone, and Roppeth the paffage of the U rine. For the figns there needeth no more but chis, that he would fain pils, but cannot.

The Cure, according to the opinion of the moft antienteft Farriers, is, fift to draw out his yard, and bathe it well with white Wine, and pick it, and fcour it well, left it be ftopped with dirtand fil.hinefs; then put a little Oyl of Camomill into his yard with wax Candle, and a bruifed Clove of Garlick : but if that will not force him to ftale, then take of Parfley two handfull, of Coriander one handfull, ftamp them and ftrain them with a quart of white Wine, se diffelve therein one Ounce of Cake Sope, and give itluke warm unto the horfe to drink; and fee that you keep him as warm as may be, and let him drink no cold water for the fpace of five or fix dayes, & when you would have him to ftale, let it either be on good plenty of ft aw, or upon the grafs, or in a fheep coat. Others (and thole of the beft efteem for Horfe-leach-craft at this day) ufe only to give white Wine, Cake-fope, and Butter very well mixt together, and let the Horfe

Others use to annoint the Horses belly first with warm water, then when it is dried, to annoint it again with Sallet-Oyl, Hogs-great

Lib. I.

Of Cures Phylical.

121

下山

CHAP:

and Tarr mixt together and made warm, and to hold a hot Iron against his Belly whilst it is annointing, that the Oyntment may the better enter the Skin : But I hold this Medicine to be much better for the Strangury, or any other pain in the Belly, than for the Stone ; yet it is approved good for all. Others use to take a pint of white Wine or Ale, and mix it with a little Garlick, and the whites of ten Eggs, and give it the Horfe to drink : or elfe give him the juyce of red Cole-worts mixt with white wine, or the Root of Alexanders bruiled, and fodden in Wine to drink, and walh his yard with Vinegar. Others use to take either Worm wood, Southern wood, or Galingale, or Mallows, or Pimpernell, some of thefe, or any one of those, frampt and ftrained, and give it the Horse with Ale to drink. Others use to take a pint of white Wine, half a pint of Burrfeed beaten very small, two Ounces of Parsley feed, half a handfu'l of Hylop, half an Ounce of black Sope, mix them all well together, and warm it and give it the Horfe to drink : or elfe take un-fet Lee s, and framp them imall, and Sope, Milk, and Butter, and being mixt together, give it the Horfe to drink. Others ale to take a Nutmeg, and a handfull of Parfly-feed, beat them to powder, then take take as much Butter, and mix them all together in a quart of ftrong Ale, and give it the Horle luke-warm to drink: or elle take the Seed of Smallage, Parfly, Saxafrace, the Roots of Philupendula, Cherry-Itone Kirnels, Grummell-feeds, and Broom feeds, of each a like quantity, beat them into fine powder, and give it the Horfe with a pint or a quart of white Wine.

Now albeit, these Medicines before rehearsed, are daily in practice, and approved very soveraign, yet for mine own part, I have found none more soveraign than this: Take a quart of strong Ale, and put it into a pottle pot; then take as many Keen Radish Roots, clean washt, being flucthrough and bruised, as will fill up the pot; then stopping the pot very close that no Air may come in, let it so ft and four and twenry hours, then ftrain the A e and the Rootsvery hard into a clean Vessel, and give it the Horse fasting in the Morning to drink : then Ride him a little up and down, and so fer him up warm, and watch him, and you shall see him state. This you must do divers Mornings together.

Lib. J.

CHAP. LXXXVI.

Of a Horfe that piffeth Blood.

here is nothing more certain, than that a Horle many times will pifs Blood instead of Urine, the cause (as the most antient Farriers suppose) proceeding from some one of these Grounds; eicher overmuch Labour, or too heavy a Burthen, especially when the Horfe is fat : for by either of them the Horfe may come to break fome vein in his Body, and then you shall fee clear Blood come out, and no Urine at all ; but if the Blood be mixt with Urine, then they suppose it commeth from the Kidneys, having fome ragged Stene therein, which through great Travel doth fret the veins of the Kidneys, and make them bleed, through which as the Urine palfeth, it taketh the Blood away with it alfo ; but for my own parts I have not found any greater cause for the pilling of Blood then the taking up of a Horle from Grais in the strength of Winter, (35 about (hr ftmas) and prefently, without a dayes reft in the Stable, to thrust him into a long and weary Journey : from this cause 1 have feen many Horles after two or three dayes Journey, to pils The Blood in most grievous manner. The figns are needlofs. Cure according to the opinion of the antient Farriers, is this : Firth let the Horfe blood in the palat of the mouth, to convert the Blood the contrary way ; then take of Tragagant which hath been fteeped in white Wine, half an Ounce, of Poppy feed, one dram and one feruple, and of Storax as much, and twelve pine apple Kirnels; jet all these things be beaten and mingled well together, and give the Horle thereof every Morning the space of feven dayes; the quantity of a Wall-nur, infused in a quart of sweet Wine. Other latter Far siers ule to let the Horfe blood in the Neck, and boyl that Blood with Wheat, and with the powder of dried Pomegranat pills; then strain it, and give it him three or four mornings together to Drink, and let him by no means Travil thereupon : or elfe give him of husked Beans boyled with husks of Acorns beaten small, and mixt together. Others ufe to m ke him a Drink with the Roots of Dale fodiln i gled with Whe thower, and Summach fodden long in Water, and so to be given to the Horse with sweet Wine : or elle

123

Lib. I.

to make him drink of Goats milk and Sallet-Oyl, ftraining thereunto a little Frumenty: or elle to give him fodden Beans and Deers fuet in Wine, each of these are of like force and goodne's. Now there be others which use for this Difease to take Barley, and feeth in the juyce of Gum-folly, and give him the Barly to ear, and the juyce to drink: or elfe take the powder of Licoras and Annifeeds rouled up in Honey, and make round Balls thereof, and caft down the Horfesthroat two or three of them: Laftly, and the beft, take Licoras, Annifeeds, and Garlick bruifed together with Saller-Oyl and Honey, and give it in a quart of new Milk to the Horfe to drink, it is very foveragin alfo ; and thefe two Medicines laft rehearled, are exceeding good allo for any Cold or Glandrs.

CHAP. LXXXVII.

Of the Colt Evil.

THe Colt Evil by the most antient Farriers, especially the Itallans, whole hot Country affordeth the Beafts of more Hot and Brong Natures than outs doth, is thought to be a continual flanding Erection, together with an unnatural Swelling of the Yard, Proceeding either from fome wind, filling the Arteries and hollow Sinews, or Pipes of the Yard, or elie through the abundance of Seed, provoked by the natural heat of the Horfe ; but our Farriers, who have not feen that experience, becaufe our Horfes are of a Colder temper, lay, it is only a Swelling of the theath of the Yard, and of that part of the Belly about the Yard, together with the Cod allo, proceeding from corrupt feed, which commeth out of the Yard, and remaining within the theath, there putrifieth: And this judgment we find by Experince to be moft true. Now you thall underftand, that Geldings as well as H ries are subject theieunto, because they Want natural Heat to exp. Il feed any further.

The figns are only the outward Swelling of the Sheath and Cod, & none other: and the beftCure is, first to wash the sheath clean with luke-warm Vinegar, then draw out the yard and wash it also; which done, Ride the Horfe twice every day, that is, Morning and Evening, Inro fome deep Running water up to the Belly, toffing him to and tro, to allay the heat of his Members till the fwelling be vanished, and

Lib. 1.

CHAP.

and if you fwim him now and then, it will not do amifs. Others ult to bathe his Cods and Yard with the juyce of Houfe-lick, or with the water wherein Kinholm hath been fod. Now this Cole evil will fometimes ftop the Horfes Urine that he cannot pifs: then you fhall take new Ale, and a little black Sope, and give it the Horfe to drink. Others ule to wafth the Horfes Cods and Sheath with Butter and Vinegar made warm. Others ule to wafth his Yard and Cods with the juyce of Hemlock, or elfe take Bean-flower, Vinegar, and Bole-Armonick, and mixing them together, 1 y it Plaifterwife to his Sheath and Cods. Others make him a plaifter of wine Lees, Houfe lick, and Bran mixt together, and laid to his Sheath and Cods: but if the firft Receipt will ferve, I would not with you to ufe any other Medicine,

CHAP. LXXXVIII.

Of the Mattering of the Yard.

This Difeafe of the Mattering of the Yard, is feldome feen but amongft the hot Races or Breeds of Horfes, as the Jennet, the Barbary, and fuch like; and it happeneth ever at Covering time, when the Horfe and Mare both being too hot, do burn themfelves, by which means there iffueth forth of the Horfes yard much filthy marter. The figns are the falling down of the matter, and a fwelling at the end of the Yard, and the Horfe can by no means draw up has yard, or cover it within his fheath. The Cure is, to take a pint of white-Wine, and boyl therein a quartern of Roch-allom, and with a large Serringe or fquirt, fquirt in three or four fquirtfull into his yard one after another, and be fure that your fquirt go home unto the bottom, that the Liquor or Lotion may fcoure the Bloody matter away: this do five or fix times every day till the Horfe be whole.

Lib. L.

autor to

CHAP. LXXXIX.

125

Of the fledding of the Seed.

THe fhedding of the Seed, or the falling away of the Sperm in Horfes, is none other than that which we call in men the Running of the Reins : it commeth, as our old Farriers fay, either by abundance, and ranknels of Seed, or by the weaknels of the Stones, and Seed. Veffels, not able to retain the Seed untill it be digested and thickned ; but traly for mine own part, I think it commeth oftner (especially amongst our English Horses) by some great strain in Leaping, or by teaching a Horfe to Bound, and making him bound above the compais of his Natural firength. The figns are only the hedding of his Seed, which will be White, Thin, and Watrifh. The Cure, according to the antient Experiments, is, first to Ride the Horle into fome cold water up to the Belly, infomuch that his Stones may be covered with water; which done, bathe his Fandament with Water and Oyl, then cover him exceeding warm, and give him every day to drink Red Wine, and Hoggs Dung, till the Plux of his feed Itay; but latter Experience hath found this Receipt better. Take of Red Wine a quart, and put therein a little Acatium, the juyce of Plantain, and a little Maftick, and give it him to drink ; and then bathe all his Back with Red Wine, and Oyl of Rofes mixt together; but other Farriers take Venice, Turpentine, and being walht, beat It well with half fo much Sugar, and then make round Balls as big as walnuts, and give the Horfe five every Morning till the flux flay.

CHAP. XC.

Of the falling down of the Lard

The falling down of the Yard, is when a Horfe hath no ftrength to draw up his Yard within the theath, but lets it hang down between his Leggs ill favouredly: it commeth (as our beft Farriers imppole) either through the weaknels of the Member, by means of fome Refolution in the Muscles and Sinews, ferving the same, caufed by some great firain or firipe on the Back; or else through extreme Wea-

126

Lib. 1

Wearinels and Tyring. The fign is only the apparent hanging dow n of the Member : and the Cure is, (according to fome opinions) to walh the Horfes yard in Salt water from the Sea, or for want thereof, with Water and Salt; but if that will not prevail, then prick all the outmost skin of his yard with a tharp Needle, but yet as flightly as may be, and not deep : and then walh all the pricks with flrong Vinegar, and this will not only make him draw up his yard again, but also if at any time his Fundament chance to fall, this Cure will put it up again. There be other Farriers which for this Difease will put into the pipe of the Horfes yard, Honey and Salt boyled togethers and made Liquid, or elfe a quick flye, or a grain of Frankincenfe, or a Clove of Garlick clean pill'd and bruifed, and bathe his Back with O₁, Wine, and Nitre made warm and mingled together.

But the beft Cure, according to our English practice, is, fish, to wash all the yard with white-Wine warmed, and then annoint it with Oyl of Roles and Honey mixt together, and so put it up into the sheath, and with a little Bolster of Canvale keep it from falling down, and drefs him thus once in four and twenty hours, until the be recovered, and in any Cafe let his Back be kept as warm as is polfible, both with Cloath and a charge of Pla ster made of Bole-Armonick, Eggs, Wheat shower, Sanguis Draconis, Turpentine, and Vinegars or elle lay next his Back a wet-Sack, or wet ay, and a dry Cloth over it, and that will keep his Back exceeding warm.

CHAP. XCI.

Of the Difeases incident to Mares, and first of the larrenness of the Womb.

Lib. I.

Of Cures Phylical.

127

fals of Wine, then put thereunto twelve flyes, called Cantharides, then firain them all together with a fufficient quantity of water to ferve the Mare therewish two days rogether, by pouring the fame into h.r Nature with a Cliffer-pipe made for the purpofe, and at the end of three dayes next following, offer the horfe unto her that fhould cover her, and after the is covered, wash her Nature twice together with Cold water.

There be others which u e to take of Nitrum, of Sparrows Dung, & of Turpen ine, of each s like quantity well wrought together, and make a Suppository, and put that into her Nature, and it will cause her bo h to defire the Horse, and also to conceive. There be some of opinion, that it is good to put a Nettle into the Horses mouth that thould cover her. Of all which, let only Experience be your warrant.

CHAP. XCII.

Of the Pestilent Consumption in Mares.

Here is a certain Peftilent Confumption incident to Mares when they are with Foal, proceeding from cold Flegm, gathered by taw foggy Food in the Winter-fealon, which defcending from the Kidneys, doth opprefs the Matrix, and makes the Mare confume and pine away, fo that, if the be not holpen, the will want ftrength to Foalher Foal. The figns are, fuddain Leannels, and a drooping of Spirit, with much diflike of Mear, a continual defire to be laid. The Cure is, to pour into her Noftrils three pints of Fith brine, called Garume, three or four Mornings together, and if the grief be very stear, then take five pints, and it will make her vent all Flegm at her Noftrils.

CHAP. XCIII.

Of the rage of Love in Mares,

T is reported by fome of our English Farriers, that Mares being Proudly and high kept, will at the Spring of the year, when their Blood begins to wax warm, if they chance, when they go to the water,

128

Lib. I.

water, to fee their own thadows therein, that prefently they will fall into an extreme Love therewith, and from that Love into fuch a hot Rage, that they will forget eicher to Eat or drink, and never ceale Running about the pafture, gazing ftrangely, and looking oft about and behind them. The Cure of this Folly, is, prefently to lead the Mare to the Water, and there to ler her fee her felf as before, and the fecond fight will utterly extinguish the memory of the first, and fo take away her Folly.

CHAP. XCIV.

Of Mares which caft their Foals.

THe occasion why Mares caft their Foals, that is, to Foal them either before their times, or dead, are very many, as ftrains ftrokes, intemperate Riding, rufhings, hard Wintrings, or too great Fatnels, and fuch like. Now you shall understand, that this aborle" ment, or untimely caffing of a Foal, is most dangerous to the Life of a Mare: For nature being, as it were, detained from her true and perfect cuftom, which is the prefervation of Health, cannot chule but give way to the contrary, which is Death and Mortality, and the Body and Pores being fet open to the air, before it be able to defend the Cold, cannot choose but be sufficiated with unwholesome Vapours. If therefore you have a Mare at any time which doth caft her Foal, and withall falleth fick upon the fame, you shall prefently take her into the Houfe, and fet her up very warm, then give her two spoonfull of the powder of Diapente well brewd in a pint of Muskadine, and feed her with sweet Hay, and warm Mashes, for at leaft a week after.

CHAP. XCV.

Of Mares that are bard of Foaling.

IF it happen by any mischance, or otherwise, that the passages or other conduits, which lead from the Matrix, be so ftraightned that the Mare cannot Foal, and so be in danger of her Life: then shall be good that you help her by holding and ftopping her Nofrijs

129

make

Lib. I.

with you hand in a gentle minner, that her Breath may not have paffage, and he will Foal with a great deal the more eale, and much fooner; and fure the pain is nothing, becaufe a Mare alwayes Foaleth ftanding. Now if at any time when your Mare hath Foaled, the cannot void her Secundine, which is the skin wherein the Foal is wrapped, in that notural manner as the ought, you thall then take a sood handfull or two of Fennel, and boyl it in water: then take half a pint of that, and another half pint of old Wine, and put thereto a fourth part of Oyl, and mingle them all together over the fire, and being bur luke warm, pour it into the Mares N ft ils, and hold her Noftrils clofe with your hand, to keep it in a pretty while after, and no queftion but the will void her Secundine prefently.

CHAP. XCVI.

Of making a Mare to caft her Foal.

That any time you would have your Mare to caft her Foal, as having prefent occasion to use her, or in that the Foal is not worthily enough begot, you shall take a bottle of new Milk, and two handfuls of Savin chopt and bruised, and putting them together, boyl them till one half be confumed; then strain it very hard, and sive it the Mare luke-warm to drink, then prefendly Gallop her a good space, then set her up, do thus two Mornings, and before the third the will have cass her Foal. Others use with their hand to kill the Foal in the Mares belly, but it is dangerous, and the former Medicine is more fufficient. And thus much of the infirmities of Mares. Now let us return again to Horses and Mares in general.

CHAP. XCVII.

Of the Drinking of Horfe-leaches by Horfes.

IF a Horfe at any time drink down Horfe-leaches, they will fuck his Blood and Kill him. The figns are, the Horfe will hang down his head to the ground, and abundance of filthy flaver will fall from his mouth, and fometimes fome Blood alfo. The Cure is, prefently to give him a pint of Sallet-Oyl to drink, and that will

Lib. I.

make them fall away, and kill them. But the best is, to give him half an Ounce of Diapente brewed in a pint of good ftrong Beer or Alc.

CHAP, XCVIII.

Of Swilliwing down Hens dung, or any Venemons thing what foever.

TF a Horfe chance to fwallow down any Hens dung with his Hay, I it will fret his Guts, and make him to avoid much filthy matter at his Fundament. The Cure whereof, is, to take a pint of Wine, half a pint of Honey, and two (poonfulls of Smallage feed bruiled, and mixing them well together, to give it the Horfe to drink, and then to Walk him well upon the fame that he may empty his Belly. But if the Horse chance to lick up any other Venemous thing, 25 Neut, or fuch lick, which you fhall know by the inftant fwelling of his body, and the trembling of all his members; then the Cure 159 first to put him into a sweat, either by Cloaths or Exercise ; then to let him blood in the Palate of the mouth, and look how much be bleedeth, so much let him swallow down hot : or elle give him frong Wine and Salt mixt together : or elfe take the Root, and Leaves, and fruit of Briony, which being burnt to ashes, give the Horfe agood spoonfull thereof, with a pint of sweet Wine to drink.

130

Now for mine own part, I have everused to take a pint of Saflet Oyl, and two spoonfull of Sugar-Candy beaten to powder, and much of the powder Diapente, and brewing them together, give it the Horfe to drink : or for want of Diapente, fo much of the fhaving either of Ivory, or an old Stags horn, especially the tips thereof burnt.

CHAP. XCIX.

Of purging Medicines in general, and first of the Suppository.

PUrging is faid of our most antient Farriers, to be an emprying and discharging of all and every superfluous humors which ditemper the body with their evil qualities : For fuch humors breed evil nutriment, which, when it will not be corrected nor holpen with Bood Lib. I.

Of Cures Phylical.

good Dier, alteration, nor the benefit of nature and kindly hear, then must it by force either be raken away by Purgation, Cliffer, or Suppofitory. Now for as much as a Horfe is troubled with many Difestes in the Guts, and that nothing can purge the gut with that gentlenels which a Suppository doth, I will here fust begin to speak of Suppositories.

Understand then, that a Horse being surfeited, and full of evil humours needing to be purged, it is best first to give him a Suppofitory leaft if you should come to apply a Clifter, the great Gut being Ropped with dry, hard, and hot excrements, the Medicine being not able to work beyond it, lofe both labour and veriue; fo that I make account a Suppository is but onely a preparative to a Gliffer, and but onely to cleanfe and make loofe the great Gut, which commeth to the tuel. The gentle Suppository then, and that which purgeth Flegm in the beft manner, is, to take a square piece of cake sope, or white new Castle sope, about five or fix inches long, and shaving it round till it be not above three inches about in the midft, and a little imaller at each end than in the midft : then annoint it over with Sallet-Oyl, and fo with your hand thruft it up more than a full fpan into his Fundament : then fuddenly clap his rayl to his tuell, and hold it hard and clofe more than half an hour, in which space the moft part of the Suppository will be wasted, then gently take away Your hand, and let him void the Suppository at his pleasure. The acxt Suppository to this, and which purgeth Choler abundantly, is, to take Savin stampt small, Staves akerand falt, and boyl them in Honey till it be thick, then take and knead it, and roul it of a pretty thick long roul, as before you were taught for the hard lope, and minifter it at histuell. The next to this, and that which purgeth Melancholy, is, to take a keen Onion, and pilling off the skin, jag it a little crofs-wife with your knife, and fo thruft it up into the Horles Fundament. There is, befides these Suppositories, one other Suppository which is, to take a quart of Honey, and boyl it on the fire till it come to be thick like a Salve, then powr it forth upon a Table, and knead it like a piece of dough: then when it begins to harden, or grow fliff, (asit will do when it begins to cool) then roul it up under your hand, and make it in the form of a Suppository, as is before thewed, & adminifter it in the fame manner. ThisSuppository is good to purge the gut of any foul Humour, and therewichall is comfortable to the body-Now

Lib. I.

Now you mult alfo underftand, that as thele Suppositories are preparative before Glifters, fo they are likewife to be uled fimply of themicives, where the ficknels of the Horfe carrieth no great danger For upon every flight occasion, or fmall drinefs, which is to be diffolved with the most gentle Medicine, to administer a Glifter, were to bring the Horles body to fuch an intemperate loolenels, as would prove much worfe than the former contrary drinefs. Therefore I will every carefull Farrier (becaufe the body of a Horfe would not be tampered withall too much byphyfick) fift, in the cafe of coffivenels or inflammation of the inward parts, to approve a Suppository : 45 namely, the first preferibed and naked like a mans fist, or elfe like a roul or quantity of Roch-Allome, or elle four inches of a great tallow Candle or Percher of four in the pound; which if it work effectually and keep the Horfes body foluble, then to proceed no further ; but in cale it do not, but that the offenfive matter still breedeth and en" creafeth, then to administer a Glifter; and where that faileth to rake away the offence, to administer a Purgation. Now by the way you are to take with you this general rule, and never to fail in the performance, which is, never to administer either Suppository of Glifter, but fi ft immediately before you give it, to Rake your Horfe, which Raking, is in this manner. Firft, you shall annoint all your hand and arm over either with Saller Oyl, fweet Butter, or freih Greale, and then thrust it into the Horses Fundament, and draw out all the Dung, Flegm, and filthy matter that you can feel, even as high up as the great bag : Which done, then either administer your Suppository or Glifter, which you please, at your leifure ; and in any cale, whill the Horfe is thus in Phylick, keep him exceeding warm.

CHAP. C.

Of Glifters, and their Uses.

The natures and properties of Gl fters are divers, and therefore it is neceflary that every carefull Farrier learn to know to what end they ferve, and of what Drugs or Simples they ought to be compounded : For every Glifter is to be made according to the Dileale. Now of Ghifters, some are to case griefs, and to allay the tharputs of the

133

Lib. 1.

the Humours; fome to bind, fome to loofen, and fome to purge, and fome to heal Ulcers. Thefe Glifters by cleanfing the Guts, refreth the vital parts, and prepare the way before for every inward and frong Purgation. Therefore, whenfoever a Horfe, through grofnefs of Humours, corruption of Blood, or abundance of Flegm, Choler, or Melancholy, is brought unto that evil habit of body, that of neceffity he muft be purged, and that efpecially his pain is in his Guts and Body, you fhall then, as before I faid (having made a probation of a Suppofitory) first of all administer a Glifter, left by Purging fuddenly with any Purgation or Potion, you fir up a multitude of evil humours, which finding no paffage downward (becaufe the Gutsbeing ftopped with Wind and Dregs) do ftrike upward, and fo Perhaps put the Horfe into much greater danger.

Now for the composition of Gl fters, you thall understand, that they be made of four things; that is, of Decoctions, of Druggs, of Oyl, or fuch like unctuous matter, as Butter, or foft Greafe, and fourthly of divers Sales, to provote the vertue Expulsive. A Decoation is the broach of cerain Herbs and Sinaples boyled rogether in water, untill the third part be confumed. Now fometimes for want of fuch Decoctions, you may if you please, use some far Beef-broth, or the broath of a Sheeps head, or fuch like, or Milk, or Whay, or tome such like liquor, mingled sometimes either with Honey, or with Sugar, according to the quality of the Difeafe ; the Gliffer being either Lenitive, that is to lay, eafing of pain : or Glutinative, which is, joyning of things together : or elfe Absterfive, which is, wiping away, or cleanfing of filthy matter. Now of this Decoction, or Broath, being very clean ftrained, you thall never take above three Pints at the most, and many times but a quart; into which you thall Pur luch Druggs as are needfall, exceeding not at the most, above three or four ounces, according as the Simples be more or lefs violent : of the Oyl you thall never vie in a Glifter above half a pint, and of Sale not above three or foure Drams. You thall also continually administer your Glifter luke-warm, either with some long Horn, or a large Glifter pipe made for the purpole, and fixed to the largeft bladder you can get ; and this Glifter-pipe is of all the beft, and doth least lofe labour. When you do administer a Glifter, you shall fee the Horfes hinder parts fomewhat higher then the foreparts, and then you thall put the Glifter pipe in at his Tuel into his Fundan

Of Cures Phylical.

134.

1

Lib. I.

CHAP.

Fundament up to the head, and having the confection within the Bladder, wring it with a very good ftrength into his body. A glifter would be adminiftered to a horfe when he is rather empty than full paunched, whether it be in the fore noon or after-noon. Now for the retaining or holding of the Glifter in the Horfes body, three quarters of an hour is fufficient, of what quality foever it be. Now you are to note by the way, that as foon as the Glifter is adminifted unto the Horfes body, you muft draw out the Pipe with all the gentlenefs that may be, and fuddenly clap histayl to his Tuel, and lo hold it with your hand, without any moving or ftirring of the Horfe, till the Medicine hath hisfull time of working.

Now to come unto particular Glifters, that you may know which Glifter it for which purpole; the first is, take of the pulp of Coloquintida, half an ounce, of Dragantium three quarters of an ounce, of Centuary and of Worm-wood, of each half a handfull, of Castoreum a quarter of an ounce, boyl them in three pints of water, then being strained you shall diffolve therein of Gerologundinum three ounces, of Salt three quarters of an Ounce, and of Oyl Olive half a pint, and so luke-warm adminisser it Glifter-wise, as hath been before expressed : this Glifter is exceeding Soveraign for the Pestilence in Horfes, or for any Feyer of what nature sover.

The next is, to take the Decoction of Mallows, and to mix there withall, either freth Butter, or Sallet Oyl, and fo loke-warm adminifter it: this is of all Glifters the moft gentleft, and as the former Glifter is abfterfive or cleanfing, fo this is lenitive and a great cafer of pain ; it is moft Soveraign for a Horfe that is taken, or that hath any contraction or Convultion, and generally for any Coffivenels in the furfeit by Provender, foundring in the body, and fuch like. The next is, to take of Salt water, or clean Brine a quart, and diflove there in a pretty quantity of Sope, and then luke-warm adminiter it: this G'ifter is very good for the Cholick, or any other ficknels of the Gats or Belly. And thus from thefe three Glifters you may compound many Glifters; but in mine opinion, if you ufe no more than them onely, they will be fully fufficient. Lib. 1.

CHAP. CI.

Of Purgations, and their Uses.

THe Purging of Horfes is ever by one of thele two wayes, either by Pills, or by Potion: Pills are any folid and substantial Ruff fixed together in one body, and being made into round ball, are caft down the Horfes Throat. And a Potion is, when you give the Horfe any liquid Purging matter to drink, whether it be Purging Powders diffolved in Wine or Ale, or that it be any other liquid Ruff. Now for Pills, they onely Purge and make clean the Head and Brain, bringing Flegm and other groß Humours down into the Exerements : And Potions cleanfe the Stomach, Guis, and every other inward Member. Now the Art of the true carefull Farrier is, in chufing of the Simples, whereof thefe Pills or Potions are to be compounded, and in aprly, or artificially applying the fame. Fuft then, it is needfull that every good Farrier (before he go about to Purgehis Horfe) know with what ill humour a Horfe is oppreft, as whether it proceed from Choler, Flegm, or Melanchely, and where the humours do most abound ; and then what S mples are best to Purge those humours, and with what property, quality, and temperament they be indued; for fome Simples are most Violent, and next couzens to ftrong Poylons, as Scamony, or Coloquintida : fome again are gentle, and rather nourifhing than Medicinal, as Manna, Caffia, Whay, Prunes, and fuch like : and fome are neither too violent, nor too gentle, but of a mean, as Rubarb, Agarick, Sene, and Aloes. Now the antient Farriers did use to Purge their Horses with the pulp of Coloquintida, fometimes with the Roots of wild Cowcumbers, and fometimes with the Broath of a fodden Whelp mixt with Nitrum, and fuch like, but at this day they are not of our practice, and therefore I with him, that for his experience, fill to make a tryal of ftrong Medicines, or know the working of every fimple, (which is a most praise worthy Ambition,) first to make his proofs upon Jades, whole lofs he respectech not, and so by that working to adventure on better Horles.

But to return to my purpole, the Farrier who goeth about to Purge a Horfe by Purgation, must confider the nature of the Horfes Difeale,

136

Lib. J.

Difeale, and the ft ength of the Horie, and with them joyn the na" ture, firength, and quantity of the Medicine : he must also confider the Climate under which the Horfe is bred, the time of the Difeale, the time of the Year, and the time of the Day. For as the Difeafes and the Humours which caufe the D feafe, are fundry, fo they must be avoided by fundry Medicines, fundry wayes com pounded, according as experience from a continual practice thall inftruct you : wherein you are to obferve and note, that weak, de lieste, and tender Horfes are not to be purged with that Violence, which ftrong, flubborn, and flurdy Horfes are, and therefore in fuch cafes, the quality and quantity is to be looked unto of every Simple, The Climate is to be respected, as whether it be hot or cold; and the time of the Difease : For fome Difeases must be purged at the beginning, as Fevers, Peftilence, Yellows, Staggers, and all Violent inward Difeafes, and fome not till the water be throughly digefted, as Colds, Strangles, and Apoftumations. Now albeit the fickness proceeds from cold Humours, yet you must not admin ster as hot Simples in Summer as in Winter ; nor in the contrary cafe, fo cold things in Winter as in Summer, whereby you fee the time and the fealon of the year is to be respected. Then touching respect of the day, you are to observe, that day to be best that is most temperater fith too much heat maketh a Horle faint, and too much cold doth hinder the Medicine from working. A little regard is to be had in the Wind and Weather; for a moift day with a South-Wind, is to be preferred before a North-wind with a dry day. Now the bef hour of receiving any kind of Potion, is ever in the morning, after he hath fasted from meat and drink all the night before. As foon as your Horfe hath received any Pill or Potion, let him be walked or gently Ridden up and down one hour at the leaft, and then fet up and iuffered to ftand on the Bit two hours after, well littered and cloathed, and ftoppe 1; but if you perceive that he beginneth to grow fick or ill (as m ft c mmonly Horfes will) then you thall fuffer him to lye down, and as foon as his ficknels is paft, you thall offer from him to drink a Math of Malt and water luke-warm: a y other meat keep him fasting till his Medicine have done work ng.

Now to come to particular receipts and Medicines themfelves, you fhall eafily under ftand, that although the antient Farriers do make but

137

Lib. I.

but two xinds, that is to fay, Pills and Purgations, yet I divide them into three, that is to fay, Scourings, Pills, and Purgations. Scourings are thole wholefome, natural, and gentle purging Medicines, which firring up no great Flux of humours, do oncly keep the body clean from such evils as would arise and grow, being every way as wholefome in health as in fickness, and may most properly be termed Pre-Paratives, or preparers of the body to entertain more ftronger Medicines. To speak then first of the most gentlest and natural scouring, it is onely Grass being given to a Horfe only fifteen dayes together, and no more, for after that it fatteth and not fcoureth. Next unto Grafs is Sorrage, which is only the blades of green Corn, as Whear, Rye, Barley, and fuch like, being given feven dayes and no more. Next is green Thiftles, being cut up, and given the Horfe to cat the fpace of five dayes and to more. And the laft of this nature is the Math, made in this manner: take a peck of Bround Malt, and put it into a Pail, then take a Gallon and a half of Water boyling hot from the fire, and put it into the Malt, then with a ftaff, malh and ftir them together at least half an hour, till tafting the Water you feel it as fweet as Honey, then being lukewarm, give it the Horfeto drink. All these scourings do only but cleanse the Guts, and cool the Body, adding comforts to the spirits, and ingendring ftrength, only the Math is to be uled after labour, or infread of drink in the time of any great ficknefs. Scourings of a little ftronger nature are thefe: fift, when you give your Horle any Provender, to mix with half a peck of Oats, a handfull or two of clean dreft Hemp-leed : or elle to take a good quantity of Box-Tree Leaves, and put them into a Pewter dich, then fet them before the fire, and let them dry leafurely till they, be fo hard that you may cruch them into powder, then take as much of the powder of Brim-Rone as there is powder of Box, and mix them together, and amongst half a Peck of Oats mix a handfull of this powder, and give it the Horfe to eat ; both these Scourings are to be used after labour, cspecially when the Horse hath sweat much.

Thele two Scourings work upon no matter, but what nature is willing to expel; they Purge the Stomach, Head, and Intrails, they kill all kind of Worms, and dry up Flegm. Scourings of the ftrongeft nature are to take of SalletOyl half a pint, and of new Milk from the Cow a pint, brew it together, and give it the Horfe lukewarm :

138

Lib. I.

warm: or elfe take a pint of Muskadine, and half a pint of Sallet Oyl, and being mixt together, give it the Horfe to drink : Or elfe half a pint of Oyl, and a pint of Sack mixt together, and given the Horfe to drink luke-warm.

These scourings cleanse the Head, Body, and Guts of all Flegmor molten Grease, which any violent labour hath dissolved : they are exceeding good for any manner of cold, or ftoppings in the Windpipes, and if you add unto them good ftore of Sugar-Candy, it will preferve and keep the Horfe from fickness. Now for Pills, you shall very plainly understand, that the first and easiest are these, either to take twenty Cloves of Garlick clean pild and bruifed, then a quarter of a pound of fweet Butter, and fo roul up the Garlick in four or five balls or Pellets, as big as two Walnuts a piece ; and so taking out the Horles tongue, thruft them down his Throat one after another : or elfe to take a quarter of a pound of Butter, and as much red Saunders; bear them well together in a morter, and then make it into four or five balls, and put them down the horfes Throat. Pills of some-what firong nature, are to take a handfull of Rofemary leaves, and chopping them finall, mix them with a quarter of a pound of fweet Butter, and then making it into round balls, give them unto the Horfe: Or elfe take round pieces of raw Melons, and thrust them down the Horses Throat : Or elle to take five Green Figs, and put them down the Horles Throat. 3 "

The ftrongeft Pill is this: take of Lard two pound, laid in water two hours, then take nothing but a quarter of a pound of the clean fat thereof, and flamp it in a Mortar, and thereto put of Liquorithi of Annileeds, and of Fenugreek, of each beaten into powder one Ounce and a half, of Aloes likewife in powder one Ounce, of Agarick half an ounce, knead all these together like a Paste, and make there of four or five balls, and give it the Horfe. The laft recited Pillis fingular good for the dry Caugh, and all the other Pills are most 50" veraign for all infirmities of the head, which grow either from Flegm, Melancholy, or any other cold or moift caufe whatfoever. Now for Purgations, which are the ftrongeft cleanfers of the body, they be these: take two Ounces of Myrrh, and mix it with a pint of Wine, and it will purge all fickness which proceedeth of Choler: the figss whereof are, his belly will fwell, be very hor, and he can neither dung porbreak wind: Take a pint of Wine and Beat a raw Egg therein?"

139

Lib. T.

therein, and add to it a quarter of an ounce of Brimftone, and half an Ounce of Myrrh beaten to powder, and give it the Horfe lukewarm, and it will purge all inward Difeales proceeding of Me ancholy. Two fpoonfuls of the powder Diapente, given with half a pint of Swines greafe, purgerh all Difeafes proceeding of Flegur. Take as much black Sope as a Walnut, a quart of new milk, and a. quarter of a pint of Sallet-Oyl, and give it the Horfe luke-warm, and it purgeth all cold infirmities, but maketh the Horfe exceeding fick. Take the Guts of a Tench or Barbel, being cut into little small pieces, and give it the Horfe in a quart of white Wine, and it will purge the Horle from all Coffivenels or pain in the Guts. Rye being boyled, to that it burft not, then dried again, and given the Horle inftead of Provender, purgeth and killeth all manner of Worms. Take of Radiff roots one ounce, of the root called Panax, and of Scamony, of each half an ounce, beat all these together, and boyl them in a quart of of Honey, then give the Horfe two spoonfuls of this in a quart of Ale luke-warm to Drink, and it will purge all großs Humors, from whence proceedeth either the falling evil, or any Difeale of the brain.

Take and boyl Elicampane roots in milk. till they be feft, that you may bruif e them to pap, and then adding thereto half a pint of Sallet Oyl, give it the Horfe to drink luke-warm, and this will purge and cleanfe any kind of Glaunders. Take of fiveer Sope a quarter of a pound, and make it into three balls, and give them to the horfe, and it will purge, all evil humours what foever, both violently, and most abundantly.

CHAP. CIL.

Directory Purpation as which in

Amost excellent rare scouring for any horse, sick or sound, and especially for running or hanting borses, mbose grease must necessarily be molten.

For almuch as the greateft Art which doth belong to the keeper eicher of running or hunting Horfes, confifteth in the taking deth the vital parts, but also ftoppeth up the conduits and Veffels of wind, and that it cannot any way be done, but by fcouring after exercife; you shall understand, that the best of all fcourings, which hath hitherto been approved, is this, which I will here fet down =

Lib. I.

You fhall take twenty Raifins of the Sun, and pick out the flones and ten figgs, which you thall flit in the midfl round-wife, beyl them in a pottle of running water till the water be confumed, and thickned: then take the powder of Lucoras, Annifeeds, and Sugar candy finely fearth, and mixit with the Raifins and Figgs, flamping and working them together till it be brought to a fliff pafte, then making round balls thereof of a pretty bignets, roul and cover them all over with fweet Butter, and give to many of them unto the hore as you fhall think meet for his flieng h; provided that the day before, you mult give your Horfe fuch exercise as will be fure to melt his greafe, and that immediately before you give him this Medicine you alfo warm him throughly, that the humors being again flirred up, the Medicinemay work more effectually.

to mup a midfield of CHAP. CIII.

of Neszing or Fumigation, and the Uf thereof.

Inte protection for the Shing will or may Diffele of the b ain. Here is yet allo another manner of Purging of a Horfe, and Le efpecially his Head, and that is, by forcing him to neeze of fnort violently at his Nofe, caffing forth all filthy and grofs marters which otherwife will othend and oppress the brain; and this needing is wrought fometimes by fumes or fmoakt, fometimes by Powders and fometimes by Oyls, the thar puels of which, tickling the render and quick parts of the Head, do compell this inorting and neezing Surely there is no Purgation more wholefome, for as it cleanfeth and feparateth grofs matter, fo it comforteth and maketh ftrong the Brain. No v to come un to particular medicines which do procure this netzings they be thefe : fuire into a Horfes Noffiels either Mans Unne which is old, or the Urine of an Os which hath had much reft, and it will force a Horfe to necze, and is most wholefome for any tidian Fever. Take the powder of Gumdragant, Eufens, and Damask Rofes well mixt together, and blow it with a Quillinto the Horfes Noftrils, and it is good either against the Pever in Summer or Winter. Take warm Vinegar and squirt it into his Noffrils, and it is comfortable against the Fever which cometh by raw Digeftion,

Take Garlick flalks a handfull, being broke into limle pieces, and a good quantity of Frankincenfe, and being put upon a Chafing

Lib. 1.

dith and Coals, hold the Chafing-dith under the Horfes Noftrils, fo that the fume may alcend up into his head : and this is most excellent against the Head-ach. Take feathers and Brimstone, and burn hein on a Chafing difh and Coals under the Horles Nofe: or blow Pepper and Perithre beaten to Powder up into his Nostrils, either of both thefe are most excellent against the fleeping evil. Take the powder of Mother worr, and blow it up into a Hories Noftrils, and it is good against the falling evil. Take two Goole feathers anoynted over withOyl de Bay, and thrust them up and down in the Horles Noftrils: or elle take Sage, Penyrial, and Whear, Long lodden together, and put into a Bag as hot as may be, which Bag Would be so close fastned to the Horses head, that all the smoak and lavour thereof may afcend up into his Noftrils : Or take a Clout anoynted with Sope or Oyl de Bay, and rub it up and down his Noftrils as high as may be. Any of all thefe, or all thefe together are most excellent against any cold, poze, or other obstructions in the head. Take Orpiment and Sulphur, and burn them on the Coals and hold it under the Horfes Nole: or take Oyl de Bay, Euforbium and white Ellebore, and anointing two feathers therewith, thruft them up into the Horses Nostrils : both these are good against the Glanders.

Take of the falks of Briony, or wild Vine, two handfulls, and onaile them betwixt two ftones, and being fo bruifed, put them into a . linnen bag, and fasten the Bag fo to the Horses Head, that the fent may Boup into his Noftrils without touching the herb with his mouth : and this is excellent against the mourning of the Chinc, or any inward cough. Take of Rolemary, of Nard, and of Sage, dried and beaten into fine Powder, of each a like weight, and with a Quil blow them up into the horfes Noftrils : or take the powder of white Pepper, or of Sale Niter, or of Iris Ilirica, or black Eleboris, and Blow them with a Quil up into the Horfes Noftrils : or take Linnen chopt, dipt in the Dregs of Oyl, and ferring it on fire, then fuddenly put it out again, and let the imoak alcend up into the Horfes Noftrils : or squirt into his Noftrils Ariftolochia, mixt with Wine, or Salt Niter mixt with water, or Salt and Roch Allom mixt with Wine : or take ground Ivy beaten fmall, and thruft up into his Nofe: or Bayberrics beaten fmall, and burnt on the Coals under the Horles Nofe: or a Coal of fire put into a lump of wet Hay, making a imothering imoak, and

Of Cures Phylical.

142

Lib. I.

and held under the Horfes Nofe. Any of these are most excellent against any Disease of the head, especially Staggers, Colds, Glaunders, Strangle, and such like.

Yet all these have their several impersedions: the best Fumes then of all others what sever, is, to take the best Olibanum, Storax, and Benjamine, and bruising them großy together, burn them under the Horses Nose.

CHAP. CIV.

Of Frictions and Bathes, and of thir feveral Ufes.

Rictions or Bathes, are a certain rubbing, annointing, or bathing of a Horfes Body all over, especially against the hair, becaule the Medicine may fink in fo much the better, with comforrable and Soveragin Unguents, whole vertues do loolen the skin, chear up the inward spirits, and spread a lively heat and feeling over the whole body : And of Frictions, both according to the opinion of the old Farriers and also of the best of this present age, these are the most So veraign. Take of Damask Rofes one pound, of old Oyla pint, of ftrong Vinegar a pint and an half, of Mint and Rue, beaten into power der, of each one ounce and a half, together with one old dry Nut, beat them, and mingle them well together : Then being ftrained and made luke-warm, if it be in the Summer time, and that the Sun Thine hold rake the Horfe abroad : But if otherwife, keep him in the Stable and heating a bar of Iron exceeding hot, hold it over, and on each fide the Horfe, and with the Oyntment rub and chafe the Horfe all over against the hair, untill the horse begin to sweat ; then Cloath the Horfe very warm, and let him ftand. This Friction is excellent 2 gainft all Winter Fevers, or any inward fickness that commethed Cold. Take of black Elleborus two or three handfulls, and boy it in a sufficient quantity of strong Vinegar, and with that rub and chafe all the Horfes Head and Body quite over once or twice a day, and it is most excellent against Frenzie, Madness, or any Drynels, or Scalinels of the skin.

Take Oyl de Bay, or Dial hea, and anoynt all the Horses Body all over therewith, holding a Pan of Coals, or a hot bar of Iron neer the Oyntment, to make it fink in; or else make him a Batheof Bruging

143

Lib. 1.

Running water, wherein is boyled Rue, Wormwood, Sage, Juniper, Bay-leaves, and Hylop, and bathe all his body therewith : Either of thefe are moft Soveraign for the mourning of the Chine, or any Difeafe of the Liver, Lungs, or Spleen. Take Wine and Oyl, and having mixt them together, chafe, and rub the Horfes body therewith, and it is moft Soveraign for any inward ficknefs, especially the Liver. To bathe a Horfe in Salt water is very wholesome, both for the Horfes skin, and also for any Difeafe in the ffomach.

Laftly, take of Mallows, of Sage, of each two or three handfulls, and a Rofe-cake, boyl them together in water, then being boyled till the water be all confumed, add a good quantity of Butter, or Sallet Oyl, and mixing them together, bathe all the Horfes four Leggs therewith, and all the parts of his Body alfo: and there is nothing more Soveraign for a Horfe that hath been tyred or over travelled. To let blood, and with that Blood, and Oyl, and Vinegar, prefently to anoynt his Body, helps moft forts of imfirmitics.

CHAP. CV.

General Drenches or Medicines for all the inward Difeases or surfeits in Horses.

Here is no Medicine more Soverain for all Difcales which breed in a Horles body, then to take half an ounce of the Powder called Diapente, and brew it either with a pint of Sack, if it be for Colds, or Muskadine, if it be for heart ficknfes, and fo give it the horle to drink fafting in the morning: and do this at leaft three mornings together, especially when the horle beginneth first to droop. The next to this, is, to take of Selladine two handfulls, both Root and Leaves, chop them and bruife them: then take of Rue as much, of red Sage and Mint as much, and of Aloes half an ounce : boyl these in a Pottle of Beer or Ale till the one half be confumed, and then give it the Horse luke-warm to drink.

Take four ounces of Diapenre, and mix it with four ounces of clarified Honey, and keep it in a close Glass, and give half an ounce thereof with a pint of fweet Wine to the horse to drink, and it is an excellent Drench. Take of Liquorish an ounce; of Anniseds, Cuminfeeds,

Lib. I.

CHAP.

feeds, Elicampane Roots, of each half an ounce, of Turmeric and Bayes, of each a quarter of an ounce, of Long Pepper and Fenugreeks of each two drams, beat these small and searce them, and put five spoonfuls thereof into a quart of Ale warmed, with a little Butter or Oyl, and it is very Soverain for any Dilease coming of cold causes Take a quart of good Ale or Wine, a raw Egg beaten and mingled with twelve Scruples of quick Sulphur, and four Scruples of Myrth made into powder, and give it the horfe to drink, it is a good Drench. The powder of Brimftone mixt with fweet Wine, is a good Drench alfo. The Root of the Sea Onion, the Roots of Popler, called the Greek Rhammos, mingled with common Salt, given in water, keepeth the Horfe Long in health. Take fine powder of Fenugreek, and bruise it, seeth it in water till it wax thick, add a pound of sweet Butter, an ounce of Linleed Oyl, and as much of the Oyl of Nuts i mingle them well together, and give it the horfe in three or four dayes to drink, by a pretty quantity at a time. Selladine fimply of it felf, or Rue fimply of it felf, boyled in Beer or Ale, and as much Brimftone as a Wall-nut, is an excellent Drench for any long taken furfeit. Garlick and Houfleek beaten together in a Mortar, and then boyled in Beer or Ale from a Pottle to a Quart, then mixt with Liquorith, Annifeeds, and Sugar-Candy, and a pretty quantity of Sallet Oyl, is an excellent Drench for any inward ficknesswhich doth proceed from hot causes, as is the Frenzie, the Anticor, and such like And thus much of general Drenches, and their ufes.

CHAP. CVI.

How to make the powder called Diapente.

T His word Diapente is as much as to fay, Composition of five Simples: for the receipt is thus compounded. Take of Gentian, of Aristolochia, of Bayberries, of Myrrh, and of the shar vings of Ivory, of each a like quantity, beat them into very fine Powder, and then fearce it. This Powder is praifed to be a Soverain Prefervative or Medicine against all inward Diseafes: and therefore I would wish every Farrier, and all fuch as are the Masters of good Horse never to be without it.

Lib. I.

Of Cures Phylical.

CHAP. CVII.

a most famous Receipt, which is both a fingular Drench and fingular Oynement, called of the Italians Accopum.

TAke of Euforbium half an ounce, of Caftoreum one ounce, of Adraces half a quarter of a pound, Bdelium half an ounce, and half a quarter, of Pepper a quarter of a pound, Fox Greaschalf an ounce, Opoponax one ounce, Lacerpitium three quarters of an ounce, Amoniacum half a quarter of a pound, Pidgeons Dung as much, Galbanum half an ounce, Nitrum one ounce one quarter, Spuma Nitri three quarters of an ounce, Ladanum a full quarter of a pound, Perethrum, and Bay-berries, of each three quarters of an ounce, Cardadum two ounces, Seed of Rue half a quarter of a pound, Seed of Agnus Castus one Ounce, Parsley half an ounce, dried Roots of Ireos, or Flower-de-Luce, one ounce one quarter, Hyfop and Car-Poballamum a quarters of a pound, Oyl of Flower de Luce a quarter of a Pound, and half a quarter, Oyl de Bay as much, Oyl of Spickhard chree quarters of a pound, Oleum Cyprinum three quarters of a pound, and half a quarter, the oldest Oyl Olive one pound and a half, Pitch a quarter of a pound and two ounces, Turpentine a quarter of a pound, melt every one of these that will melt, severally by themselves, and then mingle them together with the reft of the Sim-Ples beaten into fine Powder : and after that they have been a little boyled on the fire, take it off, and firain it into a fair Vessel, and whenloever you will give your Horle any thereof, give it him with Wine, or four or five (poonfulls with a pint of Sack or Muskadine : and if with long keeping it waxeth any thing fliff or hard, then foften it with the Oyl of Ciprels, lo that it may be good and thick.

This Confection is both a Medicine and an Oyntment, if you put it in the Horfes Noftrils, it will draw out all noyfome humours, and dicharge his head of all grief: if you anoyat his body therewirh, it healeth all Convultions, Colds, and Drinefs, or Withering of the Body; and if you bathe his Limbs therewith, it driveth away all wearinefs and tiring; and if you give it him with wine to drink, it cureth all kind of inward Maladies.

V

146

S 10

Lib. I

CHAP. CVIII.

How to make the Oyl of O.its ..

Ake of Milk two Gallons, and warming it on the fire, Put L thereto a quarter of a pound of burnt Allom, which will make it run of Curds, then take out the Curd and cast it away; then then ft ain the Whay through a coarle Cloath in a clean Veffel : take a quarter of a Peck of clean husked Oats that were never dried, and put them in the Whay, and fet them on the fire till the Oat burft, and be fofe; then take them off, and put them into a Cullender that is full of holes, fo that the Whay may go gently from them without any preffing (for you must keep the Oats as moilt 25 may be :) this done, put the Oats in a frying Pan, and fet them over the fire, ftirring them continually, till you fee the Vapour or fmoat of them not alcend upwards, but as it were run about the Pan, then fuddenly take them off, and putting them into a prefs, prefs them most exceedingly, and look what commeth from them, is only the Oyl of them, which you must fave in a close glafs. Now there are other more artificial and curious wayes to diffill and extract this Oyl, but this of all other is the most easieft and furest for every mean capacity. This Oyl of Oats is of all Medicines and Simples whatfoever, the most excellent and Soverain for a Horses Body, being extracted from the most natural, wholelom, and best food which doth belong unto a Horfes Body. This Oyl being given by four or five spoonfulls at a time in a pint of fweet Wine, or a quat of ftrong Ale, and some of the whay powred into the horses Noferils, It is also doth Cure the Glaunders before all other Medicines. (given in the fame manner) the beft of all Purgations; for is purgeth away all those Venemous and filthy Humours, which feedeth the moft incurable Farcy whatloever. And for mine own part, as long as I can conveniently come by this Oyl of Oats, fo long will I never in any Medicine whatloever, ule any Oylor Unctuous matter than it only: I having found by experience, that it is the Soverain of all Simples of that kind, what foever they be. CHAP.

Lib. I.

CHAP. CIX.

Certain brief Observations to be observed at home and abroad, whilk the Horfe is in health.

THefe Observations now following, are gathered from the meft furen exact Principles, and unfallible grounds of all the best and surest approved Horf-men, either of this Kingdom, or of any other Nation within Christendom.

First then, for the general feeding of your Horfe when he is in health, you shall feed him with Straw, Hay, Oats, fine little Wheat, Beau, you shall feed him with Straw, Hay, Oats, fine little Wheat, Beans, Barley, Bread made of Beans, Peafe, or Fitches, or any other Meat that fwels not in the Horfes body,

It is the opinion of Camerarias, first to give Provender, then Hay, and lastly water; but our English custom is, first Hay, then water, and laftly Provender.

In your travel feed your Horse betimes for all night, that thereby the Horfe may fooner take his reft.

The quantity of Provender which you thall give your Horfe at one time, fhall be as much as you can hold in the palm of both your hands at fix times, or three pints by measure.

Horfe bread which is made of clean Beans, clean Peale, or clean Fitches, feedeth exceedingly.

Let your Horfes Meat and Drink be exceeding fweet and clean, yethis Water by no means extreme cold running water from the Rocks for it pierceth too much.

To tub your Horfes mouth with Salt and Wine, will male him both cat and drink with a much better appetite.

Let your Horse neither eat when he is hot, nor drink when he is hot, neither prefently after his travel.

Labour your horse moderarely, when the weather is either extreme hot, or extreme cold, that so you may avoid extreme heats, or fudden colds.

Travel not your Horle too late, that your own eye may fee him well dried, and well fed before you take your own reft.

Never take your Saddle from your Horfes bac, fuddenly. Lend not your Horfe, left your felt walk on foot.

Let

Let your Hoife lye clean and dry, keep your Stable sweet, let no (wine lye neer it, nor let any pullen come within it.

Let your Horfe be ever tied with two Reins.

148

Let the light of your Stable be ever towards South and North, yet fo as the North Windows may in the Winter be shut close at pleasurer and opened in the Summer to give fresh air.

Ride your Horfe oft a little on ftony wayes, that he may the bet ter feel his feet, and harden his Hoofs.

Have ever near your Stable some close plain Green, that your horse being let loofe, he may oft tumble himfelf thereon.

Let your Horfes bed be of foft sweet Straw, somewhat above bis knees, of which, Wheat ftraw is the beft : for though Barley-fran be the fostest, yet a Horse will covet to eat it, and it is unwholelom and Wheat ftraw is not unwholefom to eat, yet it is hard to lye u pon : as for Oat ftraw it is the best in the Superlative, for it is both wholefom to eat, and foft to lie upon.

Curry or drefs your Horfe twice a day, that is, before water, and when he iscurried, rub him with your hand, and with a Rubber his head would be rubbed with a Wet-cloath, and his Cods made clean with a Dryscloath: his Fore-top, his Main, and his Tall would be often wet with a wet Main-comb, and ever where the hories ha'r is thinneft, there curry the gentleft.

Let the plaunchers of your stable lyceven, and Level, that your Horfe may ftand at his cafe, and not prove lame by too much of preffing his hinder parts.

Let not any Mud-wall be within your horfes reach, for he will par turally covet to eat it, and nothing is more unwholefom.

Give your Horfe plenty of Garbage (which is chopt Wheat fraw) both with his Provender, and without. for lo

Let your Hay bottles be very little, and tied very hard : your Horfe fhall cat with the beft ftomach, and make leaft walte

To fprinkle water upon your Hay, is most wholfom, and to prind kle Fenugreek upon your Provender, is as Soverain : the firft is good for the Wind, the latter for Worms.

Give your Horfe daily exercife, for that gets the best stomach to his meat.

Purge your Horfe once a year with Grafs, or with green blades of Corn, called Forrage, for fifteen dayes together ; yet before you Purge

Lib. 1.

Lib. 1.

Purge him, in any cale let him blood ; and whilft he is in Purging, by no means let him have any Provender.

A Horfe after travel hath ever more blood than any beaft what-

Green Grafs or Forrage cleanfeth the blood, encreaseth strength, healeth D seases, avoideth Melancholy, helpeth the Horse growth, and maketh the skin smooth : whilst the Horse is at soyl, by no means let him take cold.

The Northern man watereth two hours before he rideth at the leaft, then lets the Horfe eat a little Hay, then gives Provender, but not much, and bridleth the horfe up a quarter of an hour before he rideth: At night he watereth two miles before he taketh his Lodging, then rideth eafily; he neither walketh his horfe, nor fluffeth him, nor loofeth any Girt, but only rubbeth him very clean, and fo letshim bite upon his Bridle half an hour after, with good flore of of Litter under him; then he gives the Horfe Hay, and after Provender, before he goeth to water again, (yet but a little) then feeth the horfe throughly well dreffed and rubbed, well Littered, and molt fufficiently meated.

There be others which walk after labour, then rub well, Littereth and unbridleth : both which be good, fo that the one have not too much walking, nor the other too cold a Stable. But howfoever, fluff nor your Horfe backwards, but betwixt his foreleggs, and formoft Birt: for backward fluffing is perilous, left drawing his yard when he would fale, he draw back in his theath any of the Litter that ftophim. The Northern man's use agreeth with the French principles, which laithule no other walking than your felf on your horf-back, by riding him sently till you come at your Inn, and fo make him cold, then Thate litter under him, rub his Leggs, his Belly, and every part of his body well, till he be dry, then unbridle him, rub his head well, and sive him Hay; flack no Girt till it be night, that the Windows be thut ; fuffer the Horfe to drink but a little at once, to avoid fudden cooling of the Stomach, or driving the horfe into a thaking Fever : At night jub and curry well, and feed according to the Horfes Itomach.

Other good Farriers ride gently till the Horfes finews be chafed, and never water in travel till the horfe have flaled, and forbear to travel him fast before he hath drunk, that he may not drink in his

Lib. 1.

grat heat, and they hold the ftanding water the beft; after water for a Mile they ride foftly till his water be warmed in his Belly, and before they come to their Inn they do not water, nor of an hour after they have unbridled: then they Cloath well, and give Provender, having a care that their horfes ftand not in the Wind, and that they have been rubbed dry and clean. Now all these principles are exceeding good, yet I would with every traveller to learn how his horfe hath been ufed, and that cuftom (if it be not too much againft reafon) ftill to follow.

If you come late to your Inn, and that your journey be great and earnest, so that your Horse will not eat till he have drunk, and yet is hot notwitstanding, then let his drink be Milk given in the dark, left the whitnelsmake him refule it: this is both Cordial and pleafant: if you cannot get Milk enough, then mingle Milk with water luke-warm, for no drink would be given a horse hotter.

If your Horle either by labour or any furfeits be brought low, lean, and weak, you fhall give bim Mares Milk to drink many dayes to gether, and it will make him flrong.

It is not good to wash your Horse, especially if he be either hot or very fat : otherwise you may wash his Leggs above his knees, so that in no case you wash his Belly, and that you ride him a good round pace after his washing, then by no means walk him, but set him up and dress him : The purer the water is wherein you wash your Horse, the more wholesome it is, so that it be not too extreme cold.

The beft hours to water your Horfe in, (when he lives at reft) ¹⁵ betwixt feven and eight in the morning, and four or five in the ^{er} vening.

When you travel, at every steep Hill light, both to refresh your Horse and your self.

Let a fat or hot Horfe have his water at four times, and not for much as he will drink at once; give him Provender twice at night, and but once in the morning : let his Cloath neither be too hot, not with Straw too much fluffed: when he eateth good Hay, let him have lefs Provender than when he eateth Straw : give his Meat by httle at once to avoid glutting of him, and let him fland two hours every day without meat.

Rubbing much, hard, and well, doth profit, preferve, and doth

Lib. I.

Of Cures Phylical.

keep doth ftrength of Body and Leggs: for in rubbing and combing, a Horse doth take much delight, and it doth better than muchmeat.

To feed with Barley (according to the opinion of the antient Italians) Ingendreth good blood, encreaseth strength and courage, and maintaineth health ; but with us here in England, we find Oats to be much better feeding.

In the Dogg-dayes it is not wholesome to ride your Horse off in the water to allay his natural heat.

The Mafters eye to see his Horfe well curried, and with the hand well rubbed, and well meated, and the Stable fweet and clean kepr, Preferveth health, and wonderfully feedeth the horfe.

Cleanse and pick the soles and bottoms of your Horses feet oft, and Ruff them well with Ox Dung, anoynt his hoofs with fresh Greafe, Tar, or Turpentine.

Much reft is the Mother and the Nurle of many Dileales. When you ride, look often to your Saddle, and your Horfes theores; and you thall find much more cafe in journey;

CHAP. CX.

Certain Special Principles in Foals and in Horfes.

He Foals whole Legs be long, will ever be tall, for of all beafts their Legs in length ever grow the leaft, and by the bignels of

their Legs you thall guess the firength and greatness of their bodies. Let your Colts, if you can possibly, never be housed till they be Palt three years old.

The Greek Horfe (which we call the Turky Horfe) is a most excellent horle, fwift, bold, well headed, tall, and ftrong; many of them be White, fome Bay, fome Sorrel, and fome Black.

The Arabian Horle is most swift, and most beautifull.

The Horfe of Africa, which we call the Barbary horfe, is of good courage, fwift, and nimble, and therefore both the Turky horfe, and he must be used with all lenity and gentlenels, and not with beating.

The Frizeland Horle is fiery, yet the worft of any, The Flemith Horfe is worfe than the Frizeland.

The

Lib. I.

The Spanish Jenet is good, swift, and light.

152

The Neapolican Courfer for all ules is moft excellent and beautifull.

And the English Horse is best both for great burthens or Long travel.

and Obferve to win your Horfe by patience and gentlenels, never be angry or mad with your horfe, if he be of great metal i only the dull horfe must with much beating be quickned and en" flamed.

Anoint your Bit when you put it first into your Horfes mouth, with honey, and the Powder of Liquorifh, or elfe with honey and and at no time put any Bit or Snaffle into your Horles mouth Salt: before you have walht it.

Never take your Horfes back before you have the Bridle Reins faft in your hands ; and when you walk down any Hill, by no means drive your horse loose before you.

If your Horfe have a long back, let him have a large Saddle, and if he have a low back, let the Saddle have a high feat, and if his back be fhort, let the Boulfters fland the neerer and clofer together.

If your Horfe be dull, you must four him foundly, and after fuch fpurring, rub his fides with Salt.

CHAP. CXI.

Certain general Observations concerning Mares.

N length and height, a Mare groweth till the be five years old, and a Horfe till he be fix.

When a Mare is past two years old the may be covered, but the best time is after four year old.

Common Marcs may bring Foals every year, but let your best Mares bring but every fecond year, especially if they bring Horse Coles.

After covering by no means travel your Mares.

To get Horfe Colts, cover before the full of the Moon, and when the fign is a Female : and to get Mare Colts cover after the full, and in the Male figns: for note it, there be twelve figns, fix Ma e, and fix Female. 10 Lib. I.

To make a Mare frand to her Horfing, fet her by the horfe two or three dayes, that he may much defire, and be acquainted before he cover her: After bring them out, and let him ferve her, and have ready a pail of water, which, when the horfe thrinketh from her, Powr upon the ridge of the Mares back : then fet them to far alunder as that the one may not hear the other : Do this three mornings, and three evenings together, then let her not come neer the horse after, till the be knit, left the defire of him again, make her to thoot out that which the kept before:

To know whether your Mare be with Foal about Chriftmas, or no, powr a little Water into her ear, and if the only thake her head, the is then with Foal, but if the thake both head and body allo, the is not with Foal.

When you wean your Foals, rake them from the Mares four dayes before the full of the Moon, and after the Foals have to remained four and twenty hours, let them again fuck till they wax very full s then remove them for altogether, and the next morning give every one three flips of Saven, and to after let them have till they be three years old, all plenty of meat abroad, rather than in the Stable.

Let your Scallion for Trotters be either Neapolitan Courfer, or Atabian, Turk, or Barbery, and for Amblers, either the Spanish Jener, or the Irith Hobby.

Pur your Mares to the Horfe, from middle March till middle May, or middle June, the Moon having newly changed.

It is good to put the Horse and the Mare for three or four nights together in fome vaft empty houle, and in the morning take the horfe away, and feed him well; but feed your Mare sparingly, especially Biveher little water.

At the end of fix moneths, by no means chafe your Mares 3 or then they are in quickning, and may eafily be made to caft their Feals.

The Wall-eye either in Mare or Horse, doth never see perfectly, especially when there is any Snow on the ground.

A Mare goeth with Foal eleven moneths and ren dayes. Let your Maie be of a mean stature, large, and broad, and of good mapes; and the Stallion of like (hape, but formewhat taller; and temper their Natures thus: Put unto the hot Horse the cool Mare, and to the hot Mare the cool Horfe : and let your grounds wherein you breed, be Dry, Hilly, and with running freams in it.

CHAP.

153'

154

Lib. I.

CHAP. CXII.

Certain Special Notes to be observed in the buying of a Horse.

FIrst, mark his colour and his shape, that is to say, a comely well proportioned head, with an out looking eye, good well railed shoulders, and a thick large breast, broad brawn, large and broad flat Leggs, thort Pafterns, and little feet : for long Pafterns thew weakness, and broad feet shew dulness; feel if he have no Glanders between his Chaps, no Splents, Curb nor Spaven, look he be not Pur fick or broken-winded: put your hand before his Eyes, to know it he see well. Look into his mouth for his age : if he be past eight years old, feel all down the ftrunt of his Tayl with your hand, and if you feel that it be fmooth, then the horfe is not very old, but if it have any rough knobs towards the end, buy him not, for his good dayes are past. Let him run at the Halters end, for if he be lame (having that liberty) he would favour that Leg which is amils, and not lean upon it. If he turn up the white of his Eye, or lay his Ear to his Neck when he istidden, he is a fullen Jade, and full of naughty qualities : when you flir him in the Stable, he ftare and look back upon you with a ftout Countenance, it is a token of a good ftomach in him? and great aptnels to be taught : if he ftir the end of his Taylashe paffeth out, and is ridden, and yet doth not wisk it, it sheweth that his pace is unperfect : be fure to fee him turn as thort as may be, that you may know whether he be fwayed in the back or no : the middle flature is the beft, and the flort knit Horfe is the ftrangeft. Wall Eye ever feeth the worft.

The Horfe that is of nature Gentle, fwift, light, nimble, of easter pace, ane good colour, ftrong feet, good Loyns, speedy in eating, and good at his Provender, is ever the best for use, and the readiest monty in the Market at all times. See if the hair in the spurring place be white, for it argueth flowness and spur-galling.

The Horfe that will paw and beat the ground with his foot when he is ftayed from going forwards, is ever like to be good and durable in travail.

Many other notes there are that are needless to rehearse, which by the observing of these will casily come into your memory. CHAP.

CHAP. CXIII.

General notes concerning fome Simples already Spoken of.

A LL manner of Marrows or Piths, of what kind soever they be, muft be kept by themfelves in a dry cool place, and preferved from all filth or uncleannefs, and from the annoyance either of wind or fire, and fo they will laft fully out a whole year.

You thall keep no Syrrups, nor fweet Electuaries, nor Pills, nor Powders, nor Conferves of Flowers, nor any Oyntments, Suets, or Emplaisters, above one whole year, only bitter Electuaries, or Conferve. of Fruitors Roots, will last fully out two years.

Lib. r.

Of Oyls, fome will last long, fome must be new made: Oyls extracted out of Wood or Metals, will laft long.

Gather Roots in Autumn, but take the small sprigs from them, and make them clean and dry.

Dry fmall Roots in the fhade and Wind, and great Roots either in the Wind and Sun, or by the fire: lay them in a dry place towards the South, and they will keep long, provided that neither Sun nor. moifture injure nor hurt them.


Gather all manner of Herbs when they do moft flourish, and dry them in the shade, except they be very moist and apt to putrifie; they last for the most part a whole year.

Gather Seeds and Fruits when they be fully ripe; they also last but one whole year.

Gather the Rind or Bark of any Simple when the Herb is ripe ? drie them, and they will last many years.

The end of the first Book,

X 2



Markham's Mafter-Piece.

SECOND BOOK, CONTAINING All Cures Chirurgical,

OR

Such Infirmities as being only outward, crave the Use of *Chirurgery*, and are called in Horsleech-Craft,


HORSES SORANCES.

Newly Imprinted, Corrected, and Enlarged with many notable Additions, and most certain approved Medicines, never revealed before this Impression.

Written by Gervase Markham, Gent.

LONDON,

Printed by Andrew Clark, for Thomas Passinger at the three Bibles on London Bridge, 1675.



Lib. 2.

Markham's Master-Piece.

Sates-Chinner Cont.

159

THE

SECOND BOOK.

CONTAINING

All Cures Chirurgical, or fuch Infirmities as, being only outward, crave the use of Chirutgery, and are called in Horfe-Leach-craft, Horfes Sorances.

med and your

CHAP. I. Martin the starting

What proportion of measure is required in every member of a will hapen Horfe.



Orafmuch as the great fubftance of this Art of Chirurgery, or second part of Horf-leach-craft, applied only unto outward infirmities, confifteth of Incifions, Cauterizings, Corrodings, and Difmembrings, as well as of Comfortings, Incarnating, Cleanfing,

Conglutinating, and binding up Members in their true form, and that all joyntly together, go but about to make a the and well-formed Body: I think it meeteft that I begin with the true Proportion and measure which is required in every Member of a well thaped Horfe, that the careful Farrier thereby underftanding how, and in what fathion every Lineament thould be placed, or what proportion and quantity they do contain, he may at no time through ignorance either difmember or difgrace the fame : as I have have


Of Cures Chirurgical.


Lib: 2.

have many times (een fimple Farriers do, when contrary to all A¹ and Rule, they have cut in funder- the main Cords, Sinews, and Tendons, by which a horfes Limbs are governed.

160

To begin then, you thall understand, that, according to the Defeription of the most antient and worthy Farriers : there are in a Ho fes Palate of his mouth twelve bars or degrees like fteps, one above another, flanding (when his mouth is turned upwards) like a pair of flairs: his tongue would be half a foot long, his upper lip fix inches, and his neather lip five inches long; each of his Jaws would be ten inches long, his head from his Eyes down-ward ful twelve inches long, his Ears five inches long, the circuit or compals of his Eye four inches about, his Neck from the nape of his Head unto the Withers would be feven handfulls, from the Withers to the Fillers twelve handfulls, and from the Fillets to the fetting on of the Tayl fis handfulls : The Length of the thoulder would be twelve inches, and the Length of his Shank fixinches, the Length of his hinder Hood would be twelve inches, and his Cambrel five inches, and the Length of the whole Body from the head to the Tayl would be an hundred inches. Now as horses are bigger or lesser, so these measures either exceed, or are less; neither do I confidently build upon these ind quantities of the antient Farriers, becaufe, I having my felf meafured many horses, I never yet could find any certainty in the proportions only this is the most certainest rule that ever I could find, that look what quantity is between the Nape of the Horfes Neck, and the ut termost part of the Withers, there must ever be twice fo much tween the Withers and the fetting on of the Tail; and look what quantity is between the top of the thoulder-blade, or top of the Withers, to the Elbow of the Horfe, it must be twice fo much from the Elbow to the letting on of the Hoof: And look how muching from the top of the Hip to the Rifling place, it must be twice to must from the flifling place to the fetting on of the hinder hoof :this is the certainest rule that ever I could find for a Horses mod proportion. And therefore for your better fatisfaction, behold Picture that is now here placed, which is the Anatomy of a men perfect horfe, with lines drawn from every member, directing Thewing all the outward Difeafes or Sorances belonging to a horit body, and an in the charge of the





Of Cures Chirmrgical.

CHAP. II.

Lib. 2.

Of the Veins lelonging to a Horfe, and how many there be.

TT is most necessary, that every good careful Farrier know all the I principle Veins in a Horles body, especially those which in the time of need, or in ficknels are to be opened : And therefore to be gin, you shall know that from the Liver, which is the Fountain of blood, both in Man and Beaft, doth arife one main great Conduit or large Vein, which ascending into the body, doth divide it selfe into thus many leveral branches, or leffer Rivers. First, within the Palate of his mouth, above the first and third bars, are two notable Veins, which the best Farriers do touch and strike when the Horfe ha h any Disease in his Head, Brain, or Stomach : He hath allo other two which descend down from the lower parts of his Eyes unto his Noftrils, and are ever opened for any grief in the Eyes : He hath two others which are above his Eyes, and run crois the Temples of his head, and are called the Temple Veins, which are likewife opened for all manner of cold Diseafes in the head ; he hath also two great main Veins running along each fide of the Wind-pipe, even trom the uppermost joynt of his nether chap down to the Breaft, which are called the Neck Veins, and are thole which are ordinarily opened for any Diseale whatfoever. He hath then two Veins which arife upwards from between his fore Legs to the top of his breaft, and are called the Breaft-veins, and they are opened when the horfe hath any Fever, or is fick at the heart. He hath other two which like wife afcend from berween the fore Legs, but do not mount fo high as the Breaft-veins, but reft upon the formoft bough of the fore-leg, and they be called the Plat-veins, and they be opened either for foun" dring, or other grief in the Limbs. He hath other two Veins which run down from the Elbow of the fore shoulder, down all along the infide of the fore legs, and are called the fhank Veins, which are opened for Splents, Mal'ander, or fuch like. He hath then four Veins which run along the ferlocks of the horfe, and are called the shakle-veins, which albeit, they are but small, yet they are many times opened for ftiffnels in the Joynts, or for tyring : then he hath four Veins about the Croners in his hoofs, and are called the Croner-Veinso

Lib. 2.

Of Cures Chirurgical.

Veins, and are opened for foundring in the Feer, or for Ring bones : then he hath four Veins within his four Hoofs, running about his Toes, and are called the Toe-veins, and are only opened for founding or frettizing in the Feet : he hath then two main great Veins which defcend down from his ftones along it the infide of his Thighs to his Cambrel, and are called the Kidney-veins, which are onely opened for Dileafesin the Kidneys: He hath then two other Veins which descend from above the hinder Cambrel, all alongst the inslide of the hinder Legs down to the Feet locks, and are called the Spavenveins, which are opened for the blood fpaven only: He hath then two veins in his Flanks, which are called the Flank-veins, and are Opened for any grief in the Reins or Fillets : he hath then two veins in his hinder Hanches called the Hanch-veins, and are opened for any manner of Confumption of the flefh, or fuch like: Then he hath two Veins which run alongst his fide, even from the Elbow of the fore-leg unto the flank, and are called the Spur-veins, and are opened for foundring or Spur-galling. Laftly, he hath one fingle Vein in his Tayl, which is called the Tayl-vein, and is opened for the thedding of the hair or any manginels. So there is in a Horses body of principal Veins, which upon occasion must be opened, just thirty feven, as you may perceive by this Figure, which is the true Anatomy of all the principal Veins and others within a horfes body; where you are to understand, that the Letter A the weth the Templevein, B the Eye-veins, C the Palat-veins, D the Neck-veins, E the Breaft-veins, F the Plat-veins, G the Shank-veins, H the Cronetveins, I the Hoof-veins, K the Spur-veins, L the Kidney-veins, M the Spaven-veins, N the Flank-veins, O the Hanch-veins, P the Tayl-veins, Q and R the Fet-lock-veins. Now for the other Imall Threds, or Veins, which as it were, over-fpread the whole body, becaufe nature will allow no part or Member to be empty or void of blood, they be allo veins, derived from the other main great Veins, yet of no cificaey or force, but fuch asupon any neceffary incition may very well be cut alunder without any flux of blood, or other danger : but for the other Mafter veins, they may not be cut but with great peril. And thus much for Veins, which are the infruments of heat-

CHAP.

Of Cures Chirurgical.


164

CHAP. III.

Of the Sinews in a Horfes Body.

Ouching the Sinews within a Horles Body, you thall underftand, that from the Brain, which is the principal Fountain of Well-fpring of Sinews whatloever, there is derived one great main Sinew or Tendon, which paffing through the hollownels of the Neck and Back bone, doth extend it felf even to the nethermost Joynt of the Horles ftrunt : From his main Sinew is derived two fmall Bran ches, which passing through certain holes in the top of the Horles skull, run down alongst the horses Cheeks, even to the point of his Noftrals : - Then hath he two other branches, which paffing through certain holes in his nether Chap, knit that and the upper together and forun down by his great Teeth, and meet just below his nether Lip: then hath he twenty eight fmall Threds, which running through fo many small holes in the feven bones of his Neck, knit them fast together : So likewife to Knit all his Chine even to the very nether end of his Strunt fast together, the number whereas is infinite, and uncertain: Then hath he two main great Sinewing which extending themfelves over both the Spade-bones, are divideo into many branches, and run down into the Fore-legs, even into the Coffins of the Hoofs, and Knit every Joynt fast and fubstantially 10" gether : then hath he two other main Sinews, which coming through two holes to the great Columel or flat bones of the Hips of Huckle, do extend themselves (being divided into many branches) down both the hinder Legs, even within the Coffins of the hoof allo & bind all these leveral Joynts fast & strongly together. Now laftly you shall understand, that from the fetting on of the horsespeck, unto the flat Columel or Huckle, bone, doth extend one great broad Sine" of three inches broad, being of one only thick and import fubftance, without any one Thred or Branch derived from it, which not only holdeth together the fhoulder-blades, but alfo covereth all the holdes Chinequite over, and this of the common Forriers is called Pax-was So that a Horfe hath in all of main and principal Sinews, from whence a World of other Sinews are derived, juft thirty eight, as yon may more plainly perceive by the Picture aforegoing, which is the perfect

Lib. 2.



166

Lib. 2'


CHAP.

perfect Anatomy of all the Sinews within a horfes body, and how they are divided.

CHAP. IV.

Of the number, and fituation of Bones in a Horfes Body.

Irft, you shall understand, that every Horse or Ox, hath in his whole Body, juft one hundred and feventy feveral bones, and that is to fay, in the upper part of his head two bones, no more : from the Pore head to the Nofe two bones, his nether Jaws two bones, of fore Teeth Twelve, of Tushes four, of Grinders twenty four, from the Nape of the Neck to the points of the Spade bonts feven ; from the Spade bones to the Huckle bones, eight ; from the Huckle bones to the end of the Tail, feven : Then is there the great broad hinder bone, which hath twelve Seams or Joynts in it; then is there the two Spade bones, and from thence to the Forcels or Canal bones, other two bones called the Marrow bones, and from thence to the first joynt above the Legs other two bones, and from thence to the knees, two called the Thigh bones, and from thence to the Pafterns other two called the fhank bones, and from thence down ward into the hoofs be in all 16 little bones. Then there is a great bone in the Horfes Breaft, whereunto are fastned 36 Ribs great and Small, and to the Colume behind be two bones, and from the Molat to the Joynts other two bones; and allo two bones towards the Ribs, from the bending of the Hoof unto the Leg, are two fmall bones, and from the Legs to the two focils of the Leg other two little bones, and from the Pafterns into the Hoof, fixteen little bones : all which, and their feveral fituations you shall more plainly behold in this Picture, which is the most perfect Anatomy of the bones of Horfe, being fimply compounded together, that can be by de monAration.



Lib. 2,

CHAP. V.

How, and when a Horfe frould be let blood, the end whereof, and the figns of the necessity.

He antient Farriers, and those of these present times, are at great difference touching the letting of a Horfe blood : For fome would have him let blood four times in the year; that is to fay, in the Spring, in the Summer, in Autumn, and in the Winter. Others would only have him let blood three times in the year : namely, in May, when he is turned to Grafs, because the blood then beginnech to encrease. Secondly, in September, that blood if it be in flamed, may then evacuate and breath forth. And thirdly, in December, to let go the grofs and knotty blood which is bred by la bour or careless keeping. O hers would have a horse to be let blood but once in the year : namely, in the beginning of May only, when he is to be put to Grafs, alleging this reason, that if the Horse be not let blood in the Spring, the new blood being mixt with the old cor rupt blood, will be apt to be inflamed and fo draw upon thehorie Others fome grievous ficknels, and this reafon is excellent good. would have the Horfe to be let blood in the Vein not above once in a year ; namely, at the beginning of May : but in the Palate of the mouth they would have him let blood at least once every monethy alleging that it will clear the fight, comfort the brain, and give him good appetite to his meat : but to conclude, there is not any of their opinions but are sound and good, so the Horse te young and in ftrength, his blood increasing; but if he be old, and his blood in the Ebb, then you cannot let blood too feldome. Now that it is fit's young horfe should be let blood, is proved by the daily experience of the Polander Horses, who being at liberty (out of natural instinct in shemselves) fail not once a year to let themselves blood ; yet we have divers of our best Farriers, who would not have a Horfe let blood before there be urgent necessity, left the use of letting blood bring Horfe to an evil custom, and draw on fickness unexpected ; but with that opinion I cannot agree, because I hold it more vertue to prevent a danger before it come, than to drive it away being prefent Now that oft leeting of blood breedeth in a Horfe weakness, and maketh

169

Lib. 2.

maketh the blood to refort to the inward parts, cloying the Heart and Intrails, and making the outward parts fat and unweldly, there is no queftion but that the letting a horfe blood twice in the year, namely, at beginning of May, and the end of December, (at which times only I would have a Horfe let blood and no other) (hould be accounted oft, I fee no reason. Now for Stallions, the antient Farriets would by no means have them let blood, becaule fay they the covering of Mares is as great an expense of blood as may be, affirming that one ounce of Seed doth countervail five ounces of blood, and truely I am of that opinion too: but whereas they likewife advife by no means to let Geldings blood, becaufe the lofs of their flones is the lofs of their natural heat; to that I am much contrary, becaufe I have found it by continual experience, that Geldings do as oft dye through the Corruption and abundance of blood as Horles; Nay, and much more oftner, in as much as they want the helps which Horfes have for Purging their bloods from uncleannels. Now in the letting of Horles blood, every careful Farrier is first to respect the Climate under which the horfe is bred, knowing that thole Horfes which are bred in cold Countreys, have ever more blood than those Which are bred in the hot: then he must confider the time of the year, which would ever be the Spring, or the fall of the Leaf, both thele times being most temperate, neither exceeding in heat nor in cold. Next he must regard the time of the day, which would ever be in the morning fafting, fo it be not at the Horfes waking from asep, but at leaft an hour or two after ; then he muft look unto the Rate of the Moon, that the fign be not in that part of the body where he intendeth to let blood. Next he must look to the Horfes age, if he be young, and not come to his growth, it will hinder his waxing ; and if he be old and come to decrepitness, his blood had more need be repaired than wafted. Laftly, he (hall look to the Horfes ftrength and antient cuftom, and fo accordingly he thall deal with him, obferving that fome horfes may better fpare two or three pound of blood, than other fome one pound. Now thus much I have fpoken touching ordinary and natural letting of blood, without compulsion of any fickness or Difease; but in case where fickness or infirmity Craveth this office of letting blood, there you shall neither respect Climate, Seafon of the year, time of the Day, Sign, Age, ftrength nor cuftom, but fetting all afide, apply your felf onely to the rermoving Z

170

Lib. 20

rmoving of the infumity. Now the figns to know if a Horfe fland in need to be let blood are thefe: his Eyes will look red, and his Veins will fwell more than ordinary : allo he will have a certain ich about his Main and his Tayl, and still be continually rubbing them 3 and sometimes will shed some of his hair also: he will now and then pill about the Roots of his Ears, or in those places where the head stall of the Bridle lies : hisUrine will be red and high coloured, and his dung will te black and hard : allo if he hath red inflam mations, or little bubbles on his back, or doth not digest his meat well, it is a fign the Horfe would be let blood : or if he have any ap parent fign or yellownels in the whites of his Eyes, or in the infide of his Lips, either upper or nether, it is a fign he would be let blood for after any of thele figus doth most commonly follow fome one of other grievous ficknels, which to prevent is the true Art of a skilling Farrier. Now it is meet that when you intend to let a Horfe bleed (having leafure to do the lame) that you fuffer him to be thinly dyer ed a day or two before he be let blood, to the end that his body may be quiet, and not troubled with digeftion. Now for the manner letting a horfe blood, you shall as near as you can, let him fanda" pon even ground, and if it be the Neck-vein which you would friker you thall take a long finall Cord with a noofe, and putting over 10 the horfes Neck, as close to the fetting on of the fhoulder as you cally there draw it as ftraight as is poffible, and then faften it with a run ning knot, and prefendly you thall fee the Veins to appear as big as a mans little finger, even from the nether Chap down to the Neth Now you are to observe that the place where you are to ftrike the Veinin, is, even within three fingers or four fingers at the molton the nether Chap : as thus; if your Horle have a Long, fine, thin Neck and skin, then you may ftrike the Vein within three fingers or lefs of the Chap, (fich the higher is ever the better) but if he have a fhort chub Neck, with a thick skin, and many wreaths or routs ab. ut the fetting on of his Chaps, then you thall frike the Veinhe least four fingers from the Chap, lest those wreaths together with the thicknefs of the skin, do fo defend the Vein that your Fleim cannot reach it. When you have thus raifed the Vein up, you thall caule one to fland on the contrary fide of the Horfe, and with his fift to thruft the Vein forth hard against you: then you thall either with a wet Spunge, or with a little fpittle, wet the part of the vein which FOU

Lib. 2.

You mean to frike, and then separating the hair, set your Fleim even and directly upon the Vein; and then with a good imart blow frike it into the Vein : Which done, you shall cause one to put his finger into the Horfes mouth, and tickling him in the roof thereof make him chaw and move his Chaps, for that will force the blood to fpin forth ; now the blood which you take from the horfe, it is very neceffary that you fave in divers Veffels, for divers caules : as firft, that you may fee when all the corrupt blood is come forth, and that when the colour thereof is grown pure, and fo remaineth being cold, that then you fuffer the Horfe to bleed no more; or elfe that you fave it to bathe the Horfes body therewith, which is most wholelome; or elfe to make a Medicine therewithall by mingling with the blood Vinegar and Oyl, and fo bathe the Horfes body therewith, especially that place which was let blood. For the antient Fartiers hold an opinion, that it is endued with a certain natural vertue, and power to comfort the weak and feeble Members of a Horle, and ro dry up all evil humours. Now as foon as your horfe hath bled fufficiently, you shall Let loofe the Cord, and immediately the vein will ftop; then with that Cord you thall ftroak down the Vein juft over the Orifice twice or thrice, which will both close up thehole, and also turn the course of the blood : this done, set the Horfe up in the Stable, and ler him fland fafting two or three hours after, and then after dyet him according as in your diferetion you thall think meet, that is to fay, if he be a fick Horfe, then like a fick horfe with good Provender and warm Maches: but if he be a found Horfe, then like a found Horfe, either turn him to Grafs, or keep him in the Stable after his antient cuftom.

Now if you would let your Horfe blood either in the Templeveins or the Eye veins, you shall then Cord him hard about the midst of the Neck, and not near his thoulders, having a care that you touch not his Wind-pipe, and so throttle him : for it will make both these Veins thew most apparently. If you intend to let the Horfe blocd in the Breast-veins, or Plat-veins, of fome called the fore Thigh-veins, You thall then Cord him behind the thoulders, clofe to the Elbows of the horfe, and over thwart his Withers, and that will make these two Veins thew. Now you shall understand, that not any of these veins last spoken of, as about the Head or the Breast, must be let blood by firiking them with a Fleim, (though it be the manner of

our

Of Cures Chirurgical. Lib. 2.

our common Smiths) for it is most beastly and butcherly, and allo full of much danger by striking through the Vein, (if he be not skilfull:) but you shall with a fine sharp Lancet open the Veinseven in such fort as you see a skilfull Chirurgeon open the Vein in a mans Arm. Now for the Letting a Horse blood in the Palat of the mouth, you shall but only with a sharp pointed Knife, prick the Horse tween the second and third bar, as deep as a Barley Corn is Longs and he will bleed sufficiently: as for all other Veins in a Horse Body whatsoever, which are to be opened, you shall understand, that whensoever it is needful that they bleed, that then they must be taken up, and not Corded at all. Now touching the taking up of Veins and the manner how to do it, you shall read more at Large in particuhar Chap erstowards the end of this book.

172

CHAP. VI.

Of outward Sorrances what they are, and of certain general Observations in the Cure of them.

O Utward Sorrances, according to my meaning in this place, and taken two manner of wayes, that is to fay, either it is an evil flate and composition of the body, which is to be different either by the fhape, number, quantity, or fight of the Member evil affected and Diffeated : or elfe it is the loofning and division of any unity which as it may chance diversity, fo it hath divers names accordingly. For if fuch a division or loofing be in the Bone, then it is called a Fracture: If it be in any flefhly part, then it is called a Wound, or an Ulcer: If it be in the Veins, then a Rupture: if in the Sinews, then a Convultion or Cramp; and if it be in the Skin, then it is called an Excortation: and of all thefe feverally I intend to creat in the following Chapters. Now for as much as in this general Art of Chirurgery, or Sorrances, there are certain general Obfervations caveats to be held inviolate, I will, before I proceed, any further, give you a little rafte thereof.

First, you shall therefore understand, that it is the duty of every good Farrier, never to burn or Cauterize with hot Iron, or with Oyl, nor to make any incision with knife, where there be either Vein⁵⁹ Sinews, or Joynts, but either somewhat lower, or somewhat higher.

Item, You thall never apply to any joynt or Sinewy part, either Rofalgar, Arfnick, Mercury, Sublimate, nor any fuch violent Corrofive.

Lib. 2.

is, it is better to Cauterize than to incife.

Item, Blood doth ever produce white and thick matter, Choler a Watrilh thin matter, but not much, fale Flegm, great abundance of matter, and Melancholy many dry Scabs.

from a Colt, which you take from a grown Horfe.

Item, You must never Let blood, except it be either to divert ficknets, and preferve health, or to refresh and cool the blood, or elfeto diminish blood, or to Purge bad humours.

Item, In all Impostumes or swelling Sores, called Tumors, you must observe the four times of the fickness, that is to fay, the beginning of the grief, the increase of the grief, the perfection and state of the grief; and lastly, the declination and ending of the grief.

Item, In the beginning of every such swelling Apostumes (if you cannot quite destroy them) use repercussive Medicines, if they be not near some principal part of the body; but then not, for fear of indangering life; and in augmentation, use mollifying Medicines, and suppling to ripe them; and when they are ripe, Launch them, and let them out, or dry them up, and in the declination of them, use cleansing and healing Medicines.

will Corrode, the foft will continue Long.

Legs, then if it prefently rife again, and fill, then is the hurt new and recoverable, but if the dent do remain and continue ftill behind, then is the hurt old, and cometh of cold humours, and asks great Art in healing.

trifaction be great, then beware they rot not inwardly.

Item, All Canterizing or Burning with hot Irons, ftraineth things inlarged, drieth up what is too much moistened, dissolveth things sathered together or hardned, draweth back things which are disperfed, and helpeth old Griefs: for it ripeneth, dissolveth, and maketh them to run and issue forth matter.

174

Lib. 21

Item, You must fometimes burn under the Sore, to divert Humouts, and fometimes above, to defend and withhold humours.

Item, It is ever better to burn with Copper than with Iron, becaule Iron is of a malignant nature, Steel of an indifferent vertue betwist both.

Item, All actual burnings is to burn with inftruments, and potential burning is to burn with Medicines, as are Caufticks and Corrofives.

Item, If you use to blow Powders into a Horses cyes, it will make him blind.

Item, By no means take up any Veins in the forelegs, unless great extremity compel you: for there is nothing that will confer make a Horse ftiff and lame. Many other observations there are, which because they are not so general as these be, and that I shall have occasion to speak of them in other particular Chapters, I think is here meet to omit them, and the rather, because I would not be tedious.

CHAP. VII.

Of the Diseases in the Eyes, and first of the weeping and watering eye.

The Eyes of a Horle are subject to many infirmities, as first to be Rhumatick, or watry, then to be blood-shotten, to be dim of fight, to have the Pin and Web, the Haw, the Wart in the Eye, the Inflammation of the Eyes, the Canker in the Eye, or a stroak in the Eye: of all which, some come of inward causes, as of humours reforting to the Eyes; and some of outward causes, as Heat, Cold, or else by some stripe or blow.

And first to begin with the Rhumatick, or watry Eye, you shall understand, that, according to the opinion of the antient Farriers, it doth proceed many times from the Flux of Humours diftilling from the Brain, and sometimes from the anguish of some blow or stripe received. The figns are, a continual watering of the Eye, and a cloic holding of the Lidds together, accompanied sometimes with a little swelling. The cure, according to the opinion of some Farriers, is to take of Bolearmonick, of Terra figillata, and of Sanguis Draconis of each a like quantity 5 make them into Powder, and then add unto hem

Lib. 2. Of Cures Chirurgical.

175

them as much of the white of an Egg and Vinegar, as will make them moift : and then spread it Plaster-wife upon a Cloath, and lay it to the HorfesTemples of his Head above his Eyes : and do-this three dayes together. Others use to let the Horse blood in the Veins under his Eyes : then to walh the Eye twice or thrice in the day with white Wine, and then to blow into the fore Eye with a Quill, the Powder of Tartar, Salgemma, and Currle bone, of each like quantity: or elfe take the yolk of an Egg roafted hard, and mix therewith the Powder of Comen, and bind it hot to the Eye, and fo let it reft a night more. Other Farriers use to take of Pitch and Rozen, and of Massick a like quantity, melt them together : Then with a little flick, having a Clout bound to the end thereof, and dipt therein, anoynt the Temple-veins on both fides a handfull above the Eyes, as broad as a twelve pence, and then clap unto it immediately a few flocks of like colour to the Horfe, holding them clofe to his head wich your hand, untill they flick fast to his head, then let him blood on both his Eye-veins, if both Eyes be fore, and then walh his Eyes with white Wine.

Others use only to take a pretty quantity of life Honey, and to diffolve it in white Wine, and to wash the Horses Eye therewish: and sure if it proceed from any blow, it is Medicine sufficient enough; but if it proceed from any Rhume, or inward causes, Then you sha'l take ground Ivy beaten in a Morter, and mixt with Wax, and so laid to the Eyes like a Plaister, or else boyl Worm-wood in white Wine, and wash the Horses Eyes therewish: also to spurt Beer or Ale now and then into the Horses Eyes, will clear the fight passing well.

CHAP. VIII.

Of the Blood-flotten Eyes proceeding from any cause what soever.

Or any Blood-shotten Eye, proceeding from any caule whatfoever, either outward or inward, you shall take (according to the opinion of the most antient Farriers) of Rose-water, of Malmsey, and of Fennel water, of each three spoonfulls, of Tutty as much as you can easily take up between your Thumb and your Finger, of Cloves a dozen beaten into fine Powder, mingle them well together, and

176

and and

Th

Lib. 2.

and being luke-warm, or cold, if you pleafe, wath the inward parts of the Eye with a feather dipt therein twice a day untill the Eye be well : or inflead thereof, wath the Eye either with the white of an Egg, or with the juyce of Selladine. Others use to take the tops of Hawthorns, and boyling them in white Wine, wath the Eye there with. Other Farriers take a Dram of Synoper, and as much life Honey, as much of Wheat-flower, mix them with fair running water, fo they may be liquid and thin, then feeth them with a very soft fire till they be thick like an Oynement, and therewith annoynt the Eye.

But the best receipt that ever I found for this grief, is, to take the Whites of two Eggs, and beat it till it come to an Oyl, then put to it two spoonfulls of Rose-water, and three spoonfulls of the juyce of Houssek, mix them well together, then dip therein little round Plegants or flat Cakes of soft tow, as big as a Horses Eye, and lay them upon the Horses Eye, renuing them as oft as they grow hard, and in a day or two it will make the Horses Eye found again.

CHAP. IX.

Of Dimnefs of fight, or blindnefs.

D'Imnels of fight, or blindnels, may happen to a Horle divers wayes, as by fome firain, when the inward firings of the Eyes are firetched beyond their powers, or by the violence of great labout, or by the supporting of a great burthen beyond the Horles ability, of by some blow or wound : any of these are mortal enemies to the Eyes or Sight. The fign is the apparent want of fight, and an evil affected colour of the Eye. Now for the Cure, it is thus:

If the fight be gone, and yet the ball of the Eye be found, then you fhall take, according to the opinion of fome Farriers, a pretty quantity of May Butter, with as much Rosemary, and a little yellow Rozen with a like quantity of Selladine, then stamp them and fry them with the May Butter, then strain it and keep it in a close Box (for it is a Jewel for fore Eyes) and anoynt your Horse Eyes therewith at least twice a day; it is also good to heal any wound. Other Farriers do use to let the Horse blood in the Eye-veins, and then wash his Eyes with red Rose-water. Others use to take the Gall of a take

Lib. 2.

black Sheep and beat it, and ftrain it, then to walk the Eyes therewith: others nfe to burn the Horfe under the Eye that the ill Humors may diffil forth, and then to annoint his Eyes either with the Matrow of a Sheeps thank, and Role-water mixt together, or elle with the juyce of ground ivy. Other Farriers use to take a Mouldwarp, and lapping her all over in Clay, burn her to alhes, and then to take of that Powder and blow into the Hotfes Eyes. Others ufe to take an empty Egg-(hell, and fill it with bay Salt, then burn it till it be black : Then add to it of burnt Allom the quantity of your Thumb, beat them together to fine Powder, then mix fome of this Powder with fresh Batter, and wipe it into the Horses Eye with a feather, then clap the white of an Egg dipt in Flax, over his Eyes : do this once a day for a feven-night, and after but once in two dayes: This is most excellent for any film, and also for a Pearl. Others use to take two dry Ti'e-ftones, and rub them together, and blow the Powder of it with a Quil into the Horfes Eyes four dayes together.

CHAP. X.

A most rare approved Medicine for any desperate blindness in a Horse, Proceeding from any Rhumatick canfe, Surfeit, Strain, Scroak, or Inch like.

TAke of Vermilion, Berony, and lavender, and beat them in a Morter with the best Venice Turpentine, till they come to a thic i Salve like Pafte : then make it into Cakes or Troches, each as broad as a Groat, and dry them: then lay one or two of them u-Pon a Chafing-dith and Coals: And then covering them with a Tunnel, ler your Horle receive the Imoak up into his Noftrils, and this do Morning and Evening : and every time you thus Fume him, You thall also wath his eyes inwardly, either with the water of Eyebright fimply, or with the water of Eye-bright, and the juyce of Ground Ivy mixt together. Now 1 have known many do miltake this ground Ivy, and suppose that the Ivy which is common, and runs along on the ground to be Ground Ivy, but it is not fo: for Ground Ivy is a Weed which commonly grows in bottoms of Hedges, by Ditch fides, in good big tufts, it hath a little round rough leaf, and

15

178

Lib. 2.

is jagged on the edges, and of all Simples none is more Soverain for the eyes.

CHAP. XI.

Another most excellent and approved receit for any desperate blindness in a Horse or any beast whatsoever.

T Ake the shells of half a dozen Eggs, and cleanse away the inner film from them so clean as may be, then lay those thells be tween two clean Tyles, and so lay them in hot glowing Embers, and cover them all over, and on everyside, and so let them ly a good space till the shells be all dried, then take them up, and bear the shells to fine powder, then searce it through a Laun to fine dust, then with Goose quill blow this powder into the Horse eye that is offended with Pin, Web, Film, or any thickness or foulness, and it is a certain Cure, and this do morning, noon, and night.

But if it be for any watered or inflamed eye, for any Bruife, Stripe, Lunatick, or defcending humours, then take a fpoonfull and a half of fine fearced powder of white Sugar-Candy, and mixit with the former powder of fhells: then with as much May Batter, (if you can get it) or for want thereof the beft fweet Butter without Salk work all into a gentle Salve, and therewith anoynt the Horfes Eje morning, noon, and night, for it cleanfeth, purgeth, comforterh, and cooleth-

CHAP. XII.

Of the Pearl, Pin, Web, or any spot in a Horses Eye.

The Pearl, the Pin, the Web, or any unnatural (por, or thick Film over a Horles Eye, proceedeth, for the molt part, from fome froak received : Yet the Pearl, which is a little round, thic', whice pot like a Pearl, growing on the fight of the Horles Eye, comes many times from natural caufes, and even from defeent of Syre and Damas I have often found by experience. The fign is, the apparent fight of the infirmity, and the Cure according to the opinion of the moft antient Farriers, is, to take fix Leaves of ground Ivy, and a branch of Selladine, and

179

Lib. 2.

and bray them in a Morter, with a spoonfull or two of Womans Milk, and then firain it through a clean Linnen Cloath, and put it into a Clofe Glafs, and then drop of it as much into the Herfes Eye at a time, as will fill half a Hafel-nut-fhel; and it is the fitteft to be done at night only. Do this thrice at the least, and for three dayes after keep the Horfe as much as may be from any light. Of ther Farriers ule to annoynt the Horfes Eyes with the Marrow of Goats Shanks, and Deers Shanks and Rofe-water mixe together, or elle to wath his Eyes with the juyce of the Berries and Leaves of sround Ivy, or other Ivy mixt with white Wine; and to blow into his Eyes the Powder of black flint, or of Land Oyfters : but that powder must be made lo exceeding fine, as by Art of fearcing can any ways be brought to pais: And for the taking away of any Film or pearl, there is no Medicine more Soverain. There be other Farriers which use to take the lean of a Gammon of Bacon, and dry it, and thereof make a Powder, and blow it into the Horfes Eye. Others use to take white Ginger made into very fine Powder, and blow it in the to take white Ginger made into very fine Powder, and blow it into the Horles Eyes; yet before you do to, if the Web have continued any long time, it shall not be amils, first to annoynt the Horses Eve. Eye with Capons greate. Others use to blow into the Horles Eye, the Powder of Elder Leaves dryed, or elfe the Powder of mansDung dryed: or the Powder of a gray Whet from mixt with the Oyl of Hony, and put into the Horfes Eye : | others use to take the yalk of an Es and put into the Horics Lye. to Powder, and blow into the House with Salt burnt and beaten to Powder, and blow into the Hories Eye: Or else the Powder of the Cuttle-bone. Others use to take either Elder Leaves dryed, or Mans Dung dryed, and mix it With the Powder of the Ihell or bone of the Crab fifth, and blow it into the Horfes Eye, Others take Tutte beaten to Powder, and with a Quillblow it just upon the Pearl.

Other Farriersufe to take (and fure it is not inferiour, but better than any Medicine what loever) a good quantity of white Sale, and lapping it round up in a wer Cloath, put it into the fire, and burn it find red Coal : then taking it forth and breaking it open you fhall find in the midft thereof a white Coar as big as a Bean, or Bigger : Then pick out that Coar and beat it to Powder, and mix with it a little white Wine, then after it hath flood a while, take the thickeft of that lieth in the bottom, and put it into the Horfes eye, and with the thin walla his eye, do thus once a day till the Pearl be confumed. Others

Of Cures Chirnrgical. Lib. 2.

O hers use to take the j tyce of Rue, and put it into the Horfes eyes or the to make a hole in an Egg, and put forth all that is within in and fill the Shell with Pepper, and clofing it in an earthen pot, put it into a hot burning Oven till it be quite hot, then take it forth, and beat the Pepper to powder, and blow thereof into the Horfes eye, Others use to take of Pummiftone, of Tartarum, and Salgemma of tach like weight, and being beaten into very fine powder, to blow a little of that into the Horfes eye, continuing fo to do till the cycle Well. Others use only to blow the powder of Sondevoire into the Horfes eye, affirming that it alone hath sufficient force and vertue to break any Pearl or Web in a very fhort space, without any other composition : but surely I have found the powder of Flint, and the powder of white Salt burnt, to be much ftronger.

180

CHAP. XIII.

A most excellent and infallible Cure for any Pin, Web, Pearly or spot in a Horses Eye.

T Ake an Egg, and make a hole in the top, put out half the white then fill up the empty place with Salt and Ginger finely mix together, then roaft the Egg extreme hard, fo as you may beat it to fine powder, having formerly lapt it in a wet Cloath, then morning and evening, after you have walkt the Horfes eye with the juyce of ground Ivy, or Eye bright water, you fhall blow of this powder therein, and it is a certain remedy.

CHAP. XIV.

Of the Haw in a Horfes Eye.

The Haw is a Griftle growing betwixt the nether eye-1 d and the eye, and it covereth fome times, more than the one half of the eye. It proceeds of grofs and tough Flegmy humours, which defeending down from the Head, and knitting together, do in the end grow to a Horn or hard Griftle. The figns thereof are a watering of the eye, and an unwilling opening of the nether lid, befides an apparent fhew of the Haw it felf, if with your Thumb you do put down the

Lib. 2.

the nether lid of the Horses eye. The Cure is, take a Needle and a double Thred, put it through the tip of the Horfes ear, which done, Put the Needle likewise through the upper Eye-lid of the Horse up-Wards, and lo draw up the Eye-lid, and fasten it to the Ear, then with your Thumb put down the nether lid, and you shall plainly fee the Haw: then thrust your Needle through the edge of the Haw, and with the Thred draw it out, so as you may lap it about your finger, then fasten the Thred about your little finger, to hold it confantly, and then with a very tharp kn fe cut crofs the Griffle of the infide next the Horles Eye, and to leparating the skin and the fat from the Griffle, cut the Griffle quite out ; then cutting your threds draw them clean out, both of the Eye-lide, and out of the Haw : then wach all the Harles Eye either with Ale, Beer, or white wine, and pluck away all the long hairs from about the Horfes Eyes, being fure to leave no blood within the Horles Eye. And in this manner of Cure you must observe, that by no means you cut away too much of the wash or fat by the H iw, or any part of the black that groweth about the end of the Haw, for that will make the Horle blear-eyed. There be other Farriars which use after they have cut out the Haw, to annoint the Eye fix dayes after with Sallet Oyl, the Marrow of Sheeps fhanks and Sale mixe together.

Others do take the juyce of ground Ivy ftampt in a Morter, with the juyce of Ivy berries, and mix them either with water or white Wine, and to Plaisfter-wife lay it to the Horfes Eye, renewing it morning and evening, and it will eat away the Haw. Others use after the Haw is cut away, to lay to the Eye a Plaisfter of Camomill and of Honey beaten together; and of all which is sufficient enough. Now you are to note by the way, that the Horfe which hath one Haw, commonly hath two, for they continually go together.

CHAP. XV.

Of Moon-Eyes, or Lunatuck-Eyes.

The Moon-eyes, or Lunatick-eyes, are of all fore eyes the molt dangerous and noyfome, and do proceed from hot humours, defeending from the head, and ftirred up by the extremity of overriding, or compelling a Horfe to do more than nature will give him leave :

182

Lib. 2,

CHAP.

leave: as I have feen a flothfull and heavy Horfe brought to be Moon-eyed by the folly of his Rider, who would force him to fland and Trot, contrary to the vigour of his fpirit: Solikewife I have feen delicate metal'd Horfes brought to be Moon-eyed, when the Riders would not temper the freenefs of their natures, but have given them leave to run into all violence. Now they be called Moon-eyes, becaufe if the Farrier do obferve them, he fhall perceive that at forme times of the Moon the Horfe will fee very prettily, and at forme times of the Moon he will fee nothing at all. Now the figns hereof are, when the Horfes eyes are at the beft, they will look yellowifh and dim, and when they are at the worft, they will look red, fiery, and angry.

The Cure is, to lay all over the Temples of the Hories head, the plaister of pitch, Rozen, and Mastick, mentioned in the Chapter of watry eyes : then under each of his eyes with a fharp knife make? flit of an inchlong about four fingers beneath his eyes, and at leaft an inch wide of the eye Veins ; then with a Cornet loofen the skin 2 bout the breadth of a Groat, and thruft therein a round piece of Leather as broad as a two pence with a hole in the midft, to keep the hole open: and look to it once a day, that the matter may not be ftopped, but continually run the space of ren dayes: then take the Leather out, and heal the Wound with a little flax dipt in this Salve. Take of Turpentine, of Honey, and of Wax, of each a like quantity, and boyl them together, which being a little warmed, will be liquid to ferve your purpole; and take not away the plaifters which are upon his Temples untill of themfelves they fall away? which being faln, then with a small hot drawing Irou make a Stat in the midft of each Temple vein, where the plaifters did lye, which Star would have a hole in the midft, made with the button end of your hot drawing Iron in this fort

Now there be other Farriers, which inftead of the flits under the eye, and the pieces of Leather, which is a plain Rowel, only do take a fmall blunt hot Iron, and about an inch and an half beneath the nether lid, to burn fome five holes all of a row, according to the compais of the Horfes eye, and to burn those holes even unto the bone, and then once a day to anoynt them with fresh Grease, or sweet Butter.

Lib. 2.

Of Cures Chirurgical.

182

CHAP. XVI.

Of the Canker in the Eye.

A Canker in the Eye cometh of a rank and corrupt blood, de-A feending from the Head into the Eye, where it congealeth and breedeth a little Worm in manner as it were the head of a Pilmire, which groweth in the nether end of the Horfes Eye next to his Nofeward : it proceedeth many times into the Griffle of the Nofe, which if it chance to eat through, it will then passinto the head, and to kill the horfe. The figns hereof are, you thall fee red Pimples, fome great and fome fmall, both within and without the eye, upon the Eye-lids, and allo the eye it felf will look red, and be full of very corrupt matter. The Cure, according to the antient Farriers, is, to take as much burnt Allom as an Hazel Nut, and as much of green Copperas, and bake them both together upon a Tile ftone, and then grind them into Powder, and put thereto a quarter of a spoonfull of Honey, and mix them all together, and then with a Clout dipt therein, rub the fore till it bleed : and do thus feven dayes together, and it will Cure the Canker. There be other Fartiers which for this Canker in a Horfes eye, will first let the Horfe blood in the Neckvein of the fame fide the fore Eye is, and take away to the quantity of a pottle of blood : then take of Roch-Allom, and of green Cop-Peras, of each half a pound, of white Copperas one ounce, and boyl them in three pints of running Water, untill the half be confumed : then take it from the fire, and once a day walh his Eye with this water, being made luke-warm, with a fine Linnen Cloath, and clenfe the eye therewith, fo as it may look raw, and do this till the Eyebe whole.

CHAP. XVII.

For a Stripe or blow upon a Horfes Eye.

IF a Horfe thall catch any ftripe or blow upon his Eye, either with Whip, Rod, Cudgel, or any fuch like mitchance, or by one Horfes bitting of another when they either play or fight : Then for the

184

3

the Cure, thereof (if you take it when it is new done) you shall only blow into his eye either the Powder of Sandevoire, or the fine Powder of white Salt, after the Eye hath been walht with a little Beer ; but if the eye be more fore, and have continued longer, then you shall take a small Loaf of Bread, and pull out all the Crums ; then fill the Loaf full of burning Coals, untill it be well burned within, then take off that Cruft and put it in white Wine, and af ter it is well foaked lay it to the fore, then take Sope-water and cold water mixt together, and wath all the Eye-brows therewith, and if for all that it go not away, then you shall let him blood on the Tem plc-veins ; and if he do rub or chafe his eye, you thall let him blood on the Veins under his Eyes, and wash his eyes with cold Sope water; but if his Eyes do chance to look red with the blow, then you shall lay unto them a Plaister of red Lead and Sallet-Oyl bearen well together. O.hersuse to take the juyce of Plantain, ftampt and mixt with white Wine, and fo laid to the fore Eye. Others use both for this Difeale, or any other fore eye, to flamp ftrong Nettles with a little Beer, and then straining it to squirt thereof into the Horse eye, twice or thrice together : then to put of the fine Powder of Sandevoire a little into his Eyes, and then be carefull to keep the Horses Eye from Wind or Cold : but if you must needs ride him then put a Woollen Cloath before the Horfes Eye; alfo it is not amils to let him thood on his Eye-veins, and then twice dreffing will be Infficient.

Others Farriers use first to annoynt the screeye three dayes toget ther with Hensor Capons grease, to mollifie it : then take a little live Honey, and warming it, wipe it into the Horses Eye with a feather Others take the juyce of Plantain mixt with Honey, or else the juyce of Time mixt with Honey, and put it into the Eye. Others use take the asso of an old shoes-sole burnt in an Oven, and put it into the Horses Eye; or else the Powder of a gray Whetstone blown into the fore eye; both are speedy remedies. Others use to take the juyce of Smallage, and of Fennel, and mixing them with the white of an Egg, put it into the Horses Eye once a day till the cye be whole.

CHAP.

Lib. 2,

Lib. 2.

CHAP. XVIII.

For a Wart in the Eye.

A Wart in a Horfes Eye, is a flefhy excretcion, or a flefhy knot Eye.lids, it proceedeth from a thick Flegm, which defcendeth to the eye, by means that the Horfe is too much kept in a dark Stable without light : and this infirmity will make a Horfes eye confume and stow little. The Cure is, to take Roch Allom, and burn it on a Tiletone, and then put as much white Copperas thereunto not burnt, the head of the Wart, and do this once a day till the Wart be confunct away.

CHAP. XIX.

For an Inflammation in a Horfes Eye.

Horfes may diverfly have Inflammations in the Eyes; as by or by Moats falling in the Stable, with foul feeding and no exercife, like, any of which will breed an Inflammation or forenefs in the eye. The figns are itching and rubbing of the Eyes, and a little fwelhing, with fome loathnefs to open the Eye-lids. The Cure is, first to let him blood upon the Temple-veins, and upon the Eye-veins, and then to wafh his Eyes in Milk and Honey mixt together. Others af-Epatica mixt together : And others will wafh his Eyes with Aloes diffolved in white Wine, any of which is approved to be most excellent for any fore Eye.

The second secon

CHAP.

CHAP. XX.

Lib. 2.

Of the Impestume in the Ear of a Horse.

Mpostumes which breed in the Ear of a Horse proceed from divers L caules, as from lome great blow about the head, or from Wring ings with a hard halter, or from some evil humours congealed in the ears by some extreme cold. The figns whereof appear plainly by the burning and painfull swelling of the roots of the ears, and the other parts thereabout. The cure thereof, is first to ripe the Impostume with this plaifter: take of Linfeed beaten into powder, and Wheat-flowely of each half a pint, of Honey a pint, of Hogs greafe, otherwife called Barrows greale, one pound; warm all these things together in an earthen pot, and ftir them continually with a flat ftick or flice, unclu they be throughly mingled and incorporated together, and then spread some of this plaister being warm upon a piece of linnen cloth or foft white leather, fo broad as the fwelling and no more, and las it warm unto it; and fo let it remain one whole day, and then renew it again, continuing fo to do, untill it either do break, or elle grow fo ripe that you may launce it downwards, fo that the matter ma have paffage out, then tent it with this tent of flax dipped in this land even to the bottom, that is to fay, take of Mel rolatum, of Sallet of and Turpentine, of each two ounces, and mingle them togethen and make the horfe a biggen of Canvale to cloze in the fore, fo as and make the horie a Diggen of Canvale to cloze in the lore, 10 as the tent with the oyntment may abide within the fore, renewing his tent once a day untill it be whole : but if the Horfe have painin his cars, without any great pain or Inflammation, then thrust into ear a little black Wool, dipt in the oyl of Camomile, and that ease him : but if the Impostume be broken before you perceive and that you fee matter run from the Horfes ears, then you thalles of oyl of Roles, of Venice Turpentine, and Honey, of each op quantity, and mixing them well together, warm it luke-warm upon a few coals, and then dipping black wool therein, thruft it down into the Horfes ear that runneth into the Horfes ear that runneth, renewing it once a day till the cal leave running. CHAP

Lib. 2.

CHAP. XXI.

187

Of the Pole-evil.

THe Pole evil is a great swelling inflammation, or Apoflume in the nape of the Horfes neck, just between his ear, towards his main, and proceedeth fometimes from the Horfes ftruggling or Rriving in his halter, especially if the halter be of hard new twound Hemp; fomerimes it proceedeth from evil humours gathered together in that place, or elfe from fome ftripe or blow given to the Horfe by some rude Keeper, Carter, or Man of little discretion : for that Part being the weakeft and tendereft part about the head, is the looneft offended and grieved with Sorances. The figns of this difeafe is a apparent fwelling between the Horfes ears, and on each fide his neck, which in continuance of time, will break of its own accord, Yet doth ever rot more inwardly than outwardly, from whence it comes that this difeafe is more commonly called of our common and Bnorant Farriers, the Fiftula in the neck, than the Pole-evil ; and In truth it is an Ulcer fo hollow and fo crocked, and fo full of tharp matter, like unto like, that it differeth very little from a Fiftula, and is of all Impoftumes, except the Fiftula it felf, the hardeft to Cure : therefore I would with every carefull Farrier to take this cure in hand fo foon as is possible, that is to fay, before it break, if it may be.

Now for the general cure (according to the opinion of the antient Patriers) it is thus : Finft, if it be not broken, ripe it with a plaister of Hogs greafe, laid unto it fo hot as may be, and make a biggen for the pole of his head to keep it from could, which biggen would have two holes open, to as his ears may fland out, and renew the plaifter every day once untill that break, keeping the fore place as warm as may be; and if that you fee it will not break to foon as you would have it, then look where it is forteft, and most meeteft to be opened, take a round hot Iron or a Copper Iron (for that is the better) as big as a mans little finger, and tharp at the point, made like an Arrow head, and then about two inches beneath the foft place, thraft it in a good deepnels upwards, fo as the point of your Cauterizing Iron may come out at the ripeft place, to the intent that the matter

188

Lib. 2

matter may descend downward, and come out at the nether hole, which would alwayes be kept open : And therefore tent it with a tent of flax dipt in hogs greafe warm, and lay also a plaister of hogs greafe upon the fame, renewing it every day once for the space of four daies, which is done chiefly to kill the hear of the fire : then at the four dayes end, take of Turpentine half a pound, clean washed in nine fundry waters, and after that throughly dryed, by thrufting out the water with a flice on the difhes fide ; then put thereunto two yolks of eggs, and a little Saffron, and mingle them well toge ther. That done, fearch the depth of the hole, either with a quillor a probe, and make a tent of a peice of dry spunge never wer, to long as it may near reach the bottom, and fo big as it may fill the wound, and annioint the tent with the afore-faid oyntment, and thruftit into the wound either with that quill, or elfe by winding it up with your finger and thumb by little and little, until you have thruft it home, and then lay on the plaifter of hogs greafe made luke-warm renewing it every day once until it be whole : but if the fwelling cease, then you need not use the plaister, but only to tent it; and as the matter decreafeth, fo make your tent every day leffer and leffer, until the wound be perfectly cured.

Now if this difcafe of the Pole-evil have broken of it own felts and by neglecting looking unto, have continued fo long that it is turned to a Fiftula, which you thall know both by the great and crooked hollownefs inwardly, and by a tharp thin water which would iffue out there outwardly, then you thall take (according to the opinion of the Farriers) of unflakt Lime, and of Arfnick, of each like quantity, beat them together into very fine powder, put thereto of the juyce of Garlick, of Onions, and of Wall-wort, of each a like quantity, and of Holly asmuch as all the reft, boyl them upon a foft fire, and flir them all well together until they be as thick as an Oyntment; then wath the fore with very firons Vinegar, and fill the hole full of the afore-faid Oyntment, by dip ping a tent therein twice a day; then lay a plaifter of Hogs greate upon the Tent to make it keep in, and use this until the Horfe be whole.

Other Farriers use to take Orpiment, unflackt lime, and Ver digrease, of each like quantity, temper them with the juyce of Pellitory, black Ink, Honey and strong Vinegar, of each like quan-

Lib. 2.

tity, boyl them and flir them well together, untill they be very thick, then make thereof fmall rouls, and put them into the hollow place of the fame forrance. Now you are to note, that both thefe and the laft recited falve before this, are only to kill the rankerous and fharp humour which brings the fore unto a Fiftula, which as foon as you have killed, which you fhall know by the matter which will be white and thick, then you fhall heal up the fore either with the powder of Savin, or the powder of honey and lime baked together, or elfe by annointing it with tarr and fallet oyl, or fresh hogs greafe mixt together. There be other Farriers which for this forrance do first open the fore with a hot Iron, and then take red lead and black fope, and mixing them well with water till it be good and thick, tent the Horfe therewith till he be whole.

Others use to take a quart of water, half a pound of roch allom, four penny-worth of Mercury, a quarter of a pound of Verdigrease, and mixing them well together, wash the horses fore with this water till it begin to dry up, and then heal it with the powders before named. See further in the new: Additions for the Fistu'a, marked thus

CHAP. XXII.

A true and certain approved Cure for any Pole-evil mhat (ovver.

Fift fhave off the hair from the fwelling, then lay on a plaifter of black Shoo-makers Wax, fpread upon white Allom'd leather, and let it lye rill it have ripened and broke the Impoftume: then take a pint of Wine vinegar, and when it is boyling hot, mix with it as much clay lome with the ftraws and all in it, as will bring the vinegar unto a thick poultefs, then apply this as hot as the horfe can fuffer it to the fore, and renew it once a day till the impoftume be whole.

CHAP:

CHAP. XXIII.

Lib. 2.

Of a Horfe that is Lave eard, and how to belp him.

FOr a Horfe to be Lave-card, is as foul a difgrace and as much de formity to his beauty, as to want the true proportion and ult of any outward member whatfoever. It proceedeth from a natural infirmity, and is ingendred even from the first conception, and at though few of our Farriers either have endeavoured themfelves, of know how to help it ; yet there is nothing more certain than that in this fort it may be cured. First, take your horses ears, and place them in fuch manner as you would have them fland, and then with two little boards, or pieces of Trenchers three fingers broad, having long strings knit unto them, bind the ears so fast in the places where they fland, that by no means or motion they may ftir, then betwist the head and the root of the ear, you shall fee a great deal of empty wrinkled skin, which with your finger and your thump you that pullup, and then with a very tharp pair of Sizers you thall clip away all the empty skin close by the head : then with a needle and red filk you shall flitch the two fides of the skin close together, and then with a falve made of Turpentine, Deers fuer, and Honey, of each li e quantity melted together, and made into an oyntment, heat up the lore ; which done, take away the fplents which held up his ears, and you shall see within a short time that his ears will keep the same place still as you set them, without any alteration: this you shall ever find to be as certain and true, as the healing of a cut finger.

CHAP. XXIV.

Of the Vives or hard Kirnels between the Chaps and the Necke

The Vives are certain great Kirnels which grow from the root of the Horfes ears, down to the lower part of his nether jaw, be tween the chap and the neck, they are in proportion, long, narrow and round, and are natural things, proper and due to every Horfe but when either through ranknels of blood, or abundance of corror humons

Lib. 2. Of Cures Chirurgical.

humours reforting to that place, they begin to be inflamed, then they become very foul Sorrances and Impollumations molt dangerous : they are inwardly very full of little white falt Kirnles, and they breed Rteat pain in the Horfes throat. This difeafe as far forth as I can find by any demonstration, is the difeafe which in men we call the Squinanfie, or Quinzie, and not as some of the old Farriers suppose, the Strangle, for that hath no coherence with the infirmity. For the figns of the difeafe, there needs small repetition, infomuch as the grief is apparent to the eye : and the cure, according to the opinion of the oldeft Farriers, is thus; If you fee the Kirnels begin to ran de and fwell, you thall take the Horfes ear, and laying it down alongft the neck of the Horle, at the very end or tip of the ear, cut a hole through the skin of the neck, the length of an Almond, or better ; and then with a crocked Wire, pick our all thole Kirnels which you find inflamed : Which done, fill the hole full of Salt : then about the end of three dayes, you shall find the fore begin to matter: then Walh it either with bark water, or with the juyce of Sage : then take of Honey, of fweet Butter, and of Tar, of each half a fpoonfull, and melt them together, and as foon as you have washt the fore clean, Put into it of this oyntment the quantity of a bean, and fo drefs the Horfe once a day until it be whole.

There be others of our most ancient English Farriers, which for this Sorrance use first to draw the fore right down in the midst with a hot Iron from the root of the ear, so far as the tip of the ear will reach, being pulled down, and under the root again draw two strikes

on each fide, like an Arrow head in this form: then in the midft of the firft Line, launce them with a Launcet, and taking hold of the kirnels

with a pair of fine thin Pinfons, pull them fo far forwards as you may cut the Kirnels out without hurting the vein : that done, fill the hole with falt, and heal it up as is afore faid. Now most of the Italian Farriers use this cure: First, take a spunge steeped well in strong Vinegar, and bind it unto the fore place, renewing it twice a day untill the Kirnels be rotten : That done, launce it then in the nethermost part, where the matter lyeth, and let it out, and then fill up the hole with falt finely brayed, and the next day wash all the filth away with warm water and a spunge, and then annoyne the place with Honey and Fitch flower mixt together'; but in any cafe.



Of Cures Chirurgical. Lib. 2.

cale beware, during this cure, you touch not the Kirnels with your bare finger, for fear of venoming the place, which is very apt for a Fistula to breed in. Now there be other English Farriers, which use either to ripen the fore by laying to a plaifter of hor hogs greater or a plaister of Barley meal mixe with three ounces of Raisons, fod well together in strong Wine; or elfe they cut out the Kirnels. Now whether you cut them out, burn them out, or rot them out, (of all which I hold rotting the beft,) you shall ever fill the hole with nettles and falt being chopt and mixt together, or elfe tent it with tents dipt in water and mixt with falet oyl and falt. Others ule to burn them downwards with a hot iron in the middeft, from the ear to the Jaw bone, drawing two crofs Broaks, and then launch it in the middeft, and pluck out the Kirnels, and fill the hole with bay Salt, and the crops of nettls well chopt and mixt together : or elle put only Salt into the hole, and take the crops of nettles well chopt and mixt with bay Salt, and two fpoonfullo. ftrong vinegar, and ftrain it, and put in either ear a spoonful thereof, and put some black woel after it, and fo bind up his ears.

Others use to ripen them, either by laying to the fore wet hay, or wet horse litter: And as soon as they are ripe, (which you shall know by the softmess) to launch the skin, and take out the Kirnels, and then fill the hole with the powder of honey and unflaked lime mixt together, and burnt upon a Tile flone. Others use likewise after the Kirnels are ripened and taken out, to take of Agrimony, Honey, and Violet leaves, of each like quantity, and ftamping them well together, to plaisfter the fore therewith, till it be whole. Others use after the Kirnels are taken out, to walk the fore with Copperars Water, and then to rent the hole with flax dipt in the white of an Egg, and after to heal it with Wax, Turpentine, and Hogs greafe molten well together.

CHAP.

Lib. 2.

CHAP. XXV.

A more rare and certain approved Medicine, which will cure the Vives, without either burning, melting, rotting, or any such violent extremity.

Ake a peny-worth of Pepper beaten to fine powder, of Swines greafe one (poonful, the juyce of a handful of Rue, of vinegar both the horfes ears, and tye them up with two ftrings, or elle flitch them together : Then fhake the ears that the Medicine may fink downwards: Which done, you fhall let the Horfe blood in the ntck, vein, and in the temple-veins. And this cure is infallible.

CHAP. XXVI.

Another cure for the Vives, most certain and approved.

IF in any of the former receipts you can find either difficulty or doubt, then to make certain and speedy Work: first, shave off shoo makers Wax, and remove it not till the fore break, then renew the plaister and it will both heal and dry it.

CHAP. XXVII.

Of the Strangle.

THE Strangle (howfoever our old Farriers make a long difbut a mean inflammation of the throat, proceeding from fome Cholcrick or bloody fluxion, which comes out of the branches of the Throat veins into those parts, and there breedeth fome hot inflammation, being flirred up either by fome great Winter cold, or cold taken after Labour : It is a great and a hard fwelling between the Horfes nether chaps, upon the roots of the Horfes tongue, and about his throat, which fwelling, if it be not prevented, will ftop the horfes C c

194

windpipe, and so ftrangle or choak him : from which effect, and none other, the name of this difease took his derivation. The fight of this dileale, befides the apparent fign thereof, and the palpale feeling of the same, is, the Horses temples of his head will be hollow, and his tongue will hang out of his mouth, his head and eyes will be fwoln, and the passage of his throat fo ftopt, that he can neither est nor drink, and his breath will be exceeding thorr. The cure thereof, according to the most antient Farriers, is, with a round small hot Iron to thruft a hole through the skin on both fides the weffand, and then after it beginneth to matter, to mix butter, Tanners water, and Sale together, and every day annoynt the fore therewith till it be Others of the ancient Farriers use first to bathe the Horfes whole. mouth and tongue with hot water, and then annoynt the fore place with the gall of a Bull, that done, give him this drink. Take of old Oyltwo pounds, of old Wine a quart, nine Figs, and nine Leeks heads well ftimped and brayed together, and after you have boyled these a while, before you strain them, put unto them a little Nitrun Alexandrinum, and give him a quart of this every morning and evening. Alfo you may if you will, let him blood in the Palaces the mouth, and pour wine and oyl into his Nostrils, and alloging him to drink the decoction of Figs and Nitrum fodden together or elle to annoint his throat within with Nitre, Oyl, and Honey or elfe with honey and hogs dung mixt together. Other Forrier ule to rowel the horfe under the throat, and to draw the Rowel rule or thrice a day, annointing it with fresh butter, and keeping his head warm. Other of our later and better experienced Farriers, ule fully (if his years will permit him) to let the Horfe blood in the Neck vein, chen to lay to the fore this ripening plaifter : Take of Mallowsi Linfeed, Rue, Smalage and ground Ivy, of each like quantity, de these together in the grounds of Beer : then put to it some Offit Bay, and a little Dia Althea, then take it off the fire, and make old a plaister, and lay it to the fore, fuffering the horse to drink no cold water : after the fore is broken, lay bran fleept in Wine unto it, rill it be whole. Others use to cut the kirnels out between the jaws, and then to wath the fore with butter and beer, giving the hoter of drink new milk and garlick, and the juyce of the leaves of Birch, ill in winter the bark of Birch, or elle to anoynt it with tar and oyl till it be whole. Now, for mine the leaves of Birch, or elle to anoynt it with tar and oyl till it be whole. Now, for mine own part, the beft cure that ever I found for the Strangle was this As for the Strangle, was this.

Lib. 2.

Lib. 2. Of Cures Chirurgical.

As foon as I found the fwelling begin to arife between his chaps, to take a Wax-candle, and holding it under the Horfes chaps, clofe unto the fwelling, burn it folong till you can fee the skin be burnt through, fo that you may as it were raife it from the fleft; that done, you fhall lay unto it either wet hay, or wet horfe litter, and that will ripen it, and make it break : then lay a platfter unto it only of Shoomakers Wax, and that will both draw and heal it. Now if it break inward, and will not break outward, and fo avoideth only ar his Nofe, then you fhall twice or thrice every day, perfume his head by burning under his noftrils, either Frankincenfe or Maftick, or elfe by putting a hot coal into wet hay, and fo making the fmoak thereof to aftend up into the Horfes head : or elfe to blow the powder of Euforbium, with a quill into his nofe ; and fo note that whatfoever cureth the Vives, cureth the Strangle alfo.

195

CHAP. XXVIII.

Of the Cankerous Ulcer in the Nofe.

Hat which we call the Cankerous Ulcer in the Nofe, is only a fretting humour, cating and confuming the flefh, and making it all raw within, and not being holpen in time will eat through the Griffle of the nofe. It commeth of corrupt blood, or elfc of a fharp hunger ingendred by means of fome extreme cold.

The figns are the horfe will oft bleed at the nofe, and all the flefh within his nofe will be raw, and filthy flinking favours, and matter will come out at the nofe.

The cure thereof, according to the antient Farriers, is: Take of green Copperas and of Allom of each a pound, of white Copperas one quartern, and boyl thefe in a pottle of running water untilla pint be confumed : then take it off, and put thereunto half a pint of honey, then caufe his head to be holden up with a drenching flaff, and fquirt into his noftrils with a fquirt of Braís or Pewter, fome of this water being luke-warm, three or four times one after another; but betwixt every fquirting give him liberty to hold down his head, and to fnort out the filthy matter : for otherwife perhaps you might choak him : and after this it thall be good allo without holding up his head any more, to walh and rub his noftrils with a $C \in 2$

196

1

Lib. 2.

fine clout bound to a flicks end and dipt in the fore-faid water, and do thus once a day untill the Horfe be whole. Other Farriers ule if they fee this Canker to be of great hear, and burning in the fore with exceeding great pain, then you shall take the juyce of Purssane, Lettice, and Nightschade, of each like quantity, and mix them together, and wash the fore with a fine cloth dipt therein, or elle fquirt it up into his neftrils, and it will allay the heat.

Others take of Hyffope, Sage, and Rue, of each a good handful, and feeth them in urine and water to the third part of them : then frain them out, and put in a little white Copperas, Honey, and Aquavi æ, and fo either wafh or fquirt the place with it ; then when the Canker is killed, make this water to heal it : Take of Rib-wort, Bettony, and Daifies, of each a handful: then feeth them well in Wine and Water, and wafh the fore three or four times a day therewith untill it be whole. Others use also to take Chryftal, and beating it into fine powder, to ftrow it upon the Canker, and it will kill it.

CHAP. XXIX.

Of Bleeding at the Nofe.

M Any horfes, (efpecially young horfes) are oft fubject to this bleeding at the Nofe, which I imagine proceedeth either from the much abundance of blood, or that the vein which endeth in that place is either broken, sretted or opened. It is opened many times by means that blood aboundeth too much, or that it is too fine or too supple, and so pierceth through the vein. Again, it may be broken by fome violent ftrain, cur, or blow; And laftly, it may be fretted and gnawn through by the Tharpnels of the blood, or elieby fome other evil humour contained therein. The cure is, according to the ancient Farriers, to take the juyce of the roots of Nettles, and fquirt it up into the horfes noftrils, and lay upon the nape of the horfes neck a wad of Hay dipt in cold water, and when it wareth warm, take ir off, and lay on a cold one. Other Farriers ule to take a pint of red Wine, and put therein a quartern of Bole-armonick beaten into fine powder, and being madeluke-warm, to pour the one half thereof the first day into his Nostril that bleedeth, caufing his head

Lib. 2. Of Cures Chirnr gical.

head to be holden up, fo as the Wine may not fall out, and the next day to give him the other half.

Others use to let the Horse blood on the breast-vein, on the same fide that he bleedeth, at several times : then take of Frankincense one ounce, of Aloeshalf an ounce, and beat them into fine powder, and mingle them throughly with the whites of three Eggs until it be as thick as honey, and with soft Hareshair thrust it up into his nostrils, filling the hole full of Ashes, Dung, or Hogs dung, or Horses dung mixt with Chalk and Vinegar.

Now for mine own part, when none of these will remedy or help, (as all have failed me at some times,) then I have used this, take two small whip coards, and with them garter him exceeding hard about some ten or twelve inches above his knees of his fore-legs, and just beneath his elbows, and then keep the nape of his neck as cold as may be, with moist cloaths, or wet hay, and it will flaunch him presently.

CHAP. XXX.

Of the bloody rifts, or chops in the palat of the Horfes month.

These Chops, Clefts, or Rifts, in the palat of a Horses mouth, do proceed (as some Farriers suppose,) from the earing of tough Hay, full of of whins, this es, or other pricking stuff, provender full of sharp seed, which by continual pricking and fretting the furrows of the mouth, do cause them to rankle, swell, and breed corrupt blood and stinking matter, and without speedy prevention, that Ulcer will curn to the soulest Canker.

The Cure thereof is, (according to the opinion of the ancient Barriers) to wash the fore places very clean with Salt and Vinegar mixt together, then to anoynt it with Honey and Allom mixt rogether. Other Farriers use (especially if the palat be much swelled,) to prick the roof of the mouth with a hot Iron, that the humours may iffue out abundantly, and then to anoynt the place with Honey and Onions boyled together, till they be whole.

CHAP.

198

CHAP. XXXI.

Lib. 2.

Of the Giggs or Bladders in a Horfes month.

Hele Giggs, Bladders, or Flapsin a Horlesmouth, are little foft swellings, or tather puftules with black heads, growing in the infide of the Horfes lips, next under his great jaw-teeth : they will fometimes be as great as a Wal nut, and are fo painful unto him, that they make him let his meat fall out of his mouth, or at least keep it in his mouth unchawed, whereby the Horfe can in no wife prosper : they do proceed either of eating too much grafs, or naughty rough pricking Hay or Provender, they are most apparently to be felt : and the Cure is, (according to the opinion of the oldeft and most experienced Farriers) first to draw out the Horses tongue of the one fide of his mouth, and then take a Lancer and flit the fwellings the length of a Date, and then with a Probe pick out all the Kirnels like Wheat corns very clean : then take the yolk of an Egg, and as much falt as will temper it thick like leaven! then make it into little Balls, and thrust into every hole, and fait not to do fo once a day untill it be whole.

Other Farriers use after they have flit them with an incition Knife, and thruft out the corruption, only to wash the fore places either with Vinegar and falt, or elfe with Allom water. Others use with a small hot Iron to burn the swellings, and then wash them with Beer and Salt, or Ale and Salt, and it will heal them. Now that you may prevent this Difease before it come, it shall be good to pull out the Hotses tongue often, and to wash it with Wine, Beer, and Ale, and so shall no Blifters breed thereon, nor any other Difease.

CHAP. XXXII.

Of the Lampass.

The Lampals is a swelling or growing up of the flesh, which over-groweth the upper teeth, which are the shears in the upper chap, and so hindreth the Horse from eating. They do proceed

1.99

Ser and

Lib. 2.

ceed from abundance of blood, reforcing to the fi ft Furrow or bar of the mouth, I mean that which is next to the upper fore-teeth ; it is most apparent to be seen, and therefore needeth no other figns. The cure is, (according to the cuftom of the oldeft Farriers,) first with a Lancer to let him blood in divers places of the fwelling fleth : then take an Iron made at one end broad and thin, and turned up according to this Figure, and heating it red hot, burn out all that superfluous weld flesh which overgrows the fore-teeth. and then annoynt the fore place with fresh butter until it be whole. Ochers ule after it is burnt out, only to rub the fore place with Salt only, or wath it with Salt and Vinegar till it be whole. Others use to take a hooked Knife made very sharp and very hor, and therewith cut the fwoln places in two parts, crofs Bainst the teeth ; but if they be a little sweld, then cut but the third rank from the teeth, and fo let him bleed well : then rub it With a little Salt, and the Horfe will be well : but if you find afterwards that either through too much burning, or cutting, or through the eating of too coarfe meat, that the wound doth not heal, but tather rankle, then you shall take a Saucerfull of honey, and twelve pepper-corns, and bray them together in a morter, and tem-Per them up with Vinegar, and boyl them a while, and then once a day annoint the fore therewith till it be whole.

CHAP. XXXIII.

Of the Camery, or Frounce.

He Camery, or Frounce in Horfes, are fmall Pimples, or warts in the midft of the palat of the mouth above, and they are foft and fore, they will allo fometimes breed both in his Tongue and in his Lips: it proceedeth fometimes from the eating of frozen grafs, or by drawing frozen duft with the grafs into their mouths: fometimes by eating of moift hay, that Rats or other Vermine have pift upon, and fometimes by licking up of venom. The figns are, the apparent feeing of the pimples, or whelks, and a forfaking of his food, both through the forenels of them, and through the unlavourinefs and ranknels of the food that he hath eaten before.

The Cure (according to the opinion of the oldest Parriers) is, The

Of Cures Chirurgical. Lib. 2.

first to let him blood in the two greatest veins under his tongue, and then wash all the fore places with vinegar and Salt: Then get the Horse new bread, which is not hot, and give it him to eat, and the Horse will do well enough. But take heed you give but a small quantity of such bread for sear of Surfeit, which is both apt and dangerous.

Others use with a hot Iron to burn the pimples on the head, and then wash them with Wine and Salt, or Ale and Salt untill they bleed, and they will soon heal. Other Farriers use to take out his tongue, and to prick the veins thereof in seven or eight places, and likewise under his upper Lip also, and let him bleed well: then rub every fore place with Salt well: then the next day wash all the fore places with white Wine warm, or else with strong vinegar, and rub it again with Salt: then for two or three dayes let the Hotse drink no cold water, and he will do well.

CHAP. XXXIV.

Of the Canker in the month.

A Canker is faid of the ancient Farriers to be nothing but the rawnefs of the mouth and tongue, which is full of very fore blifters, from whence will run a very hot and tharp lye, which will fret and corrode, or rot the flefh wherefoever it goeth. The figns are, the apparent fight of the fore, befides the forfaking of his meats becaufe he cannot fwallow it down, but lets it lye half chewed be tween his jaws, and fometimes when he hath chewed his meat, he will thruft it out of his mouth again, and his breath will favour very ftrongly, chiefly when he is fafting.

This difease proceedeth oftest from some unnatural heat coming from the ftomach, and sometimes from the venom of filthy food.

The Cure is (as the oldeft Farriers inftruct us) to take of Allom half a pound, of Honey a quarter of a pint, of Collumbine leaves, of Sage, of each a handful, boyl all these together in three pints of running Water, untill one pint be confumed, and wash all the fore places therewith, so as they may bleed, and do thus once every day untill it be whole. Other Farriers use first to cast the Horse, and with a roling pin to open his mouth, then with a crooked Iron

201

Lib. 2.

Wrapt about with Tow or Flax, to take out all the flinking grafs, or other meat that lyeth in his jaws, and under the root of his tongue: then when you have cleanfed it thus, you fhall heat flrong wine Vinegar fomewhat warm, and then with the fame Iron wrapt in Tow, and dipt in wine Vinegar, you fhall wafh all the fore places till they bleed : then wafh all his tongue and lips with the fame Vinegar, and folet him rife: and then feed him at leaft feven dayes with warm Mathes and hot grains: but in no wife with any hay, and he will foon be wholes

Other Farriers ule to take of the juyce of Daffodil-roots feven drams, of juyce of Hounds-tongue as much, of Vinegar as much, of Allom one ounce: mix these well together, and wach the Canker therewith once a day until it be whole. Others use to take of Savin, of Bay-falt, and of Rue, of each like quantity, and famp them together with as much Barrows grease, and annoint the know by the whiteness, and then healing it up only with Aliom water.

Others use first to wash the Canker till it bleed with warm Vipowder, to take a good quantity of Allom beaten into very fine Salve: then to annoint all the fore places therewith, and do not fail thus to do twice or thrice a day until the Canker be whole.

Now for mine own part, the best Cure that ever I found for this Sourance, is, to take of Ginger and of Allom, of each like quantity, made into very fine powder : then with strong Vinegar to mix them together till they be very thick like a Salve, then when you have watht the Canker clean, either with Allom water, or with the Canker vill be killed, and after it will heal speedily.

CHAP. XXXV.

Of heat in the month and lips of a Horfe.

He unnatural and violent heat which afcendeth up from the flomach into the mouth, doth not alwayes breed a Canker, but fometimes only heateth and inflameth the mouth and lips, D d making

202

Lib. 2,

making them only fwell and burn, fo as the Horfe can ta e no joy in his food, but through the grief refufeth his meat. The cure thereof is, first to turn up his upper lip, or that which is most fwelled, and with a Lancet jag it lightly, fo that it may bleed, and then wash both that and all his mouth and tongue with Vinegar and Salt.

CHAP. XXXVI.

Of the Tongue being burt with the bit, or otherwise.

IF the tongue of a Horfe be either hurt, cut, or galled by any accident or milchance what foever, the beft Cure is (as the olded Farriers suppose) to take of English honey, and of salt Lard, of each like quantity, a little unflecke Lime, and a little of the powder of Pepper: boyl them on a soft fire, and flir them well together till they be thick like unto an Oyntment : then wash the Wound with white Wine warmed: after that, annoint the wound with the faid oyntment twice a day, and by no means let the Horfe wear any bit till he be whole.

Other Farriers use first to walk the fore with Allom water, and then to take the leaves of a black bramble, and to chop them toget ther small with a little Lard; that done, to bind it with a little clout, making it round like a ball: Then having dipped the round end in honey, to rub the tongue therewith once a day until it buy whole.

CHAP. XXXVII.

Of the Barles or Pappes underneath a Horfes tongwe.

The Barbes are two little paps which naturally do grow under every Horfes tongue whatfoever, in the nether jaws: yet if at any time they fhoot out, and grow into an extraordinary length, or by the over-flow of humours become to be inflamed, then they are a Sorrance, and with the extremity of their pains, they hinder the Horfe from feeding. The cure of them is, both according to the opinion of the ancient and late Farriers, abfolutely to clip them away

Lib. 2. Of Cures Chirurgical.

away with a pair of thears close to the jaw, and then to wath the fore either with water and falt, or elle with Tartar and ftrong vinegar mixt together, or elfe with vinegar and falt. Any of all which will heal them.

CHAP. XXXVIII.

Of the pain in a Horfesteeth, of Wolfsteeth, and jaw-teeth.

A Horfe may have pain in his teeth through divers occasions, as partly by the delcent of groß humours from the head down unto the teech and gums, which is very proper to Colts and young Horfes, and plainly to be feen by the rankness and fwelling of the suns ; and also he may have pain in his teeth, by having two extraordinary teeth, called the Woolfs teeth, which be two little teeth Browing in the upper jaws, next unto the great grinding teeth, which are to painful to the Horle, that he cannot indure to chaw his meat, but is forced either to let it fall out of his mouth, or elfe to keep it flill half chewed. Again, a Horfe will have a great pain In his teeth, when his upper jaw-teeth be fo far grown, as they over-hang the nether jaw-teeth ; and therewith also be fo tharp, as in moving his jaws, they cut and raze the infides of his cheeks, even as they were razed with a Knife. Laft'y, a Horfe may have Steat pain in his teeth, when either by corruption of blood, or fome other natural weakness, the Horses teeth grow loose and fore, in the manner, that through the tendernels thereof, he is not able to chaw or grind his food. Now for the feveral Cures of thefe infirmities, you shall understand, that first as touching the general pain in a Horfes teeth, which do come by means of the diftillation of humours, it is thought fit by the ancienteft Farriers, first to rub all the outfide of the Horfesgums with fine Chalk and ftrong Vinegar well mixt together.

Other ancient Farriers ule after they have fo walhed the gums, to ftrow upon them the powder of Pomegranate Pills, and to cover the temples of the head with the plaifter of Pitch, Rozen, and Ma-Rick molten together, ashach been before fufficiently declared.

Now for the Cure of Woolfs teeth, or the jaw-teeth (according to the opinion of the ancient Farriers) it is thus. First, caule the Horles

Dd 2

204

Lib. 2.

Horses head to be tyed up high to lome post or rafter, and his mouth to be opened with a coard fo wide, that you may easily fee every part thereof : Then take an inftrument of Iron, made in all points like unto a Carpenters Gouge, and with your left hand it the edge of the tool at the foot of the Woolfs teeth, on the outfide of the jaw, turning the hollow fide of the tooldownwards, holding your hand steadily, so as the tool may not flip not swerve from the aforesaid teeth : Then, having a mallet in your right hand, strike upon the head of the tool a good stroak wherewith you may loosen the tooth, and make it bend inward, then straining the mids of your tool upon the Horses nether jaw, wrinch the tooth outward with the infide or hollow fide of the tool, and thrust it clean out of hishead; Which done, ferve the other Woolfs teeth on the other fide in like manner, and then fill up the empty holes with Salt finely brayed.

Other ancient Farriers use, (and I have in mine experience found 1 it the better practice) only when the Horfe is either tyed up or calt, and hismouth opened, to take a very tharp file, and to file the wolfs teeth to fmooth as is poffible, and then wath his mouth with a little Allom water. Now if the upper jaw-teeth over-hand the nether jaw-teeth, and fo cut the infide of the mouth as is afore faid, then you thall take your former tool or gouge, and with you Mallet ftrike and pare all those teeth shorter by little and little de grees, running alongft them even from the first unto the laft turning the hollow fide of your tool towards the teeth, by which means you fhall not cut the infides of the Horles Cheeks: then with your file, file them all fmooth without any raggednefs, and then wash the Hotfes mouth with Vinegar and Salt. Laftly, if the pain do proceed from the loofeneis of the reeth, then the Cure is, at cording to the opinion of the ancient Farriers, first to caft the Horit and prick all his Gums over with a Lancet, making them bleed wells then rub them all over with Sage and Salt, and it will fasten them again.

Others use to let the Horse Blood in the vein under the Taily next the Rump, and then to rub all his Gums with Sage, and to give him in his provender, the tender crops of black briers: or elle wath all his mouth with Honey, Sage, and Salt beaten together, and by nomeans let the Horse eat any moift meat, for cold, moift,

Of Cures Chirur gical.

205

and marrish feeding in the Winter, only breedeth this difease of loosenels in the teeth, and it is of all other, most proper to the Sortel Horses.

CHAP. XXXIX.

Of difeases in the neck and Withers, and first of the crick in the neck:

He Crick in the neck of the Horie, is, when he cannot turn his neck any way, but holds it still right forth, in so much that he cannot bow down his head to take up his meat from the Bround, but with exceeding great pain; and furely it is a kind of convultion of the finews, which proceedeth from cold caules, of which we have spoken very sufficiently before, it also proceedeth tometimes from over-heavy burthens that be laid upon a. Horfes houlders, or by over-much drying up of the finews of the neck. The Cure thereof, according to the opinion of the ancient Farriers, is, thift to thruft a tharp hot Iron through the fleth of the neck in five leveral places, every one diftant from the other three inches, (but in any cale beware of touching any finew) then rowel all the aforeaid places either with Horfe hair, flax, or hemp, for the space of Afreen dayes, and annoynt the rowels with Hogs greafe, and the neck will foon be reftored. Others use if the crick caufeth the Horfe to hold his neck ftraight forward, which fheweth that both fides are equally perplexed, to take a hot drawing Iron, and draw the Horfe from the root of the ear, on both fides the neck, from the midft of the fame, even down the breaft, a ftraw deep, fo as both ends may meet on the breast : then make a hole through the skin of the fore-head, hard under the fore-top, and thruft in a cornet upward betwixt the skin and the fleth, a handful deep : then either Put in a Goose feather doubled in the midft, and anoynted with Hogs greale ; or elle a rowel of either Horn or Leather, with a hole in the middeft : any of which will keep the hole open, to the intent the matter may iffue forth : And this you shall keep open the space of ten dayes, but every day during the time, the hole must be cleanfed once, and the feather or rowel allo cleanfed, and freth annoynted, and put in again : and once a day let him ftand upon the bit

206

Lib. 2.

bit an hour or two, or elfe be ridden abroad two or three miles, by fuch an one as will beat the Horfes head, and make him bring it in : but if the crick be luch that it maketh the Horfe to hold his head awry upon the one fide, which the weth that but one fide of the neck is troubled, then you thall not draw the Horfe with an hot Iron on both fides of the neck; but only on the contrary fide, as thus: If he bend his head towards the right fide, then to draw him, as is aforefaid, only on the left fide, and to use the reft of the Cure as is above faid, and if neceffity do require, you may fplent the Horfes neck alfo ftraight with ftrong fplents of wood.

I have Cured this Crick in the neck only by bathing the Horles neck in the oyl of Peter, or the oyl of Spike very hot, and then roling it all up in wet Hay, or rotten Litter, and keeping the Horle exceeding warm, without using any burning, wounding, or other violence.

CHAP. XL.

Of the Wens in the neck:

A Wenisa certain Bunch or Kirnel upon the skin, like a tumor or fwelling: the infide whereof is fometimes hard likes Griffle, and fpongious like a skin full of fofe Warts; and fometimes yellow like unto rufty Bacon, with fome white grains amongf. Now of Wens, fome are great, and fome be fmall, alfo fome are very painful, and fome not painful at all. They proceed, as fome imagine, of naughty, grofs, and flegmatick humors, binding together in fome fick part of the body. And others fay, they proceed from taking of cold, or from drinking of waters that be milt extreme cold but I fay, that albeit, they may proceed from these causes, yet moft ge nerally they proceed from fome pinching, bruifing, biting, ripping of galling, either of girths, halter, coller, or any other thing whatfoever.

The certain'ft Cure thereof is this, take of Mallows, Sago and red Nettles, of each one handful : boyl them in running water and put thereunto a little butter and honey, and when the herbs be foft take them out, and all to bruife them, and put thereunto of Oyl de Bay two ounces, and of Hogs greafe two ounces, and warm them together over the fire, mixing them well together : that done plaifter it upon a piece of Leather, fo big as the Wen, and lay it to

207

Lib. 2.

to hot as the Horfe can endure it, renewing it every day in fuch fort the fpace of eight dayes, and if you perceive it will come to no head, then launce it from the midfl of the Wen downward, fo deep that the matter in the bottom may be difcovered and let out: which done, heal it up with this Salve: Take of Turpentine a quartern, and wath it nine times in fair water, then put thereunto the yolk of an Egg, and a little English Saffron beaten into powder, and make a tent or role of flax, and dip it in that oyntment, and lay it to the fore, renewing the fame every day once or twice, until the Wen be cured.

Others use in this case, with a hot Iron to burn and sear away all the superfluous flesh, and then to heal up the fore either with the Oyntment last rehearsed, or else with the powder of Honey and Lime mixt together; and this manner of Cure is by much the speedier.

CHAP. XLI.

Of fivelling in the nick after blood. letting.

The fwelling of a Horles neck after blood-letting may come, through divers occasions, as namely, by striking through the vein, fo as fome of the blood being gotten betwixt the flefh and the vein it there corrodeth and turneth to an impostume, or elfe by Ariking the vein with a rufty fleagen, whereby the vein rankleth, or by fome cold wind ftriking fuddenly into the hole, or laftly, by fuffering the Horfe too foon to thruft down his head, and Stale or feed, whereby humours reforting to that place, breeds a Breat Impollumation: The Cure is, according to the opinion of fome Farriers, to take Hemlock and flamp it, and then to minsle it with Sheeps dung and wine Vinegar, and lo making a plaister thereof to lay it to the swelling, renewing it once a day until it be whole. Other Farriers use first to annoint the place with the Oyl of Camomile warmed, and then to lay upon It a little hay wet in cold water, and bind it about with a cloath, renewing it every day for the space of a week, to see whether it will grow to a head, or elle vanish away: if it grow to a head, you may then launce it, and thrust out the matter :

Of Cures Chirurgical. - Lib. 2.

matter: then heal it up by tenting it with flax dipt in Turpentine and Hogs greale molten together, dreffing it once a day until it be whole.

208

CHAP. XLII.

How to fanch blood.

TF your Horfe either by wound or other accident, or by the is" norance of any unskilful Farrier that letteth him blood when the fign is in that place, bleedeth fo exceedingly that he will not be ftanched, you shall then according to the opinion of old Farriers, lay unto the wound a little new Horfe dung tempered with Chalk and ftrong Vinegar, and not to remove it from thence the space of three dayes: or elle to lay unto it burnt filk, burnt felta or burnt cloath, any of which will ftanch blood. Others ufe to pour into the wound the juyce of Coriander, or elle to let the Horfechew in his mouth the leaves of Periwinkle. Others ule to take of bruifed Nettles, and lay them to the wound : or elfe wild Tanley bruifed, or hot Hogs dung. Others ule to take bruiled Sage and lay to the wound: or elfe the coame about the Smiths forge : or elfe a clod of earth, or bridifed Hyflop : or the folt crops of Hawthorn bruifed : or elfe to take two ounces of the Horfes blood, and boil it till it come to a powder, and then put that powder into the wound.

But when all these fail, as in some extremities I have found them do; then for your only refuge, you shall take the soft down either of Hares skin, or of a Conies skin, and stop the wound well therewith, holding it to with your hand till the blood stanch: if it be a guievous fore wound, then as soon as the blood is staked, spread a plaister of Bole-armonick and wine Vinegar mixt over the wound.

CHAP,


Of Cures Chirnrgical.

CHAP. XLIII.

Of the falling of the Creft:

He falling of the Horles Creft, is, when the upper part of a Horles neck which is called the Creft, leaneth either to the the orthe other fide, and will not fland upright as it ought to the other fide, and will not them povercy and very hard heeping, and especially when a fat Horse falleth away suddainly woon any inward fickness. The Cure (according to the oldeft Farthe lis First to draw his Creft well a full straws breadth deep on the contrary fide with a hot Iron, the edge of which Iron would be half an inch broad, and make both your beginning and ending but an inch broad, and make both your draught may go all the way hat beyond the fall, so as the first draught may go all the way hat beyond the fall, so as the first draught may go all the hav hard upon the edge of the main, close by the roots of the same, berting your right hand down-ward into the neck-ward : Then the syour right hand down-ward into the first diftant from the hat with another draught beneath, and to far diftant from the hat with another draught beneath, and the fall : but the fall is broad, compatting as it were all the fall : but the on the contrary fide, and betwixt thole two draughts, right in the middeft, draw a third draught : then with an Iron button of al an inch about, burn at each end a hole, and also in the betwixt the draughts, make

Curersholes diftant three fingers one hom another, as this figure doth another, as that done, to the fire, annoint it every day with fresh butter for a week or



200

Then take of Mallows and of Sage, of each one handful, them well in running water, and walh the burning away till the raw flefth, and then dry it up with the powder of Honey and Line

Other Farriers ule for this infirmity, first to cast the Horse upon me loft Dung-hill, or other easie place, and with a Knife to cut by the fleth on the hanging or under fide of the Creft, even home the fore end thereof to the hinder end, fix inches broad and the fore end thereof to the hinder that, de thereof where it inthe schick, or fomewhat more in the middle thereof where it whickeft: then groping the Creft with your hands, to pare the thickeft thickeft:

Lib. 21

thickeft part thereof, till it come all to one thinnels, then holding the Horle still fast bound, to cover all the place with great hand fuls of Swines dung prepared for the purpole, and hold is to the lot place an hour rogether, until the blood be ftanched : Then let the Horse arise, and lead him into the Stable, tying him in such forth that he may neither rub his neck nor lye down : then the ner morning take good ftore of burnt Allom beaten to powder, ftrow it all over the fore place, and fo let him ftand for two days after without any flirring, left the wound should bleed again then at the and after the then at the end of these two dayes you shall bathe the fore genil wich a fine Linnen cloath, dipt in warm Urine, and then dry the fore, again throw more burnt Allom upon it, and all annoint all about the out fide of the edges of the fore with Ling guentum Album Camphoratum, more than an inch broad : the you shall dress him every day once on that fide of the One which did fall: then for the contrary fide you thall draw, main thereon, and plat it in many plats : which done, you had to those plats with thongs of Leather, fasten a cudgel of a and a halflong : then to the middeft of that cudgel you thall have a piece of Lead with a hole in it, of fuch weight as will point of Creft up even, and hold it in his right place : then thall you draw his Creft on that fide the weight hangs with a hot drawing Lon even from the top of the Creft, down to the point of the (houlde making divers ftroaks one an inch and an half from another : Thall you lay upon the burnt places 2 plaister of Pitch, Tary of Rozen, molten together, and so let the weight hang till all the lot places be healed, and there is no queftion but the Creft will fand both upright and ftrongly.

CHAP. XLIV.

A certain and approved way, bow to raife up the Creft that " falm.

The most infallible and certain way to raise up, and to keep when it is so risen, a Crest that is faln: Is first to raise up the faln Crest with your hand, and to place it in such wile as you would have it, and it ought to stand: then having one standing ou

210

Th

Of Cures Chirurgical. Lib. 2.

on the fame fide the Creft falleth from, let him with one hand hold up the Creft, and with the other thrust out the bottom or foundation of the Creft, fo as it may fland upright: then on that fide to which it falleth, with an hot Iron (fomewhat broad on the edge) draw his neck first at the bottom of the Creft, then in the midft of the Creft, and laftly, at the ferting on of the hair, and be fure to draw it through the skin, but be fure no deeper, for this Will inlarge and open the skin.

211

Then on the other fide (from whence the Creft falleth) gather the skin with your hand, and with two plaisters of Shoo-makers Wax laid one against another at the edge of the wound, and with mooth splints to ftay the skin, that it may fhrink neither upward nor downward, then with a pair of tharp Sizersclipt away all the pare skin which you had gathered up with your hand, then with "needle and some red filk, ftitch the skin together in divers places, and to keep the skin from breaking, flitch the edges of the plaifter ingether allo, then annoint the fore with Turpentine, Honey and Wax molten together, and the places which you drew with the hot Iron, with peece-greafe made warm. And thus do twice a day till all be whole, and have great care that you splints brink nor.

CHAP. XLV.

Of the Manginess in a Horses Main.

He Manginels which is in the Main of a Horfe, and makerh him shed his hair, proceedeth either from the rankness of blood, poverty, or loufinels, or elle of rubbing where a mangy Horfe hath rubbed, or elle of fretting dust lying in the Main for want of good dreffing. The figns are, the apparent rubbing and itching of the Horfe about the Main and Neck, and the leabs fretting both the fleth and skin, befides the fhedding and falling away of the hair. The cure (according to the opinion of lome of our old Farriers) is, first let him blood on the Neck-vein, and cut away all the hair from the fcabs, then with a hot Iron as big as a mans finger, fear all the fore place even from the one end to the other : Then annoint all the place you to burnt with black Sope, and.

Lib. 2.

and now and then wath it with ftrong Lye and black Sope mixt gether.

Other good Farriers for this Manginels only take of freth great one pound, of Quickfilver half an ounce, of Brimftone one ounce, of Rape oyl half a pint, mingle them together, and fir them continually in a pot with a flice, until the Quick-filver be fo wrought with the reft, as you shall perceive no Quick-filver therein : that done, take a blunt Knife, or an old Horle-comb, and scratch all the mangy places therewith until it be raw and bloody, and then anoint it with this oynement in the Sun-fhine, if it may be, to the intent the oyntment may fink in, or else hold before it either a hot fire pan, or a hot bar of Iron, to make the oyntment melt into the fleth, and if you see that within three dayes after thus once annointing him he leave not rubbing, then mark in what place he rubbeth, and drefs that place again, and queftionless it will ferve. autor gas alt 'right manshart

CHAP, XLVI. tring with property and made warm. And this da rain

Of the fhedding of bair in the Main.

Air, for the most part sheddeth or falleth from the Main of Horfe, by reason of certain little Worms which eat and fre the roots of the hair alunder. The cure whereof is, firft, to annoint che Main and Creft with black fope, and then to make a ftrong ly cither of running water and Afh-afhes, or elle of Urine and After alhes, and with that to wash the Main all over, and it will help him.

CHAP. XLVII,

Of the pain and grief in a Horfes Withers.

poversy, or loutinels, in

Oth to a Horfes Withers, and alfo to his back, do happen many D infirmities and Sorrances, forme proceeding from inward caules, as of the corruption of humours, and fometimes of our ward causes, as through the galling, pinching, and wringing of fome naughty Saddle, or fome heavy burthen laid on the Horles backs

Th

Lib. 2. Of Cures Chirurgical.

back, or fuch like: And of these griefs some be finall, and some be great: The finall are only superficial Blisters, Swellings, Light gally, or bruifings, and are easily cured: but the great are chose which pierce to the very bone, and be most dangerous, especially if they be migh to the back bone. Then to speak first of the smaller gallings, whensoever you shall see any swellings to arise, either about your Horses Withers, or any other part of his back, the Cure is seconding to the opinion of some of the old Farriers) first of all if the place be much swoln and festered, then to pierce it with a sharp hot Iron in many parts on both fides of the neck, and then put into the same tents of Linnen cloath, dipt in warm Sallet Oyl, and then after to dry and heal it up with the powder of Honey and Lime mixe together.

213

Others use to take Butter and Salt, and to boyl them together antil they be black, then to pour it hot on the fwelling: and then to take warm Horse-dung, and lay it on the fore back untill it be whole, dreffing it once a day.

Others (especially thebest of the ancient Farriers) ule as soon as they fee any fwelling to arife, to bind unto it a little hot Horfedung, to fee if that will allwage it ; which if it will not, then to Plick it round about the fwelling with a Fleim, Knife, or Lancer, Yot not too deep, but lo as it may pierce the skin, and make the olood iffue forth: that done, take of Mallows, or Smallage, two or three handfulls, and boyl them in running water until they be lo loft as pap : then ftrain the water loftly from it, and bruife the herbs in a treen dish, putting thereunto a little Hoggs greale, or elle Salet oyl, or Sheeps fuer, or any other fresh greafe: boyl them and ftir them together, nor frying them hard, but as they be foft and upple: and then with a clout lay it warm upon the fore, renewing it every day once until the (welling be gone, for it will either drive it away or bring it to an head, which lightly chanceth not in these Imall swellings, except some Griftle or bone be perished. Ochers of the ancient Farriers ule, when they fee any fwelling to arile about a Horfeback, first to shave the place with a Razor, and then to lay thereunto this plaister: take a little Wheat-flower, and the white of an Egg beaten together, and fpread it on a linnen cloath, which being laid unto the I welling two or three dayes, and not removed will bring it to an head, and when you come to take it off, pull it away

214

Lib. 2.

away fo foftly as you can possible, and where you fee the corruption gathered in a head together, then in the lowest place thereof, pierce it upward with a tharp Iron fomewhat hot, that the matter or corruption may come our, and forget not to annoint the fore place every day once with fresh Butter and Hoggs grease until it be whole.

Others of our later Farriers ule, when they fee any fwelling, only to lay wet hay unto it, for that will either drive it away, or bring 10 unto a head, and then when it is broken, you fhall lay upon it? plaifter of Wine lees, renewing it as often as it grows dry, and it your Lees be too thin, you may thicken them with Wheat-flower or if you like not this medicine, then you may make a plaister of chick Barm, as great as the fore, and renew it once a day until the swelling be affwaged : but if you see that any corruption be knit together, then you shall Lance it in the nethermost part, and let out the matter: then wash the fore either with Ulrine, Ale, or Beer, made fealding hot ; then dry up all the moy fure from the fore etther with a linnen cloath, or with a spunge : then cover all the fore over with burnt Allem beaten to powder : And thus drefs the Horle once a day until the flefh be grown up fo high as you would have it, then shall you dress the fore but once in two or three dayes But if you see it skinneth but flowly, then may you annoynt the edge of the fore all about after it hath been walhed as aforelaid, with Unguentum Album, for that will make the skin to come fast : but if you do perceive that by dreffing it too feldome there doth begin to grow any proud flefh, then fhall you take a dram of Mercury, and mingle it with an ounce of Unguentum Album, and annoynt all the fore places therewith once in two dayes: this will correct the proud flefh, and caufe it to skin and heal fuddenly.

Others use for the abating of these swellings, to boyl Mallowsin the grounds of Ale, and to clap it hot to the fwelling: and if the swelling do break, wash it with pils, and pour hot molten Butter upon it. Others use to shave away the hair, and then to lay very hot unto it a handful of Leeks stampt and mixt with Boars grease, or else to take a turf of earth burned red, and laid to as hot as the Horle can sufferit. Others use to take nettles beaten to pieces, and mixt with hot Urine, and so lay it on hot, and then set on the saddle: and then if after two or three dayes dreffing the swelling break, then took

Of Cures Chirurgical.

look if there be any dead flefh within the fore, and either est or cut it out : then take a pound of frefh greafe, and a pound of Salet oyl, three ounces of white Wax, oue once of Turpentine, and three drams of Verdigreafe, melt all thefe together, and tent the fore therewith till it be whole : for this will both eat away the ill flefh, and incarnate good. Others take green Cole-worts and ftamp them in fwines greafe, and then lay it plaifter-wife on the fore, and it will affwage it, elpecially if you ride the Horfe a liule to make the medicine enter in. Now if there be no great fwelling, but only the skin chafed off, then you (hall waft the raw place with Water and Sale, or elfe with warm Wine, and fprinkle upon it the powder of Honey and Lime : or elfe the powder of Myrth, or the powder of burnt filk, or felt, or cloath, or of any old poft.

Other Farriers use when only the skin is galled off, to take a sponful of thick Cream, and to put as much Chimney soot into it as will make it thick like an oyntment, and then to lay it upon the fore, and questionless it will heal it presently if the wound be not very deeps

CHAP. XLVIII.

Of any golled back or Withers how great foever the fivelling or inflammation be.

TF the fwelling, pinch, wringing, or gall, either upon the Withers, or any part of the back of a Horfe be extraordinary great, and much inflamed, fo that there is now no apparent hope that it can be sot away without much Apoftumation : Then the Cure, according to the opinion of the ancienteft Farriers, is, to take Barm, and mix it with fo much Soot of a Chimney, and make it fo thick therewith, it with fo much Soot of a Chimney, and make it fo thick therewith, that it fhall feem like Tarr, and with that make a plaifter, and lay it to the fore place, renewing it twice a day, and it will very fuddenly both draw and heal it perfectly.

Othersule to take a handful of bay Salt, and a handful of great and fmall Oat-meal, and put a quantity of old ftale Urine therero, and ftir them all together, and temper it like pap or pafte, and then make round balls thereof, then throw them in a fire, and make them red hor, then take them forth and beat them to fine powder, and then

Of Cures Chirurgical. Lib. 2.

then ftrow of that powder all over the fore, fo oft as you shall see any part thereof bire, and it will heal it. Other Farriers use if they see the swelling to be any thing great, first to draw round about the swelling with a hot Iron, and then cross him

with the fame Iron, in manner of this figure : then take a round hot Iron, having a fharp point, and thruft it up into the fwelling on each fide upwards towards the point of the withers, or top of the back, to the intent that the matter

216



may iffue downwards at both the holes: that done, tent both the holes fift with a tent dipt in Hoggs greafe to kill the fire, and allo aunoint all the burnt places therewith, continuing fo to do until the fwelling be affwaged, renewing the tent every day once until the fiery matter be fallen away & then tent him again with wafhed Turpentine, mingled with the yolks, of three or four Eggs and Safron, renewing the tent every day once until it be whole.

But if for all this the fwelling do not go away, then it is a fign of 13 fome inward impollumation, and then it shall be good that you Ince it, and let out the corruption : then take of honey half a pint, of Verdigrease two ounces beaten to powder, and mix is together with Honey, then boyl them in a pot until they look red, then being lukewarm, make either a tent or a plaister, according as the wound shall require, senewing the fame every day once until it be whole. But the fore may be fo vehement, that for want of looking to in time, if it be on the Withers, it will pierce downwards betwixt both the thoulders, even into the body, which is most dangerous and very mortal : therefore whenfoever you fhall fear any fuch hollownels you shall cent the hole with the Salve last mentioned, and thrust after it a good piece of dry spunge, as well to keep the hole open, as also to fuck out the corruption, and this you thall renew once a day until the fore be whole.

Others of out late Farriers use to take Butter, Vinegar, and bay Salt, and melting them together, lay it to the fore warm until it break, then firow upon it either Soot, or the powder of Clay Wall; but if it be much feftred, then take a pottle of verjuyce, two penyworth of green Copperas, and boyl it unto a pint and a half: then wash and search the hollowness therewith, then fill the hole with red Lead, and so let it remain three dayes untouched, then wash it with

217

Lib. 2.

with the fame water again, and fill the hole again with red Lead, and fo every other day wafh it with that Water, and lay red Lead thereon, and it will heal the foreft back whatfoever. Now all thefe medicines already rehearfed are fuffcient enough for the healing of any galled back whatfoever; yet forafmuch as divers Farriers hold divers opinions, and think what they know to be only beft approved, and in afmuch as you fhall not be ignorant of any mans skil or knowledge, which beareth any ground of reafon in it; I will repeat you a Catalogue of other medicines, which affuredly are all good in their kinds and you may use them as occasion thall be administred.

First then know, that the powder of Brier leaves will dry and heal up any gall'd back. Alfo Rye flower, the white of an Egg, heal up any gall'd back. Alfo Rye flower, the white of an Egg, heal up any gall'd back. Alfo Rye flower, the white of an Egg, heal up any gall'd back. Alfo Rye flower, the white of an Egg, heal up any gall'd back. Alfo Rye flower, the white of an Egg, where it is and burnt, and Soot, will dry up, and heal a fore the powder of Honey and unfleckt Lime will skin any gall: powder of wild Cow-cumbers dryed in an Oven, will heal the powder of wild Cow-cumbers dryed in an Oven, will heal the powder of wild the fore be first washed with Vinegar. Onions offed in Water, and laid hot to a fwoln Horfes back, will affwage the fwelling : and the yolk of an Egg, Salt, and Vinegar beaten tosther, will heal it when it is broken, provided that you wash the otefirst with Ale, wherein Rosemary hath been sold. The Soot or powder of a brass pot, the powder of the bone of a Crab-fish, or the powder of Oyster-sthels, any of these will dry and skin a gall'd

Affly, (and befidesit, a man needeth no more medicines) for this the pole, take hay and boyl it in ftrong Urine, and lay it to the fwelplace, and it will either affwage it, or bring it to a head, then whice it, and let out the matter, then ftop the whole with Rozen, was, and fresh greafe molten together; but if you find any dead. Whice it grow within the fore, then eat it out either with Verdigreafe waten to powder, and ftrowed thereon, or elfe with Mercury calted, called of fome precipitate, being likewife ftrowed on the found flesh; and when the proud fleth is gone, you may dry up the fore only with the powder of Rozen, and nothing elfe. Sce there of this difeafe in the new Addition for the Fiftula marked

CHAP.

218

CHAP. XLIX.

Of a Canker in the Withers of a Horfe.

F a Horfe after he hath been violently wrung upon the Withers Le be fuffered to go unlooked to, and that the fore breaketh upwards through its own violence, yet the great substance of the matter of corruption descending and rotting fill downward, it cannot chale but breed to a Cankerous and vile Ulcer, as dangerous as is and Fistula, which you shall know by these figns: First, the matter that iffueth from the fore, will be fharp, hot, and watrifh, lye fretunk the hair away where it runneth down, and about the hole of the lot will be a kind of fpongious proud, dead fleth, which floppethil paflage of the grois matter. Now the Cure of this cankerous low is, according to the opinion of the old Farriers, to take a Razor, cut open the hole of the Lilcer, fo that you may fee into the hole lownels; then cut out all the dead flefh till you come to the quite then take a quart of old flale Urine, and put thereto a handhul Salt : then boyl it well on the fire, then having cleanled the foret ther with a cloath, or a wife of Hay, wath it well with the Lique then take the yolks of four Eggs, and a peny-worth of Verdigreen and a spoonful of flower, and make a plaister thereof, and lay no the fore, dreffing him in this fort once a day until it be whole.

Others of our ancient and latter Farriers use to take of the from geft Beer a pint, put into it a quarter of a pound of Allom, and bail a handful of Sage, seth it to the one half, then take out the sage leaves and with the rest dress the Horse once a day, and it will have any cankerous fore in that part what loever.

LOS AND PHERICAL SPILE

CHAP

Lib. 2

219

Lib. 2.

CHAP. L.

Of the Stickfast, or Sit fast, borns, or hard bones growing under the Saddle.

Hele flickfafts, fitfafts, or horns that grow in a Horfes skin under the Saddle, is a certain dead skin like a hard piece of Cather, growing faft in the flefh: it commeth of fome old bruile, which not impoflumating, the skin falleth dead, and flicketh hard and fast to the flesh.

The cure is, take either a sharp crooked instrument made for the purpole, or elfe a long nail with the point turned inward, and catching on the edge of the dead skin, or horn, which willclap or rife from the found skin, and with a tharp knife cut away all the dead hard skin from the found fleth : and if when it is cut out, the hollownets befomewhat deep, then you shall heal it up by pouring hot molten Butter into it evening and morning: then when the flesh is made even, dry and skin it either with the powder of Honey and Lime, with Soot and Bream mixt together. Others use first to annoint theflick-fast or hard skin with fresh butter or Hoggs greate, until the mollified and made foft, fo as you may either cut them or pull them away, and then wash the wound either with mans Urine, or with white Wine, and then dry it up with the powder of Oyfterthels, or of Bole-armonick.

CHAP. LI.

Of Wenns or knobs growing about the Saddle skirts.

He Wenns or knobs which grow about the Saddle skirts, do most commonly grow betwixt two Ribs, and do ever proceed of old bruifes. And the cure is, first to mollifie them by annointing them twice or thrice a day with Hoggs greafe, for more than a week together, and fometimes to bathe them with hot Wine lees: but if that fpace it will come to no head, then lance it from the middle downward, and tent it, with walhed Turpentine, yolks of Eggs, and Saffron mingled as well rogether as is before flaewed, renewing the the

Lib. 2.

the tent every day once, until the fore be fufficiently and perfectly healed. Look unto the cure for the fplent, and what cure h that helpeth this.

CHAP. LH.

Of the Navel-gall.

T He Navel-gall is, when a Horfe at any time is bruifed on the top of the Chine of the back, behind the Saddle, right against the Navel, whence it taketh the name : it commeth either by fplitting of the Saddle behind, or for lack of fluffing, or by means of the Crupper buckle fitting down in that place, or through fome hard Weight or knobs lying directly behind the Saddle : of all bruifings on the back, it is the most vile and dangerous, and you shall perceive about the mouth of the fore. The cure thereof is, according to fome of the ancient Farriers, first to cut away all the dead or proud field even to the bone, then burn a hole four inches lower then the Nardgall, and put a Rowel of Horfe hair through it : then take the powder of Oyster-shells, or of any old shoee-sole burnt, and strow it on the fore, and ever as it waxeth moift, put on more powder.

Other Farriers for the Navel-gall, do take the white of an egg wheat-flower, honey, multard, and fope, of each like quantity, and mixing them together, make a plaister thereof, and after the dead fleth is taken out, and the fore watht with Ale, Butter, and Urine, then lay on the plaister ; and if the proud flesh begin to grow again, then the powder of an old burnt those, or Nerve oyl, or Verdigrealer will kill it, and the powder of Oyfter thels will skin it. Other of the antient Farriers use, after they have cut out all the Rotten and dead fleft, to take the white f dead flefh, to take the white of an Egg and Salt beaten together, and lay that plaifter-wile to the fore upon a little Tow, renewing it once a day, the space of two dayes; then take of Honey a quarter of a pint, and of Verdices (pint, and of Verdigreafe one ounce beaten into powder, and boyl them together in a por, flirring it fill until it look Red, and being luke-warm, make a plaister with tow, and clap it to the wound, walhing and cleaning well the Wound first with a little warm Vinegar

220

Of Cures Chirurgical.

Vinegar or white Wine, continuing fo to do once a day until it be-Sin to heal and to skin; then dry it up with fprinkling thereon this Powder following: Take of honey a quartern, and as much of unfleckt Lime as will thicken the honey, and make it like a paft, and in a fire-pan over the Fire, firr it ftill until it be hard baked, fo as it may be beaten into powder: but ever before you throw on the Powder, waft the wound first with warm Vinegar, continuing fo to do until it be perfectly skinned. Others use to heal this gall by laying on the fore, a plaisfer of Chimney foot and barm mixt 103ether, or elfe mix nettle feeds and Salet oyl together, and annoint the lore therewith.

There be others which use only to wash the fore with warm Urine and Salt, and then to annoint the place with fresh greafe and salt mixt together, or else to take of Bettony, powder of Brimstone, Elibor, pitch, and old grease, of each like quantity, and stamp them together, and when you have washed the fore with old Urine, then annoint it with this oyntment until it be whole. See also for this disease in the new Additions for the Fishula, thus marked

CHAP. LIII.

Of the fwaying in the back-

A Horfe is faid to be fwayd in the back, when either by toogreat a burthen, or by fome flip, firain, or over-hafty and firaight turning, he hath taken an extreme Wrinch in the lower-Part of his back below his flort Ribs, and directly between his fillets: the figns whereof are a continual reeling and rouling of the Horfes hinder parts in his going, and alfo he will falter many times, and fway fometimes backwards, and fometimes fide-long, and be ready to fall even to the ground, befides, the Horfe being laid, will with a great deal of difficulty rife up again.


The cure, according to the opinion of the old Italian Farriers, is, to take of the fat of the fruit of the Pine-tree two ounces, of Olibanum three ounces, of Rozen four ounces, of Pitch four ounces, of Bolearmonick one ounce, and of Sanguis Draconis half an ounces incorporate all these well together, and lay it plaisterwise all over the Reins of the Horfes back not taking it by any means away until it. fall off.

Others of our own Farriers ule first to cover the Horses Back with a sheeps skin comming hot from the Slaeeps back, laying the sleeps fide next to his back, and then lay a warm houssing cloath upon the fame, to keep his back as hot as may be, and so let it continue until it begin to smell: then take the old skin away, and apply a new unto it, continuing so to do the space of three weeks, and if he amend not with this, then draw his back with a hot Iron right out on both so of the ridge of his back, from the pitch of the buttock, unto a handful within the saddle: and then again over-thwart,

according to this figure, and let every Line be an inch one from another, neither let the ftroke be deep, and burned no more than that every one may look yellow: then lay upon the burning this charge or plaifter: take of pitch one pound, of Rozen half a pound, of Bole-

222.

T



Lib. 2.

armonick half a pound made into powder, and half a pint of Tarres and boyl a'l these together in a por, and ftir it till every thing be molten and throughly mingled together, then being luke-warm, daub all the burning therewith very thick, and thereupon clap as many flocks of the Horse colour as you can make to abide on, and remove it not before it fall away of it felf: and if it be in Summer you may turn the Horse to grass.

CHAP. LIV.

Of fpecial weekness in the back.

A Ccording to the opinion of our oldeft Farriers, (though my felf have taken little notice of the infirmity) there is another kind of weakness belonging to a Horse back, which they call the fretting or biting of the Reins, which do proceed from abundance of humours reforting to that place, whereby all the hinder parts of the Horse de lose their feeling and ftrength, and such a Horse falleth down to the ground : yea, and the humours many times reforting to the heart, do sufficate the same, and in two or three hours do cause

Of Cures Chirurgical.

cause the Horse to dye. The cure, according to the opinion, is, first to let the Horse blood abundantly in the neck vein, and to draw his back with a hot Iron, in such fort, as is declared in the last Chapter, and then to make him swim a pretty while in some River : then Rowel him upon the haunches near unto the huckle bones, and then to annoint the fore place with Hoggs grease, and three leaved Grass flamped together, until he be whole.

CHAP. LV.

Of the freelling of the Cods or Stones.

His kind of fwelling or inflammation of the Cods commeth either by fome wound received, or by the ftinging, or elfe biting of some venemous beast, or else by some great strain either in running or leaping, or by the biting of one Horfe with another. The cure is, according to the opinion of the most ancient Italian Farriers, firft to bathe the Cod with water, wherein hath been fodden the roots of wild Cowcumbers and Salt, and then to annoint it with an oyntment made of Oyl, Goats greafe, and the white of an Egg, or elfe to bathe the Cod in warm Water, Nitrum, and Vinegar mingled together, and also to be annointed with an oyntmet made of Chalk, or of Potters earth, Ox-dung, Comin, Water and Vinegar mingled together: or elfe to be annointed with the juyce of the Herb called Night-shape, for with the juyce of Hemlock, which grows on Dunghils : and if need require, to let him blood on the flank-veins. But our latter Farriers, who hold that this Disease commeth oftest after some sickness, or surfeit with cold, being a fign of amendment from that fickness, do cure it in this fort : take of Bean-flower, Wheat-meal, Comin, and Hoggs Brease, of each like quantity, and making a plaister thereof, spread it all over the Horses cods and stones. Others boyl Groundsel in Wine Vinegar, and fo bath the Horfes cods therewith : or elfe take a quart of good Ale-worr, and let it on the fire with crumms of brown Bread ftrongly leavened, and better than a handful of Commin made into powder : then with Bean-flower make a plaister of them all, and apply it to the grief as hot as can be fuffered : or if this help nor, take Cows dung, and feeth it in milk, and lay it upon the Swel-

Of Cures Chirurgical. Lib. 2.

fwelling as hot as may be, and it will affwage it. But if this inflammation proceed from ranknefs of Seed, which you shall fee by the much moift fliminels of his yard, then you shall first make him cover a mare, then keep him without Provender, and let him blood above the great Vein, which is between his Lips, and lay thereto hard Eggs beaten in his own Dung, and make a plaister of the same, and lay it to his Cods, and once a day wash his Cods with cold water.

224

Other ancient Farriers use to let the Horse blood in his flankveius, and then take of oyl of Roses and of Vinegar, of each half a pint, of Bole-armonick half a quartern beaten to powder, mix them together in a Cruze, and being luke-warm annoint the Cods therewith, with two or three feathers bound together : and the next day ride him into the water, so as his Cods may be within the water, giving him a turn or two therein ; and so return fair and softly home unto the stable : and when the Horse is dry, annoint him again as before, and do this every day until the Horse be who'e.

Now there be other Farriers, which hold that this Difeafe may come by means of evil humours and corrupt blood, which refore unto the Cods, and then the Cure is, to cover all the Cods over with a charge made of Bole-armonick and Vinegar wrought together, renewing it every day once until the fwelling go away, or that it break of it felf, and if it break, then to tent it with Mel Rofatum, and make him a breech of Canvafe to keep it in, renewing the tent every day once until it be perfectly well.

CHAP. LVI.

Of incording, or burfting, or the rupture in Horfes.

T His Rupture, as our old Farriers call it, this incording or burfuncts in Horfes, is, when the rim or thin film which holdeth the guts up in a Horfes body is broken, to that the guts fall down either into the Cods of the Horfe, or into the Horfes flank, as I have feen divers: Now this burftnets commeth either by fome ftripe or blow of another Horfe, or elfe by fome ftrain in leaping over a Hedge or a Ditch, or by teaching a Horfe to bound when he is too youngs or when a horfe goreth himfelf upon fome pole or ftake, or by forcing a Horfe when he is full to run beyond his ftrength, or by ftopping

Ropping a Horfe too fuddainly upon naughty and hollow ground, whereby the ftradling and flipping of his hinder feet, may ftretch or tear the rim.

The figns to know this Sorrance before it be apparent to the Eye, are ; the Horfe will forfake his meat, and ftand thoaring or leaning alwayes on that fide that he ishurt, and on that fide, if you fearch with your hand, betwixt the ftone and the thigh, up ward to the body, and fomewhat above the ftone, you shall find the gut it felt ¹⁸ and hard in the feeling: Whereas on the other fide you shall find no fuch thing.

Now for the Cure, although for mine own part I both do and hall ever hold it uncurable, as long as a Horfe is a beaft without reayet for your latisfaction I will not flick to repeat what the best Fartiers, and my (elf have practifed, in as much as it worketh much Bood, though no abfolute Cure.

The cure then is, to bring the Horfe into fome houle or place which hath over head a ftrong baulk or beam going over-thwart, and frow that place thick with ftraw, then put on four ftrong Pafferns with four rings on his feer, and fasten one end of a long rope to one of those rings, then thread all the other rings with the loose and of the rope, and to draw all his four feet together, and caft him in the ftraw, that done, caft the rope over the baulk, & hoyft the horfe as he may lye flat on his back, with his leggs upward without the may lye hat on his bac well with warm water and butter moliten together, and the ftones being fomewhat warm and well mollified, raife them up from the body with both your hands, being doled by the fingers clofe together, and holding the ftones in your hands in fuch manner, work down the gut into the body of the horfe, by firiking it downwards continually with your two thumbs, one labouring in mediatly after another, until you perceive that fide of the flone to be fo fmall as the other: and fo having returned the gut into his right place, take a lift of two fingers broad, throughly annointed with fresh Butter, and tye his stones both together with the fame, fo nigh the body as may be, yet not over hard, but lo as You may put your finger between: that done, take the Horfe quetly down, and lead him gently into the ftable, where he must fand warm, and not be flirred for the space of three Weeks : but forget not the next day, after you have placed his gut in his true

place

226

T

Lib. 2.

CHAP

place, to unloofen the Lift and take it away, and as well at that time, as every day once or twice after, to caft a difh or two of cold water up into his code, and that will make him to fhrink up his ftones, and thereby reftrain the Gut from falling down; and at the three weeks end, to make your Cure fo much the furer, it were not amils to geld the ftone on that fide away, fo fhall he hardly be burften a gain on that fide: and during the cure, let him not cat much, nor drink much, and let his drink be alwaies warm.

CHAP. LVII.

Of the botch in the groins of a Horfe.

IT is the opinion of the beft Horfe-leaches, that if a groß Horfe which is full of humours, be fuddenly and violently labourch that then the humours will refort into the weakeft part, and there gather togther and breed a botch, and efpecially in the hinder part betwixt the Thighs, not far from the Cods. The figns are, the hind der Leggs will be all fwoln, specially from the Cambrels or hoos upward, and if you feel with your hand, you shall find a great knob or swelling, and if it be round and hard, it will gather to head.

The cure according to the general practice, is, first, to ripenit with this plaister, take of Wheat-flower, of Turpentine, and of Honey of each like quantity, stirring it together to make a stiff plair fter, and with a cloath lay it to the fore, renewing it once every day until it break or wax fost : and then launce it, fo as the matter may run downward, then tent it with Turpentine and Hogs greate molten together, renewing it every day once, until it be perfectly whole.

Eralisto ave

Lib. 2. Of Cures Chirurgical.

CHAP. LVIII.

Mmost certain and approved Cure for the Botch in the Groins, or any Impostumation.

227

A S foon as you perceive the fwelling to appear, lay upon it a plaifter of Shooe-makers Wax fpread upon Allom Leather, and let it lye until the fore grow foft: then open it with a Lancet, or let it break of it felf: when the filth is come out, wash the fore very well with strong Allom water, then tent it with the oyntment called Egyptiacum till it be whole.

CHAP. LIX.

Of the Itch, Scab, or Manginess in the Tail, or general falling of the bair:

Orfes, through the corruption of blood, or the fulnels of rank feeding, or through over-heating and labouring, or by the Miccion of other Horfes, do many times get the general fcap, itch, It mangines in the tail, and fometimes in the spring time Horses are often troubled with the Truncheon-worms in their fundament, which will make them rub their tails, and fret the hair, yet are free Wherefore if then you only rake the Norfe with your hand, annoint it with fope, and pull out the vorms, you thall caufe the Horfe to leave his rubbing : but if you Perceive the hair to fhed and fall from the Tail, through fome fmall worms that grow at the roots of the hair, or through fome little tetting fourf, then you shall annoint all the tail with sope even to the ground, and then wath it with very ftrong lye after, and that will both kill the worms, and fcoure out the fcurf: but if much of the tail be fain away, then you thall keep the tail continually wet with a fpunge dipt in fair water, and that will make the hair to grow very faft. Now if in the Horfe tail thall grow any Canker, which will confume both the fleth and bone, and make the joynts to fall away one by one, then you thall wath all his tail with Aqua-fortis, or Atong Water made in this fort. Take of Green Copperas and af Gg 2

228

Lib. 2.

of Allom, of each one pound, of white Copperas a quartern, boyl all these together in three quarts of running water, in a very strong earthen pot, until the one half be consumed: and then with a little of this Water being made luke warm, wash his tail with a little clout or flax bound to the end of a stick, continuing so to do every day once till it be whole. But if as I said before, through the corruption of, blood; food, or labour, this scab, itch, or manginess spread universally into many parts of the tail, you shall then like wise wash it with the same strong water until it be whole.

CHAP. LX.

Of the general Scab, Manginefs, or Leprofie, over the whole Body

T He general Manginels or Leprofie, which runneth all over the Horfes body, is a cankered filthy, feutf which covereth the fame, proceeding from abundance of melancholy corrupt blood, in gendred by infection or unwholefome food, or elfe by indiferent Lebour. The figns whereof are, the Horfe will be all mangy, and covered over with a white filthy feurf, full of feabs, and raw plats a bout the neck and flancks, and ill-favoured to look on, and rubbings feratching, and biting : Of all Difeafes there is none more infectious nor will more certainly kill a Horfe if it be not prevented.

Now the cure, according to the opinion of skilful Farriers, is, fult 10 let the Horfe blood in the one fide of the neck-vein, and within two dayes after on the other fide of the neck, &e within two dayes after that in the flanck veins, and laft of all in the vein under the tailschen walk all the fore places with Salt brine, & rubbing them hard with a whilf of fraw hard twifted, fo as they may bleed well, and be all raws that done, annoint the places with this oyntment, take of quick-filver one ounce, of Hoggs greafe one pound, of Brimftone beaten into powder a quartern, of Rape oyl a pint, mingle these things well together until the Quick filver be throughly incorporated with the reft, and having annointed all the raw places with this Oyntment, make it to fink into the fleth, by holding and waving up and down over it, a hot broad bar of Iron, and then touch him no more again the subject of two or three dayes : during which time, if you fee that he rubbeth still in any place, then rub that place again with an old Horle;

Of Cures Chirnrgical.

229.

Horfe-comb, or a hair cloath, to make it Raw, and annoint it with freth Oyntment. But if all this will not help, then with a hor Iron round and blunt at the point, fo big as a mans little finger, burn all the mangy places, making round holes, patting only through the skin, and no further : for which intent it shall be needful to pull the skin first from the flesh with your left hand, holding it still until you have thrust the hot Iron through it, and let every hole be a span one from another, and if need be you may annoint those boles with a little Sope, and let the Horfe be very thin Dyeted, duting this curing time.

Now for mine own part, I do utterly diflike this burning, for. It is a foul manner of cure, and breedeth much Eye-fore in the Horfe, and therefore other of our latter Farriers use for this Dileafe, after the Horfe is let blood in the neck-vein, to take a good . quantity of fresh greate, and mix it well with the powder of Chalk, then put thereto a good quantity of the powders of Brimftone and : Elicampane Roots, and ftir them all well together, and take a pretty Quantity of Quick-filver, and kill it with your fafting spinle, or Salet Oyl, and mix it with all the reft very well together, and for annoint all the fore places about the Horfe with this oyntment. Others use to take of Lamp oyl, the fine powder of Brimftone, of black Sope, of Tar, of Hoggs greale, and the foot of a Chimney, of each like quantity, and then mix them all well together, by boyling them on the fire, and then annoint all the fore places therewith, as hot as the Horfe can indure or fuffer it, alwayes provided that the Horfe be let blood before you use the oyntment.

Others use after the Horse is let blood, to take of oyl de bay a pound, and of Quick-filver one ounce, and mixing them together, never leave flirring thereof, till the Quick-filver be killed and incorporated with the Oyl, then annoint all the fore places therewith, after you have made them raw by rubbing them.

Other Farriers use first to let the Horse blood, then to wash all, the fore places within two dayes after with water wherein young Broom, or the herb of Arsmart hath been well fodden, and smally chopt and mixt with a little Soot, and rub him well until the fore places bleed; then take a pound of black Sope, a pottle of keen Muftard, four penny-worth of Brimstone made into powder, three penny-worth of Quick-filver, well killed with fresh grease, two penny-

Lib. 2.

penny-worth of Verdigreafe, a quarter of a pint of greafe, ftir all these together in a Vessel till the greafe and other things be molten with labour, and without fire, and therewithall annoint all the fore places, and with once annointing, and twice walking, this will cure him.

Other Farriersule, if the Horle be young, to let him blood on both fides the neck, and then to cut the skin down the middeft of his fore-head two fingers in length, then with a cornet open the skin an inch wide on both fides the flit, and put therein thin flices of the green root of Elicampane, or Angelica, which is better : fo let them remain under the skin till the matter rot, then crush it forth after two or three dayes, and in twelve dayes the roots will fall out as it healeth, and this will cure the Mange, provided that you annoint all the fore places with the powder of Brimftone, Verdigreafe, and ogl Olive, mixt upon a fire very well together. Others use after blood" letting, to rowel the Horfe under the neck, that the evil humours may iffue forth, then to rub all his body quite over with an hard hair cloath, or an old curry comb, until the Horfe bleedeth : after that take of Sulphur, Salt, and Tartar, of each alike quantity, beat them and temper them with very ftrong Vinegar, and as much common Oyl, and therewith annoint all the fore places : or elle take very ftrong Wine Vinegar, the Urine of a Boy under twelve years of age, and the juyce of hemlock, mix them together, and wath the Horfe therewithall.

Other Farriers ule after blood-letting, to annoint the Horfe with one of the (e Oyntments, the fore having been before rubbed till it bleed, either with Brimftone, Oyl, Vinegar, Salt, Soot, Swinesdung, and unfleckt Lime, of each like quantity, well mixt and boyled together; or elfe with brine Water fod with nettles, or elfe with Vinegar, Allom, and Salt-niter boyled together, or elfe walt the fore with Beef-broath, then boyl Pepper beaten to powder, Verdigreafe, and Chervel in fresh greafe, and annoint the Horfe all over therewith, holding a Chaffing-difh and coals, or a hot bar of Iton to his body, to make the oyntment fink in.

Laftly, and as good as any of the reft, after the Horfe hath been let blood, take an old curry-comb, or a wool card, and rub every fore place about the Horfe till it bleed, then take of the oldest pils you can get, a pottle, and of green Copperas three quarters of a pound,

230

231

Lib. 2.

pound, mix and ftir them well together, then fet them on the fire, and boyl them a while, then as hot as the horfe can fuffer it walh him with the fame: after his walhing is a little dried, take of oyl one ounce and a half, of Quick-filver two ounces, of white Elleborus one ounce, with a good quantity of Swines greafe, mingle all thefe well together, till no part of the Quick-filver can be feen, and then annoint the horfe all therewith : and if the first time do not cure him, the fecond will most affuredly, provided, that during the time of cure you keep the horfe with a very thin diet.

CHAP. LXI.

Two most excellent and approved Medicines, (especi ly the latter) for the foulest Mange or Leprose that can possibly happen to any Horse.

TAke Hoggs greafe, Bay-fair, Worm-wood, and Rue, of each a pretty quantity, ftamp them together well in a morter, and when it is brought to one entire falve, ftop it hard into the Horfes Ears, then either bind them up, or flitch them together, that the Medicine may not fall out : and do thus three or four dayes together, and it will not only cure the Mangy, but any foul Farey whatlocver.

The fecond Medicine, and most assured for the Mangy, is, to take fresh grease, and yellow or white Arfnick, and mix them very well together till it come to a pale yellow salve, then your horse having been let blood, and all the scurf taken away, either with an old curry comb, or such like hard thing, so as the fore places may lye taw, then annoint them all over with this oyntment, and let the Horse stand so tied, that he may by no means touch any part of his body with his mouth, and when he hash flood thus two or three hours, then take old Urine warmed, and wash away all the oyntment, and then give the Horse his mean: thus dress the Horse twice or thrice at the most, and it is sufficient for any Mange whatsoever.

the start with your start start and bas spin real brid wood with wards and the spin real start and share the spin half much start and st

Lib. 2.

CHAP. LXII.

How to know when a Horfe balteth before, and in what part bis grief

There is nothing more neceffary for any mans understandingthat shall have occasion at any time to use a horse, especially for the skilful Farrier, than to know the reason why a horse halter, and where the grief remaineth, as well because those griefs lye most concealed, as also because our Kingdome is so very ful of subtil unconficionable Horse-coursers, that they are careful most to conceal that which may foonest cozen their Neighbours: you shall know when that no Horse halterh before, but his grief must be either in his shoulders, in his leggs, or in his feet: if it be in his shoulders, it must either be on the top of his shoulder-blades, which we call the withers, or at the bottom of the shoulder-blade joyning to the marrow-bone, which is the fore-pitch of the breast, or in the elbow of the Horse, which joyns the nether end of the marrow-bone and the leg together.

Now for the general knowledge whether the grief be in the fhoulder or no, look if the horfe do not lift up hisleg, but traileth it upon the ground, then it is in the fhoulder, and is a new hurt: if he caft his leg more out in his going than the other, and that almoft with an unbended knee, then it is allo in the fhoulder, and it is an old hurt: if you take him be the head ftall of the bridle, and turn him as fhort as you can poffible of both hands, if then you fee him when he is turned on the lame fide, to favour his legg very much (as he cannot chufe but do) then alfo his grief is in his fhoulder : or if when a horfe ftandeth in the ftable, he ftretcheth our his forelegg, and fetteth it more forward than the other, it is partly a fign the grief is in the fhoulder, but not abfolutely.

Now when you know generally that the grief or pain is in the shoulder, then you shall learn to know in what part of the shoulder, as thus : if the Horse halteth more when the Rider is upon his back, than when he is off, then the grief is in the top of the Withers : if when with your hand you gripe and handle him upon the top of the shoulder blades, you find that he shrinketh much, and offereth to

232

233

Lib. 2.

to bite at you, (not having any galled back before, for that may deceive you) then affuredly the grief is on the Withers. If the horie goeth bowing unto the ground, and tread his fleps very thick, then it is a fign the grief is in his breaft, between the nether part of the ipade bone, and the upper part of the marrow bone, and therefore if with your thumb you prefs him hard in that part, you thall fee him thrink, and be ready to fall down.

Now if when you take his Elbow in your hand betwixt your finger and your thumb, and gripe it, the Horfe prefently taketh his foot from the ground and lifts up his Legg, offering therewithall to bite or fnap at you, then the grief is only in the Elbow.

Now if the grief whereof a Horfe halteth be in his Leg, it is either iahis Knee, in his Shank, or elfe in the paftorn joynt: If it be either in his knee or paftorn joynt, he will not bow them in his going like the other, but will go very fliffely upon them : If the pain or grief in the Shank, then it is by means of fome Splent, Screw, Windgal, or fuch apparent grief, most apparent to be beheld.

Now if the grief of his halting be in his foot, then it is either in the Croner, in the Hecl, in the Toe, in the quarters, or in the fole of the foot ; if it be in the Cronet, either the grief will be apparent, heskin be broken or fwoln fome manner of way, or elfe laying your and upon the Cronet it will burn and glow exceedingly, and then hath got some frain of the joynt within the hoof: if it be in the thet, as by over-reach, or otherwife then it is to be feen, and he will a altogether upon the toe: if upon any of the quarters, which to be understood from the middle-hoof to the heel, then going on the edge of a bank or Hilly ground, he will halt more than on the Main ground, and by the Horfes comming towards you, and going both you upon fuch edge or bank, you thall perceive whether his Rief be in the inward quarter or outward quarter: Alfo he may halt upon his quarters by the pricking of a Nail, and then you thall with a pair of pinfons nip the head of every Nail and his Hoof rogether, and where be complaineth there draw the Nail, and if the Mail fink, then there is his pain. If he halt in the toe, which is feldom or never feen, then he will tread altogether upon hisheel : if his griefbe in the Sole of his Foor, as by the treading upon fome nail or flub, or by furbayting, or fuch like, then he will halt all after one Hh forr,

234

Lib. 2.

CHAP;

fort, upon any ground whatfoever, unless it be upon the ftones, and then he will halt the moft.

Now to be fure in what part of the foot the grief is, it shall be good, first to make him go upon the plain ground, and then upon a hard and story way, and after upon a Banky ground, and by taking careful notes, and careful handling him, you shall easily see of what member he halterth.

CHAP. LXIII.

Of halting behind, and where the grief is.

TF a Horfe halt behind, his grief of necessity must either be in his hipp, (of some called the huckle bone) or in the ftiff, in the Hough, in the Hamm, in the Legg, in the nether joynt, in the Paftorn, or in the Foot. If he halt in the hipp of any new hurs the Horfe will go fide-long, and not follow fo well with that Light as with the other, neither will he be able to turn upon that fide with out much favouring of his Legg : But if it be any old hurt, the the fore hip will thrink, and be lower then the other, and it is bill feen when he goeth up a hill, or upon the edge of fome bank, for the worft Legg may go on the higher fide, for then he will halt lo much the more, becaule it is very painful unto him to go fo unevenly wrinching his Legg; if the grief be in the ftiff, then the Horfe in his going will caft the fliff joynt outward, and the bone on the infide will be fomewhat bigger than the other, neither can he any more than touch the ground with his toe : if his grief be in his hoof, then it is by means of fome Spaven, which is apparent both to be feen and felt, or elfe of fome ftrain or blow, and then the fwelling will molt evidently appear : And the like is to be faid of the Hamm, wherein may be feen the Sellander, or fuch like apparent Sorrance, caufing the Horle to halt : If the grief be either in the Legg, Pafforn, he Foot, you shall find it by such figns as have been taught you in the former Chapter.

Lib. 2.

CHAP. LXIV.

How to know if a Horfe have any hidden grief in him that makesh him to halt, when he commeth to travail, and whence it proceeds.

NOw for as much as there are some Horses which through long reft and running at Grafs, will wear out the worft of their Briefs, fo that when they come to be but gently Ridden, they will Cover their halting, and through a natural awe they bear unto the man, will, whilft he his on their backs, go as if they were as found " might be, yet be truly of themselves very unperfect : in this cale, both to keep your felf from couzening, and to difcover the most hid. den infirmity, you thall first take the Horfe out of the Stable in a ong firing, and caufing one to run him in his hand, at the length of he halter, mark how he fets down his Leggs, for if any be imperted, then that he will favour : but if at first he go upright and fa-Your no Leg, then take his back and ride him a while roundly up and down a rode, then light from his back, and let him frand fill in hour, then as before, let him be run in a mans hand, at the halters theth, without any man on his back : and believe it is a moft cerain tule, if he have the leaft grief that may be, he will then thew it. and favour that Limb which is most pained or grieved : for by this The only, are many bad Horfe-courfers difcovered.

Now to know whereof these griefs proceed, you shall understand, that if the grief proceed of a hot caule, then the Horse halteth most when he travelleth or is chasted. But if it proceed from cold caules, then he halteth most when he is cold, and least when he is hot and much travelled.

Hh 3

CHAP.

235

236

Lib. 2.

CHAP. LXV.

Of the grief and pinching in the shoulder.

He grief or pinching of the Horfes shoulder, commeth eicher L by labouring and fraining the Horfe too young, or by the carriage of too great burthens. It is to be known by the narrownels of the breaft, and by the confumption of the flefh of the fhoulders in fo much that the fore part of the fhoulder-bone will flick out and be much higher then the fle(h, and if it be of any longer continuance, he will be very hollow upon the Brifket towards the fore-boothing The and he will go wider beneath at the feet than at the knees. cure thereof, according to the opinion of some Farriers, is, to make a flit of an inch long, with a fharp knife, upon both fides, an inch under the fhoulder-bone, and blowing the skin well from the flefh with a Swans quill, both of the one and the other fhoulder, even up to the top of the Withers, and ftroaking the Wind up equally with your hand into both the fhoulders, and then when they are full, flick the Windy places with a Hazel flick over all the fhoulder, then loofening the skin from the flefh again, Rowel both the flith either with tampins of Horfe hair, or with round pieces of the up per Leather of an old fhooe, with a hole in the middeft, which is called a French Rowel, for the matter to islue forth at, and let the tampins be at least two handfulls long in the skin, and the round Rowel at least three inches broad, and being fo put as they may by plain and flat within the cut, then once 'a day you thall turn the Rowels into the skin, and thrust out the matter: but if the hole grow fo ftraight that the matter cannot eafily come out, with a tharp knife you shall enlarge it, then put a pair of Paftorns on his fore leggs, and fo let him ftand fifteen dayes, at the end whereof walk him a broad, and try how he goeth, and if he doth not go to your liking, then continue him in the same manner other fifteen dayes, and he will go found.

But our best Farriers use, after they have Rowelled the Horie, as is aforefaid, then to lay this charge or plaisfer all over his withers, shoulders, and breast : take of Pitch and Rozen, of each a pound, of Tarr half a pint, boyl all these together in a pot, and when it is

Of Cures Chirurgical.

tomewhat cooled, take a flick with a woollen cloath bound to the end of it, and dip it into the charge, and cover or daub all the fhoulder therewith: that done, clap flocks of the colcur of the Horfe (or as near as you can get it) upon the charge, and every other day make your Rowels clean, and put them in again, continuing thus to do the space of fifteen dayes; then take out the Rowels, and heal up the wounds with two tents of flax dipt in. Turpentine and Hoggs greafe molten together, renewing the same every day once until the Wounds be whole, but let the charge lye fill until it fall away of it felf; and if you let the Horfe run at grafs till he have had a froft or two, there is no question but he will be a Breat deal the founder.

There be other Farriers which use to Rowel the Horse, as is aforefaid, yet cross-wise, that is, one over thwart the other, then draw all the shoulder over with a hot drawing Iron in the comliest wise you can, making many scratches down his shoulders, then annoint both them and the Rowels once a day with sweet Butter, and walk the Horse up and down evening and morning, that the humours may flow to the fore places, and iffue forth, and with your hands once a day at the least, thrust out the matter : this cure is likewise to be continue the space of fifteen dayes, and then the horse will be whole : yet for mine own part, in so much as the cure is foul, I do not much affect it.

CHAP. LXVI.

Of the Wrench in the (boulder.

The Wrench or strain in the shoulder, commeth of some dangerous slipping or sliding, either in the Stable or abroad, or of too suddain stopping, when a Horse gallops, or by falls, either on the planks, or on slippery ground, or by too suddain turning on unfure ground, or by going too rashly out of some door, or by the stroak of another Horse, you shall perceive it by his trailing his Legg upon the ground close after him.

The cure is, to let him blood upon the plat-vein, and take away the quantity of three pints of blood, which blood you must fave in a pot, and put thereunto, first of strong Vinegar a quart, and half a dozen...

237

238

F3

Lib. 2.

dozen broken Eggs, fhells and all, and fo much Wheat-flower as will thicken all the Liquor; that done, put thereunto of Bolearmonick beaten into fine powder a pound, of Sanguis Draconis, two ounces, and mingle them together to as the flowr may not be perceived, and if it be too ftiff, you may add a little more Vinegar; then with your hand daub all the thoulder from the main down" ward, and betwixt the fore-bowels all against the hair, and let not the Horfe depart out of that place until the charge be furely faftned unte the skin; that done, carry him into the ftable, and tye him up to the rack, and fuffer him not to lye down all the day, and give him a little meat, dyeting him very moderately the space of fifteen dayes, during which time he may not fir out of his place, but only to lye down; and every day once refresh the shoulder point with this charge, laying fill new upon the old ; and at the fifteen dayes end, lead him abroad to fee how he goeth, & if he be fomewhat amended then let him reft without travelling the space of one moneth, and that will bring his fhoulder to perfection : But if he mend nothing at all, for all this that is done, then you thall rowel him, as is before fhewed in the former Chapter, just upon the fhoulder point, and to keep him rowelled the space of fifteen dayes, not forgetting to ftir the rowel, and cleanfe the Wound each other day, and then walk him up and down fair and forly, and turn him alwayes on the contrary fide to the fore : And when he goeth upright pull out the rowels and heal up the Wound with Turpentine and Hoges greafe molten together, as is before faid.

But if all this will not ferve, then it shall be very requisite and needful to draw him Chequer-wife with a hot Iron, over all the shoulder point, and also to make him to draw a Plough every day, two or three hours at the least, to settle his joynts, for the space of three weeks or a moneth : and if any thing will help, these two last remedies will set him found.

Now there be other Farriers which for this grief, first let the Horfe blood in the breast-vein, and then rowel him from the nether part of the spade bone down to the point of the shoulder, which done, you shall set a patten shooe upon the sound foor, and so turn the Horse to grass for the space of a moneth, not forgetting every or ther day to stir and remove the rowels, and so thrast out the matter: Then as soon as you see him go sound, you shall take off his patter theore,

those, and pull out the Rowels, and then let him run ftill at grafs, till he have taken a frost or two, and no doubt but he will continue found.

Lib. 2.

CHAP. LXVII.

Of the Wrench in the nether joynt.

His wrench commeth by treading his foot in fome hole, or in fome rough or ftony way. The figns whereof are chiefly these; the Horse will halt, and the top of his back upon the points of his shoulder will be fwoln, and fomewhat hard to handle.

The cure is, take of black Sope half a pound, and having made it hot in a pan, take a handful or two of Tow, and dip it into the Sope, then lay it very hot over all the Horfes Withers, then clap a plaifter of Wax, Turpentine, and Hoggs greafe molten together over ¹⁵, then cover it with two or three warm cloaths and keep the joynts as warm as may be: thus let him ftand twenty four hours ere you drefs him again, and continue this manner of dreffing for fifteen dayes, and the Horfe will go foundly.

Now there be other ancient Farriers, that inftead of this black Sope will take Wine Lees, and Wheat-flower mingled together, and making a plaifter thereof, lay it very hot to the grieved place, and fo tenew it once a day until the Horfe go found.

CHAP. LXVIII.

Of splaiting the shoulder, or of shoulder torn.

He splaiting of the shoulder, is, when by fome dangerous flip or flide, either upon the fide of some bank, or upon the plaunchers, the Horse hath his shoulder parted from his breast, and so leaves an open clift, not in the skin, but in the fless and film next the skin, whereby the Horse halteth, and is not able to go; it is to be seen by the trailing of his leg after him in going.

The cure whereof is thus; first put a pair of straight pastorns on his fore-feer, keeping him still in the stable without disquieting of him; then take of Dialthea one pound, of Saler oyl one pint, of oyl

de ...

Of Cures Chirurgical. Lib. 2.

de Bay half a pound, of fresh butter half a pound ; melt all these things together in an earthen pot, and annoint the grieved place therewith, and also round about the infide of the shoulder; and within two or three dayes after, both that place and all the shoulder will swell, then either prick him with a Lancet or fleam in all the swelling places, or else with a sharp hot Iron, and then annoint it ftill with the oyntment before said; but if you see it will not go away, but swell still, and gather to a head, then launce it where the swelling doth gather most, and is softest under the finger, and then tent it with flax dipt in Turpentine, and Hoggs grease molten together, as is before shewed, renewing that tent twice a day till the forrance be whole.

CHAP. LXIX.

Of the houlder pight.

He shoulder pight is, when a Horse by reason of some great fail, . ruth or strain, hath the point of his shoulder thrust out of joynt, which is cafie to be feen, in that the point of the fore fhoulder will flick out much further than the other, and the Horle will halt down right. The cure whereof, as the old Fairiers hold it, is, first to make him fwim in a deep water, up and down a dozen turns, for that will make the joynt return into his true place, then make two tough pins of A then-wood as big as your little finger, being tharp at the points, each one five inches long; that done, flit the skin an inch above the point, and an inch beneath the point of the thoulder, and thrust in one of these pins from above down-ward, so as both the ends may equally flick with the skin ; and if the pin of wood will not eafily pais through, you may make its way first with an Iron pin; that done, make other two holes crois to the first holes, to as the other pin may cross the first pin right in the midst, with 2 right crofs, and the first pin would be somewhat flat in the midst, to the intent that the other being round may pals the better without ftop, and close the juster together; then take a piece of a little Line fomewhat bigger than a Whip-cord, and at one end make a loop, which being put over one of the pins ends, wind the reft of the Line good and ftraight about the pins ends, fo as it may lye betwixt the pins

Lib. 2.

P Lisbai fr y Line

setucies Jacobe still inchisto

Pins ends and the skin, and fasten the last end with a pack-needle and a pack-thread unto the reft of the cord, fo as it may not flip; and to do well, both the pinns and the cord would be first annointed with a little Hoggs greafe; then bring him into the ftable, and let him rest the space of nine dayes; and let him lye down as little as Wind be, and put a Paftern on the fore Legg, fo asit may be bound white a cord unto the foot of the manger, to keep that Legg alwayes whilf he ftandeth in the ftable, more forward than the other, and the nine dayes end take out the pinns and annoint the fore place With a little Dialthea, or with Hoggs greafe, and then turn him to Grafs. Other of our late Farriers ule, first to lay good store of straw under the horle, and then put a pair of strong Pastorns on his foreand the horie, and then put a pair of though thrown him with his back, to hang him up by the Leggs from the ground, with two Ropes drawn over fome beam or bulk, which will put the bone into his true place again ; then having let him down again fair of loftly, loofe the fore Paftorn of the found Legg, and with a cord tore you let him rife, tye the fame Legg to the foot of the manger, Gort as in his rifing he thall be forced to hold his Legg before for fear of putting his thoulder out of joynt, and let him fland yed for the space of three dayes; and prefently when he is up, all the point of his fhoulder with a hot drawing Iron chequera ful foot square at the least, and let every stroke be no more han an inch diftant one from another : and having burned him the charge all these burned places, and all the rest of his shoulder With Pitch, Rozen, and Tar molten together, and laid on fomehing hot with a cloath tyed to a flicks end ; then clap flocks of the Colour of the Horfe upon it, then charge him again over the flocks, at the three dayes end loofe his foot, and put a pair of Paftorns the three dayes end loole his root, and part out of the flable the space of fifteen or twenty dayes: then may you lead him abroad, and see whether he go well or no, and if he be not perfect, you may then give him as much more reft, and that will recover hin.

CHAP.

24I

242

Lib. 2.

CHAP. LXX.

A general and certain Cure for any desperate and curable strain in the showlder, or any other hidden parts.

Ake a large earthen Veffel, and fill it full of the herb Arfmart and Brook-lime, equally mixt together, then put to themas much of the oldeft and firongeft Urine that can be got, as will cover the herbs all over, then cover the pot clofe, and keep it in fome fafe cool place.

Now when you have occasion to use it, take an earthen Pipking and put thereinto both of the Urine and the herbs, so much as that be convenient for the grief, and boyl it well, then if it befor a thout der ftrain, you shall take an old Boot and cut off the foot, that you may draw it over the Horses foot, and above his knee almost to Elbow of his fhoulder, keeping the nather part of the boot as cleic about his Legg as may be, but the upper part wide and space into this boot thrust all your mixture as hot as the Horse can further behind, then drawing up the upper part of the boot, so fasten into the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the mane of the Horse, that it may not flip down, and thus do on the day till the grief depart, for this Medicine is fo violent, that there be any foul matter that muft come forth, it will bring it to head, ripen, break and heal it, if there be no fuch thing, then in thort time it will draw away the offending humours, and give prefent eafe.

CHAP. LXXI.

Of the fuelling of the fore-Leggs after great labour.

HOrses not much used to travil, will after great labour (wellur pon their fore Leggs, because heat and violent excels will cause humours to refort down into the Leggs, especially if such Horses shall be inwardly fat; for the indiferent labour will melt that inward grease, and make it descend down into the Leggs. The Cure, according to the practice of some Farriers, is, to take a pound

243

Lib. 2.

pound of Nerve oyl, a pound of black Sope, and half a pound of Boars greate molten, and boyl them all well together, and then Brain it and let it cool, then annoint your Horfes Leggs therewith, being made luke-warm again, and then keep his Leggs clean from duft. Other Farriers ule to bathe his Leggs in Butter and Beer, or in Vinegar and Butter, tome with Sheeps-foot oyl, fome with Nearsfoot oyl, fome with Train-oyl, and fome with Pifs and Salt-peter boyled together, of all which, Pifs and Salt-peter is the peft; and after any fuch bathing, you multionle up the Horfes Leggs with hay topes wet in cold water, even from the Paftorn to the knee, but in any wife not too ftraight, for fear of doing hurt, fo let him ftand toninually when he refleth.

Now other Farriers fomewhat more curious, ufe for the fwelling of the Leggs this bath ; take of Mallows three handfulls, a Rofecale, of Sage one handful, boyl them together in a fufficient quantity of water, and when the Mallows be for, put in half a pound of Butth, and half a pint of Salet-oyl, and then being fomewhat warm, with the fwelling therewith every day once, the fpace of three or but dayes; and if the fwelling will not go away with this, then take Wine-Lees and Cummin, and boyl them together, and put theteunto a little Wheat-flower, and charge all the fwelling therewith, and walk him often; and if all will not ferve, then take up the Steat vein above the knee on the infide, fuffering him not to bleed from above, but all from beneath: and it will take away the fwelling.

CHAP. LXXII.

Of a Horfe that is foundred in his feet.

A Horfe is faid to be foundred of his feet, when he hath fuch 2 numbrefs, and pricking or tingling within his hoofs, that he hath neither fence nor feeling of his feet, but is in all respects like a man, that by hard or crooked fitring hath both his feet alleep (as we call it) duering which passion we know we can neither well go nor fland; and even so it fareth with a Horse in this case, for tha fourse of the blood being flopped, those Obstructions cause this torment. It commeth most commonly when a Horse is very fat, 1 i 2

244

Lib. 2.

and hath his greafe molten within him, and then fuddainly cooled by taking his Saddle off too foon, or by ftanding ftill in the cold unfurred, or elfe by letting him ftand in fome fhallow water little higher than his feet. lock.

A Horfe also may be foundred by wearing firaight and uncafe fhooes, especially in the Summer season, when a Horse travelleth up pon the hard ground.

The fight to know it, is, the Horle goeth crouching, and drawing all his four feet within the compals almost of a peck, and will stand to fearfully as though he flood upon needles.

Now you thall underftand, that a Horfe will fometimes be only foundred of his fore-feet, and not of his hinder, which you that know in that the Horfe will tread only upon his hinder feet, and not on his fore feet, and go as though his buttocks would couch the ground; and fometimes he will be foundred upon his hinder feet and not upon his fore-feet, and that you thall perceive by his featfulnefs to fet his feet to the ground, being alfo fo weak behind, that he will fland quivering and quaking, and covet alwayes to lye down and fometimes he will be foundred of all his four feet, the fight whereof were first declared.

Now for as much as the Cures be all of one and the felf fame nar rure, and what cureth the first, cureth alfo the reft, I will joyn them altoegther, with this advife, that if you find the Horse to be four dred on the fore-feet only, then to apply your Medicine to the foreparts only, if on the hinder feet, then to the hinder parts; but if of all four feet, then to lay your Medicine to all the feveral parts of the body, as shall be prefently declared.

To come then to the Cures, (according to the opinion of a worthy Knight well experienced in this Difeafe) if your Horfe be foundred of all his four feet, you shall caufe him to be let blood on his two breaft veins of his two fore-Leggs, fomewhat above his knees, all you shall let him blood on his two spur-veins, and on the veins of his two hinder feet a little above the hoof, between the hoof and the Pattorn : you shall let these veins bleed well, to the quanity of quart or three pints, which blood you muss fave in fome Vessel, and this is with a stick to keep it from clearing: and when it hash bled as above-faid, put it all into one vessel, then stop the wounds with fome Horse-dung, or some earth, and make a charge with the blood is Lib. 2.

Of Cures Chirurgical.

in this fore : take as much Wheat-meal, Bran and all, as will make the blood fomewhat thick, and put it into the blood; take eight or ten. Eggs, and break them alfo into the blood, fhells and all; take a pine of ftrong Vinegar, and a quantity of Bole-armonick brayd, and put them into the blood alfo ; which done, you fhall ftir them all together ; then thall you with your hand lay the faid charge allalong. upon the reins of the Horles back, upon his buttocks and down his thoulders : when you have laid on this charge thus, you thall take two long Linnen raggs dipped in the fame charge, with which fo dipped, you (hall garter the Horfe above the knees of his fore-Leggs lomewhat hard, and likewife with two other like raggs fo dipped. you frall garter him hard above both his hinder hoofs allo : that done, caule him to be walked upon the hardest ground you can find for the space of two or three hours : if he beloath to go, as commonly he will be, let one follow him and beat him with a flick. or a wand to force him to go; then after his walking Let him be fer up and eved to the rack, that he lye not down, and there let him reft two or three hours ; which done, let him be walked again two or three hours more as afore-faid, then fet him up, and let him feed, and when you give him drink, which you may do within two or. three hours after his feeding, let it be a warm malh of Ma't and. Water, then let him feed a littleafter it, then ride him a little ; and if you let him fland an hour or two in a pool or flanding water up to the belly, and one upon his back, it is good allo, and after that tidehim again a little : then let him be fet up well dreffed and covered, an fo by little and little ride him a day or two, and then you. may boldly journey him, for it is Riding that bringeth the Horfe to the perfectnels of his feet, and you shall find your Horse as sound as ever he was-

Now during this cure, you are to take these Observations into your memory.

First, you shall not need to remove or stir the Horses shooes; then you must after twenty four hours rub off the charge from the Horses back.

Item, You shall take away his garters after twelve hours, and rub his knees and houghs with your hand, and with wifps, to take away the numbrefs.

Liem, If you cannot get Wheat-meal, you may take Oaten-meal.

246

Lib. 2.

Item, If he will not bleed in the veins before named, then you may take your blood from the neck-vein.

Laftly, If you take the Horfe in hand to cure within twenty four hours after he is foundred, he will be found again within twenty four hours after ; if he go longer, the cure will be longer in doing.

Now the ancient Farriers of this Kingdone, and amongst the Italians, differ not much in their practice from this already rehearfed, only into the charge they add of Sanguis Draconis half a quartern, and as much Bean-flower as Wheat-flower, and of Turpentine half a pound ; then if they did fee that within four days the Horfe did not recover, then they did know that the hurtful humours did only lye in the Horfes feet, and there you shall learch his feet with your butterifs, paring all the foles of his feet fo thinn, that you may fee the water iffue through the fole: that done, let him blood at the toes, and let him bleed well; then ftop the vein with Turpentine and Hoggs greafe molten together, and laid upon a little Flax, and then tack on his thooes, and cram the place where you did let him blood hard with tow, to the intent it may be furely ftopt ; then fill all the foles of his feet with Hoggs greafe and Bran boyled or fryed together to hot as is poffible, and upon that flopping clap a piece of Leather, and two crofs splints, to keep in the Ropping ; and immediately after this take two Eggs, and beat them in a diffy and pur thereunto as much Bole-armonick and Bean-flour as will thicken the fame, and mix them well together, and make thereof two plaisters, such as may close each foot round about somewhat a bove the Cronet, and bind it fast with a list or a rowler, that it may not fall away nor be removed for the space of two dayes, but let the foles of his feet be cleanfed and new ftopped every day once, and the Cronets to be removed every two dayes until the Horfe be found ; during which time, let him reft unwalked for fear of loolning his but if you see that he begin to amend, you may walk him hoofs: fair and foftly once a day upon some loft ground to exercise his Leggs and feet, and let him not eat much, nor drink cold water ; but if his foundring break out above the Hoof, which you thall perceive by the loofenels of the Coffin above by the Cronet, then when you pare the fole you must take all the fore-part of the fole clean away, leaving the heels whole, to the intent the humours may

247

Lib. 2.

have the freeer passage down-ward, and then stopp him, and dress him about the Croner, as is before laid. Now if the Horle during this Cure chance to fall fick, or grow fo dry in his body that he cannot dung, then you shall first rake him, and after give him a glister of Mallows, three handfulls boyld in water from a pottle to a quart : then after it is ftrained, put to it half a pound of Butter, and a quarter of a pint of Salet oyl, and fo administer it, then when the Horse hath emptied his Belly, give him this comfortable drink. Take of Malmley a quart, and put thereunto a little Cinamon, Mace and Pepper beaten into fine powder, and of Oyl a quarter of a pint, and give the Horfe to drink of that luke-warm ; that done, lethin be walked up and down a good while together if he be able to go, if nor, then tye him up to the rack, and let him be hanged with canvas and ropes, to as he may fland upon the ground with his feer, for the less he lyeth down the better; but these extremities do seldome happen. Now there be other Farriers, which, for the foundring of a Horfe, only take Verdigreafe, Turpentine, Salet-oyl, and Hoggs greafe, of each like quantity, of Wax one ounce; boyl all together, and to dip flax or row in it : then having pared his feet thinn, and let him blood on the toes, ftop all his feet with that Oynement very hot : or elfe they take the roots of Nettles, and Hemlock, with eldern peels, of each a handful, and boyl them tender in Boars greate, or Hoggs greale, to let him blood in the middeft of the foot on the toe. vein, then bathe and chafe his joynt and Legg therewith all about from his knee unto the ferlock, and then clap it to, and bind a cloath fast to it as hot as you can. So use this once a day till it be well.

Now for mine own part, although there is not any of these former recited practices but are found perfectly good in their kinds, yet I have not found any so absolute either for old or new founders, as this which I thall release. First, you shall with a very tharp drawing-knife, draw every part of the foles of the Horse feer fo thinn as is possible, even till you see the very water and blood issuing forth, and being fure to draw or pare every part alike, which can hardly be done with a butteriss: then at the very tharp end of the truth of the Horses foor you shall fee the vein bleed, (which as long as you hold open the hoof will spin a great way forth) when it hath bled

Of Cures Chirurgical. Lib. 2.

bled better than a pint, you thall clofe the hoof, and to ftop the vein: then tack on his foot a hollow those made for that purpole: that done, clap a little tow dipt in Hoggs greafe and Turpentine upon the vein very hard: then take two or three hard Eggs roafted, and comming burning hot our of the fire, and built them in the fole of the Horfes foot: then pour upon them Hoggs greafe, Turpentine, and Tarr boyling hot, and as much flax dipt therein as will fill up the hollow those, then lay on a piece of Leather to keep all the reft in, and fplant it fure: and in this manner drefs his four feer, if all be foundred, otherwife no more than are foundred; and thus you thall drefs the Horfe three times in one fort-night, and without any further trouble, you thall be fure to have the Horfe as found as ever he was.

248

Now if the Horfe be foundred through the ftraiting of a fhooe, which in truth is not a founder, but a frettizing, which is a degree lefs than foundring, then you (hall for that forrance, first take off his fhooe, and let him blood on the toes, then ftopping the place with bruifed Sage, tack on his fhooe again, and ftop it with Hoggs greafe and bran boyled together, as hot as is possible; and to this twice in one fortnight, and it will help him.

CHAP. LXXIII.

Of the splent as well on the inside of the knee, as of any other part of the legg.

A Splent is to the outward feeling a very griftle, or rather a hard bone, fometimes as big as a hazel nut, fometimes as big as a wall-nut, according to the age thereof, growing upon the infide of the fore Legg, between the knee and the upper Paftorn joynt, and fometimes juft underneath, and clofe unto the knee, which is of all other the most dangerous splent, and doth the somefit make a Horfe lame: it commeth by travelling a Horfe too young, or by overprefling him with heavy burthens, whereby the tender finews of his Legg are offended. Now for the knowledge thereof, it is cafie becaufe it is apparent unto the Eye, and most palpable to be felt. The Cure, according to the opinion of the ancient Fatriers, is, to take an Onion, and picking out the core, put into it half a spoonful of Honey,

Lib. 2.

HHH

Honey, and a quarter of a spoonful of unflackt Lime, and four penywaight of Verdigrease; then closing up the Onion, roast it in hot imbers until it be soft : then bruife it in a morter, and as hot as the Horle can suffer it, lay it to the splent, and it will take it away : Dut in any cafe cut noskin. Other of the ancient Farriers ule first to walh the splent with warm water, and then to shave off the hair, and lightly to scarrifie or prick the skin with the point of a Razor, as the blood may issue forth : then take of Cantharides half a Poonful, and of Euforbium as much, beaten into fine powder, and ningle them together with a spoonful of Oyl de Bay, and then Melt them in a little pan, ftirring them well togther, so as they may "ot boyl over, and being to boyling hor, take two or three feathers, annoint all the fore places therewith : that done, let not the Horfe flir from the place where you fo drefs him for an hour after, the intent he shake not off the Oyntment : then carry him fair and foftly into the Stable, and tye him fo as he may not reach with his head beneath the manger : for otherwife he will cover to bite way the fmarting and pricking Medicine, which if it fhould touch Lipps would quickly fetch off the skin; and also let him ftand Without Litter all that day and night: the next day annoint the the place with fresh Butter, continuing lo to do every day once for he space of nine dayes : for this will allay the heat of the Medithe, and cause both that and the crust of the splent to fall away of felf. There be other Farriers which use with a fine hot drawing ton to burn the forrance down in the midft, the full length of the

fplent, and then over-thwart like this figure; then four hours after fuch burning, take Cows dung new made, and Salet oyl mixt and well beaten together, and therewith annoint all the fore places; and this

Auft be done when the fplent is very young. Others ufe to flit the Sorrance with a Knife the whole Length of the fplent, and then with a Cornet to open the flit, and lay the plent bare, then to make about the wound a Coffin of clay all open to the top; then take Boars greafe made fcalding hot, and pour it ato the wound until the clay Coffin be full, then let it reft until the strate be cold : after that let the Horfe rife, and this with once dreffing will take the fplent clean away without any blemifh or eyeore, Others ule to beat the fplent with a flick, and to bruife it well, K k

250

Lib. 2.

then prick it with an Awl, and thruft out the blood, then lay on 2 piece of white Leather, and with a hot Iron make the greafe feald it, or elle melt in to it Pitch and Verdigrease, and then lay a plaister of Pitch over it, not removing it until it fall off by it felf-; or elle after you have beaten and prickt the splent, take out the core of an Onion, and fill it with bay Salt, then roaft it foft, and lay it hot to the iplent, and instead of the Onion, you may if you will bind to a hard roafted Egg, being fire-hot. Others Farriers ule to flit the skin the Length of the fplent, then to dip a little piece of Linnen in warm Wine, and sprinkle Verdigrease thereon, and fo lay it to the flit, renewing it once a day until the fplent be gone. Othersule to thave off the hair, and to rub the fplent twice a day with Tarr very hard, until the splent begone; but this splent must be very young and tender : for fafting spitile is as good as Tar. Other Farriers ut to take a black Snail and flit her, and put in Bay-falt, and lay it to the splent being opened, renewing it once a day until the splent be gone: then let the vein above the knee be taken up, and let it bleed from below, left it feed the splent again. Others use if the splent be upon the knee to burn it, as is before faid ; then take Word wood, Smallage, Pellicory of the wall, and Brank-Utfine family with Swines greafe, and lay it to the burnings, provided that fill the hair be fhaved off, and if the fplent be below the knee, this cure is good alfo, and much the fafer.

Now after all these former recired practices, you shall understand that the most cleanliest way to take away a splent, is, first, after you have caft your Horle, with a Hazel flick of a pretty poile and big neis, gently to beat the fplent at the first, and then by degrees a lice harder and harder, till the fplent grow foft in every part, hen wich the point of your Launcer lee out all the blood and water ; then rake a brickbar, and having laid it on the fire, when it is est ceeding hot, fold it in a red Cloath, and therewith rub the plents and imooth it upon the top till you have dried away the blood, and that no more molfture cometh out; then take of Pitch, of Rozen, and Maftick, ofeach a like quantity, melt them well together, and being very hot lay it over and all about the iplent then clap flox of the colour of the Horles Legg upon it, and lolet it rest upon the splent until it fall away of it self: and if when it is tallen away, you perceive that any part of the spleat remain be bind?

Lib. 2.

Of Cures Chirurgical.

251

hind, which hardly will be if it be orderly beaten; then you tha'l drels that remainder as you did the other before, and the iplent will e perfealy cured. Now for the fureft and most certainest way to fa splent, it is thus: With the point of a sharp knife, make a fit of More than a Barley corn Length, just upon the top in the midst of the fplent, and let it be fo deep that you may be fure that the bone I the fplent is bare, then put into that flit with the point of your hife, as much Mercury Sublimat as the quarter of an Hazel nut sinel, and within three or four dayes, it will fo have earen the Iplent, hat it will fall out of it felf ; then you thall heal up the fore either with fresh Batter molten, or with a plaister of Hogs greale, and utpentine mingled and melted together ; only in this cure you "uft beware, that you tie the Horfe fo, as for four and twenty hours he may not touch the fore place with his mouth. Now in onclusion, I am to give you this small precept, to bear ever in your hind, that is both for the healing of this, and for all other humours Whatloever. You must first stay the falling down of the new hunours to the place troubled, as by binding plaifters, as Pitch, Rozen, Maffick, red Lead, Oyl, Bole-armonick, and fuch like; then to draw our matter which is there gathered with drawing fimples, as Wax, Turpentine, and fuch like: and laftly, to dry up the relicks With drying powders, as Honey and Lime, Oyfter-thels, Soot, and "th like; and alfo you must know, that all Splints, Spavens, or nobs, must either be taken away at the beginning or after the full of the Moon.

CHAP. LXXIV.

An approved and certain way to take away any Splint without breaking any hair.

TAke the root of Elicampane well washed and cleansed, and lap it in a brown paper, wet it and roast it in the hot embers, as you would roast a Warden; Then as hot as the Horse can suffer it, (for I would not have you scald) after you have rubbed and chast the excression, clap this unto it, and bind it fast on, and in two or three dreffings it will confume away the splint. Kk 2 Also,

252

Lib. 2.

Alfo, if morning and evening you rub the splint with the oyl of Origanum, it will take it away.

CHAP. LXXV.

Of the Screm, or thorow Splint.

Lchough divers of our Farriers do diffinguish and make a A difference betwixt a Screw and a Splint, faying, that the ferew is ever of the out-fide of the Legg, as the fplint is of the infide ; yet it is most certain, that the difease and infirmity is all one, and may as well be call'd a splint on the out-fide of the Legg, as a splint of the infide of the Legg; and this splint on the out fide is ever lead dangerous. Now a Horfe many times will have both these splints at one time, and upon one Legg, nay, I have feen them to juft op pofite one to the other, that one would have thought they had gout through the Horfes Legg ; whence it hath come to pais, that many foolish Farriers being of that mind, have intitled them a thorow fplint, and I have feen my felf, fome well reputed Farriers, that ba ving the cure brought unto them, have refused the fame, faying was a thorow fplint, and therefore most incurable : but the opinion is most absurd and ridiculous : for the thin-bone being hollow, and but full of pith and marrow, there can nothing grow through it, it must confound the marrow, and then the bone cannot hold, but must prefently break in funder, especially, when fuch a weak (pane) fubftance as a splint is, shall posses the whole ftrength of the leg. Now for the cure : as the splint and it are all one, so they have all one cure, and what helpeth the first, with more cafe helpeth the Latter, in as much as it is not full fo dangerous, nor fo near the main finews.

CHAP. LXXVI.

Of the Mallander.

A Mallander is a kind of a dry scab, growing in the form of lines or streaks over-thwart the very bought or inward bent of the knee, and hath hard hair with stubborn roots, like Swines brifts, which corrupteth and cankereth the fleich like the roots of a Childs (cabbed

Lib. 2.

fcabbed head; and if the fore be great and deep, it will make the Horle go fliff at his first fetting forth, and halt much. It doth proceed either from the corruption of blood, or from negligent keeping, when the Horle wanteth clean dreffing: for you shall know that fome Horles naturally are given to have long hair from the top to the bought of the knee dnow to the fetlock, and that hair in the bought of the knee is oft apt to curl; whereby those Horles, if they be not very carefully and clean kept, are much subject to this difease.

Now for the cure, according to the opinion of the old Farriers, it is thus. Take a barreld herring out of the pickle with a foft row, and two fpoonful of black Sope, and fo much Allom; beat all thefe in a morter well together, and then lay it to the fore, renewing it once a day for three dayes, and it will kill the Mallander, provided alwayes that before you lay any thing unto a Mallander, you ever pull off the dry fcabs firft, and leave no hair growing within the fore. Other Farriers ufe to take a pairing of a Cheefe, and toatting it very hot, annoint it with Honey, and fo lay it hot to the Mallander, and renewing it once a day till the Mallander be whole: or elfe beat Henns dung and Gilli-flowers well rogether, and lay it to the fore till it be whole.

Other Farriers use after they have washed the fore clean with warm water, and shaved off the hair and the scabbs, to take a spoonful of Sope, and as much Lime; mingle them together that it may be like passe, then spread as much on a clout as will cover the fore, and bind it fast on with a list, renewing it every day once the space of two or three dayes; and at the three dayes end take away the plaister, and annoint the fore with Oyl of Roses made luke-warm, and that will fetch away scurf or crusty asker, bred by means of the burning Plaifter; which fourf being taken away; wash the fore-place well every day once with his own stale, or else with mans urine, and then immediatly ftrow upon it the powder of burnt Oyster-thels, continuing fo to do every day once until it be whole.

Others of our latter Farriers use to take a quart of water, half a pint of Oyl, and as much Flower as will thicken it with feething; then lay that hot to the fore twice a day, for four dayes together; then take Mastick, Frankincense beaten to fine powder, Quick-filver, killed either in the juyce of Lemons, or in strong Vinegar, of each an onnce; then of Liturgy half an ounce,

254

Lib. 2.

ounce, of Cerufs ten ounces ; and as much of Swines greafe clarified ; incorporate and mingle all thefe together with Vinegar and Oyl, and lay it to the fore until the Mallander be killed ; then heal it up as is fore-fhewed. Others ufe after they have walhed it and fhaved it, to rub it with Pifs and Sope until it be raw ; then lay to it Nerve-Oyl, Hony, and ftrong Muftard, until it whole. Others ufe to take Sulphur, Vitriol, Sal-nitre, Sal-gem, mixed with Oyl be Bay, and to rub the Mallander well therewith. Now to conclude, you fhall underftand, that fome Horfes will have two Mallanders upon one Leg, one above another, and fometimes one a little above the inward bending of the Knee, and another a little below theinward bending of the Knee, but the cure is all alike, and as you drefs one, fo you may drefs two or three.

Now for mine own part, I have not found any thing better for a Mallander, than after the fore is cleanfed, to take the ordure or dung of a man, and annoint the fore therewith, and it will kill it and head it.

CHAP. LXXVII.

Of an Upper-attaint, or Over-reach upon the Back-finew of the Fort. leg, (omembat above, the Paftorn-joynt.

This which we call an Upper-attaint, is nothing elfe but a painful fwelling of the Mafter finew, or Back finew of the Shankbone, by realon that the Horfe doth fometimes over-reach and ftrike that finew with the Toe of his hinder foot, and thereby caufeth the Horfe to halt much. Now the figns are both the fwelling and the halting; and the cure, according to fome of the old Farriers, is, to drefs the fore place with a plaifter made of Wine lees and Wheat flower laid hot to, or elfe to take of black Sope and Boars greafe, of each like quantity fealding hot; make a Plaifter of Sear-cloath thereof, and clap it all about the fore place; or elfe if the fwelling by no falve will diffolve, take a fine thin hot drawing Iron, and draw his Leg all downward with the hair in many fmall ftrikes from the one end of the fwelling to the other, and make the ftrikes very thick together, and fomewhat deep; then anoint his burning for two or three dayes with black Sope, and

Lib. 2.

lo turn the Horle to grafs; but if he will not run at grafs, then every day give him some moderate exercise ; but this burning I fancy not much, for it is foul, & albeit it take away the fwelling, yet the feames of the burning, when they are cured, will keep the member big, as if It were ftill sweld. Now other of the ancient Parriers use fuft to wash the Leg with warm water, then to shave off the hair asfar as the fwelling goeth, then to fcarifie the fore place with the point of a lazor, that the blood may iffue forth ; then take of Cantharides and Euforbium of each half an ounce, mingle them together with half a. Quartern of Sope, and with a flice spread some of this Oyntment over all the fore, fuffering him to reft there where you drefs him for one half hour after; and then you may carry him into the Stable, and there let him ftand without litter, and fo tyed as be may not. touch the fore with his mouth, and then the next day use him in the same manner again ; then the third day anoint the place with fresh butter, continuing fo to do the space of nine dayes, and at the nine dayes end make him this bath, Take of Mallows three handfuls, a Rofe cake, of Sage an handful, boyl them together in a fufficient quantity of water, and when the Mallows be loft, put in half a pound of Butter, and half a pint of Sallet oyl ; and then being ; lomewhat warm, walh the fore place therewith every day once till ; It be whele. Others use to cleave a Chicken or a Pigeon, and to clap it hot to the fwelling, and it will abate it ; or elfe take Dialthea, Agripa and oyl, and mixing it together, lay it to the fwelling. O ... thers ule to take of Frankincenfe, of Rozen, of Tar, of Euforbium, of Turpentine and Fenugreek, of each a quarter of an ounce, of Suer one ounce, of Oyl an ounce, of Wax three ounces, and three quarters of an ounce of Myrth, mix and melt them all together, and Plaifter-wife lay it to the fore place till it be whole ; or elfe take for this forrance, three quarters of an ounce of Sanguis Draconis, an ounce of Bole-armony, as much Oyl, three ounces of Maflick, and asmuch Suer, and as much Swines greafe, the whites of half a dozen of Eggs, melt and mix them together, and lay them together, and lay It to the fwelling, and it will take it away; then make the shooes of his hinder feet shorter than the horns of his toes by a quarter of . an inch, and let the horn hang over uncut away, and make the foreg. hooe no longer than his heel, but rather fhorter.

Of Cures Chirurgical. Lib. 2.

CHAP. LXXVIII.

An excellent approved Medicine for any Sinewsferain what sover.

256

TAke of Vinegar a pint, the whites of three or fout Eggs, and as much Bole-armonick, and Bean-flower, as will bring it to a thick falve over the fire ; then when it is very hot, lay it Plaifterwife upon the firain, and round about the Leg, and do this not only till the grief be gone, but alfo till the fwelling be taken away.

CHAP. LXXIX.

Of a neather Attaint, or over-reach on the Pastorn-joynts.

The neather Attaint, or over-reach on the midft and in the hollow of the Paftorn joynt, is a little Bladder full of jelly, like unto a wind-gall, and though it be not apparent to the eye, yet it is easie to be felt, and may come as well by some wrinch or strain, as by an over-reach, and it will make a Horse halt much; the figns are, the neather joynt towards the Feet-lock will be very hor, and somewhat sweld, and the little fort bleb will easily be felt.

The cure, after the opinion of the old Farriers, is, take a fmall cord, and rowl him fomewhat firait from the Knee to the neather joynt, and then in the Pafforn, between the hoof and the joynt with a fleam firike him in the midft of his fwelling, and let out the matter; then take the white of an Egg, and beat it with a little Salt, and then dipping flax therein, lay it unto all the fwelling, and then unrowel his Leg, and renew the falve twice a day until the grief be gone. But in any cafe let him not be laboured or ridden whilft he is in curing.

CHAP.

Lib. 2.

CHAP. LXXX.

Of an Attaint or over-reach on the Heel.

A N Attaint or over-reach upon the heel, is, when a Horfe firiketh the toe of his hinder fhose into the heel, juft upon the will feet and rankle for much inward, that it will endanger the over the Horfes heel, and this over-reach, if it be not looked unto, Horfeshoof, and you fhall commonly fee by the cut, the skin hang is full feet and you fhall commonly fee by the cut, the skin hang is full to cut away the skin, and alfo the hoof, and the flefh, till you have made the fore even and plain without any hollownefs; then with it very well with Beer and Salt, then bind unto it a little flax in the white of an Egge, mingled with a little Bole armony, making it every day once the fpace of three or four dayes, and that will heal it.

CHAP. LXXXI.

Of the Mellet on the Heel.

Mellet is a dry Scab that growth upon the heel, fometimes through the corruption of blood, and fometimes for want through the corruption of blood, and fometimes for want the dry chap without any moifture, and it will be fometimes as well on both heels as on one. The cure, according to the practice of the old Farriers, is, to take half a pinte of honey, and a quarter of four or five fpoonful of Vinegar, and asmuch Allome unburnt as a where and two fpoonful of Rye Flower; mix them all well towhere, and then take it away, and walh all his Leg and foot with the beef broath, and then rope his Leg all the day with wet Hayman, you ever take off the dry fcab or fcurf, and make the fore as an and as plain as is possible,

CHAP,

258

Lib. 2.

CHAP. LXXXII.

Of false Quarters.

Falle Quarter is a rift or open back-feam, fometimes in the out-fide, but most often in the infide of the hoof, becaule the infide is ever the weaker part, which fides are ever called Orar ters, whence this forrance taketh this name, and is called a falle quarter ter, as much as to fay, a fick and unfound Quarter; fot it is as life were a piece set unto the hoof, and the Hoof not all of one incite piece as it ought to be. It commeth many times by evil thooing and evil paring, and fometimes by pricking the Horfe, and fuch like hurs. The figns to know it, are, the Horle will halt much and apparent to be feen. The cure, according to the ancient Farriers is, to take off the face, and cut away fo much of the face on the fide where the forrance is, as the those being immediatly put on the gain, all the whole rift may be uncovered ; then open the rift with a drawer, and fill all the rift with a Rowel of Tow dipt in Tur pentine, Wax and Sheep-Suer moleen together, renewing it eref day once till it be whole; and the rift being clofed in the top, draw him betwist the Hair and the Hoofe with a hot Iron overthwart that place, to the intent that the Hoofe may thoot all whole down ward ; and when the Horfe goeth upright, ride him either with no other those than this, or elie with fuch a those as may bear in every part but only upon the falle quarter until the Hoof be hardned. thers use to annoint it once a day with Sheep-Suet and Oyl mixt to gether, and that will close the rift.

Others use to cut away the old corrupt Hoof, and then take seven whites of Eggs, the powder of Incense, of unflackt Lime, of Mattick, of Verdigreale, and of Salt, of each three ounces; mix them wal together, then dip in as much hurds as will cover the Fore-hoof lay it on, and then about it lay Swines grease an inch thick, and likewise below it also: bind this on in such fort that it may remain unflirred a fortnight, then renew it so again, and it will make perfect his Hoof. But if there be any corrupt matter gathered within the falle quatter, and thereby causeth the Horse to halt, then you

Lib. 2.

You hall lay your finger upon it, and if the Horfe fhrink thereat, then it isripe; then open it with a drawing knife, and let out the matter, then lay on Horfe dung, Oyl, Salt, and Vinegar mixt rogether Plaifter-wife, and that will heal it, and make the Hoof good ; yet however, you must have care in thooing him till his Hoofs be hardened, as is before the wed you.

259

7. fiel sail ().

· · · ·

CHAP. LXXXIII. by fieldship

Of a Herfe that is hipped, or burt in the hips,

A Horfe is faid to be hipped, when either by ftrain, blow, or other accident, the hip bone is removed out of his right place. It is a forrance as hard to be cured as any whatfoever; for if it be taken even at the first instant, there will grow within the pot of the huckle bone, fuch a thick hard fubftance, that it will leave no Place for the bone, and then it is utterly uncurable. The figns to how the forrance are, the Horfe will halt much, and go fide-long, and will crail his Leggs a little after him ; the fore hipp allo will be wer than the other, and the flefh will fall away on the fide of Buttock. The cure is, according to the beft Farriers, if you take him in good time, fift to call him on his back, and then having aftiong Paftorn on his grieved Leg, with a rope draw that Legg upthen, and with your hands on each fide his thigh-bone, guide ieditelly into the pot : that done, let him down gently, and fo fuffer him the with all meeknels; then go with him into the ftable, and there tharge all his hipp and back with Pitch and Rozen molten together, and laid on warm, and then fome flox of his own colour to be clapped

upon the fame, and to turn the Horfe to grafs until he go upright. But if the Horfe be not hipped, but only hurt in the hipp, and that newly, then first take of Oyl de Bay, of Dialchea, of Nerve oyl, and of Swines greafe, of each half a pound; melt them all togther, Ritring them continually until they be throughy mingled together; then annoint the fore place therewith against the hair, every day once the space of a formight, and make the oyntment fink well into the flech, by holding a hot barr of Iron over the place annointed, Weaving your hand to and fro until the oyntment be entred into the skin : and if at the fortnights end you fee the Horle not any thing thing LI 2

260

Lib. 2.

thing amended, then fir a hole downward in his skin an inch beneath the hip bone, making the hole fo wide, as you may eafly thruft in a rowel with your finger; and then with a cornet and a quil blow the skin from the flefth above the bone, and round about the fame, fo broad as the rowel may lye flat and plain within the skin and the flefth : and this rowel will be made of foft Calves Leather, with a hole in the midft, and a thread tied unto it, to pul it out when you would cleanse it, or the hole ; and if the rowel be roled about with flax fast tyed on, and anointed with the oyntment under written, it will draw fo much the more.

Now you muft thruft in your rowel fift double, and then fpread it abroad with your finger: that done, tent it with a good Large tent of flax dipt in a little Turpentine and Hoggs greale molten to gether and made warm, and cleante the hole and the rowel every day once; and also renew the tent for the space of a fortnight, and before you drels him, caule him every day to be led up and down? foor pace a quarter of an hour, to make the humours come down and at the fortnights end pullout the rowel, and heal up the would with the fame falve, making the tent every day leffer and leffer until it be whole : and fo foon as it is whole, with a hot drawing Iron draw crois lines of eight or nine inches long right over the bil bone, to as the rowelled place may be in the very midft thereof, and burn him no deeper but as the skin may look yellow; and then charge all that place, and over all his buttocks with this charge Take of Pitch one pound, of Rozen half a pound, and of Ta half a pint, boyl them together, and then being good and warm, Ipread it on with a clout tyed in a riven flick, and then clap on a few flox of the Horfes colour, and if it be in Summer, the Horfe run to grafs a while, for the more he travelleth at his own will, the better it is for him. out of bie of him of bie and at newly, then hift take of Oyl de Ley, of Dialthea, of Merve oyl,

aceptrate of ever half a pound; male them all righter,

"AAHO IT Lolding a hotbarroi fron over the place anounted, "AAHO IT Lolding a hotbarroi fron over the place anounted, to the bard to and its optimized is to enced is to be all the optimized in the second second in the second second is to Lib. 2.

Of Cures Chirurgical.

CHAP. LXXXIV.

Of Stifling, and burts in the stifle.

Hat Horfe is faid to be ftifled, when the ftifling bone, which is a little bone of two inches in length, lying between the nether end of the thigh-bone, and the upper end of the great hough-bone of the hinder Legg, is by any ftrain, ftroak, flip, or fuch like, thruft out of his right place; but if the ftifling bone be not removed nor loofened, and yet the Horfe halteth by means of fome grief in that place; then we fay the Horfe is hurt in the ftifle, and not ftifled. The figns are thefe; If the horfe be ftifled, the ftifle-bone will flick out more of the one fide than of the other, and it is apparent to the eye, and in his halting he will no more but touch the ground with his toc.

The cure, according to the opinion of the old Farriers, is, to thrust two round pinscrols the stifling bone, through the skin, in luch ford as you were taught for the fhoulder pight, but the pins would not be any thing near fo big, nor fo long, because the stifling bone is not fo broad as the fhoulder : and ftanding in the ftable, let him have a paftorn and a ring upon his fore Legg, and thereunto fasten a cord, which cord must go about his neck, and let it be fo much strained, as it may bring his fore Leg more forward than the other to keep the bone from farting out : But this cure is foul and troublesome, wherefore other Farriers of better experience, ule only to fet a patten-fhooe upon his found foot, and fo turn him abroad, that he may be compelled to tread upon his lame foot: and that Braining of it will in a day or two makehim as found as ever he was, and put the stifling-bone into his true place sgain. But if you cannot readily get a patten-fhooe, then you shall take either a plain furfingle, or any other broad binding web that will go three or four umes about the Horfes Leg, and with it you shall garter up the Horles lound Leg three fingers above his hamm, even upon his main Breat finew, fo straight as your felf and another man can draw it and then turn the Horfe abroad where he may go up and down, and In eight and forty hours the Horfe will be found as ever he was : then take off the garter, and rub the place that was gartered

up.

Lib. 2.

up with fresh butter, for it will be much swelled.

262

「たいち」

Now if this milchance of ftifling happen unto your Horle in your travail, and that your occasions will not suffer you to ftay for any of these Cures, then you shall take your Horse either to some deep Pond, of deep River that hath easie going in and out, and there fwimm him up and down a dozen turns : which done, you may after travil him at your pleasure: for the more he is laboured, the founder he will go. Now if your Horle be not fifled, but only hurt in the fliffe, either wirh fome ftripe or fome ftrain, then the bone will not ftand out, yet perhaps the place will be much fwelde The cure, according to the opinion of the old Farriers, is, to make a little flit in hisskin, a handful below the fore place, and then with a quil blow all the skin from the flefh upwards, and then with your hand prefs out the wind again, and then thruft in a rowel of Horfe-hair from the fuft flit to the upper part of the ftifle bone : this done, take a pottle of old pifs and boylit to a quart, and cleanfe it well ; then take a handful of Mallows, and half a pint of Salet oyl, and add them to the pils, and then boyl them well together & then bath all the fore place therewith every day once the space of feven or eight dayes, and let him not ftir out of the ftable during the cure, and in twenty one dayes he will be found.

Other Farriers ule only to take a pound of Bole-armony, a quart of red wine Vinegar, fix Eggs beaten, fhels and all, two pennyworth of Englith honey, and as much Venice Turpentine, one quart of flower, and one good handful of Bay falt; put all these in a potand incorporate them well together, then keep them close one nights and the next day annoint the fore place with some of it; and thus dreffing it once a day the space of nine dayes, it will make the Horse sound.

CHAP. LXXXV.

Of the bone Spaven, or dry Spaven.

The bone Spaven, or dry Spaven, is a great hard knob as big as a Walnut, growing in the infide of the hoof, hard under the joynt, near unto the mafter-vein; it groweth at the first like a tender griftle, and by process of time, it commeth to be a hard bone, and

Lib. 2.

and caufeth the Horfe to halt much. This forrance will come fometimes by nature or descent, as when either the Sire or Dam of the Horfe have had the fame difeafe; and fometimes (which is most generally) is commeth when a Horfe is Laboured too young; for a Horfe in that part of his hinder Legg hath fmall bones knit all together upon one clufter, which being preffed before they be naturally hardned, cannot chufe but thruft forth these unnatural excrefcions. Other whiles it proceedeth from extreme labour and hear, diffolving humours which do descend through the Mastervein, continually feeding that place with evil Nutriment, and caufes the place to fwell, which fwelling in continuance of time becomments lo hard as a bone, and therefore is called the bone Spaven. The figns are the apparent fight of the forrance; and truly for mine own parr, I am of the mind of other Farriers, that it is very hard ablolutely to cure it, yet that the eye-fore may be taken away, and the halting much eafed, is not hard, for I have done it many times. Then to proceed to the cure thereof, according to the opinion of the old Farriers, is thus : First flit the skin just over the head of the Spaven or Excretcion, and open it with a Corner, and in any cafe have a care that you touch not the mafter-vein, but put it by :then with your Lancet lay the Spaven all bare, then with a fine Chizel about a quarter of an inch broad, or a little more, ftrike off the dead of the Spaven, to the quantity of a quarter of an Almond, or according to the bignels of the Spaven : then take two pennywaight of Verdigreale beaten to fine powder, and two pennywaight of Nerve-oyl, and beat them all well together : then laying fome of it upon fine Lint, lay it upon the Spaven; then lay dry lint betwixt the medicine and the vein, that the medicine may not touch the vein ; then lay a plaister of Pitch, Rozen, Turpentine, and Hoggs greafe molten together, all over the hough, both to comfort the joynt, and to keep in the medicine. And thus dreis him the space of three dayes, and it will cleanse away the Spaven even to the bottom; at the end of three dayes you shall wash away the corrofive and the matter, either with Tanners water, or with Vinegar, and lay no more of that Salve thereto for hurting the bone; then make a plaister of Diaculum, and lay ir upon a Linnen cloath and lay that plaister unto the Spaven, renewing it every day once for the space of seven dayes, and it will heal him up.

Others

Of Cures Chirurgical. Lib. 2.

Others of the old Farriers ule, first to wash the Spaven with warm water, and thave off the hair fo farr as the Spaven extendeth, and then fearifie the place and make it bleed : then take of Cantharides one dozen, and of Euforbium half a spoonful; beat them into powder, and boyl them together with a little Oyl de bay, lay this boyling hot upon the fore, and let all his tail be tied up from wiping away the medicine; and then within half an hour after set him up in the stable, and tye him so as he may not lye down all that night, for fear of rubbing off the medicine; and the next day annoiat it with fresh Butter, continuing thus to do every day once the space of five or six dayes; and when the hair is grown again, draw the fore place with an hot Iron in this fort, just upon the Spavent then take another hot Iron like a bodkin, somewhat bowing

264

at the point, and thrust it is at the neather end of the middle line, and so upward betwixt the skin and the flesh, an inch and an half, and then tent it with a little Hoggs grease and Turpentine molten together, and made warm, renewing it every day once the space of nine dayes; pro-



vided that first immediatly after his burning, you take up the mafter-vein, suffering him to bleed a little from above, then with a red filk tye the upper end of the vein, and leave the neather end open, to the intent that he may bleed from beneath until it cease of it felf; and this will diminish the Spaven, but not take it clean away.

Now there be other Farriers which use after they have burnt it in manner afore-faid, and taken up the mafter-vein, to annoint it with fresh Butter, till the burning begin to scale; and then take of Sage and Nettles, of each a handful, and boyl them with four handfuls of Mallows in fair water, and then put thereto a little Butter, and with that bath him every day once for three or four dayes till the burning be whole, and let him not wet his feet during the cure.

Others ule to prick the Spaven with a sharp pointed knife, then take a piece of a candle, and lay a piece of brown paper upon it, and with an hot Iron melt the callow, and after annoint it with Butter. Others ule first to prick the Spaven well, then to lay upon it for three or four dayes together, every day mans-dung: after that, lay to it Galbanum till the fore-matter and rhume, and the humour come forth a Lib. 12.

Of Cures Chirurgical.

265

forth: then wash it with Urine, and lastly, heal it up with Oyl and Honey boyled together, for that will bring on the

Now to conclude, that which I have ever found to be the fureft and the cleaneft way to take the bone Spaven quite away, if it be u'ed With diferention and care, is to take of Ungsentum Apostolorum, and of white Mercury, of each a like quantity, but of Mercury rathe more; mix them well together: then after you have caft Your Horfe, make a flit just the length of the Spaven, fo that you touch not the mafter vein : then opening it, and laying all the Spaven bare, with a tharp inftrument scale the Spaven a little; then make Allegant of lint just to big as the excretcion or bone Spaven is : then treading fome of the Salve thereon, lay it upon the Spaven; then with dry lint defend all other parts of the member, especially the after-vein, from the corrofive: then lay the plaister of Pitch, horen, from the corronve. then any hours, round about his hoof, and to let him reft four and twenty hours: then take ahay all that medicine, and scaling the bone a little, if you find the the dress in the fame manthe fecond time, and that will be altogether fusicient: then the of Turpentine, of Deerssuet, and of Wax, of each a like quanand mix and melt them well together, then drefs the fore place the with being warmed, and line or tow dipt therein, and within a day or two you thall fee the whole cruft of the fpaven come clean then may you with the fame Salve, heal up the wound ; and the this hath never failed me in any practice. Allo understand that whatfoever taketh away the Splint, taketh away the Spaven allo, and a second

CHAP. LXXXVI.

Of the blood Spaven, wet Spaven, or through Spaven,

The blood Spaven, wet Spaven, or through Spaven, (for all is one difeafe) is a foft fwelling growing on both fides the hoof, through Spaven ; but, for the most part the fwelling on the infide (because it is fed continually of the Master vein) is greater than the M m fwel-

266

T

Lib. 2,

CHAP

ling on the out-fide. It proceedeth from a more fluxible and flegmy humour, and not fo vifcous and flimy as the other Spaven doth and therefore this never waxeth hard, nor groweth to a bone, and therefore it is a much cafier cure than the other. The figns thereof are like the other the apparent fight thereof ; and for the cure, it is Firft according to the opinion of the old Farriers, in this manner : wach the Spaven with warm water, and then dreis it with Cantharides and Euforbium, in fuch fort as was at large thew ed in the former Chapter; only you fhall not boyl them, but only mix them together, and drefs the fore therewith two dayes together then annoint it with Butter, and after burn it with a hot Iron both without and within, in manner ar is flewed also in the former then immediately Chapter ; but you shall by no means tent it : you shall take up the master-vein, and let it bleed, as was the before ; and then for the space of nine dayes, annoint him every di once with Butter, until the burning begin to fcale, and then wath with this bath : Take of Mallows three handfulls, of Sage of handful, and as much of red Nettles; boyl them in water boyl they be foft, then put thereto a little fresh Butter, and bathe the plat every day once for the space of three or four dayes, and until he burning be whole, let the Horfe come in no wet.

Other Farriers ule, after they have flaved off the hair and taken up the vein, to take of Multard-feed, of the great Mallow root, and of Ox-dung, of each a like quantity, and as much ftrong Vinegar will mix them together like a Salve, then beat them all well cogether and make thereof a foft plaifter, or elfe an oyntment, and lay it is pon the Spaven; change it evening and morning, and bind it fuch fort to the forrance with fome piece of cloath, that it may not fall off or be removed; and when the Spaven is clean gone, lay upon the place a plaifter of Pitch very hot the place a plaister of Pitch very hot, and take it not off, until it fall away of its own accord. Other Farriers use unto this former me dicine to add Oyl debay, Turpentine, and Bole-armony-

And other Farriers ule but only to take up the vein, both above and below the Spaven, and fuffering it to bleed well; then to knit up the vein, and annoint it with Butter tillit be whole, and it will confume the Spaven.

And it is not continue to the Malter year) as a straight

267

Lib. 2.

CHAP. LXXXVII.

M moft rare and well approved Medicine, which will take away any blood fraven what forver.

A Fter you have taken up the vein, knit it faft above, and then out it in funder, you fhall take of Lynfeed two or three hand out, and bruife it well in a morter, then mixit with new Cowdung, and putting it in a frying pan, heat it well upon the fire, and way hot apply it to the Spaven, renewing it morning and evening ill it bring the Spaven like a byle to impoftumation, and to break it, then after it hath runn a day or two, you fhall only apply to the one a plaifter of Pitch, till it be whole.

CHAP. LXXXVIII.

Of the Sellender.

He Sellender is a cerain kind of dry (cab, growing in the very bent of the ham of the hinder Leg; and it extendeth out inco dicine, it will fret in funder the finews of the hoof: It is in all points like unto a Mallander, and it proceedeth from the felf like caules, and requireth the felf fame cures; therefore look into the Chapter of the Mallander, and whatfoever you find there, that will oure the Mallander, the fame will also cure the Sellender.

CHAP. LXXXIX.

Of the Hough Bonny.

He Hough Bonny is a round fwelling like a Paris ball, growing upon the very tip or elbow of the hoof, and commeth ever of fome fripe or bruife; but especially when he beateth his hoof either against the post which standeth behind him, at the neather end of his stall, or against the bar which doth divide him from another Horfe, which many Ramish Jades will do, when they feek to strike at the Horfe which standeth next them, M m a Now

268

Lib. 2.

Now the cure thereof is thus, according to the opinion of the old Farriers, take a round Iron fomewhat tharp at the end, like a good big bodkin, and let it be somewhat bending at the point; then holding the fore with your left hand, pulling it fomewhat from the f news, pierce it with the Iron, being fift made red hot, thrufting it beneath in the bottom, and fo upward into the jelly, to the intent that the fame jelly may issue downward out of the hole : and having thruft out all the jelly, tent the hole with a tent of flax dipt in The pentine and Hogs greafe molten together; and allo annoint the out-fide with Hogs greafe made warm, renewing it every day once until the hole be ready to close up, making the tent every day left and leffer until it be whole. Now for my own part, both for this forrance, or any other bruife in this part, I have found this cure ever the beft: Firft, either with rotten litter or hay boyled in old ution or elfe with a plaifter of Wine-lees and Wheat-flower boyled toget ther, to ripen the swelling, and bring it to putrifaction, or elfe to drife the fwelling away, but if it come to a head, then to launce it in the lowelt part of the loftnefs, with a thin hot Iron, and fo to let of the matter: then to tent it with Turpentine, Deers fuet, and Wax, of each a like quantity molten together, laying a plaint of the fame Salve over it, to hold in the tent until it be perfection well.

CHAP. XC.

Of the Curb:

A Curb is a long fwelling a little beneath the Elbow of the hoof of the great finew behind, hard above the top of the horn, which caufeth the Horfe to halt after a little labour : for the more his finew is ftrained, the greater is his pain, and the more he hath reft, the leffer is his grief; it commeth as the Spavens come, either from defcent, or from great burthens when the Horfe is young, elfe from fome ftrain or wrench. The figns are the apparent view thereof; and the cure according to the old Farriers, is first to thave off the hair, then prick it with a fteam in three or four places, and for three or four dayes together, lay ento it twice a day mans dung; the

112 NO

Lib. 2.

then lay Galbanum to it likewife twice a day until it rot, and that the matter doth iffue forth; then wash it with Urine: and lassly, heal it up with Honey and Oyl boyled together, renewing the same twice a day ull the Curb be gone; and in any case let all your Salves be applied warm and new made, and if you make an iffue with a hot Iron in the bottom of the Curb, it will not do amis.

Others use to take a very hot Iron, and hold it as nigh the fore as may be, but not touching it: then when it is warm, vent it in fix or feven places: then take a spoonful of Salt, half a spoonful of Nerve-oyl, and a penny-weight of Verdigrease, and the white of an Egg; mix these well together, and dipping flax in the same lay it to the Curb, and this in few dreffings will take it away. Other Farriers use to chafe and rub the Curb well with their hands : then take red Walt-wort leaves, and Burrage, and braying them . well together, lay it to the Curb, renewing it once a day for a fevennight together. Others use to flit the Curb all the length, then take a piece of Linnen cloath, and wet it in wine made warm : then frow Verdigrease thereupon, and bind it to the fore, renewing it once a day until the Curb be gone. Others of the ancient Farriers take of Wine lees a pint, of Cummin half an ounce, and as much Wheat-flower as will thicken it, and ftir them well together ; and being made warm, charge the fore place there with, renewing it every day once the space of three or four dayes, and when the swelling is almost gone, then draw it with a hot Iron made very thin,

in this fort, and cover the burning with pitch and Rozen molten together, and layed on good and warm, and clap thereon fome flox of the Horfes color, or fo nigh as may be gotten, and remove them not until they fall away of them-

felves; and for the space of nine dayes let the Horse rest, and come in no wet. Now there be other Farriers which to this last recited Salve, will add Tar, and it is not amils, only it will not slick so well.

Now for mine own part, I have ever found this practice the beft.

First, with a broad incle to bind the hoof strait a little about the tod: then with a fmooth hazel stick to bear, rub, aud chafe the Curb: then with a fleam strike it as deep as you can in two or three places



E

269.

270

Lib. 2

places of the Curb : then thruft out the corrupt blood ; and after upon the point of your knife, put into every hole as deep as you can thruft it, the quantity of two Barly corns of white Mercury, and fo let the Horfe reft four and twenty hours after ; then after, only annoint the fore place with hot moleen Butter till it be whole, once a day at the leaft. And likewife here understand, that what foever cureth the fplint or Spaven, that cureth the Curb alfo.

CHAP. XCI.

Of the pains.

He Pains is a certain ulcerous feab growing in the Paftorns of a Horfe, betwixt the feelock and the heel, full of fretting matterifh water, and commeth only for want of good rubbing and clean dreffing, after the Horfe hath been journeyed in the Winter wayes, by means whereof the fand and durt remaining in the hair, fretteth the skin and flefh, and fo breedeth to a fcab ; and therefore your Frifonds, and Flanders Horfes and Mares, which are now fo much in use with us for the Coach, are the sooneft troubled with this Difeafe, if the Keeper be not much the more careful. The figns hereof are, his Legs, will be fwoln and hor, the fcab will be palpable to be felt, and the water will iffue out of the fcab ; which water is fo hot and fretting, that it will feald off the hair, and breed fcabs where it goeth. The cure, according to the ancient Farriers, is: Take of Turpentine, Hogs greafe, Honey and black Sope, of each a like quatity, and having molten them upon a fort fire, take it off, and put in a little Bole-armony, finely beaten into powder ; then work all these things well together with a flick in your right hand and a difh of Wheat-flower by you, that with your left hand you may put it in by a little at once, till you have made it thick like an Oyntment or foft Salve : then fpread it upon a Linnen cloath, as big as the fore, having first cut away the hair, and made the fore raw, apply to the falve, and drefs him thus once a day until it be whole,

This medicine is well approved to cure all forts of pain Scratches, Mouldy heels, or any other skirvy fealls what loever, that may breed in Horfes Legs or heels, whether they come by means of evil humeurs,

Lib. 2.

Of Cures Chirurgical.

271

mours, or for lack of good dreffing or clean keeping, whether they be mattery and filthy runing fores, or elfe dry fcabs. Others of the old Farriers ufe for this forrance to take a pint of red Wine lees, and a handful of Wheat-bran, a faucer full of Honey, and half a pound of the powder of powdred Beef burnt, and as much of Bark duft, and half a pound of Allom, and a quarter of a pound of Swines greafe, and half a handful of Vervine: beat all thefe together in a Morter, and then fry them over the fire, and make a hot plaifter thereof, and lay it to the fore as hot as the horfe can fuffer it, letting it abide there the fpace of three dayes, and in once or twice thus dreffing him, it will make him found ; yet fome hold, if you do with a hot drawing Iron fear the great vein over-thwart, a handful above the ferlock, and then take a fpoonful of Tar, a fpoonful of butter, and a fpoonful of honey, and warming them well together, annoint the vein therewith every day till the cure be perfected, and it is much available.

Other Farriers ule, first to wash all the Horses pastorns with Butter and Beer well warmed together, and then his Leg being fomewhat dryed, clip away all the hair that doth annoy the fore: then. take of Turpentine, of Hogs greafe, and of Honey, of each like quantity; mingle them well together in a pot, and put thereunto a. little Bole-armony, the yolks of two Eggs, and as much Wheatflower as will thicken the things afore faid, and lo by long working. it, make it like a plaister; then spread it upon the Linnen cloath, and. lap it round about the Horfes paftorn, and bind it fast on with a rowler, renewing it once a day till the Horle be whole; and in no. wife let the Horfe come in any wet during the cure. Others ufe. first to chafe the fore place with a hay-rope, or with a hair cloath, till it either bleed or be raw; then take a little ftrong Muftard, Beane-Hower, and fresh greafe, with a little Fenugreek ; then mix all together in a difh, and make thereof a Salve, and therewith annoint the fore, until it leave mattering : then take Honey, the white of an Egg, and fresh Butter; mix them together, and annoint the fore place therewith until it be whole. Others use only to bathe the fore with Beef broath, and then for four or five daves. after, to annoint it with Sope, or elle first to plunge his feet in Icalding water twice or thrice : and then bathe the fore in fealding Water : then have ready a hard rofted Egg, cleave it in the middle, and lapp it to as hot as you can, and let it lye bound all night; ufe. this. Of Cures Chirnrgical. Lib. 2.

this once or twice, and you may adventure to ride him Others use to take Pepper, Garlick stampt, Colworts, and old Hogs grease, of each like quantity, then beat them in a morter till they be come to a Salve, and so lay it to the sore, renewing it once a day till it be whole.

Others ule fuft to take up the fhackle-veins on both fides, then take the foft row of a red herring, and multard, and black fope, and when they are well beaten together, boyl them in Vinegar till they come to a Salve, and apply it to the fore ; this will cure the pains, albeit you do not take up the thackle veins. If you cannot readily get this Salve, you may take Butter and Honey molten together, and it will help them, or elle take a pound of Hogs greafe, a penny-worth of Verdigrease, two ounces of muffard, half a pound of Oyl de bays a quarter of a pound of Nerve oyl, half a pound of Honey, half a pound of English wax, one ounce of Arlnick, two ounces of red Lead, and half a pint of Vinegar; boyl all these rogether and make an oyntment of it: then having clipt and made the fore all bares apply the medicine thereunto very hot, and renew it once a day un til it be whole. Others ule to take five ounces of Orpiment, five of Tartar, one of Verdigreale, half an ounce of Sulphur, as much of Vitriol made into powder, the juyce of four Citrons, the whites of two Eggs, with three ounces of Salet oyl; let all thefe be very well beaten together, and applyed once a day to the fore, and it will not only heal this difeafe, but any falt humour whatfoever. Mingle with foft greafe, Vinegar, Honey, Orpiment, and Arfnick ; but let Arfnick be the leaft, and it will cure this difeafe, fo will alfo white Wax, Turpentine and Camphora mixt together. Others ule to take an hundred black Snails in the moneth of May, flit them, and put them in a bag with a pint of Bay falt, then hang them over the fire, with a Vessel set under to receive what drops from them, and keep it in a close glass : then annoint the fore every day there? with, and it will heal thisforrance. Otherstake Honey and Vinegar, of each a like quantity, a little Oyl, and fuet of a He-goat, of each alike, also boyl them with a loft fire and ftir it well : when it waxeth red, add of Verdigrease and Virriol, of each like quantity made into powder, ftirring it till it be red and thick : then being warm, annoint the fore place therewith once a day after it hath been washed with warm water : and this not only helps the pains, but 210

Lib. 2. Of Cures Chirnrgical.

allo any forrance whatfoever of like nature about the Legs. Allo green Copperas and Roch allom, of each half a pound, and a handful of Bay-lalt boyled in a gallon of running water, will heal it; or elfe unto it add a pint of Honey, and boyl it over again, and it will be the better; then when you have anointed the fore therewith, rub it with the powder of Glass, Mustard and Vinegar Dixed together, and afterward skin it with Cream, and the inner linde of Elder beaten to a falve, which must be applied to the fore twice a day at the leaft,

273

CHAP. XCII. a al vilizzatio data

Of the Mules or Kibe-Heels.

"Hele Mules, or Kybed heels, are certain dry fcabs or chaps breeding behind upon the heels of a Horle, and to a little inard even to the Fetlock, in long chaps and chinks ; it proceedeth ther from corruption of blood, or from being bred in wer marrilla sounds, or elf: from unclean and negligent beeping, in fuch man-"t as the Pains are bred ; this forrance will make the Horfe's Leg to well much, especially in the Winter, and about the Spring time, and he will go ftifly, and halt much.

Now for the cure, you thall underftand, that what foever healeth he Pains, the fame will in like fort heal those Kybed heels ; yet for ore particularity, you shall know, that the old Farriers did use this forrance, if they took it at the beginning, but onelyto anoint for two or three dayes with Sope, and then after to walh it with tong Lirine, or Beef-broth till it were whole; but if it were of by long continuance, then first to cut away the hair, and lay the ore open and plain; then take two ounces of unflaked Lime, one unce of Sope, and the white of an Egg, or elfe an ounce of unflacked time, and as much Salt, and three ounces of Soot, and mingling them hith ftrong Vinegar, anoint the fore therewith, and it will heal and All them.

Other Farriers ule to calcinate Tarter, and diffolve it to water; then congeal it like Salt, and mingle it with Sope like an oyntment, and then dreis the fore therewith, and this will in eight and forty ours heal any Mules, Pains, or Scratches whatloever. If you take the

274

Lib. 2.

the juyce of the leaves and roots of Elder, it is very good to dry up any of these evil humours.

CHAP. XCIIL

Of Wind-galls.

The Wind-gall is a littleBleb or Bladder ful of corrupt jelly, and like the white of an Egg growing on each fide of the Mafter finew of the Leg, hard above the Paftorn. Now of them fome will be big, and fome will be little, and there will be fometimes more than one or two of a clufter, and they are fo painful, especially in the Summer feason, when the Weather is hor, and the Wayes hard, that the Horse is not able to travel, but halteth down-right 5 they proceed commonly from extreme labour in the Summer time upon hard Wayes, whereby the humours being diffolved, do flow and refort into the hollow places about the neather joynts, which are most beaten and feebled with travel, and there are congealed and covered with a thin skin like a bladder ; they are most apparent to be few and felt.

The cure thereof, according to the old Farriers, is to take a Knife, Ch. and open it in the length of a Bean, piencing no further into it than through the skin of the bladder, and then thrust out the jelly, which as I faid before, will be like the white of an Egg; then take the yolk of an Egg, and as much Oyl de Bay as a good Nur, and mising them together, make a Plaister thereof, and lay it to the fore, and in two or three dayes it will heal it. Others of the old Farriers dress it with Euforbium and Cantharides, in fuch fort as is thewed for the taking away of the fplent; but if that will not ferve, then with a hot drawing Iron to draw the Windegall in this fort : then to open the middle Line with a Launcet, the length of a Bestly and thruft out the jelly ; then lay Pirch and Rozen molten together upon ir, and then a few flox, and that will take it clean away. ther Farriers ule to take up the Master-veins on the infide of his Legs, and fuffic him only to bleed from below : Then having put up the Vcin, cover all his Leg over with a Plaister of Wine lees and Wheat flower mingled together, and rowl it with a long rowler? drefs him in this fort once a day till it be whole. Others

Lib. 2.

Others use to open the skin and pur out the jelly ; then take a poonful of Oyl de Bay, a spoonful of Turpentine, a penny worth of Verdigreafe, the white of an Egg, and a quarter of an ounce of led Lead, boyl them together till it come to a falve; then lay it to the Wind-gal, and it will cure it ; or elle, after you have let out the jelly, take Rozen, Sheeps Suer, and Brimftone, of each alike, and helt them together, and lay that upon the Wind-gall, fo it be not 100 hor, and it will cure it. Others take the roots of Cummin, and beat them well with a little Salt, and lay that to the Wind-gall; or elle anoint them with the juice of Onions or Leek-blades, and that will allay them, or elfe ground-ivy and Worm-wood with the roots od in Wine, and laid to the Wind-gall, will take them away. Others of our later experienced Farriers, take an ounce of white Wax, ounce of Rozen, two ounces of raw Honey, three ounces of Swinesgreale, two ounces of Oyl of the yolks of Eggs, five ounces Oyl de Bay; mix all these well together, and strain them; then them into the Wind-gall, by holding a hot bar of Iron against the yntment, and it will take the Wind-gall away. Now for the aking of the Oyl of the yolks of Eggs, it is thus: First, feeth the 88s hard, then ftamp them, and feeth them in an earthen pot with foft fire, and fo ftrain them. Now this medicine will not only al the Wind-gall, but the Ringbone allo, it is very good for the bating of the Wind-gall, and for making the medicine to work the "etter, to let the Horfe fland in a cold running ftream an hour morung and evening. The fcum of the four Salts fod in mans Urine, and laid to the Wind-gall, will take it away.

There be others which take a pottle of Vinegar, a pound of Or-Piment, a quarter of a pound of Galles, and as much of the herb Molleyn ftamped imall, mingle theie well rogether, and put them the a por, then every day therewith bathe the Wind-gall, and in three weeksit will dry them clean up; it will alfo take away a Curb, or a Spaven, or a ring bone, if you take them at the breeding. Other Farriers take of Sevil Oyl and Brimftone, of each like quanand feeth them in mans Urine, and ftir them well together ; after put in the quantity of a Walnut of Sope, to keep the hair from alding off; then bathe the Wind gall with this hot, thrice together, abbing it well in; then anoint it above with Nerve-Oyl, and Oyl de Bay, and make it, by holding to it a hot Bar of Iron, or a hot

Fire-

276

Fire-pan, to fink into the flesh, and in three dayes it will dry up any Wind-gal.

Lib. 2.

Now for mine own part, the beft Medicine I have found in my practice for this Sorrance, and the eafieft, is, with a fine Lancet to open the Wind-gall, making the hole no bigger than that the jelly may come forth; then having thruft it clean forth, lap a wollen wet cloath upon it, and with a Taylers hot preffing Iron, rub upon the cloath till you have made the cloath fuck in all the moyfure from the Wind-gal, and that the Wind-gall is dry; then take of Pitch, of Rozen, and of Maftick, of each like quantity, and being very hot, daub it all over the Wind-gall; then clap good ftore of flex of the colour of the Herfe upon it, and fo let the Horfe reft or nun at grafs till the Playfter fall off by its own accord, and be fure the Wind-gall will be gone.

Now I would give you this for a Rule, that by no meanes you ult to a Wind-gal, either Arfnick or Refalgar; for commonly then the Wind-gall will come again; neither muft you burn much, not make any great incifion: For any of these will turn the soft subftance of the Wind-gall to hardness, and then the Horse will be land without cure.

CHAP. XCIV.

Of a Strain in the Pastorn joynt, or Fet-lock.

A Horfe may be ftrained in the Fet-lock, or Pafforn-joynts either by fome wrench in the Stable, when the Planchersare broken under him, or by treading awry upon fome ftone, or upon fome Cartrut, as he travelleth by the way. The figns whereof be thefe; The joynt will be fwoln and fore, and the Horfe will halt; and the cure, according to the old Farriers, is, take a quart of ftale Urine, and feeth it till the foam arife; then ftrain it, and put there to a handful of Tanfie, and a handful of Mallows, and a faucer ful of Honey, and a quarter of a pound of Sheeps fuet; then fer it on the fire, and feeth them all together till the herbs be fodden for; and then being very hot, lay this Pultus to the joynt, and cover it over with a blew cloath; and in three times dreffing it will help the ftrain.

277

Lib. 2.

Other Farriers take of Dialthea half a pound, and as much nerve oyl, mingle them well together, and anoint the fore place therewith, chafing it well with both your hands, that the Oyntment may enter in, continuing fo to do every day once until the Oyntment be all frent, and let the Horfe reft; but if this will not prevail, then they will use cantharides, as in case of the fplint; but I do not hold that cure convenient, because it will make a double grief. Therefore I had rather you should take Pompilion, Nerve Oyl and black Sope, of each alike, and heat them hot on the fire, and then anoint the fore place therewith, and it will make the Horse found.

CHAP. XCV. dod us dising als

To remedy any manner of balting that cometh by Strain, Stroak, or any other accident.

Now foralmuch as halting is such a general Sorrance amongs? Horfes, that not any man that is Master of a Horfe, but even in his smallest travel, is at one time or other vexed with the same, I will here before I do proceed any further, set you down certain genetal Receits selected and culled out of the private practice and experiments of the best Farriers in Christendome, of which I may give the bolder testimony, because I have made practice of their versues.

If then your Horse have taken any halt, either by ftifnels of Sinews, Strain, Wrench, Stroak, or any other accident, if the grief be in his Leg, you shall take Smallage, Oxe-eye, and Sheeps snet; of each a like quantity, chop them all together, and boyl it in mans Urine, and bathe all the Leg therewith ; then with Hay-ropes were in cold water, rowl up his Leg, and he will be able to travel the next day.

If you feeth a pound of black Sope in a quart of frong Ale till it book like Tar, and anoint the Leg therewith, it will fupple the inews, and bring them to their truecourfe. If you walb his Limbs with the grounds of Beer or Ale made warm, and then rope them ap with Hay ropes wer in the fame, it will recover a first. If you take of the flower of Linfeed, of Turpentine, and Life-honey, of tach alike, and boyl them with white Wine until they be thick like unto.

278

Lib. 2.

unto an Oyntment; then spread it on a cloath, and lay it to the grief, and it will take away any ache or pain in the finews; likewife a Plaister of Wine lees and Wheat flower, or a Plaister of black Sope and Boars greafe will do the like.

If you mix Nerve Oyl, Oyl de Bay, and Aquavita together, and warm it, and chafe it in, and upon, and about the ftrain, it will take the anguish quite away. If the grief be in the shoulder, or the hinder Leg, then burn him upon the very joynt, by taking up the skin with a pair of pinlons, and thruft the skin through with a hot Iron over-thwart; and if this cure him not, then his pain is be twixt the thin skin and the bone, which must then be rowelled. the grief be in the fhoulder, or in the hip, or elfe-where, then let him blood, and faving the blood, mix therewith the powder of Frankincenle, and anoint the Horle with the fame. If the grief be only in the finews, then take the Plaifter called Sologliatium, made of Gum-dragant, new Wax, Pitch and Turpentine mixed together, of elfe take the yolks of two Eggs, an ounce of Frankincenfe, and littlebran, and beat them well together, and lay it to the pain. the grief do proceed from a hot caule, then let the Horfe blood, and with that blood mix Vinegar and Oyl, and anoint him, and chaft it well. But if it proceed from a cold caufe, then let him bleed, little, and with Figs foaked a day in warm water, and as much Muftard-feed, make a Plaister, and lay it to the grief. If it com either by any rush or stripe, let the Horse blood, and with that blood mingle ftrong Vinegar, Eggs, shells and all, three ounces of Sangnis dracents, four of Bole-armony, and five of Wheat meal, and daub it all over the fore place. If the grief be in the fhoulder, and the skin broken, take Galls of Soria punned, and mingle them with Honey, and lay it to the fore. If his pain come from the fifnels of his joynts, take a pound of black Sope, and boyl it in a quart of Ale till it be thick, and it will comfort the joynts. If the joynts be swelled, then take Rozen, Pitch, Turpentine, and Sanguis Draconis molten together, and lay it to the fwelling warm, and it will either take away the fwelling, or elfe ripen it and make it run. If you take of the Oyl of Camomile, Oyl of Dill, Butter and Agrippa, of each a like quantity for elle make aPlaister of an ounce of Turpentine, half an ounce of Verdigreale, and the marrow of a Stag; or bathe the Horfe with warm water, wherein Rolemary hath been fod, and

279

Lib. 2.

it will ease any pain whatloever. If the Horses pain be in his shoulder, first with a Lancer prick the skin through between the spade bone and the marrow bone; then putting in a quil, blow the skin from the fleih, even all about; then thrusting out the wind with Your hand, put in a Rowel; then take a potle of stale Urine, feeth it with a pound of Butter, and as much Swinesgreafe, and a handul of Mallows, a handful of Tanfie, a handful of Vervin, a handal of red Nettles, a handful of Southernwoods, and a handful of Balm leaves, then beat them all well together, and fo anoint his fhoulder therewith, and let him not go forth of the ftable for feven dayes. If his grief be in any nether joynt, then take a handful of Laurel teaves, and of Primrole leaves, of ground-Ivy, of Crow-foor, of Mallows, of red Fennel, and of fine Hay, of each of them feveral as much ; feeth them well together, and then let them fland fourteen dayes, then bathe the joynt once a day, and bind on the herbs unto It four dayes together ; then after chafe into the joynt fresh grease and oyl mixed together, and it will ease all his pain. Now to con-(lude, if any joynt or member about a Horlebe by any flux of humours swelled and grown out of shape, whereby the Horfe goeth fliffand halteth ; then to diffolve those humours, take Wormwood, Bes, Rofemary, the Bark of the Elm tree, and of a Pine, together hith Lin-feed, and boyling these rogether make a Bathe or Pulcus thereof, and lay it to the fick member, and it will diffolve the hunours ; and fo likewife will Figs being famped with Salt, and apflied to the fores.

CHAP. XCVI.

Three Rare and Well-approved Medicines, which will cure any manner of Strain or Swelling what seever, be it hard or soft, by what accident seever it shall come.

B the Srain be newly taken, you shall then take Vinegar of the both a pint, and of swees Butter better than a quarter of a pound, and melt them over the fire; then with fine Wheat bran, make it into a Pultus upon the fire, and lay it as hot to the strain as the Horse is able to indure it without scalding; and do thus morning and evening till the strain be asswed. But if the strain be of longer source

Of Cures Chirurgical. Lib. 2.

continuance, then take Mallows, and Chick-weed, and boyl them either in the grounds of Ale or of ftrongUrine, and lay them very hot to the ftrain. Laftly, if yout ftrain, by length of time, or evil Medicines, be grown, in mens imaginations, paft cure, the finews and fwelling being bony, hard and knotted ; then you thall take Peece greate which is made of Shoo-makers fhreds, and melting it on the fire, anoint and bathe the ftrain therewith very hot, not only chafing it exceedingly with your hand; but alfo holding a hot bar of Iron against it to make the Ointment fink in ; then take a fine Linnen rowler, and rowl up the Leg gently; do thus once a day, and it will take away the greatest and most desperate ftrain that may be.

280

CHAP. XCVII.

Another certain approved Care for any Strain what sever.

Ake Boars greafe, Bolearmonick, black Sope and NerveOyle, of each a like quantity, boyl them well together, and then apply it hot to the grief, rubbing and chafing it in exceedingly, and allo heating it in very well, either with a hot breik-bar, a hot Firethovel, or a hot Bar of Iron. And thus do once a day till the pain depart.

-de but Mala daw ba

CHAP. XCVIII.

Of Enterfearing.

E Nierfeaing is either when a horfe through a natural firaitnels in row behind with his hinder feet, that he heweth the one against the other upon the infide of his Legs, even with the Pastorn joynt; and by means of this hewing there groweth hard mattery fcabs, which are fo fore, that they many times make the Horfe to halt much. The figns are the straitness of his going, and the apparentness of the fcabs. Now the Cure confisteth as much in prevention as in falve : For the prevention, which is, to keep a Horse from hewing one Leg upon another, it confisteth only in the Office of the Smith, and the making of

Lib. 2. Of Cures Chirurgical.

of his hinder thooes, whereby he may go wider, and not touch : Of which we thall the factor of paring and thooing of each feveral foot. For the falve, which is to cure the burt being once received, it is thus : You thall take of May butter (if you can get it) or elfe freth greate, ot freth butter, with a quantity of Rozen, and as much Nerve Oyl; then fry them all together in a pan, and then let it fland till it be cold, and put it in a pot, and put to it a little Cow dung; and then Plaifterwife apply this unto the fore, renewing it once a day, and it will not only heal this fore, but allo any prick by a nail whatfoever.

281

CHAP. XCIX.

Of the Shackle-gall, or Gall in the Pastorn, either by Shackle or Lock.

F a Horfe be galled in the Paftorn, on the Heel, or upon the Cornet, either with Shackle or lock, as it many times happens in the Champain Countries, where the Farmers ufe much to teather their Horfes; then for fuch a fore you thall take Honey and Verdigreafe, and boyl them together till the one half be confumed, and that it wok red; then after it is a little cooled, you thall anoint the fore place therewith twice a day, and then ftrow upon it a little chopt fox to keep on the falve. This is excellent for any gall whatfoever, and chiefly for the foratches.

CHAP. C.

Of burts in the Legs, which come by cafting in the Halter,

He hurts which a Horfe getteth by being caft in the halter, are many, and proceed from divers accidents, as when the reins of the Coller are 10 long and will not run to and fro, that the Horfe gets one or both his fore Legs or hind Legs over them, and then with firugling, woundeth and galleth them much; or elfe when a Horfe having a defire to foratch his ear with his hinder foot, rubbing it to and fro, in the end fasteneth his foot either in the coller, or the teins, and then the more he firiyeth to loofen it, the more he galleth O o

282

Lib. 2

and woundeth it, even fometimes to the very bone. Now for the cure, according to the opinion of the old Farriers, it is thus, Take of oyl olive one ounce, of Turpentine two or three ounces, melt them together over the fire, and then put thereunto a little wax, and working them all well together, lay it plaifter-wife unto the fore, renewing it once a day until it be whole. Now there be other Farriers which only anoint the fore with the whites of Eggs and Salleroyl mixed together; and then when the fore cometh to a fcab, anoint it with butter being molten until it look brown.

Now for mine own part, the cure which I principally use for this forrance, is, to take of wax, of Turpentine, and of Hogs greate, of each one ounce, and having mingled and molten them well together, put them into a pot; then take an ounce of Verdigrease beaten to powder, and an ounce of Hogs grease, and mix them very well toget ther, and put that into another pot; then when you drefs the fore take of the first falve two parts, and of the latter a third part, and mixing them well together in the palm of your hand, anoint all the fore place therewith, doing thus once a day till it be whole.

CHAP. CI.

Of the Scratches, Crepanches, or Rats-tayl.

He Scratches, Crepanches, or Rats tayls, being all but one lor rance, are long, fcabby, and dry chaps or rifts, growing right up and down, and overthwart on the hinder Legs, just from the Fetlock unto the end of the Curb; and as the Pains are under the Fetlock, fo the Scratches are above the Fetlock, and do proceed either from dry melancholy humours ingendred by outward filth, or the by fuming of the Horfes dung, lying either near or under him. The figns are both the apparent fight and the cafe feeling of the lame, befides the flareing dividing, and curling of the hair, as alfo that the forrance will flink much. The cure is, according to the opinion of the old Farriers, to take any of those former Medicines whatfoever, which are already recited, either for the Pains or Mules ; yet for your more particular underftanding, you shall know, these Medicines are most proper for this forrance. First, you shall save away the hair, and make the fore raw; then take of Turpentine half a pound

Lib. 2.

Pound, of Honey half a pint, of Hogs greafe half a quartern, and three yolks of Eggs, and of Bole-armony a quartern beaten into powder, of Bean flower half a pint ; mix all these well together, and make a falve thereof, and then with your finger anoint all the fore Places therewith, and let the Horfe come in no wet during the cure.

282

Other Farriers ule (and fure it is the better practice) first after they have thaved away the hair, and laid the fore raw, to wath it well with old Urine very warm, then take black Sope, Muftard, and Vinegar, of each a like quantity, and mix therewith fome of an Oxe Ball; then ftir them well together, and chafe and rub the place therewith, and bind thereto a cloath, fo use it once a day till it be Whole; then after anoint it with Neats-foot Oyl to fupple the news again. Others ule to take the finest hay, and burn it to Thes upon a fair board, then mix it with Nears-foot Oyl, and make a falve thereof; then all to rub the fores until they bleed, and then anoint them with the faid falve, and rope his Legs, and keep them from wet. Others use after they have washed the fore with old Stale, then to take a quantity of ftrong Muftard, Vinegar, gray-Sope, Barrows greafe and some Quick-filver ; mix them together , and therewith anoint the fore.

Other Farriers take a quantity of unflacked Lime, half so much black Sope, and to much of ftrong Vinegar as shall fuffice to make it like an Oynement; then the hair being cut away, and the fore Walhed with Urine, lay to this Oyntment, renewing it not the space of two dayes, and it will kill the forrance ; then wash the place once or twice with warm Wine ; then after heal it with Turpentine and Hogs greafe molten together; and in no wife let the Horfe come in any wer. Others use after they have washed the fore place with Utine, and clipt away the hair, and made the wound raw, to take Butter and Tar, of each alike, and boyling them together, anoint all the fore place therewith every day till it be whole.

Others take of Honey and Verdigreale of each alike, and boyl them together until half be confumed, and then anoint the fore therewith once a day until it be whole. Others of our latter Farriers ute either to fhave off the hair, or fcald it off with Orpiment and unflecked Lime boyled in ftrong lye; then wash it with warm Vinegar or whiteWinesthen when it is dry anoint it with thisOyntmento

Lib. 2.

CHAP.

ment. Take of Orpiment one ounce, of Verdigreafe three ounces, of Soot five ounces, a little unfleckt Lime, and of Honey one pound; mingle them all well together upon a fort fire, and being made like an oyntment, ufe it as aforefaid once a day to the fore; or elfe take Honey, Sope, Verdigreafe, unfleckt Lime and Vinegar, and boyl them with Allom, Galles, and Mail, till it come to a plaifter, and then apply it unto the fore; or elfe boyl Salet oyl, with a little fuet and fope, then skim it and take it from the fire; then add an ounce of Quick-filver refolved, two cunces of Verdigreafe, three ounces of unfleckt Lime, and one ounce of white Wax: when all thefe are well mixt together, and made into a Salve, then apply it once a day unto the fore, until it be whole.

Other Farriers use after they have thaved the place, to boy! Vine gar and the skin of Lard or Bacon together; and apply that to the fore three dayes together ; then take Lard, molten Litargy, Mar flick, Verdigreafe and Soot mingled together, with Goats milk, and lay it to, renewing it once a day until the fore be healed. The fore ping of a panns bottom mixt with the inner pils of Elder, are allo good for the fcratches ; or new mans dung applyed for five dayes Other and after anoint the fore with oyl and fope mixt together. take of unfleckt Lime, the powder of Glais, and of Verdigreafe, of each one an ounce; of Orpiment an ounce; of Oyl and of freh greale, of each four ounces; mix all thele well together, and apply it to the fore until it be whole : If you take black fnails and barr Other roots and beat them together, it will also help this forrance. Farriers take an ounce of Sope, two ounces of unfleckt Lime, and as much Lye, or ftrong Vinegar as will temper it, and fo drefs the fore until it be whole. Others take Fenugreek and beat it, three oranges cut in pieces, half a pound of Sheeps fuer, new Sheeps dung; boyl all these in the grounds of good Ale, and then bathe the Horse there with ashot as may be: then rope him up with hay ropes, and foler him fland three dayes, then bathe him fo again.

Cherstake Hogs greafe, Sope, Brimftone, Soot, and Honey, boyl them and lay them to cool, you may alfo add Verdigreafe; but before you lay on this oyntment, forape the fcabs off, and make them bleed, and rub them with Sope, Muftard, and Vinegar mixt togen ther.

the Darks in which and with a safety as the metry metry and the safety as

Lib. 2.

Of Cures Chirurgical.

CHAP. CII.

A most certain and approved cure for the Scratches:

A Fter you have cut away the hair, rub off the scabs, and wash the fores with old Urine, Allom and Salt mixt together, and applyed as hot as the Horle can fuffer it ; Then take the tops and tender buds of Elder, and the green brier Berries, and boyl them In a potle of new wort, and put thereto good ftore of Allom, and With this hot, walh the Horles Leg once, twice, or thirce a day, and It is a certain cure. port of out, and theight, frem treas and the

CHAP. CIII.

Of the Ring bone.

THe Ring bone is a forrance, which appeareth above upon the Cronet of the hoof, being a certain hard griffle growing fometimes round about the fame. It proceedeth as fome Farriers hold. opinion, either from fome blow of another Horfe, or by firiking the Horses foot against lome stab or stone, or fuch like accident : But furely I hold that it also proceedeth from fome imperfection in nature, for as much as I have icen many foals foaled with Ringboneson their feet : These Ring bones do breed a viscous and flimy humour, which reforting to the bones that are of their own nature cold and dry, waxeth hard, and cleaveth to fome bone, and fo in processof time becommeth a bone. The figns of the forrance are, the ap-Parent fight of the forrance, being higher than any part of the croner, the flaring of the hair, and halting of the Horfe.

Thecure, according to ancient Farriers, is, first to scarifie the skin above the Ring bone with a Lancet ; then take a great Onyon and pick out the core ; then put into it Verdigreafe and unfleckt Lime; then cover the hole, and roaft the Onyon foft, then bruife it in a morter, and so very hot lay it to the ring bone : do thus four dayes together, and it will cure it. Others of the old Farriers ufe first to wash the forrance with warm water, and shave away the hair : then fearific it lightly with the point of a Razor, fo as the blood may iffue-

forth :

285

sure later better raus

Sale, of each all com

Lib. 2.

forth : then drefs it with Cantharides and Euforbium, in fuch fort as hath been taught for the Iplent, using him, and curing him after the fame manner ; but when the hair beginneth to grow again, then draw the fore place with a hot drawing Iron in ftraight lines, from the Paftorn down to the coffin of the hoof, in this manner : and let the edge of the drawing Iron be as thick as the back of a mear knife, and burn him no deeper than that the skin may look yellow : that done, cover the burning with Pitch and Rozen molten together, and clap thereon flox of the Horfes own colour, and about three dayes after, lay again fome of the last mentioned Plaister, and alfo new flox u" pon the old, and there let them remain till they fall away of themfelves. Others use to shave off the hair, and to scarifie the fore with a Lancet till it bleed : then ftrew upon it the powder of Tarter, and Salt, of each alike mixt together, and bind it ftraight: then after anoint it with fresh greale, or elle soften the Ring bone with the skin of old Bacon, the fat being scraped off, that you may see through the skin, and laid to after it is thaven and made bleed, after launce its and let out the Ring bone. Others use to launce the skin with a Razer, then opening the skin with a Croner, prick the Ring bone Laftly, ftrew upon it the powder of Vitriol, and bind it on fo asit may not ftir for nine dayes; then thrust out the matter which is diffolved. Laftly, walh it with Salt, with Urine and Vinegar mixt together. Other Farriers do use after they have thaved it, to lay unto it a plaifter made of Bran and Honey, with the young leaves of Worm-wood, Pellitory, and Brank-urfine mingled with Swines greafe, and beaten together, and boyled, and uled as hot as the horle can fuffer it. This medicine will not only cure the Ring bone, but any other fwelling whatfoever. Alfo a plaifter of the leaves of Smallage being beaten to pieces, is not only good for this forrance. but for any wind-gall alfo. To wath a Ring bone continually with ftrong Vinegar will abate it : or elle to thave away the hair, and take half a Lemmon, and sprinkle Arsnick thereon, and lay it to the Ring bone, and it will eat it away; if twice or thrice a day you bind a hard Egg burning hot unto the Ring bone, it will take it a way. Lastly, if you take Euforbium, and mingle it with oyl of Juniper, Salt and Pepper, and to apply it to the Ring bone, it will in a very those space confume the Ring bone quite so

Lib. 2.

Of Cures Chirurgical.

way ; alwayes provided that you keep the Horfe from any wer during his cure.

CHAP. CIV.

Of burts on the Gronet, by croffing one foot upon another.

F your Horle by croffing one foot upon another, chance to wound I or hurt the Cronet of his hoof, you shall then, according to the opinion of the old Farriers, first walh it well with white Wine, or With warm Urine, and then lay unto it the white of an Egg mixt With Chimney foot and falt ; and that if it be renewed once a day, Will in two or three dayes dry up the fore. Other Farriers ule firft to pare or cut away the hoof, that it touch not the hurt, and keep it clean from filth by walhing it with Urine : then feeth two Eggs hard, and take off the fhells, then prefs them with your hand long, and first roast one hot, and tye it to hard; when that is cold, use the other : after make a plaister of soot, Salt and Oyl boyled together, and lay it to the fore, renewing it once a day until it be whole. CHAP. CV. and the state of the

A most certain and approved cure for any burt upon the Cronet what foever.

T Ake of Sope and Salt of each a like quantity, and mix them to-gether like a pafte, then having cut out the over-reach or hurr, and laid it plain, first wash it with Urine and Salt, or Beer and falt, and with a cloath dry it, then bind on the mixt Sope and Salt, not tenewing it in 24. hours, and thus do (if the wound be great) for 3. or 4. dayes together: Then having drawn out all the venom (as this Salve will quickly do) then take a spoonful or two of Train oyl, and as much Cerufe, which we call white Lead, and mix it rogether to a thick Salve : then fpread that upon the fore morning and evening till it be whole, which will be effected fuddainly : for nothing doth dry up fooner, nor is more kindly and natural for the breeding of a new hoof.

Lib. 2.

CHAP. CVL

288

T-b

14

Of the Crownfcab.

The Crown feab is a flinking and filely feab, breeding round about the corners of the hoof, and is a cankerous and painful forrance, it cometh oft times by means that the Horfe hath been bred in a fenny mariful ground, where the cold firiking corrupt humours up to his feet, ingendreth this forrance, which is ever more painful in the Winter than in the Summer. The figns are, the hairs of the Cronet will be very thin and flaring like briffles, and the Cronets will be alwayes mattering and run on water. Now the cure, according to the opinion of many Farriers, is, to take the skin of Bacon, and lay thereon foot and falt beaten together, mingled with greafe or fuet, wax, and Pitch molten together, and if the flefh chance to grow proud, eat it away either with Verdigreafe beaten to powder, or with the fcrapings of a Harts horn, or an Ox horn made into fine powder.

Other Farriers use to take of Sope, and of Hogs grease, of each half a pound, of Bole-armony a little, of Turpentine a quartern; mix them well together, and make a plaister, and bind it fast on, renewing it every day once until it leave running; and then wash it with strong Vinegar being luke-warm, every day once until the fore be clean dryed up, and let the Horse come in no wet until the forrance be whole. Others use only to bathe it continually with old stale fod with Salt, and that will dry up the humour and heal it.

CHAP. CVII.

Of the Quitter-bone!

The Quitter-bone is a hard round fwelling upon the Cronet of the hoof, betwixt the heel and the quarter, and groweth most commonly on the infide of the foot: It breedeth most commonly by means of Gravel gathered underneath the fhooe, which fretteth inward, and forceth an Ulcer to break upward: or elfe it comp

commeth by the cloying or pricking of fomenail driven by an ignotant Smith, the anguilh whereof loofeneth the Griffle, and fo breedeth evil humours, whereof the Quitter-bone fpringeth : the figns are, the Horfe will halt much, and the fwelling is apparent to the eye, which in four or five dayes commeth to a head, and will break out with matter at a little deep hole like a Fiftula ; and furely then this Quitter-bone, there is no outward Sorrance whatfoever more dangerous to a Horfe. The cure thereof, according to the opinion of the ancient Farriers, is, first to cut the hoof to the quick, then feeth a Snake or an Adder till the flefh part from the bone, and be molten as an unguent ; then anoint the fore place therewith very warm even to the bottom, and during the cure, keep the foot clean from any filth ; for this both drieth and killeth the Quitter-bone. Other of the old Farriers, first burn about the Quitter-bone with a hot Iron in manner of a half Circle, and then with the fame Iron draw.

draw another right through the lort: then take of Arinick the beaten into fine powder, and thrufting it down to the and ftop the mouth of the hole bin ftop the mouth of the hole

Lib. 2.

midft thereof in this quantity of a Bean put it into the Hole, bottom with a quil, with a little tow, and

289

bind it fo fast with a cloath and a rowler, that the Horse may not come at it with his mouth, and fo let it reft for that day; and the hext day, if you fee that the fore looketh black within, then it is a ign that the Arfnick did work well; then to allay the burning of tent the hole with flax dipt in Hogs greafe, and Turpentine molten together, and cover the tent with a Plaister of Pitch, Rozen, Wax and Turpentine molten together, but there must be as much Turpentine as of all the reft : and thus you must continue to do until you have gotten out the core, which the Arfnick did eat ; then You thall fee whether the loofe griftle in the bottom be uncovered or not : and if it be not uncovered, then feel with your finger, or With a quil whether you be nigh it or not; and if you be, then raile the griftle with a little crooked inftrument, and pullit clean out with a pair of fmall nippers, or mullets made for the purpole : that done, thruft it again with a full tent, dipt in the aforefaid oyntment, to allwage the anguish of the last dreffing, and stop it hard to the intent that the hole may not thrink together or close up : and the next day take out the tent, and tent it anew with Honey and Verdigreafe boyled Pp

Lib. 2.

boyled together till they look red, renewing it every day once until it be whole, keeping alwayes the mouth of the fore as open as you may, to the intent that it heal not up too fast, and let not the Horie come in any wet, nor travel until he be perfectly whole. Other Farriers use to cut the hoof open to the quick ; then take Galba num, Sagapenum, pitch of Grecce, Olibanum, Mastick, Oyl and white Wax, of each one ounce, with half a pound of Sheeps fuer melt them upon a foft fire, and incorporate them well together, and Others use after therewith drefs the fore place until it be whole. the fore is opened, to put in falt of Tartar, and when it hath eaten away the Quitter bone, to heal it up with Honey and Verdigreat boyled as aforelaid. Others take of Goats dung two ounces, of Sheeps tallow three ounces, and as much ftrong Vinegar as will fur fice to boyl them well in, and then therewith to dreis the Quitter bone until it be clean whole.

CHAP. CVIII.

Of gravelling a Horfe.

Ravelling is a certain fretting of gravel, fand, or durt, under the foot, betwist the fole and the fhooe, fometimes on the infide, fometimes on the out-fide of the foot, and fometimes on both fides of the heel. It commeth as I faid, by means of little gravel flones getting between the hoof, or calking or fponge of the thooe, which by continual labour and travel of the Horfe, doth eat through the hoof into the quick of the foot; and the rather, if the Horfes heels be foft and weak, or that the fhooe do lye flat to his foot, fo as the gravel being gotten in it, cannot get out again.

The figns whereof are these, the Horfe will halt much, and cover to go most on his toe to favour his heel, and the foster the way is, the more is the Horse case. Now for the cure, according to the old Farriers, it is thus; fust pare the hoof till you may see the fore, then take an ounce of Virgin wax, and a quarter of an ounce of Rozen, and a quarter of Deers snet, and half an ounce of Boars grease, and beat them all well together in a morter, and then melt them together on the fire; that done, dip good store of flax therein, and so itop up the fore close and hard, and then you may travel the Horse whither

Of Cures Chirurgical. Lib. 2.

whither you pleafe; and do thus once a day until the foor be found. Other of the old Farriers use first to pare the hoof, and to get out the Gravel with a drawing knife, leaving none behind ; then ftop the fore place with Turpentine and Hogs greafe molten together, and laid on with a little tow or flax, and then clap on the those, to keep in the ftopping, renewing it every day once until it be whole, and fuffer the Horfe to come in no wet until it be healed. Now you must understand, that if a gravelling be not well stopt to keep down the fleih, it will rife higher than the hoof, and fo put the Farrier to much more pain, both in bolftring it, and abating that ill grown fubftance.

Others use only to pare the foot, and pick out all the gravel clean, then wash it well with Beer and Salt ; then melt into it Tallow, Rozen, and Pitch : then covering it hard and close with flax, fet on the shooe again, and do thus once a day. Others use after they have cleansed the sore, to lay hurds into it, being dipt in the whites of Eggs, then after heal it with Salt beaten imall and mixt with ftrong Vinegar, or elfe with the powder of Galles, Salt, and Tartar mixt together, which allo is good for any cloying or pricking.

CHAP. CIX.

Of furbating.

OUrbating is a continual beating of the hoof against the ground, and it commeth fometimes by means of evil thooing, lying too flat to his foot, or by going long bare-foot; and fometimes by the hardnels of the ground, and the high lifting of the Horfes feet, either in his trot or in his amble ; and the Horles which are most subject to this forrance, are those which have either great round feet, or fuch as are flat footed, the Coffins whereof are weak and tender, and alfo those which have weak heels. The figns of the grief are, the Horse will halt much, and go creeping and fliff, as if he were half foundred.

The cure, according to the opinion of the old Farriers, is, to roaft a couple of Eggs exceeding hard, and then in the very violence of their heat, to burft them in the Horfes feet, and then pour hor boyling Saller oyl allo amongst them, and so ftop the shooe up close with 2 292

13

Lib. 2.

a piece of leather, and two crofs (plents of wood, and do thus thrice in one fortnight, and it will help him.

Other of the ancient Farriers take off the Horfes shooes, and pare him as little as may be; and if the shooes be not easie, that is to fay, long, large, and hollow enough, then make them so, and tack them on again with four or five uails: that done, shop his feet with Hogs greafe and bran boyled together so hot as may be, and also cover all the cossin round about with the same, binding all in together with a cloath, and a list fastned about the joynt, renewing it every day once until it be sound; and give the Horse during the cure, warm water to drink, and let him stand dry, and not have much travail.

Now if your Horfe furbait in your travel, if every night you ftop his feet well with Cows dung, or with Cows dung and Vine gar, it will make him endure out his journey; or Cows dung and new laid Eggs beaten together.

CHAP. CX.

Of the prickle in the fole of the Foot, either by treading on a nail, any other (harp thinges.

IF a Horfe in his travel chance to tread either on a ftub, nail, thorn, or any other tharp thing whatfoever, by means whereof he is prickt in the fole of the foot, the Rider thall perceive the fame by the fuddain faultring of the Horfe, who will inftantly fland ftill and lift up his foot, as defiring help : And if it chance at any other time, then the halting of the Horfe, and the diligent fearching of a careful Farrier mult find out the mifchief.

Now the Cure, according to the opinion of the ancient Farriers, is, first to pull off the shoet, and pare the foot, and with a drawing knife uncover the hole, making the mouth so broad as a two pences then tack on the shoet again; that done, dost it by pouring into the hole Turpentine and Hogs grease molten together, and lay some flax or tow upon it; and then shoe all the Horse foot with Cowsdung, and so covering it with a piece of leather, splint it with two cross sticks, so as the stopping may abide in, renewing it every day once uncil it be whole, and let the horse tread in no wet.

Lib. 2.

Now you must be very careful in the curing of this forrance ; For if it be not healed from the bottom, befides, that it is danger ous to the life of the horfe, it is also a great hazard that the fore will break out at the top of the hoof, and so loosen the hoof round about, and perhaps make it to fa'l clean away; but if you see that it begin to break out above, then make a greater issue beneath, by opening the hole wider, and taking more of the fole away, that the flesh may have the more liberty: then take of Bole-armony half a quartern, and of Bean-flower as much, and two Eggs: beat them, and mingle them well together, and make a plaifter thereof upon tow, and lay " round about the Croner, bind it fast on, and so let it remain the pace of two dayes, and then renew it again, not failing fo to do e-Very two dayes until you fee it wax hard and firm above : for this Plaister being reftrictive, will force the humours to refort alwayes downward ; which humours must be drawn our with Turpentine and Hogs greafe as before, until it leave mattering, and then dry it up with burnt Allom beaten into powder, and strewed upon the lore, with a little flax laid again upon that, continuing fo to do every day once until it be hardned ; and let not the Horfe come in any wet until it be whole.

Other Farriers use to tent the fore with Tallow, Tar, and Tur-Pentine being molten together, and anoint all the coffin and cronet of the hoof with Bole-armony and Vinegar beaten together, till the fore be whole, effectially if the thing which did prick the Horse was Venemous or rufty.

CHAP. CXI.

To draw out either Stub, Thorn, or Iron, either out of the foot, or any other part of the body.

Feither the Stub, the Thorn, the Iron, or any thing whatfoever, wherewith your Horfe is wounded, be gotten fo deep into the Acfh, that you cannot get hold upon it to pull it out; then according to the opinion of the old Farriers, (if you find that albeit it be too deep, yet it is not much too deep) you thall take a good quantity of black Sope, and lay it to the fore for a whole night, and it will make it to appear, fo as you may pull it out with a pair of nippers a

buc.

294

but if it lye very deep, then you may open the place with a Lancet, and thrufting in your mu'lets or nippers, pull it out by ftrength, and afterwards heal up the wound as was before taught in the laft Chapter.

Other Farriers fay, that the roots of Reeds being ftampt and mist with Honey, will draw out any ftub or nail: fo will also black fnails, being ftampt and wrought with fresh Butter. Now if the place be much fwoln, then it is good to mollifie it with a plaifter made of Worm-wood, Parietory, Bears foot, Hogs greafe, and honey well boyled and mixt together, which will affwage any new fwelling that commeth by ftripe, or otherwife. Now when you have gotten out that which you fought for, then you fhall pour into the wound fealding oyl of Olive; when that is cold, pour into it as hot Turpentine; when that is cold, ftrew on the powder of Sulphur, and then bolfter his foot or the fore with hurds, and keep it from all wet and filthinefs.

CHAP. CXII.

Of the Fig.

T a Horfe having received any hurt, as is before faid, either by ftub, great nail, thorn, bone, fplent or ftone, either in the foles or any other part of the foot, and be not well dreffed, and perfectly cured, there will grow in that place a certain fuperfluous piece of flefh like unto a fig, full of little white grains, as you fee are in a fig. The cure whereof, according to the opinion of the ancient Farriers, is, fift with a hot Iron to cut the fig clean away, and keep the flefh down with Turpentine, Hogs greafe, and a little Wax molten together, and laid on with a little tow, ftopping the hole hard that the flefh rife not, renewing it once a day until the fore be whole.

Now other of our latter Farriers use after they have, as before is faid, cut away the fig, then to take the crops of young Nettles, and chopping them very small, lay them upon a cloath just as big as a Fig; then take the powder of Verdigrease, and firew it thin upon the chopt Nettles, and so binde it to the fore, renewing it once a day until the hoof have covered the fore, and this is a most certain cure.

Lib. 2.

Lib. 2.

Of Cures Chirurgical.

CHAP. CXIII.

Of a Retrait.

Retrait is, when a Horfe by the ill government of the Smith. is pricked in the foot with fome ill driven nail, yet in fuch lore, that it is immediately espied, and the nail drawn back again ; and although it proceedeth ofteft from the negligence of the Smith, yet it may also come by reason of the weakness of the nail, and the hollownels of the thank : for when the nail is a little too weak, the Point many times bendeth awry into the quick, when it thould go light forth; and when it is hollow, it thivereth in the driving into two parts, whereof one part razeth the quick in pulling out, or elfe Perhaps breaketh alunder, and fo remaineth ftill behind. And this kind of pricking is the worft of all other, becaufe it will rankle Worft, in as much as the flaw cankereth, and remaineth ftill in the foot. The figns hereof are; Fift, the apparent thrinking and Itrugling of the Horle, lo foon as the quick is touched; and next his much halting : Laftly, you shall fearch his foot with a Hammer, by nocking on the clench of every nail: for when you knock upon that nail where the grief is, the horfe will fhrink up hisfoot ; and if that will not ferve, then grope the hoof with a pare of pinfonsround about until you have found the place grieved. Now the cure, acording to the opinion of the antient Farriers, is, first to pull off the thooe, and then open the place grieved, either with a Butteris, or with a drawing Knife, fo that you may perceive either by feeling or. leeing, whether there be any piece of nail or not 3 if there be, then Pull it clean out : After take of Nettles half a handful, and bruife them in a Mortar, and put thereto a spoonful of red Vinegar, and a Poonful of black Sope, and two ounces of Boars greale, or the fat of falt Bacon, and Bray all these well together, and stop well the hole of the fore with this, and then tack on the fhooe again, and you may lafely adventure to travel him. Other Farriersule, after they have Pened the fore, to ftop the hole with Turpentine, Wax, and Sheeps Suet molten together, and fo poured hot into the hole; and then lay a little Tow upon it, and clap on the shooe again, renewing it thus once every day until it be whole ; during which time, the Horle

Of Cures Chirurgical. Lib. 2.

Horse must not come in any wet, and it must be stopped in this fort, though it be but a prick, without any piece of nayl remaining ; and if for lack of looking to in time, this Retrait causes the horse to break out, then you shall cure it either with a restrictive Plaister of Bole-armony, Bean-flower and Eggs, mentioned in the 78 Chapter, or else with chopped Nettles and Verdigrease spoken of in the last Chapter.

296

Now there be many Farriers, which not only for this Retrait, but for any prick in the Horfes foot, use after they have laid open the wound, to take of Turpentine one ounce, of Tar one ounce, of pitch one ounce, of Beef suet one ounce, and one head of Garlick, boyl them all together, and lay them to it so hot as may be suffered: and if it chance to break out above the hoof, then apply also the same Medicine unto it, and it will cure it.

CHAP. CXIV.

Of Cloying.

A Horfe is faid to be cloyed with a Nayl, or pricked with a nayl, when the whole Nayl is stricken into the quick of the foot, and fo remaineth still in the fame, and is clinched asother Nayls be by means whereof the horse halteth extremely. Now this grief 15 known by fearching the grieved place with a hammer or Pinfons, 25 is before faid. Now for the cure, according to the opinion of the old Farriers, it is thus ; If the horse halt immediately, then pull of his shooe, and open the hole until it begin to bleed, and then stop the hole with Turpentine, Wax, and Sheeps fuet molten together and poured in very hor, renewing it once a day until it be whole, and let the Horfe tread in no wer, and let his shooe be tacked on again as foon as he is dreft. Others use only to pour into the hole hot scalding Butter, and that will heal it, or elfe to burn the hole with another Nayl, and that will heal it. Other Farriers ule, after they have opened well the fore, to take half a pound of Frankincenie, a pound of Rozen, a pound of Pitch of Greece, half a pound of black Pitch, a pound of new wax, a pound of Goats greafe, half a pound of Varnish, half a pound of Turpentine, two ounces of Oyl Olive, and melt them all together, and lay this to the hoof Plaifter-wile, and

Lib. 2.

and it will not only heal any prick whatfoever, but alfo any cracks, chinks or clifts in the hoof howfoever they breed; provided that you let the horfe tread in no wet during the cure: But if the fore chance to break out on the top of the hoof, then you fhall take two or three yolks of Eggs, whites and all beaten together, and add thereunto an ounce of Bole-armony, and as much Bean or Wheatflower as will thicken the fame; then make a Plaifter thereof two fingers broad, and as long as will go round about on the top of the Horfes hoof, bind it faft on with a rowler, and renew it once a day until it be whole.

Other Farriers use, after they have fearched and laid open the wound, to put into it hurds dipped in the white of an Egg, then hop the hole with Salt beaten very small, mingled with Vervine and frong Vinegar, and cover it with flax dipped in flrong Vinegar; or elfe holding up the Horses foot, pour into the wound hot fealding Oyl Olive; and when that is cold pour in hot Turpentine, and that being cold flrew upon it the powder of Sulphur, then lay on the bolfter of flox, then shoe him, and keep him from treading in any wet.

Others use to take Tallow, the powder of Sulphur, Mallows, and Very firong Vinegar; boyl them together until they be thick like an Oyntment; then lay the fame to the fore as hot as the Horse Can indure it, renewing it once in twelve hours till it be whole.

Others use to take of Honey and Vinegar, of each a like quantity, a little Oyl, and suet of a hee-Goat, boyl them with a soft fire, and Bir it : when it waxeth red, add Verdigrease and Vitriol, of each alike made into powder, still ftirring it till it be thick and red; then flop the fore every day therewith until it be whole, after you have washed it well with Salt and Vinegar. Others take Pepper, Garlick and Cabbage leaves beaten with Swines grease, and lay that to the fore : or elfe take Tallow and Horse-dung, and mixing them well together, stop the fore therewith, and in short space is will cure it.

Other Farriers ule to take off the shooe, and having opened the fore, to wath it with Wine: then lay upon it the inner rine of elder, and through that melt in grease with a hot Iron: then tack on the shooe again, and do thus divers dayes together, and it is a certain cure. Q q CHAP.

Lib. 2.

CHAP. CXV.

General Observations for the Feet and Hoofs of a Horse:

F Oralmuch as the Feet and Hoofs of a Horfe are the only Inftruments of labour, and that, a finall grief in that part deprives a man of the benefit and ule of the reft; I think it not amils before I speak of the particular difeases of the Hoofs, to shew you fome general notes and observations which you shall observe for the benefit of the feet. Know then, that first it is meet, that you let your thooes before be rather short than too long, with strong Spunges, but no cawkins, and your nails, to have special good heads.

Let your shooes behind have no cawkin on the out-fide; but if he enter-fear, let the cawkin be on the infide, to make him cast our ward, and let the infide of that fide inward have a welt an inch deep, or be twice as thick as the out-fide: but if all this help not his enter-fearing, then bring him unto an Amble; but if he will not amble, burn him with a hot Iron between the Legs, that the sort ness thereof may make him go wide behind, which is an ordinary practice among the Italians and Frenchmen.

Let your thooes be made of Iron that will not break, of which our English is the best, the Spanish next, and the Dansk worst. Let them also be light, yet so, as they may be able to bear the burchen of the Horse, being broader at the toes, than at the cawkins or spunges.

Let your cawkins be fhort, and blunt at the points, and your fpunges long and thick.

Let your shooe be ful as strait as the horn of the hoof, so far as the Na Is go, and from the two heel Nails backward, Let the shoee be broader than the hoof, that the shooe may be without the horn.

Give unto every fhooe nine nails, on each fide four, and one in the middeft, and let the fhanks of the nails be very flat and thin, that if the hoof be naught, they may yet keep the fhooe firm with little hold; and the neerer that your nails are driven backward towards the heel, (foit be without danger) the faster the fhooe will fir, and the harder to be pull'd away.

Lib. 2. Of Cures Chirurgical.

Let your cawkins fit a straws breadth behind the corner of the coffin, and let your nail head enter into the shooe, especially on the outside, and by all means hollow your shooe so little as possible you can.

Pare very little or nothing at all from the heel of a horfe : yet open his heels as fufficiently as may be, becaufe ever the heel must be thick, and the toe thin.

In fair wayes pare the fole thin, but in Froft, or ftony wayes, pare

To conclude, when the hoof is higher on the out-fide than on the infide, it will make a horfe enter-fear, and when it is higher on the infide, it will make a Horfe ftraddle, fo that a fair fmooth table is of all most convenient. After travel, ever ftop the infide of the hoof with Cows dung, and rub the out-fide and the Cronet with the iward of fat Bacon : for that will keep a tongh, fmooth, and a found hoof. As your nails have ftrong heads, fo let them have thin thanks, for that will beft prevent hurting, and keep the fhooe close unto the hoof.

CHAP. CXVI.

Of loofening the Hoof, and how to make the Hoofs grow,

Hoof is faid to be loofened when there is a diffolution or parting of the horn or Coffin of the hoof from the fleih, at the letting on of the Cronet. Now if this diffolution or parting be tound about the Croner, then it proceedeth by meanes of fome foundring; but if it be but in part, then it proceedeth from forme anguilh, caufed either by the pricking of fome channel nail, or other hall piercing the fole, or quarters of the foot, or by lome Quitterbone, retrait, gravelling, or cloying, or fuch like accident. The figns of the difeafe be thefe: When it is loofened by foundring, then it will break first, and the diffolution will appear on the fore-Part of the Cronet, right against the toe, because the humour doth cover alwayes to defcend towards the toe; but if it proceed from Pricking, gravelling, or fuch like, than the hoof will loofen round about equally, even at the first; but when it proceeds from fome Quitter-bone, or hurt upon the cronet, then the Hoof will break right Qq2

Lib. 2.

right about the place that is offended, and most commonly will go no further.

Now the cure, according to the opinion of the ancient Farriers, is of what caule foever the loofening proceed, firft, to be fure to open the hoof in the fole of the foot, fo as the humour may have free palfage downward; and then to bind about the top of it, the reftrictive plaifter fpoken of in the feventy eighth Chapter, and in the 117. Chapter, and in fuch fort as is there written, and then heal it up with Turpentine and Hogs greafe molten together. Others of the ancient Farriers take three fpoonful of Tar, and a quarter of a pound of Rozen, and half a handful of Tanfie, and half a handful of Rute, and half a bandful of red Mints, and half an handful of Southern wood, and bray all thefe together in a morter : then add half a pound of Butter, and a penny-worth of Virgins wax; then melt them all together over the fire, until it come to a thick plaifter of falve : then fpread fome of it upon a cloath, and lay it to the fort renewing it once a day for feven dayes, and it will heal it.

Others use to take the brains of a Swine, or a Pig, and to ftop his hoof very well therewith three dayestogether, renewing it twice of thrice a day, and it will grow faft, and endure as well, or rather ber ter than ever it did. Other Farriers use to cut out the fole below? Letting it bleed well; after ftop it with hurds dipt in the whites of tye this to for twenty four hours, then walh it with flrong Eggs: Vinegar warm, after fill it with Tarter and Salt, of each a like quant tity, let that remain in two dayes; then anoint it with the oyn ment made of Olibanum, Maftick, pitch of Greece, of each alike, and a little Sangnis Draconis, and of new Wax and Sheeps fuer as much as of the first, and melt and boyl them very well together, and let this oyntment be applyed once a day till the fore be whole. But it you perceive that any new hoof come, then cut away the old, left the hardnels, of the one hinder the tendernels of the other; and then anoint the new hoof with fuer, oyl, and wax, of each alike boyled together, to make it grow; or elle with pitch of Greece, Maftick, Olibanum, Sanguis Draconis, and Galbanum, of each alike, being molten with fuet: for this will make the new Hoof to grow alfo.

So will also new Wax, Honey, Oyl, Swines greafe, and Sheeps fuer, being boyled together, and when it is cold, add Mastick, Sanguis

Lib. 2.

Of Cures Chirnr gical.

Sanguis Draconis, and Frankincense, and incorporate them altogether, for nothing sooner than this will make either new or old hoofs grow. Others use to take Shel-Snails, and stamp them, and lay them twice a day to the fore : and it will either fasten the old hoof, or quickly bring forth a new. Now there be other Farriers, which first fill the fore with Turpentine, and after it hath lain twenty four hours, then wash the fore with Urine and Copperas water, then fill it either with Verdigrease, or with Sheeps tallow, pitch and Rozen boyled together; in which, having dipt hurds, lay it to the fore very hot twice a day till it be whole.

CHAP. CXVII.

Of casting the Hoof.

THe cafting of the hoof, is, when the whole coffin thereof falleth , clean away from the foot; which cometh of all the former . caufes rehearfed in the laft Chapter, and is lo apparent to the eye, that it needeth none other figns. Now for the cure, it is thus ; take of Turpentine one pound, of Tar half a pint, of unwrought Wax . half a pound, of Sheeps fuer half a pound, and of Saler oyl half a pint ; boyl all these things togethe , and ftir them continually until they be throughy mixt together ; then make a boot of Leather, with a ftrong fole fit for the horfes foot, to be laced fast about the paftorn : then dreis his foot with the Salve afore-faid laid upon flax or tow, and bolfter and ftop his foot with foft flax, fo as the boot may grieve him no manner of wayes, renewing it every day once until the new hoof come : then as the hoof beginneth to harden, If it grow either thick, crumpled, or out of order, with a fine Rape, file keep it smooth, and plain, until the hoof be perfect, and then Put him to grais, that there it may take a kindly hardning and toughnefs.

CHAP.

CHAP. CXVIII.

Lib. 2.

Of the Hoof-bound.

THe Hoof-bound is nothing elle but a fhrinking in of the whole hoof in the upper part thereof, and at the heels, making the skin to flare above the hoof, and to grow over the fame. It proceedeth from keeping the Horfes hoofs too dry in the ftable, or from Araight Thooing, or from fome unnatural heat after foundring; and the figns of the difeafe are, that the Horfe will halt much, and his hoofs will be hot; and if you knock upon them with an Hammer, they will found hollow like an empty botle ; and if both his feet be not hoof bound, then the fore foot will ever be the leffer : and you shall also understand, that this disease of some Farriers is called a dry foundring. Now for the cure thereof, according to the opinion of the ancient Farriers, it is thus: Take a pound of the fward of Bacon, and a quarter of a pound of white Sope, and a handful of Bahn, and a handful of Bay leaves, and four or five branches of Rue, and flamp them well together ; and then fry them, and lay them about the cronet of the hoof very hot, fuffering it fo to abide the space of five or fix dayes, and then renew it, but in no cale let him tread in any wet place, and this will help him.

Others of the ancient Farriers ule, fuff to pull off his fhooes, and to fhooe him with half moon fhooes, called Lunets, or Lunet, the fhape whereof you fhall fee in another place; then rafe both the quarters of the hoof with a drawing knife, from the cronet unto the fole of the foot, fo deep that you may fee the dew come forth: and if you make two Rafes on each fide, it fhall be fo much the better, and inlarge the hoof the more; that done, anoint all the hoof above, next unto the cronet, round about, with the oyntment deleribed before in the laft Chapter of caffing the hoof, continuing fo to do every day once until he begin to amend; and let him beridden upon fome foft ground an hour or two every day once for the fpace of a moneth; and if he go not well at the moneths end, then take off the halt fhooes, and pare all the foles, fruthes and all fo thin, that you may fee the dew come forth, and tack on a whole fhooe, and

303

Lib. 2.

and stop all the foot within with Hogs greate and bran molten tosether, and laid very hot to the foot, renewing it every day once the space of nine dayes, to the intent the sole may rife; but if this will do no good, then take away the fole clean, and clap on a whole thooe, anh ftop the foot with Nettles and Salt brayed together ; yet Hop it not too hard, to the intent the fole may have liberty to rife, and let this be renewed every day once till the fole be grown again ; and let him be shod with Lunets, and fo fent to grafs. Other Farriers ule only to raze the hoof from the Cronet to the verge of the hoof in four or five places, and rub it twice or thrice a day with Salt, and that will open the hoof. Others use only to open the horse exceeding much at the heels once a week, and to those him with very wide open shooes, and then for a month or two to draw him in lome Cart, that, being forced to fet his foot hard to the ground, he may thereby firetch forth and widen his hoof. Now to prevent this Sorrance, it is good to anoint his hoofs with Neats-foor Oyl, or Turpentine, and to flop them underneath with Cowsdung.

CHAP. CXIX.

Of the running, or rotten Frush.

THe Frush, which of some is called the Frog of the foot, is the tendereft part of the hoof toward the heel, and is falhioned like a forked Arrow head, being only that part of the foot which Farriers cut forth, when they fay they cut forth the fole of the horfes toot. Now in this Frush breedeth many times a rottennels or corruption proceeding of humours, which come out of the Legs, by which the Leg is kept clean from Wind-galls, and all other tumours or fwellings, by means that the humours have passage that way : notwithstanding the mischief of this Sorrance is greater than the benefit, because it maketh the Horses foot so weak and tender, that he is not able to tread upon any hard ground. The figns of the Sorrance are, the Horfe will halt much when he travelleth either u-Pon loofe ftony ground, or upon ftiff dirty wayes, and goeth ever best upon green swarth ; but above all, he halteth most when the Paffage of the humour is ftopped with any gravel gathered into the Frufh.

Of Cures Chirurgical. Lib. 2.

Frush, and not being stayed or stopped, it will continually run, and stink so extremely, that a man can hardly endure the scent of it; besides in some places it will look raw.

204

Now the Cure, according to the opinion of the antient Farriers, is thus; First, take off the shooe, and pare away all the corrupt places, and make them raw, fo as you may fee the Water iffue out of the raw places ; then tack on the shooe again, being first made wide and large enough; that done, take of Soot one handful, of Salt as much ; bruife them well together in a difh, and put thereto the Whites of three Eggs, and temper them all together; and with a little Tow dipped therein ftop all the foot, and especially the Frush, and splent it in so as it may not fall out, renewing it once a day the space of seven dayes, and certainly it will cure him. Now during the cure, the Horle must reft, and come in no wet : and at the leven dayes end leave ftopping him, and ride him abroad, and alwayes when he cometh in, let his fore foot be clean walhed : for there is no greater enemy unto the Sorrance than gravel and dirt. Other of our latter Farriers only take off the fhooe, and pare him well, and keep the fore clean both from dirt and his own dung, by walhing it three or four times a day with Urine, and that only will cure him as well as any medicine.

CHAP. CXX.

An approved and certain Care for the running and rotten Frush-

A Frer the foot is cleanled, take a quart of old Urine, and boyl it with a quarter of a pound of Allom beaten to powder, and keep it in a clofe veffel by it felf; then take a good handful or two of green Nettles firong and Keen, and foread them on fome Plate or other Veffel, and dry them either before the fire, or in an Oven after houfhold bread is drawn, then cruth and bruile them into a very fine powder; then look what quantity of powder there is, and take the like quantity of Pepper beaten to as fine powder, and mix them both very well together, then keep this powder in a clofe Gally-por or Bladder.

Now, when you have occasion to use it, first wash the fore place with the Urine and Allome made very warm, and the fores throughly foured,

Lib. 2. Of Cures Chirnrgical.

fcoured, after dry them well by drawing through them a fine Rag of Lawn, Cambrick, or fine old Linnen, and ftrow or pounce of the powder upon them, fo much as may cover all the fores, and thus do ever after travel, as once a day in the time of reft.

CHAP. CXXI.

Of Evil Hoofs.

Orfes partly through a natural inclination, partly through the ftoninels of the Soil wherein they are bred, and parily through milchance or ill government, will have ill-favoured and haughty hoofs, as either wrinkled or crumpled, or elfe mowlded awry, or fuch like; all which needs no figns, because of the apparent ign thereof : Then to amend them, the best cure is, with a fine Rape file to fmooth the wrinkles away, and to anoint the cronet of the hoof with a fat sward of Bacon rubbed in foot; then let the Horfe stand for at least a fortnight upon his own dung, whereon You thall caft good flore of water, only remove away the dung every hight; and then prefently after the change of the Moon, those the Horfe with ftrong thooes, keeping the fole of the foot by paring, fo hollow as you can possible, and it will shape his hoot to your Pleafure.

CHAP. CXXII.

Of Brittle Hoofs:

P a Horfe either through the heat of his own nature, or in that he hath been either heated on his feet by labour, or foundred, and evil cured, shall happen to have his Hoofs to brittle and short, that they will hardly bear a thooe: The figns whereof are, the hoof will be white and crumbling : Then the beft cure, according to the opinion of the best Farriers, is, to take Ox dung and Vinegar, and mixing them very well together, warm them on the fire, and to bind it both under and above round about the Horfes foor, and then lace on his boot of ftrong Leather, as is afore-faid in the Chapter of caffing of the hoof. Other Farriers ule to let the Horle stand upon his own

dung, and anoint all the upper part of his hoof with the fat of Bacon fod and mixt with Turpentine : And this you must do every day once till you fee his hoofs come to fome toughnefs.

206

Others use to take Turpentine, Hogs grease, and Honey, of each alike 3 melt them well together, and being warm anoint all the hoof therewith : then dip tow therein, and fold it all about the Horfes foot both under and above; and then put on his boot; drefs him once a day, and once in two dayes let him ftand four hours without his boot, that his hoof may grow as well hard as tough.

C H A P. CXXIII.

How to preferve Hoofs.

F you mean to preferve your Horses hoofs, either from any of the former Sorrances, or any other grief whatloever, you thall, ac cording to the opinion of the ancient Farriers, take three heads of Garlick, a little bundle of Rew, fix ounces of Allom beaten inte powder, two pound of old greafe, and the dung of an Als; boyl them all very well together, and ftop your Horfes hoof therewith once a day. Other Farrierstake of Vinegar a quartern, of Tar half a pint, of Hogs greafe ha'f a pound, of Oyl a pint, and agood handful of Wormwood, and four or five heads of Garlick; boy all these together to a thick oyntment and therewith anoint all the Horles hoofs. Others use to boyl Beans till they burft, and then temper them with Honey, and therewith anoint all the hoofs: of elle wash all the Hoofs with warm Vinegar, and then anoint them with Hore-hound, Worm-wood, and Greafe molten toge ther.

Other Farriers take of Olibanum, and new Wax, of each one ounce, of Dialchea and Turpentine, of each three ounces, of Butter four ounces, of old Oyl fix ounces, and of Sheeps fuer and Plantain, of each a pound ; boyl them all well together, and therewith anoist thehoofs twice a day. Other Farriers ule to anoint his hoofs with Turpentine, Hogs greafe, and Honey warmed and molten togethers of each a like quantity; then pare the foot well, and those him in the new of the Moon two, or three dayes after the change.

Others

Lib. 2:

Lib. 2. Of Cures Chirurgical.

Others use to take chalk and white lead mingled together, or elfe bark dust and honey mixt together, and being heated in a posses, and laid hot on the bare flesh, is most excellent to make any Hoof grow : To conclude, if a Horse stand upon his own dung, (being very well watered) so he do not lye in it, it is most soverain for the Preferving of the hoofs.

CHAP. CXXIV.

For any burt upon the Hoofs,

IF your Horfe shall receive any hurt upon his hoofs, either ourwardly, or inwardly, as either by any falle treading, or crossing one foot upon another, or by any bruile either upon cogle stone, flint, or fuch like, then for the cure thereof, you shall find the hoof with Honey and Vinegar mixt together, for the space of three dayes at the least; and then afterward with the leaves of Tamarisk well bruifed and beaten together, until the hoof be found again.

Other Farriers use only to ftop the hoof with Sheeps grease and Horse dung mixt together, renewing it once a day until it be well.

CHAP. CXXV.

How to Soften Hoofs.

The Hoofs of Horles will by long and dry ftanding upon dry plaunchers, grow 10 hard, that they will not be pared, nor cut by any Butterile: Befides, they will fo take from the Horle the lenfe and feeling of his feet, that the Horle will go very fliff and unaimbly: Wherefore, when you thall perceive any fuch defect, which is beft known by offering to pare the hoof, then prefently you thall take an ounce of Sope, two ounces of unflecker Lime, with as much ftrong lye as will make it foft like a Lenwick falve, then with that ftop the Horfes feet daily till they come to a convenient loftnels. Hot glowing embers put upon the hoof will foften it.

CHAP,

308

Lib. 2.

CHAP. CXXVI.

How to barden Hoofs ..

A S dry ftanding, and dry keeping doth harden the hoofs too much, so wet and moift keeping, as continual going in Marrish grounds, or continual standing either upon durt, or the Horses own dung, or too hot stoppings will make a Horses hoofs too soft; in so much that the Horse through the tenderness thereof, will neither be able to go, nor bear any shooe, which you shall perceive by the soft and easie cutting of the hoof. The manner then to harden and cure them, is, according to the opinion of the ancient Farriers, first to burn an old shooe fole, then set it well in Vinegar, and therewith bathe the Horse hoofs at the least twice a day, and it will harden them.

Other skilful Farriers use to take of the powder of Galls, of Bran, and of Salt, of each a handful; boyl these well in a pottle of Brong Vinegar, and therewith bathe the hoofs, and in a thort space it will harden them.

CHAP. CXXVII.

Of the Malt-long of the Hoof.

The Malt-long, or as fome Farriers call it, the Malt-worm, is a cankerous Sorrance above the Hoof, juft upon the Cronet, which will break out into knobs and branches, and out of the fame will run a watrift fharp lye or humour, which will venom the whole foot; as for the figns, they are the apparent fight of the Sorrance, and the continual running out of the thin water. Now the Cure, according to the opinion of the ancient Farriers, is, if it be in the Summer time, to take black Snails, and Bur-Roots, and beating them well together, lay them unto the fore, and renew them once in 24. hours. But if it be in the Winter, then take the forapings of a Pans bottom, or of a Cauldron, and put thereto a handful of the inner green bark or pils of the Elder-tree; and having beaten them well together in a morter, lay it unto the fore, and renew it once a day

day, and it will heal ir. Others use to take Garlick, Pepper, and Honey, of each a like quantity, flamp them very well together, then anoint his tongue with a lattle thereof, and then lay some to his Pafforns, and that will cure the Sorrance.

Lib. 2.

CHAP, CXXVIII.

How to skin any fore foot.

Here is nothing better to skin any fore foot of what accident or Sorrance foever it proceed, than to take Turpentine fimply of it felf, and therewith every day to anoint the fore foot, and it will not only gather skin but hoof alfo, if it be in a place where any fuch need requireth. Alfo white Lead, and Train oyl beaten together, will do the like.

CHAP. CXXIX.

Of gourded or fwo?n Legs.

He gourge, or gourded Legs, is an ill forrance, being a grievous fwelling in the nether part of the Legs, proceeding either from the melting of the greafe by immodrate labour, and then wanting wherewith to avoyd that greafe out in excrements, it falleth down into the limbs, and there breedeth this fwelling; or elfe when a horfe is exceedingly heated, and then without care fet up, and taketh cold, in fo much that the blood falleth down into his Legs and there constaleth, and maketh his Legs to fwell. To conclude, they do fometimes proceed from hard beating in hard wayes in the Summer time, which first raifeth up wind-galls, and then those wind-galls offending the finews, maketh them to fwell, and this is the worft gourding, because ever for the most part lamenes doth follow it.

The figns are, the Horfes Legs will ever be most fwoln when he fandeth ftill in the houle, and least when he is in travel, especially if he travel in much water : and the swelling most commonly is accompanied with some small scabs, and in the end it will break out into the scratches. The cure, according to the opinion of the ancient Farriers, is, to draw him with a hot Iron a handful above the knee,

and .

Lib. 2.

and then rope his Legs with a foft rope of hay wet in cold Water, and let it foremain a day and a night, and it will take away all the fwelling. Other Farriers take two pound of Nerve oyl, two pound of black Sope, a pound of Boars greafe, and melt and boyl all thefe well together : then strain it, and so let it cool; then when you have any need, anoint and chafe your Horses Legs therewith, and to make it fink in the better, anoint him first with Nerve oyl, and hold a hot Iron against his Legs to make it melt, then use the other oyntment in the same manner, which done, keep his Legs clean from dust by lapping a linnen rowler about them.

Others of our latter Farriers use to take up the veins beneath the knee, and let him bleed well: then knit the vein both above and below, and then anoint his Legs with this oyntment: Take of Frankincense, Rozen, and fresh grease, of each a like quantity, and having boyled them well together, then strain it, and use it once a day as you thall have occasion, and it will heal any Gourge whatsoever ; only for the taking up of the veins, you may if you will forbear it, lith, if it be not done with great cunning, it will make the Horse fifth ever after. See fur ther in the we Additions, for any strain in gents ral noted thus

CHAP. CXXX.

A most certain and approved Cure for any Surded or sweld Legs, by what accident soever.

First with a Fleam prick the sweld parts, then take a pint of Wine lees, an ounce of Comin seeds, and a handful or more of Wheat-flower, and boyl them till they be thick, then apply this pultus very hot to the sweld part, and renew it but once in 24. hours, and if this in two or three dayes draw it to an head, then launceit, and heal it either with a Plaisfter of Shoo-makers Wax, or elfe with the yolk of an Egg, Wheat-flower and Honey beaten together to a Salve.

But if it do not draw to any head, and yet the swelling continue, then take of Pitch a quarter of a pound, and as much Virgins wax, of Rozen half a pound, of the juyce of Hystop half an ounce, of Galbanum half an ounce, of Myrth secondary half a pound, of Bdelium Arabicum

Lib. 2.

Arabicum half an ounce, of Deers suet half a pound, of Populion half an ounce, of the drops of Storax half an ounce, boyl all these together in an Earthen pot, and after it is cooled, take of Bitumen half a pound, of Armoniack an ounce and a half, and of Costus as much, beat these into fine powder, and then incorporate them with the other, and boyl them all over again: which done, pour the whole mixture into cold Water, and then rowl it into several roles, plaister wife; after spread this plaister upon theeps. Leather, and fold it about the sweld member, and this will both affwage it, and give much firength to the finews. You shall by no means remove this plaister so long as it will flick on.

This plaifter is wonderful loverain, and of fingular ule, for the Horfe that is continually kept therewith, Imean, that hath if applied to his Limbs ever when he commeth from travel, he fhall never be troubled with fweld Legs, nor yet ever put out Windgall.

Now, if you will neither go to this coft, nor endure this trouble, yet would have your Horfe cured of this infirmity, then know, there is not any thing better, or more approved, than continually both before and after Travel, and in the Houle many times in the day, to lave and wafh your Horfes Legs, or other (weld parts, with the coldeft and cleareft fountain Water that you can get, and fometimes ler the Horfe fland in fome cold running fiream the space of a quarter of an hour or more, up to the Knees and Cambrels, but in any cafe no further:

This Medicine how poor foever it look, is of much vertue, and though I write of cold Water, yet is the operation hot and fiery z Only this you must take to your Remembrance, that this application appertains not to impostumations, but unto ftrains, and fwelslings, and bruifes, which are without much anguish.

CHAP.

Of Cures Chirurgical. Lib. 2

CHAP. CXXXI.

Of the Farcy, or Faskions.

He Farcy, (of our ignorant Smiths called the Falhions) is of all outward Sorrances the vileft, the most poylonous, infectious, and the most dangerous, (being any whit neglected) or otherwife the most easie, and with the least cost or trouble to be helped. It is a kind of creeping Lilcer, growing in knots, ever following alongft fome one vein or other, and fometimes alongft divers or fundry Veins, according to the ftrength of the infection, 3[proceedeth fometimes from corrupt blood ingendred in the body, fometimes from outward wounds or hurts received by cankerous of poylonousinftruments, as rufty Spurs, rufty Forks, biring of Dogs or Horfes, biting of Ticks, Hogs-lice, or fuch like; fometimes by the rubbing of Swine against the Legs of the Horle, or by lying in the litter where Swine have lain, or by enter-fearing, or hewing one Leg upon another ; but generally it proceedeth from an evil habit of the body, being furfeited by diforderly and unruly Travel, whereby the blood being heated, the greafe melted, and fudden cold taken, there groweth fuch obstructions in the blood, and fuch putrifaction in the body, that it can no way evacuate or avoid, but by these small Knots, Pustules, or U'cers, which are so infectious, that as many Horfes as do gnaw cr gnap upon the Horfe infected, will within one moneth have the lame difeafe : or if the Horfe infe-Eted, do bite any other, he will infect him also; and this infection without prefent Cure is mortal, and will kill any Horfe: therefore, whenfoever you have any Horfe troubled with this Sorrance, fee that you separate him from other Horses to prevent the dan" ger.

Now for the figns, they are the appearance and palpable feeling of the Knots, which knots are never but accompanied with gerat fwellings and rancklings, running along as the veinsrun, and dividing themfelves as the branches of the vein divide, the number of the knots multiplying and increasing until the body be universally covered over, or elfe that the member (if it be in a member) be utterly deformed and mis-fhapen.

Lib. 2. Of Cures Chirurgical.

Now the cure, (according to the opinion of the ancient Farriers) is, first let him blood on the neck vein, and on both his spurveins, then give the Horse this drink : Take a gallon of water, and put into it a good handful of Ruc, and a pound of Hemp-seed, both being first bruiled in a morter, then boyl them in water till the one half be consumed, and give the Horse this to drink in the morning fasting being cold for diverse manifester to drink in the morning

fafting being cold, for divers mornings together, and it will cure him. Others of the ancient Farriers ule first to let the Horfe b'ood in that vein where the Sorrance first rifeth, as nigh the fore place as may be, and let him bleed well : then fire or cauterize every Knot one by one, taking the knot in your left hand, and pulling it fo hard as you can from his body, to the intent you may the better pierce the knot with the round blunt hot Iron, of the bignese of a mans foreinger, without doing the body any hurt, and let the matter out, leaving none unburned being little or much : That done, anoint every knot fo burned with Hogs greale warmed every day once until the cores be ready to fall; and in the mean time, prepare a good quantity of old Ulrine, and when you fee the cores ready to fall, then boyl the Ulrine, and put therein a little Copperas and Salt and a few firong Nettles, and with that water being warm wath out all the cores, and all the corruption : that done, fill every hole immediately with the powder of unfleckt Lime, continuing thus to do every day once until the holes be closed up; and if any be more tanke than others, fill those with Verdigrease; and during this cure, let the Horfe be thinly dyeted, that is to fay, with fraw and water only, unless it be now and then to give him a loaf of bread, or a little other Provender : for the lower he is kept in fleth, the looner he will heal; and in any wife let his neck either be yoaked in an old bottomless pail, or else splented with staves in fuch fort, that he may not come to lick any of his fores, and the lefs reft he hath, the better will be his amendment. Now there be other latter Fartiers, which for the Sorrance take a good quantity of Milleto, Honey and black Sope, and boyl them very well in old Urine, and being very warm, walh your Horfe all over therewith, every day once for the space of five or fix dayes, and it will help it. Others ufe to cut the Horfe two inches long down the fore-head, and open it in the midst thereof on both fides two inches, and put thereto a tampin made of the inner rind of Elder bark which is green, and SI look

314

P

Lib. 2.

look that it lye crofs the cut ; for fo it will deftroy all the venemous humour in his body, and it will heal him very perfectly, having been very oft approved. Others use to take a very tharp bodking and to thruft it crofs-wife through the nether part of the Horses nose, even through the small griftle, so that he may bleed well; or else to let him blood in the neck-vein, then feel the knots, and as many as are soft, Launce them, and let them run, then take strong lyes Lime, and Allom, and mixing them well together, bathe all the fore therewith, and it will cure him.

Others take a sharp lance Knife, and in the top of the Horles forehead somewhat above his eyes, make a long flit even unto his skul ; then with a blunt inftrument for that purpose, loofe the fleth from the scalp a good compass, then take carrot roots cut into little thin round pieces, and put them between the skin and the skul, or, for want of carrot roots, you may take red Dock roots, and fee that they be a little beaten or bruiled before you put them in, and once a day fee that you thruft out the matter, but by no means thruft out the roots : but if theroots do not flay in, then with a needle and filk flich the wound together that it may hold in the Medicine ; thes once a day anoint the wound with freth Butter : This is held a very certain cure for the Farcy, for look how this wound made thus (hall rot, waft, and grow found, fo shall the Sorrance break, dry up, and be healed; only the fault of this cure, is, that it will be fomewhat long in healing, and is a foul eye-fore, until is be whole.

Now there be other Farriers, which, after the putting in of roots as is afore faid, ufe to burn all the fore place round about with a hot Iron; and then with another blunt hot Iron as big as a mans finger, to burn the fores in the midft till the white matter come forth, then with a pair of pinfons pluck out the knots: this done, anoint all the fore places with Sope, and then drefs him no more the fpace of four or five dayes, in which time you muft prepare a good quantity of firong plfs, with the which you muft wath him every day, the pils being firft made fealding hor, and rub the foreswell until they tegin to bleed; then having dryed all the fore places, throw on the powder of unfleckt Lime, or of burnt Allom, which will heal better than Lime. Now if you fee that in any of the fores through negligent dreffing there rifeth proud flefh fo high, that you cannot correct it Lib. 2. Of Cures Chirurgical.

it sufficiently with the aforefaid powder, then you may burn any luch place to fore or forer as you did at the first, and drefs it as before. Now there be other Farriers, which, when they fee the Farcy to have been old and long gone, and that it is fo far entred into one Member or other, that the member is disfigured, they will then first Purge the Horfe with fome ftrong purgation, of which you may find choice in a Chapter before written, and then under his belly, put in one rowel either of hair or Leather ; or on the pitch of his houlder of his grieved Leg (if it be before) or elle on the ft fling place, If his grief be behind, put in another Rowel, and so keep thole two places, together with the iffue in his fore-head open, until the cure be finished; then with another hot Iron burn all his Leg down with long ftrikes, even from the body to the hoof, not above an inch one Arike from another, the edge of the Iron being not above a Araws breadth, and draw your ftroak ever downward with the hair, and burn him no deeper than that the skin may look brown. Now, when by this practice you have cured the difeafe, if then the Member be unfashionable, or by fwellings out of all form, then you shall lay unto the member a plaister made of Wine lees, and Wheatflower, and Rowl it with a wollen Rowler, renewing it once in twenty four hours, till the member be affwaged, and this practice will heal any great fwell'd Leg, if it be applied and continued with Patience; but if by former dreffings, burnings, manglings or cuttings of some ignorant Farriers, there be any extraordinary, hard, or horny substance grown about the member, which the plaister afore-laid will not resolve, then you shall take of Virgins Wax half a pound, of Mirrh one pound, of raifins a pound, of Galbanum half a pound, of Costus fix ounces, of Armoniack fix ounces, of Swines greale two Pound; put your Swines greafe first into an earthen pot, and having Placed it in a broad cauldron full of water, then make a fost fire under it, to the end that your water may boyl; and when you do perceive your Swines greafe is almost melted, then shall you put in all the other fimples, except the Costus, and when they are all molten, which will ask five or fix hours boyling at the leaft, then your Coftus, which is a white root, being beaten into fine powder, you thall add to, the afore-faid things after it is taken from the fire, and incorporate them all very well together, then make a plaister thereof upon a piece of Sheeps leather, somewhat bigger than the fore, and Sf 2

Lib. 2.

and this Plaifter without renewing will ferve for at the leaft thirty dayes, with a very little refreshing, only you must once a day take it off, and rubhis Leg very well for fear it itch, which may cause the Horie to beat and ftamp with his foot, and so rather increase than decrease the swelling; and you must regard, that you do not Rowlhim too ftrait, for that is most hurtful. It shall not be amile now and then to ride him into the water, and walk him an hour after, then bringing him into the Stable, rub his Leg well; then wan his Plaister over a Chafing dish and coals, and so lay it to again : and this practice in two or three moneths will take away any deformity of swelling, be the Member never so uncomly.

Now there be other Farriers, which for this Farcy, if it be but young, and especially if it be about the head or face of a Horse will take only of *Aquavita* two spoonfulls, of the juyce of Garliek two spoonfuls, and of the juyce of Rew, or herb of Grace, two spoonfuls; mix them well together, then take plegants or round balls of flax, and steep them therein, and then stop them hard into the horse ears; then take a needle and thred and stitch the tips of his two cars together, by means whereof he cannot shake out the Medicine, and use the Horse thus three several mornings together, and it will kill the Farcy, as hath been oft proved.

Other Farriers use to take Drag-worts, or Ground-fel, and beat it well in a morter with white Salt, and then ftop it hard into the Horses cars, and so either flitch them together, or with a broad inckle bind them up, renewing it once in sourceen hours for three or four dreffings, and it will heal any reasonable Farcy.

Others use to anoint all the fores either with Tansey, and Verjuyce boyled together, or else with Boars grease very hot, and that will kill it. Others use first to wash the fores with old Urine, then take the powder of Glass, Brimstone and Hogs grease well stamped and beaten together, then opening, or flitting the knots, anoint them all therewith, and it will cure them immediatly. Other Farriers use to let the Horse blood, if it be at the beginning of the dilease, or else not; and then to burn all the knots as is a foresaid, and then to heal the burnings with Tar, Oyl and Honey mixt together, and give him with a pint of Malinsey, two or three spoonful of the powder Dia pente:

316

R-

Lib. 2. Of Cures Chirurgical.

Diapente : or else give him four ounces of the powder of Wallwort, or Dan-wort, with a pint and a half of Malmsey three dayes together : after that take an ounce of Alocs, one once of Centuary, one ounce of Opoponax, beat them all into fine powder, and give them him to drink in a pint and half of Malmsey warmed, wherein the roots of the afore-said herb called Wall-wort, or Dan-wort, have been fodden : usero Ride him oft until he sweat, and when the Disease is killed, turn him to grass: for running in the open air to very wholesome.

There be others, which take black Sope, Arfnick, unfleekt Lime, Verdigreafe, and Red Lead, work all thefe well together, and opening the Knots, drefs them there with till you fee them begin to dry up and dye. Others open the knots with a hot Iron, and then take black Sope, and great Bay Salt beaten together, and half fo much as of them, of Verdigreafe, and boyl the Verdigreafe with frefh greafe, and then take a faucerful of Muftard, and put them all together, and drefs the fores there with.

There be others that take three ounces of Quick-filver, and put It into a bladder, with two spoonful of the juyce of Oranges or Lemons, and thake them together to cool the Quick-filver : then take half a pound of fresh Hogs grease, and of Verdigrease an Ounce; put all these in a trend dish, and work them well together : then anoint the knots with this Oyntment till they rot : then let them out with a tharp Knife, and anoint them still, and put into his tars the juyce of Rag weed, and the fores will dry up. This Medi-Cine isvery well approved. Others take black Sope, Muffard made of Wine Vinegar, and red Lead ; mix all these together, and anoint the vein all along, holding a hot Iron close to the fore, to make the Syntment strike in, and do thus once a day until the fores dry up. Other Farriers take of the fuyce of hemloes a good quantity, and dipping tow therein, flop his ears therewith, then open all the knots and thruft in Salt. Laftly, give him to drink lweet wort mixt with Pennel and Treacle. Other Farriers take the butter Bur, and being dryed and bearen to powder, ftrew it upon the knots after they have been opened, and then give him two or three spoonful of the ame powder with a pint of Malmfey to drink, and it will cure the Farcy; and it is also exceeding good for all manner of Lilcers; the toot is ftrong in fmell, and bitter in taffe.

Ochers

Lib. 2.

Others take Sulphur, Orpiment, unfleckt Lime, and mixing them together, put it into the Knots, and it will kill the Farcy: which done, anoint him with Bole-armony made into powder, and incorporated with ftrong Vinegar, the juyce of Houfleek, and of white Leeks, and Solatro. Other Farriers after they have let the Horfe blood, will boyl in Vinegar, Bean-flower and Swines greafe, then add a pretty quantity of oyl, and then ftrain it, then add one part of Aloes, and two of Brimftone, and boyl it a little: then being warm, anoint all the fore places therewith, or elfe anoint them twice a day with the juyce of Smallage, and the yolks of Eggs beaten to^o gether.

There be other Farriers which take two ounces of Oyl de bay one of Euforbium, and two ounces of Arlnick, and mixing them together, anoint the fores therewith, and it will kill the Farey Now after all these many Receipts, of which not any but hath been approved to be very good, yet these two which I will now rehearle I have ever found to be the most excellent for any manner of Fare whatfoever, whether it be, as our fimple Smiths term it, a dry Fares a wet or watry Farcy, or a running Farcy, all being indeed but ont Farcy, and proceeding from one caule; only fome Horles not ha ving fuch flux of humours in them as others have, the Knots will be unwilling to break, and then they fay it is a dry Farcy : others of the contrary part will break as fast as the Knots arife, and run filthy matter, and then they call it a watery Farcy : Others will fpread in many parts of the body, yet not break, but as it were move betwixt the skin and the flesh, but that they call a running Farcy.

Now all these are but one Farcy, and have but one certain Cure, which is this. First, with diligent heed mark upon what principal vein of the Horses body the Knots do arife, and note how they spread and run, then if the Farcy be divided into fundry branches, according as the vein doth divide, you shall take the last knot of every branch, which for the most part will be hard, and not come to rottenness; and then flit them, and fill them with your Knives point ful of white Mercury: then those which you find to be rotten let the matter forth, and anoint them with black Sope and Mercury mixt together: then within a day or two you shall see those which you dress with Mercury simple, to have their cores fall out; and the

319

Lib. 2.

the reft which you drefs with black Sope, will dry up : then anoint them all with frefh Butter molten till they be whole. Now if you perceive any new knots to arife, then you fhall drefs them like-wife with Mercury fimple, as was faid before, and not leave any uncured. Now if the Farcy be not very contagious, but as it were newly begun, then if you only take black Sope and Mercury, as before faid, and anointing your finger and your thumb therewith, do but nip and bruife every knot, and within two or three dayes after they will dry up and heal. But if the Farcy be foul and defperate, that is to fay, either univerfally fpread over the body, or fo gotten into any Limb or Member, that the Limb is deformed, and hath loft his pro-Portion, fo that a man can neither judge which way the veins run, nor in what part the knots are moft venemous, becaufe that healing one, two new ones will arife;

In this fame cafe, you thall first give your Horfe a firong foouring or purgation, according to the firengch of his body, of all which, a pint of Mufkadine, or a quart of firong Ale, with half a pint of the oyl of Oars, is the most foverain: then thall you take a pennyworth of Tar, and two good handfuls of Pigeons dung, and twelve penny-worth of white Mercury; mix all these very well together, and make them into a falve: then with a flice daub it all over the fore place, leaving no part of the Member uncovered; then heating a bar of Iron Red hor, hold it fo near that it may dry the Salve upon the fore: then lay more fresh falve on, and dry in like manner, and tolet it reft until it fall off, and it will kill any Farcy whatfoever, at the first or fecond dreffing. There be others which will ftop the Knots with the powder of Verdigreafe and of Arsinick mixt together, or elfe wash the fores with Aqua forth, but they are neither so good. As the other before rehears.

CHAP. CXXXII.

Of the Canker in any part of the body.

A Canker is a poylonous creeping Ulcer, fretting and gnawing the fleth a great breadth, whole beginning is knotty, not much unlike to the Farcy, and fpreadeth it felf into divers places ; and being exulcerated, gathereth together at the length into one Wound Of Cures Chirurgical. Lib. 2

Wound or filthy fore, from whence there runneth a thin tharp lys, which galleth off the skin wherefoever it goes, and fo both increafeth the Ulder, and maketh it more incurable. It proceedeth from Melancholy and filthy blood, ingendred either by ranknefs of keeping, or elfe by too extreme poverty; and if this naughty blood be mixt with fharp and Salt humours, then it caufeth more painful and grievous exulceration. It also may proceed from some loathiome Wound, which is neither clean kept nor well dreft, but in such fort, that the corrupt matter thereof poyloneth the other clean parts of the body. For figns of the Sorrance, there needeth no more but the description already mentioned. And for the cure, according to the opinion of the ancient Farriers, it is, fuft to let the Horfe blood in those veins which are next the fore, and make him bleed well; then take of Allom half a pound, of green Copperas as much, of white Copperas one quartern, and a good handful of Salt, boyl all these things to and this gether in fair running water, from a pottle to a quart : water being warm, walh the fore therewith with a clout, and then fprinkle thereon the powder of unfleckt Lime, continuing (o to do every day once the space of fifteen dayes; and if you see that the Lime do not mortifie the rank flefh, and keep it from fpreading any further, then take of Sope half a pound, of Quick-filver halt an ounce, and beat them together in a pot until the Quick-filver be fo well mingled with the Sope, as you can percieve no Quick filver in it ; and with an Iron flice or splatter, after that you have walked the fore with the firong Water afore-faid, cover the Wound with this oyntment, continuing thus to do every day once until the Canket leave spreading abroad. And if it leave spreading, and that you fee the rank fleth is well mortified, and that the edges begin to gather a skin, then after the walhing dreisit with Lime, as before, continunig fo to do until it be whole; and in the dreffing, fuffer no filth that comes out of the fore to remain upon any whole place a bout, but wipe it clean away, or elfe wash it away with warm water : and let the Horfe during this cure, be as thinly dyeted as maybe, and throughly exercifed. Now if this cankerous Ulcer happen to be in the tail of a Horle, as it is often leen, and which you that the thall perceive as well by the falling away of the hairs, as allo by the wound, then you thall make a bolfter of loft cleath or lpunge, and wee it with Vinegar both within and without, and so bind it fait 50

321

Lib. 2.

to the fore ; and alwayes when it waxes dry, you must wet it again : do thus twice or thrice a day, if it be done oftner it is better : to thall you continue for three or four dayes, and then heal it up as You heal an ordinary wound ; that is, with Hogs greafe and Tur-Pentine molten together, or fuch like. There be other Farriers, which for the Canker on the body, do take an ounce of the juyce of the root of Affedely, three ounces of unfleckt Lime, two ounces of Orpiment, or Arfnick, put this in an earthen Veffel close ftopr, and either boyl or bake it in an oven till it come to a powder; then firft Walh the fore with ftrong Vinegar, and after ftrew this powder thereon. Others use to take Garlick, and beat it in a morter with Swines greafe till it come to a Salve, and then having washt the fore either with Vinegar, Allom water, Copperas water, or old Urine, anoint it once or i w.ce a day with it till it be whole. Other Farriers take the herb Mullen, and bruifeit, and mix it with Salt and Verdigreate, and drefs the fore therewith morning and evening for the Pace of three or four dayes, then use the fame falve again as long Without Verdigreafe, then laftly use the herb alone :but if at any time You see it do begin to Wax raw, then begin again as is afore faid, and ever before you anoint it, walh it first with Vinegar and greale mixt together, Others take Savin, Bay-falt, and Rew ftampt with Bartows greafe, and anoint the fore therewith, and when the ill humoursare kild, (which you fhall know by the whiteness) then heal It with Tar, Oyl, and Honey mixt together.

Laftly, (and which I hold the belt) take Vinegar, Ginger, and Allom, and mix them together till they come to a Salve, and with it anoint the fore, and it will both kill the Poyfon, and heal the Ulcer.

CHAP. CXXXIII.

Of the Fistula.

A Fiftula is a deep, hollow, crooked, mattering Ulcer, and for the moft part, commonly a great deal firaighter at the mouth than at the bottom, being ingendred in forme wound, bruile, fore, or Canker, not throughly healed. The figns to know it are, the hollowness of the fore descending downward from the Orifice, and the T

322

thinnels of the matter which issues from the fame; besides, the crookednels which you shall find in the Ulcer, when you learch

Lib. 2.

Now for the cure, according to the opinion of the ancient Farriers, First fearch the bottom thereof with a Goole or Swans it is thus : quill, or with a small Rod well covered with a fine Linnen cloath ; and having found the bottom thereof, cut it fo large with a Razor, that the matter may have free paffage downwards; but take heed in launcing it, that you cut not any mafter finew, or main rendon then having franched the blood either with Swines dung, or fuch like, take of good Honey a pint, of Verdigreafe one ounce, and boyl them well together upon a foft fire three quarters of an hour i then having cleanfed the fore by tying a tent of flax or fine Linnen cloath to the point of your quill, with a thread draw it loftly into the Wound : then cut off your quill or feather fo long that you may take good hold in the nether end of the tent, which then shall come out at the bottom of your fore : then dip another tent in the afore faid Salve, and then with a needle and thred make fast your reat to your first clout, at the upper end thereof ; then draw out your fiist tent downward, fo shall you draw your tent with the Medicine eafily into the Wound, and your first tent will have cleanled the fore very clean; and if the matter do abound much, then it shall be good to dress him twice a day : but you must not dress him with this Medicine no more but one day, and afterward you that drefs him with this Medicine following: take of Turpentine, of Swines greale, of Honey, and Sheeps fuer, of each a like quantity, and melt them together, and make a falve thereof, wherewith you fhall diels your fore four dayes, for one day that you drefs him with the former Medicine made of Honey and Verdigreafe; and take heed that you make your tent of very foft Linnen cloath, and fine flax : and let not your tent be too big after the first and second time dreffing, but presently after the first dreffing you most cover the fore place, and round about the fame, with this Pulius here following.

Finft, take two Gallons of fair Water, and having boiled and fcum'd it folong till you have perfectly cleanfed it of all corruption, then take two or three handfuls of Mallows, and as much of Violet leaves, and two or three of Oat-meal, and having boyled all these three three Lib. 2.

Of Cures (birurgical.

323

three things well in your former prepared Water, you shall add thereto of Hogs-wort, and freih Butter, of each a pound : then hall you let it boyl to long till it become thick, like pafte or pap, and then apply it hot to the fore, and take heed that in opening this ore you let not any air ftrike into it: And on the other fide, that you keep it not too hot : And if this Fiftula be in the Horfes Withers, You must take heed that you tye his head to the rack, fo as he may neither lye down, nor put his head lower than his manger : for if you uffer him to feed on the ground when he hath any grievous fore in his Withers, it shall hardly be possible ever to curchim ; but if you Perceive the Wound to heal apace, and that it matter but a little, then shall it beenough to drefs him once a day : and also it shall be sood, to take great heed, that you make not your tent too big, and ethat you ule your Pultus till it be perfectly cured. Now there other of the ancient Farriers, which use for this cure, first to fearch the depth of the Fistula either with a quil, or with some other inftrument of Lead, which may be bow'd every way : for theis you find the bottom of it, it will be very hard to cure ; and having found the borrom, if it be in fuch a place as you may boldly out and make the way open with a Lancet or Razor, then make a flit right against the bottom, fo wide, that you may thrust in your fin-Ber to feel whether there be any bone or elfe griftle perilhed, or Pongy, or loofe fleth, which muft be gotten out ; and then tent it With a tent of flax dipped in this Oyntment : Takeof Mirrh, of Aloes, and of Sarcocolla, of each one ounce, of good Honey fix ounces, and of Verdigreafe two ounces, and melt all these on a gentle fire, and make them into a Salve ; then being luke-warm, drefsthe tent therewith, and bolfter the tent with a bolfter of flax, and if it be in uch a place as the tent cannot conveniently be kept in with a band, then fasten on each fide the hole two ends of a thooe-makerst hred right over the bolfter, to keep in the tent, which ends may hangithere as two laces to tye and untye at your plealure, renewing the tent every day once until the fore leave mattering, and then make the tent every day leffer and leffer until it be whole : for you shall understand, that this Salve doth purge this fiftula of putrifaction, incarnateth and breedeth flefh, conglutinateth and eateth away all naughty fielh. Now when you have done as afore-faid; then you fhall clole it up by fprinkling thereon a little unflecke Lime ; but if the fiftula be 123

Tr 2

324

Lib. 2.

in fuch a place, as you can neither cut against the bottom, nor tye the fame, then there is no remedy, but every time you drefs it, to pour into it either through fome quil, or by fome fmall fquirt or ferringe, fome ftrong white Copperas water, or fome Allom water, fo that it may go down to the bottom, and dry up the filthy matter : and this you must do twice a day at least until it be whole. Now there be of our latter Farriers, which use this cure, after they have fearcht the Fistula to the bottom, to take a pottle of white Wine Vincgar, of Camphire half an ounce, of Mercury precipitate half an ounce, of green Treacle threeounces, of Red Sage an handful of Yarrow and Rib-wort of each an handful, of Honey half a pint, of Boars greafe half a pint, boyl all these together till a quart be confumed, and with this you thall walh and cleanfe the Wound . then to heal up the fame, you fhall take oyl of Rofes, Virgins Wat and Rozen, of each a like a quantity, of Turpentine five ounces, of the gum of Ivy and Deers fuet as much, boyl thefe together unio a Salve, and then drefs the fore therewith until it be whole, obler ving ever, both in this cure, and all the reft, that as foon as you have put in your Tent, to clap a plaister over it of Pitch, Rozen, Masticky Turpentine and Hogs greafe molten together, which will both comfort the Wound by taking away evil humours, and also keep in the tent from falling out. Now if the Fiftula be in or about the head of the Horfe, then you shall take the juyce of Houflick, and dip therein a lock of Wool, and put it into the Horfes cars, and it will flay the inflammation; but if it be exulcerated and broken then you thall cut away all the rotten and falfe fleth, and then bathe it well with the grounds of Ale made warm, and then wipe the blood clean away: then take Butter, Rozen, and Frankincenlea little, and boyl them all together, and boyling hot pour it into the wound, and then clap on the plaister; do thus once a day till che Horfe be whole. Now if there be any inflammation behind the Horfes ears, or that it grow to any impollumation in that place, then you thall boyl the roots of Mallows in water till they was tender then bruifethem, and strain out the water clean, and being warm, apply it to the fore, and it will heal it.

There be other ancient and skilful Farriers, which for the general Fistula ule as a prevention thereof, to take Honey and Sheeps fuet, and making it fealding hot, to feald the fore extremely therewith upon

Lib. 2.

upon the fift (welling, and it will keep the Fiftula that it shall not breed; but if it breed, then you shall Launce it in the netherm ft-Part, and put into it as much Mercury Sublimatum as a pease, being first abated with Saler oyl, and laid on with a feather; after that take of Verdigrease four penny worth, of Vitriol a half pennyworth, of Red Lead three penny-worth, beat these together, and every day wash the wound with Copperas water, made with Copperas and Elder leaves in Summer, and with the inner green bark in Winter; after the washing take the powder, and put it on the lore, and after it drop on a little Oyl.

Others Farriers take the outermost green shels of Wal-nuts, and Put them in a Tub, strowing three or four handfuls of bay salt upon them, some in the bottom, some in the midst, and some on the top, and so keep them all the year; and when you will use them, take a pint of them, a little bay Salt, and half a quarter of a pound of black Sope, with half a spoonful of May Butter, (and for want thereof, other Butter) and mix and incorporate them together; and then spread it on the fore, or tent the fore therewith; but two hours before you lay it on, anoint the place with *Venice* Turpentine, and do thus till the fiftula be whole.

Others Farriers take Unguentum Agyptiacum, which is made of Honey, a pint, Vinegar half a pint, Allom a quarter of a pound, and Verdigreafe one ounce and a half ; and feeth them all together till they be thick, and of a tauny colour ; this is called Egyptiacums, and to make it the ftrongest way, is, to put in of Mercury Sublima, inm one ounce made into powder, and of Arlnick two fcruples, and boyl it together; with either of theie, especially the ftrongest, dress any Fiftula, Canker, or foul old Ulcer whatfoever, and it will kill it ; and the weaker of these, which wanteth the Mercury and the . Arfnick, may be applied to the Fistula in the mouth of a Horfe. Other Farriers take of Sablimatum made into powder one ounce, the midft of well Leavened bread flack baked three ounces, of Nenin ten drams, mingle them together with a little Rofe water, and make tents thereof, and dry them upon a Tile, and at your pleasure tent you fiftula therewich, and it will affuredly kill it. Others take Itrong Lye, Honey, Roch-Allom, and Mercury, and feeth them together, and (quirt it into a Fiftula, and it will kill it at the bortom, and when you mean to dry up a Fiftula, take red Wine, Goatsdung. Of Cures Chirurgical. Lib. 2

dung, and Bean-flower, and feeth them together, and apply it to the Fiftula, and it will dry it up.

326

120

Now if you intend to fink down the fwelling of a Fiftula, first of all fear it with a drawing Iron in this proportion $\frac{1}{2}$, and then take Rofin, Sheeps fuet, and Brimstone, and boyl them together, and lay it upon a Fiftula very hot with a cloath, and it will fink down the fwelling. It is alfo most excellent to take away a Wind-gall, if it be laid on after the Wind-gall is prickt, but not too hot, but very reasonable, and it will keep it also very clean.

There be other Farriers, which for a fiftula take Verdigreate Butter and Salt melted together, and pour it fealding hot into the fore; and use this till all the field look red; then tent it with Verdigrease, burnt Allom, Wheat-flower, and the yolks of Eggs well beaten and mingled together: Last of all, skin it with Barm and Soot mixt together.

CHAP. CXXXIV.

A rare and true approved Medicine to cure any Fiftula, or bollow impostumation whatsoever.

TAke a pint of the strongest Vinegar, and being hot upon the fire, mix therewich the lome of a clay Wall, which hath not any Lime in it, but by no means do not pick out the chopt straws or hay that is in the lome, but boyl them all together till it come to a Salve: then being reasonable hot, spread it over all the sweld place, and over every part which you shall feel hard : and you shall thus do twice a day, and it will not only ripen and break the hollow Ulcer, but also search it to the bottom and heal it. This medicine cureth any fore back whatsoever, how grievously soever, either gall'd or bruised.

CHAP

Lib. 2.

Of Cures Chirurgical.

327

CHAP. CXXXV.

Of the Ambury.

A N Ambury is a great fpungy Wart full of blood, which may grow upon any part of the Horfes body, chiefly about the Eye-brows, Noftrils, or privy parts, and it hath a root like unto a Cocks ftone. Now the cure, according to the opinion of the ancient Farriers, is, fift to tye it about with a thred or hair fo hard as your can pull it, and the thred will eat in by little and little, in fuch fort as within seven or eight dayes it will fall away of it self; and if it be fo flat, that you can bind nothing about it, then take it away with a tharp hot Iron, cutting it round about, and fo deep as you leave none of the root behind, and then dry it up with the powder of Verdigrease, but if it grow in such a sinewy place as it cannot be conveniently cut away with a hot Iron, then it is good to eat out the core with the powder of Refalger, or Mercury, and then to ftop the hole with flax dipt in the white of an Egg, for a day or two : and laftly, to dry it up with the powder of unfleckt Lime, and Honey, as is before taught. Other Farriers, in stead of tying the Wart with a thred, do tye it with some Horse hair: and that is a great deal the better, and will rot it off fooner, and. fafter.

CHAP. CXXXVI.

Of the Cords.

He Cords is a certain firing, which cometh from the fhacklevein to the Griffle in the Nofe, and between the Lip, the length of an Almond; or there be two firings like threads, which ye above the knee, betwixt the knee and the body, and goe like a mall cord through the body to the noftrils, making a Horfe to fumble much, and fometimes to fall alfo; and it is a difeafe very much incident to many young Horfes. The figns are, an apparent fiff going, and much flumbling, without any outward or vifible Sorrance; the Cure is, according to the opinion of our ancient Farriers,

328

Lib. 2.

riers, to take the end of a crooked Harts horn that is fharp, put it under the cords, and twine it ten or twelve times about, till the Horfe be confirmined to lift vp his foot; then cut the cord afunder, and put a little Salt into the iffue, or cut it first at the Knee, than at the end of his Nofe, and fo draw it upward a fpan length, and eut that off. Other Farriers let the Horfe blood in the vein that defcendeth in the infide of the Leg, by the breast, and take away at least a pottle of blood, and after feven dayes wath him with Beefbroth, and it will heal him.

Other Farriers take Mustard, Aqua-vite, and Salet oyl, and boyl them on the coals, and make a plaister, and bind it to the place that is grieved, and it will help.

O hers take the grounds of Ale, and being made warm, bathe his Legs therewith, and then rope them up with wet hay ropes, and it will make the Horle perfectly found.

CHAP. CXXXVII.

Of the String halt.

The ftring halt, of some called the Mary hinchcho, is a suddain twitching up of the Horse hinder Legs, as if he did tread up pon needles, and were not able to indure his feet upon the ground; the figns whereof be an apparent ill-favoured manner of halting, most visible to the eye. And the cure is, to take up the middle vein a bove the thigh, and underneath the same, then under the faid vein there lies a string, which string must be cut away : and then anoint him with Butter and Salt, and he will both do well, and go well.

CHAP. CXXXVIII.

Of a Horfe that is Spur-gall'd:

IF a Horfe by the indiference of an Evil Rider, be Spurgalid, which is a difease most plain both to be felt and seen a then the cure is, either to bathe it with Urine and Salt mixt together, or with Water and Salt, or with warm Vinegar, or

Lib. 2. Of Cures Chirurgical.

elle bind unto the place the crops of leaves of Nettles ftamped; and any of thefe will cure him.

329

C H A P. CXXXIX.

Of Wounds in general.

TOunds, according to the opinion of all Farriers, is a folution; division, or parting of the whole : for if there be no fuch blution, or division, then it is rather called a bruise than a Wound ; and therefore, Wounds are most commonly made with tharp or Piercing Weapons, and bruifes with blunt weapons : notwithftanding, If by fuch blunt weapons any part of the whole be evidently broken, then it is to be called a Wound, as well as the other, and these "ounds do proceed from some stroak, prick, or violent accident. Now of Wounds, fome be hollow, and fome be deep and hollow : Again, some Woundschance in fleshy parts, and some in bony and inewy places; and those which chance in the fleshy parts, though they be very deep, yet they be not fo dangerous as the others, and therefore I will speak first of the most dangerous. If then a Horse have a wound newly made, either in his head, or in any other place which is full of finews, bones or griftles, then, according to the o-Pinion of the most ancient Farriers, you shall first wash the Wound well with white Wine warmed, and keep it ever whilft you are in teffing it, covered with cloaths wet in warm white Wine : that done, you shall fearch the bottom of the wound with a probe or mall instrument of Steel made for the purpole, luffering the wound to take as little wind or air as you can poffible: then having found the depth, ftop the holeclofe with a clout until your falve be ready : then take of Turpentine, Mel-refatum oyl of Roles, of each a quaitern, and a little unwrought Wax, and melt them together, ftirring them continually that they may be well mingled together ; and if the Wound be a cut, make a handlome rowl or round plegant of lofe tow, fo long and fo big as may fill the bottom of the Wound, which for the most part is not fo wide as the mouth of the wound : then make another rowl or plegant fomewhat bigger to fill up the tell of the wound, even to the hard mouth, and let both thele rowls be anointed with the oyntment afore-faid, made luke-warm; only this

V.V

Lib. 2.

this you must ever obferve, that if the wound be long and large, that then it is beft, if you can conveniently, to flitch the wound together with a fine needle and a Crimfon filk : for that will make it heal the sooner, and make the skar less. But if the hurt be like a hole made with some prick, then make a ftiff tent either of tow or lint, fuch a one as may reach the bottom, anointed with the afore-faid Oyntment, and bolfter the fame with a little tow : and over both this and the other, or any wound whatfoever, as foon as your rewels plegants or tents are put in, you thall clap a flicking plaifter made of Pitch, Rozen, Maftick, and Turpentine melted together, as hath been before taught, both to keep in your falve, and to comfort the fore. Now if the mouth of the wound be not wide enough, loas the matter may eafily run forth, if it be in fuch a place as you may doit without hurting any finew, then give it a pretty flit from the mouth downward, that the matter may have the freer paffage, and in any wife have an especial regard that the tent may be continually kept in by one means or other, and allo that it may not be drowned within the wound, but by tying fome thread about the upper end thereof, so kept, that it may beteken out at pleasure. Now if the hole be deep, and in fuch a place as you may not cut it, then make your tent full as big as the hole, of a dry fpunge that was nevel wet, fo long that it may reach the bottom; and the tent being made fomewhat full, with continual turning and wrying of it, you that eafily get it down, and then drefs the wound with this twice a day, cleanfing the Wound every time with a little white-wine luke-warm for the spunge anointed with the Oyntment afore-faid, will both draw and fuck up all the filchly matter, and make it fo fair within as is poffible; and as it beginneth to heal, fo make your tent every day leffer and leffer, until it be ready to clofe up, and never leave renting it fo long as it will receive a tent, be it never fo fhort: for hafty healing of Wounds breedeth Fiftulaes, which properly be old fores; and therefore must be healed like Fistulaes. Now if the wound proceed from any ancient impostumation, then you shall take two or three great Onions, and taking out the cores, put therein a little Bay Salt, and a little whole Saffron, and fo roaft them in the hot Embers: then plaister-wife lay them all hot on the wound, renewing it once a day till the wound be healed. Now if the upper skin of the wound be putrified, and you would have it away, then make

Lib. 2: Of Cures Chirurgical.

make a plaister of Cows dung iod in milk, and clap it to for four and ewency hours, and it will leave nothing vile about the wound. Others use generally for any cure whatfoever, to take a quarter of a a Pound of Butter, of Tar and black Sope, of each half as much, and a little Turpentine; boyl all but the Sope together, then when You take it off the fire, put in the Sope, and with this oyntment dress any cut, and it will heal it.

331

Other Farriers ule only to take Hogs greafe and Venice Turpen-Une, and to melt them together, and it will heal any Wound. Other Farriers take eight drams of Turpentine, four drams of new Virgins wax ; melt them in a pewter veffel, and ftir them well to-Bether, and when they are well melted and mixed, take them from the fire, and by and by whileft they be hor, pour into them half a Pint of white Wine, then after they be cold, throw away the Wine, and anoint your hands with Oyl of Roles, and work the Wax and Turpentine well togther, after that put them into the pewter veffel "gain, then put to them half an ounce of the gum of Firr-tree, and three drams of the juyce of Bettony, then feeth them well together until the juyce of Bertony be wasted, then put to it three drams of Womans milk, or the milk of a red Cow, and feeth them once again until the milk be wasted; and then put it in a close pot or glals, and with this drefs any wound whatfoever, and it will heal it. 0. thersule to take Rolemary, and dry it in the Inadow, and beat it to Powder, then wash the wound with Vinegar, or the Urine of a child. and ftrew thereon the aforelaid powder, & it will heal an indifferent Wounde

Other Farriers take Worm-wood, Marjoram, Pimpernel, Calamint, Olibanum, beat them all into fine powder, then take Wax and Barrows greafe, and boyl them on a foft fire until they be as thick as an Oyntment or Salve, with this dress any wound and it will heal it. Others use to take the tops of Nettles, Butter, and Salt, and beating them well in a morter till they come to a Salve, and It will dry and heal a Wound. Now the powder of Honey and Lime, or Turpentine fimply of it felf, will dry up and skin any Wound. Take Turpentine, Honey, Hogs greafe, Wax and Sheepswet of each alike; mele them well together to a Salve, and they will heal any wound. Now if a Horfe be goared upon a stake, then You shall caft him, and pour into the wound Butter scalding hor, and

Vv2

332

and to let him lye till it be gone down into the bottom; and do thus once a day till the wound be whole. If you defire to keep a wound open, put into it the powder of green Copperas, and it will do it; but if you intend to heal it fpeedily, then Wheat-flower and Honey well beaten together to a Salve will do it, dreffing the wound once a day therewith.

CHAP. CXL.

Of a bure with an Arrow.

IF a Horse be shot or hurt with an Arrow, tent the hole only with Hogs grease and Turpentine molten together, and renew it once a day until the wound be whole.

CHAP. CXLI.

Of the healing of any old fore or Olcer.

Old Ulcers or fores are of three kinds, the first deep, hollow and crooked, and they be called Fiftulaes; the fecond broad and shallow, but much spreading and increasing, and they be called Cankers; and the last broad, deep, black about the fides and bots tom, yet not much increasing, although not at all healing, and they be called old fores or Ulcers: They proceed either from some great be called old fores or Ulcers: They proceed either from some great be called one or impossible of the flux and abundance of humours flowing down to those parts, through the negligence of a most unskilful Farrier. The figns are, the long continuance of the fore, the thinness of the matter which iffueth aways and the blackness of the fore, which is ever full of inflammation.

Now for the cure, according to the opinion of the most ancient Farriers, it is thus: First cleanse the fore well with white Wines then take Copperas and the leaves of Lillies, beat them well in a mortter with Swines greafe till it come to a perfect Salve, and lay, it upon the fore with flax, and then cover it with a plaiflet

Lib. 2.

fter as in cafe of wounds, and renew it once a day, and it will heal it.

Lib. 2.

Q her Farriers take Lime, and tough Horle dung, and mix it very well together with Pepper, and the white of an Egg, and lay it to the fore, renewing it once a day till the Ulcer be cured.

Other Farriers strew upon the fore the powder of Galls, and that will dry it up.

Others scald it once a day with hot oyl Olive, and that will heal it.

CHAP. CXLII.

A most certain and approved Cure for the healing of any old Ulserwhat sever.

Ake Mastick, Frankincense, Cloves, green Copperas, and Brimstone, of each a like quantity, of Myrrhe double so much as of any one of the other; beat all to powder, then burn it on a Chasing-dish and coals, but let it not flame: then as the smoak ariseth, take a good handful of Lint, or fine hurds, and hold it over the smoak, so that it may receive all the perfume thereof into it, then when it is throughly well perfumed, put the Lint or hurds into a very close box, and so keep it.

Now when you have occasion to use it, first wash the fore with Urine or Vinegar made warm, then dry it; and lastly, lay on some of this Lint or hurds; and thus do twice a day, and it is a speedy and most infallible cure.

CHAP. CXLIII.

1 12 condition of the

Of bruifings or fwellings.

A LL bruifings and fwellings come unto a Horfe, either by accident, or by fome blow, rufh, pinch, or outward venoming; or elfe naturally, as through the flux of Blood, or through the abundance of Wind. The figns are, the fightly appearance in what place or member foever they be: And the first, which are those which

Of Cures Chirurgical. Lib. 2.

which come by accident, are properly called bruifings, or fwellings³ and the other, if they do rot or corrode, and fo turn to matter, are called impoftumes.

• Now for the general Cure of any bruile or fwelling, according to the opinion of the ancient Farriers, it is thus: Take of dry Pitch, of Gum, of each an ounce, of *Galbanum*, of Lime, of each four onces, of Bitumen two ounces, of Wax three ounces, melt and boyl them very well together, then anoint the fore place therewith once a day, and it will heal it. But if the fwelling proceed only from fome bruife or rufh, then you fhall take two pints of Verjuyce, one pint of Barm, and putting a little fine Hay thereto, boyl them very well together, then bind the hay to the fwelling very hot, and after pour on the Liquor; do thus three or four dayes together, and it will take away the fwelling.

Other Farriers take the tops of Worm-wood, Pellitory of the Wall, Branck Urfine, beat them well together with Swines greafe, then feeth them ; then add a pretty quantity of Honey, Linfeed-Oyl, and Wheat meal ; then fir it over the fire till all again be fodden together, then lay it to the fwelling, and renew it once a day till the fwelling be gone.

Other Farriers use first to prick the swelling with a fleam, then take of Wine-lees a pint, as much Wheat-flower as will thicken its and an Ounce of Comin ; boyl them together, and lay this somewhat warm unto it, renewing it every day once until the swelling cirther depart or else come to a head, which if it do not, then launce it, and heal it according to a wound.

Other Farriers take of Rozen, of Turpentine, and of Honey, of each half a pound, diffolve them at the fire, then ftrain them, and add of Mirrh, Sororcol, and the flower of Fenugreek, and of Linfeed, of each an ounce 5 incorporate them altogether, and then make it thick like a Salve with the meal of Lupins, and lay it to the fwelling, and it will affwage it.

Other Farriers take of *Galbanum*, and of Cerule, of each an ounce, of Oyl two ounces, and of Wax three ounces, mix them rogether or ver a foft fire, and when they are brought to a Salve, then lay it un to the fwelling, and it will affwage.

If you take only rotten Litter, or Hay boyled in ftrong Urine, and apply it daily unto any fwelling, it will take it away. Now

Lib. 2.

Of Cures Chirurgical.

Now if the fwelling be upon the Legs, and come by any Ilrain, Then you thall take of Nerve oyl one pound, of black Sope one pound, of Boars greafe half a pound; melt and boyl them all well together, then firain it, and let it cool ; then when occasion ferveth, anoint and chafe your Horfes Legs therewith, holding a hot Iron near thereunto, to make the Oyntment enter in the better ; then rope up his Legs, and keep them clean from duft or durt: But If the fwelling be upon any part of the back or body, then take of Honey and Tallow of each alike, and boyl them together, then pread it on a cloath and lay it on the fwoln place, and let it there Rick till it fall away of it felf. Now if the fwelling proceed from any windy caufe, and to appear only in the Horfes belly, then you hall take a tharp pointed Knife or Bodkin, and arm it fo with fome Ray that it go not too deep for piercing his guts : then Arike him therewith through the skin into his body before the hollow place of his Haunch bone, half a foot beneath the back bone, and the Wind will come out thereat ; then if you put a hollow quil therein, or fome teather to keep it open a while, the wind will avoid the better, then heal it up again.

It is also very good to Rake the Horfe, and to Ride him up and down a little: but if the swelling be under the Horses jaws, or about any part of his head, then you shall take his own dung hot as soon as he makes it, and with a cloath bind it fast thereto, renewing it twice, a day till the swelling be gone. See further in the new additions for the Fistula, marked thus

CHAP. CXLIV.

Of Impostumes, and first how to ripen them.

Mpoftumes are a gathering or knitting together of many and moft corrupt humorus in any part or member of the body, making that part to fwell extremely, and growing into fuch violent inflammation, that in the end they rot and break out into foul, mattery, and running fores; they commonly proceed either from coruption of food, or corruption of blood; they are at the first appearance, very hard, and very fore; which hardnefs is the principal fign that they will rot. And of these impostumes, fome be hor im-

Of Cures (birnrgical.

336

impostumes, and some be cold ; yet for as much as every impostume must first be ripened, and brought to matter before it can be healed, we will first ipeak of the ripening of them. If therefore you would ripen any Impostume, (according to the opinion of the ancient Farriers:) You thall take of Sanguis Draconis, of gum Arabick, ot new Wax, of Maflick, of Pitch of Greece, of Incenfe, and of Turpentine, of each a like quantity, and melting them together, and ftraining them, make a plaifter thereof, and lay it to the impoftume without renewing : and it will both ripen, break, and heal any impostume.

Other Farriers take Swines greafe, red wax, and the flower of Enforbium, and mixing them on the fire well together, lay it to the impostume, and it will do the like.

Other Farriers take of Honey, and of Wheat-meal, of each a like quantity, and either boyl it in the Decoction of Mallows, or elfe mix it with the yolk of an Egg, and it will ripen, break, and heal; yet it must be renewed once a day.

Other Farriers take Barley meal, and boyl it with Wine and Pigeons dung, and fo lay it to the Impostume plaister-wife, and it will ripen exceedingly.

Other Farriers take a handful or two of Sorrel, and lapping " in a Dock Leaf, roaft it in the hot Embers as you would a warden and then lay it to the Impostume as hot as may be well indured, renewing it once a day; and it will ripen, break, and heal it. Plaifter of Shoo-makers Wax will do the like alfo.

Other ancient Farriers take Mallow roots, and Lilly roots, and then bruife them, and put thereto Hogs greafe and Linfeed meal, and plaister-wife lay it to the Impostume, and it will ripen it, break it, and heal it perfectly. See further in the new Additions for the Fistula, noted thus .

his wains and a goldening or soming to without an and

and a start of the start contain all shows grainer to the start

- a fishale a servicit cheste to materia to the CHAP.

Lib. 2.

Lib. 2.

CHAP. CXLV.

Of cold Impostumes.

F the impoltume do proceed from any cold Caules, as those which I rife after cold taking, or when a Horfe is at grafs in the Winter fealon, then you shall take the herb called Balm, and stamp it and Hogs greate well together, and to Plaister-wife apply it to the fore, and it will heal it : or elle when the impostume is ripe, open it in the loweft part with a hot Iron, then wash it with warm Urine ; after that anoint it with Tar and Oyl well mixt together ; and If you make your incifion in the manner of a half Moon, it is the Dettere

Other Farriers take white Mints, and feeth them in Wine, Oyl, Ale, and Butter, and fo lay it hot to, and it will heal it.

Other Farriers take Cuckoo-fpit, and flamp it with old greafe, and lo apply it, and it will heal it.

Other Farriers take a handful of Rue, and ftamp it well with the Yolks of Eggs and Honey, and then apply it plaifter-wife, and it Will heal any cold impostume.

CHAP. CXLVI.

Of hot Impostmes.

F the impostume proceed from any hot causes, as from the extremity of travel, the parching of the Sun, or the inflammation of the blood, then according to the opinion of the ancient Farriers, You fhall take Liver-wort, and ftamp it, and mix it with the grounds of Ale, Hogs greale, and bruiled Mallows, and then apply it to the fore, and it will ripen, break, and heal it: But if you would not have the swelling to break, then take the grounds of Ale, or Beer, and having boyled Mallows therein, bathe the fore place therewith, and it will drive the fwelling away. Other Farriers take either Lettis-feed, or Poppy-feed, and mix it with oyl of red Roles, and lay it to the fore plaifter-wife, especially at the beginning of the swelling, and it will take it clean away. XX

CHAP.

338

CHAP. CXLVII.

Of the Tetter.

Lib. 2.

A Tetter is a filchy kind of Ulcer like unto a canker, only it is fomewhat more knotty, and doth not fpread, but remaineth most in one place, and many times it will remain between the skin and the fleth, like a knotted Farcy, and will not break.

The cure thereof, according to the opinion of the ancient and underftanding Farriers, is, to make a ftrong Lye with old Ulrine, Athafhes, and green Copperss, and bathe the knots therewith, and it will kill and heal them. Some other Farriers take a Snake, and cut off the head and the tail, and caft them away, the reft cut into fmall pieces, and roaft them on a fpit, then take the greafe that droppeth from them, and being hot anoint the Sorrance therewith, and it will heal it in a fhort time : but look that you touch no part of the Horfe therewith, fave only the Sorrance, for it will poyfon and venom.

CHAP. CXLVIII.

Of finews that are cut, prick'd, or bruifed.

Fa Horfe by the milchance of fome Wound, thall have any of his finews either cut, prick'd, or fore bruifed, then if there be no Convultion of the finews, you thall, according to the opinion of the moft ancient Farriers, take Tar, and Bean-flower, and a little Oyl of Roles, and mixing them together, lay it hot unto the places, and if it do not prefent good, take Worms and Salet oyl fryed to gether, or elfe the oyntment of Worms, which you may buy of every Ap thecary, and applying either of them, they knitthe finews again, if they be not clean afunder. But if there be a Convultion, then with a pair of theats you muft cut the finew in pieces, and then rake Rozen, and Turpentine, Pitch, and Sanguis Draconis; then melting them together, clap it for that will cleanfe and defend it, and than this Medicine there is none better for any fwoln joynt whatfeever. Now

Lib. 12. Of Cures Chirnegical.

Now if the joynt be not much fweld, but only that the finews are exceeding fliff, through the great bruifings, then you thall take of black Sope a pound, and feeth it in a quart of ftrong Ale till it wax thick like Tar ; then referve it, and when you thall fee caufe, ufe to anoint the finews and joynts therewith, and it will supple them, and ftretch them forth, although they be never to much thrunk, as hath been approved.

CHAP, CXLIX.

Of fretting the Belly with the fore girths.

TF when you faddle and gird your Horfe, the girths be either I knotty or crumpled, and therewithall drawn too ftraight, they will not only gall and wound the Horfe under the belly very much. but they will also ftop the blood which is in the principal veins, called the plateveins, in fuch fort, as they will occasion most extreme and hard fwellings.

The cure whereof, is, according to the general opinion, to take of Oyl de Bay, and Oyl of Balm two ounces, of Pitch two ounces, of Tar two ounces, and one ounce of Rozen ; minglethem well together, and then anoint the Horfes fore bowels therewith ; then take either flox, or chopt flax, and clap upon it, and fo let it abide until it fall away of it felf, and it will furely cure him.

Other Farriers ule to take Vinegar and Sope, and beat them well together, and fir it with a flick or cloath, and then all to rub and wash the galled place therewith, and do thus at least twice a day, and it will dry it up in two or three dayes at the moft; but if the salling be about any part of the Horfes neck, then you shall take the leaves of Briony, (called the Hedge-vine) and framp them, and mix them with Wine, and then plaifter-wife lay it to the fore, and It will healic.

then adapted in a second branche rath

Xx 2 CHAP,

340

Lib. 20

CHAP. CL.

Of Blifters,

B Lifters are certain waterish hollow blebs, which do arife betwixt the skin and the flesh, proceeding either from flight burnings, scaldings, or chafings, and they be very ful of thin matter. The cure thereof, according to the opinion of the most general Farriers, is, first in the Sun to fret them till they bleed; then take the roots of Ivy, and stamping them in a morter, mix them with as much Tar, Brimstone, and Allom, till they come to a Salve; and then drefs the blifter therewith, and it will heal it.

CHAP. CLI.

To take away all manner of Bones, Knobs, or any Superfluous field.

W Hen a Horfe hath any bone growing upon any part of his body, more than natural, or when he hath any Lumps of bunches of inperfluous fleih, otherwise than of right both belong to his true proportion ; then such bones, knots or bunches, are called Excretions, proceeding from tough and flegmatick subfrances, firred up either by most fore bruiles, imperfect healed Wounds, or or ther naughty purifaction of the blood, being most apparent to the eye, and most palpable to the hand.

Now for the Cure, (according to type general opinion of the mole ancient Farriers) you thall first use Corrosive medicines, after drawing Medicines, and lastly drying medicines; or more particularly, thus you thall cure them a first with an incision Knife tearifie the Excreptions, then apply Sulphur and Bitumen, or Coloquintida heal it up with drying Salves, as powder of Honey, and Lime, or Bole-armony, or such like. Other Farriers use after they have made the Excreption to bleed well, then to take two ounces of the albes of Vitis, and as much unfleckt Lime mixt with fix ounces of throng lye, first fitance; then heep it in a glass in a dry place, and apply it to

Lib. 2.

Of Cures Chirurgical.

to the Excreption till it have eaten it away, and then heal it up as is before faid. Other Farriers ufe to take a pound of ftrong Lye, and Sope, and a quarter of a pound of Vitriol Romane, one ounce of Sal-armoniack, and as much Roch Allom, and boyl them together until they be very thick, and then with that Oyntment cat away the Excreption. Others ufe to take of *Egyptiacum* the ftrongeft kind, and lay it on the Excreption with a Cotten three or four times, and it will take it clean away: This medicine is most excellent for any plint, and of no fmall importance, if it be used against any Fistula; for it will fink it, although it were in the Crown.

CHAP. CLII.

How to eat away any superfluous or dead flesh.

F when your Horfe hath any Wound, Ulcer, and other fore, you fhall perceive that there groweth therein dead flefh, which dead flefh you fhall know partly by the infenfibility thereof, and partly in that it is a fpungy, hellow, naughty flefh, not fubftantial as the true flefh is, and either of a blackifh, or an high red Colour ; then it fhall be meet that you feek all means poffible how to confume and tat away that fuperfluous and naughty flefh, becaufe the fore that is peftered therewith, neither can nor will ever heal, till it be cleanfed of the fame : Therefore, according to the opinion of the moft ancient Farriers, The beft means to cat it away, is, to boyl frefh greafe and Verdigreafe, of each alike quantity together, and either to tent or Plaifter the fore therewith, until the dead flefh be confumed.

Other Farriers take either the scrapings of Harts-horn, or Oxhorn, and mixing them with old Sope, dress the fore therewith, and it will cat away dead flesh.

Other Farriers take Spongia Marina, or Sea-sponge, and therewith dress the fore, and it will do the like. Other Farriers use the powder of Risagallo, or Risagre, but it is a great deal too strong a fretter. Others use Litergy, or Lime in 19e, but they are like wise very violent and strong eaters.

Others use to take either White or black Eleborus, Ink, quick-Sulphur, Orpiment, Litergy, Vitriol, unfleck Lime, Rech-Allom, Galls, Soot, or the ashes of Avellan, of each half

Of Cures Chirurgical. Lib. 2.

an ounce, and they will confume dead flefh ; likewife Quick-filver extinct, and Verdigreafe, of each an ounce made into powder, will do the like : the juyce of Borage, of Scabious, of Fumicary, and of a Dock, of each half an ounce; a little old Oyl and Vinegar boy! with a foft fire, put to it Tar, and it will likewife cat away any dead fleth.

342

B

There be other Farriers which take Cantharides, Ox dung, and Vinegar, and mix them well together, and lay it to the fore, and it will fetch away the dead flefh. Others use first to pounce the fore with a Razer, then anoint it with greafe, and ftrew upon it a pretty quantity of Orpiment. Other Farries ufe in flead of Rifagallo, 10 take the powder of Verdigreale and Orpiment, of each an ounce, of unfleckt Lime and Tarrar, of each two ounces; mix them together, and therewith drefs the fore, after you have watht it well with ftrong Vinegar; and if you pleafe, you may add thereunto Vitriol and Allom, for they are both confumers of dead flefh. Other Farriers take the powder of Tartar and Mans dung burnt with Salt, and chen beaten into powder, and ftrewed on the fore ; or elfe take Salis unfleckt Lime, and Oyfter-fhels, and beat them in a morter with ftrong Lye, or old Urine, till it be like a paste : then bake it in an Oven, and after beat it to a powder, and ftrew it on the fore, and it will cat away the dead flefh.

Other Farriers ule first to walh the fore with Ale, wherein Nettle feeds have been fodden, and then ftrew upon it the powder of Verdigrease.

Now to conclude, you must ever oblerve, that before you ule any of these medicines, you do shave away the hair, that it be no impediment to the Salve; also when you have dreft it once, and see that there is no asker raifed, then you thall drefs it with forme mollifying or healing Salve till the asker come away, and then drefs it with your eating Salve again : and thus do until you behold that all the dead flesh be confumed, and that there is nothing but perfect and sound fleih, and then heal it up as in case of Wounds. Also Precipitate imple of it felf will eat away any dead flefh.

CHAP.

Lib. 2.

Of Cures Chirnrgical.

CHAP. CLIII.

For Knots in joynts, Hardnefs, Cramps, or any Inflammations.

There do grow in joynts three forts of fwellings: namely, a hot fwelling, a hard fwelling, and a foft fwelling; all which you may eafily diftingush by your feeling; and they do proceed. either from abundance of grois humours ingendred by foul keeping, or elfe by accident, as from some Wound, Rush, or Strain. The Cure whereof, according to the opinion of the most ancient Farriers, is, to beat the powder called Diapente, together with Oyl, till it be like an Oyntment, and then apply it once a day to the grief, and it will take it away, especially if it be a Gramp, or an Inflammation.

Other Farriers use to incorporate with oyl half an ounce of liquid Storax, two ounces of Turpentine, five of Wax, and ten of Bird-Lime, and apply that to the grief, and it will cafe it. Other Fartiers take Wine, and old Oyl, and Tar, mingled and boyled together, and therewith drefs the fore place, and it will help.

Others of our old and latter Farriers take half a pound of greafe, three fcruples of Muftard, and the like of Bay Salt, mix these with Vinegar, and apply it to the grief. Others use to take a plaisfer of figs, and the roots of fern and rocket, or mingle them with Grease and Vinegar, and apply it to the grief. Other Farriers use to take the Unguentum Bassilicon, which is made of Honey, Storax, Galbanum, Bdeliam, black Pepper, Bay-berries, the marrow of a Stag, of each a like quantity; twice as much of Armoniack, and of the Powder of Frankincense as much as of any of the other, and incorporate them with Sheeps suct, and apply it to the grief, and it will help in.

Other Farriers take dry Pitch, pitch of Greece, of each one part, of Galbanum, and of Lime, of each four parts, of Bitnmen two parts, of Wax three parts; melt them all together, and anoint the place therewith very hor, and it will take away the grief, and peradventure alfo the eye-fore.

344

CHAP. CLIV.

Lib. 2.

How to cure any Wound made with the foot of Gun-powder.

Coording to the opinion of the most anciens Farriers, you I shall first with a probe, or long instrument, fearch whether the Bullet remain within the fleth or no ; and if you find that it doth, then with another inftrument for the purpofe, you shall take it forth if it be pollible ; if otherwife, let it remain : for in the end nature it felf will wear it out of its own accord, without any grief or impediment ; becaufe Lead will not corrode or canker : Then 10 kill the fire, you shall take a little Varnish, and thrust it into the wound with a feather, anointing it within even unto the bottom : Then ftop the mouth of the wound with a little foft flax dipped in Varnish alfo; then charge all the fwoln place with this charge: Take of Bole-armony a quartern, of Linfeed beaten into powder, half a pound, of Bean flower as much, and three or four Eggs, fhels and all, and of Turpentine a quartern, and a quart of Vinegar, and mingle them well together over the fire, and being fomewhat warms charge all the fore place with part thereof, and immediately clap? cloath or piece of Lether upon it, to keep the wound from the cold air, continuing both to anoint the hole within with Varnich, and allo to charge the fwelling without, the space of four or five dayes Then at the five dayes end, leave anointing of it, and tent it with a tent reaching to the bottom of the Wound, and dipped in Turpen tine and Hogs greafe molten together, remewing it every day once or twice until the fire be throughly killed, which you thall perceive by the mattering of the wound, and by falling of the fwelling For as long as the fire hath the upper hand, no thick matter will iffue forth, but only a thin yellowith water, neither will the fwelling affwage; and then take of Turpentine washed in nine several waters, half a pound, and put thereunto three yolks of Eggs, and a little Saffron, and teneit with this oyntment, renewing it every day once until the Wound be whole. But if the flot have gone quite through the wound, then you shall take a few Weavers Linnen thrums, made very Knotty, and dipping them first in Varnilh, draw them clean through the wound, turning them up and down in the

345

Lib. 2.

the Wound at least twice or thrice a day, and charging the wound on either fide upon the fwoln places, with the charge afore faid, until you perceive that the fire is killed ; then clap on a comfortable Plaister upon one of the holes, and tent the other with a tent in the Salve, made of wathe Turpentine, Eggs, and Saffron, as is before hid. Other Farriers use only to kill the fire with oyl of Cream, and after to heal the wound up with Turpentine, Wax, and Hogs greafe molten together.

Other Farriers kill the fire with Snow Water, and charge the weld place with Cream and Barm beaten together, and then heal up the Wound by dipping the tent in the yolk of an Egg, Honey, Saffron well beaten and mixt together.

CHAP. CLV.

Of burning with Lime, or any other fiery thing.

A Ccording to the opinion of the ancient Farriers, you shall first wash the fore round about, and in every part very clean with Warm Urine ; then kill the fire, by anointing the place with oyl and Water beaten together, dreffing him fo every day until the fore be all raw, and then anoint it with Hogsgreafe, and frew thereu-Pon the powder of unfleckt Lime, dreffing him thus every day once until he be whole.

Other Farriers use first to wath and cleanse the fore with Salet Oyl only warmed, then to kill the fire with Cream and Oyl beaten together, and when it is raw, then to fpread upon it Cream and Soot mixt together ; and laftly, to ftrew upon it the powder of Honey and Lime, until it be perfectly skinned.

CHAP. CLVI.

Of the biting with a mad Dog.

F your Horle at any time be bitten with a mad Dog, the venom of whole teeth will not only drive him into an extreme torment, but it will also infect and inflame his blood, in such fort, that the Horfe will be indangered to dye mad. The cure thereof, according

346

Lib. 2,

cording to the opinion of the ancient Farriers, is, to take of Goats dung, of fleth that hath lain long in Salt, and of the herb Ebulus generally called Danwort, of each half a pound, and forty Walnuts; ftamp all these together, and lay part thereof to the fore, and it will suck out the venom, and heal up the wound; but upon the first dreffing, you shall give the Horse Wine and Treache mist together to drink.

There be other Farriers, which first give the Horse Sack and Salet Oyl to drink, then with a hot Iron cauterize and burn the fore; and lastly, heal up the wound with the falve first recited.

Other Farriers first give the Horse two or three spoonful of the Powder of Diapente to drink in a pint of Muskadine; then take a live Pidgeon, and cleaving her in the midst, lay it hot to the Wound, and it will draw out the venom; then heal the fore with Turpentine and Hogs grease well moleen together. The leaves of Aristoloch bruised will take away the poylon.

CHAP. CLVII.

Of hurts by the tanks of a Boar.

IF a Horfe be ftricken with the tusks of a boar, you shall then take Copperasor Vitriol, and the Powder of a Dogs head being burned, after the tongue hath been pulled out, and cast away, and mixing them together, apply it once a day to the fore, and it will cure it : Yet before you drefs it, first wash the fore very well, either with Vinegar, or with white Wine, or Urine.

CHAP. CLVIII.

To heal the biting or stinging of Scrpents, or any venemous beag Whatsoever.

I F your Horfe be either bitten or flung, either with a Serpent, or any other venemons beaft, which you thall eafily know by the fuddain fwelling either of the body or member; then you thall firth chafe him up and down until he fweat, and then let him blood in the roof of the mouth; and laftly, take a young Cock or a Pidgeon, and

Lib. 2.

and cleaving it in the midft, clap it hot to the Wound, and then Bive the Horfe white Wine and Salt to drink. Other Farriers take a good quantity of the herb called Sanicula, flamp it, and temper it together with the milk of a Cow, till it be all of one colour, and give it the Horfe to drink, and it will heal him. Other Farriers clap to the fore Hogs dung, or Ox dung, or Henbane bruifed, or elfe the alhes of Reeds; then give him to drink Mug-wort, or great Tanfie, and Wine and Camomil flampt together: Or elfe give him Wine and Oleum Rofatam mixt together.

Other Farriers make a Plaister of Onions, Honey, and Salt, fampt and mingled together, and lay that to the fore place, and sive the Horse Wine and Treacle to drink, or else white Pepper; Rue, and Time, mixt with Wine. Other Farriers take Aphodillus, Hastala Regia, stamp with old wine, and lay to the fore: for it is most foveragin good.

CHAP. CLIX.

Of Lice or Vermin, and how to kill them.

The Lice or Vermin which breed upon a Horfe, be like unto geefe Lice, but fomewhat bigger, and do breed most commonly 2bout the Ears, Neck, Mane, Tail, and generally over the whole body; they do proceed from poverty, or feeding in Woods, where Trees are continually dropping upon them: The figns are, the Horfe will be alwayes rubbing and feratching, and albeit, he eat much meat, yet he will not prosper: And with this continual rubbing: he will fret and wear away all his Mane and Tail, and you shall also perceive the Lice, when the Sun doth shine, running on the tops of the hairs. The cure according to the opinion of the ancient Farriers, is, to take of Sope one pound, and Quick-filver half an ounce, mix and beat them together well, until the Quick-filver be kild, and then anoint the Horfe all over therewith, and it will confume the Lice prefently.

Other Farriers take Staves-aker and Sope, and mixing them together, anoint the Horfe all over therewith. Others take unripe Mulberries, and their roots or stalks, and feeth them in strong Urine, and then wash the Horfe therewith, after that anoint all his body

Xy 2

over

347

348

13

over with Sangnis Dracenia, the juyce of Leeks, Salt, Pitch, Oyl' and Swines greafe, very well mixt together.

Lib. 2.

Others use to chafe all his body over with Quick-filver, and soft grease mixt together, till the Quick-filver be kild, and in two or three dreffings the Lice will be confumed.

CHAP. CLX.

How to fave Horfes from the Stinging of Fires in Summer.

I F you will fave your Horfe in the Summer time from the ftinging or biting of flies, which is very troublefome unto them, then you fhall anoint all the Horfes body over either with oyl and Bay berries mingled together, or elfe bind unto the head-ftal of his Collar, a fpunge dipped in ftrong Vinegar: Some use to fprinkle the ftable with water wherein herb of Grace hath been laid to fteep; or elfe to perfume the ftable with the smoke of Ivy or Calamint, or with Githe burned in a pan of coals.

But the fureft way of all, both in the ftable and abroad, is, to make two good wifps of Rue, and therewithall to rub the Horfes body all over, and no flye will light upon him, or touch him, as hath been often approved.

CHAP. CLXI.

Of bones being broken, or ent of joynt.

Our common English Farriers are very far to seek in this cure; because they do neither perfectly acquaint themselves with the members of a Horse, nor have so much invention in this extremity, to make a Horse, being an unreasonable creature, to suffer like a reasonable person; and also in that the old traditions in Horse-leach craft affirm, that all fractures above the Knee are incurable; and so despairing, they cease to make practice: But they are much deceived : for neither the fracture above the Knee, not the fracture below the Knee, is more incurable in a Horse than in man, if the Farrier can tell how to keep the Horse from strugling or tormenting the member grieved.

Of Cures Chirnergical.

349

If therefore your Horfe have any bone broken, which is most easie to be difcerned by the deprivation of the ufe of that member, and as cafie to be felt by the feparation of the bones, the one part being higher than the other, befides the roughness and inequality of the place grieved : you shall then for the Cure thereof, First take a ftrong double Canvas, which shall be as broad as from the Horles fore-fhoulder to the flank ; and fhall have another double Canvas, which thall come from between the Horles fore-booths up to the top. of the withers, where meeting with the reft of the Canvas, and having exceeding ftrong loops, to which ftrong ropes must be fastned, you shall by main force fling up the Horse from the ground, to as his feet may no more but couch the ground: And if it be a fore Leg that is broken, then you thall raife him a little higher before than behind : If a hinder Leg, then a little higher behind than before, fo that the Horfe may reft most upon the Members most found. When your Horfe is thus flung, then you (hall put the bones into the right place; which done, wrap it close about with unwalhed Wool newly pulled from the Sheeps back, binding it fast to the Leg with a fmooth Linnen roler foaked before in Oyl and Vinegar mingled together, and look that your Roler lye as fmooth and plain as may be; and upon that a-gain, lay more Wool dipt in Oyl and Vinegar, and then fplint it with three broad, fmooth, and ftrong splints, binding them : fast as both ends with a thong, and in any case let the Horses Legs be kept out very ftraight, the space of forty dayes, and let not the bones be loofened above thrice in twenty dayes, unless it thrink, and to require to be new dreft and bound again; but fail not every day once to pour on the fore place. through the fplints, Oyl and Vinegar mingled together : And at the forty dayes end, if you perceive that the broken place be fowdred together again with fome hard Knob or Griffle, then loofe the bonds, and eafe the Canvale, fo as the Horfe may tread more firmly upon his fore foor, which when he doth, you thall loofen him alcogether, and let him go up and down fair and gently, using from hence forth to anoint the fore place either with foft greale, or elle with one of these Plaisters, or Oyntments : Take of Spama argenti, of Vinegar, of each one pound, of Salet Oyl half a pound, or Armoniack, and of Turpentine, of each

350

Lib. 2.

each three ounces, of Wax, and of Rozen, of each two ounces, of Bitumen, of Pitch, and of Verdigreafe, of each half a pound, boyf the Vinegar, Oyl and Spuma argent? together, until it Wax thick: then put thereunto the Pitch, which being molten, take the pot from the fire, and put in the Bitumen, without flirring at all, and that being alfo molten, put in then all the reft, fet the pot again to the fire, and let them boy! all together, until they be all united in one: that done, firain it, and make it in Plaister form, and use it as occafion thall serve.

Other ancient and well experienced Farriers, take of liquid Pitch one pound, of Wax two ounces, of the pureft and fineft part of Frankincenfe one ounce, of Amoniacum four ounces, of dry Rozen and of Galbanum of each one ounce, of Vinegar two pints; boyl first the Vinegar and Pitch together, then put in the Amoniacum diffolved first in Vinegar, and after that the aforefaid Drugs: and after they have boyled all together, and be united in one, strain it, and make it into a Plaister, and use it according to occasion.

Other Farriers take of old Salet oyl a quart, and put thereunto of Hogsgreafe, of Spuma Nitri, of each one pound, and let them boyl together until it begin to blub above: then take it from the fire, and, when you use any of the Oyntment, let it be very hot, and well chafed in; and then one of the two former Plaisters folded above it, and it is most foverain and comfortale for any bone that is broken.

CHAP. CLAIL

Of bones out of joynt.

IF a Horfe have any of his bones out of the joynt, as either his Knee, his fhoulder, his paftorn, or fuch like, which you fhall perceive both by the uncomline's of the joynt, and allo feel by the hollowne's of the member that is difplaced: Then your readicft Cure, is, to caft the Horfe on his back, and putting four firong paftorns on his feer, draw him up to as his back may no more but touch the ground; then draw the grieved Leg higher than the reft, till the poife and weight of his body have made the joynt to thoot into

Lib. 2.

into its right place again ; which you shall know when it doth, by aluddain and great crack which the joynt will give when it falleth into the true place; then with all gentleness looss the Horse, and let him rife: And then anoint all the grieved place, either with the last oyntment rehearsed in the last Chapter, or else with the oyl of Mandrake, or the oyl of Swallows; both which are of most soverein vertue.

CHAP. CLXIII.

To dry up humanrs, or to bind, being astrictive, or binding charges.

TAke of Ungmentum Tripharmacum, made of Litergy, Vinegar, and old Oyl, boyled till they be thick, only take as much oyl as of both the others, and it will ftop and ftay the flux of any humours.

If you take firong Lye, it is a great drier, and a binder of humours.

Diffolve in Vinegar, Rozen, Affalto, and Myrthe, of each an ounce, of red Wax half an ounce, and of Armoniack half an ounce, mingle them well together in the boyling; for this Salve drieth wonderfully, bindeth all loofe members, and comforteth all parts that are weakned.

Take of Lard two pound, and when it is fodden, Grain it with three ounces of Cerufe, and as much Allom melted, and it both drieth and bindeth exceedingly.

Dry figs beaten with Allom, Mustard, and Vinegar, do dry abundantly.

Oyl or foft greafe beaten to a Salve with Vitriol, Galls, and Allom, and the powder of Pomegranats, Salt and Vinegar, both dry and bind fufficiently.

Sope and unfleckt Lime mixt together, drieth perfectly after any incifion.

Verdigreafe, Orpiment, Sal-armoniack, and the powder of Coloquintida, of each alike, made into a Plaister, with Milk or Wax, drieth and bindeth:

The greafe of Snakes roafted, the head and tail being cut away, is a great drier.

35I

Of Cures Chirurgical. Lib. 2.

To conclude, the bark of a Willow tree burnt to ashes, is a great drier, and binder, as any simple what soever.

352

CHAP. CLXIV.

A plaister to dry up superfluces m isture, and to bind parts loosened.

T Ake of Bitumen one pound, of the pureft part of Frankincen le three ounces, of Bdeliam Arabicum one ounce, of Deers suer one pound, of Populeum one ounce, of Galbanum one ounce, of the drops of Storax one ounce, of Common Wax one pound, of Resin Cabial half a pound, Viscus Italiens one ounce and a half, of Apoxima one ounce, of the juyce of Hyssop one ounce, of the drops of Armoniack one ounce, of Pitch half a pound: let all these be well and perfectly molten, diffolved, and incorporated together according to Art, and then make a plaisfter thereof.

CHAP. CLXV.

Another plaister to dry up any swelling, wind-gall, splent, or bladders, in or about the joynts.

T Ake of Virgins Wax half a pound, of Rozen one pound and a quarter, of Galbanam one ounce and an half, of Bitumen half a pound, of Myrrhe fecundary one pound, of Armoniack three ounces, of Coftus three ounces: boyl all thefe things together in an ground like fine Flower, must be added unto the other things, after that they have been boyled and cooled, and then boyled all together again, and well ftirred, fo as they may be incorporated together, and made all one fubftance, and then applying as occasion shall be administred.

CHAP.

Of Cures Chirurgical.

CHAP. CLXVI.

Receits to diffelve humours.

TAke of Worm-wood, Sage, Rolemary, and the bark of an Elm, or of a Pine, of each a good quantity, and boyl them in oyl with a good quantity of Linseed; and making a bathe thereof, bathe the grieved part, and it will diffolve any humours that are sathered or bound together.

A pound of figs ftampt with Salt till they come to a perfect falve, diffolveth all manner of humours, by opening the pores, and giving a large paffage.

CHAP. CLXVII.

How to mollifie any hardness.

T Ake of Linfeed pun'd, and of Fenugreek, of each four ounces, of Pirch and Rozen, of each three ounces, of the flowers of Rofes two ounces, Pitch of *Greece* three ounces; boyl them together, then add three ounces of Turpentine, fix ounces of Honey, and a little Oyl: and then applying this falve, it will mollifie and foften by hard fubftance.

Malvavisco well sod, and stampt with Oleum Rosatum, being laid

Boyl Branck urfine, and Mallows rogether, and beat them with Oyl and Lard, and they will foften much.

Malvavisco, Cole-worts, Branck urfine, herb of the wall, and old Brease punded, doth mollifie very much.

The oyl of Cyprels, both mollifierh and healeth.

Wheat-meal, Honey, Pelitory, Branck urfine, and the leaves of Worm-wood being beaten with Swines greafe, and laid hot unto any hard tumour, doth fuddenly mollifie it, and ispaffing good for any ftripe alfo.

Greafe, Mustard-seed, and Comin boyled together, doth mollifie very much:

Take of Sope half an ounce, of unfleckt Lime an ounce, and mix them well with flrong Lye, and it will mollific even the hardeft hoofs. Z z The

354

The juyce of the Leaves and roots of Elder, or a plaister made thereof, doth dry up and mollifie humours marvelously.

So doth the juyce of the tops of Cypress, and dry Figs, macerated in Vinegar, and strained, of each three ounces: And if you add ro it of Salt-niter one ounce, of armoniack half an ounce, of Aloesand Opoponax a little, and make it into an Oyntment, it will mollifie any hardness very sufficiently.

Mallows, Nettles, Mercorella, and the roots of Cowcumbers, and old Turpentine, being beaten together with old greafe, will mollifie any hardness speedily.

bust freiren er or mos yet lin de? de vers) after i banner GH-AP, CLXVIII.

To barden any softness.

The fole of an old those burnt, and fodden in Vinegar, will harden hoofs, and fo will also the powder of Galls boyled with Bran and Salr in ftrong Vinegar.

The powder of Honey and Lime, or the Powder of Oyster-shels, or the powder of a burnt felr, or thick Cream and Soot mixt toget ther, will harden any fore what sover.

CHAP. CLXIX.

To Conglutinate.

Ris Illirica beaten and fifted, mingled with Pepper, Honey, Currants, and given the Horfe to drink with Wine and oyl, helpeth and conglutinateth any inward rupture or burftness whatsoever.

Dragant, Saffron, the fruit of the pine, with the yolks of Egg⁵, given likewise to drink with Wine and oyl, doth also conglutinate any inward member or vein broken.

Incense, Mastick, and cute, doth the like also. Poligano sod in Wine, and given to drink is good also.

The roots and leeds of Alparagus fod in water, and given to the Horle; then after for three dayes give him Butter and Opoponas with Honey and Myrrhe, and it will conglutinate any inward Ulleer or Rupture whatfoever.

CHAP,

WEATER PRES

Lib. 23

Of Cures Chirurgical.

lome cooling falve: And the worff is Lime and Sope, or Lime and all of months about C H A P. CLXX. I a post of ay I pacet tolande ff pair op mensjoer se ha

355

To mundifie and cleanse any fore. A P. CLXXIII.

TAke oyl of Olives, Swines greafe clarified, the greafe of a young Fox, Turpentine, alloin, and white Wax, feeth them all together till they be most throughly incorporated together, and with this Oyntment drefs any foul fore whatfoever, and it will mundifie and cleanse it most sufficiently. C H A P. CLXXI. Of Repercussive medicines, or such as drive back humours.

R Epercuffive medicines, or fuch as drive evil humours back, are commonly called amongst Farriers, Plaisters or Salves defenfative, and are to be uled about every great Wound or Ulcer, left the flux of humours flowing to the weak part, both confound the medicines, and breed more dangerous Exulcerations. Now of these Repercussive medicines thele are the best, either Vinegar, Salt, and Bole-armoniack beaten together, and fpread round about the fore, or else white Lead and Saller oyl beaten also together, or red Lead and Saller oyl, or elfe Unguentum Album Camphoratum, and fuch like. ano) adve man as bla a dif and yas less light i bas aviet.

Charlen Margar 1 To CHAP. CLXXII.

Of burning Compositions.

Rurning Compositions are for the most part Corrosives, of which We shall have occasion to speak more at large in a Chapter following : yet for as much as some are of better temper than others, you shall here understand, that of all burning compositions, the Beneleft: is Unguentum Apostolorum, next to it is Verdigreale and Hogs greale beaten together ; next to it is Precipitate, and Turpenune mixr together : next to it is arfnick allayed with any oyl, or healing falve : Next to it is Mercury fublimate, likewife allayed with fome Zz 2

356

Lib. 2.

fome cooling falve : And the worft is Lime and Sope, or Lime and ftrong Lye beaten together, for they will corrode and mortifie the foundeft part or member what foever.

CHAP. CLXXIII.

For all manner of burts about an Horfe what foever.

TAke an ounce of Oyl, two ounces of Turpentine, and a little Wax, mingle them at the fire: this will heal any Wound or Gall, and keep it clean from filth, water, and durt.

Take Vinegar and Honey, and boyl it together, when it is cold, add the Powder of Verdigreale, Copperas and Brass burnt, mingle them well together : this will take away all ill and dead flesh, and cleanse and heal any old Ulcer.

Take Wax, Pitch, Swines greafe, and Turpentine, and mix them well together : this will heal any bone, spel, or any other ftub-

Take house Snails, and seeth them in Butter, and they will draw out any Thorn or Nail, being oft renewed. So will also the roots of Reeds being bruised and applied.

The roots of an Elder beaten to powder, and boyled with Honey's is good for any old fore whatfoever.

Take Salt, Butter, and Honey, or white Wax, Turpentine, and oyl *Refatam*, of each like quantity, with twice as much Bean-flower as of any of the other : mix it very well together, and make it into a Salve, and it will heal any fore, either old or new what foever.

Take Wax, Turpentine, and Deers suei, or the Marrow of a Siag, and mix them well together, and it will heal any Wound or any Impostume whatsoever: so will also Wax, Oyl, Mastick, Frankincense, and Sheeps suer, well molten together: or the Powder of Mastick, Frankincense, and Aloes, mixt and molten well together.

The whites of Eggs beaten with Oleum Refatum, and Salt, and lo laid upon flax hurds, healeth any Wound that is not in any principal part where the Muscles are.

If you will purifie, cleanse, and heal any old sore, take three pints of well clarified Honey, and boyl it with one pint of Vinegar, and one of Verdigrease, and so apply it : or else take of Mastick, and

Of Cures Chirnrgical.

Verdigreale, of each half an ounce, of Frankincense one ounce, of new Wax sour ounces, of Turpentine six ounces, and of Hogs grease two pound : boyl and incorporate all these together, and then apply it to the sore place, and it will both cleanse, purifie, and heal.

Chick-weed, Groundsel, Graise, and stale Urine, very well boyled together, will heal any galling or hurts by halter, or other accident, or any strain, or stripe, or swelling, which cometh by any such like mischance.

Take of new Milk three quarts, a good handful of Plantain, let it boyl till a pint be confumed : then add three ounces of Allom made into Powder, and one ounce and an half of white Sugar-candy, made likewife into Powder : then let it boyl a little, till it have a hard curd, then ftrainit : with this warm, bathe any old Ulcer, then dry it, and lay on fome Unguentum Bafilicon; this cleanfeth, drieth, ftrengthaeth, and killeth the itch, and healeth the fouleft Ulcer either in man or beaft that may be. Allo, if you take of milk a quart, of Allom in Powder two ounces, of Vinegar a fpoonful; when the milk doth feeth, put in the Allom and Vinegar, then take off the curd, and ufe the reft, and it will likewife dry up and heal any foul old fore whatfoever.

CHAP. CLXXIV.

How to make the powder of Honey and Lime.

TAke fuch a quantity of unfleckt Lime as you fhall think fit, beat it into very fine powder : then take so much Honey as fhall suffice to mingle it together, and make it into a very stiff passe, in the form of a thick Cake or Loaf: then put the same Cake or Loaf into a hot Oven, or a burning fire, till it be baked, or burnt glowing red: then take it forth, and when it is cold, beat it into very fine Powder, and then use it as occasion shall ferve. It drieth, healeth, and skinneth any fore what so very marveloufly.

D

358

Lib. 2.

CHAP. CLXXV.

The order of taking up of Veins, and wherefore it is good.

FIrft, before we fpeak of the order of taking up of Veins, you thall underftand, that all Veins, except the Neck-veins, the Eye-veins, the Breaft-veins, Palat-veins, and the Spur-veins, are to be taken up, and not firiken with the fleam : partly becaufe they are to little and thin, that if you firike them, you thall either indanger the firiking thorough them; or partly becaufe they are to near adjoyning to Arteries and Sinews, that if in firiking you flould hit and prick either Artery or Sinew, it were a prefent laming of the Horfe, as I have oftentimes feen and noted in the practice of many ignorant Smiths. Now touching the order of taking up of a vein, it is thus.

First, you shall cast your Horse either upon some lofe ground, grafs, some dunghil that is not very moyst, or in some light some Houle, upon good ftore of sweet ftraw ; then when the Horle is thus caft, you shall look for the vein which you intend to take up, and if it be either fo fmall, or lye fo deep, that you can hardly perceive it : Then you shall with warm Water, rub, chafe, and bache all that part where the vein lyeth ; then take a narrow filk garter, and a handful or two above the vein, (if it be of any of the Horles Legs) garter the member very ftraight; but if it be a vein to be taken up on the body or breaft, then with a good furfingle either clofe behind the hinder point of the shoulder, or within a handful of the place, where you mean to take up the vein, gird him very ftraight, and prefently you shall fee the vein to arife ; then mark that part of theskin which covereth the vein, and with your finger and your thumb, pull it fomewhat afide from the vein, and then with a very fine incifion Knife flit the skin clean through, without touching the vein, and in any wife cut no deeper than through the skin, and that long wife too, in fuch fort as the vein goeth, yet not above an inch at the most in length ; that done, remove your finger and your thumb, and the skin will return again into his place, right over the vein as it was before, in fo much, that but opening the orifice, or flit, you shall see the vein lye blew, and bare before your eyes 3

Lib. 2.

eyes; then take a fine fmooth Cronet, made either of the Browantler of a Stag, or of an old Buck, and thruft it underneath the vein, and lift it up a pretty diftance, (that is to fay, half the thickness of the Cronet) above the skin; that done, you shall then loose either the Garter or the Surfingle, for they are but only helps for you to find out the vein; and when the vein doth appear, have a special care that you touch not the finews.

Now when you have thus taken your vein up on your Croner, you thall then either put a red filk thrid, dipt in Oyl of Butter, or elfe a fmall Shooe makers thrid, underneath the vein alfo, fomewhat higher than the Cronet, which filk or thrid muft ferve to knit the vein when time requires ; then the Cronet ftanding ftill as before, with your Knife flit the top of the Vein long wife, the length of a Barly corn, that it may bleed : then ftopping the nether part of your vein with the filk, or the thred fuffer it to bleed from above ; then with your filk or thred removed above, knit it falt with a fure knot above the flit, fuffering it only to bleed from beneath, and having bled there alfo fufficiently, then knit up the vein beneath the flit with a fure knot, then fill the hole of the vein with Salt, and heal up the Wound of the skin with Turpentine and Hogs greafe molten together, or elfe with a little freth Butter, laid on with a little flax or foft tow is fufficient.

Now the vertue which redounds from this taking up of veins: first, it is very neceffary, and doth ease all griefs, strains, and stiffness of the Limbs: for the taking up of the plat veins easeth all pains in the breast, and griefs in the cheft; the taking up of the fore thigh veins easeth Farcies, and swellings of the Legs: the taking up of the stackle veins before, helpeth Gourding, Quitter-bones, and the welling of the joynts, fcabs and foratches: the making up of the hinder hough veins, helpeth Spavens of both kinds, most especially, any Farcy in those parts, and generally all swellings or impostumes; the taking up of the pasts, pains, Mules, and all manner of Kibed heels, befides fundry other such like diseases.

CHAP,

359

260

Lib. 2

CHAP. CLXXVI.

Of Cauterizing, or giving the fire, the kinds and uses.

The giving of fire, which amongst the best Farriers is called Cauterizing, and amongst the fimpler burning, fearing, or bliftring, is, (according to the general opinion of all the most ancient Farriers, the chiefest Remedy) and as it were the last refuge of all Diseases incident to any Horses body, whether they be Natural or Accidental: for the Violence of fire sparating and digesting all manner of humours into a thin air, and loose body, cleanseth and avoideth those grofinesses which are the material causes of all Putrifaction and Ulceration. Now of Cauterization, there be two kindss the one of them Actual, which is that which is done by the hands and with the Instrument, that is to say, of the hot Iron of what fashion soever; the other Potential, which is done by the applying of a Medicine, whose nature is either Corrosive, Putrifactive, or Caustick.

Now the first of these, which is the Cauterize actual, is principally to be used when there is any apostumation in any finew, part, or member, or amongst any of the most principal Veins: also when you shall difmember or cut away any joynt, or make any incision, where there is fear of any flux of blood, or where you shall find either the skin or Muscles shrunk or straightned; and in many such like cases.

The Cauterizing potential is to be used in old cankered Ulcers, Wens, or any spungy excressions, either of flesh or bone whatlo ever, of whole natures and properties you shall read more hereafter in a following Chapter.

CHAP. CLXXVII.

Of the Cauterize altual, and the form of instruments.

A N actual Cautery, according to the opinion of the moftancient Farriers, being moderately used, is a notable remedy to ftop all corruption in members, to keep perfect the complexion of the

Of Cures Chirurgical.

the fame, and alfo flanch the blood 5 only you muft have a careful regard, that in the handling of your Iron you touch neither Sinews, Tendons, Cords nor Ligaments, left you do utterly difable the member, or breed Cramps or Convultions; except it be when you difmember or cut away any joynt: As when you do make Curtals, 8tld Horfes, or fuch like: and then your Cautery is to be used only to fear the Veins, Sinews, and Ligaments, till fuch time that you are Perfectly affured that all Flux of blood is ftopped whatfotwer.

Now again, the actual Cautery bindeth together parts loofened, it doth attenuate things blown, and puffed up, it drieth up luperfluous moisture, it both loofeneth, disperseth, and divideth evil matter gathered into knots, it affwageth old griefs, it rectifieth those parts of the body that are corrupted by any manner of way, reducing them to their first perfect estare, and suffereth no abundance of evil humours to grow or increase : For the skin being separated, and opened wich the hot Iron, all putrifaction whatfoever through the vertue of the fire, is first digested and ripened, and then so diffolved, that the matter doth iffue out abundantly at the holes, whereby the grieved or fickned member is now healed, and eafed of all pain and Brief; yea, and infomuch that the holes being once closed, and close thut up, the place is ftronger and better knit together, and covered With a tougher and harder skin than ever it was before; only the greateft blemith that can any way be found in Cautery is, that it commonly leaveth a great skar, which is many times an eye fore more than is tolerable: and therefore, the use of Cauterizing is only to be preferred but in desperate cales of great extremity : for albeit it work foul, yet I am perswaded it is most certain, and it works moft fure.

Now as touching the inftruments where with you muft Cauterize, their fubftance and proportion, you fhall underftand, that the moft curious Farriers do prefer either Gold or Silver to be the beft metal to make them of, in that few or no evil accidents do follow where they burn: But the wifeft, beft, and moft skilful Farriers, take Copper to be fufficient enough, and a metal without any lawful exception; yet where Copper Inftruments cannot be had, there you may with commendations enough ufe fuch inftruments as are made of Iron, and find your work nothing at all hindred.

Now

361

Lib. 2:

362

Now for the fashion, or proportion of your Instruments, or Irons, they are to be only referred to the fore or place grieved, wherewith you are to meddle, according to the divertity whereof your Inftruments are to be made of divers falhions ; as some are to be made Knife-wile, either with thin edges, or broad edges ; and they be called drawing Knives, or fearing Knives, becaufe they are principally imployed in the drawing of ftraight lines, shallow, or deep, and fometimes in circular or divers squares: some are made like ftraight, and fome like crooked Bodkins, and they are imployed either in flefh'y Excretcions, to caufe Exulcerations, or elfe in Impoftumes, to open small passages for the matter ; some are made like hooks or fickles, and they are to be used where the Wound is crooked, for the burning out of dead flefh, or fuch like hidden evils, which cannot be reacht by any ftraight inftruments : Others are made eicher with great Buttons, or little Buttons at the end, and they are uled to open Impostumes, or elle to burn into the found flesh, where you intend to make any new fore or iffue for the drawing or keeping back of other evil humours. And in making of thefe Irons, the Farriers own judegment is to be of great value, becaule he must eit ther increase or diminish them according to the manner of the place grieved ; and be fure that he ever make them fit for his right purpole,

Now for 'the use of these Instruments, there are two principal things to be regarded : First, the heating of the Iron, and next, the true temper, or bearing of the Farriers hand.

Touching the heating of the Iron, you shall understand, that the back of the Iron must never be so hot as the edge, that is to say, you must never make the back of the Iron red hor, for fear that thereby it yield too much heat, and consequently breed inflammation: theres fore, whensoever you see the back of your Iron as hot as the edge, you shall a little cool it with water.

Now for the temper, of bearing of your hand, you thall underftand, that the more evenly, and light it is done, to much the better it is done; and herein is to be confidered, the finenels or thicknels of the Horles skin, which you thall know molt commonly by his hair: for if it be thort, and fine, then the skin is thin: if it be long and rough, then is his skin thick and boyfterous.

Now the skin that is fine, must be Cauterized or feared with a very

Lib. 2. Of Cures Chirurgical.

very light hand, in as much as the skin is fo foon pierced through, and the thick skin with a heavy hand, and both of them with fuch a tempered hand, that the skin muft no more but look yellow : wherein you fhall ever find, that the fine skin will fooner look yellow than the thick skin, the main reafon being, becaufe the thicknefs and roughnefs of the hair of the thick skin doth cool and choak the heat of the Iron, in fo much, that if it be not laid to with a more heavy hand, and the Inftrument fo much the more and the oftner heated, it cannot work that effect which in Art it fhould do.

Now you shall also observe, that in drawing of any Line or other Cauterize, whatsoever, that you ever draw with the hair, and never against the hair, whether the Lines be short, long, deep, shallow, straight, crooked, or over-thwart, according as the grief doth tequire.

Now to conclude, you are to observe in Cauterizings, these few Precepts: Finst, that you do not give fire to any finewy place, except there be some apparent swelling, or else impostumation. Secondly, that you give not fire to any bone that is broken, or out of joynt, for fear of breeding a general weakness in the whole member. Thirdly, never to give the fire so deep, or fuffer your hand to be so heavy, that you may missing, or deform the Horse, either by unnecessary figures, or uncomely Skars. Fourthly, not to be too rafh or hasty in giving fire, as if every cure were to be wrought by that Practice only, (as I know some very well reputed Farriers hold opinion) but only to attempt all other good means before, and when all hope else is desperate, then to make the fire your last refuge, as an extremity that must prevail when all other practices de Perish.

Laftly, I would not have you, like thole foolith Farriers, which know nothing, utterly to contemn and neglect it, as if it were utelefs, but with all moderation and Judicious diferentian to apply it in fit time and place, fo the poor Horle may gain eafe, your felf good Reputation, and the owner profit: which is most certain, as long as you are governed by wildom.

. Asa 2

CHAP,

364

CHAP. CLXXVIII.

Of Canterize by Medicine, which is Canterize Potential.

The potential Cauterize, or learing of the fleth by Medicine, is, (as I faid before) when the medicines are either Corrofive, Putrifactive, or Cauffick : Corrofive, as when they do corrode, rot, gnaw, and fret the fleth : Putrifactive, when they do corrupt the complexion of the member, and do induce a main Skar like dead fleth, caufing infinite pain, in fuch fort, that they are often accompanied with Fevers and mortality, and therefore are not to be adminiftred, but to firong bodies, and in very firong difeafes; and Cauftick, which is as much to fay as burning, when the operation is fo firong, that it inclineth, and cometh neareft to the nature of fire, and fo burneth and confumeth whatloever it toucheth.

Now these Potential Cauterizes do exceed and excel one another by certain degrees, as thus : the Corrosives are weaker than the Putrifactives, and the Putrifactives are weaker than the Causticks; the Corrosives work upon the upper part in the soft fleth, the Putrifactives in the depth of the hard fleth, and the Causticks have power to break skin sound or unsound, both in hard and soft fleth, and that very deeply also.

Now of Corrofives fome be fimple, and fome be compound : the fimple Corrofives are Roch allom, burnt or unburnt, the Spunge of the Sea fomewhat burnt, Lime, red Curral, and the powder of Mercury, the fhavings of an Ox or Harts-horn, Precipitate, Verdigreafe, and fuch like. The compound Corrofives are, black Sope, and Lime, Unguentum Apostolorum, and Unguentum Egyptiacum, and Unguentum Caraceum, and many fuch lick : and these are to be apa plied unto Sores, Ulcers, or Excressions, after they are Corroded.

The Putrifactives are Arlnick, either white or yellow, Relalgar, or any Medicine compounded with any of them; befides, Sandaracha, Chryfocolla, and Aconitum.

Now if you would have your Putrifactive medicines to be canftive, that is, breeding a great Skar, and hot in the fourth degree : then they are unfleckt Lime, and the burned dregs of wine ; and these are to be used to Carbuncles, Cankers, and Amburies.

The

Lib. 2.

Of Cures Chirmrgical.

265

The Cauftick medicines are those which are made of flrong Lye, called *Capitellum*, or Magistra, of Virricle Romane, Sal-niter, Aquafortis, Apium, Cantharides, Ciclamine, onions, flrong Garlick, Melanacardium, the flones or grains of Briony, and many such like.

Now in conclusion, I would with every diligent Farrier, feldome or never to ufe either Arfnick, Refalgar, or Mercury fublimate, fimply of themfelves, but rather to allay them (if the fuftance whereon they are to work be very great) with *Unguestum Apoffolorum*; but if it be very little, then with Hogs greafe, Turpentine, or fuch like. And thus much for this potential Cauterizing, and the proper ufes.

CHAP. CLXXIX.

Of the Rowelling of Horfes, and the use thereof.

The Rowelling of Horfes, is, amongft our ignorant and fimple Smiths, the moft ordinary and general practice of all other whatfoever, infomuch that not any Difeafe can almoft be found about a Horfe, either how flight or great foever it be, but prefently without any reafon or fenfe therefore, they will Rowel him for the fame; whereby they not only put the Horfe to a needlefs torment, but alfo bring down (now and then) fuch a flux of naughty humours, that they lame the Horfe, which otherwife would be perfectly found. But it is not my Theam to difpute of thefe ignorances; only this I muft fay of Rowelling, it is a practice as neceffary and commendable for the good eftate of a Horfes Limbs, and Body, as any medicine whatfoever, fo it be applied in his due time, and in his due place: otherwife on the contrary part, it is contrary to all goodnefs.

The helps which are got by Rowelling, are thefe, it feparateth and diffolveth all evil humours, which either through Natural or Unnatural corruptions are gathered and knit together in any one place, hindring the office of any member, or deforming the body by any fuperfluity or evil fubftance; it loofeneth those parts which are bound, and bindeth those parts that are Weakned; it siveth ftrength unto fick joynts, and comforteth wharfoever is opprefied with any cold flegm, or hot cholerick fubftance: the general use of Rowelling, is either for inward ftrains, especially

266

Lib. 2.

especially about the shoulders or hips, or elfe for great hard swels lings, which will not be mollified or corroded by any outward medicine, which is either Plaifter or Unguent, for you shall underftand, that when a Horfe receiveth any ftrain or bruife, either in the upper joynts of his fhoulders, or his hips, which joynts do not ftand one upon another, as the lower joynts do, but they go one into another, as the one end of the Marrow-bone into the por of the Spade-bone, and the other end into the pot of the Elbow, which is a double bone : Now as I fay, when a bruile is received in thefe parts, if by prefent application of hot and comfortable medicines, the grief be not taken away, then eft foons there gathers between the pot and the bone, a certain bruifed jelly, which continually offending the tender Griffle which covers the end of every bone, makes the Horfe to halt vehemently : and then is this corrupt matter not to be taken away by any outward medicine, but by Rowelling only : and as I fpeak of the fhoulder, fo I fpeak of the hips, alfo, where the upper thigh-bone goeth into the pot of the cannel bone, and there breeds the like infirmity. Now for the manner of Rowelling, it is in this fort : First, when you have found out the certain place of the Horfes grief, as whether it be on the fore-Pitch of the fhoulder, on the hinder Elbow, or on the Hip, then you (hall (having caft the Horfe upon fome Dung hil, or foft ground) make a little flit more than a good handful below the place of his grief through the skin, and no more, fo big as you may well thruft in a Swans quill into the fame : then with your Cronet raife the skin a little from the flefh, and then put in your quill, and blow all the skin from the flefh upward, even to the top, and all over the thoulder : then flopping the hole with your finger and your thumb, take a small Hazel flick, and all to beat the blown place all over; and then with your hand fpread the Wind into every part, and after let it go : then take a tampin of Horfe hair twound together, or which is better, of red Sarciner, half the bignefs of a mans little finger, and above a foot or fixteen inches in length, putting it into your Rowelling needle, which would be at the leaft feven or eight inches long; thruft it in at the fift hole, and fo putting it upward, draw it out again at leaft fix inches above ; and then, if you pleafe, you may put in another above that : and then tye the two ends of the tampins or rowels together, and move and draw them to and fro in the skins in

267

in any wife not forgetting, both before you put them in, and every day after they are in, to anoint them well with Butter, Hogs greafe, or Oyl de Bay.

Lib. 2.

Now there be other Farriers, which in that they are opiniated, that these long rowels, or tampins of hair or filk, do make both a double fore, and a great scar, therefore they make their rowels of round pieces of ftiff Leather, such as is the upper part of an o'd shooe, with a round hole in the middeft, according to this from : and then doubling it when they put it in, as soon as it is within, to spread it, and lay it flat between the flesh and the skin, and so as the hole of the Rowel may answer just with the hole that is made in the horfes skin; and then once in two or three dayes to cleanse the Rowel, and to anoint it, and so put it in again.

Other Farriers do ule to make the Rowel of Lanthorn-horn, in the fame fashion as is made of Leather, and in like fort to use it. But for mine own part, I have used them all, and truly in my practice find not any better than other : only the Leather or the horn is somewhat more clean'y, and less offensive to the Eye, yet they ask much more attendance.

Now if you do Rowel your Horfe for any fwelling, then you hall ever put in your long Rowel the fame way that the veins run, and feldome or never crofe-wife, and the more you blow the skin for a fwelling, fo much the better it is: for the wind is it which only occafioneth putrifaction, and makes these feftred humours to diflolve, and diftil down from the fecret hollows of the joynts, into those open places, where it falleth away in matter, and fo the Beaft becomes cured.

CHAP. CLXXX.

How to geld Horfes or Colts.

There is to be observed in the gelding of Horses, first, the age: Secondly, the season of the year: and hastly, the state of the Moon. For the age, if it be a Colt, you may geld him at nine dayes old, or fifteen, if his stones be come down: for to speak the truth, the sooner that you geld him, it is so much the better, both for his growth,

growth, fhape, and courage: albeit, some hold opinion, that at two years old should be the sooness, but they are mistaken, and their reasons are weak therein.

268

Now if it be a Horfe that you would geld, then there is no speech to be made of his age: for it is without any question, that a perfect Farrier may geld a Horfe without danger at any age whatsoever, being careful in the cure.

Now for the feason of the year, the best is in the Spring, between April and May, or in the beginning of June at the farthest, or else about the fall of the Leaf, which is the later end of September.

Now for the flate of the Moon, the fitteft time is ever when the Moon is in the Wane: as touching the manner of Gelding, it is in this fort, whether it be a Foal, Colt, or Horfe : Firft, you thall caft him either upon ftraw, or upon some dunghil: then taking the ftone between your foremost finger, and your great finger, you shall with a very fine incision Knife flit the Cod, to that you may prefs the ftone forth, and no more : Then with a pair of fmall Nippers, made either of Steel, Box-wood, or Brafil, being very fmooth, and clap the ftrings of the ftone between them, very near unto the fetting on of the ftone, and prefs them to hard, that there may be no flux of blood : then with a thin drawing Cauterizing Iron made red hot, fear away the ftone; then take a hard Plaifter made of Rozen, Wax, and washt Turpentine, well molten together, and with your hot Iron melt it upon the head of the ftrings: then fear the ftrings, and then melt more of the Salve, till fuch time as you have laid a good thinckness of the falve upon the ftrings : Then loofe the Nippers, and as you did fo with that ftone, fo do with the other alio : Then fill the two flits of the Cod with white Salt, and anoint all the outfide of the Cod, and all over the Horfes belly and And thighs with Hogs greafe clean rendered, and fo let him rife : keep him in either some very warm stable, or otherwise in some very waim pasture, where he may walk up and down; for there is nothing better for a Horse in this case, than moderate exercife.

Now if after his gelding you do perceive that his Cod and theath doth fwell in any extraordinary fathion, then you thall chafe him ap and down, and make him trot an hour in a day, and it will foon

Lib. 2.

loon recover him, and make him found without any impediment.

CHAP. CLXXXI.

Of the making of Curtals, or cutting off of the tails of Horfes.

The Curtailing of Horfes is used in no Nation whatfoever, fo much as inthis Kingdom of ours, by reason of much Carriage, and heavy burthens which our Horfes continually are exercised and imployed withall, and the racher, fith, we are ftrongly opinionated, that the taking away of those joynts doth make the Horfes chine or back a great deal ftronger, and more able to support a burthen, as in truth it doth, and we daily find it by continual expetience.

Now for the manner of Curtailing of Horles, it is in this fort: First, you shall with your finger and your thumb, grope till you and the third joynt from the fetting on of the Horfes tail; and having found it, raile up all the hair, and turn it backward : then taking a very fmall ftrong Cord, wrap it about that joynt, and pull it both with your own ftrength and another mans, fo ftraight as you can poffible pull it: then wrap it about again, and draw it as flraight or ftraighter again : and thus do three or four times about the tail, With all the poffible ftraightness that may be ; and then make fast the ends of the cord : then take a piece of Wood, whole end is fmooth and even, of just height with the strunt of the Horsestail, and setting it between the Horfes hinder Legs, (after you have tramelled all his tour Lees, in fuch fort that he can no ways ftir) then lay his tail thereupon, and taking a main ftrong tharp Knife made for the purpole, let the edgethereof fo near as you can guels it, between the fourth and fifth joynt, and then with a great Smiths Hammer firking u-Pon the back of the Knife, cut the tail alunder : then if you lee any blood to iffue forth, you shall know that the cord is not straight enough, and therefore you must draw it straighter, but if no blood follow, then it is well bound: This done, you thall take a red hot burning Iron, made round after this taihion, of the full compais of the fielh of the Horles tail, that the bone of the tail may go through the hole, and with

Bbb

269

it you shall fear the fleth, till you have mortified it; and in the fearing, you shall plainly see the ends of the veins start out like papheads; but you shall still continue searing them, until you see all to be most smooth, plain, and hard, so that the blood cannot break through the burning: then may you boldly unloose the Cord, and after two or three dayes, that you perceive the sore begin to rot, you shall not miss to anoint it with fresh Butter, or else with Hogs greafe and Turpentine, until it be whole:

CHAP. CLXXXII.

To make a white Star in any part of a Horfe.

F you will at any time make a white Star, either in your Horles fore-head, or in any other part of his body, you (hall, according to the opinion of the moft ancient Farriers, take a Tile flone, and after you have burned it, beat it into fine Powder: then take Lilly Roots, Dafie Roots, White brier Roots, of each a like quantity, and having dryed them, beat them allo into fine Powder, and mix them with the firft: then with a Razor (have that part of your Horle where you would have your Star: and then with this Powder rab it fo vehemently, that you fcarce leave any skin on; then take a good quantity of Honey- fuckle flowers, and a like quantity of Honey, and the water wherein a Moul hath been fodden, and then diffil them into a water, and with that water wash the fore place the space of three dayes together, and keep the Wind from it, and you shall prefently fee the white hairs to grow; for this Receipt hath been often very well approved.

四

370

There be other Farriers, which take a Crab, and roaft it, and being fiery hot, bind it to that part which you would have white, and it will feald away the old hair, and the next hair that growth will be white. Other Farriers ufe, after they have fhaved the place, to take the juyce of fharp Onions, or Leel s, and to bathe the place, very much therewith : then to take Barley bread, as fire hot as it cometh from the Oven, and clap it to the fhaven place, fuffering it to lye fo till it be cold; and then after anoint it with Honey, and the White hair will come. Other Farriers ufe to anoint the thaven place with the greafe of a Mouldy-warp fodden, and that will bring

the

Lib. 2.

Lib. 2. Of Cures Chirurgical.

the white hairs. Other Farriers use after they have shaved it, to sub the place well with Salt, and then twice every day for a fortnight, to wath it with the broth wherein a Mouldy-warp and some Swines grease hath been sodden.

Other Farriers use to boyl a Mouldy-warp in Salt water for three dayes together, or else in strong Lye, and ever as one Liquor consumeth, to supply it with another; then with this Decoction being warm, anoint the shaved place, and it will bring white hairs suddenly. Other Farriers take the Gall of a Goat, and rub the shaved place therewish, and it will bring white hairs also.

Other Farriers take Sheeps milk, and boyl it, and in that wer a Linnen cloath, and being very hot lay it to, renewing it until you may rub off the hair with your finger; this done, apply the milk to it twice a day luke-warm, till the hair do come again, which without all queftion will be white.

Other Farriers take the Roots of Wild Cowcumbers, and twice as much Nitrum mingled with Oyl and Honey, or elfe add to your Cowcumbers Sal-nitrum beaten, and Honey, and anoint the fhaven place therewith, and it will bring white hairs.

Other Farriers use to take a piece of a Brick-bat, and with it gently to rub and chafe the place, till by the continuance thereof, youhave rubbed away both the hair and the skin, so broad as you would have the Star, and then after to anoint it with Honey, until the hair come again: Or elfe to roaft a Colewort stalk like a Warden, or an Egg, until it be stone hard; and then as they come hot out of the fire, to clap either of them to the Horsesfore-head, and it will scald off the hair, then to anoint it with Honey till the hair came again.

Now to conclude, and to fhew you the moft perfect and abfolute experiment, which I have ever found to be moft infallible, and it is thus : You fhall take a very fine, fharp, long Bodkin, made for the fame purpofe, and thruft it up betwixt the skin and the bone upwards, folong as you would have the Star; and in thrufting it up, you fhall hollow the skin from the bone, the bignefs that you would have the Star : this done, you fhall take a piece of Lead, made in the true fhape of your Bodkin, and drawing out the Bodkin, thruft in the Lead into the fame holes; then you fhall thruft the Bodkin crofs wife the forehead underneath the Letd; and then thrufting B bb 2 in

in fuch another piece of Lead, you thall fee it in the Horfes face to prefent this figure ; which being done, you thall take a very ftrong pack-thread, and putting it underneath all the four ends of the Leads, and drawing it with all ftraightnefs, you thall gather all the hollow skin together on a purfe, folding the pack-thread oft and oft about, and ftill ftraighter and ftraighter, fo that you thall fee it then to prefent unto you this figure : this done, you thall let it reft at leaft the fpace of eight and forty hours, in

372



Lib. 2.

which time the skin will be, as it were, mortified: then may you unloofe the pack-thread, and draw forth the leaden pins, and with your hand clofe the hollow skin to the Fore-head hard-again; and

thortly after you thall fee the hair to fall away, and the next hair which cometh will be white; and this experiment is most infallible.

Now there be fome other Farriers, which will not put in pins, nor ufe any packthread, but only will flit the fore head, and open the skin on both fides, and then put in either a Horn or a plate of Lead as big as the Star, and fo let it remain till the skin Rot: Then take out the Horn or Lead, and anoint the place with Honey, and the water of Mallows fod, and it will bring white hair: And



furely this experiment also is most infallible; but it maketh a foul fore, and is somewhat long in bringing his vertue to effect.

Again, I have seen a white Star also made by taking the guts of a Hen, or Pullet, and clapping them hot as they come out of the belly to the Horses face, having in readiness some hollow round thing made for the same purpose, to keep the guts together upon the horses face.

CHAP.

Of Cures Chirnrgical.

CHAP. CLXXXIII.

How to make a black Star, or white bair black.

IF at any time you would have a defire to make upon a white Horfe a black Star, you shall take a scruple of Ink, and four scruples of the wood of Oliander beaten to Powder; incorporate this in as much Sheeps suet as will well sufficie, and then anoint the place therewith, and it will no doubt make any white hair black.

Other old Farriers take the Decoction of Fern Roots, and Sage fod in Lye, and wash the place therewith, and it will breed black hair : but you must wash the place very oft therewith.

Other Farriers use to take the ruft of Iron, Galls and Vitriol, and ftamp them with Oyl: or else take Souters ink, Galls, and Ruft, and beat them well together, and then anoint the place therewith, and it will turn any white hair to black.

CHAP. CLXXXIV:

To make a red Star in a Horfesface.

IF you defire to make in your Horfes face, or any other part, a Red Star, you thall take of Aqua-fortis one ounce, of Aquavita a penny-worth, of Silver to the value of eighteen pence; put them into a glass, and heat them well therein, and then anoint the place very well therewith, and it will immediately turn the hair to be of a perfect red colour, only it will endure no longer than till the cafting of the hair: and therefore, at every fuch time you must renew the hair again, if you will have the Star to continue.

-1.

CHAP.

37.4

11

CHAP. CLXXXV.

How to make bair to come very foon, very thick, and very long.

IF you would have hair to come very foon in any bare place, or to grow thick where it is thin, or long where it is fhort, you (hall take (according to the opinion of the most ancient Farriers) the Urine of a young Boy, and with it at first wash the place : after that, take Lye made of unfleckt Lime, Ceruse, and litergy, and with it wash the hair oft, and it will make it come soon, long, and thick.

Other Farriers use to wash the place with Water wherein the Roots of Althaa have been fod : then after dry it gently with your hand, and it will increase hair much. Other Farriers use to wath the place with Oyl mingled with the affres of Nut-fhels burnt, or elle Snail-shels burnt, and it will increase hair alse. Other Farriers take Agrimony punded with Goats milk, and with it anoint the place, or elfe Oyl wherein a Mouldiware hath been boyled, and anoint the place with either of them, and it will increase hair very much. Other Farriers take the dung of Goats, Allom, Honey, and the blood of a Swine : mingle them all together, and fir them till they be ready to boyl, and being hot, rub the bare place therewith. Other ancient Farriers take Nettle-feed bruiled with Honey, water and Salt, and then rub the place therewith. Other Farriers cake the Root of a white Lilly beaten and fod in Oyl, and anoint the place therewith. Others take the juyce of a long Onion, or elie the juyce of Radifhes, and anoint the place therewith. Others take Tar, Oyl Olive, and Honey boyled together, and with it anoint the bare place, Others take the Soot of a Cauldron mixed with Honey and Oyl, and anoint the place therewith.

There be other ancient Farriers which use this, and it is the best of all, they take green Wal-nut shels, and burn them to Powder, and then mix it with Honey, Oyl, and Wine, and anoint the place therewith, and it will increase hair wonderfully, and very soon.

CHAP.

Lib. 2.

Of Cures Chirurgical.

CHAP. CLXXXVI.

To make hair (mooth, flick, and foft.

IF you will make your Horfes Coat to be fmooth, flick, foft, and fhining, you fhall with fufficient flore of cloach keep him warm at the heart, for the leaft inward cold will make the hair flare : then you fhall make him fweat oft ; for that will raife up the duft and filth, which makes his coat foul and hard : then you fhall, when the Horfe is in his greateft fwear, with an old Sword blade turning the edge towards his hair, fcrape, or as it were curry away all the white foam, fweat, and filth, which fhall be raifed up, and that will lay his coat even, and make it fmooth: And laftly, you fhall when you let him blood, rub him all over with his own blood, and fo let it remain two or three dayes, and then curry and drefs him well, and this will make his coat fhine like glafs.

CHAP. CLXXXVII.

How to take off bair in any part of a Horfe.

IF you will at any time take off the hair from any part of a Horfe, you fhall diffolve in water (according to the opinion of the most ancient Farriers) eight ounces of unfleckt Lime: and then boyl it till a quarter be confumed, then add to it an ounce of Orpiment, and then lay a Plaister thereof to any part of the Horfe, and it will in very few hours bring all the hair away.

There be other ancient Farriers which boyl in runing water, Ruft and Orpiment, and with it being very hot wash the place, and it will foon bring the hair away.

CHAP,

376

Lib. 2.

CHAP. CLXXXVIII.

How to caft and over throw a Horfe.

B W Henfoever you intend to caft or over-throw your Horfe, after you have brought him into a convenient place : as namely, either upon some green swarth, or upon some Dung-hill, or in some Barn upon good flore of foft ftraw, you shall take and double a long rope, and caft a knot a yard from the bought ; then put the bought about his neck, and the double rope betwixt his fore-Lees, and about his hinder paftorns, underneath his fetlock, then put the ends of the rope under the bought of his neck, and draw them quickly, and they will overthrow him, then make the ends faft, and hold down his head, under which alwayes you must be fure to have good ftore of ftraw. Now if you would at any time, either brand your Horfe on the buttock, or do any thing about his hinder Legs, that he may not firike, take up his contrary fore Leg, and when you do brand your Horfe, fee that the Iron be Red hor, and that the hair be both feared quite away, and the flesh scorched in every place before you let him go, and fo you shall be fure to lofe no labour.

CHAP. CLXXXIX.

How to know the age of a Horfe.

THe age of every Horfe is known, either by his teeth, by his hoofs, or by his tail.

It is known by his teeth; at two years old he changeth the four fore-most teeth in his head, at three years old he changeth the teeth next unto them, and leaveth no more apparent foals teeth but two of each fide, above and below: at four years old he changeth the teeth next unto them, and leaveth no more foals teeth but one on each fide, both above and below; at five years old he hath never a foals tooth before, but then he changeth his tufhes on each fide; at fix years old he putteth up his tufhs, near about which you fhall fee apparently growing a little circle of new and young flefh; befides, the tufh will be white, fmall, fhort, and fharp: at feven

Lib. 2. Of Cures Chirurgical.

leven years old, the two out-most teeth of his neather chap on both fides will be hollow, with a little black speck in them : And at eight years old, then all his teeth will be full, fmooth, and plain, the black (peck being clean gone, and his tufhes will be fomewhat Yellow, without any circles of young flefh : At nine years old, his tore-most teeth will be very long, broad, yellow, and foul, and his fushes will be blunt: At ten years old, in the infide of his upper fushes will be no holes at all to be felt with your fingers end, which till that age you shall ever most perfectly feel; befides, the Temples of his head will begin to be hollow and crooked : At eleven years of age his teeth will be exceeding long, very yellow, black, and foul, only he will cut even, and his teeth will fand directly opposite one "gainft another; at twelve years old his teeth will be long, yellow, black, and foul, but then his upper teeth will over-reach and hang over his neather teeth; at thirteen years his tufhes will be worn close to his chap, if he be a much ridden Horse, otherwise they will be black, foul, and long like the fangs of a Boar.

If a Horfeshoofs be rugged, and as it were feamed, one feam over another; if they be dry, full, and crufty, it is a fign of a very old age; as on the contrary part, a fmooth, moift, hollow, and well founding hoof is a fign of young years.

If you take your Horfe with your finger and your thumb, by the ftern of the tail, close at the ferting on by his Buttock, and feeling there hard ; if you feel betwixt your finger and your thumb of each lide histail, a joynt ftick out more than any other joynt, by the bignels of a hazel Nur, then you may prelume, the Horle is under ten years old, but if his joynts be all plain, and no fuch thing to be telt, then he is above ten, and at least thirteen. If a Horles eyes be tound, full, and ftarting from his head, if the pits over his eyes be filled, fmooth, and even with his Temples, and wrincles either about his brow, or under his eyes, then the Horle is young : if otherwife you see the contrary Characters, it is a fign of old age. If you take up a Horlesskin on any part of his body, betwixt your finger and your thumb, and pluck it from the flesh ; then letting it go a-Bain, if it fuddainly return to the place from whence it came, and be mooth and plain without wrincle, then the Horle is young, and full of ftrength; but if being pulled up he ftand, and not return to his former place, then be affured he is very old, and exceedingly wafted.

Ccc

Laftly,

377

278

Lib. 29

Lastly, if a Horse that is of any dark Colour, shall grow griffel only about his Eye-brows, or underneath his mane, it is then an infallible sign of most extreme old age: And thus much touching a Horse age.

CHAP. CXC.

How to make an old Horfe feem young.

Ake a small crooked Iron, no bigger than a Wheat Corn, and having made it, red hor, burn a little black hole in the tops of the two outmost teeth of each fide the neather chap before, next to the tufnes, and then with an Aul blade prick it, and make the shell fine and thin; then with a sharp foraping Iron, make all histeeth white and cleau : this done, take a fine Lancet, and above the hollows of the Horses cyes which are thrunk down, make a little hole only but through the skin, and then raifing it up, put in a quil that is very small, as the quil of a Raven, or such like: and then blow the skin full of wind, till all the hollowners be filled up, and then take out the quil, and lay your finger a little while on the hole, and the wind will fray in, and the Horses countenance will be asif he were but fix years old at the most.

CHAP. CXCI.

How to make a Horfe that he shall not neigh tither in company, or when be is ridden.

I Feither when you are in fervice in the Wars, and would not be difcovered, or when upon any other occasion, you would not have your Horfes to neigh, or make a noife, you shall take a lift of wollen cloath, and tye it fast in many folds about the midst of your Horfes tongue, and believe it, as long as the tongue is so ryed, so long the Horfe can by no means neigh, or make any extraordinay noife with his voice, as hath been often tried and approved of.

" through 5 hus if being puiled up he fland, sind nor is unit to his

Of Cures Chirurgical.

379

CHAP. CXCII.

How to make a Horfe exceeding quick and nimble of the Spar.

IF your Horfe be either dul of the Spur through his natural inclination, or through tiring, or any other accident, you thall first thave him the breadth of a faueer on both fides, just in the spurring place, on both fides the vein, then with a Launcet make fix illues, or small orifices on both fides; then raifing the skin from the flefth, you shall put into the holes a pretty quantity of burnt Salt, which will make the fore to rankle.

In this fort you thall keep it three dayes, and by no means ride the Horfe: the third day being ended, you thall let a Child on his back with fpurs, and make him fpur the Horfe in the fore place; which done, you thall walk the place with Pils, Sale, and Nettles fodden well together, and this will make his fides furart fo extremely, that he will never abide the fpur after.

Now you thall let him ftand after his wathing three dayes more, and then take half a pint of Honey, and with it anoint his fides once a day till they be whole. Also rub his fides with the powder of glass, and it will do the like.

CHAP. CXCIII.

How to make a Horse that tires, or is restiff, to go forward.

IF your Horse, (as it is the common nature of Jades) through the naughtiness of his nature, or dulness of spirit, be either so reftiff, or so tyred, that he will not go forward a soot, but handeth flock ftill: You shall then make a runing suickle of a good small cord, and put it about his Cods and Stones, in fach fort that "may not flip: then you shall draw the reft of the cord between the girths and the Horses body, and bringing it up just between the Horses fore Legs, be fure to hold the end of the cord in your hand as you fit in the Saddle, then ride the Horse forward, and when he beginneth to grow reftiff, or to stand still, then pluck the cord, and tramp him by the Stones, and you shall fee that imccc 2 mediately

280

Th

mediately he will go forward: And in this fame manner you shall use him for at least a fortnight together, and it will clean take away that evil quality.

CHAP. CXCIV.

Other most excellent and approved wayes to preferve a Horse from tyring, never disclosed till now.

I F your Horfe eicher through violence of Labour, diftemperature of Body, or naughtine's of Nature, happen to tyre under yous or travel not with that spirit you defire, then when you come to a baiting place alight, and set up your Horfe warm, but do not walk him: then after he hath been well rubbed, take a quart of strong Ale, and put thereto half an sunce of the fine sears powder of Elicampane, and brew them together, then give it the Horfe with an horn; which done, tye his head to the rack, for you need not care for Provender till night, at which time Provender him well, and in the morning give him Oats or Bread, or both in plentiful manner, and being ready to take his back, give him the former quantity of Ale and Elicampane as afore-faid, and doubtles you shall find him to travel with great courage and spirit, as hath been approved.

Allo if you take a bunch of Penny-royal, and tye it to the mouth of your bit or inaffle, you shall find is very comfortable, and it will cause your Horse to travel luftily.

Again, if you take of the beft Tobacco, and dry it in the Sun in a glass close ftopt, then pund it very small, and mixit with an equal quantity of the Cockle-shels, then with the Oyl of Dil, and the Oyl of Cloves, make the Powder into a passe, then make pretty round balls thereof as big as Wal-nuts, and dry them in the shadow in the Dog dayes, then keep them close in Gally pot, and give them as pills in the time of necessary; that is to fay, a ball at a time, whensever your Horse shall fail in travel: And this doth not only help tyring, but also takes away any cold whatsever.

Laftly, if your Horle notwithstanding for all this, do happen at any time to tyre, then prefently take off his Saddle, and with the herb Arfmart rub his back all over very hard, then laying Arfmart

allo

Lib. 2.

Lib. 2.

281

also under the Saddle, so ride him gently at the first, and if there be any life in him, it will make him go, as it hath been made proof of.

CHAP. CXCV.

How to make a Horfe to follow his Master, and find him out, and challenge him amongst never so many people.

IF you will have your Horfe to have fuch a violent love towards you, that he thall not only follow you up and down, but allo labour to find you out, and own you as foon as he hath found you : you thall then take a pound of Oat-meal, and put thereto a quarter of a pound of Honey, and half a pound of Lunarce, and then make a Cake thereof, and put it in your bolome next unto your naked skin : then run or labour your felf up and down until you fweat, then ruball your fweat upon your Cake; this done, keep your Horfe fafting a day and a night, and then give him the Cake to eat, which as foon as he hath eaten, you thall turn him loofe, and he will not only moft eagerly follow you; but alfo hunt and feek you out whenhe hath loft, or doth mils you; and though you be environed with never fo many, yet he will find you out, and know you ; and youhall not fail, but every time that he cometh unto you, you thall fpet in his mouth, and anoint his tongue with your fpittle : And thus. doing, he will never forfake you.

CHAP. CXCVI.

The nature and special qualities of all the Simples that are spoken of in this whole Work, set down in the manner of Alphabet.

A Brotanum, which we call in English Southern-wort, is hot and dry in the third Degree, and openeth the pipes of the body, and is good for short wind.

Abfinthium, which we call Worm-wood, is hot in the first Degree, and dry in the second: it cleanseth, and bindeth, and is good for the stomack.

Acoto, which we call Vinegar, especially if it be of Wine, is cold and piercing, to wit, cold in the first, and dry in the third Degree.

Lib. 2.

Agaricum, is hot in the first, and dry in the fecond Degree : it expellet humours, purgeth all flegm and choler, and is good for the Liver and Kidneys.

Allinno, which we call Garlick, is hot and dry in the fourth Degree it draweth, openeth, and expelleth all evil humours.

Agrecum, which we call Creffes, is hot and dry in the fourth Degree: it burneth, draweth, and refolveth, and is exceeding good for Scurf, or wild Scabs, or for the Lungs.

Agripa, is a known Unguent that is good against all tumours.

Allom, called commonly Rock-Allom, is hot and dry in the third Degree, and is good for cankers.

Alder, or Elder-tree, is hot and dry, it purgeth choler and flegm, and healeth wounds.

Alloes, is hot in the first, and dry in the third Degree : it cleanseth and diffolveth, and also comforteth the vital parts.

Althea, which we call white Mallows, is hot and dry : it loofeneth and feattereth humours, warmeth and moiftneth very much.

Almonds are hot and moift in the first Degree : provoke Urine, and are very good for the Lungs or Liver.

Ambrofia, which we call Wood-fage, repreffeth, driveth back, and bindeth humours.

Ammoniacum is hot in the third, and dry in the second Degree : it foftneth, and diffolveth humours.

Anetum, which we call Dill, is hot in the third, and dry in the fecond Degree: it ripeneth crude Humours, and expelleth hear.

Anniseeds are hot and dry in the third Degree : expel cold, diffolve humours, and provoke Ulrine.

Antimonium, or Stibium, is cold and dry, it bindeth, mundifieth, and purgeth.

Appio, which we call Smallage, or Parfley, is hot in the fieft, and dry in the second Degree : it ripeneth, cleanseth, openeth, and provoketh Urine.

Ariftolochia, which we call Birth-wort, or Hart-wort, is hot, and cleanleth : but if it be Rotanda, then it is fo much ftronger, being hot

283

and dry in the fourth Degree : it draweth and purgeth thin water and flegm, and is good to open the Lungs; it is good against all manner of poylon whatloever, or biting of any venemous Beasts.

Armoniack both drieth, cooleth, foftenth, and draweth.

Lib. 2.

Artemisia, which we call great Tanfy, or Mug-wort, is hor in the fecond, and dry in the third Degree: it is very good for Worms, and swellings in the finews.

Arfnick of both kinds, is hot in the third, and dry in the first Degree : it bindeth, eateth, and fretteth, being a very firong Corrofive.

Aff afetida is a gum that is hot in the third, and dry in the first Degree : it cleanseth evil humours.

Afphalsum is a pitch that is mixt with Bitamen : it is hot and dry, and comforteth any fwelling.

Affonteo is hot in the first, and dry in the second Degree : it cleanfeth and drieth, and is good for to comfort the stomack.

Alfnagia, which we call the loft or fresh greafe, is hot and moist in th first Degree : It mollifieth, ripeneth, and healeth any wound, impostume, or Ulcer.

Avena, which we call commonly Oars, are naturally dry: they do dry, bind, cleanfe, and comfort all the inward parts, and are the only principal fimples which do naturally agree with the composition of a Horfesbody; and therefore the Oyl or the quinteffence of them is the only absolute and perfect medicine that can be adminifted for any inward fick nefs, as experience will approve and make perfect.

Avelane, which we call the ashes of Nut-shels burnt; are hot and dry, and do skin or stop the flux of matter.

Diferies, it this thicky draw on and monthern all manger of

Bay-berries, are vehemently hot and dry, and are good for all manner of rhumes, or fhortness of wind, especially for any dilease in the Lungs: they are good against Poylons, Confumptions, fhort Breath, flegm, hardness of hearing, help tyring, Cramps, Scurvy, the Stone, stoppings of the Liver, cure the Yellows and Dropfie.

Balfannm is hot and dry in the second Degree : it cleanseth, draweth, and comforteth. Bdelinm Bdellium is a gum that is hot and dry : it foftneth, and draweth away moifture, and is excellent against all hard fwellings whatfoever.

384

Bertonicum or Bettonicum, which we call Dog-ftone, or Kegwort, is hot and dry in the first Degree : it purgeth, and cleanseth all evil humours.

Biasca is cold and dry in the second Degree : it closeth things opened, it softens hardness, filleth places empty, and doth extenuate all excretions.

Bittole, which we call Beets, is cold and moift, and cleanseth Ulcers,

Bitumen is a kind of Brimstone, or fatnels from the sea, it is hot and dry in the second Degree, and is comfortable against any swelling.

Bottiro is hot in the first, and moist in the second Degree, and it ripeneth imposumes.

Bole-armonia is a certain earth which is cold and dry, which bindeth and driveth back evil humours, and is also an excellent Defenfative against fluxes of blood.

Bransurfin is a wonderful great loftener and mollifier.

Braffica, which we callCole-worts, is very dry, it doth conglutinate Wounds, is healeth Ulcers and Tumours, it holdeth the feed, and killeth evil humours.

Brotano, which is the fame that Abrotanum is, look there.

Brafco, which we call Butchers Broom, or kneeholm, is hot in the fecond Degree, and dry in the first, in provokes Ulrine.

Briony, of these there are two kinds, the White and Black, but the white is more effectual; the root of it is hot and dry in the second Degree : it cleanseth and ripeneth, and is good for all old Discases, it also drieth, draweth, and mollifieth all manner of hardness.

C

Calafonia or Colofonia, 'doth incarnate Ulcers, and doth conglutinate things which are separated.

Calaminto, which we call Wild Penny-royal, or Wild Mint, of which, that which grows on the Mountains is the beft, is hot and dry

Lib. 2. Of Cures Chirurgical.

dry in the third Degree, doth refolve rumours, and draweth away humours,

280

Calcinaviva, which we call unsteckt Lime, is hot and dry in the fourth degree, it adustech, drieth and corrodeth.

Camomila, which we call Camomile, is hot and dry in the fift degree : it mollifieth and diffolveth all griefs, and is good especially for the Liver.

Camedros, which we call Germander, is hot and dry in the third degree ; and is good against all moist colds.

Camphora, is a kind of a Gum which is cold and dry in the third degree; it preferveth the body from putrifaction and bindeth humours.

Canabis, which we call Hemp, is hot, the feed whereof driveth away extraordinary colds: it ripeneth and diffolveth humours, and mollifieth and drieth inflammations

Cinamon is hot and dry in the third degree; and is comfortable in all inward fickneffes.

Canna, which we call Reeds, especially the hedge Reed, draweth out pricks, if you lay the Roots to with the knobs.

Cantharides are certain flyes, which are hot and dry in the third degree ; they will raife blifters in the found parts.

Capilli venere, which we call maidens hair, is dry, and bindeth loofe humours.

Cardimonium is hot, it extenuateth humours, and being mixt with Vinegar killeth fcabs.

Cleves are hot and dry in the third degree, and are very comfortable to the inward parts.

Carrowales are hot and dry in the third degree, it helpeth Wind, and cleanfeth evil humours.

Caffia is hot and moift in the first degree, it expelleth Wind, diffolveth humours, and purgeth the stomack of choler and stegm.

Caftoreum is hot and dry, and purgeth much.

Cabbage is hot in the first, and dry in the second degree, it clean-

Cenere, which we call Ashes, are hot and dry in the fourth dcgree, and cleanseth mightily.

Centuria, which we call Wild runing Bettony, fmelling like Marjoram, ishot and dry in the third degree; it bindeth wounds, D d d and

Lib. 2.

and conglurinateth, and is good for difeafed Livers, for the Worms, old Sores and Wounds, and is commonly called Centuary.

Cepe, which we call Onions, is hot in the fourth degree : it doth cleanfe corruptions, and ripens swellings.

Cervil is hot and dry, and bindeth much.

Cerufais a white Oyntment made of oyl and white Lead, it is cold and dry in the fecond degree : and for the effects it hath all those which Braccha hath.

Cerecallo: see Serecocollo.

286

Chelidonium which we call Seladine, is hot and dry in the third degree; it cleanfeth all putrifactive humours, and is excellent against inward fickneffes, efpecially yellows or jaundies.

Cicuta, which we call Hemlock, is cold in the fourth degree, "nummeth and aftonieth.

Ciceria, which we call Succory, is cold and dry in the first degree? and bindeth much.

Comin is hot in the third degree, and dry in the second : it mol' lifteth and ripeneth.

Cipollo, which is Leeks, or as we call them, chives, fee Cepe.

Cinabar, or Sanguis draconis, or all we call it Vermilion, is a certain metal drawn from quick Sulphur, and Quickfilver, it drieth, healethy incarnateth, bindeth and comforteth Ullcers.

Cito or Cifto, is dry in the fecond degree, and bindeth much.

Citrons, or Cithrons, are cold and moift in the fecond degree, they do cleanle and pierce.

Colloquintida, is hot and dry in the third degree, and mundifieth only.

Colofonia, which we commonly call Earth-pitch, or Greek pitch, 16 hot and dry in the third degree: it conglutinateth and gathereth to gether. See Pece Grace.

Cocumeri, see Cucumeri.

Confolida, which we call Comphry, is cold : it conglutinateth and bindeth, and is good against Ruptures.

Coffro, or Coffo, being bitter, is hot, and healeth Ulcers.

Coffus, is hot in the third degree, and dry in the fecond Degree and it raifeth up worms, and is that which we call Herb Mary, or the root of Angelico.

Corno di cervo, which we call Harts-horn, is dry, yet it ftrengchneth very much, and expelleth poylons. Crochman

Lib. 2. Of Cures Chirurgical.

Crocum, which we call Saffron, is hot in the fecond, and dry in the first degree : it bindeth, comforteth, and refolveth impostumes.

Cucumeri filo aggi, is hot and dry in the third degree : it diffolveth, foftneth, and purgeth flegm.

Cucumeri elaterium, is cold and moift in the lecond degree : it cleanfeth much, and is made of the juyce of Wild Cowcumbers.

D

D'Ates are hot and moist in the second degree : they do resolve, and disperse things knit together.

Diacatholicon purgeth all offenfive humours which offend the body whatloever.

Diaphinicon, or Diaphenicon, purgeth Wind exceedingly, and comforteth all griefs of the belly which are begot by crude humours, springing from Cholicks, or such like pains.

Dialtes or Dialthes, is an oyntment made of Holy hox, or Sea mallow; it warmeth and moiftneth.

Dragonmort is hot and dry, and bindeth much.

E

E Buli, which we call Elder, is hot and dry in the third degree; it drieth, and driveth out Water, and expelleth Choler and thin flegm: see Sambuchus.

Ederaterrestris, which we call ground Ivy, see Hedera. Elatriam, see Cacameri.

Elleboro, which we call neefing powder, of it are two kinds, the white and black ; it is hot and dry in the third degree.

Eruca, which we call Rocket, and of which the wild is the beft; the feeds thereof are hot and dry, and expelleth Urine, Worms and Water.

Elusa, which is a herb like fpung, is hot in the fourth degree, and drieth and cleanfeth exceedingly, and of fome is called Woolfs milk.

Enferbinm is a gum that is hot in the fourth degree : it drieth, purgeth, cleanseth, and exulcerateth much.

Ddd 2

Exernsion

288

Lib. 2.

Excrusion is that which we call Oxicration, is a certain composition or mixture made of Actto and water, and is good to allay swellings and tumours.

F

F Aba, which we call a Bean, is cold and dry, and it cleanseth, and diffelveth very much.

Farina which we call Bran, is hot and dry in the first Degree, and diffolveth very much.

Fern is dry and binding, but the root is hot and cleanfing, and killeth Worms.

Felle, which we call Gall, is hot and dry, and it cleanleth and mundifieth.

Ferugo, which we call the ruft of Iron, is hot and dry in the fecond Degree, it comforteth and reftraineth evil humours.

Fici aridi, which we call dry figs, are hot and dry in the fecond Degree : they ripen tumours, foften and confume hardnefs, and are good for purfivenefs, coughs, and Difcafes of the Loungs.

Filomontane, which we call a Dodder, being a thing that cleaveth to herbs, winding about them like threds; it openeth the Liver and Mile, and purgeth all flegm and choler.

Filomie is a composition, which will aftonish or benumb any part or member.

Fennel 15 hot in the third, and dry in the first Degree ; it doth dissolve all manner of gross humours, and is good for the Liver or Lungs.

Fuligo, which we call Soot, is hot and dry, and it drieth marveloufly, and to doth all foots what loever.

G

G Alanga, which we call Galingale, is hot and dry in the third Degree: it easeth the ftomack of all griefs which proceed from cold caufes: it ftrengthneth the brain, and comforteth the lenfes.

Galbanum is hot in the third Degree, and dry in the fecond : it foftneth, ftoppeth, and draweth away evil humours, and is good as gainst cold.

Galla, which we call Ga'ls, or a light fruit of Okes, are hot and piercing.

Lib. 2.

Garrifilata, which we call herb Benner, is hot and dry in the fecond Degree.

" Garofoli, which we call Cloves, are hot and dry in the third Degree, and are very comfortable for inward fickness.

Ginger is het, and is excellent to preferve heat in the inward parts.

Genista or Ginestra, which we call Broom, is hot and dry in the, third Degree : it killeth Worms, and scoureth much.

Gentian, especially the Root, is hot in the third, and dry in the fecond Degree : it c'oth extenuate, purge, and cleanse all evil humours, and it is good for the Liver and stomack, and for Wounds and sores.

Gillio, which we call Lillies, foftneth finews, and are good for wounds and fores.

Gramen, which is any manner of grain or pulle, is cold and dry, except Wheat, and that is temperately hot and moift: ' they do incarnate and mundific.

Grasso, which is any manner of fat, is hot and moist and doth ripen and soften.

H

H Arundinis cortex, which we call Cane-reed, is hot and dry in the third Degree.

Hedera, which we call Ivy, is a great drawer and opener.

Helxine, which we call Pellitory of the wall, cleansech and bindeth, and is good for any old cough, or for any inflammations.

Hystoppe, which we call Hystop, there is both wild, and that of the Garden, but the Garden is the beft; it is hot and dry in the third Degree: it cleanseth and warmeth, it is good for inflammations of the Lungs, old Coughs, Pozes, Rhumes, and shorr Wind.

Hordeum, which we call Barley, is cold and dry in the first Degree, and it mundifieth and cooleth.

Lib. 2

Ncenfe, which we call Frankincenfe, it drieth and incarnateth: fee Olibanum.

Ipericon, which we call Saint Johns wort, expelleth moifture, and healeth burnings.

Irios Florentia, which we call Flower-de luce, especially the root; it warmeth, ripeneth, and cleanseth, and is good for the cough, and is hot and dry in the third degree.

Iride Illyrica : fec Helpine.

Irie is a root that is hot and dry : it cleanleth and ripeneth, and is good against colds, and purgeth Ulcers.

Iafquiani, which we call Hembane, is cold in the fourth degree : it aftonieth and benumbeth.

Iuniper is hot and dry in the third degree; the berries aregoed for the Stomack, Lungs, Liver, and Kidneys; cureth all coughs, gripings, and Windinels of the Belly, and provoketh Ulrine; is good against all Venom, the infection of the Plague, and kills Worms.

L

Igustum, which we call Lovage, is hot and dry in the third degree : it expelleth Wind, especially the Seed and root.

Lapathum, which we call a Dock, is cold and moilt, and it mollifiert.

Lauri, which we call Laurel, or Bayes, are hot and dry, and they c'eanle and mundifie.

Lentifco is a gum that is like Mastick; it is dry in the second Degree, and moderately bindeth: it is bitter in tafte, and ever green.

Linofa, which we call flax or Line, the feed thereof is hot and dry, and it ripeneth and mollifieth tumours.

Lee is hot and dry in the fourth Degree : it is very aduftive, cleanling and piercing.

Lithargirio, of which there are two kinds, the one of the colour of Gold, the other of Silver: it is very dry, it bindeth, loftneth, incarnateth,

carnateth, cooleth, and closeth up ; and of these two, that which is like Gold is the best.

Lib. 2.

Lolium, which we call Cockle, is hot and dry in the third degree, and diffolveth much.

Lumache, which we call House-Inails without shels, do conglutinate very much.

M

M Alva is cold and moift, it ftoppeth, foftneth, aud mitigateth

Malvavi fors is very dry, it foftneth, loofeneth, and mitigateth.

Mace is dry in the third Degree, without heat, and only bindeth. Manna is of equal temper, hot and dry, it openeth, mollificith, and incarnateth.

Mariaton er Martiaton, is a hot unguent against all cold humours: it helpeth the grief of finews, purgeth cold watry matters, and ripeneth tumours.

Marrobio, which we call Hore-hound, of which there are two kinds, the white and the black; but the white is the better: it is hot in the fecond, and dry in the third Degree: it helpeth obfructions in the Liver, openeth and purgeth, and is good againft colds or for fores.

Mastick is hot in the first; and dry in the second Degree : it draweth and drieth, bindeth and softneth, and is good against cold.

Medulla, which we call Marrow, of what kind foever, is cold and moift, and mollifieth Lilcers; now the beft Marrow is that of a Hart, or old Stagg, the next that of a Calf, the next that of a Sheepoand the laft that of a Goar.

Mel, which we commonly call Honey, is hot and dry in the fecond Degree ; it cleanfeth the ftomack and entrails, ftoppeth hu-mours, and incarpateth Wounds.

Melissa, which we call Balm, is hot in the second, and dry in the fuft Degree ; it cleanseth and conglutinateth.

Mentha, which we call Mints, is hot in the third, and dry in the fecond Degree, of which the wild Mint is the beft: it kilkth Worms, it bindeth, it diffolveth, and is good for the flomack, or a cold Liver. Minito, which we call red Lead, is cold and dry, and good againft fwellings.

392

Myrrhe or Myrrha, is a foverain Gum ; it is hot and dry in the fecond Degree; it conglutinateth, bindeth, and cleanfeth wounds, is good against all colds, killeth worms, and helpeth the pursick : for though it doth cleanse much, yet it doth nor exasperate the Arteries; also it doth incarnte.

Morcesita or Marcasita, is hot and dry, it comforteth, bindeth, and melteth humours.

Mertilia is the fruit of the Myrtil tree, it is dry in the third Degree, it doth bind good, and loofen evil humours.

Morcas, which we call the Mulbery, the unripe is cold and dry in the fecond Degree : the bark, but chiefly the root, is hot and dry in the third Degree; it doth cleanfe, purge and bind, the root chereof killeth Worms, and the gum thereof doth loofen, and the juyce of the berry doth heal cankers, or fore mouths.

N

Arcifiradix, which we call the Root of a white Daffodil, or elle Prim-role pearlels, is dry, it cleanleth and draweth, and healeth wounds.

Nardi radix, which we call Setwall, is hot in the first, and dry in the fecond Degree; it bindeth and Spica Nardi provoketh Urine.

Nauftarlium is hot and dry in the fourth Degree: it burneth, it draweth and melteth, and killeth Worms; see Agreeum, which we call Creffes,

Nigilla, which we call Git, is hot and dry in the third Degree : it ftayeth Wind, killeth Worms, and loofeneth, yet to give too great a quantity is dangerous.

Nierum is of the fame nature that Salt-peter is, and it mundifieth exceedingly.

0

Libanum is a gum, it is hot and dry in the lecond Degree ; ic warmeth, bindeth, closeth wounds, and incarnateth.

Lib. 2. Of Cures Chirurgical.

Oil of Olives is of a very temperate nature, and changeth his qualities according to the nature of the Simples which are mixt with him.

Opium is cold and dry in the fourth degree, and is a Liquor made of Poppy dried and mixt with Saffron, it doth aftonith and provoke fleep.

Opoponax is a Gum that is hot in the third, and dry in the second degree : it softneth and stayeth humors; it is good against all Colds. See Papaver, Galbanum, Bdellium or Sagapenum.

Orpimento is a kind of Metal, of which the artificial is called Arfenick, it is hot in the third degree, and dry in the fecond : it bindeth, corrodeth, burneth and fretteth, and is a Corrofive.

Origono, which we call wild Marjoram or Peniroyal, is hot and dry in the third degree; it taketh away ftoppings, and is good for Coughs.

Orobus, which we call Fitches are hot in the fift and dry in the fecond degree : they do open and cleanic.

Orizo, which we ca'l Barley, is cold and dry in the first degree: it ripeneth and cleanseth.

Ortica, which we call Nettles, are hot and dry : they are biting and wholfom for the Lungs, or for Sores.

Ova, which we call Eggs, the white is cold, and the yolk is hor, and doth incarnate.

P

D Anacea is that Herb whofe fruit we call Opeponax.

Panico is a grain which we call Panick, it is cold and dry, and bindeth.

Papaver, which we call Poppy, the Seeds thereof are white, and hot in the fourth degree. See Opium.

Pastinache, which we call Parsnips, are hot and do provoke Urine.

Pece, which we commonly call Pitch, is hot and dry in the fecond degree, draweth, drieth and ripeneth.

Pece liquida, which we call Tar, is hot and dry in the fecond degree, is good against Colds, or evil humors gathered together in the breast, and draweth wounds.

394

Pece Rafina, which we call Rofin, or Pitch of Greece, it draweth, healeth and incarnateth.

Pece Rafina & liquida, which we call Turpentine, it doth draw, skin, incarnate and conglutinate things together.

Pepper is hot and dry in the fourth degree, it is both attraclive and mundificative, and good for all Difeases of the Breast or Lungs.

Peaches are cold and moift in the second degree : they bind and fir up Worms.

Petafices, which we call Butter-bur, is dry in the third degree.

Petrolium is a certain Oil made of Salt-peter and Bitumen, it is hot and dry in the fecond Degree : it healeth wounds and comforteth weak members.

Petrofelliam, which we call Parfley, or Stone Parfley, is, and especially his Seed, hot and dry in the third degree : it flays wind, openeth, and provoketh Ulrine.

Philonium, of which there are two kinds, Philonium Romanum and Philonium Perficum are excellent Compositions, and most comfortable after the loss of bloud.

Pologono, which we call Knot-grafs, is cold in the fecond degree, and keepeth back humors.

Plantage, which we call Plantain, is cold and dry in the third degree : it comforteth, drieth, bindeth and incarnateth wounds.

Porri, which we call Leeks, Scallions or Onions, are hot and dry, and do extenuate Obstructions, and raise and loosen all evil humors in the Body.

Passe or Porram, is hot in the fecond degree, and is good for all cold watrith Stomachs.

Pulegium, which we call Peniroial, is hot and dry in the third degree: it doth vehemently dry in moilture, warmeth, ripeaeth, and is good for the Lungs. See Origono.

Punicum Malum, which we call Pomegranate, is cold and dry: it bindeth, provoketh Urine, and is good for the Stomach.

Rafamo

Lib. 2.

Lib. 2.

R Afane or Raphansse, which we call Radifh, is hot in the third and dry in the fecond degree: they comfort and are good for old Colds; but especially they provoke Ulrine.

Refina, which we call Rofin, is hot and dry in the fecond degree : it ftoppeth, foftnerh, cleanfeth, draweth and purgeth wounds, and is good against cold causes.

Refalgar, see Rifigalla.

Rogoretio or Rigolitio, which we call Liceras, is temperate in hear, and moiftneth, and ripeneth, and is good for hear in the Stomach or Liver, and profitable sgainft wounds.

Rifigallo is a composition of Sulphur, Orpiment, and unfleckt Lime; and is a most strong Corrosive.

Rosa flos, which we cal Rose leaves, or Rose-cakes, are dry and binding-

Rubea, which we call Madder, is dry: it comforteth and incarnateth, the root thereof provoketh Urine and is good for the yellows.

Ruberb or Rubarb is hot and dry in the fecond degree : it purgeth choler and flegm, and puttech away floppings.

Rsta, which we call Rue or Herb of grace, is hot and dry in the third degree: but the wild Rue in the fourth degree, and therefore exulcerateth : the Garden-Rue digefteth, and mightily comforteth, all inward inflammations it ripeneth, and drieth, and expelleth wind.

S

S Aving which we commonly call Savine, is hot and dry in the third degree : it openeth, diffolveth, drieth mightily, and is most fovereign against worms.

Sacaro is hot and moift, and is very comfortable.

Sagapenum, sce Serapino.

Sagina or Saggina or Sorgo, of fome called Panicum Indicum, is only hot and dry.

Salo, which we call Salt, is hot and dry in the fecond degree : and it cleanfeth,

Ecc 2

Salamor Ay

, Lib. 21

Salamora, which we call Brine, or Water and Salt, is of the fame nature that Salt is.

Sal-armoniack is hot and dry in the fourth degree : and it cleansech.

Salee, which we call Sallows or Willows : it bindeth and drieth rehemently.

Salgemma, is a kind of Sale which is hot and dry : it cleanseth and mundifieth.

Salnitro, fome ule for this Salt-peter, it is hot and dry, and evaporateth : it comforteth Sinews and taketh away tyring of wearinefs.

Salvia, which we call Sage, is hot and dry in the fecond degree: it cleanfeth and bindeth, is good for Wounds, or Exulceration of the Lungs.

Sambacus, which we call Elder-tree or Wall-wort, that is like Elder-tree, is hot in the fecond degree, and dry in the first : it driveth, digesteth, and conglutinateth.

Sandolo, which we call Sanders, are cold and dry in the fecond degree, and drive back humors.

Sandolo Roffo or Sandolo Bianca, which we call red Sand or white Sand, are hot and dry, and bring on skin.

Sanguis dracaris, see Cinaber : yet some take it for the red Docks or red Patience, but it is not sc.

Sapone, which we call Sope, is hot : it draweth, mollifieth, drieth, cleanleth and purgeth.

Saffifrigia, which we call Saxifrage, is hot, dry, and binding. Scabiofo, which we call Scallions, is hot and dry in the lecond degree; they do regenerate, and are good for fcabs, for the Lung⁵, or for the forenels in the breaft.

Sramonicam, which is the juice of a root, is hot in the third degree: it digefleth and purgeth choler, but must never be given inwardly, unless it be corrected.

Scarlola, which we call Endive, is cold and dry, and binding. Sarcocolla, is a Gum of the kind of Euforbium, it is hot and dry in the fecond degree : it cleanseth, incarnateth, and comforteth Wounds.

Sea-Onions, is hot in the fecond, and dry in the first degree: it ripeneth and expelleth humors, it hindreth putrefaction, and preferveth health. Semola,

Lib. 2.

Semela, which we call yong Cole worts, are hot and dry in the first degree.

Semper vive, which we call Houfleek, and some call Stone-crop, is cold in the third and dry in the second degree : it is good for burnings or frettings, or for inflammations of Ulcers; it driveth back humors, cooleth and bindeth.

Sevadolce is hot in the fecond, and dry in the first degree : it cleanfeth and openeth.

Scrapino, is a Gum of Ferula, it is not in the third, and dry in the second degree : it mollifieth, loofeneth, and is good for Colds.

Serpillo, which we call wild running Betony or Time, finelling like Marjoram, is hot and dry in the third degree.

Sinapi, which we call Muftard, is hot and dry in the fourth degree: it draweth and refolveth, and is good for Scurfs or wild. Scabs.

Solatro, which we call Night shade, is cold in the third degree.

Sulphur vive, which we call Brimstone, is hot and dry in the third degree: it draweth, disperseth humors, and killeth worms.

Spelta, which we call Beer-Barley, is a grain less than Wheat, and thorter than Rye, but not to black, is cool and cleanfing.

Sparaci, which we call Alparagus, is without any manifest heat or cold, and only cleanfeth.

Spiga or Spica, which we call Lavender, is hot in the first, and dry in the second degree : it cleanseth, and is good for the head, especially the conserve, which is very comfortable.

Squille, is that which we call the Sea-Onion : see Sea-Onion. Stecados, which we call French Lavender, is hot and dry.

Storax or Stirax, is a fweet Gum, which is hot and dry : it correcteth, fosteneth, and is good for coughs or any fickness in the head.

T Artaro, which we call Tartar, is the excrements of Wine, which flick to the Veffel : it is hot and dry in the third degree, and only clean(eth.

Tartaruch, which we call Snails with shells, are of the same nature that Snails without shells are,

Taffo barbaroffo, which we call Yew, is of nature poilon.

Turpentine is hot in the second, and dry in the first degree : it draweth, cleanseth, skinneth and comforteth.

Thymum, which we call Time, is hot and dry in the third degree, and expelleth flegm.

Thuris Lacrime, which we call Frankincense, is hot in the second, and dry in the first degree. See Olibanum.

Thuris cortex, is dry in the fecond degree, and bindeth.

Thuris succulis is hot and dry in the third degree.

Tithymalis, which we call Spurge or Milk-Thiftle, is hot and dry in the fourth degree: it cleanleth and purgeth flegm and choler, and is good for old fores or fiftula's.

Trifora migna is a certain Composition which will provoke fweat, helpeth grief in the Stomach, and taketh away all cold Rheums.

Tutia praparata is a certain Mineral that is cold in the first, and dry in the second degree, and is very good for fore Eyes.

V

TEratro, see Ellebor.

398

V Verbena, which we call Vervin, is hot and dry : it comforteth and mundifieth.

Verderame, which we call Verdigreafe, is hot and dry in the third degree, and is a Corrofive that eateth away dead flefh.

Vermi, which we call Worms, do conglutinate and comfort finews.

Verce is hot and dry : See Brafica.

Vitro, which we call Glals, is hot in the first and dry in the second, and it cleanfeth,

VinacceA,

Lib. 2.

Lib. 2.

Of Cures Chirnrgical.

Vincecea, which we call the Kernels of Grapes, are dry.

Virga Pastoris, which we call Wild Tassel, is cold in the third, and dry in the fust degree : it comforteth and bindeth.

Vifebie, which we call Lime, is hot in the fourth Degree : it drieth and skinneth, but being mixed with any liquid fluff, it burneth, and is Corrofive.

Vitalia or Vitis alba, which we call Briony, is hot, chiefly the root: it cleanfeth and killeth fcabs: it drieth, it draweth, moll fieth and diffolveth.

Vitelli, which we call the yolks of any Eggs, are hot, and do Arengthen and incarnate.

Vitriol, which we call Copperas, is of two kinds, that is, Vitriolum Romanum, which we call green Copperas, and Vitriolum album, which we call white Copperas, they both are hot and dry, but the white is much the fironger; they take away fourfs, and kill feabs.

Vitriola Calcanthum, is reckoned amongst Metals, and is a kind. of inky earth : it drieth and fretteth.

Vitriola herba is an herb that groweth on the Wall, and is taken for Pellitory of the Wall. See Helzin.

Ortica, which we call Nettles, are hot and dry, and flop and cleanse humors, and are good for fores.

Z

Z Eferano, which we call Saffron, is hot in the first, and dry in the fecond Degree: it comforteth and expelleth all inward Poilon, and incarnateth Wounds.

Zebulus, see Ziziphe.

Zentonico, which we call Worm-feed, is hot and dry.

Zenzera, which we call Ginger, is of the nature of Pepper, and hath the ftrength of long Pepper; it maintaineth natural heat, and is good for cold flomachs.

Ziziphe taketh away Coughs, and helpeth the fhortnels of Brea th Zueche, which we call Gourds, are cold and moift in the fecond degree, and it allayeth all manner of Inflammations, or hot fwellings.

3.9.9

400

Lib. 2.

CHAP.

CHAP: CXCVII.

Certain Principles touching SIMPLES.

Y Ou shall understand, that touching Simples, some are only to ease pain, as Lin-seed, Camomil, soft Grease, Suet of all forts, or any other Oil that is hot in the first degree; and whensoever any of these Simples are compounded with their like, the Medicine is called *Anodyna* or Lynogs.

There are other Simples which are aftonying, benumbing or bringing afleep, as Opium, Mandrake, Poppy, Hemlock, and fuch like, which are großs and cold in the fourth degree; and whenfoever any of these Simples are compounded with their like, then the Medicine is amongst Leaches, called Narcotica.

The third fort of Simples are fuch as incarnate or breed flefh, as Frankincenfe, Flour, Saffron, Yolks of Eggs, and fuch like, which are hor in the fecond degree; and whenfoever any of thefe Simples are compounded with their like, then the Medicine is called Sarcotica.

The fourth fort of Simples are corroding, fretting or burning, as Arfnick, Rifagallo, Mercury, Lime, and fuch like, which are hot in the fourth degree; and whenfoever they are applied fimple or compound, then the Medicine is called Corrofive.

The fifth fort of Simples are those which be called mollifying, and are four in number : that is, green Mallows, white Mallows, Violets, and Brank-urfin.

The laft fort of Simples are thole which are called Cordials, and are three in number; that is to fay, Violets and Buglols of both kinds.

And thus much touching the nature, use, property and operation of Simples. Lib, 2.

CHAP. CXCVIII.

Of Weights and Measures, and how to know them by their Charafters.

A Lbeit I have in this work fet down your Weights and Meafures in fuch plain English, that every one may understand chem; yet forasmuch as the more curious do set down many excellent Receits under obscure Characters, I think it good here to acquaint you with them all, that when you find any such, you may not be ignorant in the understanding of them.

Know then that the leaft of all weights is a grain, which is the weight either of a Barley-corn, or of a Pepper-corn, and his Character is G. or Gr.

Siligna is four grains, and his Character is f.

An English half-peny is five grains, and his Character is ob.

A Scruple is ten grains, and his Character is 9.

A Dram is three Scruples, or the eighth part of an ounce, and his Character is 3.

A Roman Penny is the fame that a Dram is, and his Characteris X.

An Ounce is the twelfth part of a pound, which is twenty four fcruples, and four hundred and eighty grains, and his Character is 3. The Character of half an ounce is β .

A Pound in medicinal Receits is twelve ounces, and his Character is 15.

The Handful is fix Ounces and a half, and his Character is M.

The Character of as much as you can hold betwixt your Fingers is Rc.

The Character for a drop is Gut.

The Character for three drops is Gut, iij.

th B is half a Pound.

3 ß is half an Ounce.

3 ß is half a Dram.

Θβ is half a Scruple.

3 j β is an Ounce and a half.

M j B is a Handful and a half.

Manho Lol Incient to the elolent Portiert.

402

Lib. 2.

P j. is half a handfu', which is three ounces and a half. Ana or an, is alike, or of each alike.

And thus much touching Weights, and their true Characters.

CHAP. CXCIX.

The Farriers Instruments expounded, with their Names and Properties.

The Figure 1. fneweth the Hammer, which driveth in the nail. Figure 2. the Pincers which breaketh off, clinchech and draw* eth the nail.

3. The Butteris, which pareth and openeth the Foot.

4. The Raip or Rape, which maketh (mooth the Hoof.

5. The Cutting Knife, which taketh away the fuperfluous Hoot.

6. The Fleam, with which he letteth bloud in the Neck, or 11" the gross places where the vein is great.

7. The Farriers Lancet which openeth imall veins and thrids where a Stroak may not be used.

8. The Incition-Knife, to open Imposlumes and to cut away superfluous Flesh.

9. The Cronet to take up Veins.

10. The drawing cauterizing Iron to open and separate the flesh either sound or impostumed.

11. The round button cauterizing Iron to boar holes in the skin' and Iwelled places.

12. The Mullers to cleanse Wounds.


13. The Barnacles to pinch an Horie by the nole or ears, to make him endure pain patiently.

14. The Needle to flitch up Wounds.

15. The Probe to fearch and find out the depth of Wounds. And thus you have a full Explanation of all the needful Infiruments belonging to the skilful Farrier.

5) P is an Ounce and a half.

3 14 is half a Drama; A 45 inhalf a Scruple,



THE



THE

The represent.

405

POSTSCRIPT.

Courteous Reader.



Aving now with infinite Labour and Industry perfected and finished this my MASTER-PIECE for the Cure of Horfes and Mares, wherein the Phylical part of Horfemanship concerning those manifold inward Difeases

which are incident to Horfes is clearly discovered, and. the Chirurgical part concerning outward Accidents, is plainly opened and defcribed; and having for the more absolute Advancement of Horsemanship, and to give fatisfaction therein, made a particular Speculation and run through every Part, Vein, Bone, Sinew and Artery of the Horfes Body, demonstrating not only their Number and Place by Figure, but also confidering their Dilaffections and Difeases which do thereunto belong ; and have ving allo with much pain (as a Work of this difficult nature requireth) brought it to a full period, not only giving you a few terms of Art concerning Horlemanship, but making an Anatomy from head to foot of all the Integral parts of a Horfe, with their Difeafes inward and outward, and their Phyfical and Chirurgical Cures exactly prefcribed and fer down, and have given you ocular Demonstrations of the whole Fabrick of the Horfes Body. So that as in a Map you may behold every small Part, River, Creek or Stream running up and down. within the Superficies of the Earth; fo I have likewife made and drawn divers Pictures, fetting out all the parts, acd

406

and parcels of a Hotfes Body, and that they may be plainly feen and confidered, I have most lively delineated and figur'd out every Part and Vein in the Horfe, where to find it from head to foot. I have also Anatomized the Horfe in every Bone, that you may perceive their Conjunction, and how they are joyned, and thereby judge of their Diflocations, and putting out of their places; and all this you shall at one view behold in the feveral Parts and Figures which you shall find in this Book.

Therefore, I would advife all Gentlemen, and others, who being of a generous fpirit, cannot chufe but delight and take wonderful pleafure in Horfes, to confider, that for want of Care and Experience many excellent Horfes falling into flight and common Difeafes, have either utterly perifhed, or elfe been lamed and fpoiled; it will be therefore a Study worthy the thoughts of a generous Spirit, to know how to accommodate and apply Cures and Medicines to the outward and inward Difeafes of Horfes, in regard that a Horfe is a Beaft whofe praifes cannot be fufficiently declared.

The Horfe is commodious for common ufe, as pleafing Tillage, and transporting of Carriages and Burthens, and also for mens continual occasions and daily Journeys. In time of Peace, when Princes did use to recreate themfelves with Hunting Deer and other wild Beasts, Horfes were always had in high estimation and honour; and those that would out-run the Wind, and made the best speed after the Chase were most esteemed, so that there could be no pleasure in hunting, if they had not Horfes to carry them after their Game; and what a brave fight it is to fee in a field an hundred or more hunting Horfes tiding and running this way or that way after the time-

rous

407

rous Deer, or fearful Hare? Therefore the Horfe, as he was made for industrious Labour, fo he is fit to maintain and procure the Pleasures and Delights of a Prince, or any Nobleman.

And moreover in War, the Courage and Service of a Horfe is daily now feen, and too well known; he will_{2n} as if he were animated by the found of Drums and Trunipers, prefently rufh into the Battel, and take delight to charge the Enemy; he is all fire, and full of Metal and. Fury. And thus we fee that a Horfe is not only convenient for daily occafions of the Husbandman, of Travellers, and divers others, but in Princes Courts he is highly efteemed for Hunting, for Races, and other Paftimes; and alfo in the Wars, his daily Service is fufficiently known, being a Beaft of a magnanimous and undaunted. courage, for that the Horfe is naturally made for Profit and Pleafure; for Labour and Delight; for Peace and War; for Hunting, for Triumphs, and all gallant occafions.

It is pirty then that a brave Horfe, well limb'd and fpirited, falling lick of any inward Difeafe; or outward accidental Infirmity, as Sprains, Diflocation of Bones, Spavins, and hundreds more, fhould be fpoiled, in fuffering the Difeafe to grow on him until it be incurable, or in applying Remedies unfit for the Malady; whereby many a Horfe becomes maimed, and for want of Cure utterly difabled for any Service.

Therefore my advice and counfel is, (as I faid before) that if any Gentlemen whatfoever, fhall have their Horfes either by outward accident, as Sprains, pricking in the Feet, and the like; or inward Surfeits, Glanders, Colds and Heats by intemperate and extraordinary Riding fall fick, or become through the aforefaid Infirmities any ways.

408

ways difabled for Service, they fhould not depend upon their own Experiencesor Judgment, but fhould wifely confider with themfelves, and confult with the Farrier, reasoning together, and comparing their Opinions concerning the Caules and Cures of fuch Difeales as are incident to their Horfes, that fo by this means, by the height of Discourse and Reason, they may come to a certain and infallible knowledge of the Horles Difeafes and Infirmities, and having diligently fearched out the Caufes thereof, they may know likewife to cure the fame ; for you shall meet with many illiterate Farriers, who are not Book-learned, and therefore have no more knowledge than Horles themfelves, but are subject through their Ignorance to run into many groß Errors, so that through their Negligence and aforefaid Ignorance, mistaking the causes and cures of Diseases, and in one word most gross ly, for it is good to have experience both in the Theorick and Practick part of any Art or Science.

For another (to my knowledge) many good Horfes do continually remain lame and unfit for Service, or elfe do utterly perifh for want of underftanding their Difeafes and the particular Cures thereof. Therefore as wife Phyficians do confult together when they meet with a fick Patient, fo I advife both Gentlemen and Farriers to compare their Judgments together, whereby the Beaft may be faved, the Gentlemen and Farriers gain Credit, and their Experience and knowledge in the many Difeafes of Horfes be much bettered.

Moreover, for the Readers greater benefit, all Simples and Compounds good for Horfes are Alphabetically here placed, and the Conditions of them whether hot or cold, with their Names and Qualities are defcribed. Alfo what Ounces, Drams and Scruples are to be given in any

any Drink. If Gentlemen be unacquainted with these things, let them confer with the Farriers, and so confirm their Judgments by Discourse. And so, courteous Reader, I have left you my best Work thus accomplished, and thus perfected, that I know, in all the points belonging to the Cure of Horses it will give full stisfaction, if the Reader follow the Advice of this Postfcript.

Ggg

THE




TABLE OF THE

THE

411

FIRST BOOK,

CONTAINING

All CURES PHYSICAL.

Chapter.	Page.
H E composition of Horses bodies	
2 Of Elements	2
3 Of Temperaments	the second s
4 Of Humours	5
5 Of Members	7
6 Of Powers	9
7 Of Actions or operations	10
8 Of Spirits	II
	12
9 Of things natural	13
10 Of complexions	17
11 Of inward sickness	19
12 Of figns of ficknesses	20
13 Of Observations in Physicking	24
14 Of Urine and excrements	26
15 Of Fevers	28
16 The Quotidian	31
Ggg 2	17The
-00-	AJ L RE

24		-	
A	10	2.	
1	8.03	-	

The Table.

Chapter.	Page.
17 The Tertian	32
18 The Quartan	32
19 The continual	33
20 The Hetique	33
21 The Autumn Fever	34
22 The Summer Fever	35
23 The Winter Fiver	35
24 Fever by Surfeit	36
25 Fever peftilent	37
26 Of the plague	38
27 Fever accidental The The The Contract	39
13-28 One general approved cure for all Fevers	40
29 Difeafes in the bead	40
30 Of Head ach	41
31 Of Frenzie	42
32 Of the fleeping evil	43
33 A Horfetaken	44
2 A Of the Chargener	45
35 Of the falling-evil I I 2 2 I I U	47
36 Of the Night-mare	48
37 Of the Palsie	0791 170
38 Of the general cramp	51
39 Of the cold	53
1 40 How to take away any cold	Same and the second sec
1 41 The best of all medicins for the cold	54
42 Of Hide bound	55
43 Of the Glanders	55 57
1 44 Two certain cares for the Glanders	61
45 Of the mourning of the Chine	62
46 Acertain approved medicine for the mourning of the	000
47 Of the cough	Chine 04
48 Of the wet cough	and the second second
49 Of the dry cough	66
50 Two approvel cures for any cold cough	67
5 The best of medicines for any dry cough	5 10 7°
52 Of broken Lungs	TO71.
53 Of rotten Lungs	71
and a second sec	
	54 Of

The Table.	41
Chapter.	Page.
54 Of (bortness of breath	73
55 Of the broken minded	12
56 Of the Confumption	78
57 Confumption of the flesh	79
58 To make a Horse fat	80
1.3 59 The mirrour and mafter of all medicines to fatten a	s Horse 8 z
60 Of the breast pain	83
61 Of the Anticor, or heart fickness	84
62 Of tyred Horfes	86
63 Of loathing of meat	87
64 Of casting out drink	90
65 Of g'ut of provender	91
OO Of journaring in the budy	94
67 Of the hungryevil	93
68 Of inflammation in the Liver	94
09 Of observations in the Liver	97
70 Of the Con unsperon of the Liver	100 99
710 Dijenjes in the Omit	Asian for
J' Dijeajes thene j pievie	IOI
73 Of the Tellows	102
74 Of the Droppie	(U*
1) 01 une choiner	107
10 0) one berry we	108
77 Of Costivenes	109
78 Of the Lax	IIO
79 Of the bloody flix	III
80 Falling of the Fundament	II2
81 Of Bots and Worms	113
82 Of pain in the Kidneys	117
83 Of the Strangury	118
84 Of the pain-pifs	119
85 Of the stone	I 20
86 Of piffing blood	122
87 Of the Colts evil	123
88 Of the mattering of the yard	I24
89 Of the shedding of the seed	125
9) Falling of the yard	125
0	Barren-

414 The Table.	
Chapier.	Page.
91 Barrenefs of Mares	126
92 Confumption in Mares	¥27
93 Rage of love in Mares	127
94 Of casting of foals	128
95 Of bardnefs in foaling	128
96 Of making Mares caft their foals	129
97 Drinking of Horse-leaches	129
98 Eating of Hens dung	130
99 Of the Suppositary	130
100 Of Glifters	133
101 Of Purgations	133.
102 An excellent and approved scourin	139
103 Of neezing or fumes	140
104 Of frictions and bathes	142
105 General drenches	143
106 To make Diapente	144
107 Afamous Drench and ointment	145
108 Of the oyl of eats	146
109 Brief observations, Gc,	147
1 10 Principles in foals and borfes	151
III Observations in mares	152
112 Observations in buying a horse	154
113 Notes concerning some principles	155

1

134

this cit if factoring of the feed

TABLE OF THE

The Table.

1222**672672668**21

THE

415

SECOND BOOK;

CONTAINING

All CURES CHIRURGICAL.

Chapter,	el bantar tit at inter	Page.
DRaportions of members	eat in the month	12 540
1 2 Of the Veins	stad sugar ter	76-
2. The Anatomy of vins	f the Darker good to an in room	1 2 7 -
3 Of the finews	the test the test of a new of which and the of	24.
3 The Anatomy of finews.	sound nie sound	
4 Of all the Bones	entries the meet	111
4 The Anatomy of Bones	Suffield efter plead letting	160.
5 Of letting blood	provid closen it	740:
6 Of outward Sorrances	ding of the creft	
7 Of weeping eyes	et decreain approved way teraife	172
8 Of blood-hotteneyes	act nefs in the Main	174
9 Dimness of fight	fired ting the bate	175
TE IO A centrain and approv	ved Medicine for any blindness, S	176
TT Another to the fam	e st st	And Internet
II Another to the fam.	e die in the withers	178
12 Pearl, pin, or Web	file at-falt , III a land with	178
13 An infallible cure for any	pin, pearl, or Web	1.80
	There is a set of the set of the	14 Of

The Table.

	the second s
Chapter.	Page.
14 Of the Haw and a company of the Haw	180
IS Of Moon eyes	181
16 Canker in the eye	183
17 Stripe in the eye	183
18 Wart in the eye	185
19 Inflammation in the eye I H T	185
20 Impostume in the eye	186
21 The pole evil	187
13 22 A rare and certain cure for the pole-suil	189
23 Of leaved ears	1190
24 Of the vives	190
13 25 A rare and certain approved Cure for the vives	193
1 26 Another excellent cure for the vives	193
27 Of the strangle	193
28 Canker in the nose	195
29 Bleeding at the nofer I MIATMOD	196
30 Blogay rifts	197
31 The Gigges	198
31 Of the Lampafs II A I H J 2 3 A U J III	198
33 Of the Camerce	199
34 Canker in the month	200
3) rieat in the mounth	201
201 HE FORME WELF	202
3 J UJ ING DAILES	202
Jo I HIGH PARTICIPA, AND OF FOIDES DELLA	203
39 crice in the neck	205
- go is chird and the there	200
Al Swelling After blood letting	207
A C I O JIANON DIOUL	1200
	209
44 A certain approved may to raife the crift	210
4) Manginels in the Main	211
40 0] meaning the nair	213
A TOTACI IN SUCTOUNDERS	der a
TO MAN GAME VASR	215
AS CHARCE IN THE WILDERS	218
to of the fit-fast or Web or an pin pearl, or Web	419
51	Wen

Chapter.Page.51 Wenns below the jaddle21952 Navil-gall32053 Swaying of the back22154 Weaknefs in the back22255 Swelling of the cods22356 Of burftnefs, er incording22457 Botch in the groin22658 A certain approved cure for the botch22759 Itch in thetail22760 Of the general fcab22861 Two moft excellent and approved cures for the fcabs23163 Of halting before23263 Of halting behind23464 Of hidden grief23565 Of griefs in the foulder236
52 Navil-gall32953 Swaying of the back22154 Weaknefs in the back22255 Swelling of the cods22356 Of burftnefs, or incording22457 Botch in the groin22658 A certain approved cure for the botch22759 Itch in the tail22760 Of the general fcab22851 Gi Two most excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
53 Swaying of the back22154 Weaknefs in the back22255 Swelling of the cods22356 Of burftnefs, er incording22457 Botch in the groin22658 A certain approved cure for the botch22759 Itch in thetail22760 Of the general fcab22853 Gi Two moft excellent and approved cures for the fcabs23163 Of halting before23263 Of halting behind23464 Of hidden grief235
53 Swaying of the back22154 Weaknefs in the back22255 Swelling of the cods22356 Of burftnefs, er incording22457 Botch in the groin22658 A certain approved cure for the botch22759 Itch in thetail22760 Of the general fcab22853 Gi Two moft excellent and approved cures for the fcabs23163 Of halting before23263 Of halting behind23464 Of hidden grief235
55 Swelling of the cods22356 Of burftnefs, or incording22457 Botch in the groin21658 A certain approved cure for the botch22759 Itch in the tail22760 Of the general fcab22851 G1 Two most excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
55 Swelling of the cods22356 Of burftnefs, or incording22457 Botch in the groin21658 A certain approved cure for the botch22759 Itch in the tail22760 Of the general fcab22851 G1 Two most excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
56 Of burftnefs, er incording22457 Botch in the groin21658 A certain approved cure for the botch22759 Itch in thetail22760 Of the general fcab22861 Two most excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of bidden grief235
57 Botch in the groin22658 A certain approved cure for the botch22759 Itch in thetail22760 Of the general fcab22861 Two most excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
59 Itch in the tail22760 Of the general fcab22850 Of the general fcab22851 Two moft excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
59 Itch in the tail22760 Of the general fcab22850 Of the general fcab22851 Two moft excellent and approved cures for the fcabs23162 Of halting before23263 Of halting behind23464 Of hidden grief235
62 Of halting before 63 Of halting behind 64 Of hidden grief 63 Of halting behind 64 Of hidden grief
62 Of halting before 63 Of halting behind 64 Of hidden grief 63 Of halting behind 64 Of hidden grief
63 Of halting behind 234 64 Of hidden grief 235
64 Of bidden grief 43)
64 Of bidden grief 43)
Co Of anife in the houlder 430
os of griefs in the pointer
66 Wrinch in the shoulder 237
67 Wrinch in the nether joyne 239
68 Splatting the [houlder 239
60 Showlder-Diebt 440
370 A certain cure for any desperate strain in the shoulders & c.242
71 Swelling in the fore leggs 242
72 Foundring in the feet 243
73 Of the (plent 248
73 Of the sphere and certain cure for any splent 251
75 Of the Serem 252
76 Of the Mallender 252
77 Of an upper attaint 37 Of an upper attaint 36 78 An approved medicine for any finew-strain 36
78 An approved medicine for any finew-strain 256 20 A neather attaint 256
80 An over-reach on the beel 257 St The mellet 257
which is the second of the
ad of highing
o) Dove Jhanne
86 Blood-spaven 205 267 An approved cure for any blood-spaven what soever 267
Hhh 88 Of

368 The Table.	
Chapter.	Page.
88 Of the Schunder	267
89.05 the hough-bone	No. I I I I I I I I I I I I I I I I I I I
90 Of the Carb	268
91 0 j the paines.	S allowed and the
92. The Mules	2
93 Of Wind galls	2/1
94 Strain in the paftorn.	410
95 To help any balting	277
96 I bree rare and approved Medicines to cure a	my strain or
fweking what seever	279
97 Another approved cure for any strain	280
98 Of enterfearing	280
99 The Backle gall	281 281
100 Cafting in the halter	28.2
101 The for at ches	11. 11 Mar 10 10 10 10 10 10 10 10 10 10 10 10 10
102 A certain and approved cure for the forato	285
103 Of the Ring bone	287
104 Hurts on the cronet	A CONTRACTOR OF THE OWNER OW
105 A certain approved cure for any burt on the 106 The crownscab	288 288
107 The Quitter- Bone.	288
108 Of gravelling	290
109 Of furbating	291
110 Prick in the fole	292
III Todram out a finb	293
112 The Fig	294
113 A Retrait	205
114 Of cloying	200
IIS Observations for the boofs	298
116 Loofening the boof	299
117 Casting the boof	201
118 Of boof bound	302
119 The running Frush	303
120 An opproved and certain sure for the runnin	A Fresh 20A
121 Of evil boofs	30)
122 Of brittle boofs	20)
123 To preferve boofs	300
83	124 Hurts

Chapter. Page. 124 Harts on the Hoofs 307 125 To foften Hoofs 308 126 To harden Hoofs 908 127 Of the Ander Hoofs 908 128 To shin a fore Foot 309 129 Of gourded Legs ibid. 121 Of the Entry 312 122 Of the Earcy 312 132 Of the Entry 319 132 Of the Conker 319 133 Of the Conds 321 132 Of the Conds 321 133 Of the Conds 322 134 Arare and approved Care for any Fifthia 326 135 Of the Conds 328 136 Of Spar-gall ibid. 137 Of the String-halt 322 143 Of Bruifings or Swellings ibid. 144 Of Bruifings or Swellings ibid. 144 Of Impofitames 337 145 Of the Impofitames 337 146 Of bu Impofitames 337	The Table.	369
125To fosten Hoofsibid.126To barden Hoofs508127Of the Mat-longibid.128To skin a for Foot309129Of gourded Legsibid.131Of the East319132Of the Canker319133Of the East326134Of the Canker319135Of the Canker326136Of the Canker326137Of the Canker326138Of the Canker326139Of the Conker326135Of the Conker328136Of the Condsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Hurts with Arrows332141Of bealing old Sores335143Of Bruifings or Swellingsibid.144Of Impoflumes337145Of cold Impoflumes337146Of bot Impoflumes339150Of Bilfers340151To take away Bones, &Caibid.152To take away Bones, &Caibid.153Of Knott in Joints343154Wounde made with Gun-powder344155Of Loren joints343154Wounde made with Gun-powder344155Of Loren joints345156Biting of a mad Dogibid.157Harts With a Boars	Chapter.	
1.2.31.6.109081.2.6To barden Hoofs3091.2.8To skin a fore Foot3091.2.9Of gourded Legsibid.1.3.10A moß certain and approved Cure for gourded Legs3121.3.10I the Earcy3131.3.20I the Earcy3131.3.30I the Earcy3191.3.30I the Earcy3191.3.30I the Canker3191.3.30I the Canker3191.3.30I the Conker3261.3.40I the Conker3261.3.50I the Conker3281.3.60I the Conker3281.3.60I the Conker3281.3.60I the Conker3281.3.60I the Conker3281.3.60I the Conker3281.3.80I the Conker3281.3.90I the Conker3321.4.10I the Conker3321.4.10I the Conker3331.4.10I the Conker3331.4.10I the Conker3331.4.10I the Conker3351.4.10I the Conker335 <t< td=""><td>124 Hurts on the Hoofs</td><td></td></t<>	124 Hurts on the Hoofs	
1127Of the Mationibid.128To skin a fore Foot309129Of gourded Legsibid.130A moß certain and approved Cure for gourded Legs310131Of the Farcy312132Of the Canker319133Of the Canker321134Arare and approved Cure for any Fifthal326135Of the Ambury327136Of the Ambury328138Of Spur-gallibid.139Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Hurts with Arrows332141Of bealing old Soresibid.143Of Bruifings or Swellingsibid.144Of Impofitumes337145Of cold Impofitumes337146Of bot Impofitumes338148Of Sinews cut, &c.ibid.149Of Freiting with the Girths339151To take away Bones, &cc.ibid.152Of knots in Joints343153Of Knots in Joints343154Wounds made with Gun powder344155Of lurning with Lime345154Wounds made with Gun powder344153Of Lice347154Joing al Screenseibid.155To take away Bones, &cc.ibid.156Eiting of A screense343157Huris with a Boars Tasks	135 To Soften Hoofs	
128 To skin a fore Foot309129 Of gourded Legsibid.130 A molt certain and approved Cure for gourded Legs310131 Of the Farcy312132 Of the Canker319133 Of the Fiftala321134 Arare and approved Cure for any Fiftula326135 Of the Ambury327136 Of the Condsibid.137 Of the String-balt328138 Of Spur-gallibid.139 Of Wounds in general329140 Of thealing old Soresibid.141 Of healing old Soresibid.142 Of Envilonger or Swellingsibid.143 Of Shures and approved Cure for any old Sore333144 Of Impoftumes337145 Of the Tetter338146 Of hot Impoftumes337146 Of for Sinews cut, &c.ibid.147 Of the Tetter338148 Of Sinews cut, &c.ibid.149 Of Freiting with the Girths339150 Of Bliffers340151 To take any Bones, &cc.ibid.152 To eat dead Flefh341153 Of Lurning with Lime343154 Hounds made with Gun powder344155 Of lurning with Lime345156 Biting of Serpentsibid.157 Hurts with a Boars Traksibid.158 The Stinging of Serpentsibid.159 Of Lice347150 Defence from Files347150 Defence from Files348		
159Of gourded Legsibid.130A moß certain and approved Cure for gourded Legs310131Of the Farcy312132Of the Farcy313133Of the Farcy319133Of the Fiftula326134A rare and approved Cure for any Fiftula326135Of the Eiffula327136Of the Ambury347136Of the String-halt328138Of Spur-gallibid.139Of Wounds in general329140Hants with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impofiumes337146Of hot Impofiumes338148Of Sinews cut, &c.ibid.149Of Fretting with the Girths339150Of Blifters340151To eak eany Rones, &cc.ibid.152Of Knots in Joints343154Wounds made with Gun.powder344155Of Iarning with Line345154Houads made with Gun.powder344155Of Line for Stringing of Serpentsibid.154Joes Theses Tasksibid.155Of Line for Freeting with Line345156Biting of a word Dagibid.157Hurts with a Boars Tasksibid.158The Stringing of Serpentsi		
Arey Of gonnau Des130 A molt certain and approved Cure for gourded Legs310131 Of the Farcy312132 Of the Canker319133 Of the Fiftula321134 Arare and approved Cure for any Fiftula326135 Of the Ambury327136 Of the Cordsibid.137 Of the String-balt328138 Of Spur-gallibid.139 Of Wounds in general329140 Harts with Arrows332141 Of bealing old Soresibid.143 Of Eruifings or Swellingsibid.144 Of Impoflumes335145 Of cold Impoflumes337146 Of hot Impoflumes337146 Of hot Impoflumes338147 Of the Tetter338148 Of Sinews cut, &c.ibid.149 Of Freiting with the Girths339150 Of Knott in Joints343151 To take away Bones, &cc.ibid.152 Of Knott in Joints343154 Promade made with Cure powder344155 Of Iarning with Lime343154 Promade made with Gure powder344155 Of Iarning with Lime345156 Bitting of Surpentsibid.157 Harts with a Boars Tusksibid.158 The Stinging of Surpentsibid.159 Of Lice347160 Defence from Files347	the 10 skin a juic too	
131Of the Farcy319132Of the Canker319133Of the Canker321134Arare and approved Care for any Fiftula326135Of the Ambury347136Of the Cordsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Hurti with Arrows332141Of bealing old Soresibid.141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes337145Of cold Impoftumes337146Of bot Impoftumes338147Of the Tetter338148Of Sinews cut, &c.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &c.ibid.152To eat dead Flefh341153Of Konts in Joints343154Wounds made with Gun-powder344155Of Iurning with Lime345156Biting of a mad Dagibid.157Hurts with a Boars Tasks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Flics348	129 Of gourded Legs	
132Of the Canker319133Of the Fiftala321134Arare and approved Care for any Fiftala326135Of the Ambury327136Of the Cordsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Harts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impofiames337145Of cold Impofiames337146Of hot Impofiames338148Of Sinews cut, &cc.ibid.149Of Freiting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eak dead Flofh341153Of Lice346154Wounds made with Gun powder343155The Stinging of Serpentsibid.156Biting of a wead Dogibid.157The Stinging of Serpentsibid.158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348	130 A most certain and approved cure for gouraca Lieg.	310
133Of the Fiftula321134134Arare and approved Cure for any Fiftula326135Of the Ambury347136Of the Cordsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Hurts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impofiumes337145Of cold Impofiumes337146Of hot Impofiumes337147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Bliffers340151To take away Bones, &cc.ibid.152To east dead Flefh341153Of Knots in Joints343154Wounds made with Gun powder343155Of lurning with Lime345156Biting of a mad Dogibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		
330 full firm3261350 f the Ambury3271360 f the Ambury3281370 f the String-balt3281380 f Spur.gallibid.1390 f Woonds in general329140Harts with Arrows3321410 f bealing old Soresibid.142A certain and approved Cure for any old Sore3331430 f Bruifings or Swellingsibid.1440 f Impoliumes3371450 f cold Impoliumes3371460 f hot Impoliumes3371460 f beating with the Girths3391470 f Eliflers3401480 f Sinews cut, &cc.ibid.1490 f Fretting with the Girths3391500 f Bliflers340151To take away Bones, &cc.ibid.152To eat dead Flefh3411530 f K nots in Joints343154Wounds made with Gun powder3431556 liting of a anad Dogibid.157Harts with a Boars Tucks346158The Stinging of Serpentsibid.1590 f Lice347160Defence from Flics347		
135Of the Ambury347136Of the Cordsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Hurts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Bruifings or Swellingsibid.145Of cold Impoftumes337146Of hot Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gun powder344155Of lurning with Lime345156Biting of a mad Dagibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Flics348	133 UT the Fifthia	
136Of the Cordsibid.137Of the String-balt328138Of Spur-gallibid.139Of Wounds in general329140Husts with Arrows332141Of bealing old Soresibid.141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impofiumes335145Of cold Impofiumes337146Of hot Impofiumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gun-powder344155Of lurning with Lime345156Biting of a mad Dagibid.157Harts With a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348	134 Arare and approved Chere Jor any Elyania	
137 Of the String-halt328137 Of the String-haltibid.139 Of Wounds in general329140 Hurts with Arrows332141 Of healing old Soresibid.141 Of healing old Soresibid.143 Of Bruifings or Swellingsibid.144 Of Impoftumes335145 Of cold Impoftumes337146 Of hot Impoftumes338148 Of Sinews cut, &cc.ibid.149 Of Fretting with the Girths339150 Of Blifters340151 To take away Bones, &cc.ibid.152 To eat dead Flefh341153 Of Knots in Joints343154 Wounds made with Gun powder344155 Of lurning with Lime345156 Biting of a mad Dagibid.157 Hurts with a Boars Tasks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Fits348		
138Of Spur-gallibid.139Of Wounds in general329140Hurts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Hounds made with Gun powder344155Of lurning with Lime345158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		or opening a
139Of Wounds in general329140Hunts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumes338147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Lurning with Lime343154Wounds made with Gun powder344155Of lurning with Lime345158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		and the second sec
140Hunts with Arrows332141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gun powder345155Of lurning with Lime345156Biting of a mad Dogibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		329
141Of bealing old Soresibid.142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &c.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefb341153Of K nots in Joints343154Wounds made with Gun powder344155Of lurning with Lime345156Biting of a mad Dogibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		
142A certain and approved Cure for any old Sore333143Of Bruifings or Swellingsibid.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gun powder344155Of lurning with Lime345156Biting of a mad Dogibid.157Hurss with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348		
143Of Bruifings or Swellings101d.144Of Impoftumes335145Of cold Impoftumes337146Of hot Impoftumes337147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gum powder344155Of lurning with Lime345156Biting of a mad Dogibid.157Hurts with a Boärs Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348	142 A certain and approved Cure for any old Sore	333
144 Of Impoftumes335145 Of cold Impoftumes337146 Of hot Impoftumesibid.147 Of the Tetter338148 Of Sinews cut, &cc.ibid.149 Of Fretting with the Girths339150 Of Blifters340151 To take away Bones, &cc.ibid.152 To eat dead Flefh341153 Of Knots in Joints343154 Wounds made with Gun powder344155 Of lurning with Lime345156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	143 Of Bruifings or Swellings	ibid.
145Of cold Impoftumes337146Of hot Impoftumesibid.147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of Knots in Joints343154Wounds made with Gun powder344155Of larning with Lime345156Biting of a mad Dogibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348	144 Of Impoliumes	
146 Of hot Impoflumesibid.147 Of the Tetter338148 Of Sinews cut, &cc.ibid.149 Of Fretting with the Girths339150 Of Blifters340151 To take away Bones, &cc.ibid.152 To eat dead Flefb341153 Of Knots in Joints343154 Wounds made with Gun powder344155 Of lurning with Lime345156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348		337
147Of the Tetter338148Of Sinews cut, &cc.ibid.149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of K nots in Joints343154Wounds made with Gun powder344155Of larning with Lime345156Biting of a mad Dagibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Files348	146 Of hot Impostumes	
149Of Fretting with the Girths339150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefh341153Of K nots in Joints343154Wounds made with Gun powder344155Of larning with Lime345156Biting of a mad Dagibid.157Harts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Fills348	147 Of the Tetter	
150Of Blifters340151To take away Bones, &cc.ibid.152To eat dead Flefb341153Of Knots in Joints343154Wounds made with Gun powder344155Of lurning with Lime345156Biting of a mad Dogibid.157Hurts with a Boars Tusks346158The Stinging of Serpentsibid.159Of Lice347160Defence from Fills348	148 Of Sinews cut, 8cc.	
151 To take away Bones, 8cc. 101d. 152 To eat dead Flefb 341 153 Of Knots in Joints 343 154 Wounds made with Gum powder 344 155 Of Larning with Lime 345 156 Biting of a mad Dog ibid. 157 Hurts with a Boars Tusks 346 158 The Stinging of Serpents ibid. 159 Of Lice 347 160 Defence from Files 348	149 Of Fretting with the Girths	339
152 To eat dead Flefb341153 Of Knots in Joints343154 Wounds made with Gun powder344155 Of larning with Lime345156 Biting of a mad Dogibid.157 Harts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	130 Of Blifters	340
153 Of Knots in Joints343154 Wounds made with Gum powder344155 Of lurning with Lime345156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	151 To take away Bones, &c.	IDIO.
154 Wounds made with Gun powder344155 Of lurning with Lime345156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	152 To eat dead Flesh	341
155 Of lurning with Lime345156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	153 Of Knots in foints	343
156 Biting of a mad Dogibid.157 Hurts with a Boars Tusks346158 The Stinging of Serpentsibid.159 Of Lice347160 Defence from Files348	154 Wounds made with Gun powaer	
157 Hurts with a Boars Tusks 158 The Stinging of Serpents 159 Of Lice 160 Defence from Files 348		
158 The Stinging of Serpents ibid. 159 Of Lice 347 160 Defence from Flics 348	150 Burne of a maa Dog	DIG.
159 Of Lice and het beloch tross of the state 347 100 Defence from Flics 348	1) / MILLS WILD & DORTS I USES	340
100 Defence from Files 348	150 Of Lice	iDid.

379

The Table

Chapter.	.13 Pag	e,
161 Of Bones broken	46 Bluers on the Hoofs	
162 Bones out of joint	25 To fuften Hoofs	
163 To dry up Humors	etoolf nöhnad of 99	
164 To dry up superfluous Moisture	TT OF the CMac-long	
165 To dry any Swelling		
166 To diffolve Humors	Bidi l'a shin a fore l'out	
167 To mellifie Hardnefs	22 Of gourded Legs	
168 To harden Sofiness	and distants them IF O.F. 1010	*
169 To conglutinate	the Of the Eng	ł
170 To mundifie	bidi Of the Casher	
171 Repercussive Medicine	ala of the Fifthala	No.
172 Of burning Compositions	sound a strine and approve	
173 For all manner of Hurts	billi Of the Amany	1
174 Powder of Honey and Lime	256 01 he conts	
175 The taking up of Veins	and shid shirt? and 10 357	
176 Of Cauterizing	100 1002 0 358	
177 Canterizing allual	through the part of 10 360	
178 Capterizing potential	work die and ibid.	
19 Of Kowelling	tam 2 alg Jail m 10 364	
raw sugera Horjes	Sand and an annual sands and sand	
181 To make Cartals	HALPHARMAN STATES	
182 To make a white Star		-
183 To make a black Star	astina hernel hier to 370	
184 To make a red Star	a summe floques 1 and 10 373	
185 To make Hair to come very foon	1510.	
186 To make Hair (mooth and fine	374	
187 How to take off Hair in any part of	77 1	
188 How to caft and overthrow a Horfe		
ALUW DO RIA DO EDE AGE OF A HAVE	the second se	
"yo now to make an old Horfe Corne wood	ibid.	
191 How to make that a Horfe shall no or when he is ridden	ag 1 378	
192 How to make a Horfe exceeding quie	band ibid.	
192 How to make a Horfe exceeding quic 193 How to make a Horfe that tires, or 194 Other make excellent and	and nimble of the Spin 379	
194 Other most excellent and ap Horfe from tiring nearen difelorda	to rejuij, to go forward ibid.	
Horfe from tiring, never difelofed to		
Si never uijeiojea ti	380 380	
and the second	and a second sec	

195 How

The Table.

Chapter.

Par Par	500
195 How to make a Horfe to follow his Moster, and to find him on	ut,
and challenge him among nev.r so many people 38	31
196 The Nature and Special Qualities of all the Simples that are Sp	0-
ken of in this whole Work, fet down in the minner of Alphab	et.
ibit	
197 Certain Principles touching Simples 35	0
198 Of Weights and Measures, and how to know them by their Cha	1.
ralters 35	I
199 The Farriers Instruments expounded, with their Names an	
Properties 35	2

FINIS.

371

Dane