



Observationes empiricae, ordine morborum ex libris et schedis variorum medicorum collectae

<https://hdl.handle.net/1874/350536>

EMPE. n^o 2.

Aevum recens
Scripta varii arg.
No. 402

var 402

Kat. var. pl. 2

no 43

Hs.
7 E 43

Hypostagma, Hypopion. 7.

Suffusio. 15.

Ophtalmia. 19.

Amblyopia, Visus lebetudo. 27.

Amaurosis. 35.

Lippitudo. 41.

Grando & Hædrolim. 51.

Aurium tinnitūs. 57.

Surditas. 63.

Polypus. 71.

Narium hæmorrhagia. 81.

Odentalgia. 87.

Gingivarum ulcus. 101.

Oscitatio. 105.

Ovis foetor. 113.

Columella. 127.


Aphtæ. 135.


Angina. 147.


Gūla quid imbecilis. 159.


Dentitio. 109.

















Hypospagma, ὑποσπάσμα
& Saklo a Actio ὑποσπασμα.

φ. π. ο.

ἢ ὑπόπιον (ὑπόπιον, a. est cum
pne fūsim, cornua includit)

Sigillatio. lati & Livor.

B. Blasew-ooß.

H. tamē hypospagma
in oculos, hydropion is
genas & nasas in cir
der. vult. Chauris
curatione n. differant.

Actio Sigillationem fieri dicit, cum ex
ictu seu plaga ruptis aut contusis vasis sanguis
sub scilicet tunica scilicet; unde contentus ap-
pariat oculos, ac postea sanguine refrigerato
lividus. Qui sanguis, iuxta H. Jan. in
nominale si miltis sit ac in fohs convertatur,
ὑπόπιον nominatur.

1775

The first of the year
 was a very dry one
 and the crops were
 much injured by
 the drought.

The second of the year
 was a very wet one
 and the crops were
 much injured by
 the rain.

g. xi. d. sob. in palpebris titillat
ad oculi livorem.

Sp. Siccum Absint. b.
Mellis, m^o.

Mellis solis inductione nit
ab ea p^{er}suant, aut spatio ocu
horum curant oculi.

Faint, illegible text or markings in the upper left corner of the page.

— D. Tolent: probabat

℞. Siccum Rad. Salsis.

|| vel ℞. Ol. Anisi, għħi j mħ ħ,
quo imbuo (troech ooch goed is
als de kinden des bayel der goot
gobbe gervalle)

— ℞. Fol. Bithoniad.

— † In hā est vulgo ad convulsionem

℞. Smagma cum Sali^o charta^o frysca^o
sū bibulā (grānw-ganzw) illitū,
ac post aures positū.


nam illi tamen malint L. A. illinere,
cūm frizoni modo nisi sint oculi extenti.

Faint, illegible text in the top section of the page.

Faint, illegible text in the middle section of the page.

18. 193. SUFFUSIO .

15.



[Faint, illegible handwritten text, possibly bleed-through from the reverse side of the page.]

199.

OPHTHALMIA.

19.

Menstrui, ex 2^o Vitisio, ad Obst Salomon.

℞. Aq. Rosae: coc. ℥iiij.
 Mlac succotz: ℞. Infundite,
 hoc collyrio oculos abluo.

2^o Vitisio in Peribonim inflammat:

℞. Turbia paphar: ℞
 Coralli rubri ℥ij
 Vitruoli albi ℞.
 Campb: ℞. M. si. pithis subtiliss:
 cum Aq. Rosae: q. s. si. Collyz:

℞. Turb: ℞. ℥ij
 Vitruoli albi ℞.
 Campbega q. s.
 cum Aq. Rosae. q. s.
 pro Collyrio.

Splintis Pharmacopula et Consilii Hagae

Comitis, in officina sua ordinatio
 ad Oculorum phlegmum sumi con-
 sultisio Spietian Nisi, cuius das 1745.

Summige ments Zomero bandede.

18
The ... of ...

... ..

... ..

... ..

... ..

... ..

... ..

... ..

For ...
Co. ... # ...
... ..
... ..
... ..


203.

AMBLYOPIA.

{ VISUS HEBETUDO.
{ CALIGO, senibus accidit

THE UNIVERSITY OF CHICAGO
LIBRARY

1911



Stolidi Vitis habitudine facile inchoant,
Caveant Funnim.

Splendorem Solis, Igneis, etc.

Inhibitiuū cōditiōnibus pertinacem

Ventrem rictuū persequamur, unde oēs

libidinosi firmi acutiuntur.
et spiritibus nimis exsuscitantur.

Esam Casparium.

Inchoationes assiduas, seipsum a cibo

Capitis prouam demigrentur.

Si a spirituum visioſorum inopta oriatur,
hi efficiendi sunt bona dicta.

Sin ab humorum fetiditate inflentur, quod
saepentibus, nervi splendent oculi obstruantur.

I. Secretur Vena Cephalica,

II. Vena Frontis.

III. Circūscriptio cum scarificatione,
vel sicut ea in cerebro.

IV. et si nisi cura iudicio, et sagacitate
cogitatur detracere, aut Caeteriorum.

V. subinde etiam si purgatio per Vitis:

℞. Vitis: Lūcis,

Alutar:

Cochiar: ℞. ʒi.

Agar: trochil: ʒss.

cum syr: de Euphrasia si. Vitis: ℞.

assumenda vi horis ante prandium.

VI. Stermitatoria naribus inflentur, et

Cyprio, Sinapi Puluerisigatis.

VII. Instillandum oculis Collyrium, in
genita viciate visum corroboras.

℞. Aq: Euphras: Chelidoni,

Thimicli, Ceani,

℞. Endiv: Ros: ℞. ʒss.

Turbia ʒi.

Camphora ʒss.
℞. Collyr:


℞. Aq: Ophthalmica q. v. 124.



B. 206.


AMAVROSIS.

35.



— Gutta serena, seu obstructio nervi optici,
quam Amaurosin vocant, multis insanabilis
sensit, veritatem n̄ sunt negligencia reme-
dia. L. 90. 61

— Multi letano in caecitate, vel mita posito,
via humoris facta, curati: n̄ aliter quam suffu-
sione curantur positis Cant-Baridibus pene n̄,
tamq̄d n̄rum, ut p̄ illa loca n̄a effluere possit.



℞. ℞. de la Coultor.

℞. mica panis albi macerata aliquot
 horis in Aq. Ros. & lacte mul: ℞j
 medulla pomor: dule: ℞ij.
 Croci q̄: ℞. ℞i. Cataplasma
 quod sero admoventis fracti afficitur.

|| ℞. Aq. Plantag: ℞ij.
 Rosaz:
 Euphorbia C. ℞ij.
 Troch: alb: d'basis ℞ij.
 Sacchari candi, ℞i. ℞i. Collyrium.

Faint, illegible text, possibly bleed-through from the reverse side of the page. The text is centered and appears to be organized into several lines, but the characters are too light and blurry to transcribe accurately.



P. xi. 45.

Wsch. n. n. f. solam Callam
sed & Modum, & Timor's
notat.
Wsch. n. n. f. solam Callam

B. Wschrogg^e, heli: Stjgg^e
qñ: nomind; tam Grandium q̄ hordeolum
signant.

Utr: Eggjt-oggg^e, Gtrentoggg^e.
Eggjt-oggg^e.

...

...
...
...
...
...


J. N. de Moeb: oculos: 32. a.

Si in palpebris a frigido succo fiat tumor instar
Glandulis, disjunctis cum Empl: Diapsalidico
vel Sacro.

Si in inter cilia cum phlegmate constitit instar
Hordei, foveat Lact^o Vaccino et
Aq: Myrti.

// a Foco abstin.

The first part of the
 manuscript is a list of
 names and dates, which
 are arranged in a table
 with three columns. The
 first column contains the
 names, the second column
 contains the dates, and
 the third column contains
 some other information.
 The names are written in
 a cursive hand, and the
 dates are written in a
 simple, clear hand. The
 other information is
 written in a cursive hand
 and is somewhat difficult
 to read.




B. 220. AVIUM TIXXITUS.

57.

Suaditas.

1850



ϕ. XIII. 9. 230.


℞. Ol: Amygd: Amaz:
intinctum cottono, & leviter expressum
auro imponatur.

℞ sibi: de la Conde.

℞. Fol: Rttbat,
Majorano, ℞ N^o xxiv.

coquantur in Aqua, & exprimatur succus,
cui addo Castorei,
Moschi, ℞ gr: ii.

Ol: Amygd: amaz: ℞. ss.
instilletur aliquot guttas.



Auriam Tinnitūs.

TABLE (1) 1885

Cognatis N. N. sequens licet paulatim
dolorificum probat.

℞. ℞. Amygd. dulc. coel amar:
Aq. Theriacal: ℞ s: aq. m.
Lana hinc mixtura intincta atri indat.

// Quaedam matronae pro secreto habent
℞. Pingued: Anguill: sperat: ... (D. 21.)

℞. Salvia minoris,
Mentha (vino munit)

Fol: Lauri
Rosar: rubr: ℞. Mj.

bulliant cum vino zibonano in olla
angusti orificij, q. clarissim infundib.
ut sit q. chisti fistulam (inter eos dactylus
convulsus, em d' eos nict ad curandis) vapor
in aërem accipiat, ac tunc oriscalpis
hem' pphagator' igitur' filanina ea hinc
4to Ferriciori decepta, ac ℞. Mistic' ludo
irrorata.

(D. 23.)

quae sita quotidie expectanda seu manu seu ve
spiri, cavendo diligenter agant alia ventosum.

℞. Lib: de la Coillade.

℞. Sacros: dulcis
Cap: alba

Ping: Anguillae, ℞.
Mithridatic' opt: & creberr.
Castoreo pinguior:
Hellebori nigri ℞.
℞. Amygd: amar: ℞.
Aq: Vitae, ℞. p.

bulliant tra simul ad aqua & sacros: con
sumptionem, & serua.

// Alteram hinc simile ℞. de sacros: la Coillade
habet // Cap: de Tennith hincum //

℞. ℞. Tabaci gutti j. aut ij.
cum Lana Sicca.

// Sunt qui fistulam Tabaco respletam ac ac
cessam atri tenuiori extremitate inserunt:
tunc altera fistula caput ead tenuit, & fumum
quasi ad aërem aërem inflat: Quomodo
tenuit ℞. Tabaci tenui infusum conficitur.

Cum primum Medico meo deditur stultia
D. Scherrelia Fieptorem nimium consilii
in Aëris dextra soliditate, qua fieri bitumis
in tunc laboravit: is auctor fuit, ut

Op. Cotoniæ mesobotam (ex lanam nigram
volentem) leviter tinctam
sive Majorana, & capsicis
inmitti in aërem afflicto.

¶ auctor erat ut

Op. Tiberiam antiquam pariem,
mactra in Vino Hispanico; hanc imbuit
lanam succidam, & aëri infere.

D. Costilia post pith: coebiaz ipsam in Capiti
penitidim, chloidesctus, nec olei Amygd: amar:
ac Ritha simul mixta nihil promovet, ex
consilio D. Morley, & D. Wiggmanni fellis
quo successus hinc Oleo Scorpionum,
hoc etiam ad pith: j. aut ij aëri instillatum, aut
cum lana succida instillatum, aut ita magis:
soliditatem sed tollit. Nec meliorem vis
epith. xavixi.

¶ C. Lagunesia ¶. Spica profertur.

Disek van Helldingh's Gewint 2. 6. 6. 6.
virelacet dat de Gewint van Burch
van de g. m. d. u. G. d. u. G. d. u. G. d. u. G. d. u.
mit get waatir, ^{tracht} het get tyeche soot
als get brandt, wt het f: dat is
voto's genat, is is doov get f. d. u.

R. in R. 433.

Op. Majorana sol. consilii

Nicis Myel: aut Gazia: bylli putres: primum,
accende in fistula, & hinc more Petisagary.

00.

1000

B. 224.

Polydus.

71.

21

Persons

1844

R. in ddt. 5A. Polypus cum semper
in majus excesserat, increvabilis cessat,
attamen in malum adtingat, impeditur.
M: Stitt: Elatines. 12.8.

R. 37. a.

℞. Cerati Myrbini ℥℥.
℥ Unge Egyptiaci ℥i.
Succi Granatorum

Si Polypi, verrucæ, aut conglomerata si-
lo constringi possint, privato alimento seu
lim contabescunt. (Quod genus arumelii
Arabæ expositio generis dicit.)

in Seb: 4. Vbi per summa mira-
culo postrem et prebatione vni Joff.
Margareta Colbormant, ab Cornelio
von Heyst Fygo gaudet mar.

℞. Mastice subversati ad quant: ʒ,
aut in hisserim

insponit carbonibus candentibus in
his aboden tiffis, tunc adger ipsi
summi accipiat, donec his subversati
tuscibus, sequamur voverit ubi gaudet

℞. Si quotidie his continetur, tandem
continuo ejus dicit Polypus transiet.

℥ quod si lo scilicet va-
let ad verrucas.

3

Handwritten text at the top of the page, possibly a title or header, including the word "Liber".

Second section of handwritten text, appearing as a list or series of entries.

Third section of handwritten text, continuing the list or entries.


Fourth section of handwritten text, possibly a sub-section or a specific entry.


Fifth section of handwritten text, continuing the list or entries.


Sixth section of handwritten text, possibly a concluding entry or note.

Faint handwritten text on the right margin.

Faint handwritten text on the right margin.







Haemorrhagia.
Haemoptysis.
Haemorrhoidis.
Dysenteria.
Mensium profluvium.

...
 ...
 ...
 ...
 ...

5. miraculi instar Haemorrhagiam
 sistit ut supra, si
 Op. Excrescentia nigra summis:
 Spicae Liligine qz: ʒ. vel in
 comedants.

// vel, Op. Lonicæ quercii (no B.). q. ʒ.
 A. Galvis
 qui naribus afficitur.

// vel, Op. Bacca Jampieri No. ʒ.
 tenants in maxilla nari thienti opposita.

— Ligations & Frictions saturneum membra
 rum satis validè instituantur.

— Op. Trochisc: Terra sigill: (vel ut dicitur Florent
 ad Terra Lemnia) cum Album: ovi
 ovi fronti illinantur. V.

— sic ʒ? Tricat:
 Op. Boli Armeni,
 Album: ovi, conquiscent
 inter se & si. Cataplasma
 fronti imponendum.

// Idem bono cum successu applicabat testibus
 linteum Aqua gelidissima madefact:

— sic A Op. Aq: Spermatis Ranar: (quod omni
 Aquar: frigidissima consistit)
 Succo Semperviv:
 cum Gossypio testibus, seu interfado
 minuo apponatur.

— Ex Sob: de la Colicis.
 Op. Granor Sinapi crassissimis contracti ʒij
 maceantur & in Testibus applicentur.

// Op. Boli armeni ʒ. ʒij.
 Amyli, G. Tragacanth:
 Farina volatilis molissima, R. B.
 incorporatis hora nris cum Album: ovi.
 & Temporibus admoventur.

// Idem melis hospis sapor optimo successu
 Op. Fol: nimis Vinca pervineat.
 quod ord retentum Sanguinem sistit

Uoff: ad Cel.

℞. Sanguinis iam emissi q.s.
combure in Coebecari in pulverem
qui pulvis naribus inflets.


℥. Camphora ℥j. aut ℥ij.
cum Succo Urticae si. Jid:
Duct. ad siccum in ad mensuram.

℞. lib: Mistris.

Bursa pastoreis tenatz, & manibus tenatz.
ut Gramin. Spocium naribus indatz, aut
manibus tenativ.

Item tunc digitum sub osse medio Nasi ad
labia.

[Faint, illegible handwritten text, likely bleed-through from the reverse side of the page.]



ODONTALGIA.

02.

[Faint, illegible handwriting, possibly bleed-through from the reverse side of the page.]

— Vasign. vi. 1. In Corroso dentis

q. illud quod intra gattam est.

// vel, Gummi olivæ filicis:

// vel, q. Syceum Pincelani & ~~Nivæ~~
~~filicis~~ n. foliis. agrestis.
 in loco corrosivis positum.

Quilgi et mediam ista quo compunctis curati sunt.

℞. Piper, Salom, et Sambuci mediam corti /
com, Piper pulveriseta, et reliqua
minutim contendants, et

si duo parvi noduli, vel pappas lineae
filo constructae ad pisore magnitudinis,
ipsa per vices denti doleroso imponants.

11 At si humorum defluxio adsit, praecedat coe-
poris purgatio. Sic φ. d. l.

℞. Pill: Cochini:

Radice: Co. ʒʒ. si. pill: viii

hac purgatione fin praemissa, infinitas φ. cur-
ravit. Radice Lapathy acuti in taleolas con-
sisti denti doleroso imposita.

Cabaigui de Arabi capi: p. 275. Ex proprie-
tate occulta tam in frigida, quam calida
valens scribit masticatam radicem,
Millafolij, Hederae terrestris et Cocylapatbi.

In Neuralgia cum eisdem masticandam
Angelicae radicem deducem: ipsa multam ex
ore pituitam, atque hinc vermem excipit, quam
vel pituita prolisset, vel Angelicae amarae
vidisset; euentibus hac sola masticatione fuit
a Cephalalgia catarrhica potissimum circa pro-
cessus mammillares curabunda, et fixa.

Ex Seb: D. Anwerschie.

℞ Salis nitri ℥ij.
Ammoniaci ℥ij.
⊕ q.s. M. s. Rotulas.

Ex Seb: R. 19.

Aqua Vita^a contra Dentium dolorem

℞ Rad. Pyretzai,
Angelica,
Semi. Staphisaga:
Baccas: Lani^a Juniperi ℥ij.
Corti: Granata: ℥ij.
Callacum ℥ij.
Aluminiis,
Aristoloch: cotind:
Semi: Hyoscyami ℥ij.
Nigella^a,
Balaustr:
Salis Gemmae ℥ij.
Opj ℥ij.
Mastichis,
Olibani,
Piperis longi ℥ij.

Infundant^s in ℔ vi Aq: Vita^a, p̄ ix dies
colat^s, usque asservant^s.

// Alia. — ℞ Philon: Rom:
Corti Rad: Papav:
Rad: Pyretzai,
Fol: Nicotiana^a Indica^a
Piperis longi,
Semi: Hyoscyami, ℥ij.
Opj Gheb: ℥ij.

Via macerant^s spatio ℔ in Sp: Vita^a
℔ij. Min per B. M. destilla.

Tempor^e. a. necessitatis tenent^s in ore.

℞. Cirk: pro dentibus ℞. (D. 33.)
℥ij. s. p̄ ℔ij.

tenenda doloris tempor^e, intra dentes.

// Vigetudo necessitatis id dolor^e nimium evadit
eiante, neq^{ue} illis remedijs cedente, ad Narcotica
dissolvendum, qualia sunt

// Dextra sol: aut Semi: Hyoscyami ℥ij. M. s.

// Philonij ℥ij, in Aq: vit^a diluta.

aut // ℞. Laudani q^{ui}: in ad vi. s. p̄ ℔ij.
tenenda intra dentem dolent^s.

ex Seb: de la Colledge.

℞. Opj,
Mastic: pilis;
Empl: divini ℞ ʒi.
Contusid: X: vi.
cum Turbintib: q.s. si. Mast Empl:

℥ vel ℞. Thuris, Masticib:
Boli opti ℞ ʒβ.
Cassi ʒi. Opj ʒβ.
cum Cera & Turbintib: putacillo
si. Emplastr:

℥ vel ℞. Opj ʒβ;
Gumi Elemni,
Masticib: ℞ ʒi. ʒiij.
explicandam parti dolenti
si. Emplastr:

Cabaigi: de M. Cap:
p. 147, & 275. sumit
G. Elemni, cum pulco Opj.

N3. Virga uocata de Swarto glandiff
frankens & emacata vas Masticib:
sola. Etiam pro sterco
Invent ex sola Gum: Elemnis.
℞: Mmardis. de Plat Ind: p. 317.

de Hinc
G. Elemni

admodum etiam Gum: Elemni de
Saramabana. — ℥
Schreon: p. 219. ubi de Odor u
talgia agit, improbat Masticib:
Ficet q̄ s̄p̄m Empl: contra Raptura.

℞. Staphisagria, Pyritib:
Piperis nigri, ℞ ʒij.
Fol: Raba, Crocos: Paradisi ℞ ʒij.
Mellis Rosati ʒij.
com: ʒij. ʒiij. si. Spiata.

℥. Vesicatorij q.s. D. 42.
si. Emplastr: admodum retro aures, et
vesiculae sicut plenae apertae.

NR. III. 52. 53. in callum tollit si s̄m
℞: Ligni Atractij.

℥ T. 19. ℞. Aq: odentalg: q.s. D. 35.
intingu: internum: plurimum ex eis
proficiet p̄legmatis, ac statim ois
evanescent dolor.

℞. Treecat: simitain

℞. ℞. Gariophylli (vel ℞. Ligoni)
gutta i. quia p̄scentibus lano
iracundia, dentib: dolenti
applicat.

— ℥ at J. H. de morb: dent: p. 60. probat, ut
si dms cariss: sit, loco ℞: Gariophylli: su
mats ℞: gutta.

Ex Lib: Mentri.

℞ Rad: histosae,
 Pyrethri,
 Alumin: sili, ʒ iij.
 Mellis ʒ vi. m.

utroq; ad crassitiam faba, tenuido intra
 dentes dolentes.

|| Alio J: Lapbedugij.

℞. Piperis

Zinzib: ʒ grosso modo contusor: p: aq:
 tenuido intra dentes; quod si hoc ut medio
 malum n̄ cesset, sola Glycyrrhiza mansa s̄q;
 dabitur.

℞. Fol: Mentiana ℞j
Flos: Meliloti ℞i. Si. Dentium.
quo abluantur dentes

- || Conveniunt etiam in Caissa
 - fringida { Ol: Spica gutt: j.
 - { Ol: Garid:byll: gutt: j.
 - calida { Ol: Viterioli gutt: j.
 - { Pitt: ex Opio. vel Laudan:

— Fabr: qdam uniazias profero successa
in Oentrolgia et Stalgia miribus instruat
Olypium intinctum pinguedini leporis.

— Piper contrisum & pappa inclisum ac
in Spic. Vini maceratum. ad denti
dolori applicatum.

12

The first of these is the
the second is the
the third is the
the fourth is the
the fifth is the
the sixth is the
the seventh is the
the eighth is the
the ninth is the
the tenth is the

This image shows a blank page from a ledger or account book. The page is cream-colored and features two vertical red lines that create three columns. The leftmost column is the widest, the middle column is the narrowest, and the rightmost column is of medium width. There are small red dots at the top and bottom of each vertical line. In the top left corner, the number '27' is faintly visible. The page is otherwise empty of text or markings.

12. 232.

GINGIVARUM { ULCUS.

Gingiva ulcerata. 101.

Scapula de Scorbi 192. & 199.

ad Stomacatu, seu gingivas laxas,
pultoidas, languinolentas, foetidas.

See Lib. N. 10.

℞. Macis, Myrror,

Aquilegia, Salvia,

Mentha, & ℞ij.

Alumina nra ℞ij.

pulverisata infundantur feruidi mel.

lis ℞ij. agitatus optimus et

refrigerata ad usum servatus.

D^r Haen. in Mayo 1506. pro Coccolio vax Bylin.

℞. Smaltzolt, Isp,

Stelliocontra - mas, et doorn 1600,

Wynthegon, Janitell,

betonin, agrimonia, & ℞ij.

fel. rosar. rube. Coctio: granat.

Coq. in Acornwater, ad Col^a ℞ij.

add. Mellis Rosae

Diamori ℞ij.

Alumina ℞vi.

℞. Gargarisma
seu aqua ad collicendos dentes.

|| na² spalten, Imperet bet tandvlees
mit een wijnies Vng: Egyptiaci,

℞. Vng: Egypt: ℞cc.

|| als bet vlets wter roodpans siet, soo
smeltet bet mit onghewonen zoniels,
om wietrom te toes geotels.

Oscitatio fit ubi multas flatibus collectis in
musculis thoracis & maxillaribus, cogit
maxillam inferiorem aperiri. Hell: in vii.
ap. 80.

Oscitatio in Emoxo lethalis. Plinius.
vii. l. p. nat. 6.

Oscitationum, etc, Vinum aequali portione
aqua³ mixtum epotum solvit. Hipp.
su. apb. 50.



[Faint, illegible handwritten text]

1001
1775
1001
Scribitur: Tpis: M: Chym. p: 100.

Iningant, gingivae frequentu


Balsamo, d. l. descripto.

[Faint, illegible handwriting]

12.230.

ORIS FETOR.

103.





Muscadini pro fastidio anhelitu.

℞. Salvia ℥j. Majorana ℥ij.

Carop: ℥ss.

Cinnam: ℥ij. Mosch: @ ℥j.

Moschi gr: ℥ij.

Sacchari albi ℥vi.

cum Mucilag: Gum: Tragacanti in Aq:

Rosar: infusi, ℥i. Muscardini.

teruntur saepe in eod.

ex lib: Mentri.


In casu febre a stomacho.


℞. Aq: Saccharatay cum Saccharo Candi.

vel potius Syr: Sacchari Candi.

Sunt qui integram Aq: frigida repletam cum
Saccharo Cando miscent: ac quotidie septem
jejuno stomacho bibunt.

The first part of the book
 is devoted to a history of
 the country from the
 first settlement to the
 present time. It is
 written in a simple and
 plain style, and is
 well adapted for the
 use of schools and
 families. The second
 part of the book
 contains a description
 of the country, and
 of the various
 productions of the
 soil. It is also
 well adapted for
 the use of schools
 and families.





~~_____~~

[Faint, illegible handwriting]

Primum fluxio expellenda, si moderata
moderate adstringentibus & austeris, si
vehemens, vel humilis adstringentibus &
acerbis utendum. Psam. 73.

This is a list of the names of the
 members of the church who have
 been baptized since the last
 meeting.

P. xv. 4.

Si aliqua fluxio in Gulum Sutiatis, statim ad
 praecautiōnem gargarizandū (inter fēta. mēl.)
 lactis bilibulo Salici cocto.

11 Sape etiam in principio eum adde ter malis
 est, malum tollit, garg. leuiter adstringenti

— ut: ℞. Aq: Plantag: ℥i.

Diamoz:

Dianthidm, ℞ ℥j. iii.

Vel: ℞. Aq: Plantag: ℥i. ss.

Gallas Emphaciti: contit: No. 9

Sou: Cydonio: ℥ss.

bulliant simul, Colatura adde

Dianth: ℥ij. per Gargazisum.


11 Alioq̄ si procedat malum, levanda
 Colimilla cum Bolo Armeno fūlv.

Vel cum aliq̄s ℥ij. colptor: p̄tererūm

quo bis aut ter tanta p̄ditam capiant, & cito
 contacta beuioz addit̄.

11 Si. a. perseveraverit in ea magnitudine, etiam
 si sine inflammatione sit, summitas ejus absin-
 denda est, ut beuioz fiat.

Sufficit aliquando Aqua cisterna
 dilutum acetum, ac. B. Vindm ma. 11
 loci Granator: vel Aqua adstringenti.



Ad inspiciendum ut fiat Specillum argentum
in cupis altera extremitate paruum caclear
fit, quo pulvorem idoneum columellas applico
ces.

Staphylis parvum

q. xv. 4. vocat instrumentum quo
sua levis (q. Belgae vocant de hys
brechts ofte wachts)

Pulvis. a. ad elzandum ustatis fit
Ex pipere & Sale. // vel pulv. Rad. Canad.

q. v. 19. 351. b. Simit Holm Amersim
pulverisatum. // q. xv. 4. // q. Gall

Id. v. 23. 352. c. postea Simit Sichel
Alumen tostum.

ae. Boli azurici, Aluminisusti @ pulv
ustulatos: pi. adq;
Si amaritudo affluat, q. Pulv. Cinnamon;
Si tussis, q. Pulv. Rad. Asiatolobiac.

Hyslopis cum Aqua in Sertagine calefiat
& si. Emplastrum capiti imponendum.

q. Particulam Succini
impono sutura coronali.

Ex Seb. X. 14.

Quum acies assatum per medium sindacis
unaq; medietas calida imponatur acies,
vel sutura coronali.

q. Caraba albis qj.

adigat in pulvorem crassissimum, & p in a
fundibulum fannis oad accipiat unum,
matutino, & vesperi.

q. Firmanti veteris qj.

aspero Caraba alba pulvora, lintale indicat,
verticis ad latitudinem manus dividia im
ponat, ne bis in die iteret.

Radix cara sub lingua p noctem re
stata, seu commansa, seu pulverisata,
coq pulvere Columella levis.

q. Ag. Plantag.

Dianosi,
quo factus gargaref.

fi. Gargarisma

q. xv. 4. q. Ag. Plantag. lbj.

Dianosi,
Dianicum @ qj. m.

Ex Seb. de la Coillard.

q. Plantag. cum Rad. Mis.

Ponitella MB. Rad. Lappad major.

Vini Ribei. Ag. cons. @ lbj.

Coque ad dividias per Gargarisma.

vel q. Ag. Plantag. lbj.

Gallas myracati contriti: N. ij.

Sem. Cydonie: lbj.

Villiani Simul, colatura add

Dianicum qj. fi. Gargaris.

Αρθηα. Celso. Λαβαι,
Οκedo. Sereno, et Nidoco.

B. Speiud, Speouud (quia voce uniuersa
etiam designat Gallinar: morbus, Pii
talia dicitur, de Cibus)

Scabigell (q etiam Ger. sicamb: Sax:
morbus est equorum, quo palatum et
jugum nimio sanguine tumescunt)
Celso: —)

1. *Spizella socialis* (see next page)
 2. *Spizella socialis* (see next page)
 3. *Spizella socialis* (see next page)
 4. *Spizella socialis* (see next page)
 5. *Spizella socialis* (see next page)
 6. *Spizella socialis* (see next page)
 7. *Spizella socialis* (see next page)
 8. *Spizella socialis* (see next page)
 9. *Spizella socialis* (see next page)
 10. *Spizella socialis* (see next page)

Schrenckius (G. 47. sibi familiaris ego dixit

℞. Polyporū recens,
Pollin: Sacchari candi (Synon Canaz
(Zyche) M^o.

// (G. 36. ℞. Mūcilag: Sem: Cydonior, (vel
Sem: Pylly) in Aq: Stabiole
extracto,
Syr: Violar: ℞. P. ℞q: M^o.

D^o W. Stratis by gsbeteck was Ceter
ordone: // Cnolwate om 4^o gorg: 4^o

℞. de Moeb: Infant: p. 23.

Scribit Succū Portulacae^o ex proprietate
confirre in Apth'is infant: ex ant: Avice.

℞. vi. 25. ℞. sibi agit Auctor scribit
℞. Fol: Violar:
Fragari:
Stuprivi,
Bellidis minor:
Clautag:
portulacae, ℞. Mj.
Sem: Cydonior: ℞i.

Cogunt in Aq: col, & fortiter exprimantur,
addo Sacchari (vel potius ad majorem abstrah
onem, Mellis) q.s. et cogat s. a. ad Syrupi
consistentionem.

pro Infantilibus in ista delphis est // sic
Mol Rosaceum (cum Syr: Violar:
vel) sine alio additamento, cum pluma lingua
applicatum. Eosydyck.

℞. Stuprivi majoreis sol.^o (Syl-Loch.)
extracta pellicula, et in Aq: fluviali
(Stroom-water.) mad: factum lingua
imponat. ℞i

℞. Commig: zōnle is Sair onuidt,
℞. kichroesob, offe 4^o gūantje

Acubi: mata (Colpitzia) hoc eodem
remedio semper uti se affirmavit.
Kluter: de morb: infant: ut. unice
Polyporū commendat.

ut Succū Stuprivi.

℞. Apth'ar: cura in febrilibus.

Scribit pro Apth'is.

utiq: Sumit,
Bellis Rosae:
Syr: Violar: ℞. viii
℞. 1/2 ℞.


Ulraajeti de se ipsa mihi affirmavit
mala uxor charissima.


Rana etiam pro hoc sepe meminuit p. 207. 21.
sunt et qui in Pesto eam osi instrunt,
pro catarrhōdo vitæno.


Incepta me scribita sunt
quam feminas indicant et infantibus
laborentibus lingua frictis, conda de his
gicris, Genuisq' natus, et gressu hacten-

N
U
G
E.

[Faint, illegible handwriting in the main body of the page, possibly bleed-through from the reverse side.]







Angina quæ oritur ex hincione secundas
 vertebrae colli, quia a vertendo *επιποσει*
 dicitur: (quam Hippocratis dentem vocant, cum
 solum appendix ea non nominetur) fere incuru-
 bilis est. Barb: inst: anat: p: 140.

Diem: Coenaculis observi: Froudit: cap. 9.

scribit Obrogatum quendam angina latente coe-
ceptum, postquam nec cibum nec potum deglu-
tere possit, nec tamen in respiracione illius mor-
tis subiculum esset, fano et invidia misit hujus.

Similis A. 1629. Legas accidit Petrus a Balen-
s: Theolog: alumnus, in Collegio Vindob: Hell:

Faint, illegible text or markings in the upper central portion of the page.

- De Lib. 2. oüverfchive.
- 1.° Vena Cephalica secets.
- || 2.° Phlegma Diapruno.
- || 3.° Sumat Gargarisma.
- ℞. Rob de Libis,
Diamoz,
Syr: Agrestis, ℞ ij.
Aq: Plantag: ℞ ss. m.°
- || 4.° ℞. Ung: Diablicæ ~~gutturum~~ Gummi Giff.
Fstiac: Androm: ℞i. m.°
Gutturi applicandum. ℞i. Emplastrum


[Faint, illegible handwriting in a central column, possibly bleed-through from the reverse side of the page.]

— Adiacentis S. M. post multa cataplasma
nata frustra adhibita, cum jam ferè conu
clumatum esset, & vestigia curata,


℞. Mdi Miodidini: cum toto Noj.

coque cum diluti lactis
instar Pillsis crassioris

applicata loco afflicto.



A large rectangular area in the center of the page, bounded by red lines, which is completely blank.



— Si aut piscinam officinam aut quid aliud
 gula inhaereat acuminatum
 quidam circum quidam sebaccam con-
 duntam gula immittunt, de seque met
 cum fanchis hoc de coqz non linnippe
 gestuatis te wngt totelinde.

// Obnegim? Stinred's vidit, qui ex
 fuitit den wisgagobis, mchendu
 en dūven syde, ende om die ringhens
 windende, in 4 middel ten dubbeldien
 groenre draet waer maectend om in
 de handt vast te boude, 4 syde elawt
 aldus tot wsesyde fwick's gewondre
 syde, ende in Gyree was stoltz seloep
 ende ingesickt, de twieldmalle wtzey
 troctes syde blaef set grad dāre in
 sacch's.

[Faint, illegible handwritten text, possibly bleed-through from the reverse side of the page.]

