



Collectanea medica

<https://hdl.handle.net/1874/350745>

Medic. **H.** 2.

Aevum recens.

Scripta varii arg.

N° 401


Kat. VII, pl. E
n° 32, II
var 401 =


Hs.


7 E 32


Coz: Booty' Vltanjehini.


clz. h. c. xxvii.
































Calend. Novemb.
1627.

 Condeletius.

DE CAPITIS VITIIS EXTERIORIBUS.

Privatio Capillozū duplex est,

Areæ, cū decidui fili Areæ speciem relinquunt
estq; vel

Alopecia, quæ nullā certam figuram habet:

sed in ea fere totū caput capillis destituitur

Ophiasis, quæ quādam tantū partes infestat:

iustas vestigiōzū Serpentis. Incipit q̄ppe

(ut Celsi verbis utar) ab occipitio duozū

digitorū latitudinē excedens, ad aures duob;

capitib; ; quib; etiam ad frontem

dūcē se duo priora capita committant. vi. q.

ita ut Serpentem, vel (ut Rondelet

caninam representet.

Defluviū capillozū sine discrimine fit ex or

parte Capitis, reliq; remanentib; cavis.

13, b. c.

AREÆVM & ALOPECIÆ & OPHIASIS

— Etymon. 1.3, c.

— Diagnōsis differenti: 1.3, c. &c.

— Causa. 1.4, a. — 2.5, a. &c. — 3.7, b. &c.

— Diagnōsis causarū: 2.5, b. &c.

— Prognōsis. 2.5, c. &c. 6.13, b. c.

— Cūratio. 3.7, b. &c. 4.10, b. c. 5.12, b. c.

Obs: 1. Areæ in Varijs cūratio. 1.

2. Ophiasis lepeā presagiat (in viro) 4.

3. Alopecia & Pletboræ (in iuvene) cūratio. 6.

LIBRARY

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

WILLIAM

// 4. Alopecia ex (ue Venerea chratio. 0.

5. Alopecia, Tremoris, & alior: accidentium, (q̄
artifici ex deauratione, seu fumo &
acciderunt.) chratio. 11.

5-7.

6. Alopecia (q̄ Calvitiei similis est.) chratio. 13.

Pilorum causa { Naturalis, Formalis,
 { Efficiens, Finalis. // 1. 2. l. 2.

Palpebrar: crinis excidentis restituentia. 3. 8. c.

Gargarisma in Ulcere gutturis. 4. 9. b. c.

Adeps Vesi, post universalia, seu p̄missam p̄ura-
 tionem, capiti imuncta Alopecia chrat.

4. 10. b.

& fumiginum, seu halitus pestilens. 5. 11. a. b.

Tyrone medici, si insolitus ipsis obtingat casus,
 tempus deliberandi grant, ut Aetior fecit
 precipiendo, ut cum Vrina cras redirent. 5. 11. b.

& Natura & effectus, & noximenti inde exorti
 chratio. 5. 11. b. etc.

Panis si tribus diebus antiquior (ingit Avenxor)
 jam panis esse desit. 5. 12. a.

— Tremor (a quacunque causa oborta fuerit, sive
 ex Venere, vel Vini potatione, vel ex &
 vel post alios morbos) curabit, si Vrina
 propria membra tremula sapienter laventis,
 sint q̄ Vinam p̄ueror: p̄ferant. 5. 12. b.

C Bayr's.

— Experimentum egregium in Calvitie. G. 13, a.

Calvitium incurabile, q. a privatione Cæar: nat:
ut in Senibus, Eunuchis, Imberbibus,
Psthisicis, Cicatricibus.
G. 13, b.

Cicatricibus Cinerem Licij cum Spinis combustum,
et pici admixtum, crines imascentes facere
quidam existimant, at vero
Combustis locis crines restituere Pinguedinem
Licij piscis. G. 13, b.

Q. quare Equis et Asinis, non. a. Hominibus in
cicatricibus Crines reascant. G. 13, c.


— Fucus, in deciduis superciliorum pilis, q. etiam
sūdore n. obliterabit. G. 13, c.

DE FLUVIO CAPILLORUM

- Diagnos. diff:
- Causa. 7. 14, a.
- Diagnos. causf: 8. 16, c. et.
- Prognosis. 8. 17, a.
- Cūratio. 7. 14, c. et c. 8. 17, a. b.

Obs: 7. Deflūvij Capillorum post ægēitudinē
cūratio. 14.

8. Deflūvij Capill: (nūt Obs: 7. ex laxitate cutis,
sed) ex cutis adstrictione, ob siccitatem
et nā inopiam, post longam quā-
tanam, cūratio. 15.



- Singulare Remedium adstringens cutem in Capillor: deflūvio 7.14, a.v. p. 2 Ol: ex ^{Ladano} ~~Masticho~~.
- Nigella Usta, et aqua subacta mirifice pilos elicit, si vel capiti, vel mento, atq; im-
primis ^{supercilij} adhibentz illuminatq;. 7.14, b.
- Ladanum cum calori moderato adstringit. 7.15, a.
- Adstringentia, q̄ Capiti in Capillorum deflūvio
adhibentz, neq; frigida, ne alimentum pilorū
repellant, neq; decocta esse debent, ne
pilos denigrent. 7.15, a.b.
- Pili cū in capite sitūtes nascantz, atq; ibi
prius cadant: raro in mento, axillis, et
inguine. 3. Quare in toto corpore n̄ pro-
veniant, 4. quare etiam ⁱⁿ ~~in~~ facie
excident. 8.16. b. ^{Leprosi}
- Barba cū carcant famina: et q̄i Eunuchi
eam habeant, q̄i non. 8.16, b.
- Niminus etiam capillorum cultus deflūviū
causare potest. 8.17, b.

ASPERITATIS CAPILLORUM

- Diagnōsis diff: 9.10, a.
- Causa. 9.10, a.
- Diagnōsis caus: 9.10, a.
- Prognōsis.
- Cūratio. 9.10, b.

Obs: 9. Asperitatis capillorum, veniūq;
minozū capillos mimientium cūratio.
17.

et M.^r Jan van Costwylch

aut Metus subitus } subitam canitiem infert.
¶ vapor

20. 19, b.c.

Decorum est vicis gravibus barbam alere,
eamq[ue] bre[ve] prolixam & hinc comptam. g. w. b.

Capillos & barbam augmentantia & decorantia.
g. w. b. c.

quæta t[ame]n ad medicum ptinere n[on] videntur, cum
eorum exoptata sanitati nihil officiat. A. I.

CANITIE

- Diagnos[is] diff: 10. 19, b. c.

- Causa. 10. 19, b.

- Diagnos[is] caus[arum]: w. 19, c.

- Prognosis. 10. 19, c.

- C[uratio]. 10. 20, a. & c.

Obs: 10. Canitiei c[uratio], & Pilos demigrans egugina
sinimentum. w.

11. Capilli quomodo flavi reddantur. 21.

Capillorum nimis c[uratio] accelerat canitiem.

10. 19, b. nimia lotio
frequens pestinatio sine lotionis p[re]servat
a canitie & Capillorum defluvio.

Saponis { Sazacenic
 { Gallici
 { Spartazentici } confectio & usus.
Capitelli — — — } 10. 20, b. c.

Pilos nigros. 10. 21, a. b.

 grauos. 10. 21, a.

 fulvos. 11. 22. a. b.

— Experimentum Capillos demigrans. 10. 21, b.

Aliud pro canitie semim. 10. 21, b.

Handwritten text at the top of the page, possibly a title or introductory paragraph, mostly illegible due to fading.

Second section of handwritten text, appearing as a list or series of entries.

Third section of handwritten text, continuing the list or entries.

Fourth section of handwritten text, possibly a summary or conclusion of a section.

Fifth section of handwritten text, appearing as a list or series of entries.

Sixth section of handwritten text, possibly a summary or conclusion of a section.

Seventh section of handwritten text at the bottom of the page, possibly a final note or signature.

Pili tincturam citius recipiunt, si prius mader
facti fuerint, & quidem Sapiens Aq: decoctiois
Aluminis, ac tñm siccati. 10. 20, c. &c.

vide & 11. 22, b.

Pilos reddentia { crispas. 11. 22, b.
 { densos. 11. 22, c.
 { molles. 11. 22, c.

Nauta & maritimi plurimi rufos capillos
habent, ob saltem. 11. 22, b.

Pityriasis, seu Furfurum capitis, & Porriginis

— Etymon. 12. 23, c. &c.

— Diagnofis diff: 12. 24, a. 13. 26, a.

— Causa. 12. 24, a.

Prognofis. 12. 24, b.

— Diagnofis cauf: 12. 24, a.

— Curatio. 12. 24, b. &c. 13. 26, c. &c.


Obs: 12. Porriginis & detrahentium pilorum (ubi
necis Lepre aderat) curatio. 23.

13. Empirica Porriginis curatio in
plurimis. 25.

In Topicis, quæ ad Porriginem adhibent, cave
ab acutis, falsis, exsiccantibus, & generantibus
falsum aut Melancholicus adustum humorem.
12. 24, c.

— Expertum in Pityriasi (tam a cal: q: fr: causa)
urina propria, Aq: fursuris cum sero caprino
& Aceto. 12. 25, a.

Parallela, & Pityriasis — — } quæ differ:
Scissura manuum pedumq: & Parallela }
13. 26, a. b.



Phthiriasis, Pedicularis morbi, seu Pediculatio.

— *Etymon.* 14. 27, c. 16. 31, b.

— *Diffin̄a pediculorum* 14. 27, c. &c.

— *Causae.* 14. 27, c. 14. 28, a. &c.

— *Diagnos̄is Phthir.* 14. 28, c.

— *Prognosis.* 14. 28, c. &c.

— *Curatio.* 14. 29, a. 15. c. &c. 16. 31. c. &c.

Obs: 14. morbi Pedicularis in pueri capite, cura. 27.

15. morbi Pedic. in Viri capite curatio. 29.

16. Lenēs in capite & barba sententes. 31.

— *Expertum Unguentum, ac p̄stantissimū ad Cimices seu Pesolatas (quas Plathulas vocat)*

℞. Axungiae porcinae,

ol: Laurini

Saponis nigri ℞ ℥ss.

℥ extincti cum saliva ℥j.

Myrrha,

Aloes, ℞ ℥ss.

Staphisagriae ℥j.


Saponis Gallici ℥j.

in mortario reducuntur ad formam Unguenti.

14. 27, b.

℞. Perigrinantes cum pediculis infestentur facillime, 14. 27, c. 14. 28, b.

Multi ex pediculari morbo mortui. 14. 28, c.



Salsa $\overline{\text{om}}$, amara, exsiccantia, ut fellis grā,
 & Aq: salsa cum ∇ pediculis & lentes occidunt.
 Inter $\overline{\text{ota}}$. a. principem locum tenet $\frac{8}{8}$,
 quo ut neq: Aceto in pueris uti n̄ oportet. 15. 29, c.

Historia varior: in quibus aut ex toto corpore,
 aut ex parte aliqua pediculi magna copia
 proveniebant. 15. 30, a. b. c.

☞ — Aq: Stiff: Lavendula miraculi instar Pedita-
 riazum curat: si ea locus affectus, aut
 totum corpus abluatur. 16. 31, b.

☞ — Experimenta aliquot p̄stantissima ad
 1. Lentes, vel Cyronis pilos obtinuerunt.
 2. atq: hinc ortas Alopecias, 3. ad Placulas
 Pectinis, Alarum vel etiam Palpebrarum:
 4. ad Cyronis. 5. ad Cimices. 16. 32, a. b. c.

Stupetacientium longior usus manuum trid,
 morem inferre potest. 16. 32, b.


Acboris seu Teneae seu Saphati

- Etymon. 17. 36, b. c. &c.
- Diagn: diff: 17. 36, b. c. &c.
- Causa. 18. 38, b.
- Diagn: caus: 18. 38, c.
- Prognosis. 18. 39, a. 22. 47, b. c. &c.
- Curatio. 19. 40, b. c. &c. 20. 42, b. c. &c.

Obs: 17. Acboris veri (in puero) curatio method: 33.

18. Acboris (in puero vni duorum) curatio. 37.

19. Saphati in infanti curatio. 39.



20. Acboris inveterati in Püero novenali cüratio. 41.
 21. Saphatorum, seu Tinear: in varijs cüratio. 43.
 22. Capitis tincosi ac scabiosi, cum Squammis
 & crustis ac pilorum evulsione, coloro
 cinericio, odore fetido ac horrendo. 46.
 23. Crustarum caput infantis infestantium
 cüratio. 48.

24. et.

— Unguentum mirabile in Acbor. 17. 35, b.
et in magno Püro habente Tineas.
 Infusum Senæ. 17. 36, a.

Tinea vi species. 17. 37, b. c.

Dedtum Guajaci valet etiam in Acbor. 18. 38, a.

23. Infantibus si Acbor contingat, doctissimi
 medici, nisi parentibus urgentibus a cüza
 abstinere: solent. n. infantes hoc malo a va-
 rijs morbis p'servari, ut Epilepsia, Convulsio
 siow, passionibus melancholicis: ita ut talis
 Infantis plerumq; hilaris et jucundus sint. 19. 39, b.


Atriplicis folia ad 10 trahunt (magis q. fol. Canlis)
 acuitatem & venenositatem humoris. 19. 40, a.

— Rad: Altheæ dedt: cum püerorum Urina, ad
 Acboris mirabiliter conferunt. 19. 40, a.

— Unguent: ad Acboris et püeris unius anni. 19. 40, a.

Acetum & Portulaca in Acbori laborantibus
 in suopto tempore, sed interna & abstusa
 facilitati nocet. 19. 40, b.

— Acboris cüratio in Infantibus. 19. 40, b. et.
 Adultis. 20. 42, b. et.



— Linimentum Instantissimum in tinea quantumvis inveterata, si mistis alijs remedijs curari possit. 20. 91, b. c. &c.

— Pulvis Horstij in Acchoribus & Pediculis.
21. 99, a.

Tinea in facie oborta curatio. 21. 99, c. &c.

{ capite, brachijs & tibijs. 21. 99. a. &c.

Unguentum ad sedam & crustasam scabie in facie. 21. 96, a.

— Unguentum Gordonij tanta virtutis, ut in corpore prius repurgato omnem infectionem curabilem sanat; sicut sit Tinea, Scabies, malum mortuum, sive Morphea: & ideo summo in honore habendum. 22. 97, a.

Crustae pruritis frequentes, quomodo curentur.
23. 90, a. b. c.

Hederae fol.^a tam ad Acchoras, quam Crustas adhibentur. 23. 90, c.

Fari, Psyracia, &c. Acchoribus similia.

vide prae.

Obs: 24. Fari (xijer) in capite infantis. 90.

25. Fari (in puero triennali) curatio. 50.

26. Psyracij & Exanthematum (sive pruritus laetum rubr.) curatio. 52.

27. Pruritus laetum rubr. in alio puero, cura. 52.

28. Capitis scabiosi cum crustis (in puero XII. annor.) curatio. 53.

215

— Pl: Montagnana ad Favos, Tineas, & reliquas
totius corporis Crustas proutis: 29. 49, a. b.

B. Qua neoterici ad Crustas capitis valere scribunt,
eadem quoque conficiunt Favos & Acrozibis.
29. 49, b.

Favi, seu neoterici	{	descriptio. <u>29. 49, c. &c.</u>
		Causa. <u>29. 50, a.</u>
		Prognosis. <u>29. 50, b.</u>
		Curatio. <u>29. 50, b. c.</u>

NB. Cautionem esse medicum in adhibendis Neotericoz:
remedijs; ne dum nimium stiptica, aut
nimis calida admoveantur, eorum (Esertim
puerum) in gravi periculum conjiciamus.
29. 51, a. b. c. Sic miles nepotem suum
admotis fortioribus necavit. d. l.


1 Ioh: Damasceni Apb:

Cum immensa in medicina sit profunditas;
uti remedijs secundum libros, sine solerti ingenio,
molestum est. Quin & periculosus. 29. 51, b.

— Remedium Bayzi leve, saepius expectum
tam in Favos, quam Acrozibis. 29. 51, c.

Psyzacij, & Exanthematum	{	Diagnosis.
		Curatio. <u>29. 52, a. b.</u>

— Ad pustulas rubras in Capite, fronte, vel
mitto 29. Cretam albam cum succo Sempervi,
& pauco aceto li. Cimentum.
vel 29. Succum Sempervi: cum flor: salis.
29. 52, c. li. Cimentum.



Fictis quid? 27. 53, a.

Remedia pstantia contra capitis eruptiones
sen menti suum referentes. 27. 53. a. b.

Rp. contra scabiem sen crustas capitis. 28. 54, a.

ubi & Mt. Consil: Montani.

Hydrocephali

— Diagnosis diff: 29. 54, c. &c.

— Causae. 29. 54, b. a. v.

— Diagn: causi: 29. 55, c.

— Prognosis. 29. 55, c.

— Curatio. 29. 55, c. &c.

Obs: 29. Hydrocephalis (sen Capitis magnitudo)
in duobus puerulis curatio. 54.


30. Infans post Hydrocephalon ex Epilepsia
moriens. 56.

Caetera, in nucha posita infantibus Hydro-
cephalicis, eos pferant ab Epilepsia. 30. 66, c.

An in Hydrocephalo incisio conveniat?

30. 66, c. 67. a. b. c.

non est nisi extremum remedium: ubi ex-
sicantia et resolventia externis circum-
voluta n satis prosunt. v. III Chir: 5. &c.



De CAPITIS DOLORIBUS.

Doloris Capitis, seu CERHALGIAE, seu Soda

- Descriptio. 1. 60, a. b.
- Differentia. 1. 60, b. c. etc.
- Pars affecta. 1. 61, a. b. etc.

Cephalalgia quid? 1. 61, a.

- Locus affectus. 1. 61, a. b. etc.
- Diagn: loci affecti. 1. 61, b. c. etc. 33. 190, b.
- Causae

<u>3. 60, b.</u>	{	<u>Universalis. 2. 63, c. etc.</u> <u>Particularis. 2. 64, b. c. etc.</u>
------------------	---	--
- Diagn: Causar: 3. 60, 69, 70, etc.
33. 190, a. b.
- Prognosis. 4. 72, ad 76.

Dolor quid, et ejus Causae. 1. 59, c. etc.

Non omnis dolor capitis curandus, praesertim
praeteritis futura haemorrhagia critica.
1. 60, b.

1811

Ulor recentis cerevisia ebullientis (n̄ minus quam carbonis male olentis) in loco concluso n̄ solum Cephalalgiam, sed et Syncopez ac mortem inferunt. Sic Nauta in navi, Monachi duo in cella obierunt. 2. 64, b. c.

Vermem in cerebro gravi rariū scribit Avicen: quidam tamen de Vermis ablata dolorem capitis causans apto cranio esset, a dolore liberatus fuit. 2. 65, b. c.
quia & Epidemico Vermis dolorem capitis inferentis n̄ potuerunt expelli illis remedijs vermes necantibus ac edicentibus nisi q̄. Saphani frusta incisa ac in vino analvatio ebulliant. *ibid.*

Sineipiūt quare & ad Cephalalgiam, & ad Sudores promū sit? 3. 70, b.

Cerebrum non sentit. 4. 72, b. c.

AB. Methodi medendi iv summa regūla, quatuor

i. ^a ad Morbum	} pertinet. 5. 79, b. c. ex T. Aph: Hipp: 1.
ii. ^a ad Medicū	
iii. ^a ad Regnū	
iv. ^a ad Astantes	

— horū nūc et medicorū ministri
Pharmacopari & Chirūrgi comprehendū

Medici . a. Instrumenta iii.^a sūt { Diata.
Pharmacia.
Chirūrgia.

5. 79, c.

AB.

Diata . a. nobilissimū et agro gratissimū instrumentū est: quō nunquam carere potest. Quia & hoc sola tam diū vivit, quam Morbi naturā n̄ superat: ac n̄ tūm q̄toq̄ ubi ad pharmaciam et Chirūrgiam deveniunt, est, eam negligit. 5. 80, a.

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]

Sincipiti optimo } remedia topica admoveant,
 Occipiti mento } seu calefacere } caput intendas in
 S. Do, b. c.

Cephalalgia ex sola calore

- Causa.
 - Diagnofis.
 - Prognofis.
 - Cūratio. S. Do, a. b. c.
- } de ijs in Cephalalgia grāli. priā.
 & in Obs:

Obs: 1. Cephalalgia ex ardore solis diagnofis
 & cūratio. S. Do.

2. Amplius de Cephalalgia ex insolatū. 62.

3. Cephalalgia ex quovis calore uicūrens. 66.

4. Cephal: a vehement: exercitio cūra. 71.

5. Cephalalgia ex mīda lutenipie calida
 methodica cūratio. 76.


Pyrexodivon in Cephalalg: 1. S. Do, c.
 4. 72, a.

In Cephalalgia ab insolatū (Sim' nullo hūi
 morū afflūxi) si stricta sit abvns,

S. Castia Ej. solūtam cum Sero lactis
 quādoqdem metū est nō mān a dolore

ne 23. 60, a. ad locūm dolorificūm attrahats. 2. 62, b. c.

Narcotica quōq in dolore capitis nō facili
 adhibenda, p̄cipū si gravitas capitis p̄cipū
 atq: contingit. n. ut dixim' etiam in
 quib' caput a nna hūmorib' nō replets,
 ut instar cucurbita ab dolore ad se trahat.
 2. 62, c. etc.



— *℞*: Rosaceum (ex crudo Oleo & Rosis tantum
ac sine frondibus constitutum, omnisq[ue]
Salis expertis) cum paucis Aceto. Ac in
fimo Unguunt: Ros: cum *℞*: Chamamel:
Pituitiss: remedium in Cephal: cal: 2. 63. a. d.

B. Male ad Pharmaca recurrimus (q[ui]a non s[ed]
ventriculū offendunt ac laedunt, malisq[ue] succi
sunt) si per Diatam sanitas restitui possit.
3. 66, c. etc.

Carnes, elixæ, calidis siccis
[assa, frigidi: humidis] conveniunt.

q[ui]a. assants, unibil ignea qualitatis ab
ipso igne accipiunt. 3. 67, a.

Amygdala, quæ in Pharmacopolijs veniunt,
antiqua vel rancida ac oleosa sunt: quare
& facillime sanguinem coarctant, Stoma-
chum everunt, febris accendunt, & capiti
magnopere officiunt. Satiū ergo erit,
Amygdala, priusquam in mortario pilo trun-
dant, per horas aliquot in Aq: plurima
macerari: sic etenim velut repubescent,
viresq[ue] post liminio accipientia omni ven-
tustatis fastidium expiunt. 3. 67, a. b.


Qui calido sunt Cerebro facile in Cephalalgias
incidunt ab odoriferis, 5. 71. d.

etiam q[ui]s, q[ui]bus t[ame]n vis aliqua inest ut
frigerant, ut Rosæ, Violæ, Nymphaea.

5. 77, b.

Capiti noxia vi quædam occulta. 5. 77, c. etc.

In fine curationis Cephal: etiam concoquentia
& aigrementia reliq[ua] m[en]s adhibenda. 5. 79, a.



Cephalgia frigida

- Causa. G. 89, b.
 - Diagnos. G. 89, c. &c.
 - Prognosis. G. 89, a.
 - Curatio. G. 89. h. c. &c. ad 87. 7. 88, ad gr.


Obs: G. Cephalalg: frig: ^{ex ablati in vino?} postea etiam
 redeuntis cum Cataplasmo, curatio. 89.
7. Cephal: fr: ex casu in Aquam curatio
simplex. 88.

v. p. 16. Odozamenta n̄ ferunt, ut neq̃ aromata,
 [mittentes suffocationi uterina obnoxia
 [viri, quibus caput debile est. G. 89, b.
 Manus pedesve si frigerunt, facile in consensu
 suu cerebrum trahunt. G. 89, c.

Pisces sanguinem frigidum ac dilutū gignunt,
 ac caput offendunt: praesertim
 [grandes, prapingites, glutinosi.
 [in inertibus aquis extracti.
 Innocentiores tamen sunt [ex alto Pelago Anoti
 [Festini si audent subitantis [liviantilis, yass saxatilis
 [Ror marino, Sampsuchio, Salvia, [anro, Thymo,
 [Pipera, Mace.
G. 86, b.

Pisces lithozales pelagicis p̄stare ideo p̄tnerit
Aristotel: { melioru } cibo potantibz.
 { copiosioru }

[Passeres, (Grasuli). Solea seu singulacea (Cough)
 [Boca, Membra, Molitoria
 [Caponis, Traquina, Gobij (Pohichis)
 [Zuey (Enonides) Stannuli, Barbi.
G. 86, b.



- Cerevisia frigida cum sit, nisi crassior, p̄t
pro frigidioribus naturis optima fieri
Cerevisia medicata. S. 86, c.

℞. ℞. Cinnam: ℥ ℥j.

Rad: Jridis,

Insula,

Bac: Junci ℥ ℥ij.

Macer:

Nuc: Myrist:

Gariophyll: ℥ ℥β.

Piper: longi

Cardamomi ℥ ℥j. p̄t̄verigentz.

℥ pulvis in raro lintelo in vas conjiciat:

• vel potius instar p̄ppa in vase suspendat, m̄
fœtibus immergat, sed si l̄bitum extrahi p̄t
• Eratq̄ h̄c Cerevisia medicata loco Vini Hippocastici


- Pulvis Cibalis fieri p̄t. ex Cinnam: Pip: ℞
Macer: Galanga, Nuc: Myrist. et. S. 86, c.

Pisponis (s̄n Colūmbūli) ex propria natura
dolorem Chronicū capitis inferunt: unde
fortassis inolevit, ut eorū capita, tanquā
-moceris finia pars in occasione tollunt.

v. infr. p. 30. / S. 86, c. c.

ubi explodit h̄c op̄ulo.

- Oleum Lūtaceū calide sincipiti affusū
Cephalalg: frigid: curat. si vehementiorib̄
op̄us est, ℞. Nardin: Serpillin: aut
Amaricin: quib̄ etiam frons, ac narium
an̄rimas m̄lat̄s illinendi. S. 87, a. b.
G. 88, b. c. ubi et monet Ol: Junci m̄m
p̄t̄aus esse, et q̄taudo fl: licet calidū
sincipiti p̄b crassitiem n̄ l̄bitis infundī p̄t
tūm eorū illinitione n̄i sufficere.



Omnia secundum rationem facienti si tamen ex
ratione non succedant, ad aliud non convertatur,
manenti eo, quod ab initio visum est. II. Aph: 52.
persistendum n. donec tua sit savina consunx
(ut est in Proverbio) Aspidiotat. n. quamvis
continuas malum sperat. 7. Og, a. b.

Ol: Anethum: & Chamamel: loco Antacis
etiam adhiberi possunt in Cephalg: fz: 7. Og, b.
q. & 3^a illa optima miscebuntur inter se. G. 83. b.

Finigia ex Junipero, Sassa, Rosemari-
no, Majorana, Lavandula
egregie præsunt frigidis Cerebris. Sed
Noluid. quod Aromata ex cineribus suffusa,
acrius diutiusque oleant, quam ex igne, qui
eorum vires celerrime dissipat & absūmit.
7. 90, c.


Orbiculi Poriferi, seu Poma Ambra. 7. 91, b.

Cephalalg: fz: inbetata cura. 7. 91, b.

— Cnicus (seu sacculus) pro Catarrho ad
Catarrhi suspensionem, et Capitis robur. G. 83, c.
& Ceratum Petentis:

Raro Cephalalg: fz: in pituitosis sinu afflicti
mae fiunt.

Pill: Alephagina ad Cerebr: humid: fz:
seu & 2^a. Pill: Coch: 3^a, cum Syr: de
G. 83, b. Stoechade si. Pill. N. 5.



Cephalalgia ex SiccitateCausa. §. 93, b. c.Diagnos. §. 93, c.Prognosis. §. 94, a.Cura. §. 94, a. b. c.

Obs: §. Cephalgia ex siccitate oborta Metho-
dica dignoscitur & curatio. 91.

Minori negotio quid acribit, quam humectatis.
§. 94, a.

Cephalalgia ex siccitate non fit sine adiecta
frigiditate aut caliditate. §. 93. b.


Cerevisia, vel Vinum Absinthitis exsiccat. §. 92, c.

Cephalalgia ex Humiditate

— Causa, Signa, Cura, §. 97, a. b. c.

Obs: §. Puella intempieci humida Cephalal-
gia laborans curata. 94.

AB. De hac. a. Cephalalgia ex munda intempie
humida solus Jason Pratensis scripsit.
Quaudoquidem humida intempies dolorum effatu
dignum facere vix potest, cum humiditatis acrio
sit. debilissima, nisi cum copia distendat:
quin & hac intempies sola vix consistere
potest, quin & humores ad se trahat. Nisi
corpus de Plethora & Cacochymia careat:
& Hispanis & Italis aliquando, Gallis raro,
Anglis, Belgis, Germanis rarissimum aut nunquam auditur.
§. 97. a. b. c.



¶ cum ergo rarissima sit Cephalalg: hūmida
sine pletthora, de ea in Cephalalg: Ple-
thorica scribunt Auctores.

Cephalalgia plethorica

— Etymon. 10. 100, a.

— Causa. 10. 100, b. c. &c.

— Diagnōsis. 10. 101, a. b. c. &c.

— Prognōsis. 10. 102, a.

— Cūratio. 10. 102, b. c. &c. 11. 107, ad 111.

12. 113, ad 116.

13. 117, ad 121.

14. 122, ad 124.

Obs: 10. Cephal: Plethorica (in Capite) Cūratio. 90.

11. Eiusdem in pueri cūratio methodica. 104.

12. Eiusdem in muliere, cum Plogmon^o
Erysipelatosa, cūratio. 111.


13. Cephal: Pletth: in muliere cūratio. 116.

14. Cephal: Pletth: cum Delirio & vigilia
et pestila et Narcotica male adhibita
cum sopore & Stoliditate cūratio. 121.

Plurimum ad evocandas & Pletthoriam vel
etiam ad macilentiam valet primigenia
temperatura & corporis habitus. 10. 100, b. c. &c.

Signa intemperiei pletthoricae 3 cerebri.
10. 101, a. b. &c.

Pulvinar ex pluvio factum calefacit caput,
si inclinetur vel somni vel vigiliar: tempore.
secus, quam si sit factum ex corio pleno
palea vel fructu hordei vel avenae. 10. 102, b. &c.



In Cephalalgia Pletthorica $\bar{n}$ est concedendum
vinum, nisi admodum lymphaticum, vel ejus
loco Aq: Hordei, & Belgis Cerevisia tenuis.
10. 103, a. l.

NB. VS: quibus, ubi, quando, & quanta conveniat?
11. 107, ad m. 12. 119, b. c. etc.

Quidam ignavi medici ad $\xi\mu\mu$, $\bar{n}$ amplius
sanguinem mittere solent. 11. 109, c. etc.

B. Minorativum pharmacum (scilicet exorcizans)
est, cujus vis Hepar $\bar{n}$ superet, sed tantum
ventrem, mesenterium, intestina, & simam
Hepatis reprægat. talit est Cassia
11. 110, b.

Cassia (quoniam cerebrum fœmis replet) porro
minorativo in Cephalalgia pletthorica
 $\bar{n}$ probatur aquæ, atq: Clyster, quo solo
injecto dolor aliquando sedatur. 11. 110, b. etc.

Minorativum an ante vel post VS, exhi-
bendum sit? 11. 110, b. c. etc.

Ferrus castig: punct: cap: 15. & 11. metb. med. q.

Remedia Universalia Cephalalgia. 12. 113, a.

Sinapisminis quibus prosit. 12. 113, b. c.

VS in quolibet gravi dolore capitis fieri
potest. 12. 114, b.

Arteriotomia veteribus in usum p̄claro fuit,
nunc abolita ¶ Chirurgorum impitias.
12. 115, a. l.

x. Nunc certo Cassia pro paupibus dari n. p.
quoniam ne dividere eam velint, cum
si vel 2 q. l. contet: Ita sit pro solo q. l.
sabeant pharmacopola 2 sc. - 10, 17.

Cassia Fustula tñj unstat siccio 19 Regell.
n. 186, 17.

Cantheria actualia, & potentialia. 12. 116, b. c.

Phoenigmi seu Vesicatoria. 12. 116, b. c. & c.

Synapismi. 12. 116, a.

Paracentesis. 12. 116, b.

Sanguisuga, irritatio sanguinis e naribus,
& Cucurbita quando in Cephal: juveniat.
12. 116, b. c.

NB. Si quis dolor aut feror a Synapismis, Vesicatorijs, aut alijs medicamentis extiterit,
Rosacei tepido lotu, Ceratio Rosacei illitu,
Cemisa ex Aq: Rosacea pista, & similibus
extinguit. 12. 116, b.

Minorantia pharmaca ante vel post TS
conveniunt. Cassia, Manna, Rhubarbar:
13. 117, c.

Rhubarbarum cum fumosum sit, infundit
potest in Aq: Endivie. 13. 117, c.

Manna in biliosis facile bilisfit, sed
Mannae Eib soluta in decoct: prin: thomae,
rindor: singular: trium fl: cordial:
magis convenit. 13. 117, c.

Cassia cum Cathol: vel Diapruno, & Pomepib:
13. 117, c.

Si Papaveris nigri periculosius q: albi: magis
n. stoliditatem infert. 14. 122, a.

Topiconum in Cephal: usus. B. 110, ad 121.

Stupescientia admodum suspecta p̄sertim
in affectibus Cerebri. 14. 121, 122,

Stupescientia q̄. 14. 122, c. etc.

stupescient: {usus. } 14. 122, 123,
 {abusus. }

ita ut mortem intulerit. 14. 122, b. c.

— Male m̄trices Infantibus vigilantibus ex-
hibent aut Sem: Papaveris, aut Op̄y gr: j.
longo p̄staret si sumerent
℞. Ol: Saligni.

Op̄y gr: ij.

Camp: boræ gr: iv. m. coq̄ in u
singulis fons ac tempus. 14. 123, a.
atq̄ hoc n̄ p̄vaut deo Req: Nicolai.

AB. Ol: de Hyoscyamo, & Solanum mortale ca-
piti m̄nq̄ imponi debent: Hoc. n. Maniam
illud fatuitatem & insaniam infert.

14. 122, c.

Anodyna vel sint Stupescientia, & Obtundentia.
Digerentia & relaxantia.


Styptica in Biliosis, magis conveniunt.

Digerentia in Frigidis, ut Ol: Violacium.

Ol: Amygd: dule: Ol: Sessaminum.

singula p̄ se vel cum alijs mixta.

14. 123. c.



In dolore Capitis Plethorico, post evacuationem tunc per 18. tunc per purgationem ad repellentia practici veniunt. 11. 105, b.

Canonis in adhibi repellenti: 11. 105, b. c.

I.^a Intentio est si alius adstricta mino rante ac leri medicamento solvere.

II.^a 18: quia prima erit, si alius respondent.

III.^a Topica repellentia.

IV.^a Purgatio, pmissa tunc digestionem seu spasmum.

V.^a Resolutio mae residua. 11. 105, b. c. 106.

VI.^a Remotio intemperiei adstrictae.

- Electuarius de Sacco Rosae: dosis a ʒij ad ʒss, vel in robustioribus ad ʒvi, vel ʒij. 11. 106, b.

- In Cephalalgia Plethorica post 18,

ʒ. Pulv. mae: vel ʒij pomegranum coctum: sub cineribus, adjectis exiguo Ol. Rosae: et mox 11. 107, a.

- In phlegmone Erysipelatosa exptis:

ʒ. Fol. Hedera arboria cocta in Aq. pluvia decima de tegulis caeruleis (lag-dar-walky) singula per totum locum affectum, ut frons aut caput, applicentur. quod solum remedio pmissis tunc universalibus sapientissimum hoc malum curantur. 12. 112, b.

ʒ. Sectionem (vel Aq.) Solatii, Plantaginis, Malvae, quib. pami lini incutcati ac leviter expressi frigidum vel vix tepidum (quod ut mae aut) admoveantur identidem recurvando. 12. 111, c. 12. 112, b.

x. D. assuet semper aut Agaric: aut Colocynth:
cum Syr: de Stachadi, vel Gethemica.

Cephalalgia Biliosa

- Causa. 15. 125, c. v.
 - Diagnos. 15. 126, a. b. c. d. e.
 - Prognosis.
 - Curatio. 15. 127, ad 130.

Obs. 15. Ceph: Bil: in juven. curatio. 124.

16. Ceph: Bil: cum Pituita curatio, in muliere,
 etiam in viris, cui circa nasum accessit.
 Phlegmon Erysipelatodes. 130.

Contra Vicia. 15. 129, b.

Stermitatoria (etiam ea. & in dolore Capitis cum
 Bilio & Pituita conveniunt) oculis imbecillissimis
 vix minus conveniunt, et neque nase (Fleris
 ulceribus oppositum) 10. 139, b.

Erythina multo adhuc minus talibus conveniunt.
 Gargarismi. a. levis ab oculis divertentes, ex
 Deco Hyssopi & Erythriti simplici conveniunt.
 Finis tamen Pillulis (virgo Capitibus dictis)
 et a capite et oculis manum vacuant: deinde
 statimque post medium modum cum Jovis
 asfalo. 1x. 10. 131, b.

29. Pitt. Liliis;
 Anacar;
 Aggregativ.


et cum Syri. Betonica fi. Pitt. n.º vii.

in 29. Pitt. Anacar;

Cochiar. 3B.

tum Aq. Betonica fi. Pitt. v.

X pro Relictis Diagonis gr: i aut ii, adici possunt.



Cephal: Bitiosa cū Pituita (scē ex Pituita
vitellina) curatio. 16. 230, ad 233,

— Topicū p̄tens in Cephal: Bit: & Pituita.
16. 132, c. — 133. a.

Cephalalgia Pituitosa

Causa. 17. 135, b.

Diagnosīs. 17. 135, b. c.

Prognosīs.

Curatio. 17. 135, c. ad 137. — 18. 137, c. ad 140.

Obs. 17. Cephal: Pit: methodica curatio. 133.

18. Cepal: propria Cerebri vacuationē cura. 137.

19.

Evacuationes particulares non nisi præmissis
universaliū sūnt. 18. 137, c.

Apoplegmatisui, scē masticatoria.

Capit purgā, scē Erzina, scē Nasalia.


Stermitamenta.

Gargarismi.

Capit roborantia,

quando & quibz conveniunt, 18. 137, c.
138, ad 140.

13. Si ab Erzina in naribz morsus remanent,
℞. Lac muliebr, vel Ol: Violaceū,
q in nares immittit. 18. 138, c.



NB. Auxilia mutanda censent medici, ne assidue
usq̃ nra medicamentum corpori assimilet.
19. 145, b.

— Ponis fermentatus, mediocriter salis, valde
coctus, Anisi quid Aromatis & Sacchari
habens, magnativus in delicij est, &
pituitosis nris admodum breuiens. 17. 134, a.

Pit̃: ad evacuat: Pituita. 17. 134, b.

q̃. Pit̃: Acepbaugin:

Masticb: C. Zi.

rum Syr: de Betton: si. Pit̃: N.º VII.

post has

q̃. Pit̃. de Hiera simpl:

Cochiaz:

Agarici trochiscati C Zi.

rum Syr: de Betton: si. Pit̃. N.º V.

quo maiores multusq̃ in stomacho haerentes
melius a capite trahant. 17. 134, b. c.

vel q̃. Pit̃: Cochiaz: Zi.

Trochisci: Albandali gr: ʒ. 17. 135, a.
alia. 19. 143, a.

Masticatorium egregium in Cepb: Pituita:
10. 137, a.

— Erzbinon pretantissimum ad assuetuendum
sit Pituita & Catarrhus p̃ uerus effluat.
10. 137, b.

Salisamenta siccati cholera augmentum flent,
ita pituitam siccando detrahendoq̃ conu
sumunt. 19. 141, b.

Hinc Lason Halecom in principio epula
tionis probat salitam, Batavozum quoq̃
libonis in Cenepolis maxime delictante.


// *Hallex* in initio mensis admodum probatur
pro pituitosis. 19. 191, b.

M. *Sinapi* praestantissimum quoque pro pituitosis,
quod praeter vires in sanitatem ac valetudinem
praecipuas, in altam quoque ac sublimem ferat,
ac in aacem illum divina rationis potenter con-
suevit, calefaciens, pinguis, discutit,
itaque illic redditus illustriora. 19. 191, c.
Pythagoras *Sinapi* magno in honore habuit.

Columbas *Libanus* capiti dolorem adferre
dixit, (Cui liquet supra p. 19. f.) sed nudo
aut e quo periculo hanc opinionem conceperit,
nullus satis intelligere potest: etc.
7. 19. 192, a. b.

Nihil salubrius, quam ventrem laxum et
sibi propitium habere, huiusmodi salubria, nisi
tempestive precipiantur, caput mirifice gravat.
19. 192, c.

— *Allio* solo comesto aliquando *Hydropicus*
curatur: egregium ergo est *Allium*
pro eo qui ad *Cachexiam* & *Hydropem* incli-
natus est. 19. 193, c. etc.



Cephalalgia Melancholica

- Causae. 20. 147, a.

- Signa diagnostica. 20. 147, b. c. d.

- Prognosis. 24. 157, b.

- Curationis. 20. 148, a. b. 21. 149, b. c. d.

22. 151, b. c. d.

23. 152, ad 155,

24. 156, c. 157.

Obs. 20. Cephalalgia Melancholica: methodus curationis. 145.

21. Cephalalgia Melancholica: ex Melancholia orta. 140.

22. Cephalalgia Melancholica: cum Pituita. 150.

23. Cephalalgia Melancholica: curationis. 152.

24. Cephalalgia in autumno saepe recurrens et
apertis Haemorrhoidibus curatio. 155.

25. Cephalalgia Melancholica: et Pituita: post morbum gallicum. 157.

Cephalalgia a Melancholia pura nunquam fit
 (aliquando in morbo Melancholia semper adest dolor)
 nisi Pituita portio, aut bilis admixta sit.
 Hinc plurimum auctores de Cephalalgia Melancholica
 non graui quidem, sed lectorem (quoad causas,
 signa, curationem) ad caput de Melancholia
 relegant. 20. 147, a.

Melancholiam per oculos, Pituitam per aures, Pituitam
 itam per os et nares expurgari credunt Auctores.
 20. 147, b. c.

Flos Genista instar Hellebori vomere facit. 22. 151, a.

Folliculi Senae orientales esse debent, nostri non
 nullius sunt momenti. 22. 151, c.

℥. Pitt. Indar: ℥ij.

Cochine: ℥j.

cam. Aq: Mehi q̃a si pitt. vii.

℥ij. Pitt. Indar: ℥i.

quindant & adduntz

Hellebori gr: ʒ.

Cons: Intra Melanchol: caput evborat,
bilitatemq3 infert. 22. 152, a.

Dolor occipitis circa VS frontis. 22. 152, a.

N3. Evacuantia Melancholiam. 1.^o n̄ multum acerbū
mentia esse debent. 2.^o n̄ debent excedere gra-
dum temperatum. 3.^o mixta habeant leni-
entia, humectantia, & cordialia. 23. 153, b.

Lapis lazuli, n̄ minus venenosus q̄ minimum
Leoniceo. hinc Pitt: de lap: lazuli
atro carbonē notanda. 23. 153, b. c.

B. Experiri quid cum infamia (ut jūvini Paracelsi
sine ulla sapie ratione ad novum qd inclinant)
cum meliorum copia suppetat, id Temeritatis
est, & insignis stultitiæ argumentum, in au-
piti medicamento spem ponere, cum id nulla
cogit necessitas. 23. 153, c.

Pitt. ad Melanch: ʒ. Pitt: de lap: Armeno ʒj.
Indar ʒj.

Helleb: nigri ʒi. ii.
cum sicco Helbon: si Pitt. v. 23. 153, c.

Petrois, Bolis, ad Melanch: 23. 153, c. c.

— Mensibus retentis (ingit Galen: n̄ de fac: simpl.)
ibi per Venam, q̄ in talo est, modico eva-
cuasem; oblato Castoreo una cum Pulegio
aut Calamintba, semper medicamentum
hoc expectis sum phagatorium ciero,
locosq3 morantē ejicere absq3 laesione,
& hac via ex Melicrato. 24. 157, a.

Sunt qui Potiones, sunt qui Cataplecta abhorreant,
 Pulverem, vel Bolum preferentes. His tamen
 ubi morgeretibus est medico. Inter ea tamen

Pillula materiam ~~est~~ e regione capitis in alvum
 detrahunt melius quam Pulveres, aut Potiones,
 eo quod diutius in Stomacho morantes melius
 ad actum delibant: Quare etiam majori
 quantitate exhibent (quod Stomachici) et
 quidem longe post caenam. Sed an

pari an impari N. exhibentur, siquid de quo est.
 Nos tamen inolevit, ut impari sit numerus.
 Quam consuetudinem si invertas, adiectionem te
 materolis populi calumnias expones.

Nimro deus impari gaudet. 23. 154, a. b.

Cephalalgia melancholica cum Pituita sunt
 maxime familiaris illis, qui aliquando morbo
 Gallico laboraverunt. 25. 159, a.

Pecten caput pectini ex cornu Arictis bonum
 nim. Pecten in caa frig: 20. 146, c.

Zarza-parilla, et Hagioxyli decoctum in
 Cepb: Melanch: et Pituita. 22. 151, a.

Conditum pro Melancholicis. 23. 152, a.

— Saccutus incantamentum instar dolorem
 Capitis Mel: et Pit: (post Luem Venere)
 sedans. 25. 150, c.

Cephalalgia flatulosa

- Causa. 26. 160, a.
- Diagnos. 26. 160, b. c.
- Prognosis. 26
- Cūratio. 26. 161, a. b.

Obs: 26. Cephalalgia orta ab aëre ventoso
nebūloso, flatulosoq; cūratio. 159.

Pitt: in Cephal: flat: 26. 159, c.

Y. Pitt: Aūreaz:

Cochini:

de Agarico  Si.

ram. Syr: e Stoechado Li. Pitt. N.º VII.

Ad Aūreaz sinitris convenit, ut aūres obtu-
rents Bombacis irrorato Pl: Lūtaceo,
Amygd: Amar: Camanetino. 26. 159, c.

Cephalalgia ex Ebrietate.

Obs: 27. Juvēnis ex crapula Hesternā cepha-
lalgicū cūratio. 161.

28. Cephalalgia a vino sūmpto per-
manētis cūratio. 167.

Κεφαλᾶλῃ, Crapula (ἀπὸ τοῦ χάμνον πάλ-
λας, ἢ a caput concutiendo sic dictum)
est omnis noxa a vino contracta, p̄sertim
in cerebro. 27. 163, a.

Colony Notes

1. 1st. 20. 100. 20.
 2. 2nd. 20. 100. 20.
 3. 3rd. 20. 100. 20.
 4. 4th. 20. 100. 20.

The 1st. colony was a very large
 colony of the same kind.

Candysis List:

1. 1st. 20. 100. 20.
 2. 2nd. 20. 100. 20.
 3. 3rd. 20. 100. 20.
 4. 4th. 20. 100. 20.
 5. 5th. 20. 100. 20.
 6. 6th. 20. 100. 20.
 7. 7th. 20. 100. 20.
 8. 8th. 20. 100. 20.
 9. 9th. 20. 100. 20.
 10. 10th. 20. 100. 20.

Colony Notes

1. 1st. 20. 100. 20.
 2. 2nd. 20. 100. 20.
 3. 3rd. 20. 100. 20.
 4. 4th. 20. 100. 20.
 5. 5th. 20. 100. 20.
 6. 6th. 20. 100. 20.
 7. 7th. 20. 100. 20.
 8. 8th. 20. 100. 20.
 9. 9th. 20. 100. 20.
 10. 10th. 20. 100. 20.

1. 1st. 20. 100. 20.
 2. 2nd. 20. 100. 20.
 3. 3rd. 20. 100. 20.
 4. 4th. 20. 100. 20.
 5. 5th. 20. 100. 20.
 6. 6th. 20. 100. 20.
 7. 7th. 20. 100. 20.
 8. 8th. 20. 100. 20.
 9. 9th. 20. 100. 20.
 10. 10th. 20. 100. 20.

Historia diversorum, qui ex nimio potu
convulsi obierunt. 27. 163, b. c. 22.

13. Admodum ebrii, si dorso incumbentes supini
jaceant, stertentes facile convelluntur
ac moriuntur: Ideoque in latum reclinari
debent, quo si fieri possit veniant.
27. 163, c.

Moebi qui ex ebrietate oriuntur. 27. 164, b. c.
... & Senecam epist. 95.

Mala ebrietatem concomitantia. 27. 165. a. b. c.
& ejus detestatio. ad 167,

Vina maximè caput potentia. 27. 164. c.
Ite apud Belgas V. Hispanicum. & Cerevisia
crassa vaporosa (qualis duplex Pharonica)

Exempla bonorum aut malorum efficac
eius movent, quam eorundem Encomia,
aut Vituperia. 27. 166. a.

Pueris ad xxii annum Vini usus interdictus,
... a Platone & Galeno. 27. 166, b.

Homo, ut & Annus spiritum & iracundia
ex ore emittens. 27. 166, b.

quoniam ignis igni addatur, & juvenis ad furores
propensus sunt. 27. 167, b.

B. Bibentes experientia didicere curam cephalalgia
ex ebrietate ortam: Ideoque ad eam raro
medici vocantur, quamvis ex affectum inde
oriundorum curatione plurimum distent.
27. 164, b. c. — 28. 168, b.

κωπύριον, Athanasio Compositio est.
κωπύριον, Cotton, facinibús gradus
poculum erat, et militat. unde
Aristot. κωπύριον Ερμενείας λέγει
amplis et facinibús calicibus sepe plucit.

Cotthonismus Jacomini. 20. 160. c. 169. a. b. c.

13. Comprobatanti cavenda, 20. 169, a. b.

- 1.^o nō malum Vinum pendulum bibat.
- 2.^o neq[ue] meum non mixtum.
- 3.^o neq[ue] bellarij's secunda mensa repleat.
- 4.^o nō impletus dormiat, priusq[ue] evomierit.
- 5.^o nō post vomitum laboret, sed parum lotus quiescat.

Inter bibendum in secunda mensa laudant
Amygdala Amara, Poma cotona vel cestiana,
aut ova tosta coriandro aspersa.

20. 169, b.

Veteres medici inter p[re]cepta sanitatis con-
stituebant, singulis mensibus semel aut
bis vomere. 20. 169, b.

14. Natura periti ferunt qdam 20. 170, a. b. c.

- 1.^o quā abstrusa vi & ceca proprietate mortu-
libus gignunt Vini fastidium & odium.
ut: P[er]a noctua
- 2.^o quā admiranda facultate pollent, caventq[ue]
nō etiam liberaliter haustum offendit.
ut: Brasica,
- 3.^o quā manifesta qualitate temulentiam
arcent, nō validius hominem corripit.
ut: Oleum, Amygd: Amara, Capivi,
Lentes, Pectus pulmonis aspi,
Halec salitum, Panis biscoctus,
quicq[ue] deniq[ue] alligat, reprimat, restringit,
afficit, absinuat, tristia efferebat
meri ejaculamenta.

P[er]a d[icitu]r saluberrimum in fuga consi-
lium consistit. 20. 171. a. b. c.

1894

Inebriantur facili quibus cerebrum imbecillius,
ventriculus astutus, quique potulare concer-
tationis raro celebrant. 20. 171, c.

Mulieres difficiliter
Senes facili inebriantur. 20. 171, c. &c.

Obstretices tñ temulentia sedio sunt, quæ
etiam Terentius temulentiam objectit.
20. 172, a.

Ludimagistri temulenti capiunt. 20. 172, a. b.

Hispani medicum licet peritissimum si
semel inebriatum viderint, postea min-
ag noscunt. 20. 172, b.

— Si quis inebriatus Cephalalgiam metiat,
Aq: frigidam dormiturus bibat; at-
q: eam ob imbecillitatem ventriculi ferro
neq: Cerevisiam tenuem bibat, & super
dormiat; sedabiturq: dolor, si q: sit.
si dormiri nequeat, neq: dolor levabitur,
ideo sequenti toto die abstemi-
us sit, usque ad Sy: de Libs. 20. 172, b. c.

Cura Cephal: ex ebrietate. 20. 172, b. c. &c.
Obmuti/scientia ex ebrietate. 20. 173, a. b.

Vini nimia potio in 27. 162, a.

[Calidis corporibus, vigiliam, furorem,
et quandoq: mortem inferet.

[Frigidis Humidis Soporem, ac placidam
levemq: demeritum.

Memini quendam admodum Tribundum conu-
vity's diis Medicum increpassi, quod a
Pharmaco (licet lxxi) convulsivi motus
in toto corpore excitati essent: tandem
medico affirmante proculdubio ipsum, su-
per autem post pharmacum coisus-
sus est, & veniam convitionis petijt,
pterq. n. q. stuciori esset habitus, magis
corpus inaniverat Venere.

— *Yonitozia tenuis*. 27. 162, b.

Y. dect.: Hordei tepidum injecto Saccharo.
 vel *Y. Aq.*: tepida ξ iiii vel vi, cum
 paucis Oleo.
 vel *Y. Raphani dectum* cum *Syr.*: Acetoso.

Cephalalgia ex nimio coitu.

— *Diagnosis.* 29. 174, b.

— *Curatio.* 29. 174, b. c. &c.

Obs. 29. *Curatio Cephalalgia a nimio coitu,*
in juvene. 173.

Juvenis post V.S. a coitu Cephalalgicus, ac
Syncopeus. 29. 174, a.

— *Cephalalgia (in juvene, qui nimium a coitu*
abstinebat) curatio. 29. 174, b. c. &c.

Cephalalgia ex Casu, Vulnere, Contusione, &c.

— *Causa & signa diagn: ac progn.* 30. 176, b.

— *Curatio.* 30. 176, c. &c.

30. 195, t. &c.

Obs. 30. *Cephalalgia cum obmutescentia et*
delirio, ex casu curatio. 175.

31. *Cephalalgia ex offensione cura.* 178.

32. *Cephalalg: cum contusione cranij, et*
levi accidentibus curatio. 181.

21. *Capitulum* ex *Chrysomelidae*. 1775.
22. *Capitulum* ex *Chrysomelidae*. 1775.
23. *Capitulum* ex *Chrysomelidae*. 1775.

24. *Capitulum* ex *Chrysomelidae*. 1775.
25. *Capitulum* ex *Chrysomelidae*. 1775.

26. *Capitulum* ex *Chrysomelidae*. 1775.

27. *Capitulum* ex *Chrysomelidae*. 1775.
28. *Capitulum* ex *Chrysomelidae*. 1775.

29. *Capitulum* ex *Chrysomelidae*. 1775.
30. *Capitulum* ex *Chrysomelidae*. 1775.

31. *Capitulum* ex *Chrysomelidae*. 1775.
32. *Capitulum* ex *Chrysomelidae*. 1775.
33. *Capitulum* ex *Chrysomelidae*. 1775.

- // 33. Consiliū pro sacerdote Cephalaea iam
ad vi annos laborante post contusionē. 109.
34. Cephalalgia post vulnūs cūratū, nec
manens ~~ph~~ os corruptū m. 193.
35. Cephalalg: ex contusione p. V. cūratio. 194.
36. Cephalalgia ex vulnere recent ex capiti
influcto cūratio. 190.

In Plegmonis initio Rosaceum cum Aceto.

[vigore Rosaceum.

decremento Rosac: 3 Pulveris, Ab,
Sintio, alysvd laxantibus.

Sed 7 in his cūratio. 30. 177, c. etc.

Si ad sit vigilia etiam ut Chamæmel: aduisci Rosac:
Vulnere in capite, ex casu, ictu, vel con-
tusione cūratio gralis. 30. 177, 170.

Membrana cerebri vulnērata cūratio.

30. 170, b. c.

Ad Contusionē Rf: 30. 170, b. c.

Tumor ex casu ab alto, vel quavis alia of-
fensione, quomodo cūretur si sit

[levis, 31. 179, b. c.

[gravior, 31. 179. c. 100.

Vulnēnt: ex Matris Silva p̄tina ad Capitis
vulnēra cum testis fractura. 31. 100, c.

- eius confectioem habes Chir: vi. 42.

209, c. ~~et~~ et 44. 222, b.

ubi plura ad hoc malum remedia.

Cephalalgia ex casu vel percussione, sive
vulnere curatio. 32. 106,

in hoc casu si sanguis ex Auribus vel
Naribus effluat, qd agend? 32. 106, c.

Si cranium ruptum. 32. 107,

Simile sibi simile roborat. (Ingt Averr.) 32. 106.

Fracturae cranij prognosis. 32. 107, a.
curatio. 32. 107, 108, 109,

¶ Conditiones regunt in adhibendo
Trepano. 32. 107, 108.

Vulnera in temporibus quare periculosa.
32. 108, b. c.

Puer in capite ictus in altera parte prius
scabasse inventa. 32. 109, a. b.

Vulnera (capitis Bononia) } plerumque lethalia.
(Crurum Romae) }
32. 108, c. et.

— Unguenti Alabastrini descriptiones iv.
et ejus praesentia. 33. 192, c. 192, 193.

Vulnus capitis inter cranium, defendere
oporet a frigore, neq? tamen nimis
legere. 34. 193, c. 194.

M. | D.^r Vander-Gall, Vltzajedbi
H. Corbi libello de Vltm: lethali: p. 335.

Ido, contuso, aut vulnerato q̄ diligentor spectanda,
35. 195, b. c. &c.

Aceti usus & abusus in Vultu: Capitis. 35. 196, b.

Hæmorrhagin Vultus Tu modis sistit.
35. 196, b. c.

Hedera fol. ^{a nulla} Cum Aceto Oxiglo & Rosaceo trita
 & decocta, addito etiam Rosaceo) imposita
 sedant dolorem ex Vultu ad meningem
 pertingentem. Ad quæm usum fit

— Emplastrum de lacryma Hedera, Psalm.
35. 197, a. b.

Curaatio uxoris molitoris, q̄ a sacco in caput
 incidente, ferè oppressa fuerat. 35. 197, c. d.

Q. An Cerebrum lesum curari possit? ejusq̄
 Historia affirmativa, 36. 199, b. c. &c.
 Quomodo tamen qdam decipiunt. 36. 200, a. b.

— Tumores leviores capitis ex casu, offensio-
 nis, percussione vò quomodo curant. 31. 179, a.

Pl: Anisi statim curat, ut ilico detrahantur
 in pueris vel infantibus, q̄ dum inambulandi
 discunt, lapsus cadunt. 31. 179, a. b.

Unguent: Rosac: ad Remum dolores. 31. 179, a.

— Oculi inflammationem (ex concussione ortam)
 curant, Albumen pri cum vitello & Ag:
 Ros: concussum, adjecto etiam (alio melle:
32. 181, &c.

The number of the ...
 28. 17. 17. 17.

From the ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

The ...
 28. 17. 17. 17.

Methodica curatio contusionis cranij chir.
dolor^{us} Capitis et savis accidentib^{us}. lib. 32.

— Unguent: Alabastrin: Fitans in contusione,
ad resolutionem, in quem usum quoq^{ue}
// Emplastum, ~~lib. 32.~~ lib. 43. 209,
// Ceratum s^{ed} Bettonica. 32. 182, b. c. etc.
ubi eorum descriptiones.

Aur: dolorem sedat Ol: Amygd: amar: 32. 184, b.

NB. Trumbi ex casu dolentes Ol: Ros: et Myrteo
inungunt, tñ si dolor non cesset
Ceratum Oxyroceum imponat. 32. 184, b.

Semen Coriandri saccharo incrustatum, a cibo
sumptum vaporum ad Cerebrum ascensionem
impedit, visumq^{ue} corroborat. 32. 184, b.

R. Ol: Hyperici (miraculi instar solum adhi-
bitum) cranium illisum mure, ac fissum
curavit. 32. 185, c. 186, a.

Dolorum differentia sumuntur vel
a loco affecto.

a materia (qualitate. v. 33. 190, a. b.
(quantitate.

Diagnosis dolorum Capitis. 33. 190, a. b. c.

— Cephalaea antiqua sepiissime curatz,
post universalem evacuationem,
Vena sectione in fronte, et illitu
Ung: Alabastrini. 33. 191, a. b.

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

... ..
... ..

13. In Vulneribus VS plurimum prædest :
quævis a tonsoribus et chirurgis ferè
semper negligats. 35. 195, a. 36. 198, b.

Si pars cranij corrupta, ea auferenda. 34. 193, c.

Præstantes Chirurghi vulnera deplozata quæcunque
citant. 36. 199, a. &c.

Cephalalgia in Febris

— Diagnosis. 37. 201, b. c. &c.

— Curatio. 37. 201, ad 209.

ad quæ amplius in libris VII. de febre

Obs: 37. Cephalalgia cum febre curatio. 200.

hæc diligenter notanda in febris in curatione
Cephalalgia. 37. 201, b. c. 202, a.

Cautio a quibus cavendum in Cephalalgia a febre
orta. 37. 203, a.

13. Dolor capitis si a crisi, curanda non est: nisi
critica evacuatio eduxerit, quæ viâ naturâ
tentaverit: quomodo. a. dignosci &
adjuvari possit. Vide 37. 203, b.

B. Perissimus mos, idemque Tyrannus apud multas
gentes inolevit, ut Vanam ad Medicinam
nihilant, potentes. ut ex ea de ægroto
iudiciûm ferat. 37. 200, c.

The following is a list of the names of the persons who have been admitted to the office of the Secretary of the Board of Education, since the last meeting of the Board, on the 1st of January, 1871.

It will be seen from the above list, that the number of persons admitted to the office of the Secretary of the Board of Education, during the year 1871, was 24.

Capital in 1871

— Capital in 1871 —

— Capital in 1871 —

as the capital in 1871, it is

the capital in 1871, it is

The capital in 1871, it is

the capital in 1871, it is

The capital in 1871, it is

The capital in 1871, it is

Cephalalgia ex Capitis imbecillitate

- Cūratio. 30. 205, a. b.

Obs: 30. Cūratio Adolescentis, q̄ sese aëri, p̄cipu^o
 nebūloso, aut Austri^o, facili^o Cer
 phalalgiam et Catasus^{us} incidebat.
 204.

Caput eborantia [simplicia] 30. 205, a. b.
 [Composita]

— Pitt: pro Imbecillitate Capitis

℞ Alois opt:

℞ Babar^{us}: elati ℞ 3vi.

Agarici albi favi: levis ℞ 3.

Caryophyll:

℞ 3.

Cinnamomi ℞ 3j.

℞ Ros: anbr: 3ij.

Myrobalan: Cebal: 3℞.

pulveriscent^{ur} oīa p̄ s^o, deinde m. cum mello^o rosato
 si. Massa. Dosis est 3j. ex qua for^{is}

mutat^{ur} Pitt: n.º v, vel vi. sūmenda hora
 una ante canoni: reiterando ter vel
 quater in mēse. 30. 204, b.

Cephalalgia ab acuto Capitis sensu.

— Cūratio. 39. 206, b.

Obs: 39. Cūratio cu^{ius}dam biliosi, q̄ si igni
 affideret, aut nūscūm olfaceret, in
 Cephalalgiam incidebat. 205.

Epistola ad Romanos
Capitulum 1. 1. 1.

In 1. Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

Epistola ad Romanos
Capitulum 1. 1. 1.

13. Rhi ex odore rerum calidarum, aut frigidarum cephalalgici fiunt, odorantur odorifera quæ qualitatis contraria: at si & hæc noceant, apte placent capiti luodora contraria tumen-
qualitati prædita. 39. 205, c. 206, a.

Cephalalgia ab obstructione

- Causæ. 40. 207, a. b.
— Diagnos. 40. 207, b. c.
— Prognosis. 40. 207, c.
— Cûratio. 40. 208, a. b. c.

Obs: 40. Cephalalgia a ptermissa solita 18. 206.

41. Cephalalgia ab obstructis mensibus. 209.

13. Alvum laxam huius aut naturâ aut arte, in ore fieri Capitis dolorum non solum præstat, sed quandoque et eum cûrat. 40. 208, b.
43. 211, c.

13. Obstructio omnis cûranda, 11^æ intent: requirit.
I. obstructio tollenda educendo humorem
obstruentem evacuatione cûi, minuendo,
digerendo, & eradicaudo mæm
II. Alteranda Intempies relictæ ab obstructi-
one contrariis, usque quantum fieri
possit ten: part: mæ iterum obstruct.
Quod V. G. a frigidis si contingat, iterum
ad calida apientia deveniendum, atque
inde rursum ad frigida: alternis
vicibus, donec cûratio plene perficiatur.
40. 208, b. c.

1000

Also the history of the world.

1. The first of these is the fact that the
the first of these is the fact that the

18. *Platichthys amurensis* Temminck, 1835, *Nederl. Tijdschr. Dierk.* 1: 102, pl. 1, fig. 1.

1. *Staphylococcus aureus* (100%)

11. *Alouatta palliata* (Linnaeus)

1871

for the purpose of the present study, the following data were obtained from the literature:

1891

100

Cephalalgia a detento Sanguine curatz
 18. et irritando fluxus solutus. 41. 210, a.

— Pilt: Cephalica 2. Pilt: Coebiar:

40. 207, a.

Aggregat:

Aurear: ② 21.

tum Aq: Betonica fi. Pilt: No. v.

aut qm maa pparari poterit,

Syr: de Betonica, et stach: ex inf: Ros:
 11. wa 42. 210, b.

— Pilt: Cephal: (in mensium obstructione)

2. Pilt: Mastichin:

Aggregativ: ② 21.

Hiera picra simpl:

Coebiar: ② 23

Castorei 2: 4.

tum Syr: de stethemis: fi pilt. v.

41. 209, b.

Nodulus in parva suffocat: Uteri.

2. Asta fat:

Castorei ② 23. fi. nodulus

41. 209, b.

panno lino obductus.

— Pilt: Cephal: in leri oculi infl: 41. 210, a.

Cephalalgia a Catarrho

— Diagnos. 42. 210, c.

— Curatio. 42. 210, c. 211, a. b.

Obs: 42. Cephalalgia catarrhusa curatio. 210.

Quanto Catarrho cessabit cephalalgia catarrhusa. 42. 210, c. 211, b.

— In Catarrho, si alius subsistat, pro minor
 ranti sumat. Pst: Alephangina, tñm
 q. Syr: de Betonica.

Stouhadw.

ex infis: Ros: Ca & B.

Aq: Betonica & M. Misur.

deud & Pst: Masticb:

Alicar:

Cochiar: Ca & B.

tñm Aq: Betonica si pst: v. sumenda
 post mediam noctem. postremo

— Fumigium naribus recipiat, ex vapore
 Alet infisi ferro vel tegula cadenti.
 qualis evaporatio continuata egregio ad Ca-
 tarrhum conditit. 42.

Cephalgia in Pericranio

— Diagnos. 43. 212, a.

— Curatio. 43. 212, a.

Obs: 43. Doloris in pericranio larentis cu-
 ratio. 211.

Nulla corporis particula est, quin neqz vñ
 visibis pedis digitis, qui cerebro, pericranio
 est capiti per consensum incommodari
 non queat. 43. 212, a. b.

Cephalgia Sympathica

— Generatio. 44. 213, c. & c.

— Diagnos. 44. 214, c. 215.

— Curatio. 44. 215, c. etc.

Cephalalgia Sympatb: a Ventriculo

- Causa. 44. 229, a. b. c. 46. 210, b. c. d.
 — Diagnofis. 44. 215, b. 46. 210, b. c. 219, a.
 — Cûratiô. 44. 215, c. d. 45. 217, a. b. c.
46. 210, c. 219, b. c.

Obs: 44. Cephalalgia: e stomachi vitio pituitoso: cûratiô. 212.

45. Cephal: a pituita in stomacho. 216.

46. Cephal: a Bile in stomacho. 210.

Quomodo sumi a Ventriculo ad Cerebrum ascendunt. 44. 214, b.

Poss: in Cephalalg: Sympatb: a Stomacho.
45. 217, c.

Dolor Capitis, qd a Stomacho semper in Sincipiti frontem, ac tempora inclinatur. 46. 219, a.

Cephalalgia Stomachica, si sit a

[Bilio - antea]	} cibum	{ dolor magis erit.
[melanch: post]		
[pituita]		
[mixtis Erraticis]		

46. 219, b.
46. 220, b.

— Ceratûm Stomachicûm præstans.

44. 213, a. b.

Poss: miera Picra sine croco & Myrrha fieri debent, si Cephalalgia adsit. 45. 216, c.

Capitulum de ...

- Capitulum de ...
- Capitulum de ...
- Capitulum de ...

Capitulum de ...

- 47. Capitulum de ...
- 48. Capitulum de ...

Capitulum de ...

Capitulum de ...

Capitulum de ...

Capitulum de ...

Capitulum de ...

Cephalalgia Sympath: ab Intestinis,

- Causa. 47. 221, a. b.
- Diagnofis. 47. 221, b.
- Cûratiô. 47. 221, c. etc.

Obs: 47. Cephalalgia (in paupercenta) a ver-
mibus in Intestinis, cûratiô. 220.

Vermis per os ex intestinis ejecta. 47. 221, b.

Vermis pueris frequentes ab usu pomorum
crudorum. Hinc Anthozis Jocus,
- ne poma edant, qd Zedoaria Semis præ-
sumpserint. 47. 221, c.

Vermium cûratiô. 47. 221, c. etc.
47. 220, c. etc.

Cephalalgia Sympath: ex Hepate.

- Causa. 40. 223, a.
- Diagnofis. 40. 223, a.
- Cûratiô. 40. 223, b. c. etc.

Obs: 40. Cephalalgia ab Hepate cûratiô. 222.

Cephalalgia ab Hepate magis dextram partem
occupat. 40. 222, b. c.

Capitulum I. De rebus in genere

De rebus in genere

De rebus in genere

De rebus in genere

Capitulum II. De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

Capitulum III. De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

Capitulum IV. De rebus in speciebus

De rebus in speciebus

De rebus in speciebus

Cephalalgia Symptb: a Splen.

- Diagnofis. 49. 224, c.

- Cūzatio. 49. 225, a. b.

Obs: 49. Cephal: ex Spleno (in muliere) cūzatio. 224.

Cephalalgia a Spleno magis ~~dentem~~ partes
finistram occupat. 49. 224, b. c.

Capparis cum Aceto assumpti, ejusq
Ol: iditum in fienis obstruit: 49. 224, b.

Cephalalgia a Diaphragmate cūzatio. 49. 225, b.

Cephalalgia cum catarrho & Pectoris an-
gustia cūzatio. 49. 225, b. c.

In omni dolore, qui p consensum fit, sita siro
unum siro duo membra afficiunt, medicamēto
admiscenda ea, q remedia ad locum affectus
deferant. 49. 225, b.

Cephalalgia Symptb: a Renibis.

- Causa,

- Diagnofis, } 50. 226, a. b.

- Cūzatio. }

Obs: 50. Cephalalgia a Renum caliditate, cūza. 225.

Apoxema p̄stans in Nephritide & Cepha-
lalgia. 50. 226, b.

Quae a nervibus aut Vtuo est Cephalalgia,
plerumq[ue] occipit occipat.

~~Nota~~ q[uod] verbenam prius trivertit, n[on] ab
al[ia] Fontibus cognoscere.

[Faint, mostly illegible handwritten text, likely bleed-through from the reverse side of the page. Some words like "Capitulum" and "Sed" are visible.]

89. Nota q in initio repellentibus n^o p^oly
tandem aliq^o Op^o ad q^o m^o
miserit: postremo ad 15/0
cuspis vng. Alabastr:

Cephalalgia a Morbo Gallico- Diagnosis. 53. 232, c. et.- Curatio. 54. 233, a. b. c. et.

facilis & egregia. 53. 234, a. b.

Obs: 53. Cephalalgia a morbo gallico, cum nodulis in fronte pulsantibus, curatio. 231.Noduli: Galliceni, egregia curatio per totum in fronte. 53. 232, a.

Cephal: a morbo Gall: maxime circa tempora aut sinciput instat. 53. 232, c.

Cephalæa- Descriptio. 54. 235, a. et.- Diagnosis diff: 54. 235, b. c. et.- Locus affectus. 55. 239, c. 240, a. b.- Causæ. 54. 235, c. 236, - 55. 243, a. b. c.- Diagnosis crass: 54. 237, a. b. c.- Prognosis. 54. 238, a. b.- Curatio. 55. 241, b. c. et. 244, 56. 245, b. c. et.

57. 247, et 248.

Obs: 54. Cephalæa curatio per T³ in fronte. 234.55. Cephalæa cum plethora, curatio. 238.56. Cephalæa ex Pituita viscida cum Bile. 244.57. Cephalæa biliosa curatio. 246.

[Faint, mostly illegible handwritten text in a cursive script, likely a ledger or account book. Some words like "Capitulum" and "pro" are visible.]

- 67. Capitulum pro 12 in Janis 24
- 68. Capitulum pro 12 in Janis 24
- 69. Capitulum pro 12 in Janis 24
- 70. Capitulum pro 12 in Janis 24

Feminas Cephalica vehementius semper tenet,
ob capillozū diligentiam. 54. 234, b.

Signa Billis, Pituita, melancholica petulantia,
vel ex *Etate, Natura, Dolore, paupercula,*
Colore, Calore,
sq. 236, b. *Victu praecedente,*

Flatūs quomodi generet. 54. 237, a.

Erzationem Cephalae acutissimum (quod
in arb. morbis optima esset) habet Galenus
u. de compos. medic. l. 2 55. 239, c.

NB. An pars aliqua { per se? } laboret.
 { per consensum? }

ss. 290, 291

Moderni taxanti. 56. 292,

13. Quis hodie comitialis, quis melancholicus,
quis sepiam, quis curari vidit?
raro paralyticus, raro antiquos dolores, raro
podagricos curant. Quod fit, eo quod
fortia medicamenta miserint. 55. 242, a. b.
sc

Hiera magnus } *Galenus* jam n amplius in n/n.
Diacolocymbis }
58. 242, a.

Imbecillitas unde et quomodo parti accedat.
ss. 243, a. b. c.

Capitis dolor, nemini syncope aut morte
intulit, levis quam coli, aurium, dentium.
57. 247, b.

Ab. an non pro Anodyno esse prosit
Vng: Alabastr: cum Opi qz: iii.
ut postea ad dispersionis Solum
sumat Vng: Alabastr:

tetraparmacon, Cal.

Capit. robustantes Pulveres, Cucculæ, Conservæ,
Aquæ, Symplic. &c. 50. 250, b.

Vesicatorij paradigma. 59. 252, c.

Ulcus aut. vulnus a vesicatorio excitatum
quomodo purgetur, et mundatum ad cicatricem
ducatur, 59. 252, b. c.

Basilicon*, et Macedonicum, via differunt, nisi
quod hujus est compositionem Tbis ingrediatur,
illius vero non. 59. 252, b.

utrumque ulcera sine phlegmoni, mundat, et
siccat.

113. Capitellum ex descript: de Vigo, qd est Secretum
chirurgicum. 59. 253, a.

Collyria in Ophthalmia pro sem. 60. 254, b.
255, a.

ad Abscessum auris varia. 61. 257, 258.

Obs: 62. Galea seu Ovi, et Clavi curatio. 250.

Nux, Ovum, Galea (Galeata passio)

Clavis. Cephaloponia (Cephalalgia, Ce-
phalæa) Hemipagia (Hemicrania)

et Monopagia, quid sint. 62. 259, b. c. 260.

Obs: 83. Doloris capitis in Scipitio harentis, cum
cary's symptomatis curatio. 261.

Syrupus de Betonica magistralis, quomodo
præstans, & quomodo fiat. 63. 262, b.

Syrupi de Betonica cons. descriptio. quo
Auctor usus fuit. 63. 262. c. & d.

LIBER. X.

DE CEREBRI MORBIS.

PHRENITIDIS

- Etymon. T. 266, 267.
- Locis affectis. T. 267, c. 268, 269.
- Quis sit affectus. 1. 269, b.
- Differentia. 1. 269, c. 270, & 272.
- Causæ. 2. 275, ad 278.
- Diagnos. diff: & Historias. 2. 277, c. 278. & d.
- Diagn: Causæ diff: temp: &c. 2. 279, ad 284.
- Prognosis. 3. 285, ad 290.
- Curatio diatr. 4. 294, ad 300,
Evacuatiō. & Alteratiō. 5. 301, ad 304.
Topici. 6. 306, ad 308.

- Obs: 1. Phrenitidis pituitosa miraculosa curatio. 263.
2. Phrenitidis in iuvene bilioso curatio. 273.
3. de Phrenitide letali. 284.

Index. Below right in English language.
only complete index.

Expenditure: 60.00
Receipts: 20.00

[Faint handwritten notes at the bottom of the page, likely bleed-through from the reverse side.]

1881

21. 12. 1933

$$x_1 = 10, x_2 = 7, x_3 = 12$$

— *Leaves of the ...*

- Galt für allezeit. 1. 1895.

—*Thymus* 1. 061. 1. 072. 073.

Days in Year, 2014

[Faint handwritten text at the bottom of the page]

[Faint handwritten text at the bottom of the page]

1892-1893. 1894-1895. 1896-1897. 1898-1899. 1900-1901. 1902-1903. 1904-1905. 1906-1907. 1908-1909. 1910-1911. 1912-1913. 1914-1915. 1916-1917. 1918-1919. 1920-1921. 1922-1923. 1924-1925. 1926-1927. 1928-1929. 1930-1931. 1932-1933. 1934-1935. 1936-1937. 1938-1939. 1940-1941. 1942-1943. 1944-1945. 1946-1947. 1948-1949. 1950-1951. 1952-1953. 1954-1955. 1956-1957. 1958-1959. 1960-1961. 1962-1963. 1964-1965. 1966-1967. 1968-1969. 1970-1971. 1972-1973. 1974-1975. 1976-1977. 1978-1979. 1980-1981. 1982-1983. 1984-1985. 1986-1987. 1988-1989. 1990-1991. 1992-1993. 1994-1995. 1996-1997. 1998-1999. 2000-2001. 2002-2003. 2004-2005. 2006-2007. 2008-2009. 2010-2011. 2012-2013. 2014-2015. 2016-2017. 2018-2019. 2020-2021. 2022-2023. 2024-2025. 2026-2027. 2028-2029. 2030-2031. 2032-2033. 2034-2035. 2036-2037. 2038-2039. 2040-2041. 2042-2043. 2044-2045. 2046-2047. 2048-2049. 2050-2051. 2052-2053. 2054-2055. 2056-2057. 2058-2059. 2060-2061. 2062-2063. 2064-2065. 2066-2067. 2068-2069. 2070-2071. 2072-2073. 2074-2075. 2076-2077. 2078-2079. 2080-2081. 2082-2083. 2084-2085. 2086-2087. 2088-2089. 2090-2091. 2092-2093. 2094-2095. 2096-2097. 2098-2099. 2100-2101. 2102-2103. 2104-2105. 2106-2107. 2108-2109. 2110-2111. 2112-2113. 2114-2115. 2116-2117. 2118-2119. 2120-2121. 2122-2123. 2124-2125. 2126-2127. 2128-2129. 2130-2131. 2132-2133. 2134-2135. 2136-2137. 2138-2139. 2140-2141. 2142-2143. 2144-2145. 2146-2147. 2148-2149. 2150-2151. 2152-2153. 2154-2155. 2156-2157. 2158-2159. 2160-2161. 2162-2163. 2164-2165. 2166-2167. 2168-2169. 2170-2171. 2172-2173. 2174-2175. 2176-2177. 2178-2179. 2180-2181. 2182-2183. 2184-2185. 2186-2187. 2188-2189. 2190-2191. 2192-2193. 2194-2195. 2196-2197. 2198-2199. 2200-2201. 2202-2203. 2204-2205. 2206-2207. 2208-2209. 2210-2211. 2212-2213. 2214-2215. 2216-2217. 2218-2219. 2220-2221. 2222-2223. 2224-2225. 2226-2227. 2228-2229. 2230-2231. 2232-2233. 2234-2235. 2236-2237. 2238-2239. 2240-2241. 2242-2243. 2244-2245. 2246-2247. 2248-2249. 2250-2251. 2252-2253. 2254-2255. 2256-2257. 2258-2259. 2260-2261. 2262-2263. 2264-2265. 2266-2267. 2268-2269. 2270-2271. 2272-2273. 2274-2275. 2276-2277. 2278-2279. 2280-2281. 2282-2283. 2284-2285. 2286-2287. 2288-2289. 2290-2291. 2292-2293. 2294-2295. 2296-2297. 2298-2299. 2300-2301. 2302-2303. 2304-2305. 2306-2307. 2308-2309. 2310-2311. 2312-2313. 2314-2315. 2316-2317. 2318-2319. 2320-2321. 2322-2323. 2324-2325. 2326-2327. 2328-2329. 2330-2331. 2332-2333. 2334-2335. 2336-2337. 2338-2339. 2340-2341. 2342-2343. 2344-2345. 2346-2347. 2348-2349. 2350-2351. 2352-2353. 2354-2355. 2356-2357. 2358-2359. 2360-2361. 2362-2363. 2364-2365. 2366-2367. 2368-2369. 2370-2371. 2372-2373. 2374-2375. 2376-2377. 2378-2379. 2380-2381. 2382-2383. 2384-2385. 2386-2387. 2388-2389. 2390-2391. 2392-2393. 2394-2395. 2396-2397. 2398-2399. 2400-2401. 2402-2403. 2404-2405. 2406-2407. 2408-2409. 2410-2411. 2412-2413. 2414-2415. 2416-2417. 2418-2419. 2420-2421. 2422-2423. 2424-2425. 2426-2427. 2428-2429. 2430-2431. 2432-2433. 2434-2435. 2436-2437. 2438-2439. 2440-2441. 2442-2443. 2444-2445. 2446-2447. 2448-2449. 2450-2451. 2452-2453. 2454-2455. 2456-2457. 2458-2459. 2460-2461. 2462-2463. 2464-2465. 2466-2467. 2468-2469. 2470-2471. 2472-2473. 2474-2475. 2476-2477. 2478-2479. 2480-2481. 2482-2483. 2484-2485. 2486-2487. 2488-2489. 2490-2491. 2492-2493. 2494-2495. 2496-2497. 2498-2499. 2500-2501. 2502-2503. 2504-2505. 2506-2507. 2508-2509. 2510-2511. 2512-2513. 2514-2515. 2516-2517. 2518-2519. 2520-2521. 2522-2523. 2524-2525. 2526-2527. 2528-2529. 2530-2531. 2532-2533. 2534-2535. 2536-2537. 2538-2539. 2540-2541. 2542-2543. 2544-2545. 2546-2547. 2548-2549. 2550-2551. 2552-2553. 2554-2555. 2556-2557. 2558-2559. 2560-2561. 2562-2563. 2564-2565. 2566-2567. 2568-2569. 2570-2571. 2572-2573. 2574-2575. 2576-2577. 2578-2579. 2580-2581. 2582-2583. 2584-2585. 2586-2587. 2588-2589. 2590-2591. 2592-2593. 2594-2595. 2596-2597. 2598-2599. 2600-2601. 2602-2603. 2604-2605. 2606-2607. 2608-2609. 2610-2611. 2612-2613. 2614-2615. 2616-2617. 2618-2619. 2620-2621. 2622-2623. 2624-2625. 2626-2627. 2628-2629. 2630-2631. 2632-2633. 2634-2635. 26

1008 Co. pgs. 16 - 17210 1008 Co. pgs. 16 - 17210

1862 Co. 3. 111007

1. *Staphylinus* *interstitialis* *Stål*.

[Faint handwritten text at the bottom of the page]

[Faint handwritten text at the bottom of the page]

4. Phrenitidis ex Bilio ferveſc: cūratio. 290.
5. Phrenitidis legit: in pūerperā cūratio. 300.
6. Phrenit: ſanguinea cūm paucā bilio. 305.
7. Phrenit: in pūerperio frequentis, et hanc cūratio. 300.

Sive membranas ſive cerebrum in Phrenitide affe-
 ctum dixeris, ſimilis tamen eſt cūrandi modus.

1. 260, c. ſatis eſt ex Cognoviſſo ex laſa ſin-
 gulari cerebrum laſum eſſe. 1. 269, b.

Atra Bilis in fieri, quā paſſatam vocant, gravis,
 ſimam Phrenitidem inferre: at q̄ in ſaſto eē,
 Phrenitidem inferre n̄ poſteſt, ſed Maniam,
 cūm n̄ id q̄ exiſtūm, ſed q̄ pūterſit, ſebrium
 faciat. 1. 270, a.

Vera Phrenitis intra VII diem occidit. 1. 270, b.

Memoria n̄ laedit (in Phrenitide) niſi ex accidenti
1. 271. b. c.

Principles facultatis in Cerebro an ſedibus diſtin-
 guant. 1. 271, c. 272.

Cūz q̄i ingenioſiſ raro valeat memoria, et
 q̄ memoria, raro ingenio. 1. 272, b. (104.)

Exempla ſeu Hiſtoriae tri diverſor: Phreniti-
 corūm, ex Galeno. 2. 177, c. 270. 178.

Vicina in affectibus capitis n̄ ſunt inſpicienda.
3. 206, a.

Phrenitis in Huſticam ſeu maraſmū verti n̄
 poſteſt, 3. 209, a.

- 1. *Thymus* ex herbis in ...
- 2. *Stachys* ...
- 3. *Origanum* ...
- 4. *Phlomis* ...
- 5. *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

Thymus ... *Stachys* ... *Origanum* ... *Phlomis* ... *Hyssopus* ...

12. Frigus extenuatum in omni acuta febre, letali.
q. 290, a.

Circa Phrenitici quoad facultatem motivam pro
valeant sanis, quoad sensitivam multo his
sint inferiores. q. 290, b. c.

Scopi pro aëris refrigerio. q. 291, b. c. 295,
Fumus omnis Capiti Phrenitico occurrens, ei nocet.
q. 295, b.

Phrenitici, quomodo subinde benigni videntur, non est
tamen id fidendum. q. 296, c.

Accedens quis ad Phreniticum, quomodo se gerere
debeat, vide apud Celsum.

13. Cataplasmatibus aut ~~ad~~^{Aspergunt} his in nullo morbo,
adhibitis ante ventris solutionem, federe oportet,
cum quovis tempore sic adhibita noceant, non
possint. q. 297, c. vide S. 306, a.

Potiones humida phreniticis conveniunt, excepto
vino. Hipp. III. de morbo: q. Vinum enim ipsis
inimicum sua caliditate et evaporatione
caput petitiens ac laedens. q. 298, b. c.

in quibus tamen nulla ingens inflammatio, aut
dantur exhiberi licet, praesertim si sit dyspnoea.
q. 299, a.

Historia febrilis (febris acuta et parvi delirio con-
rupta) quae ex vini Ahenani hausta phrenitica
facta obijt. q. 299, b.

Aqua potum vitari solet, et pro ea dantur luleb
Rosatum, succus citri. Vi. q. 300, a.

Medicus tardans resolutionem adhibitor
ocum, accipit, et insinuat accipit
digni, cum contra mulierem in mit
ad hunc materem ea adhibitis. 6. 307, c.

Vena sectio in omni Phrenitide convenit, statim
administranda in Cephalica. 5. 301, 302,
2. 274, b.

Evacuantes particulares n̄ nisi p̄missis univē,
salubris tentanda. 5. 302, b.

Vena sectio in Phrenitide n̄ est differenda ab ſina
combustionem, aut plantarum, sic. n. animi
cautis est medicis, cautior captis est. 5. 302, c.

Purgantia lenia, q̄ aut̄ calida non sunt,
Tēp̄r: Syr: ex infus: Ros: pallid: unū Abat:
vel q̄. Syr: Ros: laxativ. & h̄, vel & h̄.
Manna & h̄. 5. 304, a.

Refrigerantia et Solvantia. 5. 304, b.

Balnearum usum supplant apud Belgas lotiones
pedum manuumq̄. 5. 304, c.

Julepes indies pro ūna dosi exhibere et rari,
vari prestat, nō corrumpunt. 5. 304, b.

In phrenitidis

Principio conveniunt repellentia, ut Oxyza
rhodinū, vel si adsit Catarrhus Ung:
Populeū, et si vigilet loco Aceti sumat,
succus Limonū. 6. 307, a.

Augmento eadem adhuc conveniunt: postea insula ad resol:
Statū et declinationē, adhibenda Resolventia
et q̄dem leviter, ut. Nicol: Troscant: iv.

1. pulmo n̄ Anietis.
2. Catillo lactato n̄ mensurā, scilicet p̄ spiritū et
3. Gallo inciso p̄ dosim.
4. Colūmbū. 4. 293, b. c. 6. 307, b.

Sed hæc si in principio adhibeant, argenti n̄bent,
ut liquet ex Histozia. 6. 307, b.

1. The first of these is the
 2. second is the third is the
 3. fourth is the fifth is the

4. The sixth is the seventh is the
 5. eighth is the ninth is the
 6. tenth is the eleventh is the

7. The twelfth is the thirteenth is the
 8. fourteenth is the fifteenth is the
 9. sixteenth is the seventeenth is the

10. The eighteenth is the nineteenth is the
 11. twentieth is the twenty-first is the
 12. twenty-second is the twenty-third is the

13. The twenty-fourth is the twenty-fifth is the
 14. twenty-sixth is the twenty-seventh is the
 15. twenty-eighth is the twenty-ninth is the

Resolventia inipiti admodum ex discretis animalibus,
sepe et cito mutanda (contra vulgi opinionem)
sunt, cum facili corrumpantur. G. 307, c.

Symptomatum in Phrenitide curation. G. 300, ad

Opj. Et tunc exhibita Hispano, et contra
Dj. mortem mulieri intulit. Sic et

Cicinna pater Opio interijt. G. 300, a.

Item ergo introitus externis uti.

Fetus pro Lechyzia, sed M. Scroph. explicari
nimis et Spasmodum inferni credunt Auctores.
G. 300, b.

Ab. Si Phrenitici in Carum aut Lechyziam incidant,
quomodo curent. G. 300, b.

Balanus. 1. 264, a.

Hypnoticum liniment. 1. 264, b. 2. 274, c. G. 305, b.

Synops. 5. 300, b. c. 7. 309, a.

Phrenitici diligentem custodiam tenendi, neq[ue]
inquit soli relinquendi. cum et sibi, et
ocularentibus, potissimum autem ipsis
Medicis vim inferant. Ut liquet ex varijs
historiarum relationib[us]. 1. 264, 265.

Prognosis futura phrenitidis. 2. 273, b. c.

Oxyrhodinum. 2, 274, b. 5. 300, b. G. 308, a.

Abazarbari infusum, 2. 274, c. 7, 309, a.

Cardo totius curationis Phrenitidis est in somno
conciliando. 7. 309, a, 300, c.

[Faint, mostly illegible handwritten text, likely bleed-through from the reverse side of the page. The text appears to be organized into several paragraphs or sections, with some lines underlined. A small, dark mark is visible on the right edge of the page.]

Cremorem Ptisanæ, qui abhorrent, sumant Avenæ
cremorem, vel $\chi\iota\sigma\sigma\omicron\nu$ (q. 2 Sorbitio ex vi,
senti taitico) et si sorbitiones in totum nolint.
Exhibe panem Aquæ calidæ intinctum, vel
— Panatam, q. Italis familiaris. q. 292, b.
qd sit Panata, Pern: p. 273.

¶ In Phrenitide, 29. Ung: Ros: cum modico aceto
capiti in zona tepida (si in astate) addendo
postea tantundem Ol: Chamamel: q. 293, b.
7. 309, b.

℞ Phrenitis hæreditaria præsepe. 7. 309,
si puellas hæreat,
Menses suppressos aperit Nix mæscata q. comp
bista et pulverisata cum pomæ butyraceo
sumpta. 7. 309, c.

Mulier puellas parens in præsepio phrenitica,
si filios libera. 7. 310, a.

Alia post capitis vulnus semper in præsepio
phrenitica. 7. 310, b.

Dies critici a partu numerandi. Amat. 7. 39. sc.

Topica frigida: potentia et acta, adhibita in
cista vebini in Cephal: calida, ipsam e medio
justulit, Epilepsia frig et Caro extatam. 7. 310, c.

Topica an fronti an sincipiti admodum. 7. 310, c. ex

Parapneumonia, seu Delirium Symptoma est,
plerumq; febrilem acutum. 7. 311, a. b.

quo modo curanda. d. l.

non admittit. 7. 311, b.

Diaphragmatis inflammationi topica convenientia.
7. 311, b. c.

LETHARGI, seu Veteri,

- Etymon. O. 313, a. b. Descriptio. A. l.

- Locus affectus, & quæ morbus. O. 313, b. a. c.

- Causæ, O. 314, a.

- Diagnos. diff: 9. 317, a. b.
[causis:] O. 314, b. c. &c.

- Progn: (sunt: morbi O. 314, b.
(sunt: alii morbi: O. 315, a. b.

- Curatio. 9. 317, 318, 10. 320, &c.

Obs. O. Lethargi in viro xxx metis: curatio. 312.

9. Lethargi in juvencis metis: curatio. 318.

10. Lethargici obesi & pituitosi curatio. 318.

11. Lethargus in Spasmodicum mutatus
in pulcro lethalis. 321.

Lethargici excitatio vera, & mixta, &c.
10. 319, b. c. &c.

— Castorei usus mirabilis in Lethargo.
9. 316, c.

(Faint handwritten notes, likely bleed-through from the reverse side of the page)

11.	Photograph in the collection of the in the collection of the
10.	Photograph of the collection of the
9.	Photograph in the collection of the
8.	Photograph in the collection of the

2. 3105
Carnegie, also miscellanea in Leipzig

Casi & Letbargi propemodum eadem e curatio.
O. 319, a. ut & reliqui seporisti aff. g. 317, b.

- 13 Prognostica salutis aut mortis quam in morbis
 ponunt
1. Si sanguisuga fronti apposita
 {bareat, evadet}
 {n̄ bareat, morietur} aeger.
 2. Si Pomum vel Laridum fronti affrices,
 canisq; obseceris, si
 {edat, evadet}
 {n̄ edat, morietur} aeger.
- O. 318, b.

Hic et quibusdam in hoc affectu {probatur.
g. 317, c. etc. {n̄ probatur.

Si in Letbargo aut facies, aut Vrina supprimatur
 quid agendum. g. 320, c.

Dietæ encomium. 10. 320, b.

In desperata Letbargi curatione ad Cauterium,
 seu ferrum candens Faventinus devenit. Sed
 hoc cum cautione in hac regione. 10. 321, a.

Stibacelismi Cerebri, Causa, Signa, Cursatio.
n. 324, 325, etc.

Vena sectio n̄ ultra ξvi vel $viii$ in Letbargo
 instituenda citius in initio. g. 317, c.
O. 312, b.

Oxyrhodinum. O. 312, b. c. g. 316, b.

13. Diogenes Letbargum fatum mortis vocabat.
 et lepida Letbargici excitatio, apud
 Horati: II. Sat. 3. 10. 319, b. c.

人

1842

[Faint handwritten notes at the bottom of the page]

[Faint handwritten notes at the bottom of the page]

1941

4750238 1965 11 14-716.8

1917.2 - 1917.2 - 1917.2

1890

1870

14. 11. 1914 14. 11. 1914

Nasturtium, vel ejus Semen commansum
torporem expellendo, jacentemq; animum excitando
Letargicis convalescentibus prodest. 10. 320, a.

Si ad excitandum letargicum nihil ad manus sit,
Sicut Thymum cum Aceto, et instar glandis
naribus instre. 11. 321, c.

Medico diligenter desudandum in praedictionibus.
11. 323, c.

Melancholia

- Descriptio. 12. 320, b. et.

- Pars affecta. 12. 328, c.

- Diagnos. diff: 12. 329, a. et. 13. 333, et.

- Quis affectus. 12. 329, 330. et.

- Causa. 14. 330, b. c. 339,

- Diagn: Caus: 13. 335, b. c. et. 14. 340, et.

- Prognosis. 13. 336, c. et.

- Cura. 14. 341, a. b. 15. 340, b. ad 353,

Obs: 12.

Historia varia lesionum functionum Cogitativa & Imaginativa in Melancholicis.
12. 329, 330, 331, 13. 333, 334,

Metus & Tristitia quomodo ab humore Melancholico. 12. 330, a. b.

Melancholia aliquando hereditaria. 13. 333, a.

Melancholia Hypochondriaca Signa. 13. 336, b.

Vena sectio ubi necessaria est, nihil interesse videtur qua parte fiat, cum omnia simul eraculent, ut Hippo de Atim: ait: Confluxus humis, conspiratio una, omnia commoventia.
15. 349, a.

Ab. Cautiones egegia in omni 18. 15. 349, b. c.

Acetum an Melancholicis prosit.
15. 351, a. b. c. Absit.

Aq: frigida in nulla Melancholia convenit.
15. 352, b.

1. 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051

1890. 12. 10. 1890. 12. 10.

1. 1922, 21. April. 1. 1922, 21. April. 1. 1922, 21. April.

The first thing I saw when I stepped out
 into the morning sun was a sight I had never
 seen before. The air was fresh and cool,
 and the light was just what I needed.
 It was a new beginning, a new day.
 I felt a sense of peace and calm.
 The world was so beautiful, so full of life.
 I was so lucky to be here.
 I was so happy to be alive.
 I was so grateful for everything.
 I was so lucky to be here.
 I was so happy to be alive.
 I was so grateful for everything.

[Faint, illegible handwriting]

In melancholicis

Eccoprotica, lenientia, & Minorantia,
Electuaria: lenitivi: 106.

Syr: aut Mel Rosat: solutivi:

Manna, Cassia ad 8j.

Hiera (sed minus hujus Speciebus libera,
les esse oportet, sumentes ad 3j.

aliq tñ in Melancholia Hypochondriaca

q. Electuarij Hiera Hiera 8ß,

in Bolum redacti cum Mel: 8: sol:

15. 350, b.

) vel

q. Dracon lenitivi 3vi, cum

Aq: lactis 8iij.

Epithymi 8j, prius infusus & expressus

15. 351, a. vel horum loco Cystitis.

Vena sectio, aliquando adhibenda. 15. 340, 349.

Preparantia. 15. 351, a. b.

Evacuante seu Purgante, Jmispis
lenioribus fortiora locum habeant.

15. 351, c. 352. post hac Roborantia

In Melancholia Hypochondriaca fortis ad
modum profert. 15. 352, b.

Cranij ruptura aut trepanatio sepius profuit,
in Melancholia, mania, Insania, Epilepsia.
15. 353, b.

1842

1870-1871. 1872-1873. 1874-1875. 1876-1877. 1878-1879. 1880-1881. 1882-1883. 1884-1885. 1886-1887. 1888-1889. 1890-1891. 1892-1893. 1894-1895. 1896-1897. 1898-1899. 1900-1901. 1902-1903. 1904-1905. 1906-1907. 1908-1909. 1910-1911. 1912-1913. 1914-1915. 1916-1917. 1918-1919. 1920-1921. 1922-1923. 1924-1925. 1926-1927. 1928-1929. 1930-1931. 1932-1933. 1934-1935. 1936-1937. 1938-1939. 1940-1941. 1942-1943. 1944-1945. 1946-1947. 1948-1949. 1950-1951. 1952-1953. 1954-1955. 1956-1957. 1958-1959. 1960-1961. 1962-1963. 1964-1965. 1966-1967. 1968-1969. 1970-1971. 1972-1973. 1974-1975. 1976-1977. 1978-1979. 1980-1981. 1982-1983. 1984-1985. 1986-1987. 1988-1989. 1990-1991. 1992-1993. 1994-1995. 1996-1997. 1998-1999. 2000-2001. 2002-2003. 2004-2005. 2006-2007. 2008-2009. 2010-2011. 2012-2013. 2014-2015. 2016-2017. 2018-2019. 2020-2021. 2022-2023. 2024-2025. 2026-2027. 2028-2029. 2030-2031. 2032-2033. 2034-2035. 2036-2037. 2038-2039. 2040-2041. 2042-2043. 2044-2045. 2046-2047. 2048-2049. 2050-2051. 2052-2053. 2054-2055. 2056-2057. 2058-2059. 2060-2061. 2062-2063. 2064-2065. 2066-2067. 2068-2069. 2070-2071. 2072-2073. 2074-2075. 2076-2077. 2078-2079. 2080-2081. 2082-2083. 2084-2085. 2086-2087. 2088-2089. 2090-2091. 2092-2093. 2094-2095. 2096-2097. 2098-2099. 2100-2101. 2102-2103. 2104-2105. 2106-2107. 2108-2109. 2110-2111. 2112-2113. 2114-2115. 2116-2117. 2118-2119. 2120-2121. 2122-2123. 2124-2125. 2126-2127. 2128-2129. 2130-2131. 2132-2133. 2134-2135. 2136-2137. 2138-2139. 2140-2141. 2142-2143. 2144-2145. 2146-2147. 2148-2149. 2150-2151. 2152-2153. 2154-2155. 2156-2157. 2158-2159. 2160-2161. 2162-2163. 2164-2165. 2166-2167. 2168-2169. 2170-2171. 2172-2173. 2174-2175. 2176-2177. 2178-2179. 2180-2181. 2182-2183. 2184-2185. 2186-2187. 2188-2189. 2190-2191. 2192-2193. 2194-2195. 2196-2197. 2198-2199. 2200-2201. 2202-2203. 2204-2205. 2206-2207. 2208-2209. 2210-2211. 2212-2213. 2214-2215. 2216-2217. 2218-2219. 2220-2221. 2222-2223. 2224-2225. 2226-2227. 2228-2229. 2230-2231. 2232-2233. 2234-2235. 2236-2237. 2238-2239. 2240-2241. 2242-2243. 2244-2245. 2246-2247. 2248-2249. 2250-2251. 2252-2253. 2254-2255. 2256-2257. 2258-2259. 2260-2261. 2262-2263. 2264-2265. 2266-2267. 2268-2269. 2270-2271. 2272-2273. 2274-2275. 2276-2277. 2278-2279. 2280-2281. 2282-2283. 2284-2285. 2286-2287. 2288-2289. 2290-2291. 2292-2293. 2294-2295. 2296-2297. 2298-2299. 2300-2301. 2302-2303. 2304-2305. 2306-2307. 2308-2309. 2310-2311. 2312-2313. 2314-2315. 2316-2317. 2318-2319. 2320-2321. 2322-2323. 2324-2325. 2326-2327. 2328-2329. 2330-2331. 2332-2333. 2334-2335. 2336-2337. 2338-2339. 2340-2341. 2342-2343. 2344-2345. 2346-2347. 2348-2349. 2350-2351. 2352-2353. 2354-2355. 2356-2357. 2358-2359. 2360-2361. 2362-2363. 2364-2365. 2366-2367. 2368-2369. 2370-2371. 2372-2373. 2374-2375. 2376-2377. 2378-2379. 2380-2381. 2382-2383. 2384-2385. 2386-2387. 2388-2389. 2390-2391. 2392-2393. 2394-2395. 2396-2397. 2398-2399. 2400-2401. 2402-2403. 2404-2405. 2406-2407. 2408-2409. 2410-2411. 2412-2413. 2414-2415. 2416-2417. 2418-2419. 2420-2421. 2422-2423. 2424-2425. 2426-2427. 2428-2429. 2430-2431. 2432-2433. 2434-2435. 2436-2437. 2438-2439. 2440-2441. 2442-2443. 2444-2445. 2446-2447. 2448-2449. 2450-2451. 2452-2453. 2454-2455. 2456-2457. 2458-2459. 2460-2461. 2462-2463. 2464-2465. 2466-2467. 2468-2469. 2470-2471. 2472-2473. 2474-2475. 2476-2477. 2478-2479. 2480-2481. 2482-2483. 2484-2485. 2486-2487. 2488-2489. 2490-2491. 2492-2493. 2494-2495. 2496-2497. 2498-2499. 2500-2501. 2502-2503. 2504-2505. 2506-2507. 2508-2509. 2510-2511. 2512-2513. 2514-2515. 2516-2517. 2518-2519. 2520-2521. 2522-2523. 2524-2525. 2526-2527. 2528-2529. 2530-2531. 2532-2533. 2534-2535. 2536-2537. 2538-2539. 2540-2541. 2542-2543. 2544-2545. 2546-2547. 2548-2549. 2550-2551. 2552-2553. 2554-2555. 2556-2557. 2558-2559. 2560-2561. 2562-2563. 2564-2565. 2566-2567. 2568-2569. 2570-2571. 2572-2573. 2574-2575. 2576-2577. 2578-2579. 2580-2581. 2582-2583. 2584-2585. 2586-2587. 2588-2589. 2590-2591. 2592-2593. 2594-2595. 2596-2597. 2598-2599. 2600-2601. 2602-2603. 2604-2605. 2606-2607. 2608-2609. 2610-2611. 2612-2613. 26

Electron: (-1.6×10^{-19})

[Faint handwritten text at the bottom of the page]

Almond - 2 1/2

1854 (No. 100) 1854

12. 10. 1907. 12. 10. 1907.

up 42 in Melanobolia hyperborea

[Faint handwritten text at the bottom of the page]

in 1811, the first year of the war.

Nov 18, 1888

[illegible]

1894

1870

[Faint handwritten text at the bottom of the page]

... ..

Type - American Cyanopila, 1906.

5. 10. 1929. 71. 11. 1929.

... ..

... ..

7. 0-100. 0-20.

Chrysomelidae

1870

1870

Richardson, Thomas, the ship

... ..

1840

422

