



Catalogue des graines re?colte?es au Jardin Botanique de l'Universite? d'Utrecht en ...

<https://hdl.handle.net/1874/433653>

VWM1326
EX 2

Correctie - nummer

CATALOGUE DES GRAINES

RÉCOLTÉES AU JARDIN BOTANIQUE
DE L'UNIVERSITÉ d'UTRECHT EN

1924



UNIVERSITEITSBIBLIOTHEEK UTRECHT



4216 3273

CATALOGUE DES CRAINES.

- | | |
|---|--------------------------------------|
| <i>Acanthostachys strobilacea</i> Link. | <i>Alyssum alpestre</i> L. |
| <i>Acanthus longifolius</i> Poir. | — <i>Benthami</i> Hort. |
| <i>Achillea Millefolium</i> L. | — <i>saxatile</i> L. |
| — <i>Ptarmica</i> L. | — <i>sinuatum</i> L. |
| <i>Aconitum ferox</i> Wall. | <i>Ammobium alatum</i> R. Br. |
| — <i>Napellus</i> L. | <i>Amsonia Tabernaemontana</i> Walt. |
| <i>Actaea spicata</i> L. | <i>Anagallis arvensis</i> L. |
| <i>Adonis vernalis</i> L. | <i>Anchusa italicica</i> Retz. |
| <i>Aegopodium Podagraria</i> L. | <i>Anemone Pulsatilla</i> L. |
| <i>Aethusa Cynapium</i> L. | — <i>rivularis</i> Buch—Ham. |
| <i>Agapanthus umbellatus</i> L'Hérit. | <i>Anthericum Liliago</i> L. |
| <i>Ageratum conyzoides</i> L. | <i>Anthoxanthum odoratum</i> L. |
| <i>Aglaonema marantifolium</i> Blume. | <i>Anthriscus Cerefolium</i> Hoffm. |
| <i>Agrimonia Eupatoria</i> L. | — <i>sylvestris</i> Hoffm. |
| <i>Agrostis alba</i> L. | <i>Anthurium scandens</i> Engl. |
| — <i>stolonifera</i> L. | <i>Antirrhinum majus</i> L. |
| <i>Alchemilla alpina</i> L. | — — var. <i>peloria</i> Hort. |
| — <i>vulgaris</i> L. | <i>Apium graveolens</i> L. |
| <i>Alisma Plantago</i> L. | <i>Aquilegia alpina</i> L. |
| <i>Allium Cepa</i> L. | — <i>canadensis</i> L. |
| — <i>flavum</i> L. | — <i>hybrida</i> Hort. |
| — <i>hymenorrhizum</i> Ledeb. | <i>Aralia racemosa</i> L. |
| — <i>Moly</i> L. | <i>Arctium majus</i> Bernh. |
| — <i>sativum</i> L. | <i>Arenaria foliosa</i> Royle. |
| — <i>Schœnoprasum</i> L. | <i>Aristolochia elegans</i> Mast. |
| — <i>scorodoprasum</i> L. | — <i>fimbriata</i> Cham. |
| — <i>sphaerocephalum</i> L. | <i>Armeria alpina</i> Willd. |
| — <i>ursinum</i> L. | — <i>maritima</i> Willd. |
| <i>Alnus glutinosa</i> Medic. | — <i>splendens</i> Boiss. |
| <i>Alonsoa Warscewiczii</i> Rgl. | <i>Arnica sachalinensis</i> A. Gray. |
| <i>Alpinia calcarata</i> Rosc. | <i>Artemisia vulgaris</i> L. |
| <i>Althaea officinalis</i> Cav. | <i>Arum italicum</i> Mill. |
| — <i>officinalis</i> L. | — <i>maculatum</i> L. |
| — <i>rosea</i> Cav. | <i>Asarum europaeum</i> L. |

- | | |
|--|---|
| <i>Asclepias curassavica</i> L.
<i>Asparagus officinalis</i> L.
<i>Asperula arvensis</i> L.
— <i>cynanchica</i> L.
— <i>orientalis</i> Boiss. et Hohen.
— <i>tinctoria</i> L.
<i>Asphodeline lutea</i> Rchb.
<i>Aster alpinus</i> L.
— <i>macrophyllus</i> L.
<i>Astragalus alpinus</i> L.
— <i>galegiformis</i> L.
— <i>glycyphyllos</i> L.
<i>Astrantia major</i> L.
— <i>gracilis</i> Bartl.
<i>Atriplex hortensis</i> L.
<i>Atropa Belladonna</i> L.
<i>Aubrieta croatica</i> Schott.
— <i>deltoidea</i> DC.
— — var. <i>Leichtlini</i> Hort.
— — <i>moerheimi</i> Hort.
<i>Aucuba japonica</i> Thnbg.
<i>Avena barbata</i> Brot.
— <i>sterilis</i> L. | <i>Briza maxima</i> L.
<i>Browallia grandiflora</i> R. Grah.
<i>Bryonopsis laciniosa</i> Naud.
<i>Bulbina annua</i> Willd.
<i>Bunias orientalis</i> L.
<i>Buphthalmum salicifolium</i> L.

<i>Caccinea strigosa</i> Boiss.
<i>Calendula arvensis</i> L.
— <i>officinalis</i> L.
<i>Calla palustris</i> L.
<i>Callistemon lanceolatus</i> Sweet.
— <i>salignus</i> Sweet.
<i>Caltha palustris</i> L.
<i>Campanula alliariaefolia</i> Willd.
— <i>barbata</i> L.
— <i>Medium</i> L. L —
— <i>rosea</i> Hort.
— <i>persicifolia</i> L.
— <i>rapunculoides</i> L. var. <i>alpina</i> .
— <i>rotundifolia</i> L.
— <i>Trachelium</i> L.
<i>Canna flaccida</i> Rosc.
— <i>indica</i> L. var.
<i>Cannabis sativa</i> L.
<i>Capsella Bursa pastoris</i> Medic.
<i>Capsicus annuum</i> L. /m
— <i>pendulum</i> Willd.
<i>Caragana arborescens</i> Lam.
<i>Carbenia Benedicta</i> Adans.
<i>Carduus Kernerii</i> Simonk.
<i>Carex arenaria</i> L.
— <i>japonica</i> Thnbg.
— <i>Pseudocyperus</i> L.
<i>Carmichaelia australis</i> R. Br.
<i>Carpinus Betulus</i> L.
<i>Carum Carvi</i> L.
<i>Centaurea Scabiosa</i> L.
<i>Centranthus ruber</i> DC.
<i>Cephalaria alpina</i> Schrad.
<i>Cerastium tomentosum</i> L.
<i>Chaerophyllum aromaticum</i> Jacq.
— <i>aureum</i> L.
— <i>hirsutum</i> L.
<i>Cheiranthus alpinus</i> L.
— <i>Cheiri</i> L.
<i>Chelidonium majus</i> L. |
|--|---|

- | | |
|--|--------------------------------------|
| <i>Chelidonium majus</i> var. <i>lacinia-tum</i> . | <i>Crocus vernus</i> All. |
| <i>Chenopodium capitatum</i> Aschers. | <i>Cucumis Melo</i> L. |
| <i>Chionodoxa Luciliae</i> Boiss. | — <i>sativus</i> L. |
| — <i>sardensis</i> Barr. et Sugden. | <i>Cuphea lanceolata</i> Ait. |
| <i>Chrysanthemum alpinum</i> L. | <i>Cupressus Lawsoniana</i> Andr. |
| — <i>coccineum</i> Willd. | — — <i>Alumi</i> Hort. |
| — <i>coronarium</i> L. | <i>Cuscuta Gronovii</i> Willd. |
| — <i>corymbosum</i> L. | <i>Cyclanthera explodens</i> Naud. |
| — <i>Leucanthemum</i> L. | — <i>pedata</i> Schrad. |
| — <i>macrophyllum</i> Wall. | <i>Cyperus Papyrus</i> L. |
| — <i>montanum</i> L. | <i>Cytisus alpinum</i> Lam. |
| — <i>pallens</i> J. Gay. | — <i>filipes</i> W. et Berth. |
| — <i>Parthenium</i> Bernh. | — <i>scoparius</i> Link. |
| <i>Cichorium Intybus</i> L. | <i>Dactylis glomerata</i> L. |
| <i>Clarkia elegans</i> Dougl. | <i>Dahlia variabilis</i> Desf. |
| <i>Claytonia perfoliata</i> Donn. | <i>Datura inermis</i> jacq. |
| <i>Clematis alpina</i> Mill. | — <i>Metel</i> L. |
| — <i>ochroleuca</i> Ait. | — <i>Stramonium</i> L. |
| — <i>recta</i> L. | — — <i>L. var. Tatula</i> . |
| — <i>Vitalba</i> L. | <i>Daucus Carota</i> L. |
| <i>Clethra arborea</i> Ait. | <i>Decaisnea Fargesii</i> Franch. |
| <i>Cnicus Diacantha</i> Desf. | <i>Delphinium Ajacis</i> L. |
| — <i>monspessulanus</i> Roth. | — <i>Consolida</i> L. |
| — <i>pratensis</i> Willd. | — <i>dasyanthum</i> Kar. et Kir. |
| <i>Coix Lacryma-jobi</i> L. | — <i>elatum</i> L. |
| <i>Colchicum autumnale</i> L. | — <i>hybridum</i> Steph. |
| <i>Coleus hybridus</i> Hort. | <i>Dianthus alpinus</i> L. |
| <i>Collinsia bicolor</i> Benth. | — <i>atrorubens</i> All. |
| <i>Commelina tuberosa</i> L. | — <i>banaticus</i> Heuff. |
| <i>Convolvulus undulatus</i> Cav. | — <i>barbatus</i> L. |
| <i>Coptis asplenifolia</i> Salisb. | — <i>Boissieri</i> Willk. |
| <i>Coreopsis bicolor</i> Bosse. | — <i>carthusianorum</i> L. |
| — <i>grandiflora</i> Nutt. | — <i>Caryophyllus</i> L. |
| — <i>hybrida</i> Hort. | — <i>deltoides</i> L. |
| — <i>tinctoria</i> Nutt. | — <i>fragrans</i> Bieb. |
| <i>Coriandrum sativum</i> L. | — <i>graniticus</i> Jord. |
| <i>Coriaria myrtifolia</i> L. | — <i>plumarius</i> L. |
| <i>Coringia orientalis</i> Dum. | <i>Dictamnus albus</i> L. |
| <i>Coronilla glauca</i> L. | <i>Digitalis purpurea</i> L. |
| <i>Corydalis bulbosa</i> DC. | <i>Dimorphotheca pluvialis</i> Mnch. |
| — <i>glaуca</i> Pursh. | <i>Dipsacus sylvestris</i> Mill. |
| — <i>lutea</i> D. C. | |
| <i>Cosmos bipinnatus</i> Cav. | <i>Echinocystis Bigelovii</i> Cogn. |
| <i>Cotoneaster horizontalis</i> Decne. | <i>Echinops sphaerocephalus</i> L. |
| — <i>Simonsii</i> Hort. | <i>Elymus giganteus</i> Vahl. |
| <i>Crambe maritima</i> L. | <i>Epilobium angustifolium</i> L. |

- | | |
|--|--------------------------------------|
| <i>Epilobium Cockaynianum</i> Petrie. | <i>Galium aparine</i> L. |
| — <i>Dodonaei</i> Vill. | — <i>purpureum</i> L. |
| — <i>hirsutum</i> L. | <i>Galtonia candicans</i> Decne. |
| — <i>roseum</i> Schreb. | <i>Gaura biennis</i> L. |
| <i>Epipactis latifolia</i> All. | <i>Genista sagittalis</i> L. |
| <i>Eranthis hyemalis</i> Salisb. | <i>Gentiana Kesselringi</i> Rgl. |
| <i>Erinus alpinus</i> L. | — <i>ochroleuca</i> Frael. |
| <i>Eriophorum polystachion</i> L. | — <i>straminea</i> Maxim. |
| <i>Erodium gruinum</i> Ait. | — <i>tibetica</i> King. |
| <i>Eryngium giganteum</i> Bieb. | <i>Geranium albiflorum</i> Ledeb. |
| — <i>planum</i> L. | — <i>bohemicum</i> L. |
| <i>Erysimum cheiranthoides</i> L. | — <i>macrorrhizum</i> L. |
| — <i>ochroleucum</i> DC. | — <i>nodosum</i> L. |
| — <i>Perofskianum</i> Fisch et May. | — <i>pratense</i> L. |
| <i>Erythroxylon Coca</i> Lam. | — — var. <i>pallidum</i> . |
| <i>Eschscholtzia californica</i> Cham. | — <i>sanguineum</i> L. |
| <i>Euonymus fimbriatus</i> Wall. | <i>Geum rivale</i> L. |
| — <i>latifolius</i> Mill. | — <i>urbanum</i> L. |
| <i>Eupatorium cannabinum</i> L. | <i>Gilia tricolor</i> Benth. |
| — <i>petiolare</i> Moç. et Sesse. | <i>Glaucium flavum</i> Crantz. |
| <i>Euphorbia aphylla</i> Brouss. | <i>Glycine Soja</i> S. et Z. |
| — <i>exigua</i> L. | <i>Gossypium herbaceum</i> L. |
| — <i>helioscopia</i> L. | <i>Gypsophila elegans</i> Bieb. |
| — <i>Lathyrus</i> L. | — <i>repens</i> L. |
| — <i>Peplis</i> L. | |
| — <i>segetalis</i> L. | <i>Hedera Helix</i> L. |
| — <i>Welwitschii</i> Boiss et Reut. | <i>Hedychium Gartnerianum</i> Griff. |
| — <i>Wulfenii</i> Hoppe. | — <i>Horsfieldii</i> R. Br. |
| <i>Fagopyrum esculentum</i> Mnch. | <i>Hedysarum coronarium</i> L. |
| — <i>tataricum</i> Gaertn. | — <i>multijugum</i> Maxim. |
| <i>Fagus sylvatica</i> L. | — <i>obscurum</i> L. |
| <i>Festuca arundinacea</i> Vill. | <i>Helenium autumnale</i> L. |
| — <i>ovina</i> L. | <i>Helianthemum halamifolium</i> |
| — <i>pratensis</i> L. | Pers. |
| <i>Ficus diversifolia</i> Blume. | — <i>hirtum</i> Mill. |
| <i>Foeniculum vulgare</i> Mill. | — <i>roseum</i> Mill. |
| <i>Francoa sonchifolia</i> Cav. | <i>Helianthus annuus</i> L. |
| <i>Fraxinus excelsior</i> L. | — <i>debilis</i> Nutt. |
| <i>Fritillaria Meleagris</i> L. | — <i>laevis</i> L. |
| — — <i>alba</i> . | <i>Heliopsis laevis</i> Pers. |
| <i>Fuchsia procumbens</i> R. Cunn. | <i>Hemerocallis minor</i> Mill. |
| <i>Funkia glauca</i> Siebold. | <i>Hesperis matronalis</i> L. |
| — <i>ovata</i> Spreng. | <i>Hieracium aurantiacum</i> L. |
| — <i>Sieboldiana</i> Hook. | <i>Hieracium gymnocephalum</i> |
| <i>Galega officinalis</i> L. | Griseb. |
| | — <i>murorum</i> L. |
| | <i>Holcus lanatus</i> L. |

- Holcus mollis* L.
Hordeum vulgare L.
 — *secalinum* Schreb.
Hutchinsia alpina Ait.
 — *petraea* Ait.
Hyacinthus dubius Guss.
 — *orientalis* L. var.
Hydrolea spinosa L.
Hyoscyamus niger L.
Hypericum Androsaemum L.
 — *barbatum* L.
 — *canariense* L.
 — *hirsutum* L.
 — *perforatum* L.
 — *quadrangulum* L.
 — *tomentosum* L.
Hyssopus officinalis L.

Iberis amara L.
Ilex Aquifolium L.
Impatiens Balfouri Hook f.
 — *Noli-tangere* L.
 — *parviflora* DC.
Inula Helenium L.
Iris ensata Thunbrg.
 — *flavescens* Red.
 — *graminea* L.
 — *lutescens* Lam.
 — *ochroleuca* L.
 — *Pseudacorus* L.
 — *sibirica* L.
 — *xiphioides* Ehrh.
Isatis alpina All.
 — *japonica* Miq.
 — *tinctoria* L.
Isotoma longiflora Presl.

Jasione montana L.
Juncus effusus L.
Jussiaea longifolia L.

Klugia Notoniana A. DC.
Kniphofia aloides Mnch.

Laburnum anagyroides Medic.
Lactuca muralis E. Mey.
 — *perennis* L.

Lagenaria vulgaris Ser.
Lagurus ovatus L.
Lamium album L.
Lathyrus latifolius L.
 — *niger* Bernh.
 — *odoratus* L.
 — *sativus* L.
 — — var. *Wagneri*.
 — *vernus* Benth.
Lavatera caspemiriana Cambess.
 — *trimestris* L.
Leontopodium alpinum Cass.
Leonurus Cardiaca L.
Lepidium sativum L.
 — *virginicum* L.
Leucojum aestivum L.
Lens esculenta Mnch.
Levisticum officinale Koch.
Lilium Martagon L.
Limnocharis emarginata Humb.
 et Bonpl.
Linum arboreum L.
 — *grandiflorum* Desf.
 — *nervosum* Waldst. et Kit.
 — *perenne* L.
 — *usitatissimum* L.
Loasa parviflora Schrad.
Lobelia Erinus L. var.
 — *syphilitica* L.
Lolium multiflorum Lam.
 — *perenne* L.
 — *temulentum* L.
Lupinus arboreus Sims.
 — *polyphyllus* Ldl.
 — — *albus* Hort.
 — — *Moerheimi* Hort.
 — *F perennis* L.
Lychnis alba Mill.
 — *alpina* L.
 — *chalcedonica* L.
 — *dioica* L.
 — *Flos-Jovis* Desr.
 — *Githago* Scop.
 — *Viscaria* L.
19
Lycopersicum esculentum Mill.
Lycopus europaeus L.
Lythrum Salicaria L.

- Malva Alcea* L.
 — *brasiliensis* Desr.
 — *crispa* L.
 — *sylvestris* L.
Marrubium vulgare L.
Matricaria Chamomilla L.
Melica altissima L.
Melilotus alba Desr.
Mentzelia Lindleyi Torr. et Gray.
Mercurialis annua L.
Milulus luteus L.
Molinia caerulea Mnch.
Momordica Charantia L.
 — *Schinzii* Coqn.
Monophyllaea Horsfieldii R. Br.
Morina Coulteriana Royle.
Murraya exotica L.
Muscaria botryoides Mill.
Myosotis sylvatica Hoffm.
 — — var. *Indigo King* Hort.
Myrrhis odorata Scop.

Napaea dioica L.
Nardus stricta L.
Nemesia strumosa Benth.
Nepeta Glechoma Benth.
 — *grandiflora* Bieb.
 — *Mussini* Spreng.
Nesaea salicifolia H. B. et K.
Nicandra physaloides Gaertn.
Nicotiana rustica L.
 — *Sanderae* Hort. Sand.
 — *silvestris* Speg. et Comes.
 — *suaveolens* Lehm.
 — *Tabacum* L.
 — — var. *macrophylla* Hort.
Nigella damascena L.
 — — Miss Jekyll Hort.
Nothoscordum fragrans Kunth.
Nymphaea stellata Willd.

Ochna multiflora DC.
Oenanthe pimpinelloides L.
 — *Lachenalii* C. C. Gmel.
Oenothera biennis L.
 — — *sulphurea* Hort.
 — *tetraptera* Cav.

Omphalodes linifolia Mnch.
Onopordon Acanthium L.
Origanum vulgare L.
Ornithogalum longebracteatum
 Jacq.
Orobanche Hederae Duby.
Oryza sativa L.
 — — *mutica* Hort.
 — — *rubribardis* Hort.

Paeonia corallina Retz.
 — *officinalis* L.
 — *teuuifolia* L.
Palisota Barteri Hook f.
 — *bracteosa* C. B. Charle. *El RK*
Panicum maximum Jacq.
 — *miliaceum* L.
 — *plicatum* Lam.
 — *sanguinale* L.
Papaver Argemone L.
 — *bracteatum* Lindl.
 — *caucasicum* Bieb.
 — *dubium* L.
 — *Heldreichii* Boiss.
 — *lateritium* C. Koch
 — *nudicaule* L.
 — — var. *roseum* Hort.
 — *oreophyllum* Rupr.
 — *orientale* L.
 — *persicum* Lindl.
 — *pilosum* Sibth. et Sm.
 — *Rhoeas* L.
 — *rupifragum* B. et R.
 — *somniferum* L.
 — — fl. pl. Hort.
 — — *monstrosum* Hort.
 — — *nigrum* Hort.
 — *tauricolum* Boiss.
Parietaria officinalis L.
Passiflora suberosa L.
Paulownia imperialis S. et Z. *fini*
Pavonia spinifex Cav.
Peperomia eburnea Linden.
Petroselinum sativum L.
Petunia hybrida Hort.
Peucedanum sativum Benth et Hook.

- | | |
|--|--|
| <i>Phalaris arundinacea</i> L.
— <i>canariensis</i> L.
<i>Phaseolus multiflorus</i> Lam.
<i>Philadelphus coronarius</i> L.
<i>Phleum alpinum</i> L.
— <i>pratense</i> L.
<i>Phlomis armeniaca</i> Willd.
— <i>orientalis</i> Mill.
<i>Physochlaina orientalis</i> G. Don.
<i>Phyteuma canescens</i> Waldst. et
Kit.
<i>Phytolacca decandra</i> L.
— <i>dioica</i> L.
<i>Pimpinella magna</i> L.
<i>Pisum sativum</i> L.
<i>Pitcairnea punicea</i> Ldl.
<i>Plantago alpina</i> L.
— <i>lanceolata</i> L.
— <i>major</i> L.
— <i>media</i> L.
— <i>Psyllium</i> L.
<i>Poa gracilis</i> Desf.
— <i>nemoralis</i> L.
— <i>pratensis</i> L.
<i>Polemonium caeruleum</i> L.
— — <i>var. album</i> Hort.
— <i>reptans</i> L.
<i>Polygonatum multiflorum</i> All.
<i>Potentilla argyrophylla</i> Wall.
— <i>aurea</i> L.
— <i>gracilis</i> Dougl.
— <i>hybrida</i> Miss Wilmott.
— <i>recta</i> L.
— <i>rupestris</i> L.
<i>Polygonatum multiflorum</i> All.
<i>Poterium Sanguisorba</i> L.
<i>Pratia nummularia</i> A. Br. et A.
<i>Primula japonica</i> A Gray
— <i>Kewensis</i> Hort.
— <i>malacoides</i> Franch.
— <i>officinalis</i> Jacq.
<i>Prunella grandiflora</i> Jacq.
— <i>vulgaris</i> L.
<i>Prunus Avium</i> L.
<i>Ptelea trifoliata</i> L.
<i>Pyrus Aria</i> Ehrh.
— <i>Aucuparia</i> Ehrh. | <i>Pyrus baccata</i> L.
— <i>communis</i> L.
— <i>intermedia</i> Ehrh.
— <i>japonica</i> Thunb.
— <i>salicifolia</i> Pall.

<i>Quercus Cerris</i> L.
— <i>Robur</i> L.

<i>Ranunculus Broteri</i> Freyn.
— <i>bulbosus</i> L.
— <i>repens</i> L.
<i>Raphanus sativus</i> L.
<i>Rauwolfia canescens</i> L.
<i>Rehmannia elata</i> Brown.
<i>Remusatia vivipara</i> Schott.
<i>Reseda alba</i> L.
— <i>glaуca</i> L.
— <i>lutea</i> L.
— <i>odorata</i> L.
— <i>Phyteuma</i> L.
<i>Rheum undulatum</i> L.
<i>Rhinanthus major</i> Ehrh.
<i>Rhoeo discolor</i> Hance.
<i>Rhynchosia phaseoloides</i> DC.
<i>Ribes rubrum</i> L.
<i>Ricinus communis</i> L.
<i>Rivina aurantiaca</i> Warsz.
— <i>humilis</i> L.
<i>Rosa stylosa</i> Desv.
— <i>villosa</i> L.
<i>Rudbeckia laciniata</i> L.
<i>Ruellia rosea</i> Hemsl.
<i>Rumex Acetosa</i> L.
— <i>Patientia</i> L.
— <i>sanguineus</i> L.
<i>Ruta graveolens</i> L.
— <i>montana</i> Mill.

<i>Sagittaria montevidensis</i> Cham.
et Schl.
<i>Salvia argentea</i> L.
— <i>glutinosa</i> L.
— <i>officinalis</i> L.
— <i>pratensis</i> L.
— <i>Sclarea</i> L.
— <i>splendens</i> Ker-Gawl. |
|--|--|

- Salvia verticillata* L.
Sambucus nigra L.
Saponaria officinalis L.
Sauromatum guttatum Schott.
Saxifraga hypnoides L.
 — *muscoides* Wulf.
 — *peltata* Torr.
 — *umbrosa* L.
Scabiosa arvensis L.
 — *magnifica* Hort.
 — *montana* Bieb.
 — *succisa* L.
Scilla hispanica Mill.
 — *sibirica* Andr.
 — *sibirica* var. *alba* Hort.
Scorpiurus muricata L.
 — *vermiculata* L.
Scrophularia nodosa L.
Secale cereale L.
Sedum Aizoon L.
 — *album* L.
Sempervivum annuum C. Sm.
 — *globiferum* L.
 — *tectorum* L.
Senecio abrotanifolius L.
 — *articulatus* Sch. Bip.
 — *Cineraria* DC.
 — *Petasitis* DC.
Sherardia arvensis L.
Silene Armeria L.
 — *caucasica* Boiss.
 — *Cucubalus* Wibel.
 — *pendula* L.
 — *Schafta* Gmel.
 — *viridiflora* L.
Silphium perfoliatum L.
Silybum eburneum Coss et Dur.
 — *Marianum* Gaertn.
Sisymbrium Alliaria Scop.
Solanum Capsicastrum L.
 — *Dulcamara* L.
 — *Lycopersicum* L.
 — *Melongena* L.
 — *nigrum* L.
 — *villosum* Mnch.
Solidago Virgaurea L.
Sonchus arboreus DC.
- 9
- Sorghum vulgare* Pers.
Sophora tetraptera J. Mill.
Sparganium ramosum Curt.
Sparmannia africana L.
Spartium junceum L.
Spiraea Filipendula L.
 — *sorbifolia* L.
 — *Ulmaria* L.
Stachys Betonica Benth.
Symporicarpus racemosus
 Michx.
Symphytum officinale L.
Syringa vulgaris L.
- Tagetes erecta* L.
Taraxacum officinale Wigg.
Taxus baccata L.
Tellima grandiflora R. Br.
Tetragonia expansa Murr.
Tetranema mexicanum Benth.
Thalia dealbata Fras.
Thalictrum flavum L.
 — — L. var. *angustifolium*.
 — *minus* L.
 — *spuarrosum* Steph.
Thermopsis fabacea DC.
Thlaspi arvense L.
Thuya occidentalis L.
Tilia platyphyllos Scop.
Torenia Fournieri Lind.
Trichosanthes cucumerina L.
Trifolium pratense L.
 — *rubens* L.
Triticum vulgare Vill.
Trollius europaeus L.
Tropaeolum majus L.
 — *peregrinum* L.
Tunica Saxifraga Scop.
Tussilago Farfara L.
- Urena tomentosa* Blume.
Urtica dioica L.
 — *urens* L.
- Valeriana dioica* L.
 — *officinalis* L.

Valerianella membranacea
Loisel.
Verbascum nigrum L.
— *phoeniceum* L.
— *thapsiforme* Schrad.
— *Thapsus* L.
Verbena officinalis L.
Veronica Chamaedrys L.
— *incana* L.
— *lanceolata* Benth.
— *longifolia* L.
— *spicata* L.
Viburnum Lentago L.
— *Opulus* L.

Vicia Faba L.
— *unijuga* A. Br.
Vincetoxicum luteum Hoffgg. et
Link.
— *medium* Decne.
Viola cornuta L. var. *alba* Hort.
— *declinata* Waldst. et Kit.
— *mirabilis* L.
— *odorata* L. var. *alba* Hort.
— *tricolor* L.
— — var. *grandiflora* Hort.
Vitis Henryana Hemsl.
Zea Mays L.

UTRECHT, Décembre 1924.

LE DIRECTEUR DU JARDIN
F. A. F. C. WENT.

LE JARDINIER-CHEF
J. K. BUDDE.

and when I have
had pleasure to receive your

kind regards & best wishes

for the year & all the

best of fortune &

good health to you &

your wife & family.

I hope you will

have many more

years of happiness

& good health.

I remain ever

Yours very truly

John C. Calhoun

President of the United States

1842 - January 1st

Tuesday A.M.