



Zaadlijst van den Botanischen Tuin Cantonspark te Baarn (Nederland), Rijksuniversiteit te Utrecht

<https://hdl.handle.net/1874/433821>

ZAADLIJST VAN DE BOTANISCHE TUIN

„CANTONSPARK“ TE BAARN

RIJKSUNIVERSITEIT UTRECHT

SEED LIST OF THE BOTANICAL GARDEN

„CANTONSPARK“ BAARN

(NETHERLANDS)

STATE UNIVERSITY OF UTRECHT

No: 18.

1949.

Botanische Tuinen van de
Universiteit Utrecht
Harvardlaan 2
3584 CV UTRECHT

UNIVERSITEITSBIBLIOTHEEK UTRECHT



4160 2743

BOTANICAL GARDEN „CANTONSPARK“
OF THE STATE UNIVERSITY AT UTRECHT.

Faas Eliaslaan 51, BAARN,

NETHERLANDS.

Director : Prof. Dr. J. Lanjouw.
Hortulanus : H. Muyser.
Botanical Assistant: E. A. Mennega.

The seeds from this list are available only for exchange with
Botanical Gardens. Please return this list with your applica-
tions not later than *March 1st, 1950* to:

The Director of the Botanical Garden
„Cantonspark“
Faas Eliaslaan 51
BAARN. - Netherlands.

1. *Abroma mollis* D.C.
 2. *Abrus precatorius* L.
 3. *Acaena glaucophylla* Bitter
 4. " *myriophylla* Lindl.
 5. *Acantholimon glumaceum* Jaub. et Spach.
 6. *Acanthopanax divaricatus* Seem.
 7. " *henryi* Harms.
 8. " *lasiogyne* Harms.
 9. *Acanthus caroli-alexandri*
 Hausskn.
 10. " *niger* Mill.
 11. " *spinosus* L.
 12. *Acer heldreichii* Orph.
 13. *Achillea asplenifolia* Vent.
 14. " *grandiflora* Bieb.
 15. " *millefolium* L.
 16. " *santolina* L.
 17. *Acnida cannabina* L.
 18. *Aconitum lycocotonum* L.
 19. " *napellus* L.
 var. *lobelianum* Rchb.
 20. *Actinomeris squarrosa* Nutt.
 21. *Adenophora bulleyana* Diels.
 22. " *hakusanensis* Nakai.
 23. " *liliifolia* Bess.
 24. " *ornata* Diels.
 25. *Adiantum fulvum* Raoul.
 26. " *weigandii* Moore.
 27. *Aesculus hippocastanum* L.
 28. " *hybrida* D.C.
 29. " *pavia* L.
 30. *Aethionema pulchellum* Boiss. et Huet.
 31. *Agrimonia eupatoria* L. ssp.
 officinalis Lam.
 32. " *odorata* Mill.
 33. *Agropyron caninum* Beauv.
 34. " *cristatum* Beauv.
 35. *Agrostis alba* L.
 36. *Aira caryophyllea* L.
 37. *Alchemilla vulgaris* L.
 38. *Alisma plantago* L.
 39. *Alkanna tinctoria* Tausch.
 40. *Allium beesianum* W.W. Smith.
 41. " *canadense* L.
 42. " *carinatum* L.
 43. " *cyrilli* Ten.
 44. " *heldreichii* Boiss.
 45. " *odorum* L.
 46. *Allium schoenoprasum* L.
 47. *Alnus hirsuta* Turcz.
 48. " *incana* Moench.
 49. " *spaethii* Call.
 50. " *subcordata* C.A. Mey.
 51. *Alonsoa cauliata* R. et P.
 52. *Alopecurus arundinaceus* Poir.
 53. " *pratensis* L.
 54. *Althaea armeniaca* Ten.
 55. " *heldreichii* Boiss.
 56. " *nudiflora* Lindl.
 57. " *officinalis* L.
 58. " *sulphurea* Boiss. et Hohen.
 59. *Alyssum argenteum* Vitm.
 60. " *bornmuelleri* Hausskn.
 61. " *montanum* L.
 62. " *rostratum* Stev.
 63. " *saxatile* L.
 64. *Alyxia Buxifolia* R. Br.
 65. *Amaranthus ascendens* Hornem.
 66. " *aureus* Dietr.
 67. " *blitum* L.
 68. " *caudatus* L.
 69. " *flavus* L.
 70. " *gangeticus* L.
 71. " *giganticus* L.
 72. " *polygamus* L.
 73. " *sylvestris* Desf.
 74. *Amelanchier ovalis* Med.
 75. *Ammobium alatum* R. Br.
 76. *Androsace septentrionalis* L.
 77. *Andryala integrifolia* L.
 78. *Anemone altaica* Fisch.
 79. " *baldensis* L.
 80. " *magellanica* Hort.
 81. " *pulsatilla* L.
 82. *Anoda lavateroides* Med.
 83. " *triangularis* D.C.
 84. *Antirrhinum tortuosum* Bosc.
 85. *Anychia dichotoma* Michx.
 86. *Aquilegia alpina* L.
 87. " *bertolonii* Schott.
 88. " *buergeriana* S. et Z.
 89. " *caerulea* James.
 90. " *chrysantha* A. Gray.
 91. " *einseliana* F. Schultz.
 92. " *flabellata* S. et Z.
 93. " *formosa* Tesch.
 var. *truncata*

- | | | | |
|------|----------------------------------|------|--|
| 94. | Aquilegia glandulosa Fisch. | 142. | Asyneuma limoniifolium Bornm. |
| 95. | ,, kitaibelii Schott. | 143. | Atriplex hortense L. |
| 96. | ,, sibirica Law. | | var. rubrum Roth. |
| 97. | ,, suaveolens P. Bruhl. | 144. | ,, littorale L. |
| 98. | ,, viridiflora Pall. | 145. | Atylosia barbata Barker. |
| 99. | Arabis japonica Regel. | 146. | Avena adsurgens Schur. |
| 100. | ,, procurrens Waldst. et
Kit. | 147. | ,, montana Ait. |
| 101. | ,, sicula Huet. | 148. | ,, planiculmis Schrad. |
| 102. | Aralia chinensis L. | 149. | ,, pubescens Huds. |
| 103. | ,, cordata Thunb. | 150. | ,, strigosa Schreb. |
| 104. | Arctium lappa L. | 151. | Baeria chrysostoma Fisch. et
Mey. |
| 105. | Arctotis acaulis L. | 152. | ,, coronaria A. Gray. |
| 106. | ,, stoechadifolia Berg. | 153. | Baptisia australis R. Br. |
| 107. | Ardisia humilis Vahl. | 154. | ,, leucophaea Nutt. |
| 108. | Arenaria graminifolia Schrad. | 155. | Barbarea intermedia Boreau. |
| 109. | ,, sajanensis Willd. | 156. | ,, orthoceras Ledeb. |
| 110. | Aristea eckloni Baker. | 157. | Begonia hirtella Link. |
| 111. | Aristolochia elegans Mast. | 158. | ,, vitifolia Schott. |
| 112. | Arnica foliosa Nutt. | 159. | Belamcanda punctata Moench. |
| 113. | Arnoseris pusilla Gaertn. | 160. | Berberis crataegina D.C. |
| 114. | Aronia melanocarpa Ell. | 161. | ,, hookeri Lem. |
| 115. | Arrhenatherum avenaceum Beauv. | 162. | × ,, laxiflora Schrad. |
| 116. | Artemisia dracunculus Pursh. | 163. | ,, purpurea Raf. |
| 117. | Asclepias curassavica L. | 164. | ,, rubrostilla Chitt. |
| 118. | ,, grandiflora Fourn. | 165. | ,, sibirica Pall. |
| 119. | ,, hallii A. Gray. | 166. | ,, vulgaris L. |
| 120. | ,, incarnata Lim. | 167. | ,, wilsonae Hemsl. et Wils.
var. stapfiana Schneid. |
| 121. | ,, princeps Bartl. | 168. | Bergenia crassifolia Fritsch. |
| 122. | ,, speciosa Torr. | 169. | Bergeranthus scapigerus Schwant. |
| 123. | ,, syriaca L. | 170. | ,, vespertinus Schwant. |
| 124. | Asperula cynanchica L. | 171. | Berteroa incana D. C. |
| 125. | ,, galiooides Bieb. | 172. | Beta patula Ait. |
| 126. | ,, orientalis Boiss. | 173. | Betula glandulosa Michx. |
| 127. | ,, tinctoria L. | 174. | ,, lutea Michx. |
| 128. | Aspidium malanocaulon Bl. | 175. | Bidens ferulæfolia D. C. |
| 129. | Aster amellus L. | 176. | ,, pilosa L. |
| 130. | ,, umbellatus Mill. | 177. | Blechnum moorei C. Chr. |
| 131. | Astilbe davidii Henry. | 178. | Blumenbachia hieronymii Urb. |
| 132. | ,, grandis Stapf. | 179. | Boykinia occidentalis Torr. et
Gray. |
| 133. | Astragalus campestris A. Gray | 180. | Brachycome iberidifolia Benth. |
| | var. villosus Borkh. | 181. | Brachypodium pinnatum Beauv. |
| 134. | ,, cicer L. | 182. | Brassica alba Boiss. |
| 135. | ,, excapus L. | 183. | ,, nigra Koch. |
| 136. | ,, falcatus Lam. | 184. | ,, oleracea L. |
| 137. | ,, glyciphyllus L. | 185. | ,, sinapistrum Boiss. |
| 138. | ,, gummifer Labill. | | |
| 139. | ,, onobrychis L. | | |
| 140. | ,, sikkimensis Benth. | | |
| 141. | ,, vesicarius L. | | |

- | | | | |
|------|--|------|---------------------------------------|
| 186. | <i>Briza maxima</i> L. | 231. | <i>Caragana frutescens</i> Med. |
| 187. | , <i>minor</i> L. | 232. | , <i>frutex</i> K. Koch. |
| 188. | , <i>spicata</i> Sibth. et Sm. | 233. | , <i>microphylla</i> Lam. |
| 189. | <i>Bromus racemosus</i> L. | 234. | , <i>sophoraeifolia</i> Bess. |
| 190. | <i>Bryonia alba</i> L. | 235. | , <i>tragacanthoides</i> Poir. |
| 191. | <i>Bunias orientalis</i> L. | 236. | <i>Cardaminopsis arenosa</i> Hayek. |
| 192. | <i>Buphthalmum speciosum</i> Schreb. | 237. | <i>Carex lagopina</i> Wahlenb. |
| 193. | <i>Calamintha nepeta</i> Savi. | 238. | , <i>leporina</i> L. |
| 194. | , <i>officinalis</i> Moench. | 239. | , <i>muricata</i> L. |
| 195. | <i>Calandrinia compressa</i> Schrad. | 240. | , <i>pallescens</i> L. |
| 196. | , <i>pilosiuscula</i> D. C. | 241. | , <i>paradoxa</i> Willd. |
| 197. | <i>Calendula maroccana</i> Ball. | 242. | , <i>pendula</i> Huds. |
| 198. | , <i>officinalis</i> L. | 243. | , <i>sparganioides</i> Muhl. |
| 199. | , <i>suffruticosa</i> Vahl. | 244. | <i>Carica papaya</i> L. |
| 200. | <i>Callicarpa americana</i> L. | 245. | <i>Carlina acaulis</i> L. |
| 201. | , <i>bodinieri</i> Levl. | 246. | , <i>corymbosa</i> L. |
| | var. <i>giraldii</i> Rehd. | 247. | <i>Carpinus betulus</i> L. |
| 202. | , <i>dichotoma</i> K. Koch. | | var. <i>fastigiata</i> Nich. |
| 203. | , <i>japonica</i> Thunb. | 248. | <i>Carthamus lanatus</i> L. |
| 204. | , <i>japonica</i> Thunb. | 249. | <i>Carya cordiformis</i> K. Koch. |
| | var. <i>angustata</i> Rehd. | 250. | <i>Caryota mitis</i> Lour. |
| 205. | , <i>mollis</i> S. et Z. | 251. | <i>Catalpa bungei</i> C. A. Mey. |
| 206. | <i>Callipeltis cucullaria</i> Stev. | 252. | <i>Catananche caerulea</i> L. |
| 207. | <i>Callistemon lanceolatus</i> Sweet. | | var. <i>alba</i> . |
| 208. | <i>Calophaca wolgarica</i> Fisch. | 253. | <i>Celastrus orbiculata</i> Thunb. |
| 209. | <i>Calycanthus floridus</i> L. | 254. | , <i>rosthorniana</i> Loes. |
| 210. | <i>Campanula alliariaefolia</i> Willd. | 255. | , <i>scandens</i> L. |
| 211. | , <i>barbata</i> L. | 256. | <i>Celsia arcturus</i> Jacq. |
| 212. | , <i>bononiensis</i> L. | 257. | <i>Celtis occidentalis</i> L. |
| 213. | , <i>carpatica</i> Jacq. | 258. | , <i>reticulata</i> Torr. |
| 214. | , <i>grossekii</i> Heuff. | 259. | <i>Centaurea alpina</i> L. |
| 215. | , <i>latifolia</i> L. | 260. | , <i>phrygia</i> L. |
| 216. | , <i>leutweinii</i> Heldr. | 261. | <i>Centaurium grandiflorum</i> Druce. |
| 217. | , <i>linifolia</i> Scop. | 262. | , <i>umbellatum</i> Gilib. |
| 218. | , <i>loefflingii</i> Brot. | 263. | <i>Cephalaria alpina</i> Schrad. |
| 219. | , <i>multiflora</i> Waldst. | 264. | , <i>ambrosioides</i> Roem. |
| | et Kit. | | et Schult. |
| 220. | , <i>rapunculus</i> L. | 265. | , <i>joppensis</i> Coult. |
| 221. | , <i>poscharskyana</i> Degen. | 266. | , <i>tatarica</i> Schrad. |
| 222. | , <i>rotundifolia</i> L. | 267. | <i>Cephalophora aromatica</i> Schrad. |
| 223. | , <i>sarmatica</i> Ker-Gawl. | 268. | <i>Cerastium alpinum</i> L. |
| 224. | , <i>scheuchzeri</i> Vill. | 269. | , <i>arvense</i> L. |
| | var. <i>valdensis</i> Rouy. | 270. | , <i>purpurascens</i> Adam. |
| 225. | , <i>tomentosa</i> Vent. | 271. | , <i>tomentosum</i> L. |
| 226. | <i>Canna flaccida</i> Rosc. | 272. | <i>Cercis siliquastrum</i> L. |
| 227. | , <i>limbrata</i> Rosc. | 273. | <i>Chaenomeles japonica</i> Lindl. |
| 228. | <i>Caragana boisii</i> Schneid. | 274. | , <i>japonica</i> Lindl. |
| 229. | , <i>brevispina</i> Royle. | | var. <i>cardinalis</i> Carr. |
| 230. | , <i>densa</i> Kom. | 275. | <i>Charieis heterophylla</i> Cass. |
| | | 276. | <i>Chelidonium maius</i> L. |

- | | | | |
|------|--|------|---|
| 277. | <i>Chelone glabra</i> L. | 322. | <i>Cotoneaster lucida</i> Schlecht. |
| 278. | <i>Chenopodium bonus-henricus</i> L. | 323. | ,, <i>moupinensis</i> Franch. |
| 279. | ,, <i>capitatum</i> Aschers. | 324. | ,, <i>nitens</i> Rehd. et Wils. |
| 280. | ,, <i>foetidum</i> Schrad. | 325. | ,, <i>simonsii</i> Bak. |
| 281. | ,, <i>serotinum</i> L. | 326. | ×, , <i>watereri</i> Exell. |
| 282. | <i>Chlorophytum hoffmannii</i> Engl. | 327. | ,, <i>zabeli</i> Schn. |
| 283. | <i>Chrysanthemum balsamita</i> L. | 328. | <i>Cotyledon agavoidea</i> Baker. |
| 284. | ,, <i>carinatum</i> Schousb. | 329. | <i>Crassula ericoides</i> Haw. |
| 285. | ,, <i>segetum</i> L. | 330. | ,, <i>lycopodioides</i> Lam. |
| 286. | ,, <i>viscosum</i> Desf. | 331. | <i>Crataegus azarolus</i> L. |
| 287. | <i>Cicer arietinum</i> L. | 332. | ×, , <i>lavallei</i> Herincq. |
| | var. <i>rotundum</i> . | 333. | ,, <i>macrantha</i> Lodd. |
| 288. | <i>Cinna arundinacea</i> L. | 334. | ,, <i>mollis</i> Scheele. |
| 289. | <i>Citrullus colocynthis</i> Schrad. | 335. | ,, <i>oxycantha</i> L. |
| 290. | <i>Cladium germanicum</i> Schrad. | | var. <i>paulii</i> Rehd. |
| 291. | <i>Clarkia elegans</i> Dougl. | 336. | <i>Crepis aurea</i> Rchb. |
| 292. | <i>Clematis simsii</i> Sweet. | 337. | <i>Crossandra nilotica</i> Oliv. |
| 293. | ,, <i>virginiana</i> L. | 338. | <i>Crucianella angustifolia</i> I. |
| 294. | <i>Clerodendron trichotomum</i> Thunb. | 339. | <i>Cryptotaenia canadensis</i> D. C. |
| 295. | ,, <i>trichotomum</i> Thunb. | 340. | <i>Cucubalus baccifer</i> . L. |
| | var. <i>fargesii</i> Rehd. | 341. | <i>Cucumis metuliferus</i> E. Mey. |
| 296. | <i>Clethra acuminata</i> Michx. | 342. | <i>Cucurbita pepo</i> L. var. <i>maxima</i> . |
| 297. | ,, <i>alnifolia</i> L. | | Sweet. |
| 298. | ,, <i>barbinervis</i> S. et Z. | 343. | <i>Cuscuta racemosa</i> Mart. |
| 299. | <i>Cocculus trilobus</i> D. C. | 344. | <i>Cyclanthera explodens</i> Naud. |
| 300. | <i>Codonopsis handeliana</i> Nannf. | 345. | ,, <i>pedata</i> Schrad. |
| 301. | ,, <i>pilosula</i> Nannf. | 346. | <i>Cymopterus anisatus</i> A. Gray.. |
| 302. | <i>Coix lacryma-jobi</i> L. | 347. | <i>Cynoglossum aequinoctiale</i> Fries. |
| 303. | <i>Colutea brevialata</i> Lge. | 348. | ,, <i>amabile</i> Stapf. et |
| 304. | ,, <i>istria</i> Mill. | | Drum. |
| 305. | ,, <i>media</i> Willd. | 349. | ,, <i>caeruleum</i> Hochst. |
| 306. | ,, <i>melanocalyx</i> Boiss. | 350. | ,, <i>columnae</i> Biv. |
| 307. | ,, <i>persicaria</i> Boiss. | 351. | ,, <i>glochidiatum</i> Wall. |
| | | | et Cat. |
| 308. | <i>Coluria potentilloides</i> R.Br. | 352. | <i>Cyphomandra betacea</i> Sendt. |
| 309. | <i>Conium maculatum</i> L. | 353. | <i>Cyrtomium falcatum</i> Prantl. |
| 310. | <i>Convolvulus scammonia</i> L. | 354. | <i>Cytisus hirsutus</i> L. |
| 311. | <i>Coreopsis cardaminifolia</i> Torr. | 355. | ,, <i>multiflorus</i> Sweet. |
| | et Gray var. | 356. | ,, <i>ratisbonensis</i> Schaeff. |
| | <i>atrisanguinea</i> Hort. | 357. | ,, <i>supinus</i> L. |
| 312. | ,, <i>tinctoria</i> Nutt. | 358. | <i>Dactylis glomerata</i> L. |
| 313. | <i>Coriandrum sativum</i> L. | 359. | <i>Danae racemosa</i> Moench. |
| 314. | <i>Coriaria japonica</i> A. Gray. | 360. | <i>Daphne mezereum</i> L. |
| 315. | ,, <i>myrtifolia</i> L. | 361. | <i>Datura bernhardii</i> Lundström. |
| 316. | <i>Coronilla varia</i> L. | 362. | ,, <i>stramonium</i> L. |
| 317. | <i>Cortusa matthioli</i> L. | 363. | ,, <i>tatula</i> L. |
| 318. | <i>Corydalis rosea</i> Max. | 364. | <i>Decaisnea insignis</i> Hook. f. et |
| 319. | <i>Cotoneaster apiculata</i> Rehd. | | Thoms. |
| | et Wils. | 365. | <i>Delosperma aberdeenense</i> L. Bolus. |
| 320. | ,, <i>franchetii</i> Boiss. | 366. | <i>Delphinium grandiflorum</i> L. |
| 321. | ,, <i>intergerrima</i> Med. | | |

367. *Delphinium palatum* Radde.
 368. , *przewalskii* Huth.
 369. *Deschampsia caespitosa* Beauv.
 370. , *flexuosa* Trin.
 371. *Desmodium canadense* D.C.
 372. *Deutzia longifolia* Franch.
 373. , *staminea* R. Br.
 374. *Dianthus anatolicus* Boiss.
 375. , *arenarius* L.
 376. , *banaticus* Heuff.
 377. , *caesius* Sm.
 378. , *knappii* Aschers.
 379. , *liboschitzianus* Ser.
 380. , *neglectus* Loisel.
 381. , *plumarius* L.
 382. , *tatrae* Borbas.
 383. *Dictamnus albus* L.
 384. , *albus* L. var. *rubrus*.
 385. *Diervilla sessiliflora* Buckl.
 386. , *rivularis* Gatt.
 387. *Digitalis ambigua* Murr.
 388. , *lanata* Ehrh.
 389. , *lutea* L.
 390. , *mariana* Boiss.
 391. , *sibirica* Lindl.
 392. , *thapsi* L.
 393. *Dimorphotheca pluvialis* Moench.
 394. *Dionaea muscipula* Ellis.
 395. *Dioscorea macroura* Harms.
 396. *Dracocephalum nutans* L. var.
 alpinum Kar. et Kit.
 397. , *peregrinum* L.
 398. , *ruyschiana* L.
 399. *Drosera anglica* Huds.
 400. , *capensis* L.
 401. × *Dryas suendermannii* Kell.

 402. *Eccremocarpus scaber* Ruiz. et
 Pav.
 403. *Echeveria perelegans* Berger.
 404. , *purpusorum* Berger.
 405. *Echinops dahuricus* Fisch.
 406. , *exaltatus* Schrad.
 407. , *humilis* Bieb.
 408. , *sphaerocephalus* L.
 409. *Elsholtzia densa* Benth.
 410. *Eleusine coracana* Gaertn.
 411. *Elymus arenarius* L.
 412. , *giganteus* Vahl.
 413. *Emex spinosa* Campd.

 414. *Emilia flammula* Cass.
 415. *Enkyanthus campanulatus* Nich.
 416. , *perulatus* Schneid.
 417. *Epilobium parviflorum* Schreb.
 418. *Epiphyllum truncatum* Haw.
 419. *Erigeron brandegei* A. Gray.
 420. , *glabellus* Nutt.
 421. , *speciosus* D. C.
 422. *Eritrichium strictum* Decne.
 423. , *strictum* Decne.
 var. *fruticosum*.
 424. *Erodium gruineum* l'Hér.
 425. *Eryngium planum* L.
 426. *Erythrociton brasiliensis*
 Nees. et Mart.
 427. *Eschscholzia caespitosa* Benth.
 428. , *californica* Cham.
 429. , *lobbii* Greene.
 430. *Eucharidium concinnum* Fisch.
 et Mey.
 431. *Eupatorium aromaticum* L.
 432. , *glechonophyllum* Less.
 433. , *odoratum* L.
 434. , *purpureum* L.
 435. *Euphorbia grandidens* Haw.
 436. , *ipecacuanha* L.
 437. , *splendens* Boj.
 438. , *tirucalli* L.
 439. *Evonymus alata* Reg.
 440. , *americana* L. var.
 angustifolia Wood.
 441. , *fortunei* Hand.-Mazz.
 var. *carrièrei* Rehd.
 442. , *fortunei* Hand.-Mazz.
 var. *vegeta* Rehd.
 443. , *latifolia* Scop.
 444. , *obovata* Nutt.
 445. , *planipes* Koehne.

 446. *Fagopyrum tataricum* Gaertn.
 447. , *sagittatum* Gilib.
 448. *Fedia caput-boris* Pomel.
 449. , *cornucopiae* D. C.
 450. *Felicia fragilis* Cass.
 451. *Festuca bromoides* L.
 452. , *gigantea* Vill.
 453. , *myuros* L.
 454. , *ovina* L.
 455. , *rubra* L.

456. *Ficus parietalis* Blume.
 457. *Frankenia hirsuta* L.
 458. , , *pulverulenta* L.
 459. *Galega officinalis* L.
 var. *hartlandii* Hort.
 460. , , *orientalis* Lam.
 461. *Galeopsis pyrenaica* Bartl.
 462. *Galium aparine* L.
 463. , , *ruboides* L.
 464. , , *saccharatum* All.
 465. *Galtonia candicans* Decne.
 466. *Gasteria croucheri* Baker.
 467. , , *disticha* Haw.
 468. *Gaura biennis* L.
 469. × *Gazania hybr.*
 470. *Genista sagittalis* L.
 471. *Gentiana cruciata* L.
 472. , , *kurroo* Royle
 473. , , *parryi* Engelm.
 474. , , *saponaria* L.
 475. , , *siphonantha* Max.
 476. , , *straminea* Max.
 477. , , *tibetica* King.
 478. , , *walujewi* Rgl. et Schmalh.
 479. *Geranium albiflorum* Ledeb.
 480. , , *ibericum* Cav.
 var. *brachytrichum*.
 481. , , *maculatum* L.
 482. , , *nepalense* Sweet.
 483. , , *oreganum* Howell.
 484. , , *pratense* L.
 485. , , *robertianum* L.
 486. , , *sanguineum* L.
 487. , , *sibiricum* L.
 488. , , *tuberosum* L.
 489. , , *tuberosum* L. var.
 macrostylum Boiss.
 490. *Geum intermedium* Schleich.
 491. , , *jankae* G. Beck.
 492. , , *montanum* L.
 493. *Gilia abrotanifolia* Nutt.
 494. , , *achilleaefolia* Benth.
 495. , , *androsacea* Steud.
 496. , , *capitata* Dougl.
 497. , , *multicaulis* Benth.
 498. , , *nivalis* Hort.
 499. , , *tricolor* Benth.
 500. *Glaucium flavum* Crantz.
 501. *Goldbachia Laevigata* D.C.
502. *Gomphrena decumbens* Jacq.
 503. *Gossypium herbaceum* L.
 var. *religiosum*.
 504. *Gymnogramme sulphurea* Desv.
 505. *Gypsophila acutifolia* Fisch.
 506. *Halesia carolina* L.
 507. *Hebenstreitia comosa* Hochst.
 508. , , *tenuifolia* Schrad.
 509. *Hedysarum japonicum* Basin.
 510. , , *obscurum* L.
 511. *Helenium bolanderi* A. Gray.
 512. *Helianthella quinquenervis*
 A. Gray.
 513. *Helianthemum lavandulaefolium* Mill.
 514. , , *nummularium* L.
 515. , , *variabile* Spach.
 516. *Helichrysum bracteatum* Andr.
 517. , , *monstrosum* Hort.
 518. , , *monstrosum* Hort.
 var. *nanum*.
 519. *Heliopsis laevis* Pers.
 520. , , *scabra* Dun.
 521. *Heliotrichia amplexicaulis* L.
 522. *Heliosperma quadrifidum* Rchb.
 523. *Heliotropium indicum* L.
 524. *Helipterum roseum* Benth.
 525. , , *manglesii* F. Muell.
 526. *Hemerocallis flava* L.
 527. *Heuchera cylindrica* Dougl.
 528. , , *glabra* Willd.
 529. , , *himalayensis* Decne.
 530. , , *hispida* Pursh.
 531. , , *micrantha* Dougl.
 532. , , *pubescens* Pursh.
 533. , , *rubescens* Torr.
 534. , , *sanguinea* Engelm.
 var. *alba*.
 535. *Hibiscus moscheutos* L.
 536. *Hieracium bombycinum* Boiss.
 et Reut.
 537. , , *canadense* Michx.
 538. , , *humile* Jacq.
 539. *Holcus lanatus* L.
 540. *Holodiscus discolor* Max.
 541. *Hordeum zeocriton* L.
 542. *Hydrangea xanthoneura* Diels.
 543. *Hyoscyamus albus* L.
 544. , , *aureus* L.
 545. , , *niger* L.

546. *Hypericum erectum* Thunb.
 547. , *hookerianum* Wight.
 et Arn.
 548. , *patulum* Thunb.
 549. , *perforatum* L.
 550. , *pulchrum* L.
 551. , *quadrangulum* L.
 552. , *tomentosum* L.
 553. *Hyssopus officinalis* L.
 554. *Hyptis pectinata* Poit.

 555. *Iberis amara* L.
 556. , *jordanii* Boiss.
 557. , *semperflorens* L.
 558. *Impatiens scabrida* D. C.
 559. *Ilex serrata* Thunb.
 560. , *verticillata* Gray.
 var. *tenuifolia* Turcz.
 561. *Incarvillea delavayi* Bur. et
 Franch.
 562. *Inula helenium* L.
 563. *Ipomoea coccinea* L.
 564. *Iris sibirica* L.
 565. , *thunbergii* Lundström
 566. , *virginica* L.
 567. *Isatis tinctoria* L.

 568. *Juncus gerardi* Loisel.
 569. , *triglumis* L.
 570. *Jurinea alata* Cass.

 571. *Kitaibelia vitifolia* Willd.
 572. *Kochia hyssopifolia* Schrad.
 573. , *scoparia* Schrad.
 574. *Koeleria glauca* D. C.
 575. , *valesiana* Bertol.
 576. *Koelreuteria paniculata* Max.

 577. *Laburnum anagyroides* Med.
 var. *alschingeri* Schn.
 578. *Lactuca alpina* Benth. et Hook. f.
 579. *Lathyrus maritimus* Bigel.
 580. , *niger* Bernh.
 581. , *tuberous* L.
 582. , *silvester* L.
 583. , *vernus* Bernh.
 584. *Lavatera thuringiaca* All.
 585. *Lavnia platyglossa* A. Gray.
 586. *Ledum groenlandicum* Oed.
 587. *Legousia perfoliata* Britt.

 588. *Leonurus cardiaca* L.
 589. , *marrubiastrum* L.
 590. *Lepachys pinnatifida* Raf.
 591. *Leptosyne douglasii* D.C.
 592. *Leontopodium alpinum* Cass.
 593. *Lespedeza bicolor* Turcz.
 594. *Lettsomia rubens* C. B. Clarke.
 595. *Leucothoe catesbeiae* Gray.
 596. *Levisticum officinale* Koch.
 597. *Lilium henryi* Baker.
 598. *Limonium elatum* O. Kuntze.
 599. *Linaria marroccana* Hook. f.
 600. *Linum bulgaricum* Podp.
 601. , *flavum* L.
 602. , *strictum* L.
 603. , *usitatissimum* L.
 604. *Livistona chinensis* R. Br.
 605. *Loasa vulcanica* Andre.
 606. *Lolium multiflorum* Lam.
 607. *Lonas inodora* Gaertn.
 608. *Lonicera bella* Zab.
 609. , *maackii* Max.
 610. , *ruprechtiana* Regel.
 611. , *xylosteoides* Tausch.
 612. *Lopezia racemosa* Cav.
 613. *Lophanthus anisatus* Benth.
 614. , *rugosus* Fisch. et
 Mey.
 615. , *scrophulariaefolius*
 Benth.
 616. *Lotus edulis* L.
 617. , *tetragonolobus* L.
 618. *Lunaria rediviva* L.
 619. *Lupinus elegans* H.B. et K.
 620. , *perennis* L.
 621. , *rivularis* Dougl.
 622. *Luzula campestris* D. C.
 623. *Lychnis alpina* L.
 624. , *coronaria* L.
 625. , *githago* Scop.
 626. , *viscaria* L.
 627. *Lychsilene grandiflora* Hort.
 628. *Lycium barbarum* L.
 629. , *chinense* Mill.
 630. *Lysichiton americanum* Schn.
 631. *Lysimachia loeflioides* Wall.
 632. , *punctata* L.
 633. , *punctata* L. var.
 verticillata
 Bieb.

- | | |
|--|--|
| 634. <i>Lythrum graefferi</i> Ten. | 678. <i>Mesembryanthemum multiceps</i>
Salm-Dyck. |
| 635. " <i>hyssopifolia</i> L. | 679. <i>Mespilus germanica</i> L. |
| 636. " <i>salicaria</i> L.
var. <i>vulgare</i> D. Don. | 680. <i>Meum athamanticum</i> Jacq. |
| 637. " <i>virgatum</i> L. | 681. <i>Michauxia campanuloides</i> 1' Hen. |
| 638. <i>Luzula nivea</i> D. C. | 682. <i>Microlepia hirta</i> Prantl. |
| 639. <i>Madia dissitiflora</i> Torr. | 683. <i>Mimulus luteus</i> L. |
| 640. <i>Magnolia kobus</i> Thunb. | 684. <i>Mirabilis froebellii</i> Greene. |
| 641. " <i>soulangeana</i> Soul. | 685. " <i>jalapa</i> L. |
| 642. " <i>stellata</i> Max. | 686. " <i>longiflora</i> L. |
| 643. " <i>tripetala</i> L. | 687. " <i>wrightiana</i> A. Gray. |
| 644. " <i>virginiana</i> L. | 688. <i>Mitella caulescens</i> Nutt. |
| 645. <i>Malus baccata</i> Borkh. | 689. " <i>pentandra</i> Hook. |
| 646. " <i>orthocarpa</i> Lav. | 690. <i>Monarda citriodora</i> Cav. |
| 647. " <i>prunifolia</i> Borkh. | 691. " <i>fistulosa</i> L. |
| 648. " <i>pumila</i> Mill. var.
niedzwetskyana Schneid. | 692. <i>Muscaris botryoides</i> Mill. |
| 649. " <i>sargentii</i> Rehd. | 693. " <i>neglectum</i> Guss. |
| 650. " <i>sieboldii</i> Rehd. | 694. <i>Nardus stricta</i> L. |
| 651. " <i>toringoides</i> Hughes. | 695. <i>Nemesia floribunda</i> Lehm. |
| 652. " <i>zumi</i> Rehd.
var. <i>calocarpa</i> Rehd. | 696. " <i>melissaefolia</i> Benth. |
| 653. <i>Malva alcea</i> L. | 697. <i>Nemophila maculata</i> Benth. |
| 654. " <i>crispia</i> L. | 698. <i>Nepeta kokanica</i> Regel. |
| 655. " <i>oxyloba</i> Boiss. | 699. " <i>nuda</i> L.
var. <i>pannonica</i> Gams. |
| 656. <i>Margyricarpus setosus</i> Ruiz.
et Pav. | 700. " <i>spicata</i> Benth. |
| 657. <i>Marica caerulea</i> Ker-Gawl. | 701. <i>Nicandra physaloides</i> Gaertn. |
| 658. <i>Marrubium peregrinum</i> L. | 702. " <i>texana</i> Hort. |
| 659. <i>Martynia fragrans</i> Lindl. | 703. " <i>violacea</i> André. |
| 660. <i>Matthiola incana</i> R. Br. | 704. <i>Nicotiana chinensis</i> Fisch. |
| 661. " <i>oxyceras</i> D. C. | 705. <i>Nigella arvensis</i> L. |
| 662. <i>Medicago lupulina</i> L. | 706. " <i>damascena</i> L. |
| 663. " <i>murex</i> Willd. | 707. <i>Nolana prostrata</i> L. |
| 664. <i>Melandrium noctiflorum</i> Fries. | 708. <i>Ocimum basilicum</i> L. |
| 665. " <i>zawadzkii</i> A. Br. | 709. <i>Oenanthe aquatica</i> Poir. |
| 666. <i>Melica nutans</i> L. | 710. " <i>pimpinelloides</i> L. |
| 667. " <i>uniflora</i> Retz. | 711. <i>Oenothera amoena</i> Lehm. |
| 668. <i>Melilotus gracilis</i> D. C. | 712. " <i>decumbens</i> Dougl. |
| 669. " <i>indicus</i> All. | 713. " <i>glaуca</i> Michx.
var. <i>fraseri</i> . |
| 670. <i>Melittis melissophyllum</i> L. | 714. " <i>nocturna</i> Jacq. |
| 671. <i>Melothria scabra</i> Naud. | 715. " <i>prismatica</i> Lev. |
| 672. <i>Menispermum dauricum</i> D. C. | var. <i>dasyarpa</i> Lev. |
| 673. <i>Mercurialis annua</i> L. | 716. " <i>purpurea</i> Curt. |
| 674. <i>Mesembryanthemum aloides</i> Haw. | 717. <i>Onobrychis viciaefolia</i> Scop. |
| 675. " <i>amoenum</i>
Salm-Dyck. | 718. <i>Ononis hircina</i> Jacq. |
| 676. " <i>blandum</i> Haw. | 719. <i>Ophiopogon jaburan</i> Lodd. |
| 677. " <i>criniflorum</i> L. | 720. <i>Origanum majorana</i> L. |
| | 721. " <i>vulgare</i> L. |

- | | | | | |
|------|---------------------------------|--|------|-------------------------------|
| 722. | Ornithogalum longibracteatum. | | 766. | Phytolacca acinosa Roxb. |
| | Jacq. | | 767. | Picris hieracioides L. |
| 723. | Oryza sativa L. var. australe | | 768. | Pieris japonica D. Don. |
| 724. | Oryzopsis canadensis Torr. | | 769. | Plantago amplexicaulis Cav. |
| 725. | Ostrya carpinifolia Scop. | | 770. | , argentea Chaix. |
| 726. | Osmunda regalis L. | | 771. | , coronopus L. |
| 727. | Papaver bracteatum Lindl. | | 772. | , cynops L. |
| 728. | , nudicaule L. | | 773. | , lanceolata L. |
| 729. | , oreophilum Rupr. | | 774. | , media L. |
| 730. | , orientale L. | | 775. | , psyllium L. |
| 731. | , rupifragum Boiss. | | 776. | , purpurascens Willk. |
| | et Reut. | | 777. | , raoulii Decne. |
| 732. | , somniferum L. | | 778. | , subulata L. |
| 733. | Paracaryum caelestinum Benth. | | 779. | Platycodon grandiflorum D. C. |
| | et Hook.f. | | 780. | Plectranthus glaucocalyx Max. |
| 734. | Pennisetum villosum R. Br. | | 781. | Poa compressa L. |
| 735. | Pennisetum alpinus Torr. | | 782. | , pratensis L. |
| 736. | , confertus Dougl. | | 783. | Polemonium boreale Adams. |
| 737. | , diffusus Dougl. | | 784. | , caeruleum L. var. |
| 738. | , gracilis Nutt. | | | himalayanum Baker. |
| 739. | , laevigatus Soland. | | 785. | , filicinum Greene. |
| 740. | , laevigatus Soland. | | 786. | , humile Willd. |
| | var. digitalis Gray. | | 787. | , mexicanum Cerv. |
| 741. | Peperomia rubella Hook. | | 788. | , sibiricum D. Don. |
| 742. | Pernettya mucronata Gaud. | | 789. | Polygonum molle D. Don. |
| 743. | Petteria ramentacea Presl. | | 790. | Polypodium aureum L. |
| 744. | Peucedanum ostruthium Koch. | | | var. glaucum Hort. |
| 745. | , verticillare Spreng. | | 791. | , nigrescens Bl. |
| 746. | Phacelia ciliata Benth. | | 792. | , subauriculatum Bl. |
| 747. | , malvaefolia Cham. | | 793. | Portulaca grandiflora Hook. |
| | et Schlecht. | | 794. | Potentilla andicola Benth. |
| 748. | , purshii Buckl. | | 795. | , argentea L. |
| 749. | Phalaris paradoxa L. | | | var. tenuiloba Jord. |
| 750. | Phellodendron amurense Rupr. | | 796. | , chrysantha Trev. |
| 751. | Philadelphus laxus Schrad. | | 797. | , collina Wibel. |
| 752. | , magdalenae Koehne. | | 798. | , grammopetalum Moretti. |
| 753. | Philydrum lanuginosum Banks. | | 799. | , hippiana Lehm. |
| 754. | Phlomis alpina Pall. | | 800. | , inclinata Vill. |
| 755. | , cashmiriana Royle. | | 801. | , montenegrina Pant. |
| 756. | , herba-ventii L. | | 802. | , nepalensis Hook. |
| 757. | , tuberosa L. | | 803. | , pimpinelloides L. |
| 758. | Phyllodoce empetrifolia D. Don. | | 804. | Poterium dodecandrum Benth. |
| 759. | Physalis franchetii Mast. | | | et Hook.f. |
| 760. | , lanceolata Michx. | | 805. | , officinale A. Gray. |
| 761. | Physocarpus capitatus Ktze. | | 806. | , obtusum Franch. |
| 762. | Physostegia virginiana Benth. | | 807. | Preslia cervina Fresen. |
| 763. | Phyteuma campanuloides Bieb. | | 808. | Primula algida Adam. |
| 764. | , charmeli Vill. | | 809. | , darialica Rupr. |
| 765. | , scheuchzeri All. | | 810. | , farinosa L. |
| | | | 811. | ×, flagellicalis Kern. |

812. *Primula florindae* Ward.
 813. „ *hopeana* Balf. et Cooper.
 814. „ *lichiangensis* Forrest.
 815. „ *luteola* Rupr.
 816. „ *officinalis* Jacq.
 817. „ *poissoni* Franch.
 818. „ *polyneura* Franch.
 819. „ *pudibunda* W. W. Sm.
 820. „ *scotica* Hook.
 821. „ *silva-taroucana* Zem.
 822. × „ *venusta* Host.
 823. „ *veris* L.
 824. *Prunus amygdalus* Batsch.
 825. „ *brigantina* Vill.
 826. *Ptelea serrata* Small.
 827. „ *trifoliata* L.
 828. *Pterocarya fraxinifolia* Spach.
 829. *Pterostyrax hispida* S. et Z.
 830. „ *micrantha* S. et Z.
 831. *Putoria calabrica* Pers.
 832. *Pyracantha coccinea* Roem
 var. "Kasan"
 833. „ *coccinea* Roem.
 var. *lalandii* Dipp.
 834. *Quercus cerris* L.
 835. „ *robur* L.
 836. *Ranunculus chaerophyllus* L.
 837. „ *polyanthemos* L.
 838. „ *psilotachys* Gris.
 839. *Raphanus sativus* L.
 840. *Reseda alba* L.
 841. „ *complicata* Bory.
 842. „ *luteola* L.
 843. *Rhamnus glomerata* Hook.
 844. „ *infectoria* L.
 845. „ *japonica* Max.
 846. „ *saxatilis* Jacq.
 847. „ *tinctoria* Waldst.
 et Kit.
 848. *Rheum crassinervium* Fisch.
 849. „ *emodi* Wall.
 850. „ *franzenbachii* Muent.
 851. „ *moorcroftianum* Royle.
 852. „ *officinale* Baill.
 853. „ *rhaponticum* L.
 854. „ *ribes* L.
 855. „ *tataricum* L.
 856. *Rhipsalis cassytha* Gaertn.
 857. *Rhipsalis houilletiana* Lem.
 858. „ *paradoxa* Salm-Dyck.
 859. „ *pentandra* Pfeiff.
 860. „ *rhombea* Pfeiff.
 861. „ *virgata* Web.
 862. *Ribes stenocarpum* Max.
 863. *Rhododendron viscosum* Torr.
 864. *Rhodotypus scandens* Mak.
 865. *Rhus glabra* L.
 866. „ *typhina* L. var. *laciniata*
 Wood.
 867. *Rhynchosia phaseoloides* D. C.
 868. *Ricinus communis* L.
 869. *Rivina humilis* L.
 870. *Rosa beggeriana* Schrenk.
 871. „ *canina* L.
 872. „ *carolina* L.
 var. *grandiflora* Rehd.
 873. „ *caudata* Baker.
 874. „ *chinensis* Jacq.
 875. „ *corymbosa* Borkh.
 876. „ *davidii* Crep. var.
 elongata Rehd. et Wils.
 877. „ *dumalis* Bechst.
 878. „ *foetida* Herrm.
 879. „ *glutinosa* Sibth. et Sm.
 880. „ *laevigata* Michx.
 881. „ *laxa* Retz.
 882. „ *marginata* Wallr.
 883. „ *micrantha* Sm.
 884. „ *nitida* Willd.
 885. „ *rubrifolia* Vill.
 886. „ *rugosa* Thunb.
 887. „ *setipoda* Hemsl. et Wils.
 888. „ *stylosa* Desv.
 889. „ *tomentosa* Smith.
 890. „ *multibracteata* Hemsl.
 et Wils.
 891. „ *roxburghii* Tratt. var.
 hirtula Rehd. et Wils.
 892. „ *scharnkeana* Graebn.
 893. „ *virginiana* Mill.
 894. *Rumex acetosa* L.
 895. „ *auriculatus* Wallr.
 896. „ *conglomeratus* Murr.
 897. „ *hydrolapathum* Huds.
 898. „ *patientia* L.
 899. „ *sanguineus* L.
 900. *Ruta graveolens* L.
 901. „ *macrophylla* Soland.

902. *Ruta montana* Mill.

903. *Salsola kali* L.
 904. *Salvia beckeri* Trautv.
 905. , *bertolonii* Vis.
 906. , *bulleyana* Diels.
 907. , *castanea* Diels.
 908. , *glutinosa* L.
 909. , *leonica* Benth.
 910. , *regeliana* Trautv.
 911. , *sclarea* L.
 var. *turkestanica*.
 912. , *verticillata* L.
 913. *Sambucus sieboldiana* Graebn.
 914. *Santolina pinnata* Viv.
 915. *Saponaria lutea* L.
 916. , *officinalis* L.
 var. *fl. pl.* Hort.
 917. *Satureia montana* L.
 var. *communis* Vis.
 918. *Saussurea alpina* D. C.
 919. *Saxifraga burseriana* L.
 920. , *caespitosa* L.
 var. *sternbergii* Engel.
 921. , *camposii* Boiss.
 et Reut.
 922. , *corymbosa* Boiss.
 923. , *geranioides* L.
 924. , *hypnoides* L.
 925. , *laevis* Bieb.
 926. , *rotundifolia* L.
 927. *Scabiosa succisa* L.
 928. *Scandix pinnatifida* Vent.
 929. *Schizanthus retusus* Hook.
 930. *Scirpus sylvaticus* L.
 931. *Scorpiurus sulcata* L.
 932. *Scorzonera jacquiniana* Boiss.
 933. , *purpurea* L.
 934. *Scrophularia alata* Gilib.
 935. , *chrysantha* Jaub. et
 Spach.
 936. , *nodosa* L.
 937. , *sambucifolia* L.
 938. , *vernalis* L.
 939. *Scutellaria alpina* L.
 940. , *altissima* L.
 941. , *dependens* Max.
 942. *Secale cereale* L.
 943. *Securinega fluggeoides*
 Muell.-Arg.

944. *Securinega suffruticosa* Rehd.
 945. *Sedum acre* L.
 946. , *album* L. var. *murale* Praeg.
 947. , *kamschaticum* Fisch.
 948. , *middendorffianum* Max.
 949. , *nevii* Gray.
 950. , *populifolium* Pall.
 951. , *spathulifolium* Hook.
 952. , *spurium* Bieb.
 var. *splendens*.
 953. , *telephium* L.
 954. *Sempervivum annuum* C. Sm.
 955. , *arachnoideum* L.
 956. , *dolomiticum* Facc.
 957. , *erythraeum* Velen.
 958. , *fimbriatum*
 Schnittsp. et Lehm.
 959. , *glaucum* Ten.
 960. , *kosaninii* Praeger.
 961. , *marmoreum* Griseb.
 962. , *pomelii* Lam.
 963. , *tectorum* L.
 964. , *valesiacum* Lagg.
 965. , *wulfenii* Hoppe.
 966. *Senecio adenodifolius* Loisel.
 967. , *clivorum* Max.
 968. , *umbrosus* Waldst. et Kit.
 969. , *giganteus* Desf.
 970. , *ligularia* Hook. f.
 971. , *veitchianus* Hemsl.
 972. *Serratula coronata* L.
 973. *Sesleria caerulea* Ard.
 974. *Setaria glauca* Beauv.
 975. , *italica* Beauv.
 976. *Sherardia arvensis* L.
 977. *Sibbaldia maxima* Kesselr.
 978. *Sicyos australis* Endl.
 979. *Sida napaea* Cav.
 980. *Silene anthirrhina* L.
 981. , *colorata* Poir.
 982. , *echinata* Otth.
 983. , *elegans* Brot.
 984. , *grandiflora* Franch.
 985. , *linicola* Gmel.
 986. , *maritima* With.
 987. , *nutans* L.
 988. , *saxifraga* L.
 989. , *viridiflora* L.
 990. *Skimmia japonica* Thunb.
 991. *Solanum sisymbriifolium* Lam.

992. *Solidago canadensis* L.
 993. " *serotina* Ait.
 994. *Sorbaria aitchisonii* Hemsl.
 995. " *arborea* Schn.
 var. *subtomentosa* Rehd.
 996. " *assurgens* Vilm.
 et Boiss.
 997. *Sorbus aucuparia* L.
 998. " *hupehensis* Schneid.
 999. " *intermedia* Pers.
 1000. *Sorghum vulgare* Pers.
 1001. *Spartium junceum* L.
 1002. *Spergula arvensis* L.
 var. *sativa*.
 1003. *Spiraea henryi* Hemsl.
 1004. " *latifolia* Borkh.
 1005. " *tomentosa* L.
 1006. " *vanhouttei* Zab.
 1007. *Stachys betonica* Benth.
 1008. " *columnae* All.
 1009. " *densiflora* Benth.
 1010. " *grandiflora* Benth.
 1011. " *nivea* Benth.
 1012. *Staphylea trifolia* L.
 1013. *Statice filicaulis* Boiss.
 1014. " *tatarica* L.
 1015. *Steironema heterophyllum* Raf.
 1016. *Stipa capillata* L.
 1017. *Stranvaesia davidiana* Decne.
 1018. " *davidiana* Decne.
 var. *salicifolia*
 Rehd.
 1019. " *davidiana* Decne.
 var. *undulata*
 Rehd. et Wils.
 1020. *Styrax wilsonii* Rehd.
 1021. *Succisa inflexa* G. Beck.
 1022. *Symphoricarpuus albus* Blake.
 1023. *Symphyandra pendula* A. D. C.
 1024. " *wanneri* Heuff.
 1025. *Syringa komarovii* Schn.
 1026. " *velutina* Komar.
 1027. " *villosa* Vahl.
 1028. *Tagetes lucida* Cav.
 1029. *Tellima grandiflora* R. Br.
 1030. *Tetragonia crystallina* l'Hér.
 1031. " *echinata* Ait.
 1032. *Thalictrum angustifolium* L.
 1033. " *calabricum* Spreng.
 1034. " *fendleri* Engelm.
1035. *Thalictrum glaucum* Desf.
 1036. " *minus* L.
 1037. " *petaloideum* L.
 1038. " *rhynchocarpum* D. C.
 1039. " *simplex* L.
 1040. *Thermopsis macrophylla* Hook.
 et Arn.
 1041. " *montana* Nutt.
 1042. *Tiarella cordifolia* L.
 1043. *Tolpis barbata* Gaertn.
 1044. *Tragopogon floccosus* Waldst.
 et Kit.
 1045. *Tragus racemosus* Scop.
 1046. *Trifolium fragiferum* L.
 1047. " *incarnatum* L.
 1048. " *pannonicum* L.
 1049. " *rubens* L.
 1050. " *squarrosum* L.
 1051. *Trigonella cretica* Boiss.
 1052. " *foenum-graecum* L.
 1053. *Trinia glauca* Dum.
 1054. *Triticum monococcum* L.
 1055. *Urospermum picroides*
 F.W. Schmidt.
 1056. *Ursinia anethoides* N. E. Br.
 1057. " *calenduliflora* Benth.
 et Hook.
 1058. " *pulchra* N. E. Br.
 1059. *Valerianella congesta* Lindl.
 1060. " *discoidea* Loisel.
 1061. " *eriocarpa* Desv.
 1062. " *rimosa* Bast.
 1063. *Verbascum gnaphalodes* Bieb.
 1064. " *nigrum* L.
 1065. " *phlomoides* L.
 1066. " *pulverulentum* Vill.
 1067. " *wiedmannianum* Fisch.
 et Mey.
 1068. *Verbena bonariensis* L.
 1069. " *canadensis* Brit.
 1070. " *officinalis* L.
 1071. " *prostrata* R. Br.
 1072. *Venidium decurrens* Less.
 1073. *Veronica andersonii* Hort.
 1074. " *fruticulosa* L.
 1075. " *gentianoides* Vahl.
 1076. " *grandis* Fisch.
 1077. " *incana* L.
 1078. " *longifolia* L.

- | | | | |
|-------|---|-------|--|
| 1079. | <i>Veronica nummularia</i> Gouan. | 1094. | <i>Vincetoxicum medium</i> Decne. |
| 1080. | ,, <i>orchidea</i> Crantz. | 1095. | ,, <i>nigrum</i> Moench. |
| 1081. | ,, <i>spuria</i> L. | 1096. | <i>Viscum album</i> L. |
| 1082. | ,, <i>teucrium</i> L. | 1097. | <i>Vitis amurensis</i> Rupr. |
| 1083. | ,, <i>vernicosa</i> Hook. f. | 1098. | ,, <i>quadrangularis</i> Wall. |
| 1084. | ,, <i>virginica</i> L. | 1099. | ,, <i>vinifera</i> L. |
| 1085. | <i>Viburnum burejaeticum</i> Reg.
et Herd. | 1100. | <i>Xanthium cylindricum</i> Millsp.
et Scherff. |
| 1086. | ,, <i>macrocephalum</i> Fort. | 1101. | ,, <i>spinosum</i> L. |
| 1087. | ,, <i>orientale</i> Pall. | 1102. | <i>Xeranthemum inapertum</i> Mill. |
| 1088. | ,, <i>trilobum</i> Marsh. | | |
| 1089. | <i>Vicia amphicarpa</i> Dorthes. | 1103. | <i>Zea mays</i> L. var. <i>rubra</i> . |
| 1090. | ,, <i>gerardi</i> Vill. | 1104. | <i>Zenobia pulverulenta</i> Poll. |
| 1091. | ,, <i>lutea</i> L. | 1105. | <i>Zinnia pauciflora</i> L. |
| 1092. | <i>Vincetoxicum fuscatum</i> Rchb. f. | | |
| 1093. | ,, <i>luteum</i> Hoff.
et Link. | | |
