



Zaadlijst van den Botanischen Tuin Cantonspark te Baarn (Nederland), Rijksuniversiteit te Utrecht

<https://hdl.handle.net/1874/433823>

ZAADLIJST VAN DE BOTANISCHE TUIN

" CANTONSPARK "

VAN DE

RIJKSUNIVERSITEIT UTRECHT

SEED LIST OF THE BOTANICAL GARDEN

" CANTONSPARK "

OF THE

STATE UNIVERSITY OF UTRECHT

(NETHERLANDS)

No. : 20

1951

UNIVERSITEITSBIBLIOTHEEK UTRECHT



4160 2495

BOTANICAL GARDEN "CANTONSPARK"

OF THE STATE UNIVERSITY

OF UTRECHT

Netherlands

Director : Prof. Dr J. Lanjouw

Curator : H. Muyser

Botanical Assistant: E.A. Mennega

The Botanical Garden 'Cantonspark' is situated at Baarn, a village at 20 km. North West of Utrecht. It is under the same direction as the Botanical Museum and Herbarium of the Utrecht University. It is a separate Institute. The old Botanical Garden of the University is still under the direction of the Botanical Laboratory and issues its own seedlist.

The seeds from this list are available for exchange with Botanical Gardens.

Please return this list with the numbers you wish to receive duly marked not later than *March 1st, 1952* to:

The Director of the Botanical Garden
"Cantonspark"

Postal address : Botanisch Museum en Herbarium
Lange Nieuwstraat 106
Utrecht - Netherlands.

1. *Abies concolor* (Gord.) Engelm.
 2. *Acacia farnesiana* Willd.
 3. *Acaena glaucocephala* Bitter
 4. "*laevigata* Ait.
 5. "*pinnatifida* Ruiz et Pav.
 6. *Acanthopanax divaricatus* (Sieb. et Zucc.) Seem.
 7. "*henryi* (Oliv.) Harms
 8. "*lasiogyne* Harms
 9. *Acer X duckii* Pax
 10. "*heldreichii* Orph.
 11. "*japonicum* Thunb.
 12. "*japonicum* Thunb. var.
 "*aconitifolium* Meeh.
 13.* "*palmatum* (Thunb.) Rehd.
 ' *Hazeroino'*
 14. "*palmatum* (Thunb.) Rehd.
 var. *dissectum* (Thunb.) Maxim.
 15. "*pseudoplatanus* L. var.
 "*purpureum* Loud.
 16. "*trautvetteri* Medwed.
 17. *Achillea grandiflora* Bieb.
 18. "*ptarmica* L.
 19.* *Achimenes hybr.* 'Little Beauty'
 20. "*longiflora* DC.
 21. *Aconitum napellus* L. var.
 "*lobelianum* Rchb.
 22. "*vulparia* Rchb.
 23. *Actinomeris alternifolia* DC.
 24. *Adenophora bulleyana* Diels
 25. "*confusa* Nannf.
 26. "*liliifolia* Ledeb.
 27. "*polymorpha* Ledeb.
 28. *Adiantum caudatum* L.
 29. "*cuneatum* Langsd. et Fisch.
 30. "*cuneatum* Langsd. et Fisch. var. *gracililimum* Baker
 31. "*fulvum* Raoul
 32. "*hispidulum* Swartz
 33. "*pacottii* Hort.
 34. "*tenerum* Swartz
 35. "*wagneri* Mett.
 36. *Adlumia fungosa* Greene
 37. *Aeonium arboreum* (L.) Webb. et Berth. var. *atropurpureum* Hort.
38. *Aeonium decorum* Webb. et Berth.
 39. "*haworthii* Webb. et Berth.
 40. "*lindleyi* Webb. et Berth.
 41. "*tortuosum* Berger
 42. *Aesculus hippocastanum* L.
 43. "*X hybrida* DC.
 44. "*pavia* L.
 45. *Aglaonema commutatum* Schott
 46. *Agrimonia eupatoria* L.
 47. "*eupatoria* L. var.
 "*dahurica* Willd.
 48. "*odorata* Mill.
 49. *Agropyron caninum* (L.) Beauv.
 50. "*cristatum* Beauv.
 51. "*villosum* Link
 52. *Agrostis alba* L.
 53. *Aichryson dichotomum* Webb. et Berth.
 54. "*domesticum* Praeger
 55. *Alisma plantago-aquatica* L.
 56. *Alkanna tinctoria* Tausch
 57. *Allium angulosum* L.
 58. "*canadense* L.
 59. "*carinatum* L.
 60. "*cyrilli* Ten.
 61. "*heldreichii* Boiss.
 62. "*libani* Boiss.
 63. "*moly* L.
 64. "*odorum* L.
 65. "*oleraceum* L.
 66. "*schoenoprasum* L. var.
 "*sibiricum* Garcke
 67. "*victorialis* L.
 68. *Alnus X spaethii* Call.
 69. "*subcordata* C.A. Mey.
 70. *Alonsoa acutifolia* Ruiz et Pav.
 71. "*incisifolia* Ruiz et Pav.
 72. "*linearis* (Jacq.) Ruiz et Pav.
 73. *Althaea armeniaca* Ten.
 74. "*cannabina* L.
 75. "*ficifolia* Cav.
 76. "*heldreichii* Boiss.
 77. "*officinalis* L.
 78. "*sulphurea* Boiss. et Hohen.
 79. *Alyssum alyssoides* L.
 80. "*argenteum* Vitm.
 81. "*gemonense* L.
 82. "*montanum* L.

83. *Alyssum rostratum* Stev.
 84. " *saxatile* L.
 85. " *sinuatum* L.
 86. *Amaranthus albus* L.
 87. " *blitum* L.
 88. " *caudatus* L.
 89. " *flavum* L.
 90. " *hypochondriacus* L.
 91. " *polygamus* L.
 92. " *retroflexus* L.
 93. " *silvestris* Desf.
 94. *Amelanchier asiatica* (Sieb. et Zucc.) Endl.
 95. " *laevis* Wieg.
 96. " *X spicata* (Lam.) K. Koch
 97. *Amianthium muscaetoxicum* A. Gray
 98. *Ampelopsis megalophylla* Diels et Gilg
 99. *Amsonia tabernaemontana* Walt.
 100. *Anagallis linifolia* L.
 101. *Anaphalis yedoensis* Maxim.
 102. *Anchusa ochroleuca* Bieb.
 103. *Andromeda polifolia* L.
 104. *Andropogon ischaemum* L.
 105. *Androsace elongata* L.
 106. " *macrantha* Boiss. et Huet
 107. " *primuloides* Duby
 108. " *septentrionalis* L.
 109. *Aneimia phyllitidis* Swartz
 110. *Anemarrhena asphodeloides* Bunge
 111. *Anemone canadensis* L.
 112. " *halleri* Hall.
 113. " *pulsatilla* L.
 114. *Anoda cristata* Schldl.
 115. " *dilleniana* Cav.
 116. " *wrightii* A. Gray
 117. *Antennaria howellii* Greene
 118. " *oxyphylla* Greene
 119. *Anthoxanthum odoratum* L.
 120. *Anthurium bakeri* Hook. f.
 121. *Anthirrhinum majus* L.
 122. *Anychia dichotoma* Michx.
 123. *Aptenia cordifolia* (L.) Schwantes
 124. *Aquilegia bertolonii* Schott
 125. " *caerulea* James
 126. " *chrysantha* A. Gray
 127. " *flabellata* Sieb. et Zucc.
 128. *Aquilegia formosa* Fisch. var. *truncata* Bak.
 129. " *fragrans* Benth.
 130. " *glandulosa* Fisch.
 131. " *haylodgensis* Veitch. var. *heleneae* B. et R.
 132. " *oxysepala* Trautv. et Mey.
 133. " *sibirica* Lam.
 134. " *suaveolens* P. Bruhl
 135. *Arabis alpina* L.
 136. " *muralis* Bertol.
 137. " *procurrens* Waldst. et Kit.
 138. " *sicula* Huet
 139. " *soyeri* Reut. et Huet
 140. " *turrita* L.
 141. " *vochinensis* Spreng.
 142. *Aralia cordata* Thunb.
 143. " *racemosa* L.
 144. *Arctium lappa* L.
 145. *Arctotis stoechadifolia* Berger
 146. *Arenaria graminifolia* Schrad.
 147. " *sajanensis* Willd. ex Schlecht.
 148. " *tetraqueta* L.
 149. *Argemone platyceras* Link et Otto
 150. *Armeria longearistata* Boiss. et Reut.
 151. " *plantaginea* (All.) Willd.
 152. " *sardoa* Spreng.
 153. *Arnica montana* L.
 154. *Aronia arbutifolia* (L.) Elliott f. *leiocalyx* Rehd.
 155. " *melanocarpa* (Michx.) Elliott
 156. *Arrhenatherum avenaceum* Beauv.
 157. *Arthropodium cirratum* R. Br.
 158. *Asarum europaeum* L.
 159. *Asclepias tuberosa* L.
 160. *Ascyrium hypericoides* L.
 161. *Asparagus sprengeri* Regel
 162. *Asperella hystrix* Humb.
 163. *Asperula galioides* Bieb.
 164. " *humifusa* Bess.
 165. " *orientalis* Boiss. et Hohen.
 166. " *tinctoria* L.

167. *Aster amellus* L.
 168. " *himalaicus* C.B. Clarke
 169. " *purdomii* Hutchins.
 170. " *subcaeruleus* Moore
 171. " *vilmorini* Franch.
 172. *Asterolinon stellatum* Hoffmagg.
 et Link
 173. *Astragalus cicer* L.
 174. " *excapus* L.
 175. " *falcatus* Lam.
 176. " *gummifer* Labill.
 177. " *glyciphyllus* L.
 178. " *onobrychis* L.
 179. " *sikkimensis* Benth.
 180. " *vesicarius* L.
 181. *Atriplex nitens* Schkuhr
 182. *Atropa belladonna* L.
 183. *Aucuba japonica* Thunb. var.
 variegata d'Ombr.
 184. *Avena adsurgens* Schur.
 185. " *montana* Vill.
 186. " *plani culmis* Schrad.
 187. " *pubescens* Huds.
 188. *Ballota acuta* Brig. var. mace-
 donica Hayek
 189. " *alba* L.
 190. " *nigra* L.
 191. *Baptisia australis* R. Br.
 192. " *leucophaea* Nutt.
 193. " *tinctoria* R. Br.
 194. *Barbarea orthoceras* Ledeb.
 195. " *verna* (Mill.) Asch.
 196. " *vulgaris* R. Br.
 197. *Beckmannia erucaeformis* Host
 198. *Begonia alleryi* Hort.
 199. " *foliosa* H.B.K.
 200. " *nelumbifolia* Cham. et
 Schlecht.
 201. " *phyllomaniaca* Mart.
 202. " *schmidtiana* Regel
 203. " *vitifolia* Schott
 204. *Belamcanda chinensis* DC.
 205. *Berberis aggregata* Schneid.
 206. " *arido-calida* Ahrendt
 207. " *consimilis* Schneid.
 208. " *crataegina* DC.
 209. " *edgeworthiana* Schneid.
 210. " *empetrifolia* Lam.
211. *Berberis gilgiana* Fedde
 212. " *X rubrostilla* Chitt.
 213. " *X stenophylla* Lindl.
 214. " *thunbergii* DC. f. ar-
 genteo-marginata
 Schneid.
 215. " *vulgaris* L.
 216. " *wallichiana* DC.
 217. " *wilsonae* Hemsl. et
 Wils.
 218. " *wilsonae* Hemsl. et
 Wils. var. *subcau-*
 liata Schneid.
 219. *Bergeranthus multiceps* (S.-D.)
 Schwantes
 220. " *scapigerum* (Haw.)
 Schwantes
 221. " *vespertinus* (Ber-
 ger) Schwantes
 222. *Berteroa incana* DC.
 223. *Bertolonia leuzeana* DC.
 224. " *pubescens* Hort.
 225. *Betonica officinalis* L.
 226. *Betula humilis* Schrank
 227. " *jacquemontiana* Spach
 228. " *lutea* Michx.
 229. " *papyrifera* Marsh
 230. " *pendula* Roth var.
 youngii (Th. Moore)
 Schneid.
 231. " *pubescens* Ehrh.
 232. *Blechnum brasiliense* Desv.
 233. " *occidentale* L.
 234. *Borago laxiflora* DC.
 235. *Bouteloua racemosa* A. Rich.
 236. *Brachypodium pinnatum* Beauv.
 237. " *silvaticum* (Huds.)
 Beauv.
 238. *Bromus arduennensis* Dum.
 239. " *matritensis* L.
 240. " *mollis* L.
 241. " *squarrosum* L.
 242. *Bryonia alba* L.
 243. " *dioica* L.
 244. *Bryophyllum tubiflorum* Harv.
 245. *Buddleia albiflora* Hemsl.
 246. * " *davidii* Franch.
 ? Dubonnet?
 247. * " *davidii* Franch.
 ' Royal Red '

- 7
- | | | | | | |
|-------|--------------------|---|------|----------------------|---------------------------------------|
| 248. | Buddleia forrestii | Diels | 286. | Campanula multiflora | Waldst.
et Kit. |
| 249. | " | stenostachya | 287. | Campanula patula | L. |
| | | Rehd.
et Wils. | 288. | " | peregrina L. |
| 250. | Bunias | orientalis L. | 289. | " | phyctidocalyx Boiss.
et Noé |
| 251. | Calandrinia | compressa Schrad. | 290. | " | poscharskyana Degen. |
| 252. | " | discolor Schrad. | 291. | " | raddeana Trautv. |
| 253. | " | procumbens Moris. | 292. | " | rapunculoides L. |
| 254. | " | umbellata DC. | 293. | " | rapunculus L. |
| 255. | Calendula | maroccana Ball. | 294. | " | rotundifolia L. |
| 256. | " | stellata Cav. | 295. | " | rotundifolia L. var.
alaskana Gray |
| 257. | " | suffruticosa Vahl | 296. | " | sarmatica Ker-Gawl. |
| 258. | Callicarpa | americana L. | 297. | " | scheuchzeri Vill. |
| 259. | " | bodinieri Lévl. var.
giraldii (Rehd.)
Rehd. | 298. | " | speciosa Pourr. |
| 260. | " | dichotoma (Lour.)
K. Koch | 299. | " | thyrsoides L. |
| 261. | " | japonica Thunb. | 300. | " | tomentosa Vent. |
| 262. | " | japonica Thunb. var.
angustata Rehd. | 301. | Canna | limbata Rosc. |
| 263. | " | mollis Sieb. et Zucc. | 302. | Caragana | arborescens Lam. |
| 264. | Callipeltis | cucullaria Stev. | 303. | " | aurantiaca Koehne |
| 265. | Calophaca | wolgarica Fisch. | 304. | " | boisii Schneid. |
| 266. | Camassia | fraseri Torr. | 305. | " | densa Komar. |
| 267. | Campanula | abietina Griseb. et
Schenk | 306. | " | frutex (L.) K. Koch |
| 268. | " | alliariaefolia Willd. | 307. | " | microphylla Lam. |
| 269. | " | barbata L. | 308. | " | pygmaea DC. |
| 270. | " | bononiensis L. | 309. | " | sophoraeefolia Tausch |
| 271. | " | carpatica Jacq. | 310. | " | tragacanthoides (Pall.)
Poir. |
| 272. | " | carpatica Jacq. var.
pallida Hort. | 311. | Carduus | defloratus L. |
| 273.* | " | carpatica Jacq.
' Riverslea Gem ' | 312. | " | personata Jacq. |
| 274. | " | carpatica Jacq. var.
turbinata Hort. | 313. | Carex | lagopina Wahlenb. |
| 275. | " | cochlearifolia Lam. | 314. | " | leporina L. |
| 276. | " | cristallocalyx Adam. | 315. | " | muricata L. |
| 277. | " | grossekii Heuff | 316. | " | pallescens L. |
| 278. | " | kladniana Witasek | 317. | " | pendula Huds. |
| 279. | " | kolenatiana C.A. Mey. | 318. | " | sparganioides Muhl. |
| 280. | " | latifolia L. | 319. | Carlina | acaulis L. |
| 281. | " | latifolia L. var.
eriocarpa DC. | 320. | Carpanthea | pomeridiana (L.)
N.E. Br. |
| 282. | " | latiloba DC. | 321. | Carya | cordiformis (Wangh.)
K. Koch |
| 283. | " | leutweinii Heldr. | 323. | Celastrus | orbiculata Thunb. |
| 284. | " | linifolia Scop. | 324. | " | rosthorniana Loes. |
| 285. | " | loeflingii Brot. | 325. | " | scandens L. |

330. *Centaurea phrygia* L.
 331. *Centranthus calcitrappa* Dufr.
 332. " *macrosiphon* Boiss.
 333. " *ruber* DC.
 334. *Cephalaria alpina* Schrad.
 335. " *ambrosioides* Roem.
 et Schult.
 336. " *joppensis* Coult.
 337. " *leucantha* Schrad.
 338. *Cerastium arvense* L.
 339. " *purpurascens* Adams
 340. " *tomentosum* L.
 341. *Cercis siliquastrum* L.
 342. *Cerinthe alpina* Kit.
 343. " *major* L.
 344. *Chaenomeles japonica* (Thunb.)
 Lindl.
 345. " *japonica* (Thunb.)
 Lindl. var. *cardinalis* Carr.
 346. *Chamaedaphne calyculata* (L.)
 Moench
 347. *Charieis heterophylla* Cass.
 348. *Cheiranthus alpinus* L.
 349. *Chelidonium franchettianum*
 Prain
 350. " *majus* L.
 351. *Chelona glabra* L.
 352. *Chenopodium bonus-henricus* L.
 353. " *capitatum* Aschers.
 354. " *polyspermum* L.
 355. *Chloris distichophylla* Lag.
 356. *Chlorophytum amaniense* Engl.
 357. " *hoffmannii* Engl.
 358. *Chrysanthemum segetum* L.
 359. *Chrysopogon gryllioides* Trin.
 360. *Chrysosplenium alternifolium* L.
 361. *Cibotium guatemalense* Rchb.
 362. *Cistus clusii* Dum.
 363. " *monspeliensis* L.
 364. " *populifolius* L.
 365. " *X purpureus* Lam.
 366. " *salvifolius* L.
 367. " *vaginatus* Ait.
 368. " *villosus* L.
 369. *Clarkia elegans* Dougl.
 370. " *pulchella* Pursh
 371. *Clematis virginiana* L.
 372. " *vitalba* L.
 373. *Cleome trachysperma* (Torr. et
 Gray) Pax et K. Hoffm.
 374. *Clerodendrum fallax* Lindl.
 375. " *trichotomum* Thunb.
 376. " *trichotomum* Thunb.
 var. *fargesii*
 (Dode) Rehd.
 377. *Clivia miniata* Regel
 378. *Cnicus heterophyllus* Roth.
 379. *Cocculus trilobus* (Thunb.) DC.
 380. *Coix lacryma-jobi* L.
 381. *Collinsia bicolor* Benth.
 382. *Collomia grandiflora* Dougl.
 383. " *grandiflora* Dougl.
 var. *europaea* Fourn.
 384. *Coluria potentilloides* R. Br.
 385. *Colutea arborescens* L.
 386. " *X media* Willd.
 387. *Commelina coelestis* Willd.
 388. " *communis* L.
 389. " *tuberosa* L.
 390. *Conicosia pugioniformis* (L.)
 N.E. Br.
 391. *Convolvulus pentapetaloides* L.
 392. * " *tricolor* L. hybr.
 393. *Coreopsis auriculata* L.
 394. " *maritima* Hook.
 395. " *stillmannii* (Gray)
 Blake
 396. * " *stillmannii* (Gray)
 Blake ' Golden
 Rosette
 397. " *tinctoria* Nutt. var.
 nana Vilm.
 398. *Coriaria japonica* Gray
 399. " *myrtifolia* L.
 400. " *terminalis* Hemsl.
 var. *xanthocarpa*
 Rehd. et Wils.
 401. *Cornus alba* L.
 402. " *alba* L. var. *argenteo-*
 marginata Rehd.
 403. " *baileyi* Coult. et Evans
 404. *Coronaria flos-jovis* (L.) A. Br.
 405. " *tomentosa* A. Br.
 406. *Coronilla varia* L.
 407. *Corpuscularia lehmannii* (Eckl.
 et Zeyh.) Schwan-
 tes
 408. *Corydalis vaginans* Royle

409. *Corylus avellana* L. var. *heterophylla* Loud.
410. *Cosmos bipinnatus* Cav.
411. *Cotoneaster acutifolia* Turcz.
412. " *apiculata* Rehd. et Wils.
413. " *horizontalis* Decne.
414. " *integerima* Medwed.
415. " *lucida* Schlecht.
416. " *multiflora* Bge.
417. " *nitens* Rehd. et Wils.
418. " *racemiflora* (Desf.) K. Koch
419. " *racemiflora* (Desf.) K. Koch var. *nummularia* Dipp.
420. " *simonsii* Bak
421. " *watereri* Exell
422. *Crassula argentea* Thunb.
423. " *arborescens* Willd.
424. " *ericoides* Haw.
425. " *lactea* Ait.
426. " *lycopodioides* Lam.
427. " *pseudolycopodioides* Dinter et Schinz
428. " *socialis* Schonland
429. *†Crataegomespilus dardari* Jouin var. *asnieresii* (Schneid.) Rehd.
430. *Crataegus harbisonii* Beadle
431. " *X lavallei* Herincq
432. " *mollis* Scheele
433. " *oxyacantha* L. var. *pauli* Rehd.
434. " *oxyacantha* L. var. *roseo-plena* Boom
435. " *pubescens* (H.B.K.) Steud. f. *stipulacea* (Loud.) Stapf
436. " *wilsonii* Sarg
437. *Crepis aurea* Rchb.
438. " *foetida* L.
439. " *setosa* Hall. f.
440. *Crossandra nilotica* Oliv.
441. *Cryptotaenia canadensis* DC.
442. *Cuminum cyminum* L.
443. *Cuphea lanceolata* Ait.
444. *Cuscuta racemosa* Mart.
445. *Cyclanthera explodens* Naud.
446. *Cydonia oblonga* Mill.
447. *Cynoglossum amabile* Stapf et Drummond
448. " *officinale* L.
449. " *pictum* Soland.
450. *Cyperus esculentus* L.
451. *Cyrtomium falcatum* (L.f.) Pr.
452. *Cytisus albus* Hacq.
453. " *ciliatus* Wahl var. *grisebachii* Briq.
454. " *hirsutus* L.
455. " *purpureus* Scop.
456. " *ratisbonensis* Schaeff.
457. " *supinus* L.
458. *Dactylis glomerata* L.
459. *Dahlia merckii* Lehm.
460. *Danae racemosa* (L.) Moench
461. *Daphne mezereum* L.
462. *Datura bernhardii* Lundström
463. " *fastuosa* L.
464. " *stramonium* L.
465. *Decaisnea fargesii* Franch.
466. *Delosperma aberdeenense* L. Bolus
467. " *echinatum* (Lam.) Schwantes
468. " *herbeum* N.E. Br.
469. *Delphinium bicolor* Nutt.
470. " *brunonianum* Royle
471. " *cashmerianum* Royle
472. " *consolida* L.
473. " *elatum* L.
474. " *grandiflorum* L.
475. " *palmatum* Radde
476. " *przewalskii* Huth
477. " *pylzowi* Maxim.
478. " *tatsienense* Franch.
479. " *yunnanense* Franch.
480. *Dennstaedtia cicutaria* Kuhn
481. *Deschampsia alpina* Roem. et Schult.
482. " *caespitosa* Beauv.
483. " *flexuosa* Trin.
484. *Desmodium canadense* DC.
485. *Deutzia longifolia* Franch.
486. " *scabra* Thunb.
487. " *scabrá* Thunb. var. *plena* (Maxim.) Rehd.

488. *Deutzia scabra* Thunb. var.
 watereri (Lemoine)
 Rehd.
489. „ *X wilsonii* Duthie
490. *Dianthus anatolicus* Boiss.
arenarius L.
491. „ *callizonus* Schott. et
 Kotschy
492. „ *calocephalus* Boiss.
caryophyllus L.
493. „ *chinensis* L. var.
 asper Koch
494. „ *giganteiformis* Borb.
hoppei Portenschl.
495. „ *liboschitzianus* Ser.
neglectus Loisel.
496. „ *noeanus* Boiss.
petraeus Waldst. et
 Kit.
497. „ *plumarius* L.
pungens L.
498. „ *serotinus* Waldst. et
 Kit.
499. „ *silvestris* Wulf.
superbus L.
500. „ *trifasciculatus* Kit.
virgineus L.
501. „ *viscidus* Bory et Chaub.
 var. *grisebachii*
 Boiss.
502. „ *zonatus* Fenzl
503. *Dictamnus albus* L.
504. „ *albus* L. var. *rubra*
 Hort.
505. *Dicyrta warszewicziana* Regel
506. *Digitalis amandiana* Sampaio
507. „ *ambigua* Murr.
508. „ *eriostachya* Bess.
509. „ *ferruginea* L.
fontanesii Steud.
510. „ *X fulva* Lindl.
lanata Ehrh.
511. „ *lutea* L.
512. „ *mariana* Boiss.
X mertonensis Buxton
 et Darlington
513. „ *nervosa* Steud. et
 Hochst.
514. „ *purpurea* L.
526. *Digitalis viridiflora* Lindl.
527. *Dimorphoteca sinuata* DC.
528. *Dionaea muscipula* Ellis
529. *Dioscorea batatas* Decne.
530. *Doodia caudata* (Cav.) R.Br. var.
 lamarina F.v.Muell.
531. *Dorotheanthus bellidiformis* (L.f.)
 N.E. Br.
532. *Dorstenia contrajerva* L.
533. *Dorycnium herbaceum* Vill.
534. „ *suffruticosum* Vill.
 var. *sericeum*
 (Neilr.) Beck
535. *Doryopteris pedata* (L.) Fee
 var. *multipartita* (Fee)
 Tryon
536. *Draba aizoides* L.
537. „ *loiseleurii* Boiss.
538. „ *longirostrata* Schott,
 Nyman et Kotschy
539. „ *sauteri* Hoppe
540. *Dracaena godseffiana* Hort.
541. *Dracocephalum nutans* L. var.
 alpina Hort.
542. *Drosoanthemum obliquum* (Haw.)
 Schwantes
543. *Drosera capensis* L.
544. „ *spathulata* Labill.
545. *Dryas X suendermannii* Suenderm.
546. *Eccremocarpus scaber* Ruiz et Pav.
547. *Echeveria agavoidea* Lem.
548. „ *perelegans* Berger
549. „ *purpusorum* Berger
550. *Echinops dahuricus* Schrad.
551. „ *exaltatus* Schrad.
552. „ *humilis* Bieb.
553. „ *ritro* L.
554. „ *sphaerocephalus* L.
555. *Echium rosulatum* Lange
556. „ *tuberculatum* Hoffm. et
 Link
557. „ *vulgare* L.
558. *Edraianthus dalmaticus* A. DC.
559. „ *kitaibelii* A. DC.
560. *Elaeagnus angustifolia* L.
561. „ *umbellata* Thunb.
562. *Elymus arenarius* L.
563. „ *giganteus* Vahl

564. *Emilia flanmea* Cass.
 565. *Epilobium dodonaei* Vill.
 566. " *parviflorum* Schreb.
 567. *Erepsia haworthii* (Donn)
 Schwantes
 568. " *includens* (Haw.)
 Schwantes
 569. *Erigeron brandegei* A. Gray
 570. " *glabellus* Nutt.
 571. " *speciosus* DC.
 572. *Erinus alpinus* L. var. *hirsutus* Gren. et Godr.
 573. *Erodium amandum* Boiss. et Kotschy
 574. *Eryngium planum* L.
 575. *Erysimum heliticum* (Jacq.) DC.
 576. " *hieracifolium* L.
 577. " *linifolium* J. Gay
 578. *Erythrina crista-galli* L.
 579. *Eschscholtzia caespitosa* Benth.
 580. " *californica* Cham.
 581. " *lobbii* Greene
 582. " *maritima* Greene
 583. *Eucharidium breweri* A. Gray
 584. " *grandiflorum* Fisch.
 et Mey.
 585. *Euonymus alata* (Thunb.) Sieb.
 586. " *americanum* L. var.
 angustifolia (Pursh)
 Wood
 587. " *europaea* L.
 588. " *fortunei* (Turcz.)
 Hand.-Mazz. f. *carrierei* (Vauvel) Rehd.
 589. " *fortunei* (Turcz.)
 Hand.-Mazz. var.
 radicans (Miq.) Rehd.
 590. " *fortunei* (Turcz.)
 Hand.-Mazz. var.
 vegata (Rehd.) Rehd.
 591. " *latifolia* Scop.
 592. " *nana* Bieb.
 593. " *sachalinensis* (Fr.
 Schmidt) Maxim.
 594. *Eupatorium aromaticum* L.
 595. " *glandulosum* H.B.K.
 596. " *glechonophyllum* Less.
 597. " *odoratum* L.
 598. *Euphorbia bupleurina* Boiss.
 599. " *burmanni* E. Mey.
600. *Euphorbia chamaesyce* L.
 601. " *dulcis* L.
 602. " *grandidens* Haw.
 603. " *lathyris* L.
 604. " *mauritanica* L.
 605. " *pendula* Link
 606. " *ramipressa* Croiz.
 607. " *splendens* Bojer ex
 Hook.
 608. " *tirucalli* L.
 609. " *verrucosa* Lam.
 610. *Exochorda macrantha* Schneid.
 611. *Fagopyrum esculentum* Moench
 612. *Fagus silvatica* L.
 613. *Felicia tenella* DC.
 614. *Ferula tingitana* L.
 615. *Festuca bromoides* L.
 616. " *ciliata* Pers.
 617. " *ovina* L.
 618. " *pratensis* Huds.
 619. " *psammophila* Fritsch
 620. " *rubra* L.
 621. *Ficus pumila* L. var. *variegata* Hort.
 622. *Filipendula hexapetala* Gilib.
 623. *Galega officinalis* L. var.
 hartlandii Hort.
 624. " *orientalis* Lam.
 625. *Galium aparine* L.
 626. " *boreale* L.
 627. " *purpureum* L.
 628. " *rubioides* L.
 629. *Galtonia candicans* Decne.
 630. *Gasteria angulata* Haw.
 631. " *croucheri* Baker
 632. " *trigona* Haw.
 633. " *verrucosa* Haw. var.
 scaberrima Baker
 634. *Gaultheria miquelianiana* Takeda
 635. " *shallon* Pursh
 636. **Gazania splendens* Hend. hybr.
 637. *Genista sagittalis* L.
 638. " *tinctoria* L.
 639. " *tinctoria* L. var. *virgata* Koch
 640. *Gentiana burseri* Lap.

641. *Gentiana crassicaulis* Gilg.
 642. " *crinita* Froel.
 643. " *cruciata* L.
 644. " *dendrologei* Marquand
 645. " *fetisowi* Regel et Winkler
 646. " *kurroo* Royle
 647. " *linearis* Froel.
 648. " *ochroleuca* Froel.
 649. " *pannonica* Scop.
 650. " *parryi* Engelm.
 651. " *phlogifolia* Schott. et Kotschy
 652. " *pterocalyx* Franch.
 653. " *septemfida* Pall. var. *lagodechiana* Kusn.
 654. " *siphonantha* Maxim.
 655. " *tianschanica* Rupr.
 656. " *tibetica* King ex Hook. f.
 657. " *tubulosa* Gilg
 658. " *walujewi* Regel et Schmalh.
 659. " *wutaiensis* Marquand
 660. *Geranium albiflorum* Ledeb.
 661. " *dahuricum* DC.
 662. " *eriostemum* Fisch.
 663. " *ibericum* Cav.
 664. " *nepalense* Sweet
 665. " *pratense* L.
 666. " *pylzwianum* Maxim.
 667. " *rectum* Trautv.
 668. " *robertianum* L.
 669. " *sanguineum* L.
 670. " *sibiricum* L.
 671. " *silvaticum* L.
 672. " *silvaticum* L. var. *albiflorum* Hort.
 673. " *tuberosum* L.
 674. " *tuberosum* L. var. *macrostylum* Boiss.
 675. " *wallichianum* D. Don
 676. " *wilfordi* Maxim.
 677. *Geum X borisii* Kellerer
 678. " *jankae* G. Beck
 679. " *X intermedium* Ehrh.
 680. " *parviflorum* Sm.
 681. " *rivale* L.
 682. *Gilia achilleaefolia* Benth.
683. *Gilia achilleaefolia* Benth.
 var. *alba* Hort.
 684. " *aggregata* Spreng.
 685. " *androsace* Steud.
 686. " *heterophylla* Dougl. ex Hook.
 687. " *laciiniata* Ruiz et Pav.
 688. " *micrantha* Steud.
 689. " *multicaulis* Benth.
 690. " *tricolor* Benth.
 691. " *valdiviensis* Griseb.
 692. *Globularia vulgaris* L.
 693. *Gloriosa superba* L.
 694. *Glottiphyllum propinquum* N.E. Br.
 695. " *semicylindricum*
(Haw.) N.E. Br.
 696. *Graphalium uliginosum* L.
 697. " *undulatum* L.
 698. *Graphephorum melicoideum* Desv.
 699. *Grindelia integrifolia* DC.
 700. *Gunnera chilensis* L.
 701. **Gynandropsis speciosa* (H.B.K.) DC. hybr.
 702. * " *speciosa* (H.B.K.) DC. Pink Queen
 703. *Gypsophila acutifolia* Fisch.
 704. " *altissima* L.
 705. *Haemanthus albiflos* Jacq.
 706. *Halenia elliptica* D. Don
 707. *Halesia carolina* L.
 708. *Hamamelis japonica* Sieb. et Zucc. var. *flavopurascens* Rehd.
 709. *Haworthia fasciata* Haw.
 710. " *retusa* Duval
 711. *Hebe speciosa* (R. Cunn.) Cockayne et Allan
 712. " *vernicosa* (Hook. f.) Cockayne et Allan
 713. *Hedera helix* L. var. *argenteo-variegata* Rehd.
 714. *Hedysarum japonicum* Basin.
 715. *Helianthella parryi* A. Gray
 716. " *quinquenervis* A. Gray
 717. *Helianthemum alpestre* (Jacq.) Dun.
 718. " *apenninum* (L.) Mill.

719. *Helianthemum hirtum* Mill.
 720. * " *hybr.* Ben Hope
 721. * " *hybr.* Golden Queen
 722. " *lavandulaefolium* Mill.
 723. " *ledifolium* Mill.
 724. " *nummularifolium* (L.) Mill.
 725. " *rubellum* Presl
 726. *Helianthus annuus* L. var. *pureus* Boom
 727. * " *annuus* L. 'Sunrise'
 728. *Heliopsis laevis* Pers.
 729. " *scabra* Dun.
 730. " *scabra* Dun. var. *patula* Hort.
 731. *Heliosperma alpestre* (Jacq.) Rchb.
 732. *Hemerocallis citrina* Baroni
 733. " *flava* L.
 734. " *X luteola* Hort.
 735. *Hemionitis arifolia* Moore
 736. *Hesperis matronalis* L.
 737. *Heuchera americana* L.
 738. " *cylindrica* Dougl.
 739. " *glabra* Willd.
 740. " *himalayensis* Decne.
 741. " *hispida* Pursh
 742. " *micrantha* Dougl.
 743. " *pubescens* Pursh
 744. " *rubescens* Torr.
 745. *Hieracium albidum* Vill.
 746. " *alpinum* L.
 747. " *bombycinum* Boiss. et Reut.
 748. " *canadense* Michx.
 749. " *humile* Jacq.
 750. " *murorum* L.
 751. " *pannosum* Boiss.
 752. " *staticifolium* Vill.
 753. *Hordeum distichum* L.
 754. " *murinum* L.
 755. *Horminum pyrenaicum* L.
 756. *Huernia keniensis* R.E. Fries
 757. " *macrocarpa* (A. Rich) Spreng. var. *schweinfurthii* (Berger) White et Sloane
 758. *Huernia schneideriana* Berger
 759. *Hypericum androsaemum* L.
 760. " *dyeri* Rehd.
 761. " *hircinum* L.
 762. " *hookerianum* Wight et Arn.
 763. " *orientale* L.
 764. " *pulchrum* L.
 765. " *repens* L.
 766. *Hypochoeris radicata* L.
 767. *Hyptis pectinata* Poit.
 768. *Hyssopus officinalis* L.
 769. * *Iberis amara* L. var. *coronaria* (D. Don) Voss 'Empress'
 770. " *jordani* Boiss.
 771. " *sempervirens* L.
 772. " *tenoreana* DC.
 773. *Ilex aquifolium* L. var. *poly-carpa* Hendr.
 774. " *crenata* Thunb.
 775. " *glabra* (L.) Gray
 776. " *serrata* Thunb.
 777. " *verticillata* (L.) Gray var. *tenuifolia* (Torr.) S.Wats.
 778. *Impatiens scabrida* DC.
 779. *Incarvillea delavayi* Bur. et Franch.
 780. *Inula helenium* L.
 781. *Ipomoea hederacea* Jacq.
 782. " *hispida* Parodi
 783. " *kentrocaulis* C.B. Clarke
 784. " *purpurea* (L.) Roth
 785. *Iris chrysographes* Dykes
 786. " *ensata* Thunb.
 787. " *pseudacorus* L.
 788. " *sibirica* L.
 789. " *thunbergii* Lundström
 790. " *versicolor* L.
 791. " *virginica* L.
 792. " *wilsonii* C.H. Wright
 793. *Isatis praecox* Kit.
 794. " *tinctoria* L.
 795. *Isoloma pictum* Regel
 796. *Isopyrum thalictroides* L.
 797. *Isotoma longiflora* (L.) Presl
 798. *Itea virginica* L.

799. *Jasione corymbosa* Poir.
 800. " *pyrenaica* Sennen
 801. *Jasminum humile* L. var. *gla-*
 brum (DC.) Kobuski
 802. *Juglans nigra* L.
 803. " *sieboldiana* Maxim.
 804. " *stenocarpa* Maxim.
 805. *Juncus gerardi* Loisel.
 806. " *triglumis* L.
 807. *Juniperus sabina* L.
 808. *Jurinea alata* (Desf.) Cass.
 809. *Kalanchoe laciniata* DC.
 810. *Kitaibelia vitifolia* S. Elliott
 811. *Kleinia articulata* Haw.
 813. " *repens* Haw.
 814. *Koeleria glauca* DC.
 815. " *setacea* DC.
 816. *Kolkwitzia amabilis* Graebn
 817. ♦*Laburnocytisus adami* (Poit.)
 Schneid.
 818. *Laburnum alpinum* Brecht. et
 Presl
 819. " *anagyroides* Med.
 820. " *anagyroides* Med. var.
 alschingeri (Vis.)
 Schneid.
 821. " *watereri* Dipp.
 822. *Lactuca alpina* Benth. et Hook. f.
 823. *Lampranthus blandus* (Haw.)
 Schwantes
 824. " *watermeyeri* (L. Bolus)
 N.E. Br.
 825. *Lapeyrouisia cruenta* (Lindl.)
 Benth.
 826. *Lathyrus angulatus* L.
 827. " *aphaca* L.
 828. " *articulatus* L.
 829. " *cicera* L.
 830. " *cirrhosus* Ser.
 831. " *clymenum* L.
 832. " *latifolius* L.
 833. " *maritimus* Bigel.
 834. " *niger* Bernh.
 835. " *nissolia* L.
 836. " *ochrus* (L.) DC.
 837. " *odoratus* L.
 838. " *silvestris* L.
839. *Lathyrus sphaericus* Retz
 840. " *tingitanus* L.
 841. *Lavatera olbia* L. var. *rosea*
 Ladhams
 842. " *thuringiaca* L.
 843. " *trimestris* L. var.
 albiflora G. Don
 844. " *trimestris* L. var.
 splendens W. Mill.
 845. *Layia calliglossa* A. Gray
 846. " *platyglossa* A. Gray
 847. *Leontopodium alpinum* Cass.
 848. *Leonurus cardiaca* L.
 849. *Lepachys pinnatifida* Rafin.
 850. *Lepismium cruciforme* (Vellozo)
 Miq.
 851. *Leptosyne maritima* A. Gray
 852. *Ligularia clivorum* Maxim.
 853. " *sibirica* Cass.
 854. " *veitchiana* Greenm.
 855. *Ligustrum acuminatum* Koehne
 856. " *obtusifolium* Sieb. et
 Zucc.
 857. " *ovalifolium* Hassk.
 858. " *vulgare* L.
 859. *Lilium davidii* Duch.
 860. " *henryi* Baker
 861. " *willmottiae* Wils.
 862. *Linanthus grandiflorus* (Benth.)
 Greene
 863. *Linaria cymbalaria* Mill.
 864. *Lindmannia penduliflora* (C.H.
 Wright) Stapf
 865. *Linum grandiflorum* Desf.
 866. " *lewisii* Pursh
 867. " *perenne* L.
 868. *Loasa triphylla* Juss.
 869. *Lobelia cliffortiana* L.
 870. *Lonicera alpigena* L.
 871. " *X bella* Zab.
 872. " *chrysantha* Turcz.
 873. " *deflexicalyx* Batal.
 874. " *korolkowii* Stapf
 875. " *maackii* Maxim.
 876. " *myrtillus* Hook. f. et
 Thoms.
 877. " *pileata* Oliv.
 878. " *ruprechtiana* Reg.
 879. " *syringantha* Maxim.

280. *Lonicera tatarica* L.
 281. " *tatarica* L. var. *par-*
 viflora (Hayne) Jaeg.
 282. " *xylosteoides* Tausch
 283. *Lotus tetragonolobus* L.
 284. *Lupinus barkeri* Lindl.
 285. " *douglasii* Agardh
 286. " *hartwegii* Lindl.
 287. " *hilarianus* Benth.
 288. " *perennis* L.
 289. *Luzula campestris* DC.
 290. " *campestris* DC. var.
 multiflora Asch. et Gr.
 291. " *nivea* DC.
 292. *Lychnis alba* Mill.
 293. " *alpina* L.
 294. " *dioica* L.
 295. " *viscaria* L.
 296. *Lycium chinense* Mill.
 297. " *halimifolium* Mill.
 298. *Lycopersicum esculentum* Mill.
 299. " *esculentum* Mill.
 var. *pyriforme*
 Hort.
 300. *Lygeum spartum* Loefl. ex L.
 301. *Lysichitum americanum* Hulten
 et St. John
 302. *Lysimachia decurrens* Forst.
 303. " *lichiangensis*
 Forst.
 304. " *lobelioides* Wall.
 305. " *punctata* L.
 306. " *punctata* L. var.
 verticillata
 Boiss.
 307. " *quadrifida* L.
 308. *Lythrum salicaria* L.

 309. *Maackia amurensis* Rupr.
 310. *Magnolia tripetala* L.
 311. " *virginiana* L. var.
 australis Sarg.
 312. *Mahonia aquifolium* (Pursh)
 Nutt.
 313. *Malope trifida* Cav.
 314. " *trifida* Cav. var.
 alba Hort.
 315. *Malus coronaria* (L.) Mill.
 316. " *coronaria* (L.) Mill.
 f. *charlottae* Rehd.
917. *Malus orthocarpa* Laval.
 918. " *prunifolia* (Willd.) Borkh.
 919. " *prunifolia* (Willd.) Borkh.
 var. *rinki* (Koidz.) Rehd.
 920. " *pumila* Mill. var. *nied-*
 zwetzkyana (Dieck)
 Schneid.
 921. " *sargentii* Rehd.
 922. " *sieboldii* (Reg.) Rehd.
 923. " *spectabilis* (Ait.) Borkh.
 var. *riversii* (Booth) Nash
 924. " *toringoides* (Rehd.) Hughes
 925. " *tschonoskii* (Maxim.)
 Schneid.
 926. " *zumi* (Mats.) Rehd. var.
 calocarpa (Rehd.) Rehd.
 927. *Malva alcea* L.
 928. *Mammillaria prolifera* Mill.
 929. *Marygicarpus setosus* Ruiz et
 Pav.
 930. *Marrubium peregrinum* L.
 931. *Melandrium album* (Mill.) Garcke
 932. " *zawadskyi* A. Br.
 933. *Melica uniflora* Retz.
 934. *Melittis melissophyllum* L.
 937. *Menispermum canadense* L.
 938. *Mertensia sibirica* (L.) G. Don
 939. *Mesembryanthemum amoenum* S.-D.
 940. " *incanum* S.-D.
 941. " *longifolium*
 L. Bolus
 942. " *perfoliatum* Mill.
 943. *Mespilus germanica* L.
 944. *Meum athamanticum* Jacq.
 945. *Microlepia speluncae* (L.) Moore
 946. *Micromeria dalmatica* Benth.
 947. *Minuartia verna* (L.) Hiern.
 948. *Mirabilis froebeli* Greene
 949. " *jalapa* L.
 950. " *longiflora* L.
 951. " *wrightiana* A. Gray
 952. *Mitella caulescens* Nutt. ex
 Torr. et Gray
 953. " *pentandra* Hook.
 954. " *trifida* R. Grah.
 955. *Monarda citriodora* Cerv.
 956.* " *didyma* L. ' Cambridge
 Scarlet'
 957. " *fistulosa* L.

958. *Monarda fistulosa* L. var. *alba*
Hort.
959. " *fistulosa* L. var. *mollis*
Benth.
960. *Muscari botryoides* Mill.
961. " *neglectum* Guss.
962. *Myosotis silvatica* Hoffm.
963. *Myriactis nepalensis* Less.
964. *Myrica gale* L.
965. *Nardus stricta* L.
966. *Nemesia melissaeifolia* Benth.
967. *Neomarica vittata* (Lodd.)
Sprague
968. *Nepeta coccinea* Regel
969. " *grandiflora* Bieb.
970. " *nuda* L. var. *pannonica* Gams
971. " *spicata* Benth.
972. *Nertera depressa* Banks et Sol. nd.
973. *Nicotiana glutinosa* L.
974. " *langsdorfii* Weinm.
975. * " *sanderae* Sander hybr.
976. *Nigella arvensis* L.
977. " *orientalis* L.
978. *Nolana prostrata* L.
979. *Nothoscordum fragrans* Kunth
980. *Oenanthe aquatica* Poir.
981. " *pimpinelloides* L.
982. *Oenothera fruticosa* L.
983. " *glauca* Michx. var.
fraseri Torr. et Gray
984. " *lamarckiana* Hort.
985. " *nocturna* Jacq.
986. " *odorata* Jacq. var.
sulphurea Hort.
987. " *purpurea* Curt.
988. " *riparia* Nutt.
989. *Oliveranthus elegans* Rose
990. *Omphalodes linifolia* (L.) Moench
991. *Ononis spinosa* L.
992. *Opuntia leptocaulis* DC.
993. *Origanum majorana* L.
994. " *vulgare* L.
995. *Ornithogalum longebracteatum* Jacq.
996. *Oryza sativa* L.
997. *Oryzopsis canadensis* Torr.
998. " *coerulescens* Hack.
999. *Oscularia caulescens* (Mill.) Schwantes
1000. *Osmunda regalis* L.
1001. *Pachyphytum compactum* Rose
1002. *Paeonia lactiflora* Pall.
1003. *Palisota mannii* C.B. Clarke
1004. *Panicum miliaceum* L.
1005. *Papaver bracteatum* Lindl.
1006. " *nudicaule* L.
1007. " *nudicaule* L. var.
sendtneri Fedde
1008. " *oreophilum* Rupr.
1009. " *pilosum* Sibth. et Sm.
1010. *Parietaria officinalis* L.
1011. *Passiflora vespertilio* L.
1012. *Pavonia spinifex* Cav.
1013. *Pelargonium acetosum* (L.) Ait.
1014. " *australe* Jacq.
1015. " *tetragonum* l'Hérit.
1016. *Pellionia daveauana* N.E. Br.
1017. " *pulchra* N.E. Br.
1018. *Peltaria alliacea* Jacq.
1019. *Pennisetum villosum* R.Br.
1020. *Pentstemon alpinus* Torr.
1021. " *confertus* Dougl.
1022. " *diffusus* Dougl.
1023. " *gracilis* Nutt.
1024. " *pinetorum* Piper
1025. " *richardsonii* Dougl.
1026. " *spectabilis* Thurb.
1027. *Peperomia caulibraris* Miq.
1028. " *eburnea* Linden.
1029. " *fenzlei* Regel
1030. " *metallica* Linden.
et Rod.
1031. " *rubella* Hook.
1032. *Pernettya mucronata* (L.) Gaud.
1033. *Petteria ramentacea* (Sieber)
Presl
1034. *Petunia nyctaginiflora* Juss.
1035. " *parviflora* Juss.
1036. *Peucedanum ostruthium* Koch
1037. " *verticillare* Spreng.
1038. *Phacelia bipinnatifida* Michx.
1039. " *ciliata* Benth.
1040. " *congesta* Hook.
1041. " *X fimbriata* Michx.
1042. " *pinnatifida* Griseb.
et Wedd.
1043. " *tanacetifolia* Benth.

1044. *Phacelia viscida* Torr.
 1045. " *whitlavia* A. Gray
 var. *gloxinioides*
 Voss
 1046. *Philadelphus X floribundus*
 Schrad.
 1047. " *lewisii* Pursh
 1048. " *magdalenae* Koehne
 1049. " *subcanus* Koehne
 var. *wilsonii*
 (Koehne) Rehd.
 1050. " *X virginialis* Rehd.
 1051. " *X zeyheri* Schrad.
 1052. *Phleum alpinum* L.
 1053. *Phlomis alpina* Pall.
 1054. " *cashemeriana* Royle
 1055. " *herba-venti* L.
 1056. *Phlox drummondii* Hook.
 1057. " *paniculata* L.
 1058. * " *paniculata* L.
 ' *Evangeline* '
 1059. * " *paniculata* L.
 ' *Caroline van den*
 Berg '
 1060. * " *paniculata* L.
 ' *Jules Sandeau* '
 1061. * " *paniculata* L.
 ' *Marie s'Jacob* '
 1062. * " *paniculata* L.
 ' *P.D. Williams* '
 1063. * " *paniculata* L.
 ' *Rijnstroom* '
 1064. * " *paniculata* L. ' *Smiles* '
 1065. *Photinia villosa* (Thunb.) DC.
 1066. *Physalis lanceolata* Michx.
 1067. *Physocarpus amurensis* (Maxim.)
 Maxim.
 1068. " *capitatus* (Pursh)
 Ktze.
 1069. " *monogynus* (Torr.)
 Coulter.
 1070. *Physostegia virginiana* Benth.
 1071. *Phyteuma amplexicaule* Willd.
 1072. " *campanuloides* Bieb.
 1073. " *hemisphaericum* L.
 1074. " *pedemontanum*
 R. Schultz
 1075. " *scheuchzeri* Alt.
 1076. *Phytolacca acinosa* Roxb.
1077. *Phytolacca americana* L.
 1078. *Picris pauciflora* Willd.
 1079. *Pilea microphylla* Liebm.
 1080. " *nummulariaefolia* Wedd.
 1081. *Pimpinella major* Huds.
 1082. *Pinus parviflora* Sieb. et Zucc.
 1083. *Plantago alpina* L.
 1084. " *coronopus* L.
 1085. " *cynops* L.
 1086. " *lanceolata* L.
 1087. " *leiopetala* Lowe
 1088. " *maritima* L.
 1089. " *media* L.
 1090. " *montana* Huds.
 1091. " *psyllium* L.
 1092. " *purpurascens* Willk.
 1093. " *rugelii* Decne.
 1094. " *schiedeana* Decne.
 1095. " *subulata* L.
 1096. *Platycodon delavayi* Hort.
 1097. " *grandiflorum* A. DC.
 1098. " *grandiflorum* A. DC.
 var. *mariesii* Hort.
 1099. *Plectranthus fruticosus* l'Hérit.
 1100. " *glaucocalyx* Maxim.
 1101. *Poa bulbosa* L. var. *vivipara*
 Koeler
 1102. " *caesia* Sm.
 1103. " *chaixii* Vill.
 1104. " *trivialis* L.
 1105. *Podophyllum emodi* Wall.
 1106. *Polemonium boreale* Adams
 1107. " *coeruleum* L.
 1108. " *coeruleum* L. var.
 himalayanum Baker
 1109. " *mexicanum* Cerv.
 1110. " *reptans* L.
 1111. *Polygonum alpinum* All.
 1112. " *molle* D. Don
 1113. " *weyrichii* F. Schmidt
 1114. *Polypodium aureum* L.
 1115. " *crassifolium* L.
 1116. " *nigrescens* Bl.
 1117. " *subauriculatum* Bl.
 1118. *Portulaca gillieri* Hook.
 1119. " *grandiflora* Hook.
 1120. " *marginata* H.B.K.
 1121. " *oleracea* L.
 1122. *Potentilla andicola* Benth.

1123. *Potentilla argentea* L. var. *tenuiloba* Jord.
 1124. " *argyrophylla* Wall.
 1125. " *aurea* Torner
 1126. " *chrysantha* Trevir.
 1127. " *cinerea* Chaix
 1128. " *collina* Wibel
 1129. " *grammopetala* Moretti
 1130. " *hippiana* Lehm.
 1131. " *inclinata* Vill.
 1132. " *montenegrina* Pantoč.
 1133. " *pimpinelloides* L.
 1134. " *subacaulis* L.
 1135. *Primula auriculata* L.
 1136. " *beesiana* Forr.
 1137. " *briscoei* Hort.
 1138. " *capitata* Hook.
 1139. " *carniolica* Jacq.
 1140. " *florindae* Ward.
 1141. " *frondosa* Janka
 1142. " *glaucescens* Moretti
 1143. " *hirsuta* All.
 1144. " *hopeana* Balf. f. et Coop.
 1145. " *involucrata* Wall.
 1146. " *polyneura* Franch.
 1147. " *pudibunda* W.W. Sm.
 1148. " *silva-taroucana* Fedde
 1149. " *veitchii* Duthie
 1150. " *X venusta* Host.
 1151. " *veris* L.
 1152. " *veris* L. var. *macrocalyx* Hort.
 1153. " *verticillata* Forsk.
 1154. *Prunella grandiflora* Jacq.
 1155. *Prunus X amygdalo-persica* (West.) Rehd.
 1156. *Ptelea trifoliata* L.
 1157. *Pteris cretica* L. var. *wimsettii* Hort.
 1158. " *longifolia* L.
 1159. *Pterocarya fraxinifolia* (Lam.) Spach.
 1160. *Pterostyrax hispida* Sieb. et Zucc.
 1161. **Pyracantha coccinea* Roem. 'Kasan'
 1162. " *coccinea* Roem. var. *lalandii* Dipp.
 1163. *Quamoclit coccinea* Moench
1164. *Quercus robur* L.
 1165. *Ranunculus abortivus* L.
 1166. " *anemonoides* Zahlbr.
 1167. " *brutius* Tenore
 1168. " *chaerophyllus* L.
 1169. " *polyanthemos* L.
 1170. " *psilostachys* Griseb.
 1171. *Remusatia vivipara* Schott
 1172. *Reseda complicata* Bory
 1173. " *luteola* L.
 1174. *Rhamus imeretina* Kirchn.
 1175. *Rheum crassinervium* Fisch.
 1176. " *emodi* Wall.
 1177. " *fedtschenkoi* Maxim.
 1178. " *forrestii* Diels
 1179. " *franzenbachii* Muent.
 1180. " *moorcroftianum* Royle
 1181. " *officinale* Baill.
 1182. " *rhaponticum* L.
 1183. " *ribes* L.
 1184. " *tataricum* L.
 1185. " *undulatum* L.
 1186. " *wittrockii* Lundström
 1187. *Rhipsalis grandiflora* Haw.
 1188. " *houlletiana* Lem.
 1189. " *pachyptera* Pfeiff.
 1190. " *paradoxa* S.-D.
 1191. " *pentaptera* Pfeiff.
 1192. " *rhombea* (S.-D.) Pfeiff.
 1193. " *virgata* Web.
 1194. *Rhododendron smirnowi* Trautv.
 1195. *Rhodotypos scandens* (Thunb.) Mak.
 1196. *Rhus typhina* L. var. *lacinata* Wood
 1197. *Rhynchosia phaseolooides* DC.
 1198. *Ribes glutinosum* Benth.
 1199. " *multiflorum* Kit.
 1200. " *stenocarpum* Maxim.
 1201. *Ricinus communis* L.
 1202. " *communis* L. var. *inermis* (Jacq.) Pax et K. Hoffm.
 1203. *Rivina humilis* L.
 1204. *Rosa beggeriana* Schrenk
 1205. " *cinnamomea* L.
 1206. " *corymbifera* Borkh.
 1207. " *davidi* Crép.

- | | | | |
|--------|---|--------|---|
| 1208. | Rosa dumalis Bechst. | 1249. | Sanguisorba dodecandra Moretti |
| 1209.* | " eglanteria L. "Anne of Geierstein" | 1250. | " obtusa Maxim. |
| 1210.* | " eglanteria L. "Lady Penzance" | 1251. | " officinalis L. |
| 1211. | " glutinosa Sibth. et Sm.
var. dalmatica (Kern)
Borb. | 1252. | " tenuifolia Fisch.
et Link |
| 1212. | " helenae Rehd. et Wils. | 1253. | Sanvitalia procumbens Lam. |
| 1213. | " laevigata Michx. | 1254. | Saponaria officinalis L. |
| 1214. | " moschata Herrm. | 1255. | " officinalis L. var.
plena Loud. |
| 1215. | " moyesii Hemsl. et Wils. | 1256. | Satureja nepeta Scheele |
| 1216. | " multibracteata Hemsl. et
Wils. | 1257. | Saxifraga aizoides L. var.
atrorubens Engl. |
| 1217. | " nitida Willd. | 1258. | " aretioides Lapeyr. |
| 1218. | " X noisettiana Thory | 1259. | " camposii Willk. |
| 1219. | " pendulina L. | 1260. | " chrysosplenifolia
Boiss, |
| 1220. | " pisocarpa A. Gray | 1261. | " conifera Cass. et Dur. |
| 1221. | " roxburgii Tratt. var.
hirtula (Reg.) Rehd.
et Wils. | 1262. | " cotyledon L. |
| 1222. | " rubrifolia Vill. | 1263. | " decipiens Ehrh. var.
bathoniensis Hort. |
| 1223. | " rugosa Thunb. | 1264. | " decipiens Ehrh. var.
glabrata Engl. et Irmsch. |
| 1224. | " scharnkeana Graebn. | 1265. | " decipiens Ehrh. var.
grandiflora Hort. |
| 1225. | " setigera Michx. | 1266. | " exarata Vill. |
| 1226. | " setipoda Hemsl. et Wils. | 1267. | " geranioides L. |
| 1227. | " tomentosa Smith | 1268.* | " hybr. "Hammondii" |
| 1228. | " villosa L. | 1269.* | " hybr. "Purpurmantel" |
| 1229. | " wichuriana Cr  p. | 1270.* | " hybr. "Queen of the
Belgians" |
| 1230. | Rubus platyphyllus K. Koch | 1271.* | " hybr. "Warr's Crimson" |
| 1231. | Rumex abyssinicus Jacq. | 1272. | " hypnoides L. |
| 1232. | " acetosa L. | 1273. | " irrigua Bieb. |
| 1233. | " alpinus L. | 1274. | " laevis Bieb. |
| 1234. | " conglomeratus Murr. | 1275. | " rotundifolia L. |
| 1235. | " hydrolapathum Huds. | 1276. | " sibthorpii Boiss. |
| 1236. | " scutatus L. | 1277. | " virginicensis Michx. |
| 1237. | Ruta chaleensis L. | 1278. | Scabiosa australis Wulf. |
| 1238. | " graveolens L. | 1279. | " brachyata Sibth. et Sm. |
| 1239. | " macrophylla Soland. | 1280. | " succisa L. |
| 1240. | Salvia argentea L. | 1281. | Schismatoglottis roebelinii
Pitcher et Manda |
| 1241. | " beckeri Trautv. | 1282. | Schivereckia podolica (Bess.)
Andrz. |
| 1242. | " bulleyana Diels | 1283. | Sciadopitys verticillata Sieb.
et Zucc. |
| 1243. | " glutinosa L. | 1284. | Scopolia lurida Dun. |
| 1244. | " horminum L. | 1285. | Scrophularia alata Gilib. |
| 1245. | " leonuroides Gloxin | 1286. | " chrysantha Jaub.
et Spach |
| 1246. | " verticillata L. | | |
| 1247. | Sambucus racemosa L. var.
moerheimii Ruys | | |
| 1248. | Sanguisorba canadensis L. | | |

- | | | | |
|-------|---|-------|---|
| 1287. | Scutellaria altissima L. | 1331. | Silphium perfoliatum L. |
| 1288. | " columnae All. | 1332. | Sisyrinchium brachypus J.K.
Henry |
| 1289. | " dependens Maxim. | 1333. | " californicum Dryand |
| 1290. | Securinega suffruticosa (Pall.)
Rehd. | 1334. | " idahoense Bickn. |
| 1291. | Sedum acre L. | 1335. | " iridifolium H.B.K. |
| 1292. | " dendroideum Moc. et Sessé | 1336. | " platyphyllum S. Wats. |
| 1293. | " kamtschaticum Fisch. et
Mey. | 1337. | " striatum Sm. |
| 1294. | " middendorfianum Maxim. | 1338. | Skimmia japonica Thunb. |
| 1295. | " nevii A. Gray | 1339. | Soja max (L.) Piper |
| 1296. | " pachyphyllum Rose | 1340. | Solanum dulcamara L. var.
album West. |
| 1297. | " selskianum Regel et Maack | 1341. | Solidago canadensis L. |
| 1298. | " telephium L. | 1342. | Sorbaria arborea Schneid. |
| 1299. | " treleasei Rose | 1343. | " arborea Schneid. var.
subtomentosa Rehd. |
| 1300. | Selaginella denticulata Link | 1344. | " tomentosa (Lindl.)
Rehd. |
| 1301. | " denticulata Link
var. aurea Hort. | 1345. | Sorbus aucuparia L. |
| 1302. | " rotundifolia Spring | 1346. | " commixta Hedl. |
| 1303. | " serpens Spring | 1347. | " hupehensis Schneid. |
| 1304. | " uncinata Spring | 1348. | " intermedia (Ehrh.) Pers. |
| 1305. | Sempervivum dolomiticum Facch. | 1349. | Spartium junceum L. |
| 1306. | " heuffelii Schott | 1350. | Spathiphyllum floribundum N.E. Br. |
| 1307. | " kosaninii Praeger | 1351. | Specularia speculum A.DC. |
| 1308. | " schlehanii Schott | 1352. | Spiraea japonica L. f. |
| 1309. | " schlehanii Schott
var. blandum
(Schott) Hayek | 1353. | Stachys densiflora Benth. |
| 1310. | " tectorum L. | 1354. | " germanica L. |
| 1311. | " triste Baker | 1355. | " grandiflora Benth. |
| 1312. | Senecio adenodifolius Loisel. | 1356. | Staphylea pinnata L. |
| 1313. | " alpinus Scop. | 1357. | Steironema heterophyllum Rafin. |
| 1314. | " doronicum L. | 1358. | Stenanthium gramineum (Ker)
" Morong var. robustum (Wats.) Fern. |
| 1315. | " giganteus Desf. | 1359. | Stenotaphrum secundatum Kuntze
var. variegatum Hort. |
| 1316. | Serratula coronata L. | 1360. | Stipa capillata L. |
| 1317. | " tinctoria L. | 1361. | " tenacissima L. |
| 1318. | Sesleria argentea Savi | 1362. | Stranvaesia davidiana Decne. |
| 1319. | " coerulea (L.) Ard. | 1363. | " davidiana Decne. var.
salicifolia (Hutch.) Rehd. |
| 1320. | Setaria italica (L.) Beauv. | 1364. | " davidiana Decne.
var. undulata (Decne.) Rehd. et Wils. |
| 1321. | Sida nepaea Cav. | 1365. | Streptocarpus gardenii Hook. |
| 1322. | Sidalcea campestris Greene | 1366. | " rexii Lindl. |
| 1323. | Silene cucubalus Wibel | 1367. | " solananthus Mansf. |
| 1324. | " elegans Brot. | | |
| 1325. | " maritima With. | | |
| 1326. | " mellifera Boiss. et Reut. | | |
| 1327. | " nutans L. | | |
| 1328. | " saxifraga L. | | |
| 1329. | " viridiflora L. | | |
| 1330. | " zawadskii Herbich | | |

1368. *Styrax obassia* Sieb. et Zucc.
 1369. " *wilsonii* Rehd.
 1370. *Succisella inflexa* G. Beck
 1371. *Symporicarpus albus* Blake
 1372. " *albus* Blake var.
 laevigatus
 (Fern.) Blake
 1373. " *X chenaultii* Rehd.
 1374. " *occidentalis* Hook.
 var. *heyeri* Dieck
 1375. *Symphytum aspernum* Donn.
 1376. " *officinale* L.
 1377. " *orientale* L.
 1378. *Syringa josikaea* Jacq.
 1379. " *pinetorum* W.W. Sm.
 1380. " *reflexa* Schneid.
 1381. " *tomentella* Bur. et
 Franch.
 1382. " *velutina* Komar.
 1383. " *villosa* Vahl

 1384. *Tagetes patula* L.
 1385. * " *patula* L. var. *nana* Voss
 'Sunkissed'
 1386. *Taraxacum palustre* DC.
 1387. *Taxus baccata* L.
 1388. " *baccata* L. var. *fastigiata*
 aurea Standish
 1389. " *baccata* L. var. *stricta* Laws.
 1390. " *brevifolia* Nutt.
 1391. *Tellima grandiflora* R. Br.
 1392. *Tetranema mexicanum* Benth.
 1393. *Thalictrum bauhinii* Crantz
 1394. " *bulgaricum* Velen.
 1395. " *delavayi* Franch.
 1396. " *foetidum* L.
 1397. " *minus* L.
 1398. " *petaloideum* L.
 1399. " *rhynchosarpum* Q. Dillon
 et A. Rich.
 1400. " *simplex* L.
 1401. *Thelesperma filifolium* (Nutt.) Gray
 1402. *Thermopsis macrophylla* Hook. et Arn.
 1403. " *montana* Nutt.
 1404. *Thlaspi alpestre* L.
 1405. *Thuja standishii* (Gord.) Carr.
 1406. *Tiarella cordifolia* L.
 1407. " *wherryi* Lakela
 1408. *Tilia platyphyllos* Scop.
 1409. *Tinantia fugax* Scheidw.

 1410. *Tradescantia fluminensis* Vell.
 1411. *Trichodiadema intonsum* (Haw.)
 Schwantes
 1412. " *stellatum* (Mill.)
 Schwantes
 1413. *Trifolium badium* Schreb.
 1414. " *pannonicum* L.
 1415. " *repens* L.
 1416. " *rubens* L.
 1417. *Triodia decumbens* Beauv.
 1418. *Triticum ovatum* Rasp.
 1419. " *pungens* Link
 1420. *Trollius acaulis* Lindl.
 1421. * *Tropaeolum majus* L. var. *nanum*
 Hort. 'Black Beauty'
 1422. " *minus* L.
 1423. " *rhizophorum* Warsz.

 1424. *Ursinia amethoides* N.E. Br.
 1425. " *calenduliflora* Benth.
 et Hook.
 1426. " *speciosa* DC.

 1427. *Vaccinium corymbosum* L.
 1428. " *corymbosum* L. f. *albi-*
 florum (Hook.) Camp
 1429. *Valerianella congesta* Lindl.
 1430. " *dentata* Pollich
 1431. " *eriocarpa* Desv.
 1432. " *rimosa* Bast.
 1433. *Veltheimia viridiflora* Jacq.
 1434. *Venedium decurrens* Less.
 1435. *Veratrum album* L.
 1436. *Verbascum boerhavii* L.
 1437. " *chaixii* Vill.
 1438. " *heldreichii* Boiss.
 1439. " *lychnitis* L.
 1440. " *nigrum* L.
 1441. " *rubiginosum* Waldst.
 et Kit.
 1442. " *speciosum* Schrad.
 1443. " *thapsiforme* Schrad.
 1444. " *thapsoides* L.
 1445. *Verbena canadensis* (L.) Britt.
 1446. " *mendocina* Phil.
 1447. " *rigida* Spreng.
 1448. *Veronica gentianoides* Vahl
 1449. " *incana* L.
 1450. " *longifolia* L. var.
 subsessilis Miq.

- | | | | |
|--------|---|-------------------------------------|---|
| 1451. | <i>Veronica nummularia</i> Gouan | 1475. | <i>Viscum album</i> L. on <i>Malus</i> |
| 1452. | " <i>orchidea</i> Crantz | 1476. | <i>Vitis quadrangularis</i> Wall. |
| 1453. | " <i>prostrata</i> L. | 1477. | " <i>vinifera</i> L. |
| 1454. | " <i>repens</i> DC. | 1478. | <i>Volutarella lippii</i> Cass. |
| 1455. | " <i>spicata</i> L. | 1479. | <i>Wahlenbergia gracilis</i> Schrad. |
| 1456. | " <i>spuria</i> L. | 1480. | " <i>nutabunda</i> A. DC. |
| 1457. | " <i>teucrium</i> L. | 1481. | " <i>pendula</i> Schrad. |
| 1458.* | " <i>teucrium</i> L. "True Blue" | 1482. | <i>Wulfenia carinthiaca</i> Jacq. |
| 1459. | <i>Viburnum betulifolium</i> Batal. | 1483. | <i>Xanthium canadense</i> Mill. |
| 1460. | " <i>sieboldii</i> Miq. | 1484. | " <i>spinosum</i> L. |
| 1461. | " <i>trilobum</i> Marsh | 1485. | <i>Xeranthemum cylindricum</i> Sm. |
| 1462. | <i>Vicia gerardi</i> Vill. | 1486.* <i>Zea mays</i> L. "Canbred" | |
| 1463. | " <i>lutea</i> L. | 1487.* <i>Zea mays</i> L. "Manalta" | |
| 1464. | " <i>sativa</i> L. | 1488. | <i>Zenobia pulverulenta</i> (Bartr.)
Pollard |
| 1465. | " <i>villosa</i> Roth | 1489. | <i>Zephyranthea aurea</i> Benth. et
Hook. |
| 1466. | <i>Viola declinata</i> Waldst. et Kit. | 1490. | <i>Zinnia angustifolia</i> H.B.K. |
| 1467. | " <i>elatior</i> Fries | 1491. | " <i>pauciflora</i> L. |
| 1468. | " <i>macroceras</i> Bunge | 1492. | <i>Zygadenus nuttallii</i> A. Gray |
| 1469. | " <i>odorata</i> L. | | |
| 1470. | " <i>patrinii</i> Ging. | | |
| 1471. | " <i>persicifolia</i> Roth | | |
| 1472. | " <i>pinnata</i> L. | | |
| 1473. | " <i>sepincola</i> Jord. | | |
| 1474. | <i>Viscum album</i> L. on <i>Sorbus</i> | | |

Plants marked with an asterisk (*) are special garden varieties.

Errata: There are no numbers 322, 812, 935 and 936.



