Zaadlijst van den Botanischen Tuin Cantonspark te Baarn (Nederland), Rijksuniversiteit te Utrecht

zelf zaaien

ZAADLIJST VAN DE BOTANISCHE TUIN

"CANTONSPARK"

VAN DE

RIJKSUNIVERSITEIT UTRECHT

garve Perry

* * *

SEED LIST OF THE BOTANICAL GARDEN

"CANTONSPARK"

OF THE

STATE UNIVERSITY OF UTRECHT

(NETHERLANDS)

* * *

No.21

1952

BOTANICAL GARDEN „CANTONSPARK"

OF THE STATE UNIVERSITY

OF UTRECHT

Netherlands

Director : Prof. Dr J. Lanjouw
Curator : H. Muyser
Botanical Assistant : E.A. Mennega

The Botanical Garden „Cantonspark" is situated at Baarn, a village at 20 km. North West of Utrecht. It is under the same direction as the Botanical Museum and Herbarium of the Utrecht University.

The seeds from this list are available for exchange with Botanical Gardens.
Please return this list with the numbers you wish to receive duly marked not later than *March 1st, 1953* to:

The Director of the Botanical Garden
„Cantonspark"
Postal address : Botanisch Museum en Herbarium
Lange Nieuwstraat 106
Utrecht - Netherlands.

PTERIDOPHYTA

OSMUNDACEAE

1. Osmunda regalis L.

POLYPODIACEAE

2. Adiantum cuneatum Langsd. et Fisch. var. gracillimum Bak.
3. „ hispidulum Swartz
4. „ microsorum C. Chr.
5. „ pacottii Hort.
6. Asplenium nidus L.
7. Blechnum occidentale L.
8. Cyrtomium falcatum (L.f.) Pr.
9. Dennstaedtia cicutaria (Swartz) Moore
10. Doodia caudata (Cav.) R. Br.
11. „ caudata (Cav.) R.Br. var. lomarina F. v. Muell.
12. Doryopteris pedata (L.) Fée var. multipartita (Fée) Tryon
13. Lygodium japonicum (Thunb.) Swartz
14. Pellaea hastata (Thunb.) Prantl
15. „ rotundifolia (Forst.) Hook.
16. „ viridis (Forsk.) Prantl
17. Polypodium aureum L.
18. „ nigrescens Bl.
19. „ punctatum (L.) Swartz var. ramo-cristatum Hort.
20. Polystichum falcatum (L.f.) Diels
21. Pteris cretica L. var. albo-lineata Hook.
22. „ ensiformis Burm.
23. „ ensiformis Burm. var. victoriae Hort.
24. „ multifida Poir.
25. „ umbrosa R. Br.
26. „ vittata L.

SELAGINELLACEAE

27. Selaginella denticulata Link var. aurea Hort.

GYMNOSPERMAE

CUPRESSACEAE

28. Chamaecyparis lawsoniana (A. Murr.) Parl.
29. " nootkatensis (Lam.) Sudw. var.glauca Beissn.
30. " pisifera Sieb. et Zucc. ex Endl.
31. Juniperus sabina L.
32. Thuja occidentalis L. var. ericoides Hoopes
33. " plicata Lamb.

PINACEAE

34. Cedrus atlantica Man. var. glauca Carr.
35. Pinus nigra Arn. var. austriaca (Hoess.) Aschers. et Graebn.
36. Sciadopitys verticillata Sieb. et Zucc.

TAXACEAE

37. Taxus baccata L. var. 'fastigiata aurea' Standish
38. " baccata L. var. stricta Laws.
39. " brevifolia Nutt.

ANGIOSPERMAE - MONOCOTYLEDONES

ALISMATACEAE

40. Alisma plantago-aquatica L.
41. Limnocharis flava Buch.

AMARYLLIDACEAE

42. Haemanthus katharinae Bak.

ARACEAE

43. Acorus gramineus Soland. in Ait.
44. „ gramineus Soland. in Ait. var. aureovariegatum Voss
45. Aglaonema commutatum Schott
46. Lysichitum americanum Hulten et St John
47. Philodendron ilsemannii Saunders
48. Remusatia vivipara Schott

BROMELIACEAE

49. Dyckia altissima Lindl.

CANNACEAE

? 50. Canna limbata Bosc.

COMMELINACEAE

51. Commelina coelestis Willd.
52. Palisota bracteosa C.B. Clarke
53. Tradescantia virginiana L.

CYPERACEAE

54. Carex lagopina Wahlenb.
55. „ muricata L.
56. „ pendula Huds.
57. „ rhynchophylla Fisch. et Mey.
58. „ sempervirens Vill.
59. Cyperus alternifolius L.

DIOSCOREACEAE

60. Dioscorea batatas Decne.

GRAMINEAE

61. Agropyron caninum (L.) Beauv.
62. „ obtusiusculum Lange
63. Agrostis stolonifera L.
64. Andropogon ischaemum L.
65. Anthoxanthum odoratum L.
66. Arrhenatherum avenaceum Beauv.
67. Asperella hystrix Humb.
68. Avena adsurgens Schur.
69. „ planiculmis Schrad.
70. „ pubescens Huds.
71. Bouteloua racemosa A. Rich.
72. Brachypodium silvaticum (Huds.) Beauv.
73. Bromus matritensis L.
74. Chloris distichophylla Lag.
75. Chrysopogon gryllus Trin.
76. Corynephorus canescens (L.) Beauv.
77. Dactylis glomerata L.
78. Deschampsia alpina Roem. et Schult.
79. „ caespitosa Beauv.
80. „ flexuosa Trin.
81. Elymus giganteus Vahl
82. Festuca ciliata Pers.
83. „ ovina L.
84. „ pratensis Huds.
85. „ psammophila Fritsch
86. „ rubra L.
87. Graphephorum melicoideum Desv.
88. Koeleria glauca DC.
89. „ setacea DC.
90. Lygeum spartum Loefl. ex L.
91. Melica ciliata L.
92. Nardus stricta L.
93. Oryzopsis canadensis Torr.
94. „ coerulescens Hack.
95. Pennisetum villosum R.Br.
96. Phleum alpinum L.
97. „ michelii All.
98. Poa bulbosa L. var. vivipara Koeler
99. „ caesia Sm
100. „ trivialis L.
101. Sesleria argentea Savi
102. „ caerulea (L.) Ard.
103. Setaria italica (L.) Beauv.
104. Sorghum vulgare Pers.
105. Stipa capillata L.
106. Triodia decumbens Beauv.
107. Triticum pungens Link
108. Vulpia bromoides (L.) S.F. Gray

IRIDACEAE

109. Iris chrysographes Dykes
110. „ delavayi Mich.
111. „ ensata Thunb.
112. „ filifolia Boiss.
113. „ monnieri DC.
114. „ prismatica Pursh
115. „ pseudacorus L.
116. „ sibirica L.
117. „ squalens L.
118. „ tectorum Maxim.
119. „ thunbergii Lundström
120. „ versicolor L.

121. Iris virginica L.
122. Lapeyrousia cruenta (Lindl.) Benth.
123. Sisyrinchium acre H. Mann
124. „ californicum Dryand
125. „ pachyrhizum Bak.
126. „ platyphyllum S. Wats.

JUNCACEAE

127. Juncus gerardi Loisel.
128. „ triglumis L.
129. Luzula nivea DC.

LILIACEAE

130. Allium angulosum L.
131. „ canadense L.
132. „ cyrilli Ten.
133. „ darwasicum Regel
134. „ delicatulum Sievers. et Willd.
135. „ heldreichii Boiss.
136. „ libani Boiss.
137. „ odorum L.
138. „ rubens Bak.
139. „ schoenoprasum L.
140. „ schoenoprasum L. var. sibiricum Garcke
141. „ schrenkii Regel
142. „ senescens L.
143. Amianthium muscaetoxicum A. Gray
144. Asparagus sprengeri Regel
145. Asphodeline tenuior Ledeb.
146. Camassia fraseri Torr.
147. „ leichtlinii (Bak.) Wats.
148. Chlorophytum amaniense Engl.
149. „ hoffmannii Engl.
150. Danae racemosa (L.) Moench
151. Galtonia candicans Decne.
152. Gasteria disticha Haw.
153. Haworthia attenuata Haw. var. caespitosa (Berger) Farden
154. „ margaritifera Haw.
155. „ radula Haw.
156. „ retusa Duval
157. „ tortuosa Haw.
158. Hemerocallis citrina Baroni
159. „ lilio-asphodelus L.
160. „ × luteola Hort.
161. Hymenocallis macrostephana Bak.
162. „ speciosa Salisb.
163. Kniphofia uvaria (L.) Hook.
164. Lilium davidii Duch.
165. „ henryi Bak.
166. „ willmottiae Wils.
167. Muscari botryoides Mill.
168. „ neglectum Guss.
169. Nothoscordum fragrans Kunth
170. Ornithogalum longebracteatum Jacq.
171. Reineckia carnea Kunth
172. Stenanthium gramineum (Ker) Morong var. robustum (Wats.) Fern.
173. Veltheimia viridiflora Jacq.
174. Zygadenus nuttallii A. Gray

MARANTACEAE

175. Thalia dealbata L.

PALMAE

176. Howea forsteriana Becc.

TACCACEAE

177. Tacca chantrieri André

ANGIOSPERMAE - DICOTYLEDONES

ACANTHACEAE

178 Acanthus caroli-alexandri Hausskn.
179. „ niger Mill.
180. „ spinosus L.
181. Brillantaisia palisotii Lindau
182. Crossandra nilotica Oliv.
183. Ruellia tuberosa L.

ACERACEAE

184. Acer × dieckii Pax
185. „ heldreichii Orph.
186. „ insigne Boiss. et Buhse
187. „ japonicum Thunb. var. aconitifolium Meeh.
188. „ palmatum (Thunb.) Behd. var. heptalobum Behd.
189. „ palmatum (Thunb.) Behd. f. rubrum Schwer.
190. „ pseudoplatanus L. var. purpureum Loud.
191. Acer tataricum L.
192. „ trautvetteri Medwed.

AIZOACEAE

193. Aptenia cordifolia (L.) Schwantes
194. Bergeranthus scapiger (Haw.) Schwantes
195. „ vespertinus (Berger) Schwantes
196. Conicosia pugioniformis (L.) N.E. Br.
197. Corpuscularia lehmannii (Eckl.et Zeyh.) Schwantes
198. Delosperma aberdeenense L. Bolus
199. „ echinatum (Lam.) Schwantes
200. Erepsia inclaudens (Haw.) Schwantes
201. Glottiphyllum compressum L. Bolus.
202. „ propinquum N.E. Br.

203. Hereroa rehneltiana (Berger) Dinter et Schwantes
204. Lampranthus amoenus (S.-D.) N.E. Br.
205. „ brownii (Hook.f.) N.E. Br.
206. „ glaucus (L.) N.E. Br.
207. „ watermeyeri (L. Bolus) N.E. Br.
208. Nananthus aloides (Haw.) Schwantes
209. Oscularia caulescens (Mill.) Schwantes
210. Ruschia nonimpressa L. Bolus
211. „ perfoliata (Mill.) Schwantes
212. Trichodiadema intonsum (Haw.) Schwantes
213. „ stellatum (Mill.) Schwantes

AMARANTHACEAE

214. Amaranthus albus L.
215. „ blitum L.
216. „ caudatus L.
217. „ flavus L.
218. „ polygamus L.
219. „ silvestris Desf.

ANACARDIACEAE

220. Rhus glabra L.
221. „ typhina L. var. laciniata Wood

APOCYNACEAE

222. Amsonia tabernaemontana Walt.

AQUIFOLIACEAE

223. Ilex crenata Thunb.
224. „ fargesii Franch.
225. „ glabra (L.) Gray
226. „ serrata Thunb.

ARALIACEAE

227. Acanthopanax divaricatus (Sieb. et Zucc.) Seem.
228. „ henryi (Oliv.) Harms
229. „ lasiogyne Harms.
230. Aralia cachemirica Decne.
231. „ cordata Thunb.
232. „ elata (Miq.) Seem. var. canescens (Franch. et Sav.) Nakai
233. „ racemosa L.
234. „ spinosa L.
235. Hedera helix L. var. argenteo-variegata Rehd.

ARISTOLOCHIACEAE

236. Aristolochia elegans Mart.

ASCLEPIADACEAE

237. Ceropegia stapeliaeformis Haw.
238. Cynanchum vincetoxicum Pers.
239. Dischidia bengalensis Colebr.
240. Huernia hystrix (Hook.f.) N.E. Br.
241. " keniensis R.E. Fries
242. " macrocarpa (A. Rich.) Spreng. var. schweinfurthii (Berger) White et Sloane
243. " schneideriana Berger
244. Stapelia variegata L.

BALSAMINACEAE

245. Impatiens scabrida DC.

BEGONIACEAE

246. Begonia castaneaefolia Otto et Dietr.
247. " × credneri Hort.
248. " foliosa H.B.K.
249. " nelumbifolia Cham. et Schlecht.
250. " phyllomaniaca Mart.
251. " subvillosa Klotzsch
252. " vitifolia Schott

BERBERIDACEAE

253. Berberis aggregata Schneid.
254. " arido-calida Ahrendt
255. Berberis consimilis Schneid.
256. " crataegina DC.
257. " edgeworthiana Schneid.
258. " gilgiana Fedde
259. " hookeri Lem.
260. " morrisonensis Hayata
261. " × rubrostilla Chitt.
262. " × stenophylla Lindl.
263. " thunbergii DC.
264. " thunbergii DC. f. argenteo-marginata Schneid.
265. " vulgaris L.
266. " vulgaris L. f. atropurpurea Regel
267. " wilsonae Hemsl. et Wils.
268. " wilsonae Hemsl. et Wils. var. subcauliarlata Schneid.
269. Mahonia aquifolium (Pursh) Nutt.
270. " bealei (Fort.) Carr.

BETULACEAE

271. Alnus × spaethii Call.
272. " subcordata C.A. Mey.
273. " viridis DC.
274. Betula nigra L.
275. " pubescens Ehrh.
276. Carpinus betulus L.
277. " betulus L. var. incisa Ait.
278. Corylus avellana L.
279. " avellana L. var. contorta Bean.
280. " avellana L. var. heterophylla Loud.

BIGNONIACEAE

281. Catalpa bignonioides Walt.
282. „ ovata Don
283. Eccremocarpus scaber Ruiz et Pav.
284. Incarvillea delavayi Bur. et Franch.
285. „ officinale L.

BUDDLEIACEAE

286. Buddleia davidii Franch.
287. „ davidii Franch. var. alba Rehd. et Wils.
288. „ fallowiana Balf.f. et W.W. Smith
289. „ globosa Hope
290. „ japonica Hemsl.
291. „ madagascariensis Lam.

BUXACEAE

292. Sarcococca hookeriana Baill. var. humilis Rehd. et Wils.
293. „ ruscifolia Stapf

CACTACEAE

294. Lepismium cruciforme (Vellozo) Miq.
295. Opuntia leptocaulis DC.
296. Rhipsalis crispata Pfeiff.
297. „ grandiflora Haw.
298. Rhipsalis houlletiana Lem.
299. „ pachyptera Pfeiff.
300. „ paradoxa S.-D.
301. „ rhombea (S.-D.) Pfeiff.
302. „ virgata Web.

CALYCERACEAE

303. Acicarpha tribuloides Juss.

CAMPANULACEAE

304. Adenophora bulleyana Diels
305. „ confusa Nannf.
306. „ liliifolia Ledeb.
307. „ polymorpha Ledeb.
308. „ tashiroi Mak. et Nakai
309. Campanula alata Desf.
310. „ alliariaefolia Willd.
311. „ aucheri DC.
312. „ bononiensis L.
313. „ carpatica Jacq.
314. „ carpatica Jacq. var. pallida Hort.
315. „ carpatica Jacq. var. turbinata Hort.
316. „ kladniana Witasek
317. „ kolenatiana C.A. Mey.
318. „ latifolia L.
319. „ latiloba A. DC.
320. „ leutweinii Heldr.
321. „ linifolia Scop.
322. „ loeflingii Brot.

323. Campanula multiflora Waldst. et Kit.
324. „ patula L.
325. „ peregrina L.
326. „ phyctidocalyx Boiss. et Noé
327. „ raddeana Trautv.
328. „ rapunculoides L.
329. „ rapunculus L.
330. „ rotundifolia L.
331. „ rotundifolia L. var. alaskana A. Gray
332. „ sarmatica Ker.-Gawl.
333. „ scheuchzeri Vill.
334. „ tomentosa Vent.
335. Edraianthus dalmaticus (A. DC.) A. DC.
336. Isotoma longiflora (L.) Presl
337. Phyteuma amplexicaule Willd.
338. „ campanuloides Bieb.
339. „ scheuchzeri All.
340. Platycodon grandiflorum (Jacq.) A. DC.
341. „ grandiflorum (Jacq.) A. DC. var. mariesii Veitch
342. Podanthum trichocalycinum Boiss.
343. Pratia begonifolia Lindl.
344. Specularia speculum A. DC.
345. Wahlenbergia gracilis Schrad.

CANNABACEAE

346. Cannabis sativa L.

CAPPARIDACEAE

347. Cleomella angustifolia Torr.
348. Polanisia trachysperma Torr. et Gray

CAPRIFOLIACEAE

349. Kolkwitzia amabilis Graebn.
350. Lonicera × bella Zab.
351. „ chrysantha Turcz.
352. „ korolkowii Stapf
353. „ maackii Maxim.
354. „ morrowii A. Gray
355. „ myrtillus Hook.f. et Thoms.
356. „ pileata Oliv.
357. „ ruprechtiana Regel
358. „ syringantha Maxim.
359. „ tatarica L.
360. „ tatarica L. var. parviflora (Hayne) Jaeg.
361. „ × xylosteoides Tausch
362. Sambucus ebulus L.
363. „ racemosa L.
364. Symphoricarpus × chenaultii Rehd.
365. „ occidentalis Hook. var. heyeri Dieck
366. „ rivularis Suksdorf
367. Viburnum acerifolium L.
368. „ dentatum L.
369. „ lantana L.
370. „ macrocephalum Fort.
371. „ orientale Pall.

372. Viburnum rhytidocarpum Lemoine
373. „ rhytidophyllum Hemsl.
374. „ sieboldii Miq.
375. „ trilobum Marsh

CARYOPHYLLACEAE

376. Arenaria graminifolia Schrad.
377. „ sajanensis Willd. ex Schlecht.
378. Dianthus arenarius L.
379. „ callizonus Schott et Kotschy
380. „ chinensis L. var. asper Koch
381. „ deltoides L.
382. „ furcatus Balb.
383. „ heuteri Heuff.
384. „ hyssopifolius L.
385. „ liboschitzianus Ser.
386. „ neglectus Loisel.
387. „ noëanus Boiss.
388. „ plumarius L.
389. „ serotinus Waldst. et Kit.
390. „ silvestris Wulf.
391. „ subacaulis Vill.
392. „ tatrae Borb.
393. „ tenuiflorus Griseb.
394. „ trifasciculatus Kit.
395. „ viscidus Bory et Chaub
396. „ waldsteinii Sternb.
397. „ zonatus Fenzl
398. Gypsophila perfoliata L.
399. Heliosperma alpestre (Jacq.) Rchb.
400. Lychnis alpina L.
401. „ coronaria Desr.
402. „ flos-jovis Desr.
403. „ viscaria L.
404. Melandrium album (Mill.) Garcke
405. „ zawadskii (Herbich) A. Br.
406. Minuartia setacea (Thuill.) Hayek
407. Paronychia dichotoma (L.) Nutt.
408. Saponaria officinalis L.
409. Silene cucubalus Wibel
410. „ mellifera Boiss. et Reut.
411. „ saxifraga L.
412. „ schafta Gmel.
413. „ viridiflora L.

CELASTRACEAE

414. Celastrus loesneri Rehd. et Wils.
415. „ orbiculata Thunb.
416. „ rosthorniana Loes.
417. „ scandens L.
418. Euonymus alata (Thunb.) Sieb.
419. „ americana L. var. angustifolia (Pursh) Wood
420. „ fortunei (Turcz.) Hand.-Mazz. f. carrierei (Vauvel) Rehd.
421. „ fortunei (Turcz.) Hand.-Mazz. var. radicans (Miq.) Rehd.

422. Euonymus fortunei (Turcz.) Hand.-Mazz. var. radicans (Miq.) Rehd. f. minima (Simon-Louis) Rehd.
423. „ fortunei (Turcz.) Hand.-Mazz. var. vegeta (Rehd.) Rehd.
424. „ latifolia Scop.
425. „ nana Bieb.
426. „ sachalinensis (Fr. Schmidt) Maxim.

CHENOPODIACEAE

427. Atriplex nitens Schkuhr
428. Chenopodium anthelminticum L.
429. „ bonus-henricus L.
430. „ polyspermum L.

CISTACEAE

431. Cistus clusii Dun.
432. „ hirsutus Lam.
433. „ monspeliensis L.
434. „ populifolius L.
435. „ × purpureus Lam.
436. „ salvifolius L.
437. „ vaginatus Ait.
438. „ villosus L.
439. „ villosus L. var. albus Hort.
440. „ villosus L. var. tauricus (Presl) Grosser
441. Helianthemum apenninum (L.) Mill.
442. Helianthemum hirtum Mill.
443. „ lavandulaefolium Mill.
444. „ ledifolium Mill.
445. „ nummularifolium (L.) Mill.
446. „ nummularium (L.) Mill.
447. „ nummularium (L.) Mill. var. scopoli (Willk.) Schneid.
448. „ rubellum Presl

CLETHRACEAE

449. Clethra alnifolia L.

COMPOSITAE

450. Achillea asplenifolia Vent.
451. „ grandiflora Bieb.
452. „ herba-rotta All.
453. „ ptarmica L.
454. Actinomeris alternifolia DC.
455. Antennaria howellii Greene
456. Anthemis tinctoria L.
457. Arctium tomentosum Mill.
458. Arnica chamissonis Less.
459. „ sachalinensis A. Gray
460. Artemisia vulgaris L.
461. Aster amellus L.
462. „ brachytrichus Franch.
463. „ himalaicus C.B. Clarke
464. „ purdomi Hutchins.
465. „ subcaeruleus Moore

466. Aster tibeticus Hook.f. f. albiflorus Hort.
467. „ yunnanensis Franch.
468. Brachycome iberidifolia Benth.
469. Calendula maroccana Ball.
470. „ stellata Cav.
471. „ suffruticosa Vahl
472. Carthamus tinctorius L.
473. Centaurea jacea L.
474. „ phrygia L.
475. Chrysanthemum balsamita (L.) L.
476. „ carinatum Schousb. var. dunnettii Regel
477. Coreopsis auriculata L.
478. Crepis aurea Rchb.
479. „ blattarioides Mill.
480. Dahlia coccinea Cav.
481. „ excelsa Benth.
482. „ merckii Lehm.
483. „ pinnata Cav.
484. „ scapigera Knowles et Westc.
485. Echinops dahuricus Fisch.
486. „ exaltatus Schrad.
487. „ humilis Rieb.
488. „ sphaerocephalus L.
489. Emilia flammea Cass.
490. Erigeron atticus Vill.
491. „ brandegei A. Gray
492. „ compositus Pursh var. trifidus A. Gray
493. „ glabellus Nutt.
494. „ speciosus (Lindl.) DC.
495. Eupatorium aromaticum L.
496. „ glechonophyllum Less.
497. „ purpureum L.
498. Grindelia integrifolia DC.
499. Helianthella quinquenervis A. Gray
500. Helichrysum bracteatum (Vent.) Willd.
501. Heliopsis helianthoides (L.) Sweet
502. „ scabra Dun.
503. Hieracium bombycinum Boiss. et Heut. ex Fries
504. „ bornmuelleri Freyn
505. „ canadense Michx,
506. „ humile Jacq.
507. „ murorum L.
508. „ pannosum Boiss.
509. „ villosum L.
510. Inula helenium L.
511. Kleinia articulata Haw.
512. „ repens Haw.
513. Leontopodium wilsoni Beauv.
514. Lepachys pinnatifida Rafin.
515. Liatris ligulistylis A. Nels.
516. Ligularia clivorum Maxim.
517. „ sibirica Cass.
518. „ veitchiana (Hemsl.) Greenm.
519. Othonna capensis Bailey
520. Rudbeckia speciosa Wend.
521. Santolina pinnata Viv.
522. Sanvitalia procumbens Lam.
523. Saussurea alpina (L.) DC.
524. Scorzonera purpurea L.

525. Senecio adenodifolius Loisel.
526. „ giganteus Desf.
527. Serratula coronata L.
528. Solidago canadensis L.
529. „ rigida L.
530. „ rugosa Mill.
531. „ serotina Ait.
532. „ ulmifolia Muhl.
533. Tagetes patula L.
534. Zinnia angustifolia H.B.K.
535. „ haageana Regel
536. „ linearis Benth.
537. „ multiflora L.

CONVOLVULACEAE

538. Cobaea scandens Cav.
539. Ipomoea hederacea Jacq.
540. „ purpurea (L.) Roth
541. Lettsomia atropurpurea C.B. Clarke
542. Quamoclit coccinea Moench

CORIARIACEAE

543. Coriaria japonica A. Gray
544. „ myrtifolia L.
545. „ nepalensis Wall.
546. „ terminalis Hemsl. var. xanthocarpa Rehd. et Wils.

CORNACEAE

547. Aucuba japonica Thunb. var. variegata d'Ombr.
548. Cornus baileyi Coult. et Evans
549. „ stolonifera Michx.

CRASSULACEAE

550. Aeonium arboreum (L.) Webb et Berth. var. atropurpureum Hort.
551. „ decorum Webb et Berth.
552. „ lindleyi Webb et Berth.
553. „ tortuosum Berger
554. Aichryson dichotomum Webb et Berth.
555. Bryophyllum tubiflorum Haw.
556. Crassula arborescens Willd.
557. „ argentea Thunb.
558. „ ciliata L.
559. „ ericoides Haw.
560. „ falcata Wendl.
561. „ lactea Ait.
562. „ lycopodioides Lam.
563. „ pseudolycopodioides Dinter et Schinz
564. „ socialis Schoenland
565. Echeveria agavoides Lem.
566. „ derenbergii J.A.Purpus
567. „ gibbiflora DC.
568. „ gibbiflora DC. var. carunculata Hort.
569. „ harmsii Macbride
570. „ perelegans Berger
571. „ purpusii K. Schum.
572. „ setosa Rose et Purpus
573. Kalanchoe laciniata DC.
574. Pachyphytum compactum Rose
575. Sedum aizoon L.

576. Sedum kamtschaticum Fisch. et Mey.
577. „ middendorfianum Maxim.
578. „ nevii A. Gray
579. „ praealtum A.DC.
580. „ telephium L.
581. Sempervivum calcareum Jord.
582. „ × fontanae Bruegg.
583. „ × modestum Jord. et F.
584. „ × pomeli Lamotte
585. „ tectorum L. var. pyrenaicum Hort.
586. „ × thomayeri Corr.
587. „ velutinum N.E. Br.

CRUCIFERAE

588. Alyssum montanum L.
589. „ saxatile L. var. citrinum Arnott
590. „ sinuatum L.
591. Arabis muralis Bertol. var. rosea DC.
592. „ procurrens Waldst. et Kit.
593. „ sicula Huet ex Reut.
594. „ soyeri Reut. et Huet
595. Barbarea orthoceras Ledeb.
596. „ verna (Mill.) Ascherš.
597. „ vulgaris R. Br.
598. Brassica napus L.
599. Bunias orientalis L.
600. Capsella grandiflora Boiss.
601. Eruca sativa Mill.
602. Erysimum hieracifolium L.
603. Hesperis matronalis L.
604. Iberis jordanii Boiss.
605. „ sempervirens L.
606. „ tenoreana DC.
607. Isatis tinctoria L.
608. Schivereckia podolica (Bess.) Andrz.

CUCURBITACEAE

609. Bryonia dioica L.
610. Cyclanthera explodens Naud.
611. Echinocystus wrightii Cogn.

CUSCUTACEAE

612. Cuscuta racemosa Mart.

DIPSACACEAE

613. Cephalaria alpina (L.) Schrad.
614. „ joppica (Spreng.) Beg.
615. Scabiosa brachiata Sibth. et Sm.
616. Succisa australis Mert.
617. Succisella inflexa (Kluk.) Beck

DROSERACEAE

618. Dionaea muscipula Ellis
619. Drosera capensis L.
620. „ spathulata Labill.

ELAEAGNACEAE

621. Elaeagnus multiflora Thunb.
622. „ umbellata Thunb.
623. Hippophaë rhamnoides L.

ERICACEAE

624. Andromeda glaucophylla Link var. latifolia (Ait.) Rehd.
625. Chamaedaphne calyculata (L.) Moench
626. Enkianthus campanulatus (Miq.) Nich.
627. Gaultheria miqueliana Takeda
628. „ shallon Pursh
629. Kalmia polifolia Wangenh.
630. Pernettya mucronata (L.) Gaud.
631. Pieris japonica D. Don
632. Rhododendron albicans Waterer
633. „ keiskei Miq.
634. „ smirnowi Trautv.
635. „ viscosum (L.) Torr.
636. Vaccinium corymbosum L.
637. „ corymbosum L. f. caesariense (Mack.) Camp
638. „ vitis-idaea L.
639. Zenobia pulverulenta (Bartr.) Pollard

EUPHORBIACEAE

640. Andrachne colchica Fisch. et Mey.
641. Euphorbia bubalina Boiss.
642. „ burmanni E. Mey.
643. „ chamaesyce L.
644. „ dulcis L.
645. „ esula L.
646. „ grandidens Haw.
647. „ lathyris L.
648. „ mauritanica L.
649. „ milii Ch. des Moulins
650. „ pendula Link
651. „ pubescens Vahl var. crispata (Hornem.) Boiss.
652. „ rampressa Croiz.
653. „ tirucalli L.
654. „ verrucosa Lam.
655. Ricinus communis L.
656. „ communis L. var. inermis (Jacq.) Pax et K. Hoffm.
657. Securinega suffruticosa (Pall.) Rehd.

FAGACEAE

658. Fagus silvatica L.
659. Quercus cerris L.
660. „ robur L.

FRANKENIACEAE

661. Frankenia hirsuta ~~L.~~ Veel
662. „ pulverulenta ~~L.~~ veel

GENTIANACEAE

663. Centaurium minus Moench

GERANIACEAE

664. Erodium absinthoides Willd. var. amanum (Boiss. et Kotschy) Brumh.
665. „ gruinum (L.) l'Hér.
666. Geranium albiflorum Ledeb.
667. „ dahuricum DC.
668. „ eriostemum Fisch.
669. „ ibericum Cav.
670. „ nepalense Sweet
671. „ pratense L.
672. „ pylzowianum Maxim.
673. „ rectum Trautv.
674 „ sanguineum L.
675. „ sibiricum L.
676. „ silvaticum L.
677. „ tuberosum L.
678. Pelargonium acetosum (L.) Ait.
679. „ australe Jacq.
680. „ tetragonum l'Hér.

GESNERIACEAE

681. Achimenes coccinea (Scop.) Pers.
682. „ longiflora DC.
683. Corytholoma cardinalis (Lehm.) Walp.
684. Dicyrta warscewicziana Regel
685. Kohleria picta Hanst.
686. Streptocarpus gardenii Hook.

GLOBULARIACEAE

687. Globularia vulgaris L.

GUTTIFERAE

688. Hypericum androsaemum L.
689. „ hircinum L.
690. „ hookerianum Wight et Arn.
691. „ orientale L.
692. „ perforatum L.

HALORAGACEAE

693. Haloragis alata Jacq.

HAMAMELIDACEAE

694. Corylopsis spicata Sieb. et Zucc.
695. Fothergilla major (Sims) Lodd.
696. „ monticola Ash.
697. Hamamelis japonica Sieb. et Zucc.
698. „ japonica Sieb. et Zucc. var. flavo-purpurascens Rehd.
699. „ japonica Sieb. et Zucc. var. zuccariniana Gumb.
700. „ mollis Oliv.
701. „ virginiana L.

HIPPOCASTANEACEAE

702. Aesculus hippocastanum L.
703. „ × hybrida DC.
704. „ pavia L.

HYDROPHYLLACEAE

705. Phacelia tanacetifolia Benth.
706. „ viscida Torr.

JUGLANDACEAE

707. Carya cordiformis (Wangh.) K. Koch
708. Juglans nigra L.
709. „ stenocarpa Maxim.
710. Pterocarya fraxinifolia (Lam.) Spach

LABIATAE

711. Ballota acuta (Moench) Briq. var. macedonica (Vaud.) Hayek
712. „ nigra L.
713. Betonica macrantha C. Koch
714. „ nivea Stev.
715. „ officinalis L.
716. Dracocephalum nutans L. var. alpina Kar. et Kir.
717. Horminum pyrenaicum L.
718. Hyptis pectinata Poit.
719. Hyssopus officinalis L.
720. Lavandula officinalis Chaix
721. Leonurus cardiaca L.
722. Lycopus europaeus L.
723. „ exaltatus L.f.
724. Marrubium peregrinum L.
725. Mentha longifolia (L.) Huds.
726. „ longifolia (L.) Huds. var. minutiflora (Borb.) Briq.
727. Monarda fistulosa L.
728. „ fistulosa L. var. mollis Benth.
729. Nepeta grandiflora Bieb.
730. „ nuda L. ssp. pannonica (Jacq.) Gams
731. „ spicata Benth.
732. Ocimum basilicum L.
733. Origanum vulgare L.
734. Phlomis alpina Pall.
735. „ cashmiriana Royle
736. „ herba-ventii L.
737. „ tuberosa L.
738. Physostegia virginiana (L.) Benth.
739. Plectranthus glaucocalyx Maxim.
740. Salvia beckeri Trautv.
741. „ bertolonii Vis.
742. „ clandestina L. var. angustifolia Benth.
743. „ coccinea L.f.
744. „ coccinea L.f. var. pseudococcinea (Jacq.) Nich.
745. „ glutinosa L.
746. „ officinalis L.
747. „ sclarea L.
748. „ verticillata L.

749. Saturea calamintha (L.) Scheele ssp. officinalis (Moench) Gams
750. Scutellaria alpina L. var. alba Hort.
751. „ altissima L.
752. „ dependens Maxim.
753. Stachys densiflora Benth.
754. Teucrium chamaedrys L.

LARDIZABALACEAE

755. Akebia quinata (Houtt.) Decne.
756. Decaisnea fargesii Franch.

LIMNANTHACEAE

757. Limnanthes douglasii R. Br.

LINACEAE

758. Linum bulgaricum Podp.
759. „ flavum L.
760. „ perenne L.
761. „ usitatissimum L.

LOASACEAE

762. Blumenbachia hieronymii Urb.
763. „ insignis Schrad.
764. Cajophora lateritia (Hook.) Klotzsch
765. Loasa triphylla Juss.

LORANTHACEAE

766. Viscum album L. (on Malus)
767. „ album L. (on Sorbus)

LYTHRACEAE

768. Cuphea ignea A. DC.
769. „ lanceolata Ait.
770. „ purpurea Hort.
771. Heimia myrtifolia Cham. et Schlecht.
772. Lythrum salicaria L.

MAGNOLIACEAE

773. Magnolia kobus DC.
774. „ salicifolia Maxim.
775. „ soulangeana Soul.
776. „ stellata Maxim.
777. „ tripetala L.
778. „ virginiana L.

MALVACEAE

779. Althaea armeniaca Ten.
780. „ cannabina L.
781. „ ficifolia (L.) Cav.
782. „ heldreichii Boiss.
783. „ officinalis L.
784. „ sulphurea Boiss. et Hohen.
785. Anoda wrightii A. Gray
786. Callirrhoë pedata A. Gray
787. Hibiscus manihot L.

788. Kitaibelia vitifolia Willd.
789. Lavatera olbia L. var. rosea Ladhams
790. „ thuringiaca L.
791. „ trimestris L.
792. „ trimestris L. var. albiflora G. Don.
793. Malope trifida Cav.
794. Malva alcea L.
795. Modiola caroliniana (L.) G. Don
796. Napaea dioica L.
797. Pavonia schimperiana Hochst. ex A. Rich.
798. „ spinifex Cav.
799. Sida hermaphrodita (L.) Rusby
800. Sidalcea campestris Greene
801. „ candida A. Gray

MARTYNIACEAE

802. Proboscidea jussieui Steud.

MENISPERMACEAE

803. Cocculus trilobus (Thunb.) DC.

MIMOSACEAE

804. Acacia farnesiana Willd.
805. Mimosa pudica L.

MORACEAE

806. Dorstenia contrajerva L.

MYRICACEAE

807. Myrica gale L.

NOLANACEAE

808. Nolana prostrata L.

NYCTAGINACEAE

809. Mirabilis froebeli Greene
810. „ longiflora L.
811. „ wrightiana A. Gray

OENOTHERACEAE

812. Boisduvalia densiflora (Lindl.) Wats.
813. Clarkia elegans Dougl.
814. „ pulchella Pursh
815. Epilobium dodonaei Vill.
816. Eucharidium breweri A. Gray
817. „ ~~coccineum~~ grandiflorum Fisch. et Mey.
818. Gaura biennis ~~L.~~
819. Lopezia coronata Andr.
820. Oenothera fruticosa L.
821. „ nocturna Jacq.
822. „ perennis L.
823. „ purpurea Curt.

824. Oenothera riparia Nutt.
825. „ tetragona Roth var. fraseri (Pursh) Munz

OLEACEAE

826. Forsythia intermedia Zab. var. spectabilis Koehne
827. Jasminum beesianum Forr. et Diels
828. „ humile L. var. glabrum (DC.) Kobuski
829. Ligustrum acuminatum Koehne
830. „ obtusifolium Sieb. et Zucc.
831. „ ovalifolium Hassk.
832. „ vulgare L.
833. Syringa pinetorum W.W. Sm.

OXALIDACEAE

834. Oxalis valdiviensis Barn.

PAPAVERACEAE

835. Chelidonium majus L.
836. Corydalis pallida Pers.
837. Dicranostigma franchettianum (Prain) Fedde
838. Eschscholtzia maritima Greene
839. Hypecoum procumbens L.
840. Macleya cordata (Willd.) R.Br.
841. Papaver bracteatum Lindl.
842. Papaver orientale L.

PAPILIONACEAE

843. Astragalus cicer L.
844. „ exscapus L.
845. „ falcatus Lam.
846. „ glyciphyllos L.
847. „ gummifer Labill.
848. „ onobrychis L.
849. „ sikkimensis Benth.
850. „ vesicarius L.
851. Baptisia australis R. Br.
852. Calophaca wolgarica Fisch.
853. Caragana ambigua Stocks.
854. „ arborescens Lam.
855. „ boisii Schneid.
856. „ densa Komar.
857. „ fruticosa (Pall.) Steud.
858. „ frutex (L.) K. Koch
859. „ microphylla Lam.
860. „ × sophoraefolia Tausch
861. „ tragacanthoides (Pall.) Poir.
862. Cercis siliquastrum L.
863. Cladrastis lutea (Michx.) K. Koch
864. Colutea arborescens L.
865. „ × media Willd.
866. „ orientalis Mill.
867. Crotalaria stipularia Desv.
868. Cytisus albus Hacq.
869. „ hirsutus L.
870. „ × praecox Bean
871. „ purpureus Scop.
872. „ ratisbonensis Schaeff.

873. Cytisus supinus L.
874. Desmodium canadense DC.
875. Dorycnium suffruticosum Vill.
876. Galega officinalis L.
877. Genista sagittalis L.
878. „ tinctoria L.
879. „ tinctoria L. var. virgata Koch
880. + Laburnocytisus adami (Poit.) Schneid.
881. Laburnum alpinum Brecht. et Presl
882. „ anagyroides Med.
883. „ anagyroides Med. var. alschingeri (Vis.) Schneid.
884. „ watereri Dipp.
885. Lathyrus annuus L.
886. „ aphaca L.
887. „ articulatus L.
888. „ cicera L.
889. „ clymenum L.
890. „ latifolius L.
891. „ latifolius L. var. albiflorus Sw.
892. „ magellanicus Lam.
893. „ maritimus Bigel.
894. „ nissolia L.
895. „ ochrus (L.) DC.
896. „ odoratus L.
897. „ silvestris L.
898. „ sphaericus Retz.
899. „ tingitanus L.
900. „ tuberosus L.
901. „ vernus (L.) Bernh.
902. Lotus siliquosus L.
903. Lupinus micranthus Dougl. ex Lindl.
904. Lupinus perennis L.
905. „ pilosus Murr.
906. Maackia amurensis Rupr.
907. Ononis spinosa L.
908. Petteria ramentacea (Sieber) Presl
909. Soja max (L.) Piper
910. Sophora flavescens Ait.
911. Spartium junceum L.
912. Thermopsis macrophylla Hook. et Arn.
913. „ montana Nutt.
914. Trifolium pannonicum L.
915. „ repens L.
916. Ulex europaeus L.
917. Vicia orobus DC.

PASSIFLORACEAE

918. Passiflora foetida L.
919. „ vespertilio L.

PHRYMACEAE

920. Phryma leptostachya L.

PHYTOLACCACEAE

921. Rivina humilis L. (orange-fruited)
922. „ humilis L. (red-fruited)

PIPERACEAE

923. Pepèromia glabella (Sw.) A. Dietr.
924. „ metallica Linden et Rod.
925. „ rubella Hook.
926. „ velutina Linden et André

PLANTAGINACEAE

927. Plantago alpina L.
928. „ coronopus L.
929. „ cynops L.
930. „ hirtella H.B.K.
931. „ lanceolata L.
932. „ leiopetala Lowe
933. „ maritima L.

PLUMBAGINACEAE

934. Armeria majellensis Boiss.
935. „ sardoa Spreng.
936. Limonium latifolium (Sm.) Ktze.

POLEMONIACEAE

937. Collomia biflora (Ruiz et Pav.) Brand
938. Gilia aggregata Spreng.
939. „ heterophylla Dougl. ex Hook.
940. „ rubra (L.) Heller
941. Polemonium caeruleum L. var. himalayanum Bak.
942. „ mexicanum Cerv. ex Lag.
943. „ reptans L.
944. „ richardsonii Grah.
945. „ sibiricum D. Don

POLYGONACEAE

946. Fagopyrum sagittatum Gilib.
947. Polygonum alpinum All.
948. „ bistorta L.
949. „ weyrichii F. Schmidt
950. Rheum emodi Wall.
951. „ fedtschenkoi Maxim. ex Regel
952. „ franzenbachii Muent.
953. „ officinale Baill.
954. „ rhaponticum L.
955. „ tataricum L.
956. „ tetragonopus Mart.
957. „ wittrockii Lundström
958. Rumex abyssinicus Jacq.
959. „ conglomeratus Murr.
960. „ hydrolapatum Huds.
961. „ nivalis Hegetschw.
962. „ sanguineus L.
963. „ scutatus L.

PORTULACACEAE

964. Anacampseros lanceolata Sweet
965. Calandrinia grandiflora Lindl.
966. Portulaca gillierii Hook.
967. „ grandiflora Hook.

968. Portulaca oleracea L.

PRIMULACEAE

969. Anagallis linifolia L.
970. Androsace carnea L. f. brigantiaca (Jord. et Fourn.) R. Knuth
971. Lysimachia decurrens Forst.
972. „ ephemerum L.
973. „ lanceolata Walt. var. angustifolia (Lam.) R. Knuth
974. „ lichiangensis Forr.
975. „ lobelioides Wall.
976. „ punctata L.
977. „ punctata L. var. verticillata Boiss.
978. Primula alpicola (Ward) Stapf
979. „ auricula L.
980. „ × briscoei Hort.
981. „ carniolica Jacq.
982. „ florindae Ward
983. „ glaucescens Moretti
984. „ involucrata Wall.
985. „ kitaibeliana Schott
986. „ marginata Curtis
987. „ sibirica Jacq.
988. „ sikkimensis Hook. f. var. pudenda (W.W. Smith) W.W. Smith et Fletch.
989. „ × silva-taroucana Schn. et Zeman
990. „ × venusta Host.
991. „ veris L.
992. Primula veris L. var. columnae (Ten.) Pax
993. „ veris L. var. macrocalyx (Bunge) C. Koch
994. „ waltoni Watt.

RANUNCULACEAE

995. Aconitum napellus L. var. lobelianum Rchb.
996. „ vulparia Rchb.
997. Anemone multifida Poir.
998. „ tetrasepala Royle
999. Aquilegia advena Regel
1000. „ caerulea James var. helenae Boiss et Reut.
1001. „ glandulosa Fisch.
1002. „ moorcroftiana Wall.
1003. „ nevadensis Boiss. et Reut.
1004. „ olympica Boiss.
1005. „ ottonis Orph. ex Boiss.
1006. „ oxysepala Trautv. et Mey.
1007. „ rubicunda Tidestr.
1008. „ shockleyi Eastw.
1009. „ sibirica Lam.
1010. Caltha palustris L.
1011. Clematis crispa L.
1012. „ montana Buch.-Ham.
1013. „ stans Sieb. et Zucc. var. kousabotan (Decne.) Schneid.
1014. „ virginiana L.

1015. Clematis vitalba L.
1016. Delphinium bicolor Nutt.
1017. „ grandiflorum L.
1018. „ przewalskii Huth
1019. „ pylzowi Maxim.
1020. „ tatsienense Franch.
1021. „ yunnanense Franch.
1022. Helleborus foetidus L.
1023. Isopyrum thalictroides L.
1024. Nigella arvensis L.
1025. „ orientalis L.
1026. Ranunculus abortivus L.
1027. „ brutius Ten.
1028. „ chaerophyllus L.
1029. „ muricatus L.
1030. „ polyanthemos L.
1031. „ psilostachys Griseb.
1032. Thalictrum bulgaricum Velen.
1033. „ delavayi Franch.
1034. „ foetidum L.
1035. „ glaucum Desf.
1036. „ isopyroides C.A. Mey.
1037. „ petaloideum L.
1038. „ pseudomirus Javórka
1039. „ rhynchocarpum O. Dillon et A. Rich.
1040. „ simplex L.
1041. Trollius acaulis Lindl.

RESEDACEAE

1042. Caylusea abyssinica (Fresen.) Fisch. et Mey.
1043. Reseda complicata Bory
1044. „ lutea L.
1045. „ luteola L.

ROSACEAE

1046. Acaena decurrens Willd.
1047. „ glaucophylla Bitter
1048. „ laevigata Ait.
1049. „ pinnatifida Ruiz et Pav.
1050. Agrimonia eupatoria L.
1051. „ eupatoria L. var. dahurica Willd.
1052. „ odorata Mill.
1053. Alchemilla vulgaris L.
1054. Amelanchier asiatica (Sieb. et Zucc.) Endl.
1055. „ florida Lindl.
1056. „ oblongifolia Roem.
1057. „ ovalis Med.
1058. „ × spicata (Lam.) K. Koch
1059. Aronia arbutifolia (L.) Elliott
1060. Chaenomeles japonica (Thunb.) Lindl.
1061. „ japonica (Thunb.) Lindl. var. cardinalis Carr.
1062. Coluria potentilloides R. Br.
1063. Cotoneaster acutifolia Turcz.
1064. „ apiculata Rehd. et Wils.
1065. „ conspicua Marquand
1066. „ frigida Lindl.
1067. „ horizontalis Decne.
1068. „ integerrima Medwed.

1069. Cotoneaster lucida Schlecht.
1070. „ multiflora Bge.
1071. „ nitens Rehd. et Wils.
1072. „ salicifolia Franch.
1073. „ salicifolia Franch. var. floccosa Rehd. et Wils.
1074. „ simonsii Bak.
1075. Crataegus azarolus L.
1076. „ harbisonii Beadle
1077. „ × lavallei Herincq
1078. „ macrantha Lodd.
1079. „ oxyacantha L.
1080. „ oxyacantha L. var. paulii Rehd.
1081. „ oxyacantha L. var. roseo-plena Boom
1082. „ pedicellata Sarg.
1083. „ rivularis Nutt.
1084. „ wilsonii Sarg.
1085. Cydonia oblonga Mill.
1086. Duchaisnea indica (Andr.) Focke
1087. Filipendula hexapetala Gilib.
1088. Fragaria viridis Duch.
1089. Geum × borisii Kellerer
1090. „ chiloense Balb.
1091. „ × intermedium Ehrh.
1092. „ × jankae G. Beck
1093. „ parviflorum Sm.
1094. „ rossii Ser.
1095. Holodiscus discolor (Pursh) Maxim. var. ariaefolia (Sm.) Aschers.et Graebn.
1096. Malus baccata (L.) Borkh.
1097. „ coronaria (L.) Mill. f. charlottae Rehd.
1098. „ floribunda Sieb.
1099. „ glaucescens Rehd.
1100. „ orthocarpa Laval.
1101. „ prattii (Hemsl.) Schneid.
1102. „ prunifolia (Willd.) Borkh.
1103. „ prunifolia (Willd.) Borkh. var. rinki (Koidz.) Rehd.
1104. „ pumila Mill. var. niedzwetzkyana (Dieck) Schneid.
1105. „ sargenti Rehd.
1106. „ sieboldii (Reg.) Rehd.
1107. „ soulardii (Bailey) Brit.
1108. „ toringoides (Rehd.) Hughes
1109. „ tschonoskii (Maxim.) Schneid.
1110. „ zumi (Mats.) Rehd. var. calocarpa (Rehd.) Rehd.
1111. Mespilus germanica L.
1112. Photinia villosa (Thunb.) DC.
1113. Physocarpus amurensis (Maxim.) Maxim.
1114. „ capitatus (Pursh) Ktze.
1115. „ monogynus (Torr.) Coult.
1116. Potentilla andicola Benth.
1117. „ argentea L. var. tenuiloba Jord.
1118. „ argyrophylla Wall.
1119. „ chrysantha Trevir.

1120. Potentilla cinerea Chaix
1121. „ collina Wibel
1122. „ grammopetala Moretti
1123. „ grandiflora L.
1124. „ hippiana Lehm.
1125. „ inclinata Vill.
1126. „ montenegrina Pantoc.
1127. „ pimpinelloides L.
1128. Prunus × amygdalo-persica (West.) Rehd,
1129. „ padus L.
1130. „ serotina Ehrh.
1131. „ spinosa L.
1132. Pyracantha coccinea Roem. var. lalandii Dipp.
1133. Rhodotypus scandens (Thunb.) Mak.
1134. Rosa beggeriana Schrenk
1135. „ cinnamomea L.
1136. „ corymbifera Porkh.
1137. „ davidi Crép. var. elongata Rehd. et Wils.
1138. „ dumalis Bechst.
1139. „ glutinosa Sibth. et Sm. var. dalmatica (Kern.) Porb.
1140. „ moschata Herrm.
1141. „ multibracteata Hemsl. et Wils.
1142. „ nitida Willd.
1143. „ pisocarpa A. Gray
1144. „ pomifera Herrm.
1145. „ roxburgii Tratt. var. hirtula (Reg.) Rehd. et Wils.
1146. „ rubrifolia Vill.
1147. Rosa rugosa Thunb.
1148. „ scharnkeana Graebn.
1149. „ sericea Lindl.
1150. „ setipoda Hemsl. et Wils.
1151. „ spinossissima L. var. nana Andrews
1152. „ stylosa Desv.
1153. „ tomentosa Smith
1154. „ wichuriana Crép.
1155. Sanguisorba canadensis L.
1156. „ obtusa Maxim.
1157. „ officinalis L.
1158. „ tenuifolia Fisch. et Link.
1159. Sibiraea laevigata (L.) Maxim.
1160. Sorbaria arborea Schneid.
1161. „ arborea Schneid. var. subtomentosa Rehd.
1162. „ tomentosa (Lindl.) Rehd.
1163. Sorbus aucuparia L.
1164. „ hupehensis Schneid.
1165. „ intermedia (Ehrh.) Pers.
1166. Spiraea aruncus L.
1167. „ japonica L.f.
1168. Stephanandra tanakae Franch.
1169. Stranvaesia davidiana Decne. var. salicifolia (Hutch.) Rehd.

RUBIACEAE

1170. Asperula tinctoria L.
1171. Crucianella angustifolia L.
1172. Galium purpureum L.
1173. „ rubioides L.

1174. Galium verum L.
1175. Pentas lanceolata Schum.
1176. „ lanceolata Schum. var. alba Hort.
1177. Psychotria kirkii Hiern.
1178. Rubia tinctorum L.

RUTACEAE

1179. Dictamnus albus L. var. albiflorus (Koch) Aschers. et Graebn.
1180. „ albus L. var. rubra Hort.
1181. Erythrochiton brasiliensis Nees et Mart.
1182. Ptelea baldwinii Torr.
1183. „ trifoliata L.
1184. Ruta graveolens L.
1185. Skimmia japonica Thunb.

SAPINDACEAE

1186. Koelreuteria paniculata Laxm.

SAXIFRAGACEAE

1187. Astilbe rivularis Buch.-Ham.
1188. „ sinensis (Maxim.) Franch. et Sav. var. davidii Franch.
1189. Deutzia glomeruliflora Franch.
1190. „ gracilis Sieb. et Zucc.
1191. „ longifolia Franch.
1192. Deutzia scabra Thunb.
1193. „ scabra Thunb. var. plena (Maxim.) Rehd.
1194. „ scabra Thunb. var. watereri (Lemoine) Rehd.
1195. „ schneideriana Rehd.
1196. „ staminea R.Br.
1197. „ × wilsonii Duthie
1198. Heuchera americana L.
1199. „ chlorantha Piper
1200. „ glabra Willd.
1201. „ himalayensis Decne.
1202. „ hispida Pursh
1203. „ micrantha Dougl.
1204. „ rubescens Torr.
1205. „ sanguinea Engelm.
1206. Mitella caulescens Nutt. ex Torr. et Gray
1207. „ pentandra Hook.
1208. „ trifida R. Grah.
1209. Philadelphus falconeri Sarg.
1210. „ × floribundus Schrad.
1211. „ lewisii Pursh
1212. „ magdalenae Koehne
1213. „ myrtifolius Hort.
1214. „ purpurascens (Koehne) Rehd.
1215. „ × virginalis Rehd.
1216. Ribes glutinosum Benth.
1217. „ multiflorum Kit.
1218. „ sanguineum Pursh
1219. „ stenocarpum Maxim.
1220. Saxifraga aretioides Lap.
1221. „ camposii Willk.

P. Koch
Oude Gracht 341

13232

Zaad bewaren voor Hr Koch

Zaad bewaren

1222. Saxifraga decipiens Ehrh. var. bathoniensis Hort.
1223. „ decipiens Ehrh. var. glabrata Engl. et Irmsch.
1224. „ exarata Vill.
1225. „ globulifera Desf. var. oranensis (Thunb.) Engl.
1226. „ irrigua Bieb.
1227. „ laevis Bieb.
1228. „ macnabiana Lindsay
1229. „ pubescens Pourr. ssp. pourretiana Engl. et Irmsch.
1230. Tellima grandiflora R.Br.
1231. Tiarella cordifolia L.

SCROPHULARIACEAE

1232. Alonsoa caulialata Ruiz et Pav.
1233. Celsia orientalis L.
1234. Chelone obliqua L.
1235. Digitalis amandiana Sampaio
1236. „ eriostachya Pess.
1237. „ fontanesii Steud.
1238. „ × fulva Lindl.
1239. „ grandiflora Mill.
1240. „ lanata Ehrh.
1241. „ lutea L.
1242. „ mariana Boiss.
1243. „ × mertonensis Buxton et Darlington
1244. „ nervosa Steud. ex Hochst.
1245. Digitalis parviflora Jacq.
1246. „ purpurea L.
1247. Hebe speciosa (R. Cunn.) Andersen
1248. Hebenstreitia watsoni Rolfe
1249. Linaria cymbalaria Mill.
1250. „ purpurea Mill.
1251. „ striata DC.
1252. Mimulus lewisii Pursh
1253. Nemesia floribunda Lehm.
1254. „ foetens Vent.
1255. Penstemon alpinus Torr.
1256. „ arizonicus Heller
1257. „ cobaea Nutt.
1258. „ confertus Dougl.
1259. „ diffusus Dougl.
1260. „ glaber Pursh
1261. „ glaucus A. Gray
1262. „ gracilis Nutt.
1263. „ hirsutus (L.) Willd.
1264. „ richardsonii Dougl.
1265. „ spectabilis Thurb.
1266. „ wilcoxii Rydb.
1267. Scrophularia alata Gilib.
1268. „ altaica Murr.
1269. Tetranema mexicana Penth.
1270. Verbascum nigrum L.
1271. „ rubiginosum Waldst. et Kit.
1272. „ thapsiforme Schrad. var. albiflorum Abrom.
1273. Veronica gentianoides Vahl.
1274. „ grandis Fisch. ex Spreng.
1275. „ incana L.
1276. „ longifolia L.

1277. Veronica longifolia L. var. subsessilis Miq.
1278. " orchidea Crantz
1279. " prostrata L.
1280. " spuria L.
1281. " virginica L.

SOLANACEAE

1282. Atropa belladonna L.
1283. Browallia grandiflora Grah.
1284. Datura fastuosa L.
1285. " stramonium L.
1286. Lycium barbarum L.
1287. " chilense Mill.
1288. " halimifolium Mill.
1289. Lycopersicum esculentum Mill.
1290. " esculentum Mill. var. pyriforme Hort.
1291. Nicotiana langsdorfii Weinm.
1292. Petunia axillaris Britton, Sterns et Pogg.
1293. " parviflora Juss.
1294. Physalis franchetii Mart.
1295. " lanceolata Michx.
1296. Solanum dulcamara L. var. album West.

STAPHYLEACEAE

1297. Staphylea pinnata L.
1298. " trifolia L.

STERCULIACEAE

1299. Fremontia mexicana Macbride

STYRACACEAE

1300. Halesia carolina L.
1301. " monticola (Rehd.) Sarg.
1302. Pterostyrax hispida Sieb. et Zucc.
1303. Styrax obassia Sieb. et Zucc.
1304. " wilsonii Rehd.

THELYGONACEAE

1305. Thelygonum cynocrambe L.

THYMELAEACEAE

1306. Daphne mezereum L.

TILIACEAE

1307. Corchorus tridens L.
1308. Sparmannia palmata E. Mey.
1309. Tilia platyphyllos Scop.

TROPAEOLACEAE

1310. Tropaeolum peregrinum L.

ULMACEAE

1311. Celtis caucasica Willd.
1312. „ occidentalis L.
1313. „ reticulata Torr.

UMBELLIFERAE

1314. Anethum graveolens L.
1315. Astrantia carniolica Wulf.
1316. „ helleborifolia Salisb.
1317. „ major L.
1318. Carum rigidulum Koch
1319. Coriandrum sativum L.
1320. Cryptotaenia canadensis DC.
1321. Eryngium planum L.
1322. Ferula tingitana L.
1323. Oenanthe aquatica (L.) Poir.
1324. „ pimpinelloides L.
1325. Pimpinella major (L.) Huds.
1326. Scandix pecten-veneris L.

URTICACEAE

1327. Laportea canadensis Gaud.
1328. Parietaria officinalis L.
1329. Pellionia daveauana N.E. Br.

VALERIANACEAE

1330. Centranthus ruber DC.
1331. Patrinia intermedia Roem. et Schult.
1332. Valeriana officinalis L.

VERBENACEAE

1333. Callicarpa americana L.
1334. „ bodinieri Lévl. var. giraldii (Rehd.) Rehd.
1335. „ dichotoma (Lour.) K. Koch
1336. „ japonica Thunb.
1337. „ japonica Thunb. var. angustata Rehd.
1338. „ mollis Sieb. et Zucc.
1339. „ shirasawana Mak.
1340. Clerodendrum trichotomum Thunb.
1341. „ trichotomum Thunb. var. fargesii (Dode) Rehd.
1342. Verbena canadensis (L.) Britt.
1343. „ litoralis H.B.K.
1344. „ rigida Spreng.

VIOLACEAE

1345. Viola declinata Waldst. et Kit.
1346. „ elatior Fries
1347. „ macroceras Bunge
1348. „ odorata L.
1349. „ patrinii Ging.
1350. „ primulifolia L.
1351. „ sepincola Jord.
1352. „ stagnina Kit.

VITACEAE

1353. Ampelopsis aconitifolia Bge.
1354. „ megalophylla Diels et Gilg

1355. Cissus quadrangularis . Planch.
1356. Vitis amurensis Rupr.
1357. „ arizonica Engelm.
1358. „ vinifera L.

ZYGOPHYLLACEAE

1359. Tribulus terrestris L.

GARDEN VARIETIES

1360. Achimenes hybr. 'Little Beauty'
1361. Ageratum houstonianum Mill. 'Blue Cap'
1362. Anchusa capensis Thunb. 'Blue Bird'
1363. Antirrhinum majus L. 'Fascination'
1364. Begonia tuberhybrida Voss 'double mixed'
1365. Calendula officinalis L. var. plena Sw. 'Apricot Beauty'
1366. Campanula carpatica Jacq. 'Riverslea Gem'
1367. Chamaecyparis lawsoniana (A. Murr.) Parl. 'Golden Queen'
1368. Chrysanthemum parthenium (L.) Bernh. var. flosculosum (DC.) Boom 'Snowball'
1369. Convolvulus tricolor L. 'hybrids'
1370. Cosmos bipinnatus Cav. 'Sensation'
1371. Cotoneaster hybr. 'Cornubia'
1372. Dianthus plumarius L. 'Duchess of Fife'
1373. „ sinensis L. var. heddewigii Regel f. giganteus Hort.
1374. Gazania 'hybrids'
1375. Gynandropsis speciosa (H.B.K.) DC. 'hybrids'
1376. „ speciosa (H.B.K.) DC. 'Lady Campbell'
1377. „ speciosa (H.B.K.) DC. 'Pink Queen'
1378. Helianthus annuus L. 'Sunrise'
1379. „ annuus L. 'Yellow Pygmy'
1380. Heliopsis scabra Dun. 'Patula'
1381. Iberis amara L. var. coronaria (D.Don) Voss 'Empress'
1382. Lavatera trimestris L. 'Sunset'
1383. Leptosiphon hybridus Hort. 'mixed colours'
1384. Lobelia hybr. 'Queen Victoria'

1385. Lobularia maritima (L.) Desv. var. lilacina Boom 'Violet Queen'
1386. „ maritima (L.) Desv. var. procumbens (Baill.) Boom 'Sneeuwkleed'
1387. Lonicera yunnanensis Franch. 'Hohenheimer Findling'
1388. Lupinus polyphyllus Lindl. 'Moerheims Red'
1389. Lythrum salicaria L. 'Brightness'
1390. Monarda didyma L. 'Cambridge Scarlet'
1391. Nicotiana sanderae Sander 'hybrids'
1392. Phlox paniculata L. 'Caroline vanden Berg'
1393. „ paniculata L. 'Coquelicot'
1394. „ paniculata L. 'Evangeline'
1395. „ paniculata L. 'Frau Anth. Buchner'
1396. „ paniculata L. 'Jules Sandeau'
1397. „ paniculata L. 'Marie 'sJacob'
1398. „ paniculata L. 'P.D. Williams'
1399. „ paniculata L. 'Rijnstroom'
1400. „ paniculata L. 'Smiles'
1401. Pyracantha coccinea Roem. 'Kasan'
1402. Rosa eglanteria L. 'Lady Penzance'
1403. Rudbeckia nitida Nutt. 'Herbstsonne'
1404. Saxifraga hybr. 'Queen of the Belgians'
1405. „ hybr. 'Warr's Crimson'
1406. Sedum spurium Bieb. 'Schorbusser Blut'
1407. Solidago hybr. 'Golden Dwarf'
1408. „ hybr. 'Golden Wings'
1409. Tagetes patula L. 'Harmony'
1410. „ patula L. 'Yellow Pygmy'
1411. Tropaeolum majus L. var. nanum Hort. 'Black Beauty'
1412. Zea mays L. 'Amo hybrids'