



Selectus seminum quae Hortus Botanicus Universitatis Rheno-Trajectinae pro mutua commutatione offert.

<https://hdl.handle.net/1874/433853>

VWM/328
1934

DELECTUS SEMINUM

QUAE

HORTUS BOTANICUS

UNIVERSITATIS

RHENO-TRAIECTINAE

PRO

MUTUA COMMUTATIONE OFFERT.

Semina anno MCMIV collecta.

- Acacia heterophylla* Willd.
Acanthostachys strobilacea Link.
Acanthus longifolius Poir.
Acer platanoides L.
Achillea Millefolium L.
Aconitum ferox Wall.
 — *Lycocotonum* L.
 — *Napellus* L.
Adlumia cirrhosa Rafin.
Adonis aestivalis L.
Aegopodium Podagraria L.
Aeschynanthus pulchra G. Don.
Agapanthus umbellatus L'Herit.
Aglaonema oblongifolium Schott.
 — *Treubii* Hallier.
Agrimonia Eupatoria L.
Agrostis alba L.
 — *vulgaris* With.
Albuea fastigiata Dryand.
Alchemilla vulgaris L.
 — var. *major* Hort.
Alisma Plantago L.
Allium Cepa L.
 — *fistulosum* L.
 — *hymenorrhizum* Ledeb.
 — *polyphyllum* Kar. et Kir.
 — *Porrum* L.
 — *Schoenoprasum* L.
 — *Scorodoprasum* L.
 — *sphaerocephalum* L.
Alonsoa Warscewiczii Rgl.
Alopeurus pratensis L.
Alstroemeria aurantiaca D. Don.
Althaea cannabina L.
 — *narbonensis* Pourr.
 — *officinalis* L.
 — *pallida* Wald. et Kit.
 — *rosea* Cav.
Alyssum montanum L.
 — *saxatile* L.
 — *sinuatum* L.
-
- Amaranthus caudatus* L.
Amelanchier canadensis Medic.
Amsonia Tabernaemontana Walt.
Anagallis arvensis L.var. *carnea* Hort.
Anchusa officinalis L.
Androsace lactiflora Fisch.
Anemone stellata Lam.
Anthyllis Vulneraria L.
Anthemis tinctoria L.
 — *nobilis* L.
Anthericum gramineum Bak.
 — *Liliago* L.
Antirrhinum majus L.
Anthriscus sylvestris Hoffm.
Aquilegia alpina L.
 — *caerulea* James.
 — *glandulosa* Fisch.
 — *vulgaris* L.
Aralia cachemirica Decne.
 — *nudicaule* L.
 — *racemosa* L.
Archangelica officinalis Hoffm.
Aretium majus Bernh.
 — *minus* Bernh.
Argemone mexicana L.
 — *ochroleuca* Sweet.
Aristolochia elegans Mast.
Armeria alpina Willd.
 — *denticulata* Bertol.
 — *latifolia* Willd.
 — *pinifolia* Hoffmgg. et Link.
 — *splendens* Boiss.
 — *Welwitschii* Boiss.
Arrhenatherum avenaceum Beauv.
Artemisia Absinthium L.
 — *Stelleriana* Bess.
 — *vulgaris* L.
Arthropodium cirratum R. Br.
Asarum europaeum L.
Asclepias curassavica L.
 — *incarnata* L.

- Asclepias syriaca* L.
Asparagus officinalis L.
Asparagus retrofractus L.
Asperula tinctoria L.
Aster macrophyllus L.
Astragalus alpinus L.
 — *galeiformis* L.
 — *Glycyphyllos* L.
Astrantia major L.
Atriplex hortensis L.
 — *sibirica* L.
Atropa Belladonna L.
Aucuba japonica Thnb.
Avena nuda L.
 — *orientalis* Schreb.
 — *sativa* L.
 — *sterilis* L.

Ballota nigra L.
Barbara vulgaris R. Br.
Begonia Schmidtiana Rgl.
 — *tuberosa* Lam.
Berberis Aquifolium Pursh.
 — *vulgaris* L.
 — *vulgaris* L. var. *violacea*.
Beta vulgaris L.
Betula utilis D. Don.
Billbergia pyramidalis Lindl.
Bocconia cordata Willd.
Borago officinalis L.
Brachypodium sylvaticum Beauv.
Brassica alba Boiss.
 — *nigra* Koch.
 — *oleracea* L. var. *acephala* Hort.
Briza gracilis Hort.
 — *media* L.
 — *minor* L.
Bromus racemosus L.
 — *secalinus* L.
 — *tectorum* L.
Bulbine annua Willd.
Bupleurum rotundifolium L.

Calamintha officinalis Mnch.
Calendula officinalis L.
 — — var. *Meteor* Hort.
Calla palustris L.

 || *Calystegia sepium* R. Br.
Caltha palustris L.
 — — var. *semi-plena*.
Campanula americana L.
 — *carpathica* Jacq.
 — *glomerata* L.
 — *Medium* L.
 — *punctata* Lam.
 — *pyramidalis* L.
 — *rapunculoides* L.
 — *Trachelium* L.
Cannabis sativa L.
Capsella Bursa-pastoris Medic.
Capsicum annum L.
Caragana arborescens Lam.
Carex divulsa Good.
 — *flava* L.
 — *hordeistichos* Vill.
 — *lagopina* Whlb.
 — *lucida* Boott.
 — *Pseudocyperus* L.
 — *sylvatica* Huds.
Carlina acaulis L.
Carmichaelia australis R. Br.
Carpinus Betulus L.
Carum Carvi L.
 — *Petroselinum* Benth.
Catananche lutea L.
 — *caerulea* L.
Ceanothus americanus L. var.
Celtis australis L.
Centaurea Cyanus L.
 — *Jacea* L.
Cephalaria alpina Sehrad.
 — *tatarica* Sehrad.
Cerinthe major L.
Chaerophyllum aromaticum Jacq.
 — *aureum* L.
 — *hirsutum* L.
Cheiranthus Cheiri L.
Chelidonium majus L.
 — — var. *laciniatum*.
Chenopodium album L.
Chionodoxa Luciliae Boiss.
 — *sardensis* B. et S.
Chlorophytum elatum R. Br.
 — *Orchidastum* Lindl.
Chrysanthemum coccineum Willd.
 — *coronarium* L.

- | | |
|---|--|
| <i>Chrysanthemum coronopifolium</i>
Mass.
— <i>Leuchanthemum</i> L.
— <i>macrophyllum</i> Wall.
— <i>Parthenium</i> Bernh.
— <i>segetum</i> L.
<i>Cichorium Intybus</i> L.
— <i>Endivia</i> L.
<i>Cicuta virosa</i> L.
<i>Cimicifuga americana</i> Michx.
<i>Cineraria hybrida</i> Hort.
<i>Circaeaa lutetiana</i> L.
— <i>mollis</i> S. et Z.
<i>Clematis diversifolia</i> D.C.
— <i>lasiantha</i> Fisch.
— <i>recta</i> L.
— <i>Vitalba</i> L.
<i>Clethra alnifolia</i> L.
— <i>arborea</i> L.
<i>Cneorum tricoccum</i> L.
<i>Cnicus Benedictus</i> Gaertn.
— <i>Diacantha</i> Desf.
— <i>pratensis</i> Willd.
<i>Cochlearia officinalis</i> L.
<i>Colchicum autumnale</i> L.
<i>Colutea arborescens</i> L.
<i>Commelina coelestis</i> Willd.
<i>Conium maculatum</i> L.
<i>Convallaria majalis</i> L.
<i>Convolvulus rhyniospermum</i> Hochst.
— <i>siculus</i> L.
— <i>tricolor</i> L.
— <i>undulatus</i> Cav.
<i>Coptis asplenifolia</i> Salisb.
<i>Coreopsis lanceolata</i> L.
— <i>tinctoria</i> Nutt.
<i>Coriandrum sativum</i> L.
<i>Corydalis bulbosa</i> D.C.
— <i>glaucia</i> Pursh.
— <i>lutea</i> DC.
— <i>racemosa</i> Pers.
— <i>rosea</i> Maxim.
<i>Crataegus nigra</i> Waldst.
— <i>Oxyacantha</i> L.
— <i>Pyracantha</i> Medic.
<i>Crocus vernus</i> All.
<i>Cucubalus baccifer</i> L.
<i>Cocumis Melo</i> L.
<i>Cucurbita Pepo</i> L. | <i>Cuminum Cyminum</i> L.
<i>Cuphea Balsamona</i> C. et S.
— <i>lanceolata</i> Ait.
— <i>petiolata</i> Pohl.
— <i>procumbens</i> Cav.
<i>Cupressus Lawsoniana</i> Andr.
<i>Cuscuta Epilinum</i> Weihe.
<i>Cynosurus cristatus</i> L.
<i>Cyperus alternifolius</i> L.
— <i>Papyrus</i> L.
— <i>planifolius</i> Rich.
<i>Cytisus filipes</i> Webb. et Berth.
— <i>racemosus</i> Hort.
— <i>scoparius</i> Link.
— — var. <i>Andreanus</i> .
— <i>trifloris</i> l'Hérit.

Dactylis glomerata L.
<i>Dahlia variabilis</i> Desf.
<i>Dalechampia Roezliana</i> Muell.
<i>Datura Stramonium</i> L.
— — var. <i>Tatula</i> .
<i>Delphinium Ajacis</i> L.
— <i>Consolida</i> L.
— <i>elatum</i> L.
— <i>hybridum</i> Steph.
— — var. <i>Genève</i> Hort.
— <i>palmatifidum</i> DC.
<i>Dentaria bulbifera</i> L.
<i>Dechampsia caespitosa</i> Beauv.
<i>Desmodium elatum</i> DC.
<i>Dianthus barbatus</i> L.
— <i>eruentus</i> Griseb.
— <i>deltoides</i> L.
— <i>plumarius</i> L.
— <i>squarrosum</i> Bieb.
<i>Dictamnus albus</i> L.
<i>Digitalis lutea</i> L.
— <i>purpurea</i> L.
— — var. <i>alba</i> Hort.
<i>Dimorphoteca pluvialis</i> Mnch.
<i>Dioscorea tuberifera</i> L. (tubera.)
<i>Dipsacus ferox</i> Loisel.
— <i>sylvestris</i> Mill.
<i>Dorstenia Contrajerva</i> L.
<i>Draba alpina</i> L.
— <i>hirta</i> L. |
|---|--|

- | | |
|--|--|
| <i>Eccremocarpus scaber</i> Ruiz. et Pav. | <i>Geranium macrorrhizum</i> L. |
| <i>Echinops spaerocephalus</i> L. | — <i>molle</i> L. |
| <i>Elaeagnus multiflora</i> Thnbg. | — <i>nepalense</i> Sweet. |
| <i>Epilobium alpinum</i> L. var. <i>alba</i> . | — <i>nodosum</i> L. |
| — <i>angustifolium</i> L. | — <i>pratense</i> L. |
| — <i>Dodonaei</i> Vill. | — <i>var pallidum</i> . |
| — <i>roseum</i> Schreb. | — <i>sanguineum</i> L. |
| <i>Eranthis hyemalis</i> Salisb. | — <i>Wallichianum</i> D. Don. |
| <i>Eriosema grandiflorum</i> G. Don. | <i>Gerbera nivea</i> Sch. Bip. |
| <i>Eryngium alpinum</i> L. | <i>Geum coccineum</i> Sib. |
| — <i>caeruleum</i> Bieb. | — <i>urbanum</i> L. |
| — <i>giganteum</i> Bieb. | <i>Gladiolus gandavensis</i> × van Houtte. |
| <i>Erysimum Perofskianum</i> Fisch. et Mey. | — <i>hybridus</i> Hort. |
| <i>Erythroxylum Coca</i> Lam. | <i>Glaucium corniculatum</i> Curt. |
| <i>Euonymus europaeus</i> L. | — <i>flavum</i> Crantz. |
| — <i>fimbriatus</i> Wall. | <i>Gossypium herbaceum</i> L. |
| <i>Euphorbia corolloides</i> L. | — <i>Wightianum</i> Tod. |
| — <i>falcata</i> L. | <i>Gypsophila paniculata</i> L. |
| <i>Euphorbia Lathyrus</i> L. | |
| — <i>Peplis</i> L. | |
| <i>Fagopyrum esculentum</i> Mnch. | <i>Hedera Helix</i> L. |
| <i>Ferula glauca</i> L. | <i>Hedychium Gardnerianum</i> Griff. |
| <i>Festuca clatior</i> L. | <i>Hedysarum coronarium</i> L. |
| — <i>gigantea</i> Vill. | <i>Helenium autumnale</i> L. |
| — <i>ovina</i> L. var. <i>glauca</i> . | <i>Helianthemum glaucum</i> Pers. |
| — <i>rubra</i> L. | — <i>ledifolium</i> Mill. |
| — <i>spadicea</i> L. | — <i>polifolium</i> Pers. |
| <i>Foeniculum dulce</i> DC. | — <i>roseum</i> Mill. |
| — <i>vulgare</i> Mill. | <i>Helianthus annuus</i> L. |
| <i>Francoa ramosa</i> D. Don. | — <i>debilis</i> Nutt. |
| — <i>sonchifolia</i> Cav. | — <i>giganteus</i> L. |
| <i>Fritillaria Imperialis</i> L. | <i>Helichrysum bracteatum</i> Andr. |
| — <i>Meleagris</i> L. | <i>Heliopsis laevis</i> Pers. |
| <i>Funkia glauca</i> Siebold. | <i>Heliotropium peruvianum</i> L. |
| — <i>ovata</i> Spr. var. <i>albo-marginata</i> . | <i>Helleborus foetidus</i> L. |
| — <i>Sieboldiana</i> Salisb. | <i>Heracleum Spondylium</i> L. |
| <i>Galega officinalis</i> L. | — <i>villosum</i> Fisch. |
| <i>Gasteria carinata</i> Duval. | <i>Hesperis matronalis</i> L. |
| <i>Gaura parviflora</i> Dougl. | <i>Heuchera sanquinea</i> Engl. |
| <i>Genista tinctoria</i> L. | <i>Hieracium aurantiacum</i> L. |
| <i>Gentiana asclepiadea</i> L. | — <i>murorum</i> L. |
| — <i>Cruciata</i> L. | <i>Hippocratea multisiliquosa</i> L. |
| — <i>lutea</i> L. | — <i>unisiliquosa</i> L. |
| <i>Geranium albanum</i> Bieb. | <i>Hordeum vulgare</i> L. |
| — <i>carolinianum</i> L. | — <i>secalinum</i> Schreb. |
| | — <i>Zeocriton</i> L. |
| | <i>Horminum pyrenaicum</i> L. |
| | <i>Humulus Lupulus</i> L. |

- | | |
|--|--|
| <i>Hyacinthus amethystinus</i> L.
— <i>dubius</i> Guss.
— <i>orientalis</i> L.
<i>Hyoseyamus niger</i> L.
<i>Hypericum Androsaemum</i> L.
— <i>aureum</i> Bartram.
— <i>elegans</i> Steph.
— <i>Kalmianum</i> L.
— <i>Moserianum</i> × André.
— <i>perforatum</i> L.
— <i>tetrapetrum</i> Fries.

<i>Iberis pinnata</i> L.
— <i>semperflorens</i> L.
<i>Incarvillea Delavaya</i> Rgl.
<i>Ilex Aquifolium</i> L.
<i>Impatiens Balsamina</i> L.
— <i>glanduligera</i> Arn.
— <i>noli-tangere</i> L.
<i>Ipomoea cordigera</i> Mart.
— <i>purpurea</i> Roth.
<i>Iris graminea</i> L.
— <i>Pseudacorus</i> L.
— <i>pulchella</i> Rgl.
— <i>pumila</i> L.
— <i>sibirica</i> L.
— <i>squalens</i> L.
— <i>xiphioidea</i> Ehrh.
<i>Isatis alpina</i> All.
— <i>praecox</i> Kit.

<i>Juncus effusus</i> L.
<i>Jussiaea suffruticosa</i> L.

<i>Kitaibelia vitifolia</i> Willd.
<i>Klugia Notoniana</i> A. D.C.
<i>Kochia scoparia</i> Schrad.

<i>Laburnum alpinum</i> J. Presl.
— <i>anagyroides</i> Medic.
<i>Lactuca muralis</i> E. Mey.
— <i>perennis</i> L. | <i>Lactuca Scariola</i> L.
— <i>virosa</i> L.
<i>Lamarckia aurea</i> Mnch.
<i>Lamium album</i> L.
— <i>Galeobdolon</i> Crantz.
<i>Lapeyrouisia cruenta</i> Benth.
<i>Laportea peltata</i> Gaudich.
<i>Lapsana communis</i> L.
<i>Larix europaea</i> D.C.
<i>Lathyrus niger</i> Bernh.
<i>Lathyrus sylvestris</i> L.
— — var. <i>Wagneri</i> .
— <i>tingitanus</i> L.
— <i>vernus</i> Bernh.
<i>Lavandula vera</i> D.C.
<i>Lavatera trimestris</i> L.
<i>Lens esculenta</i> Mnch.
<i>Leontodon hastilis</i> L.
— <i>alpinum</i> Cass.
<i>Lepidium Draba</i> L.
— <i>sativum</i> L.
<i>Leptospermum scoparium</i> Forst.
<i>Levisticum officinale</i> Koch.
<i>Lilium croceum</i> Chaix.
— <i>tigrinum</i> Ker-Gawl.
<i>Linaria viscida</i> Mnch.
— <i>vulgaris</i> Mill.
<i>Linum alpinum</i> L.
— <i>angustifolium</i> Huds.
— <i>austriacum</i> L
— <i>grandiflorum</i> Desf.
— <i>usitatissimum</i> L.
<i>Lithospermum officinale</i> Koch.
<i>Lobelia inflata</i> L.
<i>Lolium perenne</i> L.
— <i>temulentum</i> L.
<i>Lunaria annua</i> L.
— <i>rediviva</i> L.
<i>Lupinus Hartwegii</i> Ldl.
— <i>luteus</i> L.
— <i>polyphyllus</i> Ldl.
<i>Luzula nivea</i> D.C.
<i>Lychnis chalcedonica</i> L.
— <i>coronaria</i> Desr.
— <i>dioica</i> L.
— <i>Flos-Jovis</i> Desr.
— <i>Githago</i> Scop.
— <i>nemoralis</i> Heuff.
— <i>Viscaria</i> var. <i>splendens</i> Hort. |
|--|--|

- | | |
|-------------------------------|---|
| <i>Lycopus europaeus</i> L. | <i>Oenothera missouriensis</i> Sims. |
| <i>Lysimachia vulgaris</i> L. | — <i>rosea</i> Ait. |
| <i>Lythrum Salicaria</i> L. | <i>Omphalodes linifolia</i> Mnch. |
|
 | <i>Onobrychis Caput-galli</i> L. |
|
 | <i>Ononis spinosa</i> L. |
|
 | <i>Onopordon Acanthium</i> L. |
|
 | <i>Orchis latifolia</i> L. |
|
 | — <i>maculata</i> L. |
|
 | <i>Ornithogalum longebracteatum</i> Jeq. |
|
 | <i>Oryza sativa</i> L. |
|
 | — — var. <i>glutinosa</i> . |
|
 |
 |
|
 | <i>Paeonia officinalis</i> L. |
|
 | — <i>tenuifolia</i> L. |
|
 | <i>Palaua malvaefolia</i> Cav. |
|
 | <i>Palisota Barteri</i> Hook f. |
|
 | <i>Panicum miliaceum</i> L. |
|
 | — <i>plicatum</i> Lam. |
|
 | <i>Papaver bracteatum</i> Lindl. |
|
 | — <i>glaucum</i> B. et H. |
|
 | — <i>monanthum</i> Trautv. |
|
 | — <i>nudicaule</i> L. |
|
 | — <i>orientale</i> L. |
|
 | — — var. <i>hybridum</i> Hort. |
|
 | — <i>Rhoeas</i> L. |
|
 | — <i>rupifragum</i> B. et R. var. <i>atlanticum</i> Ball. |
|
 | — <i>somniferum</i> L. |
|
 | — — fl. pl. Hort. |
|
 | <i>Parathesis crenulata</i> Hook f. |
|
 | <i>Parietaria officinalis</i> L. |
|
 | <i>Passiflora gracilis</i> Jacq. |
|
 | <i>Pelargonium alchemilloides</i> l'Hérit. |
|
 | — <i>gibbosum</i> l'Hérit. |
|
 | <i>Pentstemon gentianoides</i> Poir. |
|
 | <i>Petunia hybrida</i> Hort. |
|
 | <i>Peucedanum graveolens</i> B. et H. |
|
 | — <i>officinale</i> L. |
|
 | <i>Phalaris arundinacea</i> L. |
|
 | — — var. <i>fol</i> var. |
|
 | <i>Philadelphus coronarius</i> L. |
|
 | <i>Phleum pratense</i> L. |
|
 | <i>Phyllanthus maderaspatensis</i> L. |
|
 | — <i>Niruri</i> L. |
|
 | <i>Physalis Alkekengi</i> L. |
|
 | — <i>Francheti</i> Mast. |
|
 | <i>Phytolacca decandra</i> L. |
|
 | <i>Pimelia ferruginea</i> Labill. |
- Napaea dioica* L.
Nepeta Cataria L.
 — *grandiflora* Bieb.
Nesaea salicifolia H. B. et K.
Nicotiana rustica L.
 — *Tabacum* L.
Nigella corniculata D.C.
 — *damascena* L.
- Oenothera acaulis* Cav.
 — *biennis* L.

- | | |
|---|--|
| <i>Pimelia</i> species.
<i>Pimpinella magna</i> L.
<i>Pinanga Kuhlii</i> Bl.
<i>Pisum sativum</i> L.
<i>Pitcairnea Andreana</i> Lind.
— <i>punicea</i> Ldl.
— — — <i>× P. xanthocalyx</i> Mart.
<i>Plantago arachnoides</i> Schrenk.
— <i>lanceolata</i> L.
— <i>major</i> L.
— — var. <i>monstrosa</i> Hort.
— <i>media</i> L.
<i>Platycodon grandiflorum</i> A. D.C.
— — — var.
— — — <i>Mariesii</i> Haage.
<i>Poa bulbosa</i> L.
— <i>nevadensis</i> Vasey.
— <i>pratensis</i> L.
— <i>trivialis</i> L.
<i>Polemonium caeruleum</i> L.
— <i>gracile</i> Willd.
— <i>reptans</i> L.
<i>Polyalthia suberosa</i> Benth. et Hook.
<i>Polygonum baldschuanicum</i> Rgl.
— <i>Bistorta</i> L.
— <i>orientale</i> L.
— <i>tinctorium</i> Ait.
— <i>viviparum</i> L.
<i>Potentilla argentea</i> L.
— <i>argyrophylla</i> Wall.
— <i>viscosa</i> Donn.
<i>Poterium officinale</i> A. Gray.
<i>Pouzoltzia pentandra</i> Benn.
<i>Primula cortusoides</i> L. var.
— <i>officinalis</i> Jacq.
— <i>vulgaris</i> Huds.
<i>Prismatocarpus strictus</i> A. D.C.
<i>Prunella vulgaris</i> L.
<i>Prunus Avium</i> L.
— <i>Padus</i> L.
<i>Ptelea trifoliata</i> L.
<i>Pyrus Aria</i> Ehrh.
— <i>Aucuparia</i> Ehrh.
— <i>baccata</i> L.
— <i>japonica</i> Thnb.

<i>Quercus Robur</i> L.

<i>Ranunculus acris</i> L. | <i>Ranunculus bulbosus</i> L.
— <i>caucasicus</i> Bieb.
— <i>repens</i> L.
— <i>tuberous</i> Horn.
<i>Rauwolfia canescens</i> L.
<i>Rhaphanus sativus</i> L.
<i>Reseda alba</i> L.
— <i>glauea</i> L.
— <i>Luteola</i> L.
— <i>odorata</i> L.
<i>Rhamnus cathartica</i> L.
<i>Rheum acuminatum</i> Hook f.
— <i>Emodi</i> Wall.
— <i>officinale</i> Baill.
— <i>palmatum</i> L.
— — var. <i>tanguticum</i> Rgl.
— <i>Rhaponticum</i> L.
— <i>undulatum</i> L.
<i>Rhododendron ferrugineum</i> L.
— <i>hirsutum</i> L.
— <i>hybridum</i> Hort.
<i>Rhodotypos kerrioides</i> Sieb. et Zucc.
<i>Richardia albo-maculata</i> Hook.
<i>Ribes alpinum</i> L.
<i>Ricinus communis</i> L.
<i>Rivea corymbosa</i> Hallier.
<i>Rivina humilis</i> L.
<i>Rosa canina</i> L.
— <i>villosa</i> L.
<i>Roulinia Jacquinii</i> Deene.
<i>Rubia tinctorium</i> L.
<i>Rudbeckia triloba</i> L.
<i>Ruellia Devosiana</i> Hort Makoy.
<i>Rumex Acetosa</i> L.
— <i>sanguineus</i> L.
<i>Ruta graveolens</i> L.

<i>Salsola Kali</i> L.
<i>Salvia glutinosa</i> L.
— <i>Horminum</i> L.
— <i>officinalis</i> L.
— <i>pratensis</i> L.
— <i>splendens</i> Ker-Gawl.
— <i>verticillata</i> L.
<i>Sambucus nigra</i> L.
<i>Saponaria officinalis</i> L.
<i>Satureja hortensis</i> L.
<i>Saxifraga altissima</i> Kern. |
|---|--|

- Saxifraga cuneifolia* L.
 — *geranioides* L.
 — *Geum* L var. *ovalifolium*.
 — *hypnoides* L var. *angustifolia*.
 — *intermedia* Sweet.
 — *ligulata* Wall.
 — *rotundifolia* L.
 — *umbrosa* L.
Scabiosa arvensis L.
 — *australis* Wulf.
 — *caucasica* Bieb.
 — *Succisa* L.
Scandix Balansae Reut.
Scilla bifolia L.
Serophularia nodosa L.
 — *vernalis* L.
Scorpiurus muricata L.
 — *vermiculata* L.
Secale cereale L.
Sedum Aizoon L.
 — *maximum* Suter.
 — *roseum* Scop.
Sedum Tefephium L.
Senebiera Coronopus Poir.
Senecio Petasites D.C.
Setaria italicica Beauv.
Sherardia arvensis L.
Sicyos angulata L.
Sida obliqua Nutt.
 — *triloba* Cav.
Sidalea candida A. Gray.
 — *malvaeflora* A. Gray.
Silene apetala Willd.
 — *Armeria* L.
 — *conica* L.
Cucubalus Wibel.
 — *fuscata* Link.
 — *linicola* C. C. Gmel.
 — *nocturna* L.
 — *pendula* L.
 — *stylosa* Bunge.
Silphium perfoliatum L.
Silybum eburneum Coss. et Dur.
 — *Marianum* Grtn.
Sisymbrium Alliaria Scop.
Skimmia japonica Thnb.
Solanum Dulcamara L.
 — *nigrum* L.
 — *Pseudocapsicum* L.
- || *Solidago canadensis* L.
Sonchus oleraceus L.
Sparganium ramosum Curt.
Spartium junceum L.
Spathiphyllum candidans P. et E.
Specularia Speculum A. D.C.
Spergula arvensis L.
Spinacia oleracea L.
Spiraea Aruncus L.
 — *Filipendula* L.
 — *Ulmaria* L.
Stachys affinis Fresen.
 — *Betonica* Benth.
 — *palustris* L.
 — *sylvatica* L.
Staphylea pinnata L.
Statice Gmelini Willd.
 — *oleacifolia* Scop.
Stellaria Holostea L.
Stipa gigantea Lag.
 — *pennata* L.
Streptocarpus rexii Lindl.
Symporicarpus racemosus Michx.
Sympythium aspermum Donn.
 — *officinale* L.
 — *orientale* L.
Syringa vulgaris L.
- Tagetes erecta* L.
Tamus communis L.
Taraxacum officinale Wigg.
Taxus baccata L.
 — — var. *adpressa* Hort.
 — — " *fastigiata* Hort.
Telephium Imperati L.
Tellima grandiflora R. Br.
Tetranema mexicanum Benth.
Thalictrum flavum L.
 — *foetidum* L.
 — *glaucum* L.
 — *minus* L.
Thermopsis fabacea DC.
Thlaspi arvense L.
Thuya japonica Maxim.
 — *orientalis* L.
Tigridia Pavonia Ker-Gawl.
Tilia platyphyllos Scop.
Timantia fugax Scheidw.

Tradescantia rosea Vent.

— *virginiana* L.

Trifolium incarnatum L.

— *medium* L.

Triticum Spelta L.

— *vulgare* Vill.

Trollius europaeus L.

Tropaeolum majus L.

— *peregrinum* L.

Tulipa Gesneriana L.

Tussilago Farfara L.

Typha latifolia L.

Ulex europaeus L.

Urtica dioica L.

— *pilulifera* L.

Valeriana officinalis L.

— *Phu* L.

Verbascum Boerhavi L

— *nigrum* L.

— *thapsiforme* Schrad.

Verbena officinalis L.

— *venosa* Gill. et Hook.

Veronica caucasia Bieb.

— *Chamaedrys* L.

Veronica incana L.

— *longifolia* L.

— *spicata* L.

— *Tournefortii* C. C. Gmel.

— *Waldsteiniana* Schott.

Viburnum Lentago L.

— *Tinus* L.

Vicia Faba L.

— *grandiflora* Scop.

— *unjuga* A. Br.

Vincetoxicum luteum Hoffgg. et

Link.

— *medium* Decne

— *officinale* Mnch.

Viola cornuta L.

— — var. *alba*.

— *daetyloides* R. et S.

— *gracilis* Sibth. et Sm.

— *lutea* Vell. var. *grandiflora*

Hort.

Viola odorata L.

— *tricolor* L. var. *grandiflora* Hort.

Viscum album L.

Zea Mays L.

— — var. *violacea* Hort.

Zieria Smithii Andr.

J. K. BUDDE,

Hortulanus.

Prof. Dr. F. A. F. C. WENT,

Horti Praefectus.

TRAIECTI AD RHENUM,

m. Dec. MCMIV.



