



Index seminum Horti Academici Rheno-Trajectini.

<https://hdl.handle.net/1874/452840>

INDEX SEMINUM HORTI ACADEMICI RENO-TRAJECTINI.

1849.

- | | | |
|--|--|--|
| <p><i>Acacia diffusa</i> Ker.
— <i>paradoxa</i> DC.
<i>Acaena sanguisorba</i> Vahl.
<i>Acer Negundo</i> L.
— <i>striatum</i> Lam.
<i>Achillea crithmifolia</i> W. et K.
— <i>Gerberi</i> W.
— <i>Ianata</i> Spr.
— <i>micrantha</i> W.
<i>Achyranthes sanguinolenta</i> Crantz.
<i>Aconitum Anthora</i> L.
— <i>decorum</i> Rchb.
— <i>elatum</i> Meijer.
— <i>Lycocotonum</i> L.
— <i>Napellus</i> L.
— <i>orientale</i> Mill.
— <i>pyrenaicum</i> L.
— <i>Sperkianum</i> Rchb.
<i>Actaea racemosa</i> L.
<i>Adenanthera Pavonina</i> L.
<i>Adenocarpus foliosus</i> DC.
<i>Adenophora Lamarkii</i> Fisch.
— <i>liliifolia</i> Ledb.
<i>Adesmea muricata</i> DC.
<i>Aegilops ovata</i> L.
— <i>squarrosa</i> L.
<i>Aërva lanata</i> Juss.
<i>Aesculus flava</i> Ait.
<i>Aethusa Cynapium</i> L.
<i>Agathaea Bergnera</i> DC.
<i>Ageratum conyzoides</i> L.
— <i>japonicum</i>.
<i>Albertisia olereacea</i> Kunth.
<i>Alchemilla alpina</i> L.
<i>Alfredia cernua</i> Cass.
<i>Allionia nyctaginea</i> Mx.
<i>Allium allidum</i> Fisch.
— <i>atropurpureum</i> W. et K.
— <i>carinatum</i> L.
— <i>cepaforme</i> Don.
— <i>coeruleum</i> Pall.
— <i>fallax</i> Schult.
— <i>glaucum</i> Schrad.
— <i>Ledebourianum</i> Schult.
— <i>magnum</i> L.
— <i>mulfiforme</i> Desf.
— <i>narcissiflorum</i> Vill.
— <i>odorum</i> L.
— <i>proliferum</i> Schrad.
<i>Alnus cordifolia</i> Tenor.
<i>Alonsoa urticacefolia</i> Stend.
<i>Alsinia globosa</i> C. A. M.
<i>Alstroemeria versicolor</i> R. et P.
<i>Alteranthera ficulnea</i> R. Br.
<i>Althaea rosea</i> Cav.
<i>Alyssum atlanticum</i> Desf.
— <i>calycinum</i> L.
— <i>edentulum</i> W. et K.
— <i>gemoneense</i> L.
— <i>hirustum</i> MB.
— <i>micranthum</i> F. et M.
— <i>montanum</i> L.
<i>Amaranthus Blitum</i> L.
— <i>bullatus</i> Bess.
— <i>caudatus</i> L.
— <i>hypochonriacus</i> L.
— <i>nepalensis</i> Horn.
— <i>oleraceus</i> L.
— <i>paniculatus</i> L.
— <i>pendulus</i> Hort.
— <i>retroflexus</i> L.</p> | <p><i>Amaranthus rhombeus</i> R. Br.
— <i>sanguineus</i> L.
— <i>tenuifolius</i> W.
— <i>tricolor</i> L.
<i>Amaryllis cernua</i> Schult.
<i>Amberboa moschata</i> DC.
<i>Amethystea coerula</i> L.
— <i>corymbosa</i> Pers.
<i>Ammannia senegalensis</i> Lam.
<i>Ammi glauccifolium</i> L.
— <i>majus</i> L.
<i>Ammobium alatum</i> R. Br.
<i>Anacyclus bicolor</i> Pers.
— <i>radiatus</i> Loisl.
— <i>tomentosus</i> DC.
<i>Anagallis coerulea</i> All.
— <i>indica</i> Hornsch.
<i>Anchusa tinctoria</i> L.
<i>Anemone Hudsoniana</i> Rich.
— <i>pensylvanica</i> L.
— <i>virginica</i> L.
<i>Anethum graveolens</i> L.
<i>Anoda cristata</i> Schlehd.
<i>Anomatheca cruenta</i> Lindl.
<i>Anthemis altissima</i> L.
— <i>arvensis</i> L.
— <i>chrysoleuca</i> Gay.
— <i>cotula</i> L.
— <i>fruticulosa</i> M.B.
— <i>in incrassata</i> Loisl.
— <i>maritima</i> L.
— <i>retusa</i> Delil.
<i>Anthyllis Vulneraria</i> L.
<i>Antirrhinum majus</i> L.
<i>Anychia dichotoma</i> Mx.
<i>Apargia tuberosa</i> W.
<i>Aquialegia atropurpurea</i> W.
— <i>elata</i> Ledb.
— <i>glandulosa</i> Fisch.
— <i>hybrida</i> Sims.
— <i>Sternbergii</i> Rchb.
— <i>vulgaris</i> L.
<i>Arabis canescens</i> Wulf.
— <i>Halleri</i> L.
— <i>hirsuta</i> Scop.
— <i>pumila</i> Wulf.
— <i>stellulata</i> Bertol.
— <i>stenopetala</i> W.
<i>Arenaria glandulosa</i> Jacq.
<i>Argemone grandiflora</i> Sweet.
— <i>mexicana</i> L.
<i>Argyreocarpus setosus</i> R. Br.
<i>Aristolochia Siphon</i> L.
<i>Aristotelia Macqui</i> Herit.
<i>Armeria alliacea</i> W.
<i>Artemisia arborescens</i> L.
— <i>glauca</i> Pall.
— <i>rupestris</i> L.
<i>Arthropodium paniculatum</i> R. Br.
<i>Arum italicum</i> Mill.
— <i>viviparum</i> Lodd.
<i>Asclepias curassavica</i> L.
— <i>nivea</i> L.
<i>Asphodelus clavatus</i> Roxb.
— <i>intermedius</i> Horn.
— <i>luteus</i> L.
— <i>ramosus</i> L.
<i>Aster cordifolius</i> L.
<i>Astragalus alopecuroides</i> L.
— <i>asper</i> Jacq.
— <i>baeticus</i> L.</p> | <p><i>Astragalus galegiformis</i> L.
— <i>hamosus</i> L.
— <i>odoratus</i> Lam.
— <i>pentaglottis</i> L.
— <i>vinineus</i> Pall.
<i>Astrantia major</i> L.
<i>Athamanta macedonia</i> Spr.
<i>Atriplex hortensis</i> L.
— <i>sibirica</i> L.
<i>Atropa Belladonna</i> L.
— <i>mandragora</i> L.
<i>Avena brevis</i> Roth.
— <i>fatua</i> L.
— <i>norwegica</i> Tenor.
— <i>nuda</i> L.
— — <i>var. chinensis</i>.
— <i>orientalis</i> Schreb.
— <i>pensylvanica</i> L.
— <i>pilos</i> MB.
— <i>sativa</i> L. <i>var. sem. nigr.</i>
— <i>strigosa</i> Schreb.
<i>Axyris amaranthoides</i> L.
<i>Barkhausia foetida</i> DC.
— <i>rubra</i> Moench.
— <i>scariosa</i> Rchb.
<i>Bartonia aurea</i> Lindl.
<i>Batatas heterophylla</i> C. Don.
<i>Bauhinia tomentosa</i> L.
<i>Begonia Evansiana</i> Andr.
— <i>hirtilla</i> Link.
<i>Bellium bellidiastrium</i> L.
<i>Berberis Aquifolium</i> Pursh.
<i>Berteroa orbicularis</i> DC.
<i>Beta Cicla</i> L.
<i>Bidens chrysanthemoides</i> Mx.
— <i>tripartita</i> L.
<i>Bifora flosculosa</i> MB.
<i>Billardiera mutabilis</i> Salisb.
— <i>scandens</i> Sm.
<i>Biscutella ciliata</i> DC.
— <i>Columnae</i> Tenor.
— <i>lyrata</i> L.
<i>Blitum bonus</i> Henricus C. A. M.
— <i>chenopodioides</i> Lam.
— <i>virgatum</i> L.
<i>Borago laxiflora</i> DC.
— <i>officinalis</i> L.
<i>Bossieva rufa</i> R. Br.
— <i>scolopendrifolia</i> R. Br.
<i>Brassica baliarica</i> Rchb.
— <i>carinata</i> A. Braun.
— <i>mesopotamica</i> Bh.
<i>Bravoa geminiflora</i> La, Clav. et Lex.
<i>Briza maxima</i> L.
<i>Bromus elatior</i> L.
— <i>mollissimus</i> Ledeb.
— <i>secalinus</i> L.
— <i>vestitus</i> Schrad.
<i>Browallia demissa</i> L.
— <i>elata</i> L.
<i>Buddleja connata</i> R. P.
<i>Bulbine annua</i> W.
— <i>frutescens</i> W.
— <i>semibarbata</i> Spr.
<i>Bunias orientalis</i> L.
<i>Bunium peucedanoides</i> MB.
<i>Buphthalmum salicifolium</i> L.
<i>Bupleurum heterophyllum</i> Lk.
— <i>rotundifolium</i> L.
<i>Buttneria pannosa</i> DC.</p> <p><i>Cachrys involucrata</i> Pall.
<i>Caesalpinia pulcherrima</i> L.
<i>Cakile americana</i> Nutt.
<i>Cajanus indicus</i> Spr.
<i>Calamintha umbrosa</i> Rehb.
<i>Calandrinia Andrewsii</i> Don.
— <i>compressa</i> Schrad.
— <i>discolor</i> Schrad.
— <i>elegans</i>.
— <i>Menziesii</i> Hook.
— <i>nitida</i> DC.
— <i>sericea</i> Hook.
<i>Calceolaria caroliniana</i>.
— <i>rugosa</i> R. P.
<i>Calendula Asterias</i> F. et M.
— <i>cristata</i> Guss.
— <i>muricata</i> Kost.
— <i>officinalis</i> L.
<i>Calliopsis Atkinsoniana</i> Hook.
— <i>bicolor</i> Rchb.
<i>Callistachys lanceolata</i> Vent.
<i>Callistemon lanceolatum</i> DC.
— <i>speciosum</i> DC.
<i>Callistephus chinensis</i> Nees.
<i>Camelina sativa</i> Crantz.
<i>Campanula alpina</i>.
— <i>americana</i> L.
— <i>carpatica</i> L. fil.
— <i>glomerata</i> L.
— <i>grandis</i> Fisch.
— <i>latifolia</i> L.
— <i>Loreyi</i> Pollin.
— <i>Medium</i> L.
— <i>nobilis</i> Lindl.
— <i>peregrina</i> L.
— <i>ramosissima</i> Sm.
— <i>rotundifolia</i> L.
— <i>Trachelium</i> L.
<i>Canna indica</i> L.
— <i>nepalensis</i> Wall.
— <i>occidentalis</i> Rosc.
<i>Capiscum siense</i> Jacq.
<i>Carrichtera Vella</i> DC.
<i>Caragana arborescens</i> Lam.
<i>Cardiospermum Halicacabum</i> L.
<i>Carduus hystrix</i> C. A. M.
<i>Carex Eckloniae</i> Nees.
— <i>scoparia</i> Schkr.
— <i>tribuloides</i> Whlbrg.
<i>Cassia procumbens</i> L.
— <i>schimperi</i> DC.
<i>Catananche coerulea</i> L.
— <i>Intea</i> L.
<i>Cedronella triphylla</i> Moench.
<i>Celosia argentea</i> L.
— <i>virgata</i> Jacq.
<i>Celsia Arcturus</i> L.
— <i>incarnata</i> Hook.
— <i>sublanata</i> Ker.
<i>Celtis australis</i> L.
<i>Centaura Adami</i> W.
— <i>argentea</i> L.
— <i>cateocephala</i> W.
— <i>Cyanus</i> L. <i>var. flor. alb.</i>
— <i>gymnocarpa</i> Moris.
— <i>ovina</i> Pall.
<i>Cephalaria procura</i> F. et M.
— <i>tatarica</i> R. et S.
<i>Cephalophora aromatica</i> Schrad.
<i>Cerithium auriculata</i> Sims.
— <i>major</i> L.</p> <p><i>Chamaepetee Casabonae</i> DC.
— <i>stellata</i> DC.
<i>Chamaerops humilis</i> L.
<i>Chelone obliqua</i> L.
<i>Chenopodium aristatum</i> L.
— <i>Quinoa</i> W.
— <i>serotinum</i> L.
— <i>Vulvaria</i> L.
<i>Chionanthus virginica</i> L.
<i>Chlamydophora tridentata</i> Ehrh.
<i>Chloris barbata</i> Sw.
<i>Chorispora stricta</i> DC.
— <i>tenella</i> DC.
<i>Chorizema rhombium</i> R. Br.
<i>Chrysanthemum carinatum</i> Schousb.
— <i>corymbosum</i> L.
— <i>frutescens</i> L.
<i>Cicer arietinum</i> L. <i>var. fruct. nigr.</i>
<i>Cichorium Endivia</i> L. <i>var. crisp.</i>
<i>Cirsium dealbatum</i> MB.
<i>Cistus creticus</i> L.
— <i>crispus</i> L.
— <i>hirsutus</i> Lam.
— <i>monspeliensis</i> L.
— <i>tauricus</i> Presl.
— <i>vaginatus</i> Ait.
— <i>villosum</i> Lam.
<i>Clarkia elegans</i> Dongl.
— <i>pulchella</i> Pursh.
<i>Clematis integrifolia</i> L.
— <i>stricta</i> L.
— <i>Vitalba</i> L.
<i>Cleome Blumeana</i> Schult.
— <i>muricata</i> Schrad.
— <i>spinosa</i> L.
<i>Cneorum tricoccon</i> L.
<i>Cnicus benedictus</i> Gaertn.
<i>Cochlearia glastifolia</i> L.
— <i>officinalis</i> L.
<i>Coenopholium Fischeri</i> Koch.
<i>Coix Lacryma</i> L.
<i>Collomia bicolor</i> Benth.
— <i>grandiflora</i> R. Br.
<i>Collomia coccinea</i> Lehm.
— <i>grandiflora</i> Dougl.
— <i>linearis</i> Nutt.
— <i>pumila</i> Nutt.
<i>Colutea orientalis</i> Lam.
<i>Commelinia clandestina</i> Mart.
— <i>erecta</i> L.
— <i>Karwinskii</i> Mart.
— <i>stricta</i> Desf.
— <i>tuberosa</i> L.
<i>Conium maculatum</i> L.
<i>Convolvulus babylonicus</i> Tenor.
— <i>Boerhaavii</i> Spr.
<i>Coriandrum sativum</i> L.
<i>Corispermum Redowskii</i> Fisch.
<i>Coronilla valentina</i> L.
<i>Corydalis glauca</i> Pursh.
<i>Coryopsis diversifolia</i> DC.
<i>Cosmos sulphureus</i> Cav.
<i>Cotoneaster affinis</i> Lindl.
— <i>mycrophylla</i> Wahl.
— <i>vulgaris</i> Lindl.
<i>Crataegus pyracantha</i> Pers.
<i>Crepis americana</i> Horn.
— <i>hieracioides</i> W. et K.
— <i>latifolia</i> Balb.
— <i>rigida</i> Kit.
<i>Crotalaria incana</i> L.</p> |
|--|--|--|

- Crotalaria trifoliastrium Willd.
— villosa Thunb.
- Crucianella molluginoides MB.
— patula L.
- Crupina vulgaris Pers.
- Cupressus torulosa Lamb.
- Cynoglossum glochidiatum Wall.
— montanum L.
— officinale L.
— stramineum Desf.
— sylvaticum Haenck.
- Cytisus elongatus W. et K.
— fragrans Lam.
— Laburnum L. var. quercifol.
— nigricans L.
— sessilifolius L.
- Dahlia coccinea Cav.
— Merkii Leh.
— variabilis Desf.
- Datura laevis L. fil.
- Stramonium L.
— Tatula L.
- Delphinium Ajacis L.
— angustum Kost.
— honosida L.
— Cirsium Pers.
— ornatum Bouché.
— Staphisagria L.
— triste Fisch.
— villosum Stev.
- Desmanthus virgatus Willd.
- Desmodium marylandicum DC.
- Dianthus atrorubens All.
— barbatus L.
— dentosus Fisch.
— plumarious L.
— prolifer L.
— punctatus Spr.
— purpureus Lam.
- Diarrhena americana Beam.
- Dictamnus albus L.
- Digitalis ferruginea L.
— grandiflora Lam.
— media Roth.
— ochroleuca Jacq.
— purpurea L.
— — var. monstrosa.
— superba.
- Dimorphotheca hybrida DC.
— pluvialis Moench.
- Diospyros Lotus L.
- Dipsacus pilosus L.
- Dodecatheon Meadia L.
- Draea alpina L.
- Dracocephalum Moldavica L.
— peltatum L.
— peregrinum L.
- Dyckia remotiflora Otto.
- Eccremocarpus scaber R. P.
- Echinacea purpurea Moench.
— serotina DC.
- Echinops Ritro L.
- Echium fastuosum Jacq.
— orientale L.
— strictum L.
- Echiveria gibbiflora DC.
— secunda Bot. Reg.
- Edwardsia grandiflora Salisb.
- Eleusine coracana Pers.
— indica Gaertn.
- Elsholtzia cristata L.
- Elymus arenaceus L.
- Emilia sonchifolia DC.
- Emex spinosa Lhamb.
- Endopteryx aspera DC.
— Dioceridis DC.
- Entelia arborescens R. Br.
- Eranthemum parviflorum R. Br.
- Erinus alpinus L.
- Eryngium Camelorum Spr.
— dispermum Roxb.
— Lens L.
— Lenticula Schreb.
— longifolium Tenor.
— nigricans MB.
Eryngium alpinum L.
— dichotomum Desf.
— giganteum MC.
— paniculatum Cas.
- Erysimum cuspidatum DC.
— perfoliatum Crantz.
— Perowskianum F. et M.
- Erysimum vulgare.
- Eschscholtzia californica Cham.
- Eutoca divaricata Benth.
— Menziesii R. Br.
— multiflora Dougl.
— Wrangeliana F. et M.
- Evonymus nanus MB.
Exacum viscosum Sm.
- Falcaria Rivini Host.
- Farsetia clypeata R. Br.
— eriocarpa DC.
- Fedia Cornucopiae Vahl.
- Ferula sulcata Desf.
- Frankenia songifolia Cav.
- Fraxinus chinensis Roxb.
- Fritillaria imperialis L.
— Meleagris L.
- Fumaria spicata L.
- Gaillardia lanceolata Michx.
— rusticum Kost.
- Galeopsis pyrenaica.
- Garidella Nigellastrum L.
- Gaudinia fragilis Beauv.
- Genista candicans L.
— sagittalis L.
— sibirica L.
- Gentiana cruciata L.
- Geranium divaricatum Ehrh.
— cristatum Stev.
— dissectum L.
— laetum Ledeb.
— lucidum L.
— pratense L.
— tabulare L.
- Geum nutans Poir.
— virginianum L.
- Gilia capitata Daigl.
— geminiflora Hook.
— lacinata R. et P.
— macrophylla.
— millefolium H. Heideb.
— multicaulis Benth.
— parviflora Spr.
— tricolor Benth.
- Gladiolus floribundus Jacq.
- Glaucium bicolor Benth.
— rubrum Sib.
- Gloxinia caulescens Lindl.
- Glycyrrhiza glabra L.
- Gnaphalium angustifolium Sm.
— crassifolium L.
— paniculatum Colla.
— pensylvanicum W.
— Stoecas L.
— uliginosum L.
- Gomphrena decumbens Jacq.
- Goodia lotifolia Salish.
- Gossypium herbaceum L.
- Grammosciadium meoides DC.
- Guizotia oleifera DC.
- Guzmania tricolor R. et P.
- Gypsophila repens L.
- Habitia tamnoidea MB.
- Hedera Helix L.
- Hedyspilos caspicus H. Hafn.
— penula Ball.
— persica Fisch.
- Hedysarum caucasicum MB.
— marylandicum L.
- Helianthemum glutinosum Pers.
— laevipes Pers.
— mutabile Pers.
— polifolium Pers.
— rhodanthum Dun.
— vineale Pers.
- Helianthus Colossus Kze.
— giganteus L.
— ovatus Lehm.
- Helichrysum angustifolium Don.
— bracteatum W.
— fulgidum W.
- Heliotropium europaeum L.
— indicum L.
- Helminthium echioides W.
- Heracleum dissectum Lebed.
— flavescens Baumg.
— lanatum Mx.
- Hermannia denudata L.
- Hesperis fragrans Fisch.
— nivea Baumg.
- Heuchera americana L.
- Hibiscus esculentus L.
— lavateroides Moric.
— Manihot L.
- Hibiscus palmatus Cav.
— pedunculatus Thunb.
— Rhinchondroni Lindl.
— vesicarius Cav.
- Hieracium dentatum Hopp.
— glaucum All.
— Ottonianum.
— sabaudum L.
— villosum L.
- Hiotzia linearis L.
- Hordeum distichon L.
— hexastichum L.
— trifurcatum.
— vulgare L. var. sem. nigr.
— Zecorion L.
- Hosackia Purshiana Hook.
- Hymenoxys californica Hook.
- Hyoscyamus aureus L.
— niger L.
— pictus Bernh.
— pusillus L.
- Hypericum hirsutum L.
— reflexum L. fil.
— tomentosum L.
- Hypochoeris arachnoidea Poir.
- Hysopus officinalis L.
- Iberis amara L.
— contracta Pers.
— pubescens W.
— umbellata L.
- Hex aquifolium L. var. fol. varieg.
— platyphylla Bark et Webb.
- Impatiens glandulifera Lindl.
— grandiflora Lindl.
- Indigofera amoena Ait.
— australis Willd.
- Ipomoea carnea R. Br.
— purpurea Lam.
— rubrocoerulea Hook.
— Scammonia L.
— Schizoloma Kze.
— superba Colla.
— triloba L.
- Ipomopsis elegans Lindl.
- Iris Guldenstaedtiana MB.
— halophila Pall.
— maritima Mill.
— notha MB.
— plicata Lam.
— ruthenica Ait.
— sibirica L.
— Xiphium L.
- Isatis tinctoria L.
- Jasminum odoratissimum L.
- Johnenia dichotoma DC.
- Jurinaca alata Cass.
- Kalbfussia Mulleri Schulz.
— Salzmanni Schulz.
- Kennedya apetala Lodd.
— monophylla Vent.
— rubicunda Vent.
- Kitaibelia vitifolia W.
- Knautia orientalis L.
— plumosa L.
— propontica L.
- Krigia virginica Willd.
- Lkyllingia triceps L. fil.
- Lactuca virosa L.
- Lagurus ovatus L.
- Lallemantia peltata F. et M.
— sibirica F. et M.
- Lamarckea aurita Moench.
- Lasthenia glabrata Lindl.
- Lathyrus Aphaca L.
— articulatus L.
— azureus Hort.
— Cicera L.
— Clymenum L.
— cornutus Spr.
— inconspicuum L.
— incurvus Willd.
— lusitanicus Mart.
— Ochrus DC.
— odoratus L.
— purpureus Desf.
— tingitanus L.
- Lavandula Stoechas L.
- Lavatera arborea L.
— maritima Gauan.
— Olbia L.
— punctata All.
— salvitellensis Briga.
- Leontodon hispidus L.
- Lepidium incisum Roth.
— latifolium L.
- Leptochloa filiformis R.S.
- Leptosiphon densiflorus Benth.
- Leucospermum flavescens Sm.
- Leucas indica R. Br.
- Leuceria senecioidea Hook.
- Lenuccaria alatus Don.
- Ligustrum alatum Spr.
- Ligustrum japonicum Thunb.
- Lilium Martagon L.
- Linnanthus Douglasii R. Br.
- Linaria delphinoides Cav.
— genistaeoides Mill.
— juncea DC.
— Loeselii Schrad.
— minor Desf.
— Perezii Gay.
— spartea Hoffm.
— supina L.
— triphylla W.
— versicolor Moench.
- Linum alpinum L.
— grandiflorum Desf.
— monogynum Forst.
— suffruticosum L.
- Lippia asperifolia Rich.
- Loasa grandiflora L.
— neglecta Kze.
- Lobelia inflata L.
— minuta DC.
- Lolium temulentum L.
- Lomandra longifolia Labil.
- Lonas inodora Gaertn.
- Lonicera alpigena L.
— orientalis Lam.
— parviflora Lam.
- Lopezia coronata And.
— elegans.
— hirsuta Jacq.
- Lophospermum scandens Don.
- Lotus albidus Lodd.
— edulis L.
— revolutus.
- Lubinia mauritiana Spr.
- Lunaria rediviva L.
- Lupinus albus L.
— bicolor Lindl.
— Cruikshanksii Hook.
— Douglassii Agardh.
— exaltatus Zucc.
— hirsutus L.
— luteus L.
— mutabilis Sweet.
— pilosus W.
— Termis Forsk.
— variegatus Mich.
— villosus W.
- Lychnis apetala L.
— calcedonica L.
— coronaria Desr.
— Gitthago Scop.
— mutabilis L.
- Lyconversicum esculentum Mill.
- Lysimachia verticillata MB.
- Lythrum virgatum L.
- Madaria elegans DC.
- Madia sativa Molin.
— stellata F. et M.
- Malcolmia africana R. Br.
— chia DC.
— maritima R. Br.
- Malope grandiflora H. angl.
— malacoides L.
— trifida Cav.
- Malva Alcea L.
— balsamica Jacq.
— bryoniifolia L.
— chia H. Lips.
— decumbens W.
— flexuosa Horn.
— lavateroides.
— mauritanica Spr.
— peruviana L.
— pulchella Bl.
— tomentosa L.
— verticillata L.
- Mammillaria columnaris Mart.
— Hystrix Mart.
— tenuispina L. et O.
- Marcus maritima Ker.
- Martinia lutea Lindl.
- Matthiola annua Sw.
- Leontodon hispidus L.
- Matthiola graeca Sw.
— parviflora R. Br.
— triaspida R. Br.
- Maurandia semperflorens Jacq.
- Medicago apiculata W.
— elegans Jacq.
— mariana L.
— minima Lam.
- Melaleuca hypericifolia Sm.
- Melissa graveolens Benth.
- Mesembryanthemum violaceum DC.
- Mespilus germanica L.
- Meum athamanticum Jacq.
- Mimulus guttatus DC.
— luteus L.
— ringens L.
- Minuartia campestris L.
- Mirabilis Jalappa L.
— longiflora L.
- Monolepis trifida Schrad.
- Morina longifolia Wallach.
- Mulgedium Plumieri DC.
— spicatum.
- Myagrum perforatum L.
- Myrica serra Lam.
- Nemophila atomaria Fisch.
— cramboides Hort.
— discoidalis Mak.
— insignis Benth.
— liniflora Fisch.
— parviflora Dougl.
- Neslia paniculata Desv.
- Nicandra physalodes Gaertn.
- Nicotiana angustifolia R. et P.
— chinensis Fisch.
— dilatata Lk.
— fragrans Bernh.
— Landsdorffii Weinm.
— macrophylla Sp.
— rustica L.
— sanguinea L. et O.
— vincaeeflora Lag.
— virginica Agard.
- Nigella arvensis L.
— damascena L.
— hispanica L.
- Nolana atriplicifolia D. Don.
— paradoxo Linell.
- Nonea grandiflora Steud.
- Notobasis syriaca Cas.
- Ocimum gratissimum L.
— sanctum L.
- Oenocarpus regius Spr.
- Oenothera biennis Dougl.
— cruciata Nutt.
— decumbens Dougl.
— purpurea Curt.
— roseo-alba Bernh.
- Omphaloites linifolia Moench.
- Onobrychis caput galli Lam.
- Ononis alopecuroides L.
— biflora Desf.
— Columnaria All.
— mitissima L.
— Natrix L.
- Onopordon arabicum L.
— elongatum Lam.
— hystrix.
— virens DC.
- Ornithogalum pyrenaicum L.
- Ornithopus sativus Bint.
— scorpioides L.
- Orobus lathyroides L.
- Oryza sativa L. β mutica.
- Ostrya vulgaris W.
- Oxybaphus multiflorus Tur.
- Oxytropis sordida W.
- Palicaria odorata Rehb.
- Pandaria pilosa F. et M.
- Panicum aurantiacum H. Dresd.
- capillare L.
— erythrospermum Horn.
— flavidum Retz.
- Papaver bracteatum Lindl.
- floribundum Desf.
- nubicula L.
- orientale L.
- pilosum Sib.
- Paspalum sumatrense Roth.
- Passiflora alba Link.
- minima L.

Passiflora trilocularis.	Potentilla Hippiana Lehm.	Silene inclusa Horn.	Tournefortia mutabilis Vent.
Pavonia spinifex Cav.	— incisa Desf.	— limifolia W.	Tragopogon livescens Bess.
Pelargonium triste L.	— mollissima Lehm.	— longicaulis Poir.	— major Jacq.
Peltaria alliacea L.	— obscura W.	— muscipula L.	— mutabilis Jacq.
Pentapetes phoenicea L.	— ornithopodioides Sweet.	— noctiflora L.	— porrifolius L.
Pentastemum acuminatum Dougl.	— pensylvanica L.	— nutans L.	— pratensis L.
— afropurpureum G. Don.	— pulcherrima Lehm.	— pernoctans Lk.	Trichera hybrida R. S.
— campanulatum W.	— Siemersiana Lehm.	— picta Pers.	Trifolium coeruleum Viv.
— Digitalis Nutt.	— simplex Mx.	— quinquevulnera L.	— incarnatum L.
— gentianoides Poir.	— sulphurea Lam.	— undulatula Moris.	— striatum L.
— glabrum Purch.	— verticillata Steph.	— villosa Cambess.	Triticum amyleum Ser.
— glaucum Grah.	— viscosa Don.	Siler aquilegiformis Gaertn.	— chinense Trin.
— gracile Nutt.	— verrucosum Ehrh.	— officinalis L.	— hispanicum Viv.
— hirsutum W.	Pothos crassinervia Jacq.	Santolina Chamaeciparis L.	— monococcum L.
— Mackayaniun Renov.	Prasins majus L.	Saracha viscosa Sabrad.	— pectinatum MB.
— ovatum Hook.	Primula chinensis Lour.	Saturea hortensis L.	— Spelta L.
— pulchellum Lindl.	— veris L.	Sausurea laciniata Ledb.	Triumfetta tomentosa Telfair.
— roseum Don.	Prunella aequinoctialis H. et B.	— pulchella Fisch.	Tropaeolum Lobbianum Hook.
— venustum Dougl.	— grandiflora L.	Scabiosa atropurpurea MB.	— pentaphyllum Lam.
Petunia nyctaginea Juss.	Psoralea bituminosa L.	— caucasica MB.	— tricolorum Sweet.
— violacea Hook.	— capitata L. fil.	— columbaria L.	Tulipa sylvestris L.
Phaca alpina L.	— involucrata Thunb.	— connata Horn.	Tweedia coerulescens G. Don.
Phacelia congesta Hook.	Pterimica alpina DC.	— isetensis L.	Umbilicus horizontalis DC.
— vitifolia Hook.	— speciosa DC.	— reversa Ledb.	Urapetalum serotinum Ker.
Phalaris paradoxa L.	Pulsatilla alpina Spr.	— stellata L.	Urospermum picroides Desf.
Pharbitis diversifolia Lindl.	Pyrethrum macrophyllum W.	Scandix brachycarpa Cuss.	Urtica Dodartii L.
Phaseolus capensis Thunb.	— Parthenium L.	Schistanthed peduncularis Kze.	Vaccaria pyramidata Medic.
Harnandesii Savi.	— tanacetoides DC.	— Schizanthes peduncularis Andr.	Valerianella coronata Dufr.
multiflorus Lam.	Pyrus sphaerocarpa Andr.	— Schizanthus pinnatus R. et P.	Veratrum album L.
nanus L.	Quamoctil phoeniceus Chois.	— retusus Hook.	Verbascum Blattaria L.
oblongus Savi.	Ranunculus bruteus Tenor.	Scilla Glusana.	— Lychnitis L.
tumidus Sav.	— muricatus L.	Scoparia dulcis L.	— majale DC.
vulgaris L.	— pedatus W. et K.	Scrophularia benitocafolia L.	— repandum W.
Phlomis alpina Pall.	— philomitis Retz.	— nodosa L.	— Thapsus L.
— herba venti L.	— Thomassii Tenor.	— orientalis L.	Veronica fructicosa L.
— purpurea L.	— trachycarpus F. et M.	— vernalis L.	— Lindleyana Paxt.
— tuberosa L.	Raphanus Raphanistrum L.	Scorzonera rumicifolia Hort.	— repens DC.
Phyllis Nobla L.	— sativus L.	Securigera Coronilla DC.	— speciosa Cunningham.
Physalis curassavica L.	Reseda mediterranea L.	Sedum Aizoon L.	Vesicaria gracilis Hook.
— peruviana L.	— odorata L.	— auriculafolia Vahl.	— utriculata L.
Phyteuma canescens W. R.	— truncata F. et M.	— bellidifolia DC.	Viburnum Lantana L.
Phtytolacca decandra L.	Rhagadiolus eulalia Gaertn.	— cuneata Hort.	— Opulus L.
Picridium arabicum Hochst.	— stellaris Gaertn.	— elata Fisch.	— Tinus L.
— tingitanum Desf.	Rhamnus Alaternus L.	— eximia Schrank.	Vicia bithynica L.
Picris squarrosa Spach.	Rhaponticum radiatum.	— latifolia Sm.	— dumetorum L.
Pimelia decussata R. Br.	Rheum palmatum L.	— oleaefolia Pourr.	— globosa Retz.
Pimpinella magna L.	— Rhaponticum L.	— Scoparia Pall.	— graminea Sm.
Pinardia Roxburghii Less.	— undulatum L.	— Thouini Viv.	— granulifera L.
Pisum maritimum L.	Ribes alpinum L.	— Stevia glauculifera Schlcht.	— hirsutissima Cyrill.
— sibiricum Mart.	— aureum Pursh.	— ovata Lag.	— hirta Balb.
— sativum var. caerulescens.	— opulifolium Hort. Lond.	— serrata Cav.	— lathyroides L.
Plantago Durvillei Delil.	— sanguineum Pursh.	— stipa capillata L.	— musquinez Bosc.
— gentianoides Sib.	Ricinus communis L.	— pennata L.	— nodosa Fisch.
— major L. var. purpurea.	— lividus Jacq.	— Streptocarpus Rexii Lindl.	— stricta L.
— pumila L.	— viridis W.	— Succisa alpina Pers.	— tricolor Seb. et Maur.
— Psyllium L.	Rivina laevigata L.	— centaurioides Spr.	Vincetoxicum medium Kost.
— umbellata W.	Rosa blanda Ait.	Succowia balearica DC.	Viola canina L.
Platycodon grandiflorum A. DC.	— pimpinellifolia L.	Sutherlandia frutescens R. Br.	Waltheria elliptica Cav.
Plumbago micrantha Ledb.	Rudbeckia purpurea L.	Symphyantha pendula A. DC.	Xanthium inaequilaterum DC.
Poa rigida L.	Rulingia hermannifolia Sweet.	Tagetes bicolor Horn.	— macrocarpum DC.
Podaspernum octangulare Roth.	Romex Patientia L.	— albida Willd.	— spinosum L.
Polemonium dissectum Rehb.	— poligonifolius Loud.	— atropurpurea Blume.	— Strumarium L.
— lactum Schm.	— vesicularis L.	— mollis Orteg.	Xeranthemum cylindricum Sm.
Polyarpaea latifolia Poir.	Sabal Adansonii Guer.	— rhombifolia L.	— erectum Presl.
Polygonum convolvulus L.	Sagina filiformis Poir.	— sommeriana Cav.	— impertum W.
Polynomion boreale Adams.	Salpiglossis sinuata R. et P.	Sideritis canariensis L.	Zacyntha verrucosa Gaertn.
— pulchellum Bunge.	Salsola erubescens Schrad.	Siegesbeckia orientalis L.	Zea Maya L.
— Richardsoni Graham.	Salvia Aethiopis L.	Silene pratensis Boss.	Zephyranthes grandiflora Lindl.
Portulaca rostellata	— argentea L.	Silene Armeria L.	Zinnia elegans Jacq.
Potentilla arachnoidea Dougl.	— aurita Thunb.	— creticea L.	— grandiflora Hort.
— atrosanguinea Don.	— clandestina L.	— dichotoma Ehrh.	— multiflora L.
— canescens Bess.	— hispanica L.	— flavescentia Kit.	— pauciflora L.
— chrysanthus Trev.	— Horminum L.	— fructicosa L.	— revoluta Cav.
— crocea Hall.		— glauca Sm.	— tenuiflora Jacq.
— geoides MB.		— hirsuta Lag.	— verticillata Andr.
— gracilis Dougl.			

Indicis hujus duo exemplaria ad te misi, humaniter rogans, ut mihi alterum eorum, desideratis seminibus lineola notatis et vectura soluta, remittas.

TRAJECTI AD RHENUM, d. 31 m. Dec. 1849.

BERGSMA.

Botan. Prof. et Horti Praef.

