



Index seminum Horti Academici Rheno-Trajectini.

<https://hdl.handle.net/1874/452952>

INDEX SEMINUM HORTI ACADEMICI RENO-TRAJECTINI.

1858.

- | | | | |
|---|---|---|--|
| <p><i>Abroma augusta</i> L. fil.
 <i>Abrus praeatorius</i> L.
 <i>Abutilon Avicinnae</i> Gaertn.
 — <i>populifolium</i> G. Don.
 <i>Acacia paradoxa</i> DC.
 <i>Acacia Sanguisorba</i> Vahl.
 <i>Acanthus longifolius</i> Poir.
 — <i>mollis</i> L.
 <i>Acer campestre</i> β <i>hebecarpum</i> DC
 — <i>rubrum</i> Ehrh.
 — <i>saccharinum</i> L.
 <i>Achillea Gerberi</i> W.
 — <i>Millefolium</i> L.
 — <i>tanacetifolia</i> All.
 <i>Aconitum Anthora</i> L.
 — <i>barbatum</i> Patr.
 — <i>elatum</i> Meijer.
 — <i>excelsum</i> Rehb.
 — <i>Lycocitonum</i> L.
 — <i>Napellus</i> L.
 — <i>orientale</i> Mill.
 <i>Acroclinium roseum</i> Hook.
 <i>Actaea racemosa</i> L.
 <i>Adenanthera Pavonina</i> L.
 <i>Adenophora liliifolia</i> Ledb.
 <i>Adesmia muricata</i> DC.
 <i>Adonis autumnalis</i> L.
 <i>Aesculus rubicunda</i> DC.
 <i>Aethusa Cynapium</i> L.
 <i>Agati coccinea</i> DC.
 — <i>grandiflora</i> DC.
 <i>Agatophyllum Bonus Henricus</i> Moq.
 <i>Ageratum conyzoides</i> L.
 <i>Agrimonia pilosa</i> Ledb.
 <i>Alarconia angustifolia</i> DC.
 <i>Albertinia lividia</i> Benth.
 <i>Alchemilla alpina</i> L.
 <i>Alectrolophus Crista Galli</i> Bhrst.
 <i>Alisma Plantago</i> L.
 <i>Allium carinatum</i> L.
 — <i>Moly</i> L.
 — <i>multiflorum</i> Desf.
 — <i>nutans</i> L.
 <i>Porrum</i> L.
 — <i>Purshii</i> G. Don.
 — <i>Scorodoprasum</i> L.
 — <i>vineal</i> L.
 <i>Alciosia macrorrhiza</i> Schott.
 <i>Aloe linguiformis</i> Lam.
 <i>Althaea rosea</i> Cav.
 <i>Alyssum edentulum</i> W. et K.
 — <i>hirsutum</i> Bhrst.
 — <i>micranthum</i> F. et M.
 <i>Amaranthus bullatus</i> Bess.
 — <i>pendulus</i> Hort.
 — <i>sanguineus</i> L.
 — <i>tricolor</i> L.
 <i>Amaryllis carinata</i> Spr.
 — <i>vittata</i> Ait.
 <i>Amethystea coerulca</i> L.
 <i>Ammannia senegalensis</i> Lam.
 <i>Ammi glaucifolium</i> L.
 — <i>majus</i> L.
 <i>Ammobium alatum</i> R. Br.
 <i>Amorpha Lewisii</i> Lodd.
 — <i>nana</i> Nutt.
 — <i>pubescens</i> Lodd.
 <i>Anacyclus clavatus</i> Pers.
 — <i>officinarum</i> Hayne.
 — <i>radiatus</i> Loisl.</p> | <p><i>Anacyclus tomentosus</i> DC.
 <i>Anagallis arvensis</i> L.
 — <i>cerulea</i> All.
 — <i>indica</i> Wight.
 <i>Anchusa ochroleuca</i> Bhrst.
 — <i>officinalis</i> L.
 — <i>semperflorens</i> L.
 — <i>undulata</i> L.
 <i>Andropogon caffrorum</i> Kth.
 — <i>saccharatum</i> Roxb.
 <i>Androsace maxima</i> L.
 — <i>septentrionalis</i> L.
 <i>Androsaceum officinale</i> All.
 <i>Anemone caroliniana</i> Walt.
 — <i>pensylvanica</i> L.
 — <i>virginiana</i> L.
 <i>Anethum graveolens</i> L.
 <i>Anoda cristata</i> Schlehd.
 <i>Anomatheca cruenta</i> Ldl.
 <i>Anthemis altissima</i> L.
 — <i>refusa</i> Delil.
 <i>Anthericum Liliago</i> L.
 — <i>ramosum</i> L.
 <i>Anthriscus Cepelorum</i> Hoffm.
 <i>Anthrium Wildenowii</i> Kth.
 <i>Anthyllis Vulneraria</i> L.
 <i>Antirrhinum caryophylloides</i> Hort.
 — <i>majus</i> L.
 — <i>Orientinum</i> L.
 — <i>Youngianum</i> Hort.
 <i>Apium graveolens</i> L.
 <i>Aquilegia alpina</i> L.
 — <i>canadensis</i> L.
 — <i>elata</i> Ledb.
 — <i>formosa</i> Fisch.
 — <i>fragrans</i> Maund.
 — <i>glandulosa</i> Fisch.
 — <i>hybrida</i> Sims.
 — <i>Skinnerii</i> Hook.
 — <i>vulgaris</i> L.
 <i>Arabis alpina</i> L.
 — <i>ciliata</i> R. Br.
 — <i>Halleri</i> L.
 — <i>hirsuta</i> Scop.
 <i>Arafia racemosa</i> L.
 <i>Archangelica officinalis</i> Hoffm.
 <i>Argemone grandiflora</i> Swt.
 <i>Aristolochia fimbriata</i> Cham.
 <i>Pistochochia</i> L.
 <i>Aristotelia Macqui</i> Herit.
 <i>Armeria fasciculata</i> W.
 — <i>latifolia</i> W.
 — <i>pinifolia</i> Lk.
 — <i>vulgaris</i> W.
 <i>Arum italicum</i> Mill.
 <i>Asclepias curassavica</i> L.
 — <i>syriaca</i> L.
 <i>Asparagus verticillatus</i> L.
 <i>Asphodeline lutea</i> Rehb.
 <i>Asphodelus clavatus</i> Roxb.
 — <i>fistulosus</i> L.
 <i>Astragalus alopecuroides</i> L.
 — <i>asper</i> Jacq.
 — <i>baiticus</i> L.
 — <i>galegiformis</i> L.
 — <i>maximus</i> W.
 — <i>odoratus</i> Lam.
 — <i>pentaglottis</i> L.
 <i>Athaloda palustris</i> Nees.
 <i>Atriplex hortensis</i> L.</p> | <p><i>Atriplex sibirica</i> L.
 <i>Atropa Belladonna</i> L.
 — <i>β minor</i>.
 <i>Aurinia corymbosa</i> Griseb.
 <i>Avena brevis</i> Roth.
 — <i>fatua</i> L.
 — <i>geminiflora</i> Kth.
 — <i>norwegica</i> Ten.
 — <i>nuda</i> L.
 — <i>orientalis</i> Schreb.
 — <i>sativa</i> L.
 — <i>strigosa</i> Schreb.
 <i>Balsamia hortensis</i> Desp.
 <i>Baptisia australis</i> R. Br.
 — <i>β minor</i> Lehm.
 <i>Bartschea vulgaris</i> R. Br.
 <i>Barkhausia rubra</i> Moench.
 <i>Beckmannia eruciformis</i> Host.
 <i>Begonia Dreegi</i> H. Berol.
 — <i>hirtella</i> Lk.
 — <i>semperflorens</i> Otto.
 <i>Bellevalia romana</i> Rehb.
 <i>Berberis Aquifolium</i> Pursh.
 — <i>Roydi</i> Hort.
 <i>Berteroa ascendens</i> Koch.
 <i>Beta brasiliensis</i> Hort.
 — <i>vulgaris</i> L.
 <i>Betula alba</i> L.
 — <i>fruticosa</i> Pall.
 <i>Bidens cernuus</i> L.
 — <i>chrysanthemoides</i> Mx.
 <i>Billardiera scandens</i> Sm.
 <i>Biotia macrophylla</i> DC.
 <i>Biscutella auriculata</i> L.
 — <i>ciliata</i> DC.
 <i>Blainvillea latifolia</i> DC.
 <i>Blitum chenopodioides</i> Lam.
 — <i>virgatum</i> L.
 <i>Borrage officinalis</i> DC.
 <i>Bossiaea Scopendrium</i> R. Br.
 <i>Brachycoma iberidifolia</i> Benth.
 <i>Brassica arborea</i> Mill.
 — <i>mesopotamica</i> Bernh.
 <i>Briza maxima</i> L.
 — <i>minor</i> L.
 <i>Bromus elatior</i> L.
 — <i>secalinus</i> L.
 — <i>vestitus</i> Schrad.
 <i>Browallia elata</i> L.
 — <i>elongata</i> H. et B.
 <i>Bryonia dioica</i> Jacq.
 <i>Buglossitis laxiflora</i> Moris.
 <i>Bulbine annua</i> W.
 — <i>frutescens</i> W.
 — <i>semibarbata</i> Spr.
 <i>Bunias aspera</i> Benth.
 — <i>orientalis</i> L.
 <i>Bunium peucedanoides</i> Bhrst.
 <i>Bupleurum rotundifolium</i> L.
 <i>Burgsdorffia montana</i> Rehb.
 <i>Cakile americana</i> Nutt.
 <i>Calandrinia Andreewii</i> Don.
 — <i>compressa</i> Schrad.
 — <i>procumbens</i> Moris.
 — <i>sericea</i> Hook.
 <i>Calceolaria pinnata</i> L.
 — <i>sebastocephala</i> Sims.
 <i>Galendula cristata</i> Guss.
 — <i>muricata</i> Thnb.
 — <i>officinalis</i> L.</p> | <p><i>Calliglossa Douglasii</i> Hook.
 <i>Calliopsis Atkinsoniana</i> Hook.
 — <i>Basilis</i> Ott. et Dietr.
 — <i>bicolor</i> Rehb.
 — <i>coronata</i> Hort.
 <i>Callistachys linearis</i> Benth.
 <i>Callistemum lanceolatum</i> DC.
 — <i>marginatum</i> DC.
 — <i>salignum</i> DC.
 <i>Callistephus chinensis</i> Nees.
 <i>Camelina sativa</i> Crantz.
 <i>Campanula alpina</i> Jaq.
 — <i>glomerata</i> L.
 — <i>latifolia</i> L.
 — <i>Medium</i> L.
 — <i>ramosissima</i> Sm.
 — <i>rotundifolia</i> L.
 — <i>Trachelium</i> L. fl. alb.
 — <i>Vidalii</i> Wats.
 <i>Canna coccinea</i> Ait.
 — <i>indica</i> L.
 — <i>occidentalis</i> Rosc.
 — <i>speciosa</i> Rosc.
 <i>Cannabis gigantea</i> Hort.
 — <i>himalayana</i> Hort.
 — <i>sativa</i> L.
 <i>Capicum annum</i> L.
 <i>Caragana arborescens</i> Lam.
 <i>Carex vulpina</i> L.
 <i>Carthamus tinctorius</i> L.
 <i>Carum Carvi</i> L.
 <i>Catananche coerulea</i> L.
 — <i>β</i> fl. alb.
 — <i>lutea</i> L.
 <i>Cedronella triphylla</i> Moench.
 <i>Celosia argentea</i> L.
 — <i>cristata</i> L.
 — <i>paniculata</i> L.
 — <i>virgata</i> Jacq.
 <i>Celsia sublanata</i> Ker.
 <i>Celtis australis</i> K.
 <i>Centaurea Adami</i> W.
 — <i>americana</i> Nutt.
 — <i>austriaca</i> W.
 — <i>axillaris</i> W.
 — <i>calocephala</i> W.
 <i>Cyanus</i> L.
 <i>flosculosus</i> W.
 <i>macrocephala</i> Muss.
 <i>melitensis</i> L.
 <i>ovina</i> Pall.
 <i>pulchella</i> Ledb.
 <i>ragusina</i> L.
 <i>reflexa</i> Lam.
 <i>Scabiosa</i> L.
 <i>spinulosa</i> Rchb.
 <i>Cephaelis alpina</i> R. et S.
 — <i>procera</i> F. et M.
 — <i>tatarica</i> R. et S.
 <i>Cerithie major</i> L.
 <i>Cestrum Parqui</i> L.
 <i>Cheiranthes Cheiri</i> L.
 <i>Chelidonium majus</i> L.
 <i>Chelone glabra</i> L.
 <i>Chenopodium aristatum</i> L.
 — <i>Quinoa</i> W.
 — <i>serotinum</i> L.
 <i>Chorispora tenella</i> DC.
 <i>Chorizema ilicifolium</i> Labill.
 <i>spartioides</i> Lodd.</p> |
|---|---|---|--|

Cucumis sativus L.	Eryngium	Helichrysum	Lallemantia	Melilotus
Cucurbita maxima Duch.	— nigricans Bbrst.	bracteatum W.	peltata F. et M.	coerulea Lam.
Cuphea viscosissima Jacq.	— campestre L.	foetidum Moench.	officinalis W.	— officinalis W.
Cupressus sempervirens L.	— dilatatum Lam.	macranthum Benth.	pernixta Jord.	— pernixta Jord.
— β horizontalis Mill.	— giganteum Bbrst.	odoratissimum Don.	Mentha Pulegium L.	Meum athamanticum Jacq.
Cuscuta Epilinum Weihe.	— planum L.	peruvianum L.	— gracilis Benth.	Micromeria gracilis Benth.
Cyclamen europeum L.	Erysimum	— obtusifolia Cass.	— graeca Benth.	Mimosa pudica L.
Cynara Cardunculus L.	aureum Bbrst.	Lathyrus articulatus L.	Mimulus luteus L.	— ocellatus Berter.
Cynoglossum glochidiatum Wall.	crassipes F. et M.	Glymeum L.	— ringens L.	Minuartia campestris L.
— officinale L.	perfoliatum Crantz.	inconspicuus L.	Mirabilis Jalapa L.	— longiflora L.
Cyperus esculentus L.	Pereeskianum F. et M.	latifolius L.	Monarda fistulosa L.	Monolepis trifida Schrad.
Cyrtanthus Pumilio Schult. fil.	Eschscholtzia californica Cham.	— β fl. alb.	Mulgedium leucocephalum DC.	Myagrum perforatum L.
Cytisus alpinus Mill.	Euonymus syriacus R. Br.	Ochnus DC.	Myosotis azorica Wats.	Myriactis javanica DC.
— elongatus W. et K.	Eudianthe coeli rhab Fenzl.	odoratus L.	Myrrhis communis L.	Nasturtium officinale R. Br.
— falcatus W. et K.	Euphorbia diversifolia Pers.	purpureus Desf.	Neja gracilis Don.	Nemacheneae aculeata Cass.
— Laburnum L.	— peplos L.	sativus L.	Neillia thyrsiflora Don.	Nemophila atomaria F. et M.
— nigricans L.	Eutoca divaricata Benth.	tingitanus L.	— insignis Benth.	— maculata Ldl.
Dactylis glomerata L.	Evonymus europaeus L.	venosus Mhlb.	Neptea Cataria L.	— crispa W.
Dahlia coccinea Cav.	— latifolius Scop.	Laurea nobilis L.	— graniflora Bbrst.	— italic L.
— Merckii Leh.	Fagopyrum esculentum Moench.	Lavatera trimestris L.	— macrantha Fisch.	— muda L.
— variabilis Desf.	— tataricum Gaertn.	Lens minor E. Mey.	Lippia asperifolia Rich.	Neslia paniculata Desv.
Daphne Mezereum L.	Fagus sylvatica L.	Leonurus Cardiacia L.	Lithospermum officinale L.	Nicandra physaloides Gaertn.
Datura ceratocaula Jacq.	Faldermannia parviflora Schrnk.	Lepidium sativum L.	Lobelia ignea Arrab.	Nicotiana angustifolia R. et P.
— gunnaiensis Kth.	Fedisia Cornucopiae Vahl.	Leptospermum australe Salish.	— inflata L.	— elatinensis Fisch.
— Stramonium L.	Ferula communis L.	Leucadendron argenteum R. Br.	— speciosa Swt.	— dilatata Lk.
Tatula L.	— sulcata Desf.	Leucocarpus alatus Don.	Lolinium temulentum L.	Langsdorffii Weinm.
Delphinium Ajacis L.	Ficus leucoxylon Blt.	Leycesteria formosa Wall.	Lomas inodora Gaertn.	— macrophylla Spr.
— Consolida L.	Flaveria Contrayerba Pers.	Ligustrum alatum Spr.	Lopezia racemosa Cav.	— noctiflora Hook.
— elatum L.	— repanda Lagas.	Lilium Martagon L.	Lophanthus nepetoides Benth.	— persica Ldl.
— exaltatum Ait.	Foeniculum piperatum DC.	Linaria arvensis Desf.	Lophospermum scandens Don.	— sanguinea L. et O.
— formosum Hort.	Francia sonchifolia Cav.	— minor Desf.	Lubinia mauritiana Spr.	— virginica Agard.
— grandiflorum L.	Funkia albo-marginalis Hook.	— praetermissa Delatre.	Luffa acutangula Ser.	Nigella corniculata DC.
— hirsutum Pers.	— ovata Spr.	— repens Steud.	Lunaria biennis Moench.	— damascena L.
— intermedium Ait.	— Sieboldiana Lodd.	— versicolor Moench.	Lysimachia arvensis L.	— hispanica L.
— palmatifidum DC.	Gaillardia aristata Pursh.	Lindheimeria texana Gray et Engelm.	Lysimachia linum-stellatum L.	Nolana atriplicifolia D. Don.
— villosum Stev.	— bicolor Lam.	Linum usitatissimum L.	Lysimachia punctata L.	Nothoscordum fragrans DC.
Desmodium alatum DC.	— picta Sw.	— usitatissimum L.	Lychnis chalcedonica L.	Ocimum Basilicum L.
— Dillenii Darlt.	— β grandiflora Hort.	— verticillatum L.	— coeli rosa Desr.	— gratissimum L.
— nutans Wall.	— Richardsonii Penny.	Lippia asperifolia Rich.	— coronaria Desr.	— sanctum L.
— triquetrum DC.	Galega officinalis L.	Lithospermum officinale L.	— fulgens Fisch.	Odontarrhena alpestris Endl.
Dianthus arenarius L.	Garidella Nigellastrum L.	Lobelia ignea Arrab.	Githago Lam.	Oenanthe Phellandrium Lam.
— barbatus L.	Gelonium speciatum Bl.	— inflata L.	— mutabilis L.	Oenothera biennis L.
— chiaensis L.	Genista aspalathoides Lam.	— pallidus W. et K.	Lycopersicum esculentum Mill.	Olea americana L.
— cruentus Grisb.	— canalicans L.	Hypericum hirsutum L.	— arvensis L.	Omphalodes limnifolia Moench.
— fragrans Bbrst.	— elatior H. Argent.	— perforatum L.	Lysimachia linum-stellatum L.	Onobrychis caput galli Lam.
— gallicus Pers.	— sibirica L.	— pyramidatum Ait.	Lythrum pomiferum Mill.	— sativa Lam.
— plumarius L.	Geschna allioglossa Mart.	Hypocrepis multifiliosa L.	Macrorhodium tinctorium de Vr.	Ononis alopecuroides L.
— prolifer L.	Geum canadense Murr.	— officinale L.	Madia stellaris F. et M.	— biflora Desf.
— punctatus Spr.	— chiloense Balb.	Iberis umbellata L.	Magnolia Yulan Desf.	— geminiflora Lagas.
— pongens L.	— intermedium Ehrh.	— Cunninghamii Hort.	Malcolmia africana R. Br.	— hircina Jacq.
— purpureus Lam.	— notans Poir.	Ullenia religiosa S. et Zucc.	— maritima R. Br.	— Natrix L.
— scaber Thnb.	— triflorum Pursh.	Impatiens Rhexii Wight et Arn.	Malope grandiflora H. Angl.	Onopordon elongatum Lam.
— trifasciculatus Kit.	— urbanum L.	Inula Heleni L.	Malva balsamica Jacq.	— virens DC.
— versicolor Fisch.	— virginianum L.	Ipomoea japonica R. et S.	— crispa L.	Ornithogalum pyrenaicum L.
Dicerma elegans DC.	Gilia achilleifolia Benth.	— leucantha Jacq.	— flexuosa Horn.	Ornithopus compressus L.
Dictamnus Fraxinella Pers.	— geminiflora Hook.	— maritima R. Br.	— mauritiana L.	— scorpioides L.
— β purpureus.	— multicaulis Benth.	— multiflora R. et S.	— moschata L.	Orobanche ramosa L.
Digitalis media Roth	— nivalis v. Ht.	— purpurea Lam.	— rotundifolia L.	Orobous lathyroides L.
— ochroleuca Jacq.	— splendens Hort.	— rubro coerulea Hook.	Mandragora vernalis Bertol.	Oryza sativa L.
— purpurea L.	— tricolor Benth.	— Schizoloma Kze.	Martynia fragrans Ldl.	Ostrya vulgaris W.
— β monstrosa.	Glaucium biocellatum Benth.	— sibirica Jacq.	Marula Cotula Cass.	Paonia officinalis L.
— tubiflora Ldl.	— luteum Scop.	— superba Colla.	Matthiola annua Sw.	— villosa Sw.
Dimorphotheca hybrida DC.	— rubrum Sibth.	Iris brachycarpa Lodd.	— incana R. Br.	Palmariaustralis Gaertn.
Dioscorea Batatas Dene.	Gleditschia microcartha Lodd.	— Clusiana Tauch.	— parviflora R. Br.	Panicum flavidum Retz.
— brasiliensis W.	Glycyrrhiza foetida Desf.	— Guldenstaedtiana Bbrst.	— triuspida B. Br.	— italicum L.
— oppositifolia L.	Gomphrena globosa L.	— halophila Pall.	Medicago apuleiaca W.	— jumentorum Pers.
Diospyros Lotus L.	— Haageana Hort.	— maritima Mill.	— elegans Jacq.	— miliaceum L.
Dipsacus fullonum Mill.	Goodia lotifolia Salisb.	— notha Bbrst.	— lupulina L.	— sanguinale L.
Dodonaea triquetra Andr.	Gossypium arboreum L.	— riparia R. Br.	— sativa L.	— verticillatum L.
Dolichos Catjang L.	Grislea tomentosa Roxb.	Jasione perennis Lam.	Lactuca sativa L.	Papaver amoenum Bot. Reg.
Dorycnium rectum Ser.	Gunnera scabra R. et P.	Juglans cinerea L.	— spinulosa DC.	— bracteatum Ldl.
Dracocephalum peltatum L.	Guzmania tricolor R. et P.	— nigra L.	— salsoloides L.	— cornutum v. Ht.
— sibiricum Bbrst.	Gypsophila elegans Bbrst.	Justicia stricta Vahl.	— salsoloides L.	— floribundum Desf.
Echeandia terniflora Orteg.	— glauca Stev.	Kalbussia Mulleri Schultz.	— spinulosa DC.	— orientale L.
Echeveria fulgens v. Ht.	— perfoliata L.	— Salzmanni Schultz.	— salsoloides L.	Rhoeas L.
Echinops bannaticus Rchb.	— repens L.	— Kennedya apstala Lodd.	— salsoloides L.	
— exaltatus Schrad.	Haloragis Cercidolia Ait.	— Kitabielia vitifolia W.	Melanosemium decipiens Hoffm.	
— humilis Bbrst.	— scabra Thnb.	Krigia virginica W.		
— strigosus L.	— tenuifolia Schrad.	Krockeria edulis R. Br.		
Echinospurm javanicum Lehm.	Hedysarum pendula Balb.	Lablab vulgaris Savi β purpureus.		
Echium fastuosum Jacq.	— coronarium L.	Lachenalia pendula Ait.		
— vulgare L.	— β fl. alb.	Lactuca perennis L.		
Eclipta ligustrina Schrad.	Helianthus annuus L.	— sativa L.		
Edwardsia grandiflora Salisb.	— giganteus L.	— Scariola L.		
Elymus arenarius L.	— Maximilianus Schrad.	Lagurus ovatus L.		
— striatus W.				
Elytraria virgata Mx.				
Emex spinosa Camb.				
Emilia sonchifolia DC.				
Endoptera aspera DC.				
Entelia arborescens R. Br.				
Epilobium montanum L.				
Ervum Camelorum Spr.				
— dispermum Roxb.				

X my zeldzaam er by gedaan
Want hou my

Papaver somniferum L.	Potentilla pensylvanica L.	Silene viscosa Pers.	Tigridia conchiflora Sw.
— β monstr. Goepf.	recta L.	Siler aquilegiforme Gaertn.	Topis barbata L.
Passiflora minima L.	simplex Mx.	Silybum Marianum Gaertn.	Tordylium syriacum L.
Pastinaca sativa L.	verticillaris Steph.	Sinapis alba L.	Tounefortia mutabilis Vent.
Paulownia imperialis Siebold.	viscosa Don.	— amplexicaulis DC.	Tradescantia Crassula Lk. et Ott.
Pavia lutea Poir.	Poterium Sanguisorba L.	— pekinensis Lour.	— erecta Jacq.
Pelargonium Lechianum Spin.	varrucosum Lk. et Ehrh.	Sisymbrium Columnae L.	Tragopogon porrifolius L.
— platypetalum F. et M.	Primula chinensis Ldl.	— Sophia L.	— pratensis L.
Pentstemon gracilis Nutt.	Prostranthera retusa R. Br.	Sisyrinchium affine Schultz.	Trichonema Bulbocodium Ker.
— laevigatus Ait.	Prunella laciniata L.	— convolutum Nucca.	— qualrangularis Sm.
— Richardsonii Dougl.	vulgaris L.	— racemosum Sm.	— ramiflorum Swt.
Penthorum sedoides L.	Prunus semperflorens Ehrh.	— strictum Sw.	Trifolium incarnatum L.
Perilla nankinensis DCne.	Psoralea capitata L. fil.	Solanum aculeatissimum Jacq.	— striatum L.
Peucedanum sylvestre DC.	— palaestina L.	— bombense Jacq.	Trigonella Foenum graecum L.
— verticillare Koch.	Pulsatilla alpina Spr.	— capsicatum H. Monsp.	Triticum dicoccum Schrenk.
Phagelia tanacetifolia Benth.	— montana Rebh.	— laciniatum Ait.	— monococcum L.
Phalaris canariensis L.	Punica Granatum L.	— marginatum L. fil.	— Spelta L.
Phaseolus haematoxarpus Savi.	Puya Funkiana Lind.	— Pseudocapsicum L.	Triumfetta oblongata Lk.
— Hernandensis Savi.	Pyrethrum carneum Bhrst.	— pterocaulon Dun.	Tropaeolum majus L.
— multiflorus Lam.	— corymbosum W.	— sodomacum L.	— minus L.
— oblongus Savi.	— macrophyllum W.	— Trongm Poir.	Scheurmanni Hort.
— tumulos Savi.	Parthenium Sm.	Scandix brachycarpa Guss.	Turritis Grahami Lehmi.
— tunkinensis Lour.	pulverulentum Lagas.	— pilinatus R. et P.	Uropetalum serotinum Ker.
Phillyrea latifolia L.	roseum Bhrst.	Schoberia crassifolia Steud.	Urospermum capense Spr.
Phleum tenuis Schrad.	Tanacetum DC.	Scolymus maculatus L.	— picroides Desf.
Phlomis Samia L.	Pyrus baccata L.	Scorpiurus muricata L.	Urtica Dodartii L.
Phlox acuminata Pursh.	— sphaerocarpa Wender.	— sulcata L.	Valerianella coronata DC.
— Drummondii Hook.	Quercus Ilex L.	— vermiculata L.	— olitoria Moench.
Phyllis capensis E. Mey.	— rubra L.	Scorzonera hispanica L.	Vella annua L.
Phyllis Nobis L.	Ranunculus brutius Tenor.	Scrophularia nodosa L.	Veratrum nigrum L.
Physalis Alkekengi L.	— muricatus L.	Scutellaria apina L.	Verbascum Thapsus L.
Physostegia virginiana Benth.	— pedatus W. et K.	— lateriflora L.	Verbenas officinalis L.
Phyteuma caeruleum W. et K.	— trachycarpus F. et M.	Securigera Coronaria DC.	Veronica fruticosa L.
Phytolacca decandra L.	— tuberosus Lapeyr.	Sedum purpureum Lk.	— gentianifolia Sw.
Picridium tingitanum Desf.	Remusatia vivipara Schott.	— spuriun W.	— incana L.
Pimpinella Anisum L.	Reseda mediterranea L.	Sempervivum tectorum L.	— longifolia L.
— magia L.	— odora L.	Senecio Jacobaea L.	Vesicaria cratica Poir.
Pinus Pinus L.	— truncata F. et M.	Seseli montanum DC.	Viburnum Tinus L.
— Strobus L.	— uniflora L.	Sherardia arvensis L.	Vicia amoena Fisch.
Pircinia esculenta Moq.	Rhagadiolus stellatus Gaertn.	Sida angustifolia Cav.	— cordata Wall.
Pistia stratiotes L.	Rhamnus Alaternus L.	— rhombifolia L.	— dumetorum L.
Pisum arvense L.	— Frangula L.	— Sonneratiana Cav.	— globosa Retz.
— sativum L.	— latifolius Herit.	— triloba Thunb.	— graffitilla Scop.
Plantago Cynops L.	Rhaponticum radiatum Mey.	Sideritis canariensis L.	— hirsutissima Cyril.
— gentianoides Sibth.	Rheum australe Don.	Silaus longifolius Ledb.	— musquinez Bosc.
— Lagopus L.	— compactum L.	— pratensis Bess.	— nodosa Fisch.
— major L. β purpur.	— hybridum Ait.	Silene Armeria L.	— sativa L.
— pumila L.	— Rhaponticum L.	— Beben L.	Vinca rosea L.
Platycoleon grandiflorum DC. fil.	— sibiricum Pall.	— buplurionides L.	Vinetoxicum fuscum H. Vind.
Plumbago scandens L.	— undulatum L.	— cretica L.	— medium Dene.
Polemonium boreale Adams.	Rhus Toxicodendrum L.	— dichotoma Ehrh.	Viola elatior Fr.
Polemonium coeruleum L.	— typhina L.	— disticha W.	— grandiflora L.
— β fl. alb.	Ricinus communis L.	— flavescens W. et K.	— lanceolata L.
— lacteum Lehm.	— viridis W.	— fruticosa L.	— pratensis M. et K.
— Richardsoni Grah.	Rivina laevis L.	— inaperta L.	Wahlenbergia lobelioides DC. fil.
Polygonatum vulgare Desf.	Robinia Pseudacacia L.	— inclusa Horn.	Whitavia grandiflora Benth.
Polygonum Convolvulus L.	Rosa villosa L.	— inflata Sm.	Withania frutescens Pauquy.
— tinctorum Lour.	Rudbeckia laciniata L.	— β maritima DC.	Wulfenia carinthiaca Jacq.
Portulaca Gillesii Hook.	Rumex cristatus DC.	Linicola Gmel.	Xanthium spinosum L.
— olacea L.	— maximus Schrb.	— linifolia W.	Xeranthemum annuum L.
Potentilla arachnoides Dougl.	— polygonifolius Loud.	— muscipula L.	— cylindraceum Sm.
— argentea L.	— purpurea Poir.	— nutans L.	— impertum W.
— atrosanguinea Don.	— reticulatus Bess.	— picta Pers.	Zea Mays L.
— chrysanthra Trev.	Sabal Adansoni Guerns.	— quinquevulnera L.	Zinnia ambigua H. Berol.
— geoides Bhrst.	Sagittaria cordifolia Lam.	— rotundifolia Nutt.	— elegans Jacq.
Hippiana Lehm.	Salisburia adiantifolia Sm.	— sibirica Pers.	— pauciflora L.
mollissima Lehm.	Salpiglossis sinuata R. et P.	— villosa Camb.	— revoluta Cav.
norvegica L.	Salsola erubescens Schrad.	— viridiflora L.	— tenuiflora Jacq.
obscura W.	— rosacea L.		— verticillata Ander.
ornithopodioides Sw.			

F I L I C E S.

Adiantum affine W.
— *brasiliense* Raddi.
Capillus Veneris L.
curvatum Klfs.
hispidulum Sw.
macrophyllum Sw.
obliquum W.
prionophyllum H. B. K.
— *venustum* Don.
Alsophila Miquelianii Kze.
Anemidictyon laevinistatum Pr.
— *Phyllitidis* J. Sm.
Angiopteris angustata Miq.
— *gigantea* Miq.
— *Willinkii* Miq.
Aspidium nigripes.
— *trifoliatum* Sw.
Asplenium bulbiferum Forst.
— *caudatum* Forst.
— *compressum* Sw.
— *crenulatum* Pr.
— *dimorphum* Kze.
— *ebenum* Ait.
Filix foeminae Bernh.
flabellifolium Cav.
— *foeniculaceum* H. B.

Asplenium furcatum Sw.
— *Halleri* Br.
— *lucidum* Forst.
— *marinum* L.
— *Michauxii* Spr.
— *monstrosum* H. Berol.
— *pulchellum* Raddi.
— *rhizophorum* L.
— *umbrosum* J. Sm.
— *zaminefolium* W.
Blechnum brasiliense Desv.
— *grasile* Klfs.
— *hastatum* Klfs.
— *occidentale* L.
Campyloneuron augustifolium Fée.
— *decurrens* Pr.
— *Phyllitidis* Pr.
Cyrtomium falcatum Pr.
Cystopteris bulbifera Bernh.
— *fragilis* Bernh.
Davallia dissecta J. Sm.
Diplazium ambiguum J. Sm.
— *decussatum* J. Sm.
— *marginatum* Bl.
— *striatum* Pr.
— *Doodia blechnoides* A. Cunn.

Doodia caudata R. Br.
— *dives* Kze.
— *lunulata* R. Br.
Doryopteris pedata J. Sm.
— *sagittifolia* J. Sm.
Elaphoglossum viscosum Schott.
Goniophlebium cuspidatum Pr.
— *méniscifolium* J. Sm.
— *sororium*.
— *subauriculatum* Pr.
Goniopteris crenata Pr.
— *pennigera* J. Sm.
Gymnogramme Calomelanos Klfs.
— *sulphurea* Desv.
— *Tartarea* Desv.
— *tomentosa* Desv.
Hemionitis palmata L.
Hypolepis tenuifolia Bernh.
Lastrea aemula J. Sm.
— *augescens* J. Sm.
— *cristata* Pr.
— *decurrens* J. Sm.
— *dilatata* Pr.
— *Filix mas* Pr.
— *patens* Pr.
— *podophylla* J. Sm.

Lastrea serra Pr.
— *spinulosa* Pr.
Leptogramme Linkiana J. Sm.
Litobrochia biaurita J. Sm.
— *denticulata* Pr.
Lomaria falcata Spr.
— *Gilliesii* Hook et Grev.
— *Pateroni* Spr.
— *Spicant* Desv.
Lophosoria affinis Pr.
Microlepia novae zelandiae J. Sm.
Neottopteris Nidus J. Sm.
Nephrodium abortivum T. et B.
— *molle* R. Br.
Nephrolepis ensifolia Pr.
— *exaltata* Schott.
Niphobolus Lingua Spr.
Notholaena Marantae R. Br.
Onychium japonicum Kze.
Osmunda gracilis Lk.
— *regalis* L.
Pellaea geranifolia Lk. et Fée.
— *hastata* Lk. et Fée.
Phlebodium aureum R. Br.
— *sporadocarpum* J. Sm.
Phymatodes vulgaris Pr.

Platycerium alcicorne Gaud.
Pleuridium crassifolium Fée.
Polyodium vulgare L.
Polystichum aculeatum Roth.
— *pruinosum* Miq.
Pteris aquilina L.
— *arguta* Vahl.
— *crenata* Sw.
— *cretica* L.
— *felosma* J. Sm.
— *flabellata* Thunb.
— *lata* Lk.
— *longifolia* L.
— *semipinnata* L.
— *serrulata* L.
— *umbrosa* R. Br.
Scolopendrium Krebsii Kze.
— *vulgare* Sm.
— *— polyschides* Ldl. et Mrc.
Sitotobium adiantoides J. Sm.
— *dissectum*.
— *rubiginosum* J. Sm.
Stenosmia aurita Pr.
Struthiopteris germanica W.
Woodwardia radicans Sw.

Indicis hujus duo exemplaria ad te misimus, humaniter rogantes, ut nobis alterum eorum, desideratis seminibus lineola notatis vectura soluta, remittas.

TRAJECTI AD RHENUM.

m. Dec. a. 1853.

B E R G S M A,

Botan. Prof. et Hort. Praef.

G. VAN DEN BRINK,

Hortulanus.